

MS
.

0

1

7

1

2

Recd. 11-15-02

Noted by [unclear]

Platted Feb 25 1887

(4-683.)

Mineral Survey No. 1712

Lot No. 1712

Tucson Gila Land District.

FIELD NOTES

OF THE SURVEY OF THE MINING CLAIM OF

Mexican-Arizona Copper Co.
J. A. Neumann, Trustee

KNOWN AS THE

Hoover, Hoover No. 7 Good Bay, Regulation Ceramics & Iron Spine
Greene Gold Mountain Mining District,

Yavapai County, Arizona

Section 26 34 35 Township 35 Range 29 E

Surveyed under instructions dated Sept. 15th 1902
by James Cobb Jr.
U. S. Deputy Mineral Surveyor

Claim located [unclear] 1

Survey commenced Sept. 23rd 1902

Survey completed " 26th 1902

PRELIMINARY OATHS OF ASSISTANTS IN SURVEY OF MINING CLAIM.

WE, L. C. Morrow and _____,
do solemnly swear that we will well and faithfully execute the duties of chain carriers;
that we will level the chain upon even and uneven ground and plumb the tally-pins,
either by sticking or dropping the same; that we will report the true distance to all
notable objects, and the true length of all lines that we assist in measuring, to the best
of our skill and ability, and in accordance with instructions given us, in the survey of
the Mining Claim of the Mexican-Arizona Copper Co.,
J. A. Deucham, Trustee, known as the
November, November No. 2 Good Bay, Pinalon Basin and Los Espinos lodes
situate in Greenlee Gold Mainland Mining mining district,
Goakam County, Arizona,
in Sections 1, 2, 3, 4, 5, Township No. 35, Range No. 29 E, 5th SR. & M.

L. C. Morrow, Chainman.

_____, Chainman.

Subscribed and sworn to by the above-named persons before
me this 22nd day of Sept., 1901

Frank B. Lane
Notary Public.

I, L. C. Morrow, do solemnly swear that I will well and
truly perform the duties of axeman, in the establishment of corners and other duties,
according to instructions given me and to the best of my skill and ability, in the survey
of the Mining Claim of Mexican-Arizona Copper Co.
J. A. Deucham, Trustee,
known as the November, November No. 2 Good Bay, Pinalon Basin and Los Espinos lodes
more fully described in the preceding affidavit.

L. C. Morrow, Axeman.

Subscribed and sworn to by the said _____

before me this 22nd day of
Sept., 1901

Frank B. Lane
Notary Public

I, _____, do solemnly swear that I will
well and truly perform the duties of flagman, in the establishment of corners and other
duties, according to instructions given me and to the best of my skill and ability, in the
survey of the Mining Claim of _____

known as the _____,
more fully described in the preceding affidavit.

_____, Flagman.

Subscribed and sworn to by the said _____

before me this _____ day of
_____, 18 ____

Best Corrections were inserted in the notes and on the plates June 15, 1903. E. C. Jr.

Clifton, Ariz., May 21/03

Hon. Hugh A. Price,

U. S. Surveyor General.

Phoenix, Ariz.,

Sir:

I have the honor to respectfully submit the following field notes to correct errors in official survey No. 1712.

From Cor. No. 1 November Side, the Northwest Cor. to T. 4 S., R. 30 E., bears S. 54° 36' 30" E. 9419.4 ft.

From Cor. No. 1 November No. 2 Side, the Northwest Cor. to T. 4 S., R. 30 E. bears S. 52° 56' E. 9948.4 ft.

From Cor. No. 1 East Side Side, the Northwest Cor. to T. 4 S., R. 30 E. bears S. 59° 10' E. 9165.7 ft.

From Cor. No. 1 Good Bay Side, the Northwest Cor. to T. 4 S., R. 30 E. bears S. 61° 51' E. 10262.1 ft.

From Cor. No. 1 Regulation Side, the Northwest Cor. to T. 4 S., R. 30 E. bears S. 67° 38' E. 10595.1 ft.

From Cor. No. 1 Paramona Side, the Northwest Cor. to T. 4 S., R. 30 E., bears S. 78° 08' 30" E. 10331.7 ft.

The foregoing are correct field notes of a survey made by me in person, in strict conformity to the laws of the United States, the official regulations and the instructions thereunder.

Samuel Cobb Jr. U.S. Dep. Min. Surveyor.

Subscribed and sworn to by the said Samuel Cobb Jr., U.S. Dep. Min. Surveyor, before me Frank B. Lane a Notary Public's this 10th day of June 1903

Frank B. Lane
Notary Public's

Survey No. 1712

Foot	feet	November Lode
		Beginning at Cor. No. 1. A pine post, 5 ft. long, 4 ins. square, set 18 ins. in the ground, to bed rock, surrounded by mound of stone, scribed 1-1712, whence Across (x) and B.Q. 1-1712 chiseled on limestone bed rock, exposed 4 x 6 ft., bears $N. 25^{\circ} 37' W.$ 11.65 ft.
		The N.W. Cor. T. 4 S., R. 30 E. of the G.S.R. P.M., bears $S. 54^{\circ} 36' 30'' E.$ 944.19 ft.
		Thence $N. 25^{\circ} 37' W.$ $Ta. 12^{\circ} 13' E.$
57.97	437.97	Intersect line 2-3 Thirty Six lode, unsurveyed, at $N. 36^{\circ} 35' E.$ 964.9 ft from Cor. No. 2.
	300.0	N.E. end center of location
	600.0	To Cor. No. 2
		A pine post, 5 ft. long, 4 ins. square, set 14 ins. in the ground, on a boulder, surrounded by mound of stone, scribed 2-1-1712, whence Across (x) and B.Q. 2-1-1712 chiseled on a Malpais boulder 14 x 14 ft. 10 ft. high, bears $N. 79^{\circ} 24' E.$ 104 ft.
		Thence $S. 64^{\circ} 23' W.$ $Ta. 12^{\circ} 13' E.$
		N.W. side center of the location obliterated.
1355.17		Intersect line 1-2 Thirty Six lode, unsurveyed, at $S. 19^{\circ} 42' W.$ 299.6 ft. from Cor. No. 2
1500.		To Cor. No. 3.
		A pine post 5 ft. long, 4 ins. square, set 4 ins. in the ground,

To bed rock, surrounded by
massive of stone, scribed 3-4-1712,
whence,

No B.P. or B.T. available.

Cor. No. 2 Last Antler lode, unsurveyed,
bears N. $33^{\circ}54' E$. 415.29 ft.

Thence S. $25^{\circ}37' E$.

7a. $12^{\circ}13' E$.

143.27 Intersect line 1-2 Last Antler lode,
unsurveyed, at N. $19^{\circ}42' E$. 160.95 ft
from Cor. No. 1.

239.77 N.E. end center location monument
of the Good Boy lode of this survey.

300. SW. end center of the location.

561.06 Cor. No. 1 Good Boy lode of this
survey.

600. Top Cor. No. 1.

A pipe post, 5 ft. long, 4 ins.
square, set 18 ins. in the
ground, surrounded by massive
of stone, scribed 4-1712.

No B.P. or B.T. available.

Thence N. $64^{\circ}23' E$.

7a. $12^{\circ}13' E$.

SE. side center of the location
obliterated.

1000. Cor. No. 2 Last Spider lode,
of this survey.

1058.2 Intersect line 2-3 Liberty Six lode, unsurveyed,
at N. $36^{\circ}35' E$. 465.55 from Cor. No. 2

1500. To Cor. No. 1, The place of beginning.

Good Boy Lode
Beginning at Cor. No. 1.

A pipe post, 5 ft. long 4 ins.
square, set 18 ins. in the
ground, to bed rock, surrounded
by massive of stone, scribed

1-1712, whence
 No B.R. or B.I. available.
 The N.W. Cor. to T. 45., R. 20 E.
 of the G. & S. R. O. M., bears S. 61° 51' E.
 10262.1 ft.
 Cor. No. 4 Copper Bug Lode,
 unsurveyed, bears S. 28° 28' W.
 181.32 ft.
 Cor. No. 3 East Spike Lode, of
 this survey, bears S. 59° 56' W. 501.5 ft.

Thence N. 25° 37' W.
 Va. 12° 13' E.

371.84 To N.E. end center of the location.
 417.79 Intersect line 1-2 Solantle lode, unsurveyed,
 at N. 19° 42' E. 160.95 ft. from Cor. No. 1
 561.06 Cor. No. 3 November Lode, of this survey.
 643.68 To Cor. No. 2.

A pine post, 5 ft. long,
 4 in. square, set 16 in. in
 the ground to bed rock,
 surrounded by mound of
 stone, scribed 2-1712,
 whence
 Cor. No. 1 Solantle lode, unsurveyed,
 bears S. 6° 58' E. 357.86 ft.

Thence S. 43° 09' W.
 Va. 12° 13' E

543.89 intersect line 4-1 Solantle lode,
 unsurveyed, at S. 84° 17' W. 217.45 ft.
 from Cor. No. 1.
 N.W. side center of the location obliterated.
 1101.76 To Cor. No. 3

A pine post, 5 ft. long, 4 in.
 square, set 6 in. in the ground,
 to bed rock, surrounded by
 mound of stone, scribed 3-1712,
 thence

No B.R. or B.I. available.
 Cor. No. 3 Copper Bug Lode, unsurveyed,

bears $N. 56^{\circ} 22' E. 450.01$ ft.

Hence $S. 25^{\circ} 37' E.$

$N. 12^{\circ} 13' E.$

321.84 SW. end center of the location.

405.18 Intersect line 2-3 Copper King Lode, unsurveyed, at $S. 17^{\circ} 59' W. 646.17$ ft. from Cor. No. 3.

643.68 To Cor. No. 4.

A line (mark, 5 ft. long, 4 ins. square, set 4 ins. in the ground, to bed rock, surrounded by mound of stone, scribed 1-1717, whence $N. B.R. or B.T. available.$

Cor. No. 4 Large Lode, by this survey, bears $N. 88^{\circ} 52' E. 1579.0$ ft.

Hence $N. 43^{\circ} 09' E.$

$N. 12^{\circ} 13' E.$

565.32 Intersect line 3-4 Large Lode, of this survey, at $S. 25^{\circ} 37' E. 105.31$ ft. from Cor. No. 3.

904.77 Intersect line 3-4 Copper King Lode, unsurveyed, at $S. 72^{\circ} 01' E. 549.12$ ft. from Cor. No. 3 Cor. No. 4 Copper King Lode bears $S. 72^{\circ} 01' E. 549.12$ ft.

994.26 Intersect line 2-3 Large Lode, of this survey, at $N. 61^{\circ} 23' E. 282.36$ ft. from Cor. No. 3

1101.76 To Cor. No. 1, The place of beginning.

REGULATION LODE
Beginning at Cor. No. 1

A line (mark, 5 ft. long, 4 ins. square, set 6 ins. in the ground, to bed rock, surrounded by mound of stone, scribed 1-1717, whence $N. B.R. or B.T. available.$

The N.W. Cor. to T. 45, R. 30 E. of the G. & S. R. G.M., bears $S. 67^{\circ} 38' E. 10595.1$ ft.

Cor. No. 1 Copper King Lode, unsurveyed, bears $S. 29^{\circ} 23' E. 585.71$ ft.

Cor. No. 4 Copper King Lode bears $S. 72^{\circ} 01' E. 549.12$ ft.

Thence $N. 25^{\circ} 37' W.$

$N. 12^{\circ} 13' E.$

6.76 Cor. No. 4 Good Bay Lode, of this survey
 745.26 Intersect Line 2-3 Copper Bay Lode, unmeasured,
 at $N. 17^{\circ} 59' E.$ 574.31 from Cor. No. 2

328.6 N.E. end center of the location, identical
 with the SW. end center of the Good
 Bay Lode, of this survey.

650.44 Cor. No. 3 Good Bay Lode, of this survey.

657.2 To Cor. No. 2.

A fine fresh 5 ft. long, 4 ins.
 square, set 15 ins. in the ground
 to bed rock, surrounded by
 mound of stone, scribed 2-1712,
 No B.R. or B.T. available.

Thence $S. 40^{\circ} 18' W.$

$N. 12^{\circ} 13' E.$

N.W. side center of the location
 obliterated.

1475.45 To Cor. No. 3.

A fine fresh, 5 ft. long, 4 ins.
 square, set 18 ins. in the
 ground surrounded by mound
 of stone, scribed 3-1712.

No B.R. or B.T. available.

Thence $S. 25^{\circ} 37' E.$

$N. 11^{\circ} 48' E.$

328.6 SW. end center of the location.

657.2 To Cor. No. 4.

A fine fresh, 5 ft. long, 4 ins.
 square, set on bed rock, surrounded
 by mound of stone, scribed
 4-1712, whence

at cross (x) and B.R. 4-1712

chiseled on bed rock, exposed 4 x 5 ft.,
 1 ft. above surface, bears $N. 25^{\circ} 37' W.$

4.7 ft.

Cor. No. 3 Paramour Lode, of this survey,

Bears N. $7^{\circ}27'$ E. 680.66 ft.

Thence N. $40^{\circ}18'$ E.

Var. $11^{\circ}48'$ E.

160.07 Intersect line 2-3 Paramour Lode, of this survey, at S. $10^{\circ}48'$ W. 536.76 ft. from Cor. No. 3

776.79 Intersect line 3-4 Paramour Lode, of this survey, at S. $79^{\circ}12'$ E. 383.69 ft. from Cor. No. 3

846.62 Intersect line 1-2 Copper Bug Lode, unsurveyed, at S. $72^{\circ}01'$ E. 6.26 ft. from Cor. No. 2

1275.45 To Cor. No. 1. The place of beginning.

PARAMOUR LODE

Beginning at Cor. No. 1

A pine post, 5 ft. long, 4 ins. square, set 15 ins. in the ground to bed rock, surrounded by mound of stone, scribed 1-1712, whence

No B.R. or B.T. available.

The N.W. Cor. to T. 45, R. 30 E. Q. the G. & S. R. P. M., bears S $78^{\circ}8'30''$ E. 10331.7 ft.

Thence N. $79^{\circ}12'$ N.

Var. $13^{\circ}03'$ E.

Set. and center of the location obliterated.

600 To Cor. No. 2

A pine post, 5 ft. long, 4 ins. square, set 12 ins. in the ground to bed rock, scribed 2-1762

Thence N. $10^{\circ}48'$ E.

Var. $13^{\circ}03'$ E.

N.W. side center of the location obliterated.

963.24 Intersect line 1-4 Regulation Lode, of this survey.

1500. To Cor. No. 3

Across (x), at corner point n 3-1712 chiseled on quartzite bed rock.

old Pine Post 5 ft. long &
 iron square, set on bedrock,
 surrounded by mound of
 stone, scribed 3-1712, alongside.

Thence S. $79^{\circ}12' E$.

Va. $11^{\circ}48' E$.

N.E. end center of the location
 obliterated.

303.69 Intersect line 4-1 Requisition lode,
 of this survey.

600. To Cor. No. 4

Pine post, 5 ft. long,
 iron square, set 6 ins.
 in the ground, to bedrock,
 surrounded by mound of
 stone, scribed 4-1712, whence
 across (4) and S.E. 4-1712
 chiseled on quartzite bedrock,
 exposed 344 ft. 18 ins. above
 surface.

Thence S. $10^{\circ}48' W$.

= Va. $11^{\circ}48' E$.

SE. side center of the location
 obliterated.

1500. To Cor. No. 1. The place of beginning.

November No. 2 Lode
 beginning at Cor. No. 1

Identical with Cor. No. 2

November lode, of this survey,
 whence

to N.W. Cor. to T. 4 S., R. 30 E.
 of the G. & S. R. C.M., bearing
 S. $52^{\circ}56' E$. 9948.4 ft.

Thence N. $25^{\circ}37' W$.

Va. $12^{\circ}43' E$.

N.E. end center of the location
 obliterated.

600. To Cor. No. 2

A pine post 25 ft. long, 4 ins. square, set 18 ins. in the ground, to bed rock, surrounded by mound of stone, scribed 2-17-2, whence

To B.R. 4 B.S. available.

Thence S. $64^{\circ}23'$ E.

72.1273 E.

N.W. side center of the location obliterated.

1500. To Cor. No. 3

A pine post 25 ft. long, 4 ins. square, set 8 ins. in the ground, to bed rock, surrounded by mound of stone, scribed 3-17-2, whence

across (x) and B.R. 3-17-2 checked on Malpais boulder exposed 2 x 4 ft. 14 ins. above the surface, bears S. $59^{\circ}26'$ E. 8.65 ft.

Cor. No. 3 Solanthe Lake, unsurveyed, bears S. $68^{\circ}12'$ E. 528.86 ft.

Thence S. $25^{\circ}37'$ E.

74.1213 E.

259.85 Intersect line 2-3 Solanthe Lake, unsurveyed, at $584^{\circ}17'$ N. 380.59 ft. from Cor. No. 2

SW. end center of the location obliterated.

517.38 Cor. No. 2 Good Bay Lake of this survey.

600. To Cor. No. 3

Identical with Cor. No. 3 November Lake of this survey.

Thence $N. 64^{\circ} 23' E.$

$N. 12^{\circ} 13' E.$

144.88 Intersect line 1-2 Solauthe
Lode, unsurveyed, at $S. 9^{\circ} 42' N.$
799.6 ft. from Cor. No. 2

S.E. end center of the location
obliterated.

1500. To Cor. No. 1. The place of beginning.

LAST SPIKE LODE
Beginning at Cor. No. 1
A fine post, 5 ft.
long, 4 in. square, set
18 in. in the ground,
surrounded by a mound
of stone, scribed 1-1712,
whence

A cross (x) and $S. 7. 1-1712$
scribed on double line
tree 12 in. in diam.
at base, bears $S. 32^{\circ} 07' N.$
102.77 ft.

The W. cor. to T4 S., R. 30 E.
of the G. & S. R. C. M. bears
 $S. 59^{\circ} 10' E. 9165.7$ ft.

Cor. No. 1 Unity Six Lode,
unsurveyed, bears $S. 19^{\circ} 58' E.$
159.92

Cor. No. 2 Unity Six Lode,
unsurveyed, bears $N. 68^{\circ} 20' W.$
521.24 ft.

Thence $N. 25^{\circ} 37' N.$

$N. 12^{\circ} 13' E.$

N.E. end center of the location
obliterated.

569.2 Intersect line 2-3 Unity Six
Lode, unsurveyed, at $N. 36^{\circ} 35' E.$
399.76 ft. from Cor. No. 2

600. To Cor. No. 2

A pine post, 15 ft. long
 4 in. square, set 14 in. in
 the ground, to be rock,
 surrounded by mound of
 stone, scribed 2-17-12.

On line 4-1 November
 lode of this survey, whence
 bearing (x) and B.R. 2-17-12
 chiseled an iron ore bearing
 exposed 4 x 6 ft. 4 ft. high
 bears S 30° 44' W. 26.2 ft.

Cor. No. 2 November Six lode,
 unmeasured, bears S. 32° 50' W.
 414.96 ft.

Bearing S. 64° 23' W.
 Va. 12° 13' E.

SW. side center of the location
 obliterated.

1000. Cor. No. 1 November lode of
 this survey.

1100.22 Intersect line 4-1 Good Boy
 lode, of this survey, at N. 45° 9' E. 89.47 ft. from pt. of intersection
 of line 1-9, Good Boy & 3-4 - Copper Bug

1217.64 Intersect line 3-4 - Copper Bug
 lode, unmeasured, at N. 72° 01' W.

46.99 ft. Point of intersection of line 4-1 Good Boy
 with line 3-4 Copper Bug
 10500. So Cor. No. 3

A pine post, 15 ft. long
 4 in. square, set 14 in.
 in the ground, to be rock,
 surrounded by mound
 of stone, scribed 3-17-12.
 To B.R. or B.T. available

Bearing S. 25° 37' E.
 Va 12° 13' E.

1050.31 Intersect line 4-1 Good Boy
 lode, of this survey
 SW. end center of the location
 obliterated.

438.26 Intersect line 4-1 Copper Bug
lode, unsurveyed, at $D. 17^{\circ} 09' W.$
512.09 ft. from Cor. No. 4.

600

To cor. No. 4
A piece of rock, 15 ft. long,
thin, square, set 18 in.
in the ground, surrounded
by rhyolite stone, scribed
K-1712, whence

No B.P. or B.T. available.

Cor. No. 1 Copper Bug lode,
unsurveyed, bears $S. 28^{\circ} 40' N.$
601.69 ft. J

Thence $N. 64^{\circ} 23' E.$

$N. 12^{\circ} 13' E.$

S. E. side center of the location
obliterated.

1385.53 Intersect line 1-2 Winding Six
lode, unsurveyed, at $S. 57^{\circ} 37' E.$
451.58 ft. from Cor. No. 2.

1500.

To cor. No. 1, The place of beginning.

The surveys of the November,
Good Bay, Regulation,
Paramount, November No. 2,
and Lost Spike lodes are
identical with their respective
locations.

Area

Total area November Lode	A.	20,661
Area in conflict with Solente Lode, unsurveyed		0,238
Thirty Six Lode, unsurveyed		1,181
Total area November Lode		20,661
Less area in conflict with Solente Lode, unsurveyed	0,238 ✓	
Thirty Six Lode, unsurveyed	<u>1,181 ✓</u>	<u>1,419 ✓</u>
Net area November Lode		19,242
Total area Good Bay Lode		15,176 ✓
area in conflict with Solente Lode, unsurveyed		2,011
Copper Beg Lode unsurveyed		6,382 ✓
Fort Spike Lode, of this survey		0,713
Fort Spike Lode, of this survey exclusive of its conflict with the Copper Beg Lode, unsurveyed		0,044
Total area Good Bay Lode		15,176 ✓
Less area in conflict with Solente Lode, unsurveyed	2,011	
Copper Beg Lode, unsurveyed	<u>6,382 ✓</u>	<u>8,393 ✓</u>
Net area Good Bay Lode		6,783 ✓
Total area Regulation Lode		17,568
Area in conflict with Copper Beg Lode, unsurveyed		1,143
Paramour Lode, of this survey		1,871
Total area Regulation Lode		17,568 ✓
Less area in conflict with Copper Beg Lode, unsurveyed		<u>1,143 ✓</u>
Net area Regulation Lode		16,425
Total area Paramour Lode		20,661
Area in conflict with Regulation Lode of this survey		1,871
Total area Paramour Lode		20,661
Less area in conflict with Regulation Lode of this survey		<u>1,871 ✓</u>
Net area Paramour Lode		18,790

	A.
Total area November No. 2 Side	20 661
Area in conflict with Solauke Side, unsurveyed	1748
Total area November Side, No. 2	20 661
Less area in conflict with Solauke Side, unsurveyed	<u>1748</u>
Net area November No. 2 Side	18 913
Total area Fort Spike Side	20 661
Area in conflict with Good Bay Side of this survey	0713
Good Bay Side of this survey exclusive of its conflict with Copper Bug Side, unsurveyed.	0044
Copper Bug Side, unsurveyed	1995
Wright's Six Side, unsurveyed	2814
Total area Fort Spike Side	20 661
Less area in conflict with Copper Bug Side, unsurveyed	1995
Wright's Six Side, unsurveyed	2814
Good Bay Side of this survey exclusive of its conflict with Copper Bug Side, unsurveyed	<u>0.044</u> 4.853
Net area Fort Spike Side	15.808
Net area November Side	19 242
Net area Good Bay Side	6 782
Net area Regulation Side	16 425
Net area Paromau Side	18 790
Net area November No. 2 Side	18 913
Net area Side Claim	<u>95.961 A.</u>

Location

This claim is located in the
N.E. 1/4 and S.E. 1/4, Sec. 34; N.W. 1/4, N.E. 1/4
and S.W. 1/4, Sec. 35; and S.E. 1/4 and
S.W. 1/4, Sec. 26, T. 35., R. 29 E. of the
Grand S.R. P.M., unsurveyed.

17
Expenditure of five hundred dollars.

I certify that the value of the lodes and improvements upon and as for the benefit of each location embraced in this claim, placed thereon by the claimants and their grantors, is not less than five hundred dollars, and that said improvements consist of:

No. 1 The discovery shaft (known as the November Shaft), of the November lode, which bears from a point on the center line of the November lode 65.7 ft. from the SW. end center, (designated as Sta. 1) $N. 7^{\circ} 00' W.$ 76.7 ft., 220 ft. deep, in porphyry - Timbered 27 ft. from collar. Value \$ 3300

No. 2 A shaft, 4x6 ft. 8 ft. deep, in iron and porphyry, which bears from Sta. 1 $N. 20^{\circ} 0' E.$ 208 ft. Value 75

No. 3 A shaft 4x6 ft., 10 ft. deep, in iron, which bears from Sta. 1 $N. 0^{\circ} 14' W.$ 120.5 ft. Value 75

No. 4 A shaft 4x6 ft., 10 ft. deep, in iron and porphyry, which bears from Sta. 1 $N. 14^{\circ} W.$ 172 ft. Value 75

No. 5 A Tunnel 4x6 ft., 13 ft. long, and in open cut, approached 24 ft. long. The mouth of the Tunnel bears from Sta. 1 $N. 11^{\circ} 27' W.$ 200 ft. Value 180

No. 6 A shaft 5x6 ft., 6 ft. deep, in iron and porphyry, which bears from Sta. 1 $N. 18^{\circ} 09' W.$ 189 ft. Value 45

No. 7 The discovery shaft of the Good Bay lode, 4x6 ft., 10 ft. deep, in porphyry, which bears from a point, designated as Sta. 2) on the center line of the Good Bay

Fade 199.5 feet from the SW end center,
 $N. 83^{\circ} 56' W. 90.5$ ft. Value \$ 75

No. 2 A shaft 8x8 ft., 4 ft. deep, in porphyry,
 which bears from Sta. 2 $N. 82^{\circ} 51' W. 108$ ft.
 Value \$ 40

No. 3 A shaft 4x6 ft., 18 ft. deep, in
 iron end, porphyry, which bears from the
 SW end center of the Good Bay hole
 $S. 43^{\circ} 21' E. 55$ ft. Value \$ 180

No. 4 An open cut 20 ft. long, 2 ft.
 deep, the center of which bears
 from the SW end center of the Good Bay
 hole $S. 33^{\circ} 56' E. 28.5$ ft. Value \$ 15

No. 5 The discovery shaft of the Regulation
 hole, 4x6 ft., 10 ft. deep, in porphyry and
 quartz, which bears from the a point
 (designated as Sta. 3) on the center line of
 the Regulation hole 197.5 ft. from the
 N.E. end center of the Regulation hole,
 $S 59^{\circ} 32' E. 32$ ft. Value \$ 75

No. 6 An open cut 8x8 ft., 4 ft. deep,
 which bears from Sta. 3 $S. 60^{\circ} 54' E. 51.5$ ft.
 Value \$ 40

No. 7 An open cut 5x6 ft., 2 ft. deep, in porphyry,
 which bears from the N.E. end center of
 the Regulation hole $S. 15^{\circ} 41' W. 51.7$ ft.
 Value \$ 15

No. 8 An open cut 10 ft. long, 4 ft. wide,
 18 ft. long, in porphyry and quartz,
 the face of which bears from a point
 on the center line of the Regulation hole
 486.7 ft. from the SW end center, $S 42^{\circ} 12' W.$
 348.3 ft. Value \$ 75

No. 9 The discovery tunnel of the Paramour

Side, 4x6 ft., 17 ft. long, the mouth of which bears from a point on the N.E. endline 134 ft. from Cor. No. 1, $558^{\circ}22'W$, 221.5 ft. Value # 175

No. 1 The discovery shaft of the November No. 1 Side, 4x6 ft., 21 ft. deep, in iron, quartz and lime, which bears from Cor. No. 3 $573^{\circ}10'E$. 282 ft. Value # 210

No. 1 The discovery cut of the East Slide Side, 10 ft. face, 3.5 ft. wide, 17 ft. long, in basophony, the face of which bears from Cor. No. 1 November Side $5.82^{\circ}37'E$. 384 ft. Value # 75

There is no great difference in elevation between the various locations embraced in this survey, which renders it possible to work them all from the November shaft if continued to a depth of five hundred or more feet.

Other Improvements
An open cut in lime and iron, 6 ft. face, 4 ft. wide, 18 ft. long, the face of which bears from a point on the centerline of the Regulation Side 478.3 ft from the N.E. end center, $7.19^{\circ}06'E$. 89 ft.

Instrument

This survey was made with a Gurley Sight Mountain Transit, fitted with Burt's Solar attachment.

The courses were deflected from the true Meridian as determined by the Solar attachment. The distances were measured with 50 ft and 500 ft. steel tapes.

Note:

The disagreements between the field notes and the location certificates, with reference to the position of the discovery point and the course of the boundary lines, are due to errors in the latter.

Note:

The presumed position of the logs upon which these locations are made, are in the center of the location as surveyed and equal in length to their respective locations.

Note:

Claimants of adjoining and conflicting claims are not shown, with the exception of the Johntha Fode, Arizona Copper Co. Claimant.

1220
7000
1200
50

FINAL OATHS FOR SURVEYS.

LIST OF NAMES.

A list of the names of the individuals employed by Juanas Cobb
 United States Deputy Mineral Surveyor, to assist in running, measuring, and marking the lines
 corners and boundaries described in the foregoing field notes of the survey of the mining claim
 of Mexican-Arizona Copper Co. L. A. Deuelham, trustee
 known as the November, November, Good Bay, Regulation, Paromour and San Spirit Falls
 and showing the respective capacities in which they acted.

L. C. Morrow, Chairman. Arman
 _____, Chairman.
 _____, Arman.
 _____, Flagman.

FINAL OATHS OF ASSISTANTS.

We, L. C. Morrow
 and _____, do solemnly swear that we assisted Juanas Cobb
 _____, United States Deputy Mineral Surveyor, in marking the corners and
 surveying the boundaries of the mining claim of Mexican-Arizona Copper Co.
L. A. Deuelham, trustee

known as the November,
November No. 1, Good Bay, Regulation, Paromour and San Spirit Falls, represented
 in the foregoing field notes as having been surveyed by said deputy mineral surveyor and under
 his direction; and that said survey has been in all respects, to the best of our knowledge and
 belief, faithfully and correctly executed, and the corner and boundary monuments established
 according to law and the instructions furnished by the United States Surveyor-General for
Arizona.

L. C. Morrow, Chairman. Arman
 _____, Chairman.
 _____, Arman.
 _____, Flagman.

Subscribed and sworn to by the above-named persons before me
 this 2nd day of October, 1912

Frank B. Rainie
 Notary Public

FINAL OATH OF U. S. DEPUTY MINERAL SURVEYOR

I, Lamar Cobb Jr., U. S. Deputy Mineral Surveyor, do solemnly swear that, in pursuance of instructions received from the United States Surveyor General for Arizona, dated Sept 15 1902, I have, in strict conformity to the laws of the United States, the official regulations and instructions thereunder, and the instructions of said Surveyor General, faithfully and correctly executed the survey of the Mining Claim of Mexican Arizona Copper Co. L.A. Decudau, Inditee, known as the Roomba, Township No. 1 Good Boy, Regulation Patrons & Los 8000 ft., situate in Greelee Gold Mountain Mining District, Graham County, Arizona, in Section 6 34 35, Township No. 35, Range No. 29 E 5 & 6 P.M. and designated as Survey No. 1712, as represented in the foregoing field notes, which accurately show the boundaries of said mining claim as distinctly marked by monuments on the ground, and described in the attached copy of the location certificate, which was received by me from the Surveyor General with said instructions, and that all the corners of said survey have been established and perpetuated in strict accordance with the law, official regulations and instructions thereunder; and I do further solemnly swear that the foregoing are the true and original field notes of said survey and my report therein, and that the labor expended and improvements made upon said mining claim by claimant or their grantors are as therein fully stated, and that the character, extent, location and itemized value thereof are specified therein with particularity and full detail, and that no portion of said labor or improvements so credited to this claim has been included in the estimate of expenditures upon any other claim.

Lamar Cobb Jr.
U. S. Deputy Mineral Surveyor.

Subscribed and sworn to by the said Lamar Cobb Jr.
U. S. Deputy Mineral Surveyor, before me Frank B. Saine
Notary Public for Graham Co. Arizona this 2nd
day of October 1902.

Frank B. Saine
Notary Public

Affidavit of Five Hundred Dollars Improvements.

We, J. L. Awalt, and L. C. Morrow

of lawful age, being first duly sworn according to law, depose and say: That we are acquainted with the ^{November} ^{November} ^{Nov} ¹⁸⁹⁰ ^{Regulation} ^{Government} ^{Gold} ^{State} ~~the~~ mining claim,

situate in Greenlee Gold Mountain Mining district, Graham County,

Arizona Territory, for which Mexican-Arizona Copper Co.

L. A. Deuker

has made application for survey prior to application for patent under the provisions of the Act of Congress, approved May 10, 1872; and that the labor done and improvements made thereon by the applicant and ~~their~~ grantor exceed Five Hundred Dollars ^{for each location} in value, and further that we are not personally interested in said mine.

J. L. Awalt

L. C. Morrow

TERRITORY OF ARIZONA, }
County of Graham } ss:

Sworn to and subscribed before me, this 2nd

day of October, 1907



Frank B. Loring
Notary Public

My Commission Expires Nov 20, 1907

Notice of Mining Location.

LODE CLAIM.

To All Whom It May Concern:

This Mining claim, the name of which is the *Paramour* Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purpose of exploration and purchase by *Horace G. Rice of Clifton, A. T. & Citizen of U. S. A.*

(Locator must insert either "a citizen of the United States," or, "who has declared his intention to become a citizen of the United States.")

the undersigned, on the *Tenth* day of *December* 1900

The length of this claim is *1500* feet, and claim *1250* feet in a *S. Westerly* direction, and *250* feet in a *N. Easterly* direction from the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with *300* feet in width of the surface grounds, on each side of the center of said claim.

The general course of the lode deposit and premises is from the *S. W.* to the *N. E.*

The claim is situated and located in the *Greenlee Gold Mountain* Mining District, in *Graham* County, in the Territory of Arizona, about *2 1/2* miles in a *Easterly* direction from *Metcalf's* lays in the *Center of Place Gulch* bounded on the East by the *East Schuylers* group on the North by the *November* group on the S. East by the *Rich Hill* Mining Claim.

The surface boundaries of the claim are marked upon the ground as follows: Beginning at

A. Monument of Stones
at a point in a *S. Westerly* direction *1250* feet from the discovery shaft (at which this notice is posted), being in the center of the *S. W.* end line of said claim; thence *S. E.* *300* feet to a *Monument of Stones*, being the *S. E.* corner of said claim; thence *N. E.* *750* feet to a *Monument of Stones* at the center of the *S. E.* side line of said claim; thence *N. E.* *750* feet to a *Monument of Stones*, being at the *N. E.* corner of said claim; thence *N. W.* *300* feet to a *Monument of Stones* at the center of the *N. E.* end line of said claim; thence *N. W.* *300* feet to a *Monument of Stones*, being at the *N. W.* corner of said claim; thence *S. W.* *750* feet to a *Monument of Stones* being at the center of the *N. W.* side of said claim; thence *S. W.* *750* feet to a *Monument of Stones* at the *S. W.* corner of said claim; thence *S. E.* *300* feet to the place of beginning.

All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of the United States, and of an Act of the General Assembly of Arizona, entitled "An Act Concerning Mines," approved March 20th, 1895, and amended March 2d, 1899.

Dated and posted on the ground this the *10th* day of *December* 1900

Witness
G. E. Baskley

Locator

Horace G. Rice

Parowan

191

NOTICE OF LOCATION.

LODE CLAIM.

W. G. Rice

Locater

DATED *Dec. 10th* 190*2*

Filed and recorded at request of

E. J. Whitaker

Jan 22nd A. D. 190*1*

at *3 October* A. M.,

Book *13* Records of Mines

Pages *140-141*

Thomas Smith

County Recorder,

By

Deputy Recorder.

TERRITORY OF ARIZONA,

County of

I,

Territory aforesaid, do hereby certify that the within instrument was filed for record at _____ o'clock

M., on this _____ day of _____ 190 _____, and duly recorded in Book

No _____ of _____ Records of _____ County,

Arizona, at pages _____

WITNESS my hand and official seal the day and year first above written.

County Recorder.

AMENDED

Notice of Mining Location.

LODE CLAIM.

To All Whom It May Concern:

This mining claim, the name of which is the November Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purpose of exploration and purchase by J D Audley Smith, Alexander Veitch, and H G Rice the undersigned, on the 13th day of April 1901.

The length of this claim is fifteen hundred (1500) feet, and we claim two hundred (200) feet in a south westerly direction, and thirteen hundred (1300) feet in a north easterly direction from the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with three hundred (300) feet in width of the surface grounds, on each side of the center of said claim. The general course of the lode deposit and premises is from the north east to the south west

The claim is situated and located in the Greenlee Gold Mountain Mining District, in Graham County, in the Territory of Arizona, about three and one half miles in a north easterly direction from Metcaef and the south west corner of this claim joins the north east end line of the Idolauhe claim.

The surface boundaries of the claim are marked upon the ground as follows: Beginning at a monument of stones at the center of the south west end line of the claim ————— at a point in a south west direction two hundred (200) feet from the discovery shaft (at which this notice is posted), being in the center of the south west end line of said claim; thence north west three hundred feet to a stone monument, being the south west corner of said claim; thence north east seven hundred & fifty feet to a stone monument at the center of the north west side line of said claim; thence north east seven hundred & fifty feet to a stone monument being at the north west corner of said claim; thence south east three hundred feet to a stone monument at the center of the north east end of said claim; thence south east three hundred feet to a stone monument, being at the north east corner of said claim; thence south west seven hundred & fifty feet to a stone monument being at the center of the south east side line of said claim; thence south west seven hundred & fifty feet to a stone monument at the south east corner of said claim; thence north west three hundred feet to the place of beginning.

All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of the United States, and of an Act of the General Assembly of Arizona, entitled "An Act Concerning Mines," approved March 20th, 1895, and amended March 2d, 1899.

This is an Amended Location Notice of the November Mining Claim, located by J D Audley Smith on the 17th day of November 1898., and recorded in Book 11 of Records of Mines, at page 43., in the office of the County Recorder of the aforesaid County of Graham to which reference is hereby made, and this Amended Location Notice is made and posted to correct errors in the description in the said original Location Notice.

Dated and posted on the ground this 13th day of April 1901.

J D Audley Smith, Alexander Veitch, H G Rice.

I,..... County Recorder in and for the County and Territory aforesaid, do hereby certify that the within instrument was filed for record at..... o'clock..... M., on this..... day of..... 189....., and duly recorded in Book No..... of..... Records of..... County, Arizona, at pages.....

WITNESS my hand and official seal the day and year first above written

County Recorder


AMENDED
Notice of Location.
LODE CLAIM.

November
Greenlee Gold and Silver District.

Dated *April 15th 1890*

Filed and recorded at request of
G. F. Whiteaker
April 15th 1890
at *Phoenix A. T.*
Book *14* Record of mine.
Pages *51*

By *Thomas Smith*
County Recorder.
Deputy Recorder.



This diagram is to give locator a general idea of plan of location under the new law. The Discovery Shaft can be in the center of claim or any distance from either end 500 feet from one end and 1000 feet from the other. Commence description of claim at a center end monument, giving its distance and direction from center of Discovery Shaft; thence bound the claim in either direction. In description be careful to state locality of claim with reference to some natural object, or permanent monument, as will identify the claim.

322

A unceded Location
Notice of Mining Location.

LODE CLAIM.

To All Whom It May Concern:

This Mining claim, the name of which is the *November No 2* Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purpose of exploration and purchase by *Charles F. Mitcher, citizen of U.S.A.*

(Locator must insert either "a citizen of the United States," or, "who has declared his intention to become a citizen of the United States.")

the undersigned, on the *fourth* day of *February* 1901.

The length of this claim is *fifteen hundred (1500)* feet, and *I* claim *five hundred (500)* feet in a *south westerly (S.W.)* direction, and *one thousand (1000)* feet in a *north easterly (N.E.)* direction from the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with *three hundred (300)* feet in width of the surface grounds, on each side of the center of said claim. The general course of the lode deposit and premises is from the *north east (N.E.)* to the *south west (S.W.)*

The claim is situated and located in the *Greenlee Gold Mt.* Mining District, in *Graham* County, in the Territory of Arizona, about *three and one half miles* in a *north easterly* direction from *McCaes* and adjoins *the November mining claim on the north west side being parallel to it.*

The surface boundaries of the claim are marked upon the ground as follows: Beginning at a *monument of stones*

at a point in a *south west* direction *five hundred* feet from the discovery shaft (at which this notice is posted), being in the center of the *south west* end line of said claim; thence *south east three hundred* feet to a *monument of stones*, being the *south east* corner of said claim; thence *north east seven hundred* feet to a *monument of stones* at the center of the *south east* side line of said claim; thence *north east seven hundred fifty* feet to a *monument of stones*, being at the *north east* corner of said claim; thence *north west three hundred* feet to a *monument of stones* at the center of the *north east* end line of said claim; thence *north west three hundred* feet to a *monument of stones*, being at the *north west* corner of said claim; thence *south west seven hundred fifty* feet to a *monument of stones* being at the center of the *north west* side of said claim; thence *south west seven hundred fifty* feet to a *monument of stones* at the *south west* corner of said claim; thence *south east three hundred* feet to the place

of beginning. *This is an unceded location of November No. 2 Mining Claim, the original of which is recorded in Book 13, at pages 108-109, Record of Mines, Graham County, Arizona.*
All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of the United States, and of an Act of the General Assembly of Arizona, entitled "An Act Concerning Mines," approved March 20th, 1895, and amended March 2d, 1899.

Dated and posted on the ground this the *fourth* day of *February* 1901.

Witness
Horace Rice

Charles F. Mitcher

Amused & interested.

NOTICE OF LOCATION.

LODE CLAIM.

29

November no 2.

Charles F. Whitaker
Locator.

DATED *Febry. 4th* 1901

Filed and recorded at request of

Chas. F. Whitaker
Geo. J. St.
A. D. 1901

at *9 2222nd* St.,
Book *13* Head of mine

Pages *167*
Thomas Smith
County Recorder.

By *Thomas Smith*
Deputy Recorder.

TERRITORY OF ARIZONA,

ss.

County of

I,

County Recorder in and for the County and Territory aforesaid, do hereby certify that the within instrument was filed for record at o'clock of the day of 1901, and duly recorded in Book No. of Records of County, Arizona, at pages

WITNESS my hand and official seal the day and year first above written.

County Recorder.

~~Amended Location~~
Notice of Mining Location.

LODE CLAIM.

30

To All Whom It May Concern:

This Mining claim, the name of which is the Good Boy Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purpose of exploration and purchase by Charles F. Mitcher a citizen of the United States of America
(Locator must insert either "a citizen of the United States," or, "who has declared his intention to become a citizen of the United States.")

the undersigned, on the fourth day of February 1901.

The length of this claim is fifteen hundred feet, and I claim one hundred feet in a South westerly direction, and fourteen hundred feet in a North easterly direction from the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with three hundred feet in width of the surface grounds, on each side of the center of said claim.

The general course of the lode deposit and premises is from the South west to the North east.

The claim is situated and located in the Greenlee Gold Mining District, in Graham County, in the Territory of Arizona, about three and one quarter miles in a North easterly direction from McAfee and the North east end of the claim is bounded by the November claim and joins it and the South west end is bounded & joined by the North east end of the Regulation mining claim.

The surface boundaries of the claim are marked upon the ground as follows: Beginning at a monument of stones

at a point in a South west direction one hundred feet feet from the discovery shaft (at which this notice is posted), being in the center of the South west end line of said claim; thence South east three hundred feet to a monument of stones, being the South east corner of said claim; thence North east seven hundred feet to a monument of stones at the center of the South east side line of said claim; thence North east seven hundred & fifty feet to a monument of stones, being at the North east corner of said claim; thence North west three hundred feet to a monument of stones at the center of the North east end line of said claim; thence North west three hundred feet to a monument of stones, being at the North west corner of said claim; thence South west seven hundred & fifty feet to a monument of stones being at the center of the North west side of said claim; thence South west seven hundred & fifty feet to a monument of stones at the South west corner of said claim; thence South east three hundred feet to the place of beginning.

This is an Amended Location of Good Boy Mining Claim, the original of which is recorded in Book 11 at page 0403, Record of Mines, Graham County, Arizona.
All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of the United States, and of an Act of the General Assembly of Arizona, entitled "An Act Concerning Mines," approved March 20th, 1895, and amended March 2d, 1899.

Dated and posted on the ground this the fourth day of February 1901.

Witness
Horace G. Rice

Charles F. Mitcher

~~Amended Location~~

NOTICE OF LOCATION.

LODGE CLAIM.

(49)

Good Boy claim.

Charles F. Whitaker
Locutor

DATED July 10th 1901

Filed and recorded at request of

Chas F Whitaker
of the Territory of Arizona
D. 1901

at Prescott, Ariz.,
Book 13 Page 170

Pages 170
County Recorder,
Thomas Smith

By Deputy Recorder,

WITNESS my hand and official seal the day and year first above written.

TERRITORY OF ARIZONA,
County of _____
I, _____, County Recorder in and for the County and
Territory aforesaid, do hereby certify that the within instrument was filed for record at _____ o'clock
M., on this _____ day of _____, 1901, and duly recorded in Book _____ of _____
No _____ of _____ Records of _____ County,
Arizona, at pages _____

County Recorder.

Notice of Mining Location.

LODE CLAIM.

To All Whom It May Concern:

This Mining claim, the name of which is the Last Spike Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purpose of exploration and purchase by H. G. Rice of Clifton Graham Co. Co. To. To. Citizen. U.S.A.

(Locator must insert either "a citizen of the United States," or, "who has declared his intention to become a citizen of the United States.")

the undersigned, on the 21 day of March 1901

The length of this claim is 1200 feet, and 800 claim feet in a South West direction, and 400 feet in a North East direction from the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with 300 feet in width of the surface grounds, on each side of the center of said claim.

The general course of the lode deposit and premises is from the North East to the South West

The claim is situated and located in the Greenlee Gold Mt. Mining District, in Graham County, in the Territory of Arizona, about 2 1/2 miles in a Easterly direction from Metcalf's lode, which is known as Phoebe Gulch is bounded on the South by Last Chance Group on the North by the November Group & on the West by the Copper Bug Mining Claim

The surface boundaries of the claim are marked upon the ground as follows: Beginning at a Monument of stone

at a point in a South West direction 800 feet from the discovery shaft (at which this notice is posted), being in the center of the S. West end line of said claim; thence S. East 200 feet to a Monument of stone, being the S. East corner of said claim; thence N. East 600 feet to a Monument of stone at the center of the S. East side line of said claim; thence N. East 600 feet to a Monument of stone being at the N. East corner of said claim; thence N. West 300 feet to a Monument of stone at the center of the N. East end line of said claim; thence N. West 300 feet to a Monument of stone, being at the N. West corner of said claim; thence S. West 600 feet to a Monument of stone being at the center of the N. West side of said claim; thence S. West 600 feet to a Monument of stone at the S. West corner of said claim; thence S. East 200 feet to the place of beginning.

All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of the United States, and of an Act of the General Assembly of Arizona, entitled "An Act Concerning Mines," approved March 20th, 1895, and amended March 2d, 1899.

Dated and posted on the ground this the 21 day of March 1901

Witness
W. E. Robinson

Locator
H. G. Rice

752

NOTICE OF LOCATION.

LODGE CLAIM.

East Apache
Mining Claim
Gravel pits
Monolithic Mining
District

DATED March 21 1901

Filed and recorded at

of

June 11th

A. D. 1901

at Prescott

Book 14 Recorder's Index

Pages 213

Thomas Smith

County Recorder.

By Deputy Recorder.

County Recorder.

WITNESS my hand and official seal the day and year first above written.

TERRITORY OF ARIZONA,
ss. }
County of _____
I, _____, County Recorder in and for the County and Territory aforesaid, do hereby certify that the within instrument was filed for record at _____ o'clock M., on this _____ day of _____, 1901, and duly recorded in Book _____ of _____ Records of _____ County, Arizona, at pages _____

Notice of Mining Location.

Amended
~~Amended Location~~

LODE CLAIM.

To All Whom It May Concern:

This Mining claim, the name of which is the *Regulation* Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purpose of exploration and purchase by *Charles F. Mitcher a citizen of the United States of America* (Locator must insert either "a citizen of the United States," or, "who has declared his intention to become a citizen of the United States.") the undersigned, on the *fourth* day of *February* 1901.

The length of this claim is *fifteen hundred* feet, and *9* claim *two hundred & fifty* feet in a *north easterly* direction, and *twelve hundred & fifty* feet in a *south westerly* direction from the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with *three hundred* feet in width of the surface grounds, on each side of the center of said claim. The general course of the lode deposit and premises is from the *north east* to the *south west*.

The claim is situated and located in the *Greenlee Gold Mt.* Mining District, in *Granaham* County, in the Territory of Arizona, about *three miles* in a *north easterly* direction from *McAfee* and the *north east end of said claim is bounded & joined by the south west end of the good Boy Mining Claim, and the south east side of said Regulation Claim bounds the north west side of the Paramour Mining claim.*

The surface boundaries of the claim are marked upon the ground as follows: Beginning at *a monument of stones*

at a point in a *south west* direction *twelve hundred & fifty* feet from the discovery shaft (at which this notice is posted), being in the center of the *south west* end line of said claim; thence *south east three hundred* feet to a *monument of stones* (300), being the *south east* corner of said claim; thence *north east seven hundred* feet to a *monument of stones* at the center of the *south east* side line of said claim; thence *north east seven hundred & fifty* feet to a *monument of stones* (750), being at the *north east* corner of said claim; thence *north west three hundred* feet to a *monument of stones* at the center of the *north east* end line of said claim; thence *north west three hundred* feet to a *monument of stones*, being at the *north west* corner of said claim; thence *south west seven hundred & fifty* feet to a *monument of stones* being at the center of the *north west* side of said claim; thence *south west seven hundred & fifty* feet to a *monument of stones* at the *south west* corner of said claim; thence *south east three hundred* feet to the place of beginning.

This is an Amended Location of Regulation Mining claim. The original of which is recorded in Book 10, 78 at page 95. Record of Mines, Granaham County, Arizona.
All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of the United States, and of an Act of the General Assembly of Arizona, entitled "An Act Concerning Mines," approved March 20th, 1895, and amended March 2d, 1899.

Dated and posted on the ground this the *fourth* day of *February* 1901.

Witness
Horace G. Rice

Charles F. Mitcher

Amended Certificate

NOTICE OF LOGATION.

LODE CLAIM.

171

Regulation claim.

Charles F. Whitelaw
Locator.

DATED Feb'y 4th 1901

Filed and recorded at request of

John Whitelaw
Henry S. M.

at 9 o'clock a. M.,

Book 13 Records of mines

Pages 171

Thomas Smith
County Recorder.

By Deputy Recorder.

X

TERRITORY OF ARIZONA,

ss.

County of

I,

Territory aforesaid, do hereby certify that the within instrument was filed for record at o'clock
M., on this day of 1901, and duly recorded in Book
of Records of County,

Arizona, at pages

WITNESS my hand and official seal the day and year first above written.

County Recorder.

Surveyor General's Certificate of Approval of Field Notes and Survey of Mining Claim.

Department of the Interior

Office of U. S. Surveyor General,

Phoenix, Arizona,

March 5th, 1903.

I, U. S. Surveyor General for *Arizona*,

do hereby certify that the foregoing and hereto attached Field Notes and Return of the Survey of the Mining Claim of *Mexican-Arizona Copper Co.*

known as the

November, November No. 2, Good Boy, Regulation, Perimeter & Lost Spike Lodes,

situate in *Greelee Gold Mountain* mining district,

Graham County, *Arizona*,

in Section *26 34 35*, Township No. *3 S.*, Range No. *29 E.*

designated as Survey No. *1712*

executed by *Lamar Cobb, Jr.*, U. S. Deputy Mineral

Surveyor, *September 1st*, 190*2*, under my instructions dated

September 15th 1902, have been critically examined and the

necessary corrections and explanations made, and the said Field Notes and Return, and

the Survey they describe, are hereby approved. A true copy of the copy of the location

certificate filed by the applicant for survey is included in the field notes.

Hugh H. Price

U. S. Surveyor General for *Arizona*.

LARGE

MAP

INSERT

