

**M
S
.**

0

1

7

3

6

Recd Dec 31, 1902

Notes on paid
1/1/03

1

(4-683.)

Mineral Survey No. 1736

Lot No. _____

Prescott

Land District.

FIELD NOTES

OF THE SURVEY OF THE MINING CLAIM OF

The Octave Gold Mining Co.

KNOWN AS THE

"Stanton"

Weaver

Mining District,

Yavapai

County,

Arizona.

Section 17 (approx.), Township 10 N, Range 4 W

Surveyed under instructions dated Dec. 4th, 1902,

by A. B. Mader,

U. S. Deputy Mineral Surveyor.

Claim located Jan. 1st 1880, 1

Survey commenced Dec. 10th 1902, 1

Survey completed Dec. 10th 1902, 1

o 6-160

Address

J. J. Hawkins - Atty
Prescott, Ariz.

PRELIMINARY OATHS OF ASSISTANTS IN SURVEY OF MINING CLAIM.

We, Frank Kirkland and W. J. Pickering,
do solemnly swear that we will well and faithfully execute the duties of chain carriers; that we will level the chain upon even and uneven ground and plumb the tally-pins, either by sticking or dropping the same; that we will report the true distance to all notable objects, and the true length of all lines that we assist in measuring, to the best of our skill and ability, and in accordance with instructions given us, in the survey of the Mining Claim of The Octave Gold Mining Co.
known as the Stanton
situate in Weaver mining district
Yavapai County, Arizona
in Section 17 (approx) Township No. 10 N, Range No. 4 W.

Frank Kirkland, Chairman.
W. J. Pickering, Chairman.

Subscribed and sworn to by the above-named persons before me this 9th day of December, 1902

My com. expires 7/10/1904 A. E. Hurley
Notary Public

I, _____, do solemnly swear that I will well and truly perform the duties of axman, in the establishment of corners and other duties, according to instructions given me and to the best of my skill and ability, in the survey of the Mining Claim of _____
known as the _____
more fully described in the preceding affidavit.

_____, Axman.
Subscribed and sworn to by the said _____
before me this _____ day of _____, 190____

I, _____, do solemnly swear that I will well and truly perform the duties of flagman, in the establishment of corners and other duties, according to instructions given me and to the best of my skill and ability, in the survey of the Mining Claim of _____
known as the _____
more fully described in the preceding affidavit.

_____, Flagman.
Subscribed and sworn to by the said _____
before me this _____ day of _____, 190____

STANTON LODE.

<p>Feet</p>	<p>Beginning at Cor. number I . Identical with cor. of the location and with cor. number 2 of the Blue G lode Survey No. 1744, Octave Gold M'ng Co. claimants. A syenite rock 7 x 9 x 19 in. set 7 in. in the ground to bedrock and chiseled S 1736 with a mon. of stone 2 ft. base by 3 ft. high alongside, whence U. S. L. Mon. ¹⁷³⁶ W. M. District, bears N 47° 9' E, 2808.5 ft. No other bearings available.</p>	
<p>860</p>	<p style="text-align: center;">Thence S 50° 13' W</p> <p>up steep hill To Cor. No. 2. Identical with cor. of the location. A schist stone 12 x 2 1/2 x 22 in. set 10 in. in the ground to bedrock and chiseled S 1736 and raised a mon. of stone 2 ft. base by 3 ft. high alongside. A cross and B. R. 2 S 1736, chiseled on a schist ledge in place, 3' x 6' x 3 1/2 ft. high, bears S 48° W, 28.7 ft. No other bearings available.</p>	
<p>300 640</p>	<p style="text-align: center;">Thence S 81° 11' W.</p> <p>Cross gulch, 2 ft. wide, course S 40° E bears N 40° W. To Cor. No. 3. Identical with cor. of the location. A blue schist stone, 10 x 12 x 20 in. set 6 in. in the ground to bedrock and chiseled 3 S 1736 with a mon. of stones 2 ft. base by 3 ft. high alongside. A cross and B. R. 3 S 1736 chiseled on a ledge of schist rock in place 2' x 7' x 3 ft. high bears N 58° E, 16.7 ft. No other bearings available.</p>	
<p>300</p>	<p style="text-align: center;">Thence N 32° W.</p> <p>over rough broken ground To the West Center End. Identical with the location and with the E. C. End of the Trinidad Claim, unsurveyed, Genung, claimants. A schist stone 6 x 15 x 24 in. set 12 in. in the ground and chiseled W C E 1736 S, with a mon. of stone 2 ft. base by 3 ft. high alongside. A cross and B R 1736 S chiseled on a schist ledge in place, 2' x 7' x 4 ft. above ground, bears S 48° 4' E, 17 ft. No other bearings available.</p>	
<p>316.45</p>	<p>Intersect east end line of Trinidad claim, unsurveyed at 8.7 ft. N 6° 5' E from the W C ^{E C} End. thence up steep hill</p>	
<p>600</p>	<p>To Cor. No. 4. Identical with the location. A syenite rock 18 x 18 x 42 in. set 6 in. in the ground to bedrock and chiseled 4 S 1736 and surrounded with a mon. of stones 2 ft. base and 2 1/2 ft. high. A cross and B R 4 S 1736, chiseled on the exposed face of a syenite boulder in place, 4 ft. wide by 3 ft. high bears N 26° E, 13 ft. No other bearings available.</p>	
<p>181</p>	<p style="text-align: center;">Thence N 81° 11' E</p> <p>Intersect west end line of Trinidad claim, unsurveyed at 4.1 ft. S 6° 5' W from the N. E. Cor. of the Trinidad. <i>4 N. 60° 05' E. 270.7 ft. dist. from transition on line 3-4 this claim.</i></p>	
<p>640</p>	<p>To Cor. No. 5. Identical with cor. of the location. A schist stone 6 x 12 x 26 in. set 10 in. in the ground to bedrock and chiseled 5 S 1736 with a mon. of stone 2 ft. base by 3 ft. high alongside. No bearings available.</p>	
<p>860</p>	<p style="text-align: center;">Thence N 50° 13' E</p> <p>down hill To Cor. No. 6</p>	

Feet

Identical with cor. of the location and with cor. no. 3 of the Blue G lode Sur. No. 1744, Octave Gold M'ng Co. claimants.
 A syenite stone 7 x 9 x 22 in. set 10 in. in the ground and chiseled 6 S 1736 with a mon. of stone 2 ft. base by 3 ft. high alongside.
 No bearings available.

Thence S 32° ~~W~~ E.

up hill.

300

To the East Center End.
 Identical with the location and with the W. C. End of the Blue G lode Sur. 1744.
 A white quartz boulder in place 3' x 3' x 3 ft. above ground and chiseled a cross at the exact cor. point and E C E S 1736 and raised a mon. of stone 2 ft. base by 3 ft. high alongside.
 No bearings available.

down hill

600

To the place of beginning.

The variation at all the corners is 14° E.

Location
 This claim is located in the Weaver Mining District, Yavapai Co. Arizona, on unsurveyed land in what would approximately be if surveyed Sec. 17, T 10 N, R 4 W, G and S R M.

Adjoining Claims.

- On the North, U. S. Gov. land.
- On the South, placer location, unknown.
- On the West, Trinidad lode unsurveyed, — Genung, claim. and U. S. Gov. land.
- On the East, Blue G lode sur. no. 1744, Octave Gold M'ng Co. claimants.

Ledge

The course and length of the ledge on the Stanton lode is from the W. C. E. N 81° 11' E 640 ft., thence N 50° 13' E 860 ft., and is partially traceable by croppings.

Areas

Stanton lode ————— 19.840 Acres
 less conflict with Trinidad — 0.544 "
 Net Area = 19.296 Acres.

FIVE HUNDRED DOLLARS EXPENDITURE.

I certify that the value of the labor and improvements upon this claim placed thereon by the claimants or their grantors is not less than five hundred dollars and that said improvements consist of:

Dis. Cut No 1.	which bears from Cor. No. 2 N 38° 10' W, 242 ft. and is 7' wide x 11' long x 12' face. Value, \$100.00
Shaft No. 2.	which bears from Cor. No 2, N 52° 20' W, 318 ft. and is an inclined shaft dipping to the North, 5' x 6' x 57 ft. deep. Value \$600.00
Cut No. 3.	Which bears from Cor. No. 2, N 62° 40' W, 387 ft. and is 4' x 12' x 8 ft. face. Value \$50.00
Cut No. 4.	Which bears from Cor. No. 2, N 65° 15' W, 414 ft. and is 4' wide x 8' deep x 16' long. Value \$150.00
Cut No. 5.	Which bears from Cor. No. 2, N 14° 45' W, 235', and is 8' x 10' x 10' face. Value \$100.00
	Total Value \$1000.00

This survey was made with a Gurley Light Mountain Transit with solar attachment.

The courses were deflected from the true meridian as determined by solar observation. The distances were measured with a 200 ft. steel tape.

A. J. Mader

U. S. Dep. Min. Surveyor.

FINAL OATHS FOR SURVEYS.

LIST OF NAMES.

A list of the names of the individuals employed by A. B. Mader
 United States Deputy Mineral Surveyor, to assist in running, measuring, and marking the lines
 corners and boundaries described in the foregoing field notes of the survey of the mining claim
 of The Octave Gold Mining Co.
 known as the Stanton
 and showing the respective capacities in which they acted.

Frank Kirkland, Chainman.
W. J. Pickering, Chainman.
 _____, Axman.
 _____, Flagman.

FINAL OATHS OF ASSISTANTS.

We, Frank Kirkland
 and W. J. Pickering, do solemnly swear that we assisted A. B. Mader
 _____, United States Deputy Mineral Surveyor, in marking the corners and
 surveying the boundaries of the mining claim of The Octave Gold
Mining Co.
 _____, known as the Stanton
 _____, represented
 in the foregoing field notes as having been surveyed by said deputy mineral surveyor and under
 his direction; and that said survey has been in all respects, to the best of our knowledge and
 belief, faithfully and correctly executed, and the corner and boundary monuments established
 according to law and the instructions furnished by the United States Surveyor-General for
Arizona.

Frank Kirkland, Chainman.
W. J. Pickering, Chainman.
 _____, Axman .
 _____, Flagman.

Subscribed and sworn to by the above-named persons before me
 this 11th day of December, 1902:

W. H. Hurley
 Notary Public

My Com. Expires 5/10/1904

FINAL OATH OF U. S. DEPUTY MINERAL SURVEYOR

I, A. B. Mader, U. S. Deputy Mineral Surveyor, do solemnly swear that, in pursuance of instructions received from the United States Surveyor General for Arizona, dated Dec. 4th 1902, I have, in strict conformity to the laws of the United States, the official regulations and instructions thereunder, and the instructions of said Surveyor General, faithfully and correctly executed the survey of the Mining Claim of The Octave Gold Mining Co., known as the Stanton, situate in Weaver Mining District, Yavapai County, Arizona, in Section 17 (approx.) Township No. 10 N, Range No. 4 W. G. + S. R. M., and designated as Survey No. 1736, as represented in the foregoing field notes, which accurately show the boundaries of said mining claim as distinctly marked by monuments on the ground, and described in the attached copy of the location certificate, which was received by me from the Surveyor General with said instructions, and that all the corners of said survey have been established and perpetuated in strict accordance with the law, official regulations and instructions thereunder; and I do further solemnly swear that the foregoing are the true and original field notes of said survey and my report therein, and that the labor expended and improvements made upon said mining claim by claimants or their grantors are as therein fully stated, and that the character, extent, location and itemized value thereof are specified therein with particularity and full detail, and that no portion of said labor or improvements so credited to this claim has been included in the estimate of expenditures upon any other claim.

A. B. Mader
U. S. Deputy Mineral Surveyor.

Subscribed and sworn to by the said A. B. Mader
U. S. Deputy Mineral Surveyor, before me Shuart Jacob
this 30th
day of December 1902.

Shuart Jacob
Notary Public

My commission exp
Sept 13 1906.

Affidavit of Five Hundred Dollars Improvements.

We, A. W. Hum, and E. L. Bartholomew

of lawful age, being first duly sworn according to law, depose and say: That we are acquainted with the Stanton mining claim,

situate in Weaver Mining district, Yavapai County,

Arizona Territory, for which The Octave Gold Mining Co.

has made application for survey prior to application for patent under the provisions of the Act of Congress, approved May 10, 1872; and that the labor done and improvements made thereon by the applicants and their grantors exceed Five Hundred Dollars in value, and further that we are not personally interested in said mine.

A. W. Hum
E. L. Bartholomew

TERRITORY OF ARIZONA, }
County of Yavapai } ss:

Sworn to and subscribed before me, this 11th

day of December 1902.



A. E. Hurley
Notary Public

My Com. Expires 5/10/1904

Antelope

"STANTON"

N O T I C E.

I the undersigned locate and claim fifteen hundred (1500) feet of mining ground on this gold and silver lode, commencing at a stone monument containing a copy of this notice and running therefrom in a Northeasterly direction on the course of vein fifteen hundred (1500) feet to a stone monument and notice.

I also claim three hundred feet on each side of the vein, for mining purposes, as per monuments.

This mining claim is situated and commences about half a mile west from Antelope Creek and runs towards the locators house on said creek, and was owned and recorded by William Partridge as an eastern extension of the Great Sexton Mine. This is a relocation of the said claim, no work being done on the same according to law in the year 1879, to be known as the Stanton lode.

Weaver Mining District, Yavapai County, January 1st, 1880.

Charles P. Stanton.

Filed for record at the request of C. P. Stanton, February 27th, 1880 at 10:30 o'clock A. M., and duly recorded in Book H.8 of Mines, Records of Yavapai County, Arizona, at pages 571.

William Wilkerson,
County Recorder.

Territory of Arizona,)
:SS.
County of Yavapai.)

I, P. J. FARLEY, County Recorder in and for the County of Yavapai, in the Territory of Arizona, and Custodian of the records thereof, do hereby certify that I have compared the above and foregoing with, and the same is a full, true and correct copy of the notice of location of the "STANTON" Mining Claim, as the same appears of record in my office in Book H.8 of Mines, at page 571, Records of Yavapai County, Arizona.

IN WITNESS WHEREOF, I have hereunto set my hand and affixed my Official Seal, this 26th day of November, A. D. 1903.

P. J. Farley

County Recorder.



(4-687.)

Surveyor General's Certificate of Approval of Field Notes and Survey of Mining Claim.

Department of the Interior,

Office of U. S. Surveyor General,

Phoenix, Arizona

May 13th 1903.

I, U. S. Surveyor General for the District of Arizona, do hereby certify that the foregoing and hereto attached Field Notes and Return of the Survey of the Mining Claim of The Octave Gold Mining Co.

....., known as the

Stanton

situate in Weaver mining district,

Yavapai County, Arizona

in Section, Township No., Range No.

....., designated as Survey No. 1786

executed by A. B. Mader, U. S. Deputy Mineral

Surveyor, Dec 10th 1902, under my instructions dated

Dec 4th 1902, have been critically examined and the

necessary corrections and explanations made, and the said Field Notes and Return, and

the Survey they describe, are hereby approved. A true copy of the copy of the location

certificate filed by the applicant for survey is included in the field notes.

Hugh H. Price

U. S. Surveyor General for Arizona

Survey No 1736
Prescott Land District
 Surveyed Dec. 10th 1902.
 by A. B. Mader, U. S. Dep. Min. Sur.
 Scale, 300ft. to an in.

