

**M  
S  
.**

**0**

**1**

**7**

**3**

**8**



MINERAL SURVEY NO. 1738

Claims	M & B Desc.	Improvements	Loc. Notices
Aspen	34	61	9
Ben Butler	6	51	19
Bob Ingersol	38	62	6
Colorado	40	63	7
Evening Star	36	61	8
Little Lizzie	26	58	13
Little Willie	30	59	11
Morning Star	32	60	10
New Albert S. Wray	18	55	3
New Arizona	22	56	4
New Great Western	14	54	2
New Harqua Hala	16	55	15
New Harry Carpenter	10	53	17
New Liberty	42	64	5
New Morning	24	57	20
New Porto Rica	20	56	14
New Triangle	8	52	18
New Wedge	12	53	16
Ophir	28	59	12
Tiger	5	50	1







# PRELIMINARY OATHS OF ASSISTANTS IN SURVEY OF MINING CLAIM.

We, Charles B. Ingalls and Harry S. Ingalls

do solemnly swear that we will well and faithfully execute the duties of chain carriers; that we will level the chain upon even and uneven ground and plumb the tally-pins, either by sticking or dropping the same; that we will report the true distance to all notable objects, and the true length of all lines that we assist in measuring, to the best of our skill and ability, and in accordance with instructions

given us, in the survey of the Mining Claim of Rio Del Monte Gold Mines

known as the Company

situate in Coltsville mining district

Yuma County, Arizona

in Section unsurveyed, Township No. 4N, Range No. 13W, G. & S. R. B. & M.

Charles B. Ingalls, Chairman.

Harry S. Ingalls, Chairman.

Subscribed and sworn to by the above-named persons before me this 8th day of December, 1902

My comm. expires Jan 5 1905 J. L. Redondo Notary Public

I, \_\_\_\_\_, do solemnly swear that I will well and truly perform the duties of axman, in the establishment of corners and other duties, according to instructions given me and to the best of my skill and ability, in the survey of the Mining Claim of

known as the \_\_\_\_\_ more fully described in the preceding affidavit.

\_\_\_\_\_, Axman.

Subscribed and sworn to by the said \_\_\_\_\_

before me this \_\_\_\_\_ day of \_\_\_\_\_, 190\_\_\_\_\_

I, Walter S. Ingalls, do solemnly swear that I will well and truly

perform the duties of flagman, in the establishment of corners and other duties, according to instructions given me and to the best of my skill and ability, in the survey of the Mining Claim of

the Rio Del Monte Gold Mines Company.

known as the Company

more fully described in the preceding affidavit.

Walter S. Ingalls, Flagman.

Subscribed and sworn to by the said Walter S. Ingalls

before me this 8th day of December, 1902

J. L. Redondo Notary Public

My comm. expires Jan 5 1905



Exterior Boundaries.

<u>No.</u>	<u>Course.</u>	<u>Feet.</u>	
			The Rio Del Monte and Mines Company.
			Beginning at cor. No. 2 Op... lode this survey, a pine post 3 ft. long and 4 x 4 ins. square, set 18 ins. in ground with mound of stone, scribed 1738 O. No. 2.
			Thence variation 14 05 E.
1.	S.56° 22' E.	1522	to cor. No. 1 New Morning lode and cor. No. 2 Ben Butler lode this survey, a pine post 3 ft. long 4 x 4 ins. square, set 18 ins. in ground with mound of stone, scribed 1738 N.M. No. 1 and 1738 B.B. No. 2.
			Thence
2.	S.89° 25' E.	105.5	to cor. No. 3 New Triangle lode this survey, a porphyry stone 24 x 16 x 12 ins. set 16 ins. in ground with mound of stone, chiseled 1738 N.T. 3.
			Thence
3.	S.10° E.	1500	to cor. No. 2 New Triangle lode this survey, a pine post 3 ft. long 4 x 4 ins. square, set 18 ins. in ground with mound of stone, scribed 1738 N.T. No. 2.
			Thence
4.	S.89° 25' E.	610.3	to cor. No. 1 New Triangle lode, a pine post 3 ft. long 4 x 4 ins. square, set 18 ins. in ground with mound of stone, scribed 1738 N.T. No. 1.
			Thence
5.	S.10° E.	1203.9	to cor. No. 3 Evening Star lode this survey, a pine post 3 ft. long 4 x 4 ins. square, set 18 ins. in ground with mound of stone, scribed 1738 E.S.No. 3.



<u>No.</u>	<u>Course.</u>	<u>Feet.</u>	
			Thence
6.	N.80° E.	1500	to cor. No. 2 Evening Star lode this survey, a porphyry stone 24 x 10 x 8 ins. set 16 ins. in ground with mound of stone, chiseled 1738 E.S.2.
			Thence
7.	N.10° W.	1089	to cor. No. 1 Colorado lode this survey, a pine post 3 ft. long 4 x 4 ins. square, set 18 ins. in ground with mound of stone, scribed 1738 C.No. 1.
			Thence
8.	N.75° 18' E.	1500	to cor. No. 4 Colorado lode this survey, a pine post 3 ft. long 4 x 4 ins. square, set 18 ins. in ground with mound of stone, scribed 1738 C. No. 4.
			Thence
9.	N.10° W.	1806	to cor. No. 3 New Great Western lode this survey, a pine post 3 ft. long 4 x 4 ins. square, set 18 ins. in ground with mound of stone, scribed 1738 N.G.W. No. 3.
			Thence
10.	S.75° 18' W.	227.4	to cor. No. 4 New Liberty lode this survey, a pine post 3 ft. long 4 x 4 ins. square, set 18 ins. in ground with mound of stone, scribed 1738 N.L. No. 4.
			Thence
11.	N.33° 38' E.	1500	to cor. No. 3 New Liberty lode this survey, a pine post 3 ft. long 4 x 4 ins. square, set 18 ins. in ground with mound of stone, scribed 1738 N.L. No. 3.
			Thence



<u>No.</u>	<u>Course.</u>	<u>Feet.</u>	
12.	S.75° 18' W.	902.4	to cor. No. 2 New Liberty lode this survey, a pine post 3 ft. long 4 x 4 ins. square, set 18 ins. in ground with mound of stone, scribed 1738 N. L. No. 2.
			Thence
13.	S.33° 38' W.	534.5	to cor. No. 4 New Harry Carpenter lode this survey, a pine post 3 feet long 4 x 4 ins. square, set 18 ins. in ground with mound of stone, scribed 1738 N.H.C. No. 4.
			Thence
14.	N.50° 06' W.	603.6	to cor. No. 3 New Harry Carpenter lode cor. No. 4 New Wedge lode and cor. No. 4 New Arizona lode this survey, a pine post 3 ft. long 4 x 4 ins. square, set 18 ins. in ground with mound of stone, scribed 1738 N.H.C. No. 3, 1738 N.W. No. 4 and 1738 N.A. No. 4.
			Thence
15.	N.33° 38' E.	1500	to cor. No. 3 New Arizona lode this survey, a pine post 3 ft. long 4 x 4 ins. square, set 18 ins. in ground with mound of stone, scribed 1738 N.A. No. 3.
			Thence
16.	S.80° W.	828.9	to cor. No. 2 New Arizona lode this survey, a pine post 3 ft. long 4 x 4 ins. square, set 18 ins. in ground with mound of stone, scribed 1738 N.A. No. 2.
			Thence
17	S.33° 38' W.	355.1	to a point at the intersection of line 1-2 New Arizona lode with line 3-4 New Porto Rica lode this survey.



<u>No.</u>	<u>Course.</u>	<u>Feet.</u>	
			Thence
18.	N.56° 22' W.	603.3	to cor. No. 3 New Porto Rica lode this survey, a pine post 3 ft. long 4 x 4 ins. square, set 18 ins. in ground with mound of stone, scribed 1738 N.P.R. No. 3.
			Thence
19.	S.59° 57' W.	1500	to cor. No. 2 New Porto Rica lode this survey, a pine post 3 ft. long 4 x 4 ins. square, set 18 ins. in ground with mound of stone, scribed 1738 N.P.R. No. 2.
			Thence
20.	N.56° 22' W.	831.5	to cor. No. 3 New Harqua Hala lode this survey, a pine post 3 ft. long 4 x 4 ins. square, set 18 ins. in the ground with mound of stone, scribed 1738 N.H.H.No. 3.
			Thence
21.	S.33° 38' W.	600	to cor. No. 2 New Harqua Hala lode this survey, a granite stone 20 x 16 x 8 ins. <sup>set 12 ins.</sup> in ground with mound of stone, chiseled 1738 N.H.H.2.
			Thence
22.	N.56° 22' W.	22.0	to cor. No. 3 Ophir lode this survey, a pine post 3 ft. long 4 x 4 ins. square, set 18 ins. in ground with mound of stone, scribed 1738 O. No. 3.
			Thence
23.	S.33° 38' W.	1500	to cor. No. 2 Ophir lode this survey and place of beginning, containing 392.25 acres.



THE RIO DEL MONTE GOLD MINES COMPANY.

TIGER LODGE.

No.    Feet.

Beginning at cor. No. 1 which is a quartz stone 24 x 20 x 8 ins. set 16 ins. in ground with mound of stone, chiseled 1738 T.I. from which a Pala Verde tree 8 ins. in diameter scribed 1738 T. No. 1 B.T. bears N. 17° 28' W. 27.5 ft. distant and U.S.L.M. No. 1738 bears S. 14° 08' W. 1230.9 ft. distant.

1.

Thence S. 80° W.

900

Road from Harqua Hala to Harrisburg, course N.E. and S.W.

1500

to cor. No. 2, a pine post 3 ft. long 4 x 4 ins. square, set 18 ins. in ground with mound of stone, scribed 1738 T. No. 2.

No bearings obtainable.

2.

Thence N. 10° W.

300

to W. end center of lode a mound of stone 3 ft. base and 3 ft. high

600

to cor. No. 3 a porphyry stone 30 x 24 x 8 ins. set 20 ins. in ground with mound of stone, chiseled 1738 T.3.

No bearings obtainable.

3.

Thence N. 80° E.

1170

Road from Harrisburg to Harqua Hala N.E. and S.W.

1500

to cor. No. 4, a pine post 3 ft. long 4 x 4 ins. square set 16 ins. in ground with mound of stone, scribed 1738 T. No. 4.

No bearings obtainable.

4.

Thence S. 10° E.

300

to E. end center of lode, a mound of stone 3 ft. base and 3 ft. high.

600

to cor. No. 1 and place of beginning.

All corners identical with corners of location.

Variation at all corners 14° 05' E.

(1.)



BEN BUTLER LODE.No.    Feet.

Beginning at cor. No. 1 which is a pine post 3 ft. long 4 x 4 ins. square set 18 ins. in ground with mound of stone, scribed 1738 B.B. No. 1, from which cor. No. 3 Tiger lode this survey bears N. 10° W. 296.1 ft. distant U.S.L.M. No. 1738 bears S. 44° 55' E. 1740.5 distant.

No other bearings obtainable.

1.

Thence N. 89° 25' W.

95.00

Rock cabin road course N. 20° W. S. 20° E.

357.9

To S.W. end center of lode a mound of stone 3 ft. base and 3 ft. high.

715.8

To cor. No. 2 which is a pine post 3 ft. long 4 x 4 ins. square set 18 ins. in ground with mound of stone, scribed 1738 B.B. No. 2.

No bearings obtainable.

2.

Thence N. 33° 38' E.

450.0

Rock cabin road N. 20° W. and S. 20° E.

1500.0

To cor. No. 3 which is a pine post 3 ft. long 4 x 4 ins. square set 18 ins. in ground with mound of stone, scribed 1738 B.B. No. 3.

No bearings obtainable.

3.

Thence S. 89° 25' E.

357.9

To N.E. end center of lode, a mound of stone 3 ft. base and 3 ft. high.

590.0

Wash 20 ft. wide, course N.

715.8

To cor. No. 4 which is a pine post 3 ft. long 4 x 4 ins. set 18 ins. in ground with mound of stone, scribed 1738 B.B. No. 4.

No bearings obtainable.

4.

Thence S. 33° 38' W.

(2.)



<u>No.</u>	<u>Feet.</u>
	1090.8

Intersect line 3-4 Tiger lode this survey at N.80° E.  
 282.3 ft. from cor. No. 3.

1500

To cor. No. 1 and place of beginning.

All corners identical with corners of location.

Variation at all corners 14° 05' E.

NEW TRIANGLE LODE.No. Feet.

Beginning at cor. No. 1 which is a pine post 3 ft. long 4 x 4 ins. square set 18 ins. in ground with mound of stone, scribed 1738 N.T. No. 1 from which U.S.L.M. No. 1738 bears N. ~~89° 25'~~<sup>75° 47'</sup> E. 998.9 ft. distant.

No other bearings obtainable.

1.

Thence N. 89° 25' W.

210.0 Harqua Hala and Harrisburg road course N. and S..  
305.15 To S. end center of lode which is a mound of stone 3 feet base and 3 feet high.  
610.3 To cor. No. 2 which is a pine post 3 ft. long 4 x 4 ins. square set 18 ins. in ground with mound of stone, scribed 1738 N.T. No. 2.

No bearings obtainable.

2.

Thence N. 10° W.

1500.0 To cor. No. 3 on line 1-2 Ben Butler lode this survey, which is a porphyry stone 24 x 16 x 12 ins. set 16 ins. in ground with mound of stone, chiseled 1738 N.T. 3 from which cor. No. 2 Ben Butler lode this survey bears N. 89° 25' W. 105.5 ft. distant.

No other bearings obtainable.

3.

Thence S. 89° 25' E.

305.15 To N. end center of lode which is a mound of stone 3 ft. base and 3 ft. high.  
515 To Rock Cabin road course N. 20° W. and S. 20° E.  
610.3 To cor. No. ~~1~~<sup>4</sup> on line 2-3 Tiger lode this survey and identical with cor. No. 1 Ben Butler lode this survey, which is a pine post 3 ft. long 4 x 4 ins. square, set 18 ins. in ground with mound of stone, scribed 1738 N.T. No. 4 from which cor. No. 3 Tiger lode this survey bears N. 10° W. 296.1 ft. distant.

No other bearings obtainable.



No.   Feet.

4.

Thence S.  $10^{\circ}$  E.

303.9

Cor.  $N^{\circ}2$  Tiger lode this survey.

493.0

Road from Harqua Hala to Harrisburg course E. and W.

1500.0

To cor. No. 1 and place of beginning.

All cors. identical with cors. of location.

Variation at all cors.  $14^{\circ} 05'$  E.

NEW HARRY CARPENTER LODE.No. Feet.

Beginning at cor. No. 1 on line 4-1 Tiger lode this survey, which is a pine post 3 ft. long 4 x 4 ins. square, set 18 ins. in ground with mound of stone, scribed 1738 N.H.C. No. 1 from which cor. No. 4 Tiger lode this survey bears  $N. 10^{\circ} W. 411.6$  ~~138.4~~ ft. distant U.S.L.M. No. 1738 bears S.  $11^{\circ} 44' W. 1358.4$  distant.

No other bearings obtainable.

1. Thence N.  $50^{\circ} 06' W.$
- 301.8 To S.W. end center of lode which is a mound of stone 3 ft. base and 3 ft. high.
- 530.0 Cross road from Harrisburg to Harqua Hala N.E. and S.W.
- 603.6 To cor. No. 2 on line 3-4 Tiger lode this survey, a pine post 3 ft. long 4 x 4 ins. square set 18 ins. in ground with mound of stone, scribed 1378 N.H.C. No. 2 from which cor. No. 4 Tiger lode this survey bears N.  $80^{\circ} E. 388.8$  ft. distant.
- No other bearings obtainable.
2. Thence N.  $33^{\circ} 38' E.$
- 1000.0 Cross road from Harqua Hala to Harrisburg N. and S.
- 1500.0 To cor. No. 3 which is a pine post 3 ft. long 4 x 4 ins. square, set 18 ins. in ground with mound of stone, scribed 1738 N.H.C. No. 3.
- No bearings obtainable.
3. Thence S.  $50^{\circ} 06' E.$
- 301.8 To N.E. end center of lode which is a mound of stone 3 ft. high and 3 ft. base
- 603.6 To cor. No. 4 which is a pine post 3 ft. long 4 x 4 ins. square, set 18 ins. in ground with mound of stone, scribed 1738 N.H.C. No. 4.
- No bearings obtainable.
4. Thence S.  $33^{\circ} 38' W.$



No.   Feet.

1500.0

To cor. No. 1 and place of beginning.

All cors. identical with cors. of location.

Variation at all corners  $14^{\circ} 05' E.$

NEW WEDGE LODGE.No. Feet.

Beginning at cor. No. 1 on line 3-4 Tiger lode, this survey and identical with cor. No. 2 New Harry Carpenter lode this survey, a pine post 3 ft. long 4 x 4 ins. square, set 18 ins. in ground with mound of stone, scribed 1738 N.W. No. 1 from which cor. No. 4 Tiger lode this survey bears N. 80° E. 388.8 ft. distant U.S.L.M. No. 1738 bears S. 6° 12' E. 1727.3 ft. distant.

No other bearings obtainable.

1. Thence S. 80° W.  
 414.45 To S.W. end center of lode which is a mound of stone 3 ft. base and 3 ft. high.  
 828.90 To cor. No. 2 on line 3-4 Tiger lode and line 4-1 Ben Butler lode this survey, which is a pine post 3 ft. long 4 x 4 ins. square, set 18 ins. in ground with mound of stone, scribed 1738 N.W. No. 2 cor. No. 3 Tiger lode this survey bears S. 80° W. 282.3 ft. distant.

No other bearings obtainable.

2. Thence N. 33° 38' E.  
 1090.8 To cor. No. 4 Ben Butler lode this *survey*.  
 1500.0 To cor. No. 3 which is a porphyry stone 26 x 12 x 8 ins., set 18 ins. in ground with mound of stone, chiseled 1738 N.W. 3.

No bearings obtainable.

3. Thence N. 80° E.  
 414.45 To N.E. end center of lode which is a mound of stone 3 ft. base and 3 ft. high.  
 500.0 Wash 30 ft. wide course N.  
 525.0 Road from Harqua Hala to Harrisburg N. and S.  
 828.9 To cor. No. 4 identical with cor. No. 3 New Harry Carpenter lode this survey, a pine post 3 ft. long 4 x 4 ins. square, set 18 ins. in ground with mound of stone,  
 (8.)





NEW GREAT WESTERN LODE.

No.    Fest.

Beginning at cor. No. 1 which is a pine post 3 ft. long 4 x 4 ins. square, set 18 ins. in ground with mound of stone, scribed 1738 N.G.W. No. 1 from which a Palo Verde 6 ins. in diameter marked 1738 N.G.W. No. 1 B.T. bears N. 70° W. 22.5 ft. distant U.S.L.M. No. 1738 bears S. 16° 20' W. 1134.1 ft. distant.

- 1.                    Thence N. 10° W.
- 107.0            Cor. No. 1 Tiger lode this survey.
- 245.4            Cor. No. 1 New Harry Carpenter lode this survey.
- 301.0            To W. end center of lode which is a mound of stone 3 ft. base and 3 ft. high.
- 602.0            To cor. No. 2 on line 4-1 Tiger lode this survey, a porphyry stone 26 x 14 x 12 ins., set 18 ins. in ground with mound of stone, chiseled 1738 N.G.W. 2 from which cor. No. 4 Tiger lode this survey bears N. 10° W. 105 ft. distant.

No other bearings obtainable.

- 2.                    Thence N. 75° 18' E.
- 370.2            Intersect line 4-1 New Harry Carpenter lode this survey at N. 33° 38' E. 534.5 ft. from cor. No. 1.
- 1125.0            Wash 20 ft. wide course N.
- 1500.0            To cor. No. 3 which is a pine post 3 ft. long 4 x 4 in square, set 18 ins. in ground with mound of stone, scribed 1738 N.G.W. No. 3 a Palo Verde 7 ins. diameter marked 1738 N.G.W. No. 3 B.T. bears N. 1° 30' W. 48 ft. distant.

- 3.                    Thence S. 10° E.
- 301.0            To E. end center of lode which is a mound of stone 3 base and 3 ft. high.
- 602.0            To cor. No. 4 which is a pine post 3 ft. long 4 x 4 ins. square, set 18 ins. in ground with mound of stone scribed 1738 N.G.W. No. 4 from which Palo Verde 6 in



<u>No.</u>	<u>Feet.</u>	
		diameter, scribed 1738 N.G.W. No. 4 B.T. bears S. 82° 16'
		W. 28.5 ft. distant.
4.		Thence S. 75° 18' W.
	480.0	Wash 20 ft. wide course N.
	1500.0	To cor. No. 1 and place of beginning.
		All cors. identical with cors. of location.
		Variation at all cors. 14° 05' E.

NEW HARQUA HALA LODE.No.    Feet.

Beginning at cor. No. 1 identical with cor. No. 3 Ben Butler lode this survey, which is a pine post 3 ft. long 4 x 4 ins. square, set 18 ins. in ground with mound of stone, scribed 1738 N.H.H. No. 1 from which U.S.L.M. No. 1738 bears S. 24° 07' E. 2726.6 ft. distant.

No other bearings obtainable.

1.                    Thence N. 56° 22' W.  
      1372              Rock Cabin road N. and S. and wash 20 ft. wide course N.  
      1500.0            To cor. No. 2 which is a granite stone 22 x 14 x 12 ins. set 14 ins. in ground with mound of stone, chiseled 1738 N.H.H. No. 2.

No bearings obtainable.

2.                    Thence N. 33° 38' E.  
      300.0              To N.W. end center of lode which is a mound of stone 3 ft. base and 3 ft. high.  
      375.0              Wash 20 ft. wide course N.  
      600.0              To cor. No. 3 which is a pine post 3 ft. long 4 x 4 ins. square, set 18 ins. in ground with mound of stone, scribed 1738 N.H.H. No. 3.

No bearings obtainable.

3.                    Thence S. 56° 22' E.  
      250.0              Rock Cabin road N.E. and S.W.  
      1500.0            To cor. No. 4 which is a pine post 3 ft. long 4 x 4 ins. square, set 18 ins. in ground with mound of stone, scribed 1738 N.H.H. No. 4.

No bearings obtainable.

4.                    Thence S. 33° 38' W.  
      300.0              To S.E. end center of lode which is a mound of stone 3 feet base and 3 ft. high.  
      600.0              To cor. No. 1 and place of beginning.



All cors. identical with cors. of location.  
Variation at all cors.  $14^{\circ} 05' E.$

NEW ALBERT S. WRAY LODE.No. Feet.

Beginning at cor. No. 1 identical with cor. No. 4 Ben Butler lode, this survey and on line 2-3 New Wedge lode this survey, a pine post 3 ft. long 4 x 4 ins. square, set 18 ins. in ground with mound of stone, scribed 1738 N.A.S.W. No. 1 cor. No. 3 New Wedge lode this survey bears N.  $33^{\circ}38'$  E. 409.2 ft. distant U.S.L.M. No. 1738 bear S.  $9^{\circ}07'$  E. 2513.1 ft. distant.

No other bearings obtainable.

1. Thence N.  $89^{\circ}25'$  W.  
~~175.8~~  
 105' ~~100.0~~  
 357.9 Wash 20 ft. wide course N.  
 To S.W. end center of lode which is a mound of stone 3 ft. base and 3 ft. high.  
 715.8 To cor. No. 2 identical with cor. No. 3 Ben Butler lode and No. 1 New Harqua Hala lode this survey, a pine post 3 ft. long 4 x 4 ins. square, set 18 ins. in ground with mound of stone, scribed 1738 N.A.S.W. No. 2.  
 No bearings obtainable.
2. Thence N.  $35^{\circ}38'$  E.  
 600.0 Cor. No. 4 New Harqua Hala lode this survey.  
 1500.0 To cor. No. 3 which is a pine post 4 ft. long 4 x 4 ins. square, set 18 ins. in ground with mound of stone, scribed 1738 N.A.S.W. No. 3, a Palo Verde 8 ins. diameter, scribed 1738 N.A.S.W. No. 3 B.T. bears S.  $41^{\circ}52'$  E. 65.5 ft. distant.
3. Thence S.  $89^{\circ}25'$  E.  
 357.9 To N.E. end center of lode which is a mound of stone 3 ft. base and 3 ft. high.  
 500.0 Wash 20 ft. wide course N.E.  
 600.0 Wash 20 ft. wide course N.  
 700.0 Road from Harqua Hala to Harrisburg N. and S.



No.    Feet.

715.8

To cor. No. 4 which is a granite stone 24 x 12 x 8 ins.  
set 16 ins. in ground with mound of stone, chiseled 1738  
N.A.S.W.4.

No bearings obtainable.

4.

Thence S. 33° 38' W.

50.0

Road from Harqua Hala to Harrisburg N. and S.

125.0

Wash 20 ft. wide course N.

1090.8

To cor. No. 3 New Wedge lode this survey.

1500.0

To cor. No. 1 and place of beginning.

All cors. identical with cors. of location.

Variation at all cors. 14° 05' E.

NEW PORTO RICA LODE.No.   Feet.

Beginning at cor. No. 1 identical with cor. No. 4 New Harqua Hala lode this survey, which is a pine post 3 ft. long 4 x 4 ins. square, set 18 ins. in ground with mound of stone, scribed 1738 N.P.R. No. 1 from which U.S.L.M. No. 1738 bears S.14°40'E. 3088.7 ft. distant.

No other bearings obtainable.

1.                    Thence N. 56°22' W.  
 334.25            To S.W. end center of lode which is a mound of stone 3 ft. base and 3 ft. high.  
 668.5            To cor. No. 2 which is a pine post 3 ft. long 4 x 4 ins. square, set 18 ins. in ground with mound of stone, scribed 1738 N.P.R. No. 2.  
                     No bearings obtainable.
2.                    Thence N. 59°57' E.  
 1400.0            To Rock Cabin road E. and W.  
 1500.0            To cor. No. 3 which is a pine post 3 ft. long 4 x 4 ins. square, set 18 ins. in ground with mound of stone, scribed 1738 N.P.R. No. 3.  
                     No bearings obtainable.
3.                    Thence S. 56°22' E.  
 100.0            Rock Cabin road E. and W.  
 334.25            To N.E. end center of lode which is a mound of stone 3 ft. base and 3 ft. high.  
 500.0            Wash 30 ft. wide course N.  
 600.0            Harqua Hala and Harrisburg road N. and S.  
 668.5            To cor. No. 4 which is a pine post 3 ft. long 4 x 4 ins. square, set 18 ins. in ground with mound of stone, scribed 1738 N.P.R. No. 4.  
                     No bearings obtainable.



<u>No.</u>	<u>Feet.</u>	
4.		Thence S. $59^{\circ} 57' W.$
	120.0	To Harqua Hala and Harrisburg road N. and S.
	146.9	Intersect line 4-1 New Albert S. Wray lode this survey at S. $33^{\circ} 38' W.$ 77.5 from cor. No. 4.
	175.0	Wash 20 ft. wide course N.
	725.0	Wash 20 ft. wide course N.
	1500.0	To cor. No. 1 and place of beginning.

All cors. identical with cors. of location.

Variation at all cors.  $14^{\circ} 05' E.$

NEW ARIZONA LODE.No. Feet.

Beginning at cor. No. 1 identical with cor. No. 3 New Wedge lode this survey and on line 4-1 New Albert S. Wray lode this survey which is a porphyry stone 26 x 12 x 18 ins., set 18 ins. in ground with mound of stone, chiseled 1738 N.A.1, from which cor. No. 1 Albert S. Wray lode this survey bears S.33°38'W. 409.2 ft. distant U.S.L.M. No. 1738 bears S33°30'E. 2823.4 distant.

No other bearings obtainable.

1.

Thence N.33°38'E.

945.0 Wash 20 ft. wide course N.  
 1013.3 Intersect line 4-1 Porto Rica lode this survey at S. 59°57'W. 146.9 ft. from cor. No. 4.  
 1040.0 Road from Harqua Hala to Harrisburg N. and S.  
 1090.8 Cor. No. 4 of New Albert S. Wray lode this survey.  
 1144.9 Intersect line 3-4 New Porto Rica lode this survey at N.56°22'W.65.2 ft. from cor. No. 4.  
 1500.0 Cor. No. 2 which is a pine post 3 ft. long 4 x 4 ins. square, set 18 ins. in ground with monument of stone, scribed 1738 N.A. No. 2 from which a Palo Verde 8 ins. diameter scribed 1738 N.A. No. 2 B.T. bears S.46°20'E. 55.9 ft. distant.

2.

Thence N.80 E.

414.45 To N.E. end center of lode which is a mound of stone 3 ft. base and 3 ft. high.  
 828.9 To cor. No. 3 which is a pine post 3 ft. long 4 x 4 ins. square, set 18 ins. in ground with mound of stone, scribed 1738 N.A. No. 3.

No bearings obtainable.

3.

Thence S.33°38'W.

1500.0 To cor. No. 4 identical with cor. No. 3 New Harry



No.   Feet.

Carpenter lode and cor. No. 4 New Wedge lode this survey,  
 a pine post 3 ft. long 4 x 4 ins. square, set 18 ins.  
 in ground with mound of stone, scribed 1738 N.A. No.  
 4.

No bearings obtainable.

4.   *298.9*  
       *303.9*  
       ~~300.0~~  
       Thence S. 80° W.  
       *Wash 30 ft. wide course N,*  
       Road from Harqua Hala to Harrisburg N. and S. ~~and wash~~  
       ~~30 ft. wide course N.~~
- 414.45    To S.W. end center of lode which is a mound of stone 3  
           ft. base and 3 ft. high.
- 828.9     To cor. No. 1 and place of beginning.

All cors. identical with cors. of location.

Variation at all cors. 14° 05' E.

24

NEW MORNING LODE.

No. Feet.

Beginning at cor. No. 1 identical with cor. No. 2 Ben Butler lode this survey, which is a pine post 3 ft. long 4 x 4 ins. square, set 18 ins. in ground with mound of stone, scribed 1738 N.M. No. 1, from which cor. No. 3 New Triangle lode this survey bears S.89° 25' E. 105.5 ft. distant U.S.L.M. No. 1738 bears S.57° 28' E. 2306.3 ft. distant.

No other bearings obtainable.

- 1. Thence N.56° 22' W.
- 161.0 To S.W. end center of lode which is a mound of stone 3 ft. base and 3 ft. high.
- 322.0 To cor. No. 2 which is a pine post 3 ft. long 4 x 4 ins. square, set 18 ins. in ground with mound of stone, scribed 1738 N.M. No. 2.

No bearings obtainable.

- 2. Thence N.33° 38' E.
- 800.0 To Rock Cabin road N.W. and S.E.
- 1500.0 To cor. No. 3 on line 1-2 New Harqua Hala lode this survey, which is a quartz stone 24 x 12 x 8 ins., set 16 ins. in ground with mound of stone, chiseled 1738 N.M.3.

No bearings obtainable.

- 3. Thence S.56° 22' E.
- 161.0 To N.E. end center of lode which is a mound of stone 3 ft. base and 3 ft. high.
- 322.0 To cor. No. 4 identical with cor. No. 1 New Harqua Hala lode cor. No. 2 New Albert S. Wray lode and cor. No. 3 Ben Butler lode this survey, a pine post 3 ft. long 4 x 4 ins. square, set 18 ins. in ground with mound of stone, scribed 1738 N.M. No. 4.

No bearings obtainable.

(20.)

- 4. Thence S.33° 38' W.

(



No.   Feet.

1050.0     Rock Cabin road N.20°W. and S.20° E.

1500.0     To cor. No. 1 and place of beginning.

           All cors. identical with cors. of location.

           Variation of all cors. 14° 05' E.

LITTLE LIZZIE LODGE.No.    Feet.

Beginning at cor. No. 1 which is identical with cor. No. 2 New Morning lode this survey, which is a pine post 3 ft. long 4 x 4 ins. square, set 18 ins. in ground with mound of stone, scribed 1738 L.L. No. 1 from which U.S.L.M. No. 1738 bears S.57°21' E. 2628.3 distant.

No other bearings obtainable.

1.                    Thence N.56° 22' W.  
       300.0        To S.W. end center of lode which is a mound of stone 3 ft. base and 3 ft. high.  
       580.0        Wash 10 ft. wide course N.  
       600.0        To cor. No. 2 which is a pine post 3 ft. long 4 x 4 ins. square, set 18 ins. in ground with mound of stone, scribed 1738 L.L. No. 2.

No bearings obtainable.

2.                    Thence N.33° 38' E.  
       100.0        Wash 10 ft. wide course N.  
       1300.        Rock Cabin road N.W. and S.E.  
       1500        To cor. No. 3 on line 1-2 New Harqua Hala lode this survey, which is a quartz stone 22 x 14 x 12 ins., set 14 ins. in ground with mound of stone, chiseled 1738 L.L.3.

No bearings obtainable.

3.                    Thence S.56° 22' E.  
       300.0        To N.E. end center of lode which is a mound of stone 3 ft. base and 3 ft. high.  
       600.0        To cor. No. 4 identical with cor. No. 3 New Morning lode this survey, which is a quartz stone 24 x 12 x 8 ins., set 16 ins. in ground with mound of stone, chiseled 1738 L.L.4.



No.   Feet.

No bearings obtainable.

4.

Thence S. 33° 38' W.

700.0

To Rock Cabin road N.W. and S.E.

1500.0

To cor. No. 1 and place of beginning.

All cors. identical with cors. of location.

Variation at all cors. 14° 05' E.

OPHIR LODGE.No. Deet.

Beginning at cor. No. 1 identical with cor. No. 2 Little Lizzie lode this survey, a pine post 3 ft. long 4 x 4 ins. square, set 18 ins. in ground with mound of stone, scribed 1738 O. No. 1, from which U.S.L.M. No. 1738 bears S.57°10'E. 3228.3 distant.

No other bearings obtainable.

1. Thence N.56°28'W.  
 300.0 To S.W. end center of lode which is a mound of stone 3 ft. base and 3 ft. high.  
 600.0 To cor. No. 2 which is a pine post 3 ft. long 4 x 4 ins. square, set 18 ins. in ground with mound of stone, scribed 1738 O. No. 2.

No bearings obtainable.

2. Thence N.33°38'E.  
 1500.0 To cor. No. 3 which is a pine post 3 ft. long 4 x 4 ins. square, set 18 ins. in ground with mound of stone, scribed 1738 O. No. 3, from which cor. No. 2 New Harqua Hala lode this survey bears S.56°22'E. 22 ft. distant.

No other bearings obtainable.

3. Thence S.56°22'E.  
 22.0 Cor. No. 2 New Harqua Hala lode this survey.  
 150.0 Wash 20 ft. wide and Rock Cabin road N.  
 300.0 To N.E. end center of lode which is a mound of stone 3 ft. base and 3 ft. high.  
 600.0 To cor. No. 4 identical with cor. No. 3 Little Lizzie lode this survey, a quartz stone 22 x 14 x 12 ins., set 14 ins. in ground with mound of stone, chiseled 1738 O.4.

No bearings obtainable.

No.    Feet.

4.                                    Thence S.33°38' W.  
      200.0                            Rock Cabin road N.W. and S.E.  
 1390.0                            Wash 10 ft. wide course N.  
 1500.0                            To cor. No. 1 and place of beginning.

     All cors. identical with cors. of location.

     Variation at all cors. 14°05' E.



LITTLE WILLIE LODE.No.    Feet.

- Beginning at cor. No. 1 which is a pine post 3 ft. long 4 x 4 ins. square, set 18 ins. in ground with mound of stone, scribed 1738 L.W. No. 1 from which U.S.L.M. No. ~~7~~<sup>1738</sup> bears S. 33° 53' W. 726 ft. distant.  
No other bearings obtainable.
1.                    Thence S. 80° W.  
1500.0            To cor. No. 2 on line 4-1 New Triangle lode this survey which is a pine post 3 ft. long 4 x 4 ins. square, set 18 ins. in ground with mound of stone, chiseled 1738 L.W. No. 2.  
No bearings obtainable.
2.                    Thence N. 10° W.  
300.0            To W. end center of lode which is a mound of stone 3 ft. base and 3 ft. high.  
410.0            Road from Harqua Hala to Harrisburg E. and W.  
600.0            To cor. No. 3 identical with cor. No. 2 Tiger lode this survey, which is a pine post 3 ft. long 4 x 4 ins. square, set 18 ins. in ground with mound of stone, scribed 1738 L.W. No. 3.  
No bearings obtainable.
3.                    Thence N. 80° E.  
600.0            Road from Harqua Hala to Harrisburg N.E. and S.W.  
1500.0            To cor. No. 4 identical with cor. No. 1 Tiger lode this survey, which is a quartz stone 24 x 20 x 8 ins., set 16 ins. in ground with mound of stone, chiseled 1738 L.W. 4 from which a Palo Verde 8 ins. in diameter scribed 1738 T. No. 1 L.W. No. 4 B.T. bears N. 17° 28' W. 27.5 ft. distant.
4.                    Thence S. 10° E.  
107.0            To cor. No. 1 New Great Western lode this survey.

<u>No.</u>	<u>Feet.</u>	
300.0		To E. end center of lode which is a mound of stone 3 ft. base and 3 ft. high.
600.0		To cor. No. 1 and place of beginning.
		All cors. identical with cors. of location.
		Variation at all cors. 14° 05' E.

MORNING STAR LODE.No. Feet.

Beginning at cor. No. 1 which is a pine post 3 ft. long 4 x 4 ins. square, set 18 ins. in ground with mound of stone, scribed 1738 M.S. No. 1 from which U.S.L.M. No. 1738 bears  $S.88^{\circ}39'W.$  508.8 ft. distant.

No other bearings obtainable.

1. Thence  $S.80^{\circ}W.$   
 130.0 Wash 10 ft. wide course N.  
 1500.0 To cor. No. 2 which is a pine post 3 ft. long 4 x 4 ins. square, set 18 ins. in ground with mound of stone, scribed 1738 M.S. No. 2 from which cor. No. 1 New Triangle lode this survey bears  $N.10^{\circ}W.$  3.9 ft. distant.  
 No other bearings obtainable.
2. Thence  $N.10^{\circ}W.$   
 3.9 To cor. No. 1 New Triangle lode this survey.  
 300.0 To W. end center of lode which is a mound of stone 3 ft. base and 3 ft. high.  
 600.0 To cor. No. 3 identical with cor. No. 2 Little Willie lode this survey, a pine post 3 ft. long 4 x 4 ins. square, set 18 ins. in ground, with mound of stone, scribed 1738 M.S. No. 3.  
 No bearings obtainable.
3. Thence  $N.80^{\circ}E.$   
 1500.0 To cor. No. 4 identical with cor. No. 1 Little Willie lode this survey, a pine post 3 ft. long 4 x 4 ins. square, set 18 ins. in ground with mound of stone, scribed 1738 M.S. No. 4.  
 No bearings obtainable.
4. Thence  $S.10^{\circ}E.$   
 300.0 To E. end center of lode which is a mound of stone 3 ft. base and 3 ft. high.  
 350.0 Wash 15 ft. wide course N.E. and S.W.



No.   Feet.

600.0

To cor. No. 1 and place of beginning.

All cors. identical with cors. of location.

Variation at all cors.  $14^{\circ} 05' E.$

ASPEN LODE.No.    Feet.

Beginning at cor. No. 1 identical with cor. No. 1 Morning Star lode this survey, a pine post 3 ft. long 4 x 4 ins. square, set 18 ins. in ground with mound of stone, scribed 1738 A. No. 1 from which U.S.L.M. No. 1738 bears S. 88° 39' W. 508.8 ft. distant.

No other bearings obtainable.

1.

Thence S. 10° E.

300.0

To E. end center of lode which is a mound of stone 3 ft. base and 3 ft. high.

600.0

To cor. No. 2 which is a pine post 3 ft. long 4 x 4 ins. square, set 18 ins. in ground with mound of stone, scribed 1738 A. No. 2 from which U.S.L.M. No. 1 Ellsworth Mining district survey Nos. 1079, 1080 and 1081 A. and B. bears S. 25° 01' E. 10021.3 ft. distant.

No other bearings obtainable.

2.

Thence S. 80° W.

1450.0

Harqua Hala and Harrisburg road N.W. and S.E.

1500.0

To cor. No. 3 which is a pine post 3 ft. long 4 x 4 ins. square, set 18 ins. in ground, with mound of stone, scribed 1738 A. No. 3.

No bearings obtainable.

3.

Thence N. 10° W.

50.0

Harqua Hala and Harrisburg road N.W. and S.E.

300.0

To W. end center of lode which is a mound of stone 3 ft. base and 3 ft. high.

600.0

To cor. No. 4 identical with cor. No. 2 Morning Star lode this survey, a pine post 3 ft. long 4 x 4 ins. square, set 18 ins. in ground with mound of stone, scribed 1738 A. No. 4, cor. No. 1 New Triangle lode bears N. 10° W. 3.9 ft. distant.





EVENING STAR LODE.No.    Pect.

Beginning at cor. No. 1 identical with cor. No. 2 Aspen lode this survey, which is a pine post 3 ft. long 4 x 4 ins. square, set 18 ins. in ground with mound of stone, scribed 1738 E.S. No. 1 from which U.S.L.M. No. 1738 bears N.46°38' W. 843.0 ft. distant.

No other bearings obtainable.

1.                    Thence S.10° E.
- 300.0                To E. end center of lode which is a mound of stone 3 ft. base and 3 ft. high.
- 600.0                To cor. No. 2 which is a porphyry stone 24 x 10 x 8 ins., set 16 ins. in ground with mound of stone, chiseled 1738 E.S.2. An iron wood tree 9 ins. in diameter scribed 1738 E.S. No. 2 B.T. bears N.40 15 W. 15.6 ft. distant U.S.L.M. No. 1 Ellsworth Mining district survey Nos. 1079, 1080 and 1081 A. and B. bears S.25°58' E. 94.43 ft. distant.
2.                    Thence S.80° W.
- 280.0                Wash 15 ft. wide course S.
- 840.0                Harqua Hala and Harrisburg road course S.E. and N.W.
- 1500.0                To cor. No. 3 which is a pine post 3 ft. long 4 x 4 ins. square, set 18 ins. in ground with mound of stone, scribed 1738 E.S. No. 3.
- No bearings obtainable.
3.                    Thence N.10° W.
- 300.0                To W. end center of lode which is a mound of stone 3 ft. base and 3 ft. high.
- 600.0                To cor. No. 4 identical with cor. No. 3 Aspen lode this survey, which is a pine post 3 ft. long 4 x 4 ins. square, set 18 ins. in ground with mound of stone, scribed 1738 E.S. No. 4.
- No bearings obtainable.

37

<u>No.</u>	<u>Feet.</u>	
4.		Thence N.80° E.
	50.00	Harqua Hala and Harrisburg road N.W. and S.E.
	1500.0	To cor. No. 1 and place of beginning.
		All cors. identical with cors. of location.
		Variation at all cors. 14° 05' E.

BOB. INGERSOLNo.    Feet.

Beginning at cor. No. 1 on line 4-1 Morning Star lode this survey, a pine post 3 ft. long 4 x 4 ins. square, set 18 ins. in ground with mound of stone, scribed 1738 B.I. No. 1 from which U.S.L.M. No. 1738 bears S.40 31 W. 651.8 ft. distant. Cor. No. 4 Evening Star lode this survey bears N.10° W. 109 ft. distant.

No other bearings obtainable.

1.                    Thence N.10° W.
- 109.0            To cor. No. 4 Morning Star and cor. No. 1 Little Willie lodes this survey.
- 301.0            To W. end center of lode which is a mound of stone 3 ft. base and 3 ft. high.
- 602.0            To cor. No. 2 identical with cor. No. 1 New Great Western lode this survey, a pine post 3 ft. long 4 x 4 ins. square, set 18 ins. in ground with mound of stone, scribed 1738 B.S. No. 2. A Palo Verde 6 ins. in diameter scribed 1738 N.G.W. No. 1 B.I. No. 2 B.T. bears N.70° W. 28.5 ft. distant.
2.                    Thence N.75° 18' E.
- 1000.0            Wash 20 ft. wide course N.
- 1500.0            To cor. No. 3 identical with cor. No. 4 Great Western lode this survey, a pine post 3 ft. long 4 x 4 ins. square, set 18 ins. in ground with mound of stone, scribed 1738 B.I. No. 3. A Palo Verde 6 ins. diameter scribed 1738 N.G.W. No. 4 B.I. No. 3 B.T. bears S. 82° 16' W. 28.5 ft. distant.
3.                    Thence S.10° E.
- 301.0            To E. end center of lode which is a mound of stone 3 ft. base and 3 ft. high.



No.    Feet.

602.0

To cor. No. 4 which is a pine post 3 ft. long 4 x 4 ins. square, set 18 ins. in ground with mound of stone, scribed 1738 B.I. No. 4 from which a Palo Verde 6 ins. diameter scribed 1738 B.I. No. 4 B.T. bears S.5°W. 46 ft. distant.

4.

Thence S.75° 18' W.

800.0

Wash 10 ft. wide course N.

1435.0

Wash 15 ft. wide course N.

1500.0

To cor. No. 1 and place of beginning.

All cors. identical with cors. of location.

Variation at all cors. 14° 05' E.

COLORADO LODE.No. Feet.

Beginning at cor. No. 1 on line 1-2 Aspen lode this survey, a pine post 3 ft. long 4 x 4 ins. square, set 18 ins. in ground with mound of stone, scribed 1738 C. No. 1 from which U.S.L.M. No. 1738 bears N. 79° 33' W. 536.8 ft. distant. ✓

No other bearings obtainable.

1.

Thence N. 10° W.

111.0 To cor. No. 1 Aspen and cor. No. 1 Morning Star lodes this survey.

301.0 To W. end center of lode which is a mound of stone 3 ft. base and 3 ft. high.

345.0 Wash 15 ft. wide course N.

602.0 To cor. No. 2 identical with cor. No. 1 Bob Ingersol lode this survey, a pine post 3 ft. long 4 x 4 ins. square, set 18 ins. in ground with mound of stone, scribed 1738 C. No. 2.

No bearings obtainable.

2.

Thence N. 75° 18' E.

50.0 Wash 15 ft. wide course N.

690.0 Wash 10 ft. wide course N.

1500.0 To cor. No. 3 identical with cor. No. 4 Bob Ingersol lode this survey, a pine post 3 ft. long 4 x 4 ins. square, set 18 ins. in ground with mound of stone, scribed 1738 C. No. 3 from which a Palo Verde 6 ins. diameter scribed 1738 B.I. No. 4 C. No. 3 B.T. bears S. 5° W. 46 ft. distant.

3.

Thence S. 10° E.

301.0 To E. end center of lode which is a mound of stone 3 ft. base and 3 ft. high.

602.0 To cor. No. 4 which is a pine post 3 ft. long 4 x 4

No.    Feet.

ins. square, set 18 ins. in ground with mound of stone,  
scribed 1738 C. No. 4.

No bearings obtainable.

4.

Thence S. 75° 18' W.

825.0

Wash 10 ft. wide course N.

1500.0

To cor. No. 1 and place of beginning.

All cors. identical with cors. of location.

Variation at all cors. 14° 05' E.



NEW LIBERTY LODE.

No.    Feet.

Beginning at cor. No. 1 on line 4-1 New Harry Carpenter and line 2-3 New Great Western lodes this survey, a pine post 3 ft. long 4 x 4 ins. square, set 18 ins. in ground with mound of stone, scribed 1738 N.L. No. 1 from which a Palo Verde 6 ins. diameter scribed 1738 N.L. No. 1 B.T. bears N.9°32'E. 59 ft. distant. U.S.L.M. No. 1738 bears S.17°52'W. 1865.0 ft. distant.

- 1.                    Thence N.33°38'E.
- 965.5            To cor. No. 4 New Harry Carpenter lode this survey.
- 1250.0           Wash 20 ft. wide course N.
- 1500.0            To cor. No. 2 which is a pine post 3 ft. long 4 x 4 ins. square, set 18 ins. in ground with mound of stone, scribed 1738 N.L. No. 2.

No bearings obtainable.

- 2.                    Thence N.75°18'E.
- 451.2            To N.E. end center of lode which is a mound of stone 3 ft. base and 3 ft high.
- 902.4            To cor. No. 3 which is a pine post 3 ft. long 4 x 4 ins. square, set 18 ins. in ground with mound of stone, scribed 1738 N.L. No. 3.

No bearings obtainable.

- 3.                    Thence S.33°38'W.
- 1500.0            To cor. No. 4 which is a pine post 3 ft. long 4 x 4 ins. square, set 18 ins. in ground with mound of stone, scribed 1738 N.L. No. 4 from which a Palo Verde 6 ins. diameter scribed 1738 N.L. No. 4 B.T. bears N.57°12'E. 56 ft. distant. *Cor. No. 3, N. G. W. lode, brs. N.75°18'E. 222.4 ft.*

- 4.                    Thence S.75°18'W.
- 127.6            Wash 20 ft. wide course N.
- 451.2            To S.W. end center of lode which is a mound of stone

No. Feet.

3 ft. base and 3 ft. high.

902.4

To cor. No. 1 and place of beginning.

All cors. identical with cors. of location.

Variation at all cors  $14^{\circ} 05' E.$

LODE LINES.

## TIGER LODE.

N.  $80^{\circ}$  E. 1011 ft. and S.  $80^{\circ}$  W. 489 ft. from center of discovery shaft.

## BEN BUTLER LODE.

N.  $33^{\circ} 38'$  E. 945 ft. and S.  $33^{\circ} 38'$  W. 555 ft. from center of discovery shaft.

## NEW TRIANGLE LODE.

N.  $10^{\circ}$  W. 475 ft. and S.  $10^{\circ}$  E. 1025 ft. from center of discovery shaft.

## NEW HARRY CARPENTER LODE.

N.  $33^{\circ} 38'$  E. 772 ft. and S.  $33^{\circ} 38'$  W. 728 ft. from center of discovery shaft.

## NEW WEDGE LODE.

N.  $33^{\circ} 38'$  E. 1240 ft. and S.  $33^{\circ} 38'$  W. 260 ft. from center of discovery shaft.

## NEW GREAT WESTERN LODE.

N.  $75^{\circ} 18'$  E. 870 ft. and S.  $75^{\circ} 18'$  W. 630 ft. from center of discovery shaft.

## NEW HARQUA HALA LODE.

N.  $56^{\circ} 22'$  W. 750 ft. and S.  $56^{\circ} 22'$  E. 750 ft. from center of discovery shaft.

## NEW ALBERT S. WRAY LODE.

N.  $33^{\circ} 38'$  E. 536 ft. and S.  $33^{\circ} 38'$  W. 964 ft. from center of discovery shaft.

## NEW PORTO RICA LODE.

N.  $59^{\circ} 57'$  E. 345 ft. and S.  $59^{\circ} 57'$  W. 1155 ft. from center of discovery shaft.

## NEW ARIZONA.

N.  $33^{\circ} 38'$  E. 1280 ft. and S.  $33^{\circ} 38'$  W. 220 ft. from center of discovery shaft.



## NEW MORNING LODE.

N.  $33^{\circ} 38'$  E. 550 ft. and S.  $33^{\circ} 38'$  W. 950 ft. from center of discovery shaft.

## LITTLE LIZZIE LODE.

N.  $33^{\circ} 38'$  E. 150 ft. and S.  $33^{\circ} 38'$  W. 1350 ft. from center of discovery shaft.

## OPHIR LODE.

N.  $33^{\circ} 38'$  E. 328 ft. and S.  $33^{\circ} 38'$  W. 1172 ft. from center of discovery shaft.

## LITTLE WILLIE LODE.

N.  $80^{\circ}$  E. 1240 ft. and S.  $80^{\circ}$  W. 260 ft. from center of discovery shaft.

## MORNING STAR LODE.

N.  $80^{\circ}$  E. 1150 ft. and S.  $80^{\circ}$  W. 350 ft. from center of discovery shaft.

## ASPEN LODE.

N.  $80^{\circ}$  E. 770 ft. and S.  $80^{\circ}$  W. 730 ft. from center of discovery shaft.

## EVENING STAR LODE.

N.  $80^{\circ}$  E. 540 ft. and S.  $80^{\circ}$  W. 960 ft. from center of discovery shaft.

## BOB INGERSOL LODE.

N.  $75^{\circ} 18'$  E. 645 ft. and S.  $75^{\circ} 18'$  W. 855 ft. from center of discovery shaft.

## COLORADO LODE.

N.  $75^{\circ} 18'$  E. 1158 ft. and S.  $75^{\circ} 18'$  W. 342 ft. From center of discovery shaft.

## NEW LIBERTY LODE.

N.  $33^{\circ} 38'$  E. 910 ft. and S.  $33^{\circ} 38'$  W. 590 ft. from center of discovery shaft.

CONFLICTS.Feet.

Ben Butler lode with Tiger lode.

Beginning at cor. No. 1 Ben Butler lode

Thence  $N.10^{\circ} W.$ 

296.1 To cor. No. 3 Tiger lode

Thence  $N.80^{\circ} E.$ 

282.3 To point on line 4-1 Ben Butler lode

Thence  $S.33^{\circ} 38' W.$ 

409.2 To place of beginning.

New Harry Carpenter lode with Tiger lode.

Beginning at cor. No. 1 New Harry Carpenter lode

Thence  $N.50^{\circ} 06' W.$ 

603.6 To cor. No. 2 New Harry Carpenter lode.

Thence  $N.80^{\circ} E.$ 

388.8 To cor. No. 4 Tiger lode

Thence  $S. 10^{\circ} E.$ 

461.6 To place of beginning.

New Great Western lode with New Harry Carpenter  
lode.

Beginning at cor. No. 1 New Harry Carpenter lode

Thence  $N.10^{\circ} W.$ 

356.6 To cor. No. 2 New Great Western lode

Thence  $N.75^{\circ} 18' E.$ 

370.2 To point on line 4-1 New Harry Carpenter lode

Thence  $S.33^{\circ} 38' W.$ 

534.5 To place of beginning.

New Porto Rica lode with New Albert S. Wray lode

Beginning at cor. No. 1 New Porto Rica lode

Thence  $N.33^{\circ} 38' E.$ 

900.0 To cor. No. 3 New Albert S. Wray lode

Thence  $S.89^{\circ} 25' E.$

Feet.

715.8 To cor. No. 4 New Albert S. Wray lode  
 Thence S.33° 38' W.

77.5 To point on line 4-1<sup>New</sup> Porto Rica lode  
 Thence S.59° 57' W.

1353.1 To place of beginning.

New Porto Rica lode with New Arizona lode  
 Beginning at cor. No. 4 New Porto Rica lode  
 Thence S.59° 57' W.

146.9 To point on line 1-2 New Arizona lode  
 Thence N.33° 38' E.

131.6 To point on line 3-4 Porto Rica lode  
 Thence S.56° 22' E.

65.2 To place of beginning.



AREAS.

Total and net area Tiger lode	20.661 acres.
Total area Ben Butler lode	20.660 ✓ "
Less area in conflict with Tiger lode	<u>.959 ✓ "</u>
Net area Ben Butler lode	19.701 ✓ "
Net area New Triangle lode	20.658 ✓ "
Total area New Harry Carpenter lode	20.660 ✓ "
Less area in conflict with Tiger lode	<u>2.060 ✓ "</u>
Net area New Harry Carpenter lode	18.600 ✓ "
Total and net area New Wedge	20.658 ✓ "
Total area New Great Western lode	20.660 ✓ "
Less area in conflict with New Harry Carpenter lode	<u>1.511 ✓ "</u>
Net area New Great Western lode	19.149 ✓ "
Total and net area New Harqua Hala lode	20.661 ✓ "
Total <sup>and net</sup> area New Albert S. Wray lode	20.660 ✓ "
Total and net area New Arizona lode	20.658 ✓ "
Total area New Porto Rica lode	20.643 ✓ "
Less area in conflict with Albert S. Wray lode	6.732 ✓ "
Less area in conflict with New Arizona lode	<u>0.098 ✓ "</u>
Net area New Porto Rica lode	13.813 "
Total and net area New Morning lode	11.088 "
Total and net area Little Lizzie lode	20.661 "
Total and net area Ophir lode	20.661 "
Total and net area Little Willie lode	20.661 ✓ "

Total and net area Morning Star lode	20.661 acres.
Total and net area Aspen lode	20.661 "
Total and net area Evening Star lode	20.661 "
Total and net area Bob Ingersol lode	20.660 "
Total and net area Colorado lode	20.660 "
Total and net area New Liberty lode	<u>20.658 "</u>
Net area claim	392.257 acres.

LOCATION.

This claim is located on unsurveyed land in approximately Tp. 4 N. R. 13 W., G. and S. R. B. and M.



EXPENDITURE OF FIVE HUNDRED DOLLARS.

I certify that the value of labor and improvements upon this claim placed thereon by the claimant and its grantors is not less than five hundred dollars, <sup>for such location</sup> and that said improvements consist of:

TIGER LODGE.

The discovery shaft No. 1 in rock on the center line 489 ft. from the center of line 2-3, 5 x 7 ft., 160 ft. deep with drift at 100 ft. 4 x 7 ft. 20 ft. long course east, at 150 ft. drift 4 x 7 ft. 20 ft. long course east, and a drift at same level 4 x 7 ft. 12 ft. long course west. Value \$2120.00.

Shaft No. 2 in rock which bears from the center of line 2-3 N.66° 38' E. 117 ft. 4 x 6 ft. 6 ft. deep. Value \$50.00.

Shaft No. 3 which bears from the center of line 2-3 N.66° 15' E. 146 ft. 6 x 8 ft. 141 ft. deep with drift at 100 ft. 5 x 7 ft. 22 ft. long course E. A drift at bottom of shaft 5 x 7 ft. 18 ft. long course west. Cross cut at bottom 5 x 7 ft. 18 ft. long course south. Cross cut at 41 ft. level 4 x 7 ft. 10 ft. long course south. Value \$2000.00.

An open cut No. 4 in rock 10 ft. face 5 ft. wide 32 ft. long, course west the center of east end of which bears from point A (a point on the center line 260 ft. from the center of line 2-3) N.47° W. 31 ft. Value \$500.00

A shaft No. 5 in rock which bears from point A S. 11° E. 40 ft. 4 x 6 ft. 4 ft. deep. Value \$30.00.

A shaft No. 6 in rock which bears from point A N.74° 23' E. 76 ft. 4 x 6 ft. 90 ft. deep with cross cut at 30 ft. 5 x 7 ft. 30 ft. long, course north. Value \$1200.00.

A shaft No. 7 in rock which bears from point A N.75° E. 115 ft. 4 x 6 ft. 10 ft. deep. Value \$100.00.

A shaft No. 8 in rock which bears from point A S.44° 30' E. 250 ft. 4 x 6 ft. 12 ft. deep. Value \$120.00.



A shaft No. 9 in rock which bears from point B (a point on the center line 570 ft. from center of line 2-3) S.59° W. 56 ft. 4 x 6 ft. 12 ft. deep. Value \$120.00.

A shaft No. 10 in rock which bears from point B N.17° 30' W. 60 ft. 8 x 14 ft (61 ft.) deep timbered for 40 ft. Value \$1525.00.

An open cut No. 11 in rock 5 ft. face 4 ft. wide 10 ft. long course south, the center of north end of which bears N. 27° E. 345 ft. from point B. Value \$25.00.

A shaft No. 12 in rock which bears from point B N. 27° 25' E. 370 ft. 4 x 6 ft. 6 ft. deep. Value \$50.00.

The S.W. cor. of blacksmith shop 16 x 20 ft. bears from point B N.22° W. 150 ft. course of long side N.80° E.

The S.W. cor. of dining room 12 x 30 ft. bears from point C (a point on the center line N.80° E.750 from center of line 2-3) S.15° 30' E. 225 ft. course of long side north.

The N.W. cor. of office and store building 25 x 35 ft. bears from point C S.12° 30' E. 257 ft. course of long side east.

A shaft No. 13 in rock which bears from the center of line 4-1 N.77° W. 147 ft. 4 x 6 ft. 10 ft. deep. Value \$100.00.

---

Total value of improvements - - - - \$7940.00.

---

#### BEN BUTLER LODE.

Discovery shaft No. 1 in rock on the center line 555 ft. from the center of line 1-2 4 x 6 ft. 20 ft. deep. Value \$200.00.

A shaft No. 2 in rock which bears N. 44° 30' W. 187 ft. from cor. No. 1 4 x 6 ft. by 77 ft. deep with a drift at bottom 4 x 7 ft. 10 ft. long, course east; also drift at bottom 4 x 7 ft. 6 ft. long, course west. Value \$1000.00.

An open cut No. 3 in rock 6 ft. face 4 ft. wide 31 ft. long, course east the center of west end of which bears from cor. No. 1 N.27° W. 156 ft. Value \$150.00.

An open cut No. 4 in rock 8 ft. face 3 ft. wide 25 ft. long, course S.45° W. the center of north end of which bears N.8 E. 145 ft. from center of line 1-2. Value \$125.00.

A shaft No. 5 in rock on the center line 310 ft. from the center of line 1-2 4 x 6 ft. 4 ft. deep. Value \$20.00.

A shaft No. 6 in rock which bears from point A (a point on center line 560 ft. from center of line 1-2) S.32° E. 125 ft. 4 x 6 ft. 10 ft. deep. Value \$100.00.

An open cut No. 7 in rock 10 ft. face 3 ft. wide 55 ft. long, course east, the center of west end of which bears N. 22° 30' W. 265 ft. from point A. Value \$375.00.

A shaft No. 8 in rock which bears from point A N.20° W. 294 ft. 4 x 6 ft. 10 ft. deep. Value \$100.00.

A shaft No. 9 in rock which bears from point A N.40° W. 285 ft. 4 x 6 ft. 6 ft. deep. Value \$50.00.

A shaft No. 10 in rock 4 x 6 ft. 4 ft. deep on center line 570 ft. from center of line 1-2. Value \$20.00.

---

Total value of improvements - - - \$2140.00.

#### NEW TRIANGLE LODE.

Discovery shaft No. 1 in rock 4 x 6 ft. 10 ft. deep on center line 475 ft. from center of line 3-4. Value \$100.00.

A shaft No. 2 in rock which bears from cor. No. 4 S.68° W. 15 ft. 4 x 6 ft. 13 ft. deep. Value \$130.00.

A shaft No. 3 in rock which bears from cor. No. 4 S. 35° W. 45 ft. 4 x 6 ft. 16 ft. deep. Value \$160.00.

A shaft No. 4 in rock which bears from cor. No. 4 S. 60° W. 110 ft. 4 x 6 ft. 15 ft. deep. Value \$150.00.

A shaft No. 5 in rock which bears from cor. No. 4 S. 48° W. 243 ft. 4 x 6 ft. 13 ft. deep. Value \$130.00.



A shaft No. 6 in rock which bears from point A (a point on center line 400 ft. from center of line 3-4) N.73° 15' E. 178 ft. 4 x 6 ft. 10 ft. deep. Value \$100.00.

A shaft No. 7 in rock which bears from point A S.78° 30' E. 165 ft. 4 x 6 ft. 10 ft. deep. Value \$100.00.

A shaft No. 8 in rock which bears from point A S. 19° 10' E. 55 ft. 4 x 6 ft. 20 ft. deep. Value \$200.00.

A shaft No. 9 in rock which bears from point A S.1° 10' W. 55 ft. 4 x 6 ft. 10 ft. deep Value \$100.00.

---

Total value of improvements - - - - \$1170.00.

---

NEW HARRY CARPENTER LODE.

Discovery shaft No. 1 in rock on the center line 772 ft. from the center of line 3-4, 4 x 6 ft. 10 ft. deep. Value \$100.00.

A shaft No. 2 in rock which bears from point A (a point on center line 682 ft. from the center of line 3-4) S.10° W. 105 ft. 4 x 6 ft. 10 ft. deep. Value \$100.00.

A shaft No. 3 in rock which bears from point A N.60° W. 210 ft. 4 x 6 ft. 10 ft. deep. Value \$100.00.

An open cut No. 4 in rock 10 ft. face 6 ft. wide 42 ft. long, course west, the center of east end of which bears from point A N.62° 20' W. 270 ft. Value \$250.00.

---

Total value of improvements - - - - \$550.00.

---

NEW WEDGE LODE.

Discovery shaft No. 1 in rock on the center line 260 ft. from the center of line 1-2, 4 x 6 ft. 10 ft. deep. Value \$100.00.



A shaft No. 2 in rock which bears from the center of line 3-4 S.17° 10' E. 85 ft. 4 x 6 ft. 10 ft. deep. Value \$100.00.

A tunnel No. 3 in rock 5 x 7 ft. 15 ft. long, course S.45° W., the center of mouth of which bears N.42° E. 75 ft. from cor. No. 2. Value \$150.00.

An open cut No. 4 in rock 10 ft. face 5 ft. wide 20 ft. long, course S.45° W., the center of northeast end of which bears N.22° 15' E. 190 ft. from center of line 1-2. Value \$150.00.

---

Total value of improvements, - - - - \$500.00.

---

NEW GREAT WESTERN LODE.

Discovery shaft No. 1 in rock on the center line 630 ft. from the center of line 1-2 4 x 6 ft. 10 ft. deep. Value \$100.00.

An open cut No. 2 in rock 5 ft. face 4 ft. wide 15 ft. long, course west, the center of east end of which bears from point A (a point on center line 416 ft. from center of line 1-2) S.70° W. 100 ft. Value \$75.00.

An open cut No. 3 in rock 5 ft. face 4 ft. wide 10 ft. long, the center of west end of which bears from point A N.30° E. 40 ft. Value \$50.00.

A shaft No. 4 in rock which bears from point A N.40° W. 140 ft. 4 x 6 ft. 10 ft. deep. Value \$100.00.

A shaft No. 5 in rock which bears from point A N.23° W. 135 ft. 4 x 6 ft. 8 ft. deep. Value \$80.00.

A shaft No. 6 in rock which bears from point B (a point on center line 920 ft. from center of line 1-2) S.56° 35' E. 93 ft. 4 x 6 ft. 10 ft. deep. Value \$100.00.

A shaft No. 7 in rock which bears from cor. No. 1 N. 21° 30' E. 68 ft. 4 x 6 ft. 10 ft. deep. Value \$100.00.

---

Total value of improvements, - - - - \$605.00.

## NEW HARQUA HALA LODGE.

Discovery shaft No. 1 in rock on the center 750 ft. from the center of line 4-1 4 x 6 ft. 10 ft. deep. Value \$100.00.

A shaft No. 2 in rock which bears from cor. No. 1 N. 4.30 W. 600 ft. 4 x 6 ft. 10 ft. deep. Value \$100.00.

A shaft No. 3 in rock which bears from point A (a point on center line 700 ft. from center of line 4-1) N.10 E. 285 ft. 4 x 6 ft. 10 ft. deep. Value \$100.00.

An open cut No. 4 in rock 5 ft. face 3 ft. wide 105 ft. long, course N.45 E. the center of southwest end of which bears from point A N.13 W. 279 ft. Value \$400.00.

A shaft No. 5 in rock which bears from point A N.10 W. 285 ft. 4 x 6 ft. 10 ft. deep. Value \$100.00.

An open trench No. 6 in rock 6 ft. face 4 ft. wide 43 ft. long, course S.62 E. which bears from cor. No. 2 S.62 E. 435 ft. Value \$160.00.

A shaft No. 7 in rock which bears from cor. No. 2 N. 79 E. 260 ft. 4 x 6 ft. 8 ft. deep. Value \$75.00.

---

Total value of improvements, - - - - \$1035.00.

## NEW ALBERT S. WRAY LODGE.

Discovery shaft No. 1 in rock on center line 536 ft. from center of line 3-4 4 x 6 ft. 10 ft. deep. Value \$100.00.

A shaft No. 2 in rock which bears from cor. No. 3 S. 21 W. 240 ft. 4 x 6 ft. 10 ft. deep. Value \$100.00.

A shaft No. 3 in rock which bears from cor. No. 3 S.25 W. 237 ft. 4 x 6 ft. 6 ft. deep. Value \$50.00.

A shaft No. 4 in rock which bears from cor. No. 3 S. 32 W. 235 ft. 4 x 6 ft. 6 ft. deep. Value \$50.00.

A shaft No. 5 in rock which bears from center of line 1 1-2 N.55 W. 90 ft. 4 x 6 ft. 10 ft. deep. Value \$100.00.



A shaft No. 6 in rock which bears from the center of  
line 1-2 N.35 W. 70 ft. 4 x 6 ft. 10 ft. deep. Value \$100.00.

Total value of improvements, - - - - \$500.00.

#### NEW PORTO RICA LODE.

Discovery shaft No. 1 in rock on center line 345 ft.  
from center of line 3-4 4 x 6 ft. 10 ft. deep. Value \$100.00.

A shaft No. 2 in rock which bears from center of line  
3-4 S.60 21 W. 315 ft. 4 x 6 ft. 10 ft. deep. Value \$100.00.

A shaft No. 3 in rock which bears from center of line  
3-4 S.59 W. 375 ft. 4 x 6 ft. 6 ft. deep. Value \$50.00.

A shaft No. 4 in rock which bears from cor. No. 1 N.  
19 E. 673 ft. 4 x 6 ft. 10 ft. deep, and open cut 3 ft. deep 4 ft.  
wide 15 ft. long, course W. from shaft. Value \$125.00.

A shaft No. 5 in rock which bears from cor. No. 1 N.  
5 E. 520 ft. 4 x 6 ft. 4 ft. deep. Value \$25.00.

A shaft No. 6 in rock which bears from cor. No. 1 N.  
4 W. 338 ft. 4 x 6 ft. 4 ft. deep. Value \$25.00.

An open cut No. 7 in rock 6 ft. face 4 ft. wide 15 ft.  
long, course S.60 W., the northeast end center of which bears from cor.  
No. 1 N. 11 W. 260 ft. Value \$75.00.

A shaft No. 8 in rock which bears from cor. No. 1 N.  
19 W. 200 ft. 4 x 6 ft. 10 ft. deep. Value \$100.00.

Total value of improvements, - - - - \$600.00.

#### NEW ARIZONA LODE.

Discovery shaft No. 1 in rock on center line 220 ft.  
from center of line 4-1 4 x 6 ft. 10 ft. deep. Value \$100.00.



A shaft No. 2 in rock which bears from cor. No. 2 S.  
<sup>0</sup>23 32 W. 515 ft. 4 x 6 ft. 10 ft. deep. Value \$100.00.

An open cut No. 3 in rock 10 ft. face 5 ft. wide 45 ft.  
 long, course W., the center of east end of which bears from cor. No. 2  
 S.19<sup>0</sup> W. 445 ft. Value \$300.00.

---

Total value of improvements, - - - - \$500.00.

#### NEW MORNING LODGE.

Discovery shaft No. 1 in rock on center line 550 ft. from  
 center of line 3-4 4 x 6 ft. 13 ft. deep. Value \$130.00.

A shaft No. 2 in rock which bears from point A (a point  
 on center line 530 ft. from the center of line 3-4) N.56<sup>0</sup> 45 E. 350 ft.  
 4 x 6 ft. 21 ft. deep. Value \$210.00.

An open cut No. 3 in rock 7 ft. face 5 ft. wide 30 ft.  
 long, course west, the east end center of which bears from point A. N.  
 57<sup>0</sup> 15 E. 270 ft. Value \$100.00.

An open cut No. 4 in rock 8 ft. face 4 ft. wide 30 ft.  
 long, course west the east end center of which bears from point A N.  
 58<sup>0</sup> E. 245 ft. Value \$100.00.

A shaft No. 5 in rock which bears from point A S.53<sup>0</sup>  
 E. 160 ft. 4 x 6 ft. 15 ft. deep. Value \$150.00.

A shaft No. 6 in rock which bears from point A S. 21<sup>0</sup> W.  
 220 ft. 4 x 6 ft. 10 ft. deep. Value \$100.00.

A shaft No. 7 in rock which bears from point A S.40<sup>0</sup> W.  
 195 ft. 4 x 6 ft. 20 ft. deep. Value \$200.00.

A shaft No. 8 in rock which bears from point A S. 38<sup>0</sup> W.  
 175 ft. 4 x 6 ft. 6 ft. deep. Value \$50.00.

A shaft No. 9 in rock which bears from the center of  
 line 1-2 N.40<sup>0</sup> E. 145 ft. 8 x 12 ft. 10 ft. deep. Value \$250.00.

A shaft No. 10 in rock which bears from the center of  
 line 1-2 N.21<sup>0</sup> W. 85 ft. 4 x 6 ft. 10 ft. deep. Value \$100.00.

---

Total value of improvements, - - - - \$1390.00.

## LITTLE LIZZIE LODGE.

Discovery shaft No. 1 in rock on center line 150 ft. from center of line 3-4 4 x 6 ft. 10 ft. deep. Value \$100.00.

A shaft No. 2 in rock which bears from cor. No. 2 N. 87° E. 136 ft. 4 x 6 ft. 6 ft. deep. Value \$50.00.

A shaft No. 3 in rock which bears from cor. No. 2 N. 53° E. 320 ft. 4 x 6 ft. 10 ft. deep. Value \$100.00.

A shaft No. 4 in rock which bears from cor. No. 2 N. 62° E. 355 ft. 4 x 6 ft. 10 ft. deep. Value \$100.00.

A shaft No. 5 in rock which bears from point A (a point on center line 1000 ft. from center of line 1-2) N. 31° W. 120 ft. 4 x 6 ft. 10 ft. deep. Value \$100.00.

A shaft No. 6 in rock which bears from point A S. 22° E. 160 ft. 4 x 6 ft. 36 ft. deep with drift 10 ft. from top course N. 45° W. 5 x 7 ft. 12 ft. long. Value \$500.00.

An open cut No. 7 in rock 6 ft. face 4 ft. wide 40 ft. long, course S. 40° W. the center of northeast end of which bears from point A S. 35° E. 140 ft. Value \$150.00.

A shaft No. 8 in rock which bears from point A S. 46° E. 140 ft. 4 x 6 ft. 10 ft. deep. Value \$100.00.

A shaft No. 9 in rock which bears from point A S. 65° E. 150 ft. 4 x 6 ft. 10 ft. deep. Value \$100.00.

A shaft No. 10 in rock which bears from point A S. 75° E. 160 ft. 4 x 6 ft. 10 ft. deep. Value \$100.00.

A shaft No. 11 in rock which bears from point A N. 64° E. 270 ft. 4 x 6 ft. 7 ft. deep. Value \$60.00.

---

Total value of improvements, - - - - \$1460.00.



## OPHIR LODGE.

Discovery shaft No. 1 in rock on center line 328 ft. from center of line 3-4 4 x 6 ft., 10 ft. deep. Value \$100.00.

A shaft No. 2 in rock on center line 318 ft. from center of line 1-2 4 x 6 ft., 10 ft. deep. Value \$100.00.

A shaft No. 3 in rock on center line 340 ft. from center of line 1-2 4 x 6 ft., 6 ft. deep. Value \$50.00.

A shaft No. 4 in rock which bears from a point on center line 625 ft. from center of line 1-2 S. 56° 22' E. 173 ft., 4 x 6 ft., 10 ft. deep. Value \$100.00.

A shaft No. 5 in rock which bears from a point on center line 765 ft. from center of line 1-2 S. 56° 22' E. 125 ft., 4 x 6 ft., 10 ft. deep. Value \$100.00.

A shaft No. 6 in rock which bears from a point on center line 865 ft. from center of line 1-2 N. 56° 22' W. 40 ft., 4 x 6 ft., 10 ft. deep. Value \$100.00.

A shaft No. 7 in rock which bears from a point on center line 1030 ft. from the center of line 1-2 S. 56° 22' E. 40 ft., 4 x 6 ft., 70 ft. deep. Value \$1000.00.

---

Total value of improvements, - - - - \$1550.00.

## LITTLE WILLIE LODGE.

Discovery tunnel No. 1 in rock, center of face of which is on the center line 260 ft. from the center of line 2-3 5 x 7 ft., 19 ft. long, course from face to mouth N. 10° W. Value \$150.00.

A shaft No. 2 in rock which bears from point A (a point on center line 170 ft. from center of line 2-3) S. 75° 11' E. 60 ft., 4 x 6 ft., 20 ft. deep. Value \$200.00.

An open cut No. 3 in rock 9 ft. face 5 ft. wide 36 ft. long, course N. 10° W., the center of south end of which bears N. 66° 20' E. 108 ft. from point A. Value \$175.00.

(55.) A shaft No. 4 in rock which bears from point A N. 62° 54' E.



E. 362 ft. 4 x 6 ft. 8 ft. deep. Value \$75.00.

A shaft No. 5 in rock which bears from point B (a point on center line 830 ft. from center of line 2-3) N.0°10' W. 245 ft. 4 x 7 ft. 72 ft. deep with cross cut at bottom 5 x 7 ft. 6 ft. long, course south, and a drift at 65 ft. from top 5 x 7 ft. 10 ft. long, course west.

Value \$1200.00.

A shaft No. 6 in rock which bears from point B S.20° E. 190 ft. 4 x 6 ft. 10 ft. deep. Value \$100.00.

A shaft No. 7 in rock which bears from point B N.24°20' E. 318 ft. 4 x 6 ft. 6 ft. deep. Value \$50.00.

A shaft No. 8 in rock which bears from point B N.87°06' E. 275 ft. 4 x 6 ft. 10 ft. deep. Value \$100.00.

---

Total value of improvements, - - - - \$2050.00.

#### MORNING STAR LODGE.

Discovery shaft No. 1 in rock on center line 350 ft. from center of line 2-3 4 x 6 ft. (10 ft.) deep. Value \$100.00.

A shaft No. 2 in rock which bears from a point on center line 53 ft. from center of line 2-3 N.16°38' W. 110 ft. 4 x 6 ft. 11 ft. deep. Value \$110.00.

A shaft No. 3 in rock which bears from point A (a point on center line 375 ft. from center of line 2-3) N.59°12' W. 195 ft. 4 x 6 ft. 27 ft. deep. Value \$270.00.

An open cut No. 4 in rock 6 ft. face 3 ft. wide 35 ft. long, course west, the center of east end of which bears from point A N.32°40' W. 140 ft. Value \$150.00.

A shaft No. 5 in rock which bears from point A N.13°10' W. 135 ft. 4 x 8 ft. 10 ft. deep. Value \$125.00.

A shaft No. 6 in rock which bears from point A N.1° W. 150 ft. 4 x 6 ft. 116 ft. deep. Value \$1500.00.

A shaft No. 7 in rock which bears from point A N.86°

10 E. 98 ft. 8 x 14 ft. 36 ft. deep. Value \$900.00.

A shaft No. 8 in rock which bears from cor. No. 4 S.

55° 30' W. 165 ft. 4 x 6 ft. 18 ft. deep. Value \$180.00.

A shaft No. 9 in rock which bears from cor. No. 4 S.

56° W. 476 ft. 4 x 6 ft. 10 ft. deep. Value \$100.00.

---

Total value of improvements, - - - - \$2085.00.

---

ASPEN LODGE.

Discovery shaft No. 1 in rock on center line 730 ft. from the center of line 3-4 4 x 6 ft. 10 ft. deep. Value \$100.00.

A shaft No. 2 in rock which bears from point A (a point on center line 770 ft. from center of line 3-4) S. 9° 15' W. 145 ft. 5 x 8 ft. 26 ft. deep. Value \$300.00.

An open cut No. 3 in rock 6 ft. face 6 ft. wide 15 ft. long, course N. 45° W., the center of southeast end of which bears from point A S. 26° 15' W. 145 ft. Value \$75.00.

A shaft No. 4 in rock which bears from point A N. 22° W. 77 ft. 4 x 6 ft. 6 ft. deep. Value \$50.00.

A shaft No. 5 in rock which bears from point A S. 84° 26' E. 205 ft. 4 x 6 ft. 25 ft. deep. Value \$250.00.

A tunnel No. 6 in rock 5 x 7 ft. 23 ft. long, course N. 60° W. the center of mouth of which bears from point A S. 46° 26' E. 239 ft. Value \$230.00.

---

Total value of improvements, - - - - \$1005.00.

---

EVENING STAR LODGE.

Discovery shaft No. 1 in rock on center line 960 ft. from the center of line 3-4 4 x 6 ft. 10 ft. deep. Value \$100.00.

An open cut No. 2 in rock 10 ft. face 4 ft. wide 40 ft.



long, course southwest, the center of northeast end of which bears  
 from point A (a point on center line 970 ft. from center of line 3-4)  
 S.2°15' W. 65 ft. Value \$200.00.

A shaft No. 3 in rock which bears from point A S.49° E.  
 85 ft. 4 x 6 ft. 48 ft. deep. Value \$500.00.

A shaft No. 4 in rock which bears from point A N.15° 30'  
 E. 190 ft. 4 x 6 ft. 10 ft. deep. Value \$100.00.

A shaft No. 5 in rock which bears from point A N.30° E.  
 265 ft. 4 x 6 ft. 10 ft. deep. Value \$100.00.

A shaft No. 6 in rock which bears from point A N.65° 15'  
 E. 290 ft. 4 x 6 ft. 10 ft. deep. Value \$100.00.

A tunnel No. 7 in rock 4 x 7 ft. by 6 ft. long, course  
 S.85° W. the center of mouth of which bears from point A N.86° 30' E.  
 191 ft. Value \$600.00.

---

Total value of improvements, - - - - \$1100.00.

---

BOB INGERSOL LODGE.

Discovery shaft No. 1 in rock on center line 855 ft.  
 from the center of line 1-2 4 x 6 ft. 10 ft. deep. Value \$100.00.

An open cut No. 2 in rock 7 ft. face 5 ft. wide 18 ft.  
 long, course S.75° 18' W., the center of east end of which bears S.73°  
 51' E. 210 ft. from the center of line 1-2. Value \$100.00.

A shaft No. 3 in rock which bears from point A (a point  
 on center line 480 ft. from center of line 1-2) S.31° 03' E. 255 ft.  
 4 x 6 ft. 10 ft. deep. Value \$100.00.

A shaft No. 4 in rock which bears from point A S.71° 42'  
 E. 231 ft. 4 x 6 ft. 33 ft. deep. Value \$350.00.

A shaft No. 5 in rock which bears from point A S.25° W.  
 200 ft. 4 x 6 ft. 10 ft. deep. Value \$100.00.

A shaft No. 6 in rock which bears from point A S.16° 30'



W. 125 ft. 4 x 6 ft. 10 ft. deep. Value \$100.00.

A shaft No. 7 in rock which bears from point A N.66° E. 345 ft. 4 x 6 ft. 10 ft. deep. Value \$100.00.

A shaft No. 8 in rock which bears from cor. No. 4 N. 80° 27' W. 260 ft. 4 x 6 ft. 10 ft. deep. Value \$100.00.

---

Total value of improvements, - - - - \$1050.00.

#### COLORADO LODGE.

Discovery shaft No. 1 in rock on center line 342 ft. from the center of line 1-2 4 x 6 ft. 40 ft. deep. Value \$500.00.

A shaft No. 2 in rock which bears from the center of line 1-2 N.60° 30' E. 110 ft. 4 x 6 ft. 10 ft. deep. Value \$100.00.

An open cut No. 3 in rock 10 ft. face 5 ft. wide 30 ft. long, course S.75° 18' W., the center of east end of which bears N.60 E. 200 ft. from center of line 1-2. Value \$200.00.

A shaft No. 4 in rock which bears from point A (a point on center line 750 ft. from the center of line 1-2) S.83° W. 158 ft. 4 x 6 ft. 10 ft. deep. Value \$100.00.

A shaft No. 5 in rock which bears from point A S.20° 15' W. 33 ft. 4 x 6 ft. 6 ft. deep. Value \$50.00.

A shaft No. 6 in rock which bears from point A S.30° 02' E. 30 ft. 4 x 6 ft. 10 ft. deep. Value \$100.00.

A shaft No. 7 in rock on center line 870 ft. from center of line 1-2 4 x 6 ft. 10 ft. deep. Value \$100.00.

---

Total value of improvements, - - - - \$1150.00.



TOTAL VALUE OF IMPROVEMENTS.

Tiger Lode		\$7940.00
Less amount on shaft No. 10 credited to		
New Liberty Lode		300.00
Net improvements on Tiger Lode		7640.00
Ben Butler Lode		2140.00
New Triangle Lode		1170.00
New Harry Carpenter Lode		550.00
New Wedge Lode		500.00
New Great Western Lode		605.00
New Harqua Hala Lode		1035.00
New Albert S. Wray Lode		500.00
New Porto Rica Lode		600.00
New Arizona Lode		500.00
New Morning Lode		1390.00
Little Lizzie Lode		1460.00
Ophir Lode		1550.00
Little Willie Lode		2050.00
Morning Star Lode		2085.00
Aspen Lode		1005.00
Evening Star Lode		1700.00
Bob Ingersol Lode		1050.00
Colorado Lode		1150.00
New Liberty Lode	<i>\$200.00</i>	<del>300.00</del>
Amount credited from shaft #10		<del>10.00</del>
Tiger Lode	<i>\$300.00</i>	<del>300.00</del>
Total New Liberty Lode		500.00
Total value of improvements, - - - - -		-\$30180.00



DESCRIPTION.

The surface embraced within the boundaries of this claim is cut by a large number of parallel veins and can be most economically worked from a main shaft with drifts and cross cuts running to the various claims and ledges. Shaft No. 10 on the Tiger Lode and shaft No. 7 on the Morning Star Lode have been designed for such purpose.

From about the center line of the Aspen Lode, the drainage is both north and south. The formation is granite, limestone, diorite, quartzite and porphyry.

There are no streams of water in the district and only a few scattering Palo Verde and ironwood trees.

INSTRUMENT.

This survey was made with a Stackpole and Brothers transit No. 1269 with vertical arc, graduated to 30 seconds of arc.

The courses were deflected from the true meridian as determined by direct solar observation checked by observation on Polaris.

The distances were measured with 100-foot and 500-foot steel tapes.

ADJOINING CLAIMS.

The Lucky Number location, unsurveyed, joins the Colorado Lode on the south and the Aspen Lode on the east. The Maud S. location unsurveyed joins the Evening Star Lode on the east, both claimed by J. N. La Dreux. The New West Morning Star location joins the Aspen Lode on the west, the New West Aspen location joins the Evening Star Lode on the west, the New Allendale location joins the New Triangle Lode on the west, the New Eureka location joins the Ophir Lode on the southwest, the New Monitor location joins the New Porto Rica Lode, the New Autumn location joins the New Harry Carpenter Lode on the northeast, and the New Columbian location joins the Bob Ingersol Lode on the east.

These locations are unsurveyed and are claimed by the Rio Del Monte Gold Mines Company.

UNITED STATES LOCATION MONUMENT NO. 1738.

ELLSWORTH MINING DISTRICT,

YUMA COUNTY, ARIZONA.

---:---

This monument is situated on top of a conical hill on the Morning Star Lode near the south line  $S88^{\circ}39'W$ . 508.8 feet from cor. No. 1.

A porphyry rock 48 x 24 x 16 inches, set 24 inches in ground, with mound of stone 6 ft. base and 7 ft. high alongside, chiseled U.S.L.M. 1738. The exact point is marked by a cross chiseled on top.

A Palo Verde 5 inches diameter scribed U.S.L.M. No. 1738 B.T. bears  $S.5^{\circ}55'E$ . 48 ft. distant.

A + 3 inches wide and 3 inches high on rock in place exposed 2 ft. high 3 ft. long and 1 ft. wide marked U.S.L.M. No. 1738 B.R. bears  $N.83^{\circ}40'W$ . 17.6 ft. distant.

A + 4 inches high and 3 inches wide on rock in place exposed 3 ft. high, 6 ft. long and 2 ft. wide, chiseled U.S.L.M. No. 1738 B.R. bears  $S.83^{\circ}15'E$ . 35.2 ft. distant.

U.S.L.M. No. 1 Ellsworth Mining District Surveys Nos. 1079, 1080 and 1081 A. and B. bears  $S.26^{\circ}40'E$ . 10809.5 ft. distant.

Smokestack on mill at Socora Mine bears  $N.71^{\circ}18'E$ . about 6 miles distant.

The smokestack on Harqua Hala Pumping Plant at Harrisburg bears  $N.55^{\circ}06'E$ . about  $3\frac{1}{2}$  miles distant.

Wind Mill at Reed's Ranch bears  $N.15^{\circ}06'W$ . about 15 miles distant.

The monument is so prominently situated that it can be seen for many miles in every direction.



# FINAL OATHS FOR SURVEYS.

## LIST OF NAMES.

A list of the names of the individuals employed by Frank S. Ingalls  
 United States Deputy Mineral Surveyor, to assist in running, measuring, and marking the lines  
 corners and boundaries described in the foregoing field notes of the survey of the mining claim  
 of the Rio Del Monte Gold Mines Company  
 known as the Piger, New Grant Mine, New Albert Mine, New Arizona, New Liberty, Col. Ingalls, Colorado, Criming Star  
 and showing the respective capacities in which they acted.

Charles B. Ingalls, Chairman.  
Harry S. Ingalls, Chairman.  
 \_\_\_\_\_, Axman.  
Walter S. Ingalls, Flagman.

## FINAL OATHS OF ASSISTANTS.

We, Charles B. Ingalls, Harry S. Ingalls  
 and Walter S. Ingalls, do solemnly swear that we assisted Frank S.  
Ingalls, United States Deputy Mineral Surveyor, in marking the corners and  
 surveying the boundaries of the mining claim of the Rio Del Monte Gold  
Mines Company, known as the Piger, New Grant Mine, New Albert Mine, New Arizona, New Liberty, Col. Ingalls, Colorado, Criming Star  
 \_\_\_\_\_, represented  
 in the foregoing field notes as having been surveyed by said deputy mineral surveyor and under  
 his direction; and that said survey has been in all respects, to the best of our knowledge and  
 belief, faithfully and correctly executed, and the corner and boundary monuments established  
 according to law and the instructions furnished by the United States Surveyor-General for  
Arizona.

Charles B. Ingalls, Chairman.  
Harry S. Ingalls, Chairman.  
 \_\_\_\_\_, Axman  
Walter S. Ingalls, Flagman.

Subscribed and sworn to by the above-named persons before me  
 this 2<sup>nd</sup> day of January, 1903

J. L. Redondo  
 Notary Public  
 My Comm. Expires Jan 1<sup>st</sup> 1905





Affidavit of Five Hundred Dollars Improvements.

We, *Newton Marsh*, and *J. H. Long*

of lawful age, being first duly sworn according to law, depose and say: That we are acquainted with the *Rio del Monte Gold Mine Co* mining claim, situate in *Elewirth* Mining district, *Yuma* County, Arizona Territory, for which *The Rio del Monte Gold Mines Co. By J. H. Carpenter, Agent*

has made application for survey prior to application for patent under the provisions of the Act of Congress, approved May 10, 1872; and that the labor done and improvements made thereon by the applicant and <sup>*Five thousand*</sup> ~~its~~ grantors exceed Five Hundred Dollars in value, and further that we are not personally interested in said mine.

*Newton Marsh*

*J. H. Long*

TERRITORY OF ARIZONA,

County of *Yuma*

} ss:

Sworn to and subscribed before me, this *7<sup>th</sup>*

day of *January*, 190*3*




*J. R. Redondo Notary Public*

*My com. Exp. June 1st 1905*





MORNING STAR LODE



WILSON REED'S RANCH

S 60° E. about 3 1/2 miles to Snake slough on HANSEN HOLD POINT OF HANSEN DISTRICT  
 N 89° 39' E. about 6 miles to snake slough on Soda Run  
 U.S.L.M. NO. 1738  
 N 89° 39' E. 508.8 ft.

S 26° 30' E. 1080.8 ft.  
 U.S.L.M. NO. 1738  
 EAST-WEST MINING DISTRICT

# Notice of Mining Location

75

## LODE CLAIM

To All Whom it May Concern:

This Mining Claim, the name of which is the Tiger  
Mining Claim, situate on lands belonging to the United States of America, and in which there  
are valuable mineral deposits, was entered upon and located for the purposes of exploration and  
purchase by The Rio Del Monte Gold Mining Company  
a corporation organized under the laws of Arizona  
(Locator must insert either "a citizen of the United States," or, "who has declared his intention to become a citizen of the United States")  
the undersigned, on the 25th day of August 1902

The length of this claim is 1500 feet,  
and its claim is 490 feet  
in an Easterly direction and 1010  
feet in a Westerly direction from  
the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together  
with 300 feet in width of the surface grounds, on each  
side of the center of said claim. The general course of the lode deposit, and premises is from the  
Easterly to the Westerly

The claim is situated and located in the Edwovich Mining District, in  
Yuma County, in the Territory of Arizona, about four miles  
in a Westerly direction from Harrisburg, P.C.

The surface boundaries of the claim are marked upon the ground as follows: Beginning at  
a monument

at a point in an Easterly direction 490 feet from  
the discovery shaft (at which this notice is posted), being in the center of the Easterly  
end line of said claim; thence Northwardly 300 feet to a monument  
being the North-easterly corner of said claim; thence  
Westerly - 1500 - feet to a monument, being at the  
North-westerly corner of said claim; thence Southwardly 300 feet  
to a monument at the center of the Westerly end of said claim;  
thence Southwardly 300 feet to a monument, being at the  
South-westerly corner of said claim; thence Easterly 1500  
feet to a monument at the South - Easterly corner of said claim;  
thence Northwardly 300 feet to the place of beginning.

All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of  
the United States, and of an Act of the General Assembly of Arizona, entitled "An Act to Revise  
and Codify the Laws of the Territory of Arizona," approved March 16, 1901.

Dated and posted on the ground this 25th day of August 1902

The Rio Del Monte Gold  
Mining Company & By  
Louis Kimball agt.



TERRITORY OF ARIZONA,  
County of..... } ss.

I,....., County Recorder in and for the County and Territory aforesaid, do hereby certify that the within instrument was filed for record at.....o'clock,..... M., on this.....day of.....190..., and duly recorded in Book No..... of.....Records of.....County, Arizona, at pages.....

WITNESS my hand and official seal the day and year first above written.

.....  
County Recorder.

**Notice of Location**  
**LODE CLAIM**

Dated.....190.....

Filed and recorded at request of

*Pied Monte Gold Mining Co.*

*Nov. 17, A. D. 1907*

at.....*17*.....M.

Book.....


Pages.....

*C. P. Doudson*

County Recorder.

By *C. P. Doudson*

Deputy Recorder.



This diagram is to give locator a general idea of plan of location under the new law. The Discovery Shaft can be in the center of claim or any distance from either end desired. In the diagram it is placed 500 feet from one end and 1000 feet from the other. Commence description of claim at a center end monument, giving its distance and direction from center of Discovery Shaft; thence bound the claim in either direction. In description be careful to state locality of claim with reference to some natural object, or permanent monument, as will identify the claim.



# Notice of Mining Location

## LODE CLAIM

To All Whom it May Concern:

This Mining Claim, the name of which is the New Great Western Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purposes of exploration and purchase by The Rio Del Monte Gold Miner Company (a corporation organized under the laws of Arizona)

(Locator must insert either "a citizen of the United States," or, "who has declared his intention to become a citizen of the United States") the undersigned, on the 26th day of August 1902

The length of this claim is 1500 feet, and 630 feet in a Westerly direction and 870 feet in an Easterly direction from

the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with 300 feet in width of the surface grounds, on each side of the center of said claim. The general course of the lode deposit and premises is from the Westerly to the Easterly

The claim is situated and located in the Newrich Mining District, in Yuma County, in the Territory of Arizona, about four miles in a Westerly direction from Harriessburg, A. T.

The surface boundaries of the claim are marked upon the ground as follows: Beginning at a monument

at a point in a Westerly direction 630 feet from the discovery shaft (at which this notice is posted), being in the center of the Westerly end line of said claim; thence Northerly 301 feet to a monument, being the Northwesterly corner of said claim; thence Easterly 1500 feet to a monument, being at the North Easterly corner of said claim; thence Southerly 301 feet to a monument at the center of the Easterly end of said claim; thence Southerly 301 feet to a monument, being at the South Easterly corner of said claim; thence Westerly 1500 feet to a monument at the South-westerly corner of said claim; thence Notherly 301 feet to the place of beginning.

All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of the United States, and of an Act of the General Assembly of Arizona, entitled "An Act to Revise and Codify the Laws of the Territory of Arizona," approved March 16, 1901.

Dated and posted on the ground this 26th day of August 1902

The Rio Del Monte Gold Miner Company  
By Louis Kimball, agt.

TERRITORY OF ARIZONA, }  
 County of..... } ss.


I,....., County Recorder in and for the County and Territory aforesaid, do hereby certify that the within instrument was filed for record at.....o'clock,..... M., on this.....day of.....190..., and duly recorded in Book No..... of.....Records of.....County, Arizona, at pages.....

WITNESS my hand and official seal the day and year first above written.

County Recorder.

**Notice of Location**  
**LODE CLAIM**

Dated.....190.....  
 Filed and recorded at request of  
*Rio del Norte Gold Mining Co.*  
 at.....*Nov. 17*..... A. D. 190*9*.....  
 at.....*12*..... M.  
 Book.....  
 Pages.....  
 By.....*C. P. Cronin*..... County Recorder.  
 Deputy Recorder.  
*C. F. Anderson*



This diagram is to give locator a general idea of plan of location under the new law. The Discovery Shaft can be in the center of claim or any distance from either end desired. In the diagram it is placed 500 feet from one end and 1000 feet from the other. Commence description of claim at a center end monument, giving its distance and direction from center of Discovery Shaft; thence bound the claim in either direction. In description be careful to state locality of claim with reference to some natural object, or permanent monument, as will identify the claim.



# Notice of Mining Location

## LODE CLAIM

To All Whom it May Concern:

This Mining Claim, the name of which is the New Albert Gray Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purposes of exploration and purchase by The Rio del Monte Gold Mining Company - (a corporation organized under the laws of Arizona) (Locator must insert either "a citizen of the United States," or, "who has declared his intention to become a citizen of the United States") the undersigned, on the 27th day of August 1902

The length of this claim is 1500 feet, and it claim is 530 feet in a North-Easterly direction and 970 feet in a South Westerly direction from the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with 300 feet in width of the surface grounds, on each side of the center of said claim. The general course of the lode deposit and premises is from the North-Easterly to the South Westerly

The claim is situated and located in the Elleworth Mining District, in Yuma County, in the Territory of Arizona, about four miles in a Westerly direction from Harrisburg, P. O.

The surface boundaries of the claim are marked upon the ground as follows: Beginning at a monument

at a point in a North Easterly direction 530 feet from the discovery shaft (at which this notice is posted), being in the center of the North Easterly end line of said claim; thence South Easterly 358 feet to a monument, being the Easterly corner of said claim; thence South Westerly 1500 feet to a monument, being at the South Westerly corner of said claim; thence North Westerly 358 feet to a monument at the center of the South Westerly end of said claim; thence North Westerly 358 feet to a monument, being at the Westerly corner of said claim; thence North Easterly 500 feet to a monument at the North Westerly corner of said claim; thence South Easterly 358 feet to the place of beginning.

All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of the United States, and of an Act of the General Assembly of Arizona, entitled "An Act to Revise and Codify the Laws of the Territory of Arizona," approved March 16, 1901.

Dated and posted on the ground this 27th day of August 1902

The Rio del Monte Gold Mining Company  
By Louis Kimball agt.



TERRITORY OF ARIZONA, }  
County of..... } ss.

I,....., County Recorder in and for the County and Territory aforesaid, do hereby certify that the within instrument was filed for record at.....o'clock,..... M., on this.....day of.....190..., and duly recorded in Book No..... of.....Records of.....County, Arizona, at pages.....

WITNESS my hand and official seal the day and year first above written.

.....  
County Recorder.

**Notice of Location**  
**LODE CLAIM**

Dated .....190.....

Filed and recorded at request of  
*Pio Del Monte Gold Mining Co.*

*Nov. 17, A. D. 1909.*

at.....M.


Book .....

Pages .....

*D. P. Gairn*

*D. P. Anderson*

By .....  
Deputy Recorder.



This diagram is to give locator a general idea of plan of location under the new law. The Discovery Shaft can be in the center of claim or any distance from either end desired. In the diagram it is placed 500 feet from one end and 1000 feet from the other. Commence description of claim at a center end monument, giving its distance and direction from center of Discovery Shaft; thence bound the claim in either direction. In description be careful to state locality of claim with reference to some natural object, or permanent monument, as will identify the claim.

# Notice of Mining Location

## LODE CLAIM

To All Whom it May Concern:

This Mining Claim, the name of which is the New Arizona Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purposes of exploration and purchase by The Rio del Monte Gold Mining Company (a corporation organized under the laws of Arizona)  
(Locator must insert either "a citizen of the United States," or, "who has declared his intention to become a citizen of the United States")  
the undersigned, on the 28th day of August 1902

The length of this claim is 1500 feet, and it claim is 220 feet in a South Westerly direction and 1280 feet in a North-Easterly direction from the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with 300 feet in width of the surface grounds, on each side of the center of said claim. The general course of the lode deposit and premises is from the South Westerly to the North-Easterly

The claim is situated and located in the Ellsworth Mining District, in Yuma County, in the Territory of Arizona, about four miles in a Westerly direction from Harrisburg P. O.

The surface boundaries of the claim are marked upon the ground as follows: Beginning at

a monument  
at a point in a South-westerly direction 220 feet from the discovery shaft (at which this notice is posted), being in the center of the South-Westerly end line of said claim; thence North-Westerly 415 feet to a monument, being the Westerly corner of said claim; thence North-Easterly 1500 feet to a monument, being at the Northerly corner of said claim; thence South-Easterly 415 feet to a monument at the center of the North-Easterly end of said claim; thence South-Easterly 415 feet to a monument, being at the Easterly corner of said claim; thence South-Westerly 1500 feet to a monument at the Southerly corner of said claim; thence North-Westerly 415 feet to the place of beginning.

All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of the United States, and of an Act of the General Assembly of Arizona, entitled "An Act to Revise and Codify the Laws of the Territory of Arizona," approved March 16, 1901.

Dated and posted on the ground this 28th day of August 1902

The Rio del Monte Gold Mining Company  
By Louis Kimball agt.



TERRITORY OF ARIZONA, }  
County of..... } ss.

I,....., County Recorder in and for the County and Territory aforesaid, do hereby certify that the within instrument was filed for record at.....o'clock,..... M., on this.....day of.....190..., and duly recorded in Book No..... of.....Records of.....County, Arizona, at pages.....

WITNESS my hand and official seal the day and year first above written.

.....  
County Recorder.

**Notice of Location**  
**LODE CLAIM**

Dated.....190.....

Filed and recorded at request of

*Rocky Mante Gold Mining Co.*

*Nov. 17<sup>th</sup> A. D. 190<sup>2</sup>.*

at.....M.


Book.....

Pages.....

*J. P. Gamm*

*D. P. Bondison*  
County Recorder.

By.....  
Deputy Recorder.



This diagram is to give locator a general idea of plan of location under the new law. The Discovery Shaft can be in the center of claim or any distance from either end desired. In the diagram it is placed 500 feet from one end and 1000 feet from the other. Commence description of claim at a center end monument, giving its distance and direction from center of Discovery Shaft; thence bound the claim in either direction. In description be careful to state locality of claim with reference to some natural object, or permanent monument, as will identify the claim.



# Notice of Mining Location

## LODE CLAIM

To All Whom it May Concern:

This Mining Claim, the name of which is the NW Liberty Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purposes of exploration and purchase by The Rio del Monte Gold Mines Company (a corporation organized under the laws of Arizona)

(Locator must insert either "a citizen of the United States," or, "who has declared his intention to become a citizen of the United States") the undersigned, on the 29th day of August 1902

The length of this claim is 1500 feet, and 2 claim 590 feet in a South Westerly direction and 910 feet in a North Easterly direction from the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with 300 feet in width of the surface grounds, on each side of the center of said claim.

The general course of the lode deposit and premises is from the South Westerly to the North Easterly

The claim is situated and located in the Elleworth Mining District, in Yuma County, in the Territory of Arizona, about four miles in a Westerly direction from Hannenburg - C. O.

The surface boundaries of the claim are marked upon the ground as follows: Beginning at a monument

at a point in a South Westerly direction 590 feet from the discovery shaft (at which this notice is posted), being in the center of the South Westerly end line of said claim; thence North Westerly 452 feet to a monument, being the Westerly corner of said claim; thence North Easterly 1500 feet to a monument, being at the Northerly corner of said claim; thence South Easterly 452 feet to a monument at the center of the North Easterly end of said claim; thence South Easterly 452 feet to a monument, being at the Easterly corner of said claim; thence South Westerly 1500 feet to a monument at the Southerly corner of said claim; thence North Westerly 452 feet to the place of beginning.

All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of the United States, and of an Act of the General Assembly of Arizona, entitled "An Act to Revise and Codify the Laws of the Territory of Arizona," approved March 16, 1901.

Dated and posted on the ground this 29th day of August 1902

The Rio del Monte Gold Mines Company  
By Louis Kimball, agt.



TERRITORY OF ARIZONA, }  
County of..... } ss.

I,....., County Recorder in and for the County and Territory aforesaid, do hereby certify that the within instrument was filed for record at.....o'clock,..... M., on this.....day of.....190..., and duly recorded in Book No..... of.....Records of.....County, Arizona, at pages.....

WITNESS my hand and official seal the day and year first above written.

.....  
County Recorder.

**Notice of Location**  
**LODE CLAIM**

Dated.....190.....


Filed and recorded at request of  
*Pio Del Monte Gold Mining Co.*

*Nov. 17*, A. D. 190.....  
*12*.....M.

Book .....

Pages .....

*C. P. Gowan*  
County Recorder.  
By *C. P. Gowan*  
Deputy Recorder.



This diagram is to give locator a general idea of plan of location under the new law. The Discovery Shaft can be in the center of claim or any distance from either end desired. In the diagram it is placed 500 feet from one end and 1000 feet from the other. Commence description of claim at a center end monument, giving its distance and direction from center of Discovery Shaft; thence bound the claim in either direction. In description be careful to state locality of claim with reference to some natural object, or permanent monument, as will identify the claim.

# Notice of Mining Location

## LODE CLAIM

To All Whom it May Concern:

This Mining Claim, the name of which is the Bob-Ingersoll  
 Mining Claim, situate on lands belonging to the United States of America, and in which there  
 are valuable mineral deposits, was entered upon and located for the purposes of exploration and  
 purchase by The Rio Del Monte Gold Mining Company  
(a corporation organized under the laws of Arizona)  
 (Locator must insert either "a citizen of the United States," or, "who has declared his intention to become a citizen of the United States")  
 the undersigned, on the 29th day of August 1902.

The length of this claim is 1500 feet,  
 and it claim 855 feet  
 in a Westerly direction and 645  
feet in a Easterly direction from  
 the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together  
 with 300 feet in width of the surface grounds, on each  
 side of the center of said claim. The general course of the lode deposit and premises is from the

Westerly to the Easterly  
 The claim is situated and located in the Elleworth Mining District, in  
Yuma County, in the Territory of Arizona, about four miles  
 in a Westerly direction from Barreburg, A. T.

The surface boundaries of the claim are marked upon the ground as follows: Beginning at

a monument  
 at a point in a Westerly direction 855 feet from  
 the discovery shaft (at which this notice is posted), being in the center of the Westerly  
 end line of said claim; thence Northward 301 feet to a Monument  
being the North-Westerly corner of said claim; thence  
Easterly 1500 feet to a Monument, being at the  
North-Easterly corner of said claim; thence Southerly 301 feet  
 to a Monument at the center of the Easterly end of said claim;  
 thence Southerly 301 feet to a Monument, being at the  
South-Easterly corner of said claim; thence Westerly 1500  
 feet to a Monument at the South-Westerly corner of said claim;  
 thence Northward 301 feet to the place of beginning.

All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of  
 the United States, and of an Act of the General Assembly of Arizona, entitled "An Act to Revise  
 and Codify the Laws of the Territory of Arizona," approved March 16, 1901.

Dated and posted on the ground this 29th day of August 1902

The Rio Del Monte  
Gold Mining Company  
By Louis Kimball apt.



TERRITORY OF ARIZONA, }  
 County of..... } ss.

I,....., County Recorder in and for the County and Territory aforesaid, do hereby certify that the within instrument was filed for record at.....o'clock,..... M., on this.....day of.....190..., and duly recorded in Book No..... of.....Records of.....County, Arizona, at pages.....

WITNESS my hand and official seal the day and year first above written.

.....  
 County Recorder.

**Notice of Location**  
**LODE CLAIM**

Dated.....190.....

Filed and recorded at request of  
*Geo. L. Hunter Gold Mines Co.*

at.....  
*Nov. 17, A. D. 1902.*  
*12*.....M.


Book.....

Pages.....

*C. P. Davidson*

By *C. P. Davidson* County Recorder.

*Deputy Recorder.*



This diagram is to give locator a general idea of plan of location under the new law. The Discovery Shaft can be in the center of claim or any distance from either end desired. In the diagram it is placed 500 feet from one end and 1000 feet from the other. Commence description of claim at a center end monument, giving its distance and direction from center of Discovery Shaft; thence bound the claim in either direction. In description be careful to state locality of claim with reference to some natural object, or permanent monument, as will identify the claim.

# Notice of Mining Location

## LODE CLAIM

To All Whom it May Concern:

This Mining Claim, the name of which is the Colorado  
 Mining Claim, situate on lands belonging to the United States of America, and in which there  
 are valuable mineral deposits, was entered upon and located for the purposes of exploration and  
 purchase by The Rio Del Monte Gold Mines Company  
(a corporation organized under the laws of Arizona)  
(Locator must insert either "a citizen of the United States," or, "who has declared his intention to become a citizen of the United States")  
 the undersigned, on the 29th day of August 1902

The length of this claim is 1500 feet,  
 and 340 feet  
 in a Westerly direction and 1160  
300 feet in an Easterly direction from  
 the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together  
 with 300 feet in width of the surface grounds, on each  
 side of the center of said claim. The general course of the lode deposit and premises is from the

Westerly to the Easterly  
 The claim is situated and located in the Ellsworth Mining District, in  
Yuma County, in the Territory of Arizona, about four miles  
 in a Westerly direction from Barrisburg, P. O.

The surface boundaries of the claim are marked upon the ground as follows: Beginning at  
a monument

at a point in a Westerly direction 340 feet from  
 the discovery shaft (at which this notice is posted), being in the center of the Westerly  
 end line of said claim; thence Northwesterly 301 feet to a monument  
~~~~~, being the North-Westerly corner of said claim; thence  
Easterly - 1500 feet to a monument, being at the  
North-Easterly corner of said claim; thence Southerly 301 feet  
 to a monument at the center of the Easterly end of said claim;  
 thence Southerly - 301 feet to a monument, being at the  
South-Easterly corner of said claim; thence Westerly 1500  
 feet to a monument at the South-westerly corner of said claim;  
 thence Northwesterly - 301 feet to the place of beginning.

All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of  
 the United States, and of an Act of the General Assembly of Arizona, entitled "An Act to Revise  
 and Codify the Laws of the Territory of Arizona," approved March 16, 1901.

Dated and posted on the ground this 29th day of August 1902

The Rio Del Monte  
Gold Mines Company  
By - Louis Kimball  
Agt.



TERRITORY OF ARIZONA,  
County of..... } ss.

I,....., County Recorder in and for the County and Territory aforesaid, do hereby certify that the within instrument was filed for record at.....o'clock,..... M., on this.....day of.....190..., and duly recorded in Book No..... of.....Records of.....County, Arizona, at pages.....

WITNESS my hand and official seal the day and year first above written.

.....  
County Recorder.

**Notice of Location**  
**LODE CLAIM**

Dated.....190.....


Filed and recorded at request of  
*Mr. E. W. Quate Gold Mining Co.*

at *Nov. 17, A. D. 1907.*  
.....M.

Book.....

Pages.....

By *E. W. Quate*  
*E. W. Quate*  
County Recorder.  
*D. J. Davidson*  
Deputy Recorder.



This diagram is to give locator a general idea of plan of location under the new law. The Discovery Shaft can be in the center of claim or any distance from either end desired. In the diagram it is placed 500 feet from one end and 1000 feet from the other. Commence description of claim at a center end monument, giving its distance and direction from center of Discovery Shaft; thence bound the claim in either direction. In description be careful to state locality of claim with reference to some natural object, or permanent monument, as will identify the claim.

# Notice of Mining Location

## LODE CLAIM

To All Whom it May Concern:

This Mining Claim, the name of which is the Evening Star  
 Mining Claim, situate on lands belonging to the United States of America, and in which there  
 are valuable mineral deposits, was entered upon and located for the purposes of exploration and  
 purchase by The Rio del Monte Gold Mines Company  
{ a corporation organized under the laws of Arizona }  
 (Locator must insert either "a citizen of the United States," or, "who has declared his intention to become a citizen of the United States")  
 the undersigned, on the 29th day of August 1902

The length of this claim is 1500 feet,  
 and 960 feet in a Westerly direction and 540 feet in a Easterly direction from  
 the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together  
 with 300 feet in width of the surface grounds, on each  
 side of the center of said claim. The general course of the lode deposit and premises is from the  
Westerly to the Easterly

The claim is situated and located in the Silverworth Mining District, in  
Yuma County, in the Territory of Arizona, about four miles  
 in an Westerly direction from Harrisburg, P.C.

The surface boundaries of the claim are marked upon the ground as follows: Beginning at a  
Monument

at a point in a Westerly direction 960 feet from  
 the discovery shaft (at which this notice is posted), being in the center of the Westerly  
 end line of said claim; thence Northerly 300 feet to a monument  
 being the North-Westerly corner of said claim; thence  
Easterly 1500 feet to a monument, being at the  
North Easterly corner of said claim; thence Southerly 300 feet  
 to a monument at the center of the Easterly end of said claim;  
 thence Southerly 300 feet to a monument, being at the  
South Easterly corner of said claim; thence Westerly 1500  
 feet to a monument at the South-Westerly corner of said claim;  
 thence Northerly 300 feet to the place of beginning.

All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of  
 the United States, and of an Act of the General Assembly of Arizona, entitled "An Act to Revise  
 and Codify the Laws of the Territory of Arizona," approved March 16, 1901.

Dated and posted on the ground this 29th day of August 1902

The Rio del Monte Gold  
Mines Company  
 By Louis Kimball  
agt.



TERRITORY OF ARIZONA, }  
County of..... } ss.

I,....., County Recorder in and for the County and Territory aforesaid, do hereby certify that the within instrument was filed for record at.....o'clock,..... M., on this.....day of.....190..., and duly recorded in Book No..... of.....Records of.....County, Arizona, at pages.....

WITNESS my hand and official seal the day and year first above written.

.....  
County Recorder.

**Notice of Location**  
**LODE CLAIM**


Dated.....190.....

Filed and recorded at request of  
*Geo. Del. Granite & Lumber Co.*  
at.....  
Nov. 17, A. D. 190.....  
.....M.

Book.....

Pages.....

*C. F. Bonderon*  
County Recorder.  
By *C. F. Bonderon*  
Deputy Recorder.



This diagram is to give locator a general idea of plan of location under the new law. The Discovery Shaft can be in the center of claim or any distance from either end desired. In the diagram it is placed 500 feet from one end and 1000 feet from the other. Commence description of claim at a center end monument, giving its distance and direction from center of Discovery Shaft; thence bound the claim in either direction. In description be careful to state locality of claim with reference to some natural object, or permanent monument, as will identify the claim.

# Notice of Mining Location

## LODE CLAIM

To All Whom it May Concern:

This Mining Claim, the name of which is the Aspen Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purposes of exploration and purchase by The Rio del Monte Gold Mining Company (a corporation organized under the laws of Arizona) the undersigned, on the 29th day of August 1902

The length of this claim is 1500 feet, and 30 claims 30 feet in a Westerly direction and 770 feet in an Easterly direction from the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with 300 feet in width of the surface grounds, on each side of the center of said claim. The general course of the lode deposit and premises is from the Westerly to the Easterly

The claim is situated and located in the Coleworth Mining District, in Yuma County, in the Territory of Arizona, about four miles in a Westerly direction from Harrisburg, P.Q.

The surface boundaries of the claim are marked upon the ground as follows: Beginning at

a Monument at a point in a Westerly direction 730 feet from the discovery shaft (at which this notice is posted), being in the center of the Westerly end line of said claim; thence Northerly 300 feet to a Monument, being the North-westerly corner of said claim; thence Easterly - 1500 - feet to a Monument, being at the North-Easterly corner of said claim; thence Southerly 300 feet to a Monument at the center of the Easterly end of said claim; thence Southerly 300 feet to a Monument, being at the South-Easterly corner of said claim; thence Westerly 1500 feet to a Monument at the South-westerly corner of said claim; thence Northerly - 300 - feet to the place of beginning.

All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of the United States, and of an Act of the General Assembly of Arizona, entitled "An Act to Revise and Codify the Laws of the Territory of Arizona," approved March 16, 1901.

Dated and posted on the ground this 29th day of August 1902

The Rio del Monte Gold Mining Company  
By Ernie Kimball agt.



TERRITORY OF ARIZONA,  
County of..... } ss.


I,....., County Recorder in and for the County and Territory aforesaid, do hereby certify that the within instrument was filed for record at.....o'clock,..... M., on this.....day of.....190..., and duly recorded in Book No..... of.....Records of.....County, Arizona, at pages.....

WITNESS my hand and official seal the day and year first above written.

.....  
County Recorder.

**Notice of Location**  
**LODE CLAIM**

Dated.....190.....  
*Filed and recorded at request of*  
*Rio del Norte Gold Mining Co.*  
*Nov. 17, A. D. 1907.*  
at.....M.  
Book.....  
Pages.....  
*C. P. Gowan*  
County Recorder.  
By *C. P. Gowan* Deputy Recorder.



This diagram is to give locator a general idea of plan of location under the new law. The Discovery Shaft can be in the center of claim or any distance from either end desired. In the diagram it is placed 500 feet from one end and 1000 feet from the other. Commence description of claim at a center end monument, giving its distance and direction from center of Discovery Shaft; thence bound the claim in either direction. In description be careful to state locality of claim with reference to some natural object, or permanent monument, as will identify the claim.

# Notice of Mining Location

## LODE CLAIM

To All Whom it May Concern:

This Mining Claim, the name of which is the Morning Star Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purposes of exploration and purchase by The Rio del Monte Gold Miner Company

(a corporation organized under the laws of Arizona)  
(Locator must insert either "a citizen of the United States," or, "who has declared his intention to become a citizen of the United States")

the undersigned, on the 29<sup>th</sup> day of August 1902

The length of this claim is - 1500 - feet, and 1<sup>st</sup> claim 350 feet in a Westerly direction and 1150 feet in a Westerly direction from the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with - 300 - feet in width of the surface grounds, on each side of the center of said claim. The general course of the lode deposit and premises is from the Westerly to the Easterly

The claim is situated and located in the Elleworth Mining District, in Yuma County, in the Territory of Arizona, about four miles in a Westerly direction from Harrisburg, P. O.

The surface boundaries of the claim are marked upon the ground as follows: Beginning at a monument

at a point in a Westerly direction 350 feet from the discovery shaft (at which this notice is posted), being in the center of the Westerly end line of said claim; thence Northerly 300 feet to a monument, being the North-westerly corner of said claim; thence Easterly 1500 feet to a monument, being at the North-Easterly corner of said claim; thence Southerly 300 feet to a monument at the center of the Easterly end of said claim; thence Southerly 300 feet to a monument, being at the South-Easterly corner of said claim; thence Westerly 1500 feet to a monument at the South-Westerly corner of said claim; thence Northerly 300 feet to the place of beginning.

All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of the United States, and of an Act of the General Assembly of Arizona, entitled "An Act to Revise and Codify the Laws of the Territory of Arizona," approved March 16, 1901.

Dated and posted on the ground this 29<sup>th</sup> day of August 1902

The Rio del Monte Gold Miner Company  
By Louis Kimball agt.



TERRITORY OF ARIZONA, }  
County of..... } ss.

I,....., County Recorder in and for the County and Territory aforesaid, do hereby certify that the within instrument was filed for record at.....o'clock,..... M., on this.....day of.....190..., and duly recorded in Book No..... of.....Records of.....County, Arizona, at pages.....

WITNESS my hand and official seal the day and year first above written.

.....  
County Recorder.

**Notice of Location**  
**LODE CLAIM**

Dated.....190.....

Filed and recorded at request of  
*Rio Del Monte Gold Mining Co.*

*Nov. 17,* A. D. 190*9.*

at.....*12*.....M.

Book.....


Pages.....

*C. P. Gouin*

County Recorder.

By *C. P. Gouin*

Deputy Recorder.



This diagram is to give locator a general idea of plan of location under the new law. The Discovery Shaft can be in the center of claim or any distance from either end desired. In the diagram it is placed 500 feet from one end and 1000 feet from the other. Commence description of claim at a center end monument, giving its distance and direction from center of Discovery Shaft; thence bound the claim in either direction. In description be careful to state locality of claim with reference to some natural object, or permanent monument, as will identify the claim.

# Notice of Mining Location

## LODE CLAIM

To All Whom it May Concern:

This Mining Claim, the name of which is the Little Willie Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purposes of exploration and purchase by The Rio del Monte Gold Mines Company a corporation organized under the laws of Arizona (Locator must insert either "a citizen of the United States," or, "who has declared his intention to become a citizen of the United States") the undersigned, on the 29<sup>th</sup> day of August 1902.

The length of this claim is 1500 feet, and it claim 260 feet in a Westerly direction and 1240 feet in a N. Easterly direction from the center of the discovery ~~point~~ <sup>Summit</sup>, at which this notice is posted, lengthwise of the claim, together with 300 feet in width of the surface grounds, on each side of the center of said claim. The general course of the lode deposit and premises is from the Westerly to the Easterly.

The claim is situated and located in the Elsworth Mining District, in Yuma County, in the Territory of Arizona, about four miles in a Westerly direction from Harriburg P. O.

The surface boundaries of the claim are marked upon the ground as follows: Beginning at a monument

at a point in a Westerly direction 260 feet from the discovery ~~point~~ <sup>Summit</sup> (at which this notice is posted), being in the center of the Westerly end line of said claim; thence Northerly 300 feet to a monument, being the North-Westerly corner of said claim; thence Easterly - 1500 - feet to a monument, being at the North-Easterly corner of said claim; thence Southerly - 300 - feet to a monument at the center of the Easterly end of said claim; thence Southerly 300 feet to a monument, being at the South-Easterly corner of said claim; thence Westerly - 1500 - feet to a monument at the South-Westerly corner of said claim; thence Northerly 300 - feet to the place of beginning.

All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of the United States, and of an Act of the General Assembly of Arizona, entitled "An Act to Revise and Codify the Laws of the Territory of Arizona," approved March 16, 1901.

Dated and posted on the ground this 29<sup>th</sup> day of August 1902

The Rio del Monte Gold Mines Company  
Geo. Louis Kimball  
agt.



TERRITORY OF ARIZONA, } ss.  
County of.....

I,....., County Recorder in and for the County and Territory aforesaid, do hereby certify that the within instrument was filed for record at.....o'clock,..... M., on this.....day of.....190..., and duly recorded in Book No..... of.....Records of.....County, Arizona, at pages.....

WITNESS my hand and official seal the day and year first above written.

.....  
County Recorder.

**Notice of Location**  
**LODE CLAIM**

Dated.....190.....


Filed and recorded at request of  
*W. S. Granite Gold Mining Co.*

at *Mar. 17, A. D. 1902.*  
*12.00* M.

Book.....

Pages.....

By *C. P. Dawson*  
County Recorder.  
*C. P. Dawson*  
Deputy Recorder.



This diagram is to give locator a general idea of plan of location under the new law. The Discovery Shaft can be in the center of claim or any distance from either end desired. In the diagram it is placed 500 feet from one end and 1000 feet from the other. Commence description of claim at a center end monument, giving its distance and direction from center of Discovery Shaft; thence bound the claim in either direction. In description be careful to state locality of claim with reference to some natural object, or permanent monument, as will identify the claim.

# Notice of Mining Location

## LODE CLAIM

To All Whom it May Concern:

This Mining Claim, the name of which is the Ophir Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purposes of exploration and purchase by The Rio del Monte Gold Mining Company -  
(a corporation organized under the laws of Arizona)  
(Locator must insert either "a citizen of the United States," or, "who has declared his intention to become a citizen of the United States")  
the undersigned, on the 29th day of August 1902

The length of this claim is 1500 feet,  
and it claim - 1170 - feet  
in a South Westerly direction and 330 feet in a North Easterly - direction from the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with 300 feet in width of the surface grounds, on each side of the center of said claim. The general course of the lode deposit and premises is from the South Westerly to the North Easterly

The claim is situated and located in the Ellsworth Mining District, in Yuma County, in the Territory of Arizona, about four miles in a Westerly direction from Harriburg, O.R.

The surface boundaries of the claim are marked upon the ground as follows: Beginning at a monument

at a point in a South Westerly direction - 1170 - feet from the discovery shaft (at which this notice is posted), being in the center of the South Westerly end line of said claim; thence North Westerly 300 feet to a Monument - , being the Westerly corner of said claim; thence North Easterly 1500 feet to a Monument - , being at the Northerly corner of said claim; thence South-Easterly 300 feet to a Monument - at the center of the North Easterly end of said claim; thence South Easterly 300 feet to a Monument - , being at the Easterly corner of said claim; thence South Westerly 1500 feet to a Monument at the Southerly corner of said claim; thence North Westerly 300 feet to the place of beginning.

All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of the United States, and of an Act of the General Assembly of Arizona, entitled "An Act to Revise and Codify the Laws of the Territory of Arizona," approved March 16, 1901.

Dated and posted on the ground this 29th day of August 1902

The Rio del Monte Gold Mining Company  
By Wm. Kimball agt.



TERRITORY OF ARIZONA, }  
County of..... } ss.

I,....., County Recorder in and for the County and Territory aforesaid, do hereby certify that the within instrument was filed for record at.....o'clock,..... M., on this.....day of.....190..., and duly recorded in Book No..... of.....Records of.....County, Arizona, at pages.....

WITNESS my hand and official seal the day and year first above written.

.....  
County Recorder.

**Notice of Location**  
**LODE CLAIM**

Dated..... 190.....


Filed and recorded at request of  
*P. Del Monte Goldstream Co.*

at *Nov. 17, A. D. 1907.*  
..... M.

Book.....

Pages.....

By *J. P. Gamm*  
County Recorder.  
*C. F. Henderson*  
Deputy Recorder.



This diagram is to give locator a general idea of plan of location under the new law. The Discovery Shaft can be in the center of claim or any distance from either end desired. In the diagram it is placed 500 feet from one end and 1000 feet from the other. Commence description of claim at a center end monument, giving its distance and direction from center of Discovery Shaft; thence bound the claim in either direction. In description be careful to state locality of claim with reference to some natural object, or permanent monument, as will identify the claim.

# Notice of Mining Location

## LODE CLAIM

To All Whom it May Concern:

This Mining Claim, the name of which is the Little Dizzie Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purposes of exploration and purchase by The Rio Del Monte Gold Mining Company (a corporation organized under the laws of Arizona) (Locator must insert either "a citizen of the United States," or, "who has declared his intention to become a citizen of the United States") the undersigned, on the 29th day of August 1902

The length of this claim is 1500 feet, and 16 claim 1350 feet in a Southwesterly direction and 150 feet in a North-Easterly direction from the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with 300 feet in width of the surface grounds, on each side of the center of said claim. The general course of the lode deposit and premises is from the South Westerly to the North-Easterly

The claim is situated and located in the Collaworth Mining District, in Yuma County, in the Territory of Arizona, about four miles in a Westerly direction from Maricburg P.O.

The surface boundaries of the claim are marked upon the ground as follows: Beginning at a monument

at a point in a Southwesterly direction 1350 feet from the discovery shaft (at which this notice is posted), being in the center of the South Westerly end line of said claim; thence North Westerly 300 feet to a monument, being the Westerly corner of said claim; thence North Easterly 1500 feet to a monument, being at the Northerly corner of said claim; thence South Easterly 300 feet to a monument at the center of the North Easterly end of said claim; thence South Easterly 300 feet to a monument, being at the Easterly corner of said claim; thence South Westerly 1500 feet to a monument at the Southwesterly corner of said claim; thence North Westerly 300 feet to the place of beginning.

All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of the United States, and of an Act of the General Assembly of Arizona, entitled "An Act to Revise and Codify the Laws of the Territory of Arizona," approved March 16, 1901.

Dated and posted on the ground this 29th day of August 1902

The Rio Del Monte Gold Mining Company  
By Louis Kimball,  
Ag't.



TERRITORY OF ARIZONA, }  
County of..... } ss.

I,....., County Recorder in and for the County and Territory aforesaid, do hereby certify that the within instrument was filed for record at.....o'clock,..... M., on this.....day of.....190..., and duly recorded in Book No..... of.....Records of.....County, Arizona, at pages.....

WITNESS my hand and official seal the day and year first above written.

.....  
County Recorder.

**Notice of Location**

**LODE CLAIM**

Dated.....190.....

Filed and recorded at request of

*San Felipe Mining Co. by  
Frederic Gold Miner Co.*

at.....  
Nov. 17, A. D. 190.....

.....-12.....M.


Book.....

Pages.....

*C. F. Quinn*

County Recorder.

By *C. J. Henderson*  
Deputy Recorder.



This diagram is to give locator a general idea of plan of location under the new law. The Discovery Shaft can be in the center of claim or any distance from either end desired. In the diagram it is placed 500 feet from one end and 1000 feet from the other. Commence description of claim at a center end monument, giving its distance and direction from center of Discovery Shaft; thence bound the claim in either direction. In description be careful to state locality of claim with reference to some natural object, or permanent monument, as will identify the claim.

# Notice of Mining Location

## LODE CLAIM

To All Whom it May Concern:

This Mining Claim, the name of which is the New Porto Rico Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purposes of exploration and purchase by The Rio Del Monte Gold Mining Company (a corporation organized under the laws of Arizona) (Locator must insert either "a citizen of the United States," or, "who has declared his intention to become a citizen of the United States") the undersigned, on the 29th day of August 1902

The length of this claim is 1500 feet, and it claim is 345 feet in a North-Easterly direction and 11.55 feet in a South-Westerly direction from the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with 300 feet in width of the surface grounds, on each side of the center of said claim. The general course of the lode deposit and premises is from the North-Easterly to the South-Westerly

The claim is situated and located in the Ellsworth Mining District, in Yuma County, in the Territory of Arizona, about four miles in a Westerly direction from Harrisburg, P. O.

The surface boundaries of the claim are marked upon the ground as follows: Beginning at a monument

at a point in a North-Easterly direction 345 feet from the discovery shaft (at which this notice is posted), being in the center of the North-Easterly end line of said claim; thence South-Easterly 335 feet to a monument, being the Easterly corner of said claim; thence South-Westerly 1500 feet to a monument, being at the Southerly corner of said claim; thence North-Westerly 335 feet to a monument at the center of the South-Westerly end of said claim; thence North-Westerly 335 feet to a monument, being at the Westerly corner of said claim; thence North-Easterly 500 feet to a monument at the Northerly corner of said claim; thence South-Easterly 335 feet to the place of beginning.

All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of the United States, and of an Act of the General Assembly of Arizona, entitled "An Act to Revise and Codify the Laws of the Territory of Arizona," approved March 16, 1901.

Dated and posted on the ground this 29th day of August 1902

The Rio Del Monte Gold Mining Company  
By Louis Kimball  
Ag't.



County of..... } ss.

I,....., County Recorder in and for the County and Territory aforesaid, do hereby certify that the within instrument was filed for record at.....o'clock,..... M., on this.....day of.....190..., and duly recorded in Book No..... of.....Records of.....County, Arizona, at pages.....

WITNESS my hand and official seal the day and year first above written.

.....  
County Recorder.

**Notice of Location**

**LODE CLAIM**

Dated.....190.....

Filed and recorded at request of  
*Pio del Norte Gold Mining Co.*


at *Nov. 17*, A. D. 190*2*.

Book.....*17*.....M.

Pages.....

By *C. P. Davidson*,  
County Recorder.

Deputy Recorder.



This diagram is to give locator a general idea of plan of location under the new law. The Discovery Shaft can be in the center of claim or any distance from either end desired. In the diagram it is placed 500 feet from one end and 1000 feet from the other. Commence description of claim at a center end monument, giving its distance and direction from center of Discovery Shaft; thence bound the claim in either direction. In description be careful to state locality of claim with reference to some natural object, or permanent monument, as will identify the claim.

# Notice of Mining Location

LODE CLAIM

103

To All Whom it May Concern:

This Mining Claim, the name of which is the New Hargua Sala Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purposes of exploration and purchase by The Rio Del Monte Gold Mines Company, an corporation organized under the laws of Arizona (Locator must insert either "a citizen of the United States," or, "who has declared his intention to become a citizen of the United States") the undersigned, on the 29<sup>th</sup> day of August 1902

The length of this claim is 1500 feet, and its claim is 750 feet in a South-Easterly direction and 750 feet in a North-Westerly direction from the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with 300 feet in width of the surface grounds, on each side of the center of said claim. The general course of the lode deposit and premises is from the South-Easterly to the North-Westerly

The claim is situated and located in the Ellsworth Mining District, in Yuma County, in the Territory of Arizona, about four miles in a Westerly direction from Harrisburg P.O.

The surface boundaries of the claim are marked upon the ground as follows: Beginning at a Monument,

at a point in a South-Easterly direction 750 feet from the discovery shaft (at which this notice is posted), being in the center of the South-Easterly end line of said claim; thence South-Westerly 300 feet to a Monument, being the Southerly corner of said claim; thence North-Westerly 1500 feet to a Monument, being at the -Westerly- corner of said claim; thence North-Easterly 300 feet to a Monument at the center of the North-Westerly end of said claim; thence North-Easterly-200 feet to a Monument, being at the Northerly corner of said claim; thence South-Easterly 1500 feet to a Monument at the Easterly corner of said claim; thence South-Westerly 300 feet to the place of beginning.

All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of the United States, and of an Act of the General Assembly of Arizona, entitled "An Act to Revise and Codify the Laws of the Territory of Arizona," approved March 16, 1901.

Dated and posted on the ground this 29<sup>th</sup> day of August 1902

The Rio Del Monte Gold  
Mines Company -  
Guy Louis Kimball  
Ag't.



County of..... } ss.

I,....., County Recorder in and for the County and Territory aforesaid, do hereby certify that the within instrument was filed for record at.....o'clock,..... M., on this.....day of.....190..., and duly recorded in Book No..... of.....Records of.....County, Arizona, at pages.....

WITNESS my hand and official seal the day and year first above written.

.....  
County Recorder.

**Notice of Location**  
**LODE CLAIM**

Dated.....190.....


Filed and recorded at request of  
*McClellan & Gold Mining Co.*

*Nov. 17*, A. D. 190.....  
at.....*12*.....M.

Book.....

Pages.....

*C. J. Gamm*  
County Recorder.  
By *C. J. Gamm*  
Deputy Recorder.



This diagram is to give locator a general idea of plan of location under the new law. The Discovery Shaft can be in the center of claim or any distance from either end desired. In the diagram it is placed 500 feet from one end and 1000 feet from the other. Commence description of claim at a center end monument, giving its distance and direction from center of Discovery Shaft; thence bound the claim in either direction. In description be careful to state locality of claim with reference to some natural object, or permanent monument, as will identify the claim.

# Notice of Mining Location

## LODE CLAIM

To All Whom it May Concern:

This Mining Claim, the name of which is the New Wedge  
 Mining Claim, situate on lands belonging to the United States of America, and in which there  
 are valuable mineral deposits, was entered upon and located for the purposes of exploration and  
 purchase by The Rio del Monte Gold Mines Company  
(a corporation organized under the laws of Arizona)  
 (Locator must insert either "a citizen of the United States," or, "who has declared his intention to become a citizen of the United States")  
 the undersigned, on the 29th day of August 1902

The length of this claim is 1500 feet,  
 and 260 claim 260 feet  
 in a South-Westerly direction and 1240  
300 feet in a North-Easterly direction from  
 the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together  
 with 300 feet in width of the surface grounds, on each  
 side of the center of said claim. The general course of the lode deposit and premises is from the  
South-Westerly to the North-Easterly

The claim is situated and located in the Elleworth Mining District, in  
Yuma County, in the Territory of Arizona, about four miles  
 in a Westerly direction from Harrisburg, P.O.

The surface boundaries of the claim are marked upon the ground as follows: Beginning at

a monument  
 at a point in a South-Westerly direction 260 feet from  
 the discovery shaft (at which this notice is posted), being in the center of the South-Westerly  
 end line of said claim; thence North-Westerly <sup>415</sup> feet to a Monument  
 being the Westerly corner of said claim; thence  
North-Easterly 1500 feet to a Monument, being at the  
North-Westerly corner of said claim; thence South-Easterly 415 feet  
 to a Monument at the center of the North-Easterly end of said claim;  
 thence South-Easterly 415 feet to a Monument, being at the  
Easterly corner of said claim; thence South-Westerly 1500  
 feet to a Monument at the Southerly corner of said claim;  
 thence North-Westerly 415 feet to the place of beginning.

All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of  
 the United States, and of an Act of the General Assembly of Arizona, entitled "An Act to Revise  
 and Codify the Laws of the Territory of Arizona," approved March 16, 1901.

Dated and posted on the ground this 29th day of August 1902,

The Rio del Monte Gold  
Mines Company  
 By Louis Kimball Agt.



TERRITORY OF ARIZONA, }  
County of..... } ss.

I,....., County Recorder in and for the County and Territory aforesaid, do hereby certify that the within instrument was filed for record at.....o'clock,..... M., on this.....day of.....190..., and duly recorded in Book No..... of.....Records of.....County, Arizona, at pages.....

WITNESS my hand and official seal the day and year first above written.

.....  
County Recorder.

**Notice of Location**  
**LODE CLAIM**

Dated.....190.....


Filed and recorded at request of  
*Richmonte Gold Mining Co.*

*Nov. 17*, A. D. 190*2*.  
.....  
at.....M.

Book.....

Pages.....

*C. P. Gamm*  
County Recorder.  
By *W. J. Sanders* Deputy Recorder.



This diagram is to give locator a general idea of plan of location under the new law. The Discovery Shaft can be in the center of claim or any distance from either end desired. In the diagram it is placed 500 feet from one end and 1000 feet from the other. Commence description of claim at a center end monument, giving its distance and direction from center of Discovery Shaft; thence bound the claim in either direction. In description be careful to state locality of claim with reference to some natural object, or permanent monument, as will identify the claim.

# Notice of Mining Location

## LODE CLAIM

To All Whom it May Concern:

This Mining Claim, the name of which is the New Harry Carpenter Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purposes of exploration and purchase by The Rio del Monte Gold Mining Company a corporation organized under the laws of Arizona (Locator must insert either "a citizen of the United States," or, "who has declared his intention to become a citizen of the United States") the undersigned, on the 29th day of August 1902

The length of this claim is - 1500 - feet, and it claim is - 770 - feet in a North Easterly direction and 730 - feet in a South westerly direction from the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with - 300 - feet in width of the surface grounds, on each side of the center of said claim. The general course of the lode deposit and premises is from the North-Easterly to the South Westerly

The claim is situated and located in the Elleworth Mining District, in Yuma County, in the Territory of Arizona, about four miles in a Westerly direction from Harriburg P. O.

The surface boundaries of the claim are marked upon the ground as follows: Beginning at a Monument

at a point in a North Easterly direction - 770 - feet from the discovery shaft (at which this notice is posted), being in the center of the North-Easterly end line of said claim; thence South Easterly 309 feet to a Monument Easterly, being the Easterly corner of said claim; thence South-Westerly - 1500 - feet to a Monument, being at the Southwesterly corner of said claim; thence North Westerly 302 feet to a Monument at the center of the South Westerly end of said claim; thence North Westerly - 302 feet to a Monument, being at the Westerly corner of said claim; thence North-Easterly 1500 - feet to a Monument at the Northwesterly corner of said claim; thence South Easterly - 302 - feet to the place of beginning.

All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of the United States, and of an Act of the General Assembly of Arizona, entitled "An Act to Revise and Codify the Laws of the Territory of Arizona," approved March 16, 1901.

Dated and posted on the ground this 29th day of August 1902.  
The Rio del Monte Gold Mining Company  
 By Louis Kimball agt.



County of..... } ss.

I,....., County Recorder in and for the County and Territory aforesaid, do hereby certify that the within instrument was filed for record at.....o'clock,..... M., on this.....day of.....190..., and duly recorded in Book No..... of.....Records of.....County, Arizona, at pages.....

WITNESS my hand and official seal the day and year first above written.

County Recorder.

Notice of Location

LODE CLAIM

Dated.....190.....


Filed and recorded at request of Rio Sul Trade Gold Mines Co.

at..... Mar. 17, A. D. 1902..... M.

Book.....

Pages.....

By..... County Recorder. Deputy Recorder.



This diagram is to give locator a general idea of plan of location under the new law. The Discovery Shaft can be in the center of claim or any distance from either end desired. In the diagram it is placed 500 feet from one end and 1000 feet from the other. Commence description of claim at a center end monument, giving its distance and direction from center of Discovery Shaft; thence bound the claim in either direction. In description be careful to state locality of claim with reference to some natural object, or permanent monument, as will identify the claim.

# Notice of Mining Location

## LODE CLAIM

To All Whom it May Concern:

This Mining Claim, the name of which is the New Triangle Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purposes of exploration and purchase by The Rio del Monte Gold Mines Company (a corporation organized under the laws of Arizona) (Locator must insert either "a citizen of the United States," or, "who has declared his intention to become a citizen of the United States") the undersigned, on the 29th day of August 1902

The length of this claim is 4500 feet, and it claim is 475 feet in a Northwesterly direction and 1025 feet in a Southerly direction from the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with 500 feet in width of the surface grounds, on each side of the center of said claim. The general course of the lode deposit and premises is from the Northerly to the Southerly

The claim is situated and located in the Elboworth Mining District, in Yuma County, in the Territory of Arizona, about four miles in a Westerly direction from Harrisburg P.O.

The surface boundaries of the claim are marked upon the ground as follows: Beginning at a monument

at a point in a Northwesterly direction 475 feet from the discovery shaft (at which this notice is posted), being in the center of the Northerly end line of said claim; thence Easterly 306 feet to a monument, being the North-Easterly corner of said claim; thence Southerly 1500 feet to a monument, being at the South-Easterly corner of said claim; thence Westerly 306 feet to a monument at the center of the Southerly end of said claim; thence Westerly 306 feet to a monument, being at the South-Westerly corner of said claim; thence Northwesterly 1500 feet to a monument at the North-Westerly corner of said claim; thence Easterly 306 feet to the place of beginning.

All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of the United States, and of an Act of the General Assembly of Arizona, entitled "An Act to Revise and Codify the Laws of the Territory of Arizona," approved March 16, 1901.

Dated and posted on the ground this 29th day of August 1902.

The Rio del Monte  
Gold Mines Company  
By Louis Kimball  
aght



TERRITORY OF ARIZONA, }  
County of..... } ss.

I,....., County Recorder in and for the County and Territory aforesaid, do hereby certify that the within instrument was filed for record at.....o'clock,..... M., on this.....day of.....190..., and duly recorded in Book No..... of.....Records of.....County, Arizona, at pages.....

WITNESS my hand and official seal the day and year first above written.

.....  
County Recorder.

**Notice of Location**  
**LODE CLAIM**

Dated.....190.....

Filed and recorded at request of  
*Dr. Del Monte Gold Mining Co.*

*Nov. 17<sup>th</sup>*, A. D. 190.....

at.....M.


Book.....

Pages.....

*C. P. Gowan*

County Recorder.

By *C. P. Gowan*  
Deputy Recorder.



This diagram is to give locator a general idea of plan of location under the new law. The Discovery Shaft can be in the center of claim or any distance from either end desired. In the diagram it is placed 500 feet from one end and 1000 feet from the other. Commence description of claim at a center end monument, giving its distance and direction from center of Discovery Shaft; thence bound the claim in either direction. In description be careful to state locality of claim with reference to some natural object, or permanent monument, as will identify the claim.

# Notice of Mining Location

## LODE CLAIM

To All Whom it May Concern:

This Mining Claim, the name of which is the Gen Butler, Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purposes of exploration and purchase by The Rio Del Monte Gold Mines Company, (a corporation organized under the laws of Arizona) (Locator must insert either "a citizen of the United States," or, "who has declared his intention to become a citizen of the United States") the undersigned, on the 29th day of August 1902.

The length of this claim is 1500 feet, and it claim 550 feet in a South-Westerly direction and 950 feet in a North-Easterly direction from the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with 300 feet in width of the surface grounds, on each side of the center of said claim. The general course of the lode deposit and premises is from the South-Westerly to the North-Easterly.

The claim is situated and located in the Ellsworth Mining District, in Yuma County, in the Territory of Arizona, about four miles in a Westerly direction from Barreburg, P.O.

The surface boundaries of the claim are marked upon the ground as follows: Beginning at a monument

at a point in a South-Westerly direction 500 feet from the discovery shaft (at which this notice is posted), being in the center of the South-Westerly end line of said claim; thence North-Westerly 358 feet to a Monument, being the Westerly corner of said claim; thence South-Easterly - 1500 - feet to a Monument, being at the North-Westerly corner of said claim; thence South-Easterly 358 feet to a Monument at the center of the North-Easterly end of said claim; thence South-Easterly 358 feet to a Monument, being at the Easterly corner of said claim; thence South-Westerly 1500 feet to a Monument at the Southerly corner of said claim; thence North-Westerly 358 feet to the place of beginning.

All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of the United States, and of an Act of the General Assembly of Arizona, entitled "An Act to Revise and Codify the Laws of the Territory of Arizona," approved March 16, 1901.

Dated and posted on the ground this 29th day of August 1902.

The Rio Del Monte Gold Mines Company -  
By Louis Kimball  
Ag't.



I,....., County Recorder in and for the County and Territory aforesaid, do hereby certify that the within instrument was filed for record at.....o'clock,..... M., on this.....day of.....190..., and duly recorded in Book No..... of.....Records of.....County, Arizona, at pages.....

WITNESS my hand and official seal the day and year first above written.

.....  
 County Recorder.

**Notice of Location**  
**LODE CLAIM**

Dated.....190.....

Filed and recorded at request of  
*Big Lake Mante Gold Mining Co.*


*Apr. 17*, A. D. 190*0*.....  
 at.....*Mar. 19*.....M.

Book.....

Pages.....

*C. P. Graham*

By *C. P. Bonderson*,  
 County Recorder,  
 Deputy Recorder.



This diagram is to give locator a general idea of plan of location under the new law. The Discovery Shaft can be in the center of claim or any distance from either end desired. In the diagram it is placed 500 feet from one end and 1000 feet from the other. Commence description of claim at a center end monument, giving its distance and direction from center of Discovery Shaft; thence bound the claim in either direction. In description be careful to state locality of claim with reference to some natural object, or permanent monument, as will identify the claim.

# Notice of Mining Location

## LODE CLAIM

To All Whom it May Concern:

This Mining Claim, the name of which is the New Morning Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purposes of exploration and purchase by The Rio del Monte Gold Mines Company - (a corporation organized under the laws of Arizona) (Locator must insert either "a citizen of the United States," or, "who has declared his intention to become a citizen of the United States") the undersigned, on the 29th day of August 1902.

The length of this claim is 1500 feet, and its claim is 250 feet in a South Westerly direction and 550 feet in a North Easterly direction from the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with 161 feet in width of the surface grounds, on each side of the center of said claim. The general course of the lode deposit and premises is from the South Westerly to the North Easterly.

The claim is situated and located in the Elboworth Mining District, in Yuma County, in the Territory of Arizona, about four miles in a Westerly direction from Harrahburg, AZ.

The surface boundaries of the claim are marked upon the ground as follows: Beginning at a Monument

at a point in a North Easterly direction 550 feet from the discovery shaft (at which this notice is posted), being in the center of the North Easterly end line of said claim; thence North Westerly 161 feet to a Monument, being the North Westerly corner of said claim; thence South Westerly 1500 feet to a Monument, being at the South Westerly corner of said claim; thence South Easterly 161 feet to a Monument at the center of the South Westerly end of said claim; thence South Easterly 161 feet to a Monument, being at the South Easterly corner of said claim; thence North Easterly 1500 feet to a Monument at the North Easterly corner of said claim; thence North Westerly 161 feet to the place of beginning.

All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of the United States, and of an Act of the General Assembly of Arizona, entitled "An Act to Revise and Codify the Laws of the Territory of Arizona," approved March 16, 1901.

Dated and posted on the ground this 29th day of August 1902  
The Rio del Monte Gold Mines Company  
By Louis Kimball Agt.



TERRITORY OF ARIZONA, }  
 County of..... } ss.

I,....., County Recorder in and for the County and Territory aforesaid, do hereby certify that the within instrument was filed for record at.....o'clock,..... M., on this.....day of.....190..., and duly recorded in Book No..... of.....Records of.....County, Arizona, at pages.....

WITNESS my hand and official seal the day and year first above written.

.....  
 County Recorder.

**Notice of Location**

**LODE CLAIM**

Dated.....190.....

Filed and recorded at request of

*Big Gulch Waste Gold Mining Co.*

*Nov. 17, A. D. 1904.*

at.....M.

Book.....


Pages.....

*C. P. Gordin*

County Recorder.

By *C. P. Gordin*

Deputy Recorder.



This diagram is to give locator a general idea of plan of location under the new law. The Discovery Shaft can be in the center of claim or any distance from either end desired. In the diagram it is placed 500 feet from one end and 1000 feet from the other. Commence description of claim at a center end monument, giving its distance and direction from center of Discovery Shaft; thence bound the claim in either direction. In description be careful to state locality of claim with reference to some natural object, or permanent monument, as will identify the claim.

Territory of Arizona, )  
 ) ss.  
 County of Yuma. )

I, C. P. Cronin, County Recorder in and for the County of Yuma, Territory of Arizona, do hereby certify that the above and foregoing instruments are full, true, and correct copies of the NOTICES OF LOCATION of the TIGER, NEW GREAT WESTERN, NEW ALBERT S. WRAY, NEW ARIZONA, NEW LIBERTY, BOB INGERSOLL, COLORADO, EVENING STAR, ASPEN, MORNING STAR, LITTLE WILLIE, OPHIR, LITTLE LIZZIE, NEW PORTO RICA, NEW HARQUA HALA, NEW WEDGE, NEW HARRY CARPENTER, NEW TRIANGLE, BEN BUTLER, NEW MORNING, lode mining claims, situate in the Ellsworth Mining District, County of Yuma, Territory of Arizona, as filed for record in my office this day, and which appears of record in Book "N" of Mines, page \_\_\_\_\_, et seq., records of Yuma County aforesaid.

IN WITNESS WHEREOF, I have hereunto set my hand and affixed my official seal, this 17th day of November, A. D. 1902.



*C. P. Cronin*

County Recorder,

Yuma County, Arizona Territory.



4-687.

SURVEYOR-GENERAL'S CERTIFICATE OF APPROVAL OF FIELD  
NOTES AND SURVEY OF MINING CLAIM.

**Department of the Interior.**

*Office of U. S. Surveyor-General,*

.....Phoenix, Arizona.....

*May 16<sup>th</sup>*, 190-3

I, U. S. Surveyor-General for.....Dist. of Arizona.....

do hereby certify that the foregoing and hereto attached Field Notes and Return of the Survey of the  
Mining Claim of.....the Rio Del Monte Mines Company.....

....., known as the  
Tiger et al, survey No. 1738

situate in.....Ellsworth..... mining district,  
Yuma.....County, Arizona.....

in Section....., Township No. ...., Range No. ....  
....., designated as Survey No. ....1738.....

executed by.....Frank S. Ingalls....., U. S. Deputy Mineral  
Surveyor,.....December 10-31st, 1902....., 190-., under my instructions dated

.....December 5th, 1902....., 190-., have been critically examined and the necessary cor-  
rections and explanations made, and the said Field Notes and Return, and the Survey they describe,  
are hereby approved. A true copy of the copy of the location certificate filed by the applicant. for  
survey is included in the field notes.

*Hugh Price*

U. S. Surveyor-General for.....Arizona.....

LARGE

MAP

INSERT

