Campbell 7 12 7 Globe 4 11 5 Katie L. 1 10 / Minnie L. 2 11 3 Pine Tree 3 11 4 Stevens 8 13 8 Tiger 5 11 2 Tonto 6 12 6	$\begin{array}{c} \text{MINERAL} \\ \text{Claims} & \text{M} \end{array}$	SURVEY NO. & B Desc.	1764 A & B Improvements	Loc. Notices	
Tonto 6 12 6	Globe Katie L. Minnie L. Pine Tree	741238	11	751348	
Lakeman 9 15 9	Tonto Millsite	1000 m		2 6 9	

•

(4—683.)

Lot No.

Mineral Survey No. 1764 AX/3

Gila Land District.
FIELD NOTES
of the survey of the mining claim of
· · · · · · · · · · · · · · · · · · ·

KNOWN AS THE
Kati I M warried, Pine Tue, I love, Tign Tonto
Campbel Olivens, and Labraan millsite, Coppu Mountain Mining District,
Graham County, augona
Section 19-20-24:253, Township 45, Range 25-24-253, Township 45 , Range 25-24-253, Township 45, 214 , 1903
by M. whitahu,
U. S. Deputy Mineral Surveyor.
Claim, located Dec 12/1902, 1
Survey commenced Mar 2 1903, , 1
Survey completed Man no 1903, , 1

o 6—160

PRELIMINARY OATHS OF ASSISTANTS IN SURVEY OF MINING CLAIM.

WE, I	R Edwar	ds and		
do solemnly swear that level the chain upon ev the same; that we will that we assist in measu	we will well and fai en and uneven groun report the true dista tring, to the best of o	thfully execute the and plumb the nee to all notable our skill and abi	tally-pins, either by stee objects, and the true	riers; that we will ticking or dropping length of all lines e with instructions
given us, in the survey	of the Mining Claim	of Jophin	- R, Lape	
	1 m	. 1 P.	T CALO.	0 -D
known as the Kalin	man mul	sele am	2-	
situate in				mining distric
grah	em	County,	alizana	
i <mark>n Section, 7</mark>	Cownship No	, Range No		
		g R Ed	'wardp	, Chainman.
	·			
5/1 -	Subscribed		the above-named per	
	~ /	d	ay of Masc	, 190
			Fran	u(13/
•	o • 0			notury i
T.		do s	olemnly swear that I	EXPIRES NOV. 2011 will well and trul
perform the duties of a tions given me and to			- 10	Control Control
known as the				•
more fully described in	the preceding affiday	it.		
6.,				, Axman.
	Subscribed	and sworn to by	the said	
*		100	before me this	
				ay C
			, 190	
				· · · · · · · · · · · · · · · · · · ·
		•		
I,		, do s	olemnly swear that I	will well and trul
perform the duties of fl tions given me and to				
			*	
known as the				
more fully described in				
		•		Flaman
	3000			
	Subscribed	and sworn to by	the said	
			before me this	day e
	end d		, 190	

Survey 20 1764 A. Katin L. Lode Beginning at Cor Doi. I dentical with the D. W. Gor of the location and with Con nois 2 - 4 Minnie Land Pine tue Looks respectively of This Durvey a fine post 5 ft long 4 ino aquare set 18 ins ground surrounded by mound of stone, Ow for Deribed 1-2-4-1764 1 572° 20W.1269.19 U. Od. m no 1764 biano 0 720/2 in 12 6939. FT. a Cedar tree 6 ins diameter blazed and Deribed B. T-1-2-4 1764 A bears N 61022: W 50,50FT Thence N 58°38 E Van 13° 40 E 1433.90 To Con no ~. Identical week now con of the location a fine post 4ft long 4 ino x 6 ins, set 18 ins ground sun ounded by mound of stones, Deribed 2-1764 A. Whe a 2 x 2 granite face in ledge x and chirelled BR. 2-1764A Brans N 25° 10'W 35.83 FT. Thomas & 310 22'E Van 13° 39'E N. E End Center of location 300 Intersect a gulch 345 To Con. 9103. 600 Identical with n. F. Con of location a fine post 5 ft long time square by mound of stones, scribed 3-17.641. Whence a porphyry stone & and chirelled B. R 3- 1764A bears N38° 59'E 13.50 FT. Thence 0 58° 38'W Van 13° 40'E Intersect a gulet. To Con no f. I dentical with Q. F. Con of location pine post 5 ft long 4 ino squa & surrounded by mound of stones, Deribed 4-1764A

a 1.5 x2 x2 pophyystone x and

Durvey 970 17642. Valu L. Lode Contd Chiselled B. R 4-1764 A bears & 80°36 W 32.32 FT. Whener 9.31°22'W Van 13° 26. E 2. W. End Center of Cocalion 300 To place of beginning at Con no 1. 600 Minnie L. Lode, Beginning at Con no 1 I dentical with D. w Cor of location and with Cors. nos 1 of fine Tree. Tiger and Globe Lodes, This Durvey. a fine port 5 ft long timo rquare set 18 ins in ground Dunaunded by Mound of atones, Deribed 1411764 A. Whence Cl. O L.M. no 1764 bears 574°58 E 267.007. a 4'x5' lime rock x and chirelled BRI-4-117641. Bears & 9023 E 13.40 77. 1 hince 9. 77° 51 E Van 13.930' E To Con no 2. 1500 I denti cal with n. w. Cor of location. There (3/°22' E Van 13° 40' E NE End Center of location Con no 4 Katin L. This survey. 600,00 To Con no 3. 635.40 I dentical with the n. E Conof the location. a pine post 5 ft long 4 ins square by Mound of Romer, Sailed 03-1764A whenen a 1.5x2 face in foothyng x and chiselled B.R 3-1764 A Bears S 13°03' E 18.80 FT. Thener \$ 770 51'W' Var. 13°26'E 1500 To Con no. 4. Identical with The O. F. Con of the a fine post 5'ft long 4 ino square

4

Durvey 20, 1764 A. Minnie L. Locke Contd. set 18 ins in ground, sun ounded by mound of stones, Scribed 4-1764A Whence Q 1'x 2' face in porphyny x and chiselled B.R 4-1764A Bears N84°57'W 11.70 Thence N 31°22' W Van 13° 30 E Con no. 2. Globe lock, This Dury Q. W. End Center of location 317.70 Place of beginning at Con no.1. 635.40 Vine True Lode Beginning at Con 901 I dentical with J. E. Cor of location Whence U. OL. M. no 1764 Bears 574°58'E 267.00FT. 1 Lines N 290 56'W Van 13° 30'E S. w. End Center of location 300 To Con non, In gulch 600 Identical with Q. W Con of location. and with Con non Tigen Lode, this Durvey. a pine post of ft long 4 ino square set 18 in ground, Scribed 22 - 176 4 A, sun aunded by Mound of stones who a line rock x and chertha B. Prz-2-1764A Bear SHO16 E 20, FT. Thene 1 77° 51 F 1500 To Co- 910.3. I dentical with n. W. Co. of Location. a pine post 5 ft long 4 ino square set 18 ins in ground Dunounded by Mound of Stones, Deribed 3-1764A. a 1'x2' porphy rock x and chirelled B.Q. 3- 1764 A. Bears S 160 03 E 21.40 FT. Thence \$29056'E 300,00 N. F. End Center of location 600 To Con no 4.

100

Durvey 970 1764. A. me True Locke Contd. 6 Identical with n. E. Con of location Therea 577051'W Van 130 40'E To place of beginning at Con 90.1. Alobe Lode Obeginning at Con no. 1. I dentical with n. w. Con of location U. D.Z. M. 900 1764 Bears, 374° 58 E 2. 67.00 FT. Thence & 31°22' E n. E. E nd Center of location 600.22 90 Con no 2 I dentical with N. ECon of location. a fine post 5 ft long 4 ino square set 18 mo in ground Dumaunded by Mound of stones, Deribed 2-1764A a. 1'X1.5' lime face in ledge Y and Chiselled B. R. 2 - 1764 a. Be and \$84036W 11.90 There. \$ 60° 12' W Van 13° 30' E 920.60 P.o Con. 80.3. Identical with S. E Con of location. a pine post 4ft long 4 ins aquare set on rock sun aunded by mound of Stones, Deribed 3- 1764 Th. whence a 1' × 1.5 porphyn face in ledge x and Chiselled BR 3-1764. A. Bears N23° 10 E 14FT. There N 310 22' W Van 13° 10 E 300,11. Q. W. End Center of location. I dente cal with I w Con of location. and with Cors Dos 1- 4-1 of Tonto, Tiger and Campbell respectively, This survey. a fine port 5 ft long 4 ins square och surrounded by mound of Stones 1-1- 4-41764. a. Owhence

Qurvey 20 1764 Q: Globe Lode Contil a 2'x2'x4' profo hyry rock x and chirelled B. B. 1-1-44- 1764. A Bears S28°36'W 10.70 Fg Thence N 60012 E Van 13° 12' E 920.60 To place of beginning at Con 9701. Vigen Locker. Beginning at Cor. 201. Identical with D. & Car of location whence U.O L. m Dro 1764 bears 874° 58 E 2 67.00. FT. Thence N29°56'W Van 13°30 E 300 n. E End Center of location To Con non 600 Identical with nev. con of location Thence S 60° 12'W Intersect gulet Van 13° 30 E. 920.60 Identical with QW. Con of location a fine port 5 fi long 4 mo square set 18 ino in ground sumounded ly mound of Stones Daribed 3-1764A Whence a 2×13 lime rock Yand. chiselled B. P. 3- 1764 A. Be ard 5720 14'W10.20 A. Whene @ 290 56 E' Van 13° 12' F Intersect a gulch Dev. and anter of location 300 To Can nort 600 Identical with D. E Car of location 1 hince N60° 12' E 13° 12° E To place of beginning at Car Do.1. 920.60

Beginning at Car no.1. Identical with D. w.Con of location ll. o. L.M. no. 1764. Beans N69° 49 = 1125.85. Of honce of 53° 51' W Van 13° 12 E 1190.70 Po Con 2002 Identical with Sor Con of location and with Caro Dos, 2 - 1 Campbell and Stevens locks respectively, This Durvey. a frime fort of ft long timo square Ly mound of stones Deribed 1-2-21764.A. Whence a Cedar her 5 ins indiamite blazed and Deribed BT 1-2-2-1764 A. Oscaro. N72°41'E 32.80 FT. Thence (2 31022'E Van 13" 43 E 301.05 Dev. End Center Cocation 602/0 To Con no 3 Identical with O. E. Comer of location Set 18 ins, in ground sun aunded ly Mound of Otenes Deribed 3-1764A. whence. a 3'x4' face in line x and chirelled B.R3-1764. a. Bears N 55007'W 65.26.FT. Thence N 53° 51'E Van 13° 35 E 1190.70 To Con noth adintical with n. F. Ear of location of prime port 5 ft long 4"ins square set on rock summounded by mound of stones Daibed 4-1764 14 Whence a 1'X1.5 porp hypy face in lidge bears N17° 21' E 15.15 FF. Con no 3 Globe This survey. 1.88 301.05 n. E End Center Location 602.10 Place of beginning at Cor. no. 1.

603.54

301.77

603,24

7

1200

Lapenan Mill site Beginning at Can 801 Polintical with B. E car of location a pine post 5 ft long 4 ins aquan ly mound of blones, Deribed 1- 176408 whence -U. Q Im no 1764 Bears N 520 48 E 1063.60FT Con not ativens Burry no 1764 A bears N78° OF E 15053FT To Eagle Quon N 28° 04 = 5700. no permanent bearing. Thence West Van 120 30 E To Con no 2 466.69 I dentical with n.w Con of location à faine post 5 ft long 4 mo aquare by mound of stones seribed 2-1764B. whence a Malapais rock x and cherelled BR 2-1764B bears north 12 FT. Thence Bouth Whener a spring bears 5/6° 43' £ 33 FT 208 Intersect a gulch. To Cor no 3 Identical with Dev Con 240 466.69 a pine post 5 ft long 4" ino aquine seten rock sur rounded by mound of alms sended 3- 1764B whence a x on malapais bluff chirelled B.R 3-1764 B Bears Douth 2 FT There East Va-12"30 F 466.69 To Con Joy In gulch Identical well D. E. Con of location a fine post 5 ft ling 4 ins square by mound of other Derived 4-1764B Chiselled Douch 3. 40 FT 466.69 To place of beginning at con no 1

- onlaining 4. 999 acres 1

Durvey 20 1764 A

Quas acres. Het ana Katie L. Lock 19.750 nex areas Minniet Lode 20,661 V Het Quas Pine Tree Lock 19673 nexauas Alobe Lode 12.680 L notana Tiger Lake 12,680 Tonto Lock 16.401 netana 16.401 Campbell Lode Dit ana Stevens Look 20.66/1 nix ana Notal 138.907 The Durveys of the respective locks are identical with their locations Location The Claims are located on unsurveyed lands of the United States in Copper Mountain mining District, Graham Courty Cing on a. Ex penditure of Five Hundred Certify That The value of labor and improvements upon These Claims placed there are by the Claimant and her granton is not less than Thom the Hive Hundred Dollars. and that said improvements Consist of the following. The discovery out of the Hatin I. Lode, the face of which bears from the O. W. End Center of Katie L. N36°07 E 80.60 4.5 FTwick 10 Ft Face running N35° 53 W 22 FT in 200/2

9 j. C.

N31

Value

\$100.00

Himme L

Open Cal 2002

11

Jouls for out not

Open and Dec 2

1100 1006

5 49°51'W 266'FT. 5Ft wick 10'FT Face running N680 4#W 22,50 Ft in earth and rock. Value

\$100,00

The discovery cut of the Tonto Lock The face of which bears from 200. E.C enter Jonto N450 09'E 402.10 Fr. 4Ft wide 10 face running N58°36' E18FT en rock.

\$90,00

2 an open cut the face of which bears from 200. End Center Tato N25°25 E 126.70++ 4' wide 8' face running 211045E Value

\$ 75,00

Thidise overy cut of the Campbell The face of which bears from Car no3 Campbell N88° 09 F- 621.20 FT 4FT wich 10'Ft face running \$ 49° 46' = 36' ft in earth and rock \$ 150

\$ 150.00.

NO2 a 4x6 Turnel, beginning at heart of discovery cut of the Campbell, Thence 9 49° 46' E 90' Ft. to a point denoted by A" Thence 0 45° E4 E 49.40 FT. Thence 047° 51 E 58 Ft. Thence S 56° 04 E 74 Ft To heart. Beginning at Point A" Thence N 590 21'E 2'FT To face, 35FT. Thence N68° 41'E 23.30FT. Whence N88°41 E 4FT face of cut 11FT heart Thence N 5 40 48 E 23 FT to shaft from above 67 FT to center of 4x6 wigge 10 FT deep 76 FT Phines N69027' E 36.00 FT Themes N72026 E 8.40 FT Thence N67° 14 E 40,50 FT Thence

N87°14 E 33. FT. Bust

Total length of lunnel work 528.60FT 10FTwange \$ 2743.00. Value

Jury 201764. A.

163 a 4'x 6 turnel. The face of cut bears
from Cor No. 3. Campbell \$81°11E 651.60FT
Thence N88° 20 E 15 FT face of turnel
23 Breast of Europel
Value . \$100.00

LIM Ca No 3 Campbell S84° E 834.70 Ft

Value \$30.00

Q 3'X8' shaft the West edge of
Which be as N 88° 29' E 781.70. FT from
Cor 7103 of Campbell. Thence N 56° 14' E

To contin of shaft; Whaft 57 ft Vertical
Whence \$38° 38 E Dip 72° 30' 15.00 to connection
in tunnel. Thence N 56° 14' E 4 edge of
Whaft and mouth of cut 4FT wide 20 FT

Face. Thence N 56° 14. 38 FT To heast of cut
and face of 4 X 6 tunnel, Thence N 63° 14' E

Dip 35° 00', 35 FT and 16.00 level to heart

Value of Whaft

f 8 00.00.

Cut and Turnel

350.00

Who Ch' 4ft X6 ft tunnel The face of The cut bears from Cor Do, Campbell \$65°06' W 123.70 Thence & 49°38' F 15 Ft 76 face of tunnel 36' Ft To edge of a 4'x9' shaft 11 Ft dup from surface 45 Ft To Breast.

Value \$\$\int 300.00.

The discovery tunnel of the clevens
The face of the cut bears \$5000 00 W 132.50
There N 35 34' E 14 To face of 4x6 turnel
22 FT To breast.

Value A solve

On open cut the face of which bears 557° +1'W 236.70 FT from D. E. End Caten of others. 8'ft wick 10 FT face running 559 40'W 15 Ftim ra. Value 125.00

/

benear not not 2.

Ourvey Do 1764A.

On open out The face of which
be are from D. F. End Center of Stevens

364011'W 429 FT 4FT wick 10'Face
running D79°06'W 12 FT in rock.

Talue \$60.00

a 4 ft x6 ft turnel The face of
The cut bear from Con non Otomo
S49° 23 W20 1.40 Thence S81° 49'W 12 FT
To face of turnel 18 FT To breast.

Salue \$\$90.00

Total Value of improvements \$6078.00

note: - The locks, as far as development work disclose, appear to be on the center of the claims.

The surface embraced by This claim ascends rapidly from the mouth of The Tunnel, described on the Campbell look, towards the Tonto Siger, Globe Bine True, Minnie L and Retir L. Locks, These claims being from 200 - 700 fut higher than said tunnel. also by means of winge in said tunnel the stevens look can be worked advantageously. The turnel also would at a portion of the stevens look. By means of the workings, described and included in The estimate of expenditure, continued will cut The locks of the Deveral locations at good depth wherely claim can be most advantage only and economically developed.

Durry Do 1764 A

Ex pendetine of \$500, Beginning at point A in Campbell Turnel There Nogo 21E 2ft face of cut 35 FT There N68° 41'E 23.30 FT Theme Not 48 E 30 Ft being 86.30 Feet of work to be Thence N54° 48' E 46' FT Thence N69°27 E 36 FT being 82 feel of work to be credited to minnied Lode this Durry. There N72058 = 8,40 FT There N 67014 E 40. 50 FT There N87° 14' E 33 FT being 81.90 FT of work to be credited to Katie L. Lode, This Durvey. a winge in termel to be credited to Olivens Beginning at Point A in Compbell Tunnel I hence & 46.54 E 49 to be aredited to Thomas Lode This ourry. Themen S 45 54 E 39. 40 FT Themen 5 47° 51 £ 30 Ft being 69. 40710 be endited To Tonto Lode This Dury. Thence Q 47° 51' = 28FT 556° 04' E 102 Ft of work to be credited to I lobe Lode This Durry Katie L Lode 81.90 FT Value 409.50 Dine. cut ... 100 \$50 100 \$509.50 Minnie L Lode 82'FT Value 410, so Disc shaft and of m est 175.00/586.00 Figer Lode 86.30 FT Value 431.50 70 \$501.50 Globe Lode 102 FT Value 510.00 D is cut " 100.00 \$ 610,00 Ponto Lode 69.40 FT 34700 I ise cut and open out 165.00 \$512.00 Stevens Lode 10 Hwagge Value 100.00

10 Ft turnel ...

other work described 37500 5 × 5,00

FINAL OATHS FOR SURVEYS.

LIST OF NAMES.

A list of the names of the individuals employed by Im . whitahu
United States Deputy Mineral Surveyor, to assist in running, measuring, and marking the lines
corners and boundaries described in the foregoing field notes of the survey of the mining claim
of Offina Lapuna
known as the Katin L. In immine L. Pine Tun, Globe, Tigun, Panto, Campbel slowers and Stateman millione
and showing the respective capacities in which they acted.
OR Shounds
9.R. Elwards, Chainman., Chainman.
, Axman.
, Flagman.
FINAL OATHS OF ASSISTANTS.
WA O B Solvendo
We, I, g. of Edwards
and , do solemnly swear that we assisted // Whiteh
United States Deputy Mineral Surveyor, in marking the corners and
surveying the boundaries of the mining claim of Johnie Q, Lahren
, known as the Ratio L, menne
Oine Tru, Globe, Triger, Panto, Campbell, Thomas and Lahrenan Frelly depresented
in the foregoing field notes as having been surveyed by said deputy mineral surveyor and under
in the foregoing field notes as having been surveyed by said deputy mineral surveyor and under
in the foregoing field notes as having been surveyed by said deputy mineral surveyor and under his direction; and that said survey has been in all respects, to the best of our knowledge and
in the foregoing field notes as having been surveyed by said deputy mineral surveyor and under his direction; and that said survey has been in all respects, to the best of our knowledge and belief, faithfully and correctly executed, and the corner and boundary monuments established
in the foregoing field notes as having been surveyed by said deputy mineral surveyor and under his direction; and that said survey has been in all respects, to the best of our knowledge and belief, faithfully and correctly executed, and the corner and boundary monuments established according to law and the instructions furnished by the United States Surveyor-General for Auguments.
in the foregoing field notes as having been surveyed by said deputy mineral surveyor and under his direction; and that said survey has been in all respects, to the best of our knowledge and belief, faithfully and correctly executed, and the corner and boundary monuments established
in the foregoing field notes as having been surveyed by said deputy mineral surveyor and under his direction; and that said survey has been in all respects, to the best of our knowledge and belief, faithfully and correctly executed, and the corner and boundary monuments established according to law and the instructions furnished by the United States Surveyor-General for Auguments. J. R. & Wards , Chainman.
in the foregoing field notes as having been surveyed by said deputy mineral surveyor and under his direction; and that said survey has been in all respects, to the best of our knowledge and belief, faithfully and correctly executed, and the corner and boundary monuments established according to law and the instructions furnished by the United States Surveyor-General for Auguments and the instructions furnished by the United States Surveyor-General for Auguments and Augument
in the foregoing field notes as having been surveyed by said deputy mineral surveyor and under his direction; and that said survey has been in all respects, to the best of our knowledge and belief, faithfully and correctly executed, and the corner and boundary monuments established according to law and the instructions furnished by the United States Surveyor-General for Arman. ———————————————————————————————————
in the foregoing field notes as having been surveyed by said deputy mineral surveyor and under his direction; and that said survey has been in all respects, to the best of our knowledge and belief, faithfully and correctly executed, and the corner and boundary monuments established according to law and the instructions furnished by the United States Surveyor-General for Arman. ———————————————————————————————————
in the foregoing field notes as having been surveyed by said deputy mineral surveyor and under his direction; and that said survey has been in all respects, to the best of our knowledge and belief, faithfully and correctly executed, and the corner and boundary monuments established according to law and the instructions furnished by the United States Surveyor-General for Augustus , Chainman , Chainman , Axman .

o 6—167

EXPIRES NOV. 20th, 1905.

FINAL OATH OF U. S. DEPUTY MINERAL SURVEYOR

I, H.m Whitakin, U. S. Deputy Mineral
Surveyor, do solemnly swear that, in pursuance of instructions received from the United
States Surveyor General for, dated , I have, in strict conformity to the laws of the
United States, the official regulations and instructions thereunder, and the instructions
of said Surveyor General, faithfully and correctly executed the survey of the Mining
Claim of Johns OR Lahra
, known as the
Katie L. In innie L. Pin True, Globe, Tigu, Tento Campbell, Thums, and Lapinion on Missile
situate in Cohher Mountain Mining District
Araham County, Oigona, in Section , Township No. , Range No. , as represented
, Township No. , Range No. ,
and designated as Survey No. 1764 AXB., as represented
in the foregoing field notes, which accurately show the boundaries of said mining claim
as distinctly marked by monuments on the ground, and described in the attached copy
of the location certificate, which was received by me from the Surveyor General with
said instructions, and that all the corners of said survey have been established and per-
petuated in strict accordance with the law, official regulations and instructions there-
under; and I do further solemnly swear that the foregoing are the true and original
field notes of said survey and my report therein, and that the labor expended and
improvements made upon said mining claim by claimant or him grantors
are as therein fully stated, and that the character, extent, location and itemized value
thereof are specified therein with particularity and full detail, and that no portion of
said labor or improvements so credited to this claim has been included in the estimate
of expenditures upon any other claim.
٠,
HM 10 hilas
U. S. Deputy Mineral Surveyor.
Subscribed and sworn to by the said H Whetatles
U. S. Deputy Mineral Surveyor, before me Frank B Laure
a Notary Public this 27
day of March 1903
Jane (1) Lang
Notare Kin
0 8-154

Affidavit of Five Hundred Dollars Improvements.

our, L. H. M. ince and & E. Anye
(der,), and , , and , , and , , and , , , and , , , , and , , , , , , , , , , , , , , , , , , ,
of lawful age, being first duly sworn according to law, depose and say: That we
are acquainted with the Kati, L. Minnied, Pine Jus, by love, Tig mining claim,
situate in Coppen Mountain Mining district, Anches County,
Arizona Territory, for which Oofhin Q Laborer
V
ha $oldsymbol{s}$ made application for survey prior to application for patent under the provisions
of the Act of Congress, approved May 10, 1872; and that the labor done and improve-
ments made thereon by the applicant and for grantor exceed Five Hundred
Dollars in value, and further that we are not personally interested in said mine.
L.H. Miner
E. E. Fm
County of // Canama ss:
94
Sworn to and subscribed before me, this
SEAL SEAL day of March, 190 3
Trans Blang.
. Notary Public
EXPIRES NOV. 20th, 1905.

To All Whom it May Concern: This mining claim the name of which is the A alice 22
This mining claim, the name of which is the talk 22
Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purpose of exploration and purchase by
Dophie R. Lakenan a Celizen of
- The corner of
the undersigned, on the Hast day of December 190 2
The length of this claim is 4 3 3 9 0 feet,
and \(\mathcal{P} \) claim \(1363,90, \) feet,
in a noth Easterly direction, and
7.0 feet in a Could wester by direction from
the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with feet in width of the surface grounds, on each
Touch East to the Douth West
The claim is situated and located in the Copper Mountain Mining District, in
Azar County, in the Territory of Arizona, about
in a direction from This claim adjoins The Falling"
claim on the north west and the minnie Lin
The South West This claim is situated
between Gold and Delver Guletes.
The surface boundaries of the claim are marked upon the ground as follows: Beginning at
a mound of Hones
at a point in a Both Easterly direction 136390 feet from
the discovery shaft (at which this notice is posted), being in the center of the
the discovery shaft (at which this notice is posted), being in the center of the South Sand line of said claim; thence \sqrt{S} 3.4° 3.2° \sqrt{E} foot to a 4"x 4" foot to a
end line of said claim; thence S 3/022 5 geet to a 4 x 4
feet to a 4 x 4 feet to a 4 x 4 feet to a feet
end line of said claim; thence S 3/22 5 300 feet to a $4'' \times 4''$
end line of said claim; thence S 3/22 5 300 feet to a 4"X4" from corner of said claim; thence S 58°38'W 1433.90 feet to a 4" X4" from fort being at the Douth East corner of said claim; thence
end line of said claim; thence S 3/22 5 300 feet to a $4'' \times 4''$
end line of said claim; thence S 3/22 5 300 feet to a 4"X4" from corner of said claim; thence S 58°38'W 1433.90 feet to a 4" X4" from being at the Double East corner of said claim; thence S 31° 22'W 300 feet to a Mound of Thomas being the center of the Double World and East end
end line of said claim; thence S 3/22 Ξ 300 feet to a 4" X 4" form corner of said claim; thence S 58°38 W 1433,90 feet to a 4" X 4" form for being at the double E and corner of said claim; thence W 3/0°22 W 300 feet to a W 5/0°38 W 5/0°40 W 5/0°38 W 5/0°40 W 6/0°40 W 6/0°
end line of said claim; thence S 3/22 Ξ 300 feet to a 4" X 4" form corner of said claim; thence S 58°38 W 1433,90 feet to a 4" X 4" form for being at the double E and corner of said claim; thence W 3/0°22 W 300 feet to a W 5/0°38 W 5/0°40 W 5/0°38 W 5/0°40 W 6/0°40 W 6/0°
end line of said claim; thence S 3/22 E 3 E feet to a 4'X4' factorial point of said claim; thence E 38' E 38' E 1433, 90 feet to a 4" E 4" factorial point of said claim; thence E 31' 22' E 20 E 4 E 6 E 7 E 6 E 7 E 8 E 9
end line of said claim; thence S 3/° 22' E 300 feet to a 4"X4" from corner of said claim; thence S 58°38'W 1433.90 feet to a 4" X4" from being at the Douth East corner of said claim; thence N 3/° 22' N 300 feet to a N 3/° 38' N 500 feet to a N 3/° 38' N 6 feet to a N 4'' from front at the N 500 feet to the place of beginning.
end line of said claim; thence S 3/22 5 300 feet to a 4"X4" from Said claim; thence S 58°38'W 1433,90 feet to a 4" X4" from fort being at the Corner of said claim; thence S 31°22'W 200 feet to a Mound of Said claim; thence S 31°22'W 200 feet to a Mound of Said claim; thence S 31°22'W 300 feet to a 4"X4" from fort being at the Corner of Said claim; thence S 31°22'W 300 feet to a 4"X4" from fort at the North Corner of Said claim; thence S 38°5 feet to a 4"X4" from fort at the North Corner of Said claim; thence S 31°22'E 200 feet to the place of beginning. All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of the United States, and of an Act of the General Assembly of Arizona, entitled "An Act to Codify and Revise the Laws of the Territory of Arizona," approved March 16th, 1901.
end line of said claim; thence S 3/22 5 300 feet to a 4"X4" point of said claim; thence S 58°38'W 1433.90 feet to a 4" X4" point being at the double S 38° 38° W 1433.90 feet to a 4" X4" point being at the corner of said claim; thence S 3/32'W 22'W 250 feet to a Mound of Said claim; thence S 3/32'W 22'W 300 feet to a 4"X4" point feet to a 4"X4" point foot being at the corner of said claim; thence S 38'E 14'33.90 feet to a 4"X4" foot at the feet to a 4"X4" foot feet to the place of beginning. All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of the United States, and of an Act of the General Assembly of Arizona, entitled "An Act to Codify and Revise the Laws of the Territory of Arizona," approved March 16th, 1901. This is an Amended Location Notice of the Malice.
end line of said claim; thence S 3/22 5 300 feet to a 4"X4" point of said claim; thence S 58°38'W 1433.90 feet to a 4" X4" point being at the double S 38° 38° W 1433.90 feet to a 4" X4" point being at the corner of said claim; thence S 3/32'W 22'W 250 feet to a Mound of Said claim; thence S 3/32'W 22'W 300 feet to a 4"X4" point feet to a 4"X4" point foot being at the corner of said claim; thence S 38'E 14'33.90 feet to a 4"X4" foot at the feet to a 4"X4" foot feet to the place of beginning. All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of the United States, and of an Act of the General Assembly of Arizona, entitled "An Act to Codify and Revise the Laws of the Territory of Arizona," approved March 16th, 1901. This is an Amended Location Notice of the Malice.
end line of said claim; thence S 3/22 5 300 feet to a 4"X 4" for for being at the Double East corner of said claim; thence S 58°38'W 1433.90 feet to a 4" X 4" for for being at the Double East corner of said claim; thence S 3/° 22'W 300 feet to a S 30° feet to a S 4" for for for feet to the place of beginning. All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of the United States, and of an Act of the General Assembly of Arizona, entitled "An Act to Codify and Revise the Laws of the Territory of Arizona," approved March 16th, 1901. This is an Amended Location Notice of the S 31° S 20° feet to S 30° feet feet for S 30° feet feet feet feet feet feet feet fee
end line of said claim; thence S 3/2 2 5 300 feet to a 4'X 4'' form of said claim; thence S 58°38'W 1433.90 feet to a 4" X 4" form for being at the down feet to a movinal of of said claim; thence S 30° 22'W 300 feet to a movinal of of said claim; thence S 30° 22'W 300 feet to a 4" X 4" form for being at the down feet to a 4" X 4" form for feet to a 4" X 4" form for feet to a 4" X 4" form for at the most of the most
end line of said claim; thence S 3/22 5. 35% feet to a 4'X4' for some of said claim; thence S 58°38'W 1433.90 feet to a 4" X 4" for for some of said claim; thence S 31°22'W 250 feet to a Morinal of States being the center of the Courth the send of said claim; thence S 3/32'W 250 feet to a 4'X4' for for being at the being at the some of said claim; thence S 3.0'22'W 250 feet to a 4'X4' for for for feet to a 4'X4' for for
end line of said claim; thence S 3/22 5. 35% feet to a 4'X4' for some of said claim; thence S 58°38'W 1433.90 feet to a 4" X 4" for for some of said claim; thence S 3/0°22'W 250 feet to a 10°22'W 250 feet to a 10
end line of said claim; thence S 3/22 5. 35% feet to a 4'X4' for some of said claim; thence S 58°38'W 1433.90 feet to a 4" X 4" for for some of said claim; thence S 31°22'W 250 feet to a Morinal of States being the center of the Courth the send of said claim; thence S 3/32'W 250 feet to a 4'X4' for for being at the being at the some of said claim; thence S 3.0'22'W 250 feet to a 4'X4' for for for feet to a 4'X4' for for
end line of said claim; thence S 3/22 5. 35% feet to a 4'X4' for some of said claim; thence S 58°38'W 1433.90 feet to a 4" X 4" for for some of said claim; thence S 3/0°22'W 250 feet to a 10°22'W 250 feet to a 10
end line of said claim; thence $S = 3/2 + 2 = 3/2 + 1$ feet to a $4/3 + 4/2 + 1$ corner of said claim; thence $S = 5/2 + 3/2 + 1$ being at the doubt East corner of said claim; thence $S = 5/2 + 3/2 + 1$ being at the doubt East corner of said claim; thence $S = 5/2 + 1$ being at the doubt East corner of said claim; thence $S = 5/2 + 1$ being at the doubt end of said claim; thence $S = 5/2 + 1$ corner of said claim; thence $S = 5/2 + 1$ at the doubt corner of said claim; then
end line of said claim; thence $S = 3/2 + 2 = 3/2 + 1$ feet to a $4/2 + 4/2 + 1$ corner of said claim; thence $S = 5/2 + 3/2 + 1$ being at the double East corner of said claim; thence $S = 5/2 + 3/2 + 1$ being at the double East corner of said claim; thence $S = 5/2 + 1$ being at the double East corner of said claim; thence $S = 5/2 + 1$ being at the double East corner of said claim; thence $S = 5/2 + 1$ being at the double East corner of said claim; thence $S = 5/2 + 1$ at the double East corner of said claim; thence $S = 5/2 + 1$ at the feet to the place of beginning. All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of the United States, and of an Act of the General Assembly of Arizona, entitled "An Act to Codify and Revise the Laws of the Territory of Arizona," approved March 16th, 1901. This is an Amended Location Notice of the $S = 5/2 + 1/2 + $

TERRITORY OF ARIZONA,	} ss.		23
		County Recorder in a	and for the County and
Territory aforesaid, do hereby certify	that the within in	astrument was filed for r	ecord at
o'clock M., on this	day o	of	190, and
duly recorded in Book No	of	Records of	
County, Arizona, at pages			
Witness my hand and so	al the day and yea	ar first above written	
			County Recorder
4 1 1 1 1 1		Ea 20	
	*4		14.
Corner Monument	10,	Corner Monument	
End Monument	Discovery Shaft 300 feet ● 300	End Monument	

Corner Monument

PA .

Corner Monument

300 feet

Dated Dec. Notice of Locat Filed and recorded at request of ERA PRINT, CLIFTON AMENDED Deputy Recorder. County Recorder. 190 2


feet to the place of beginning. All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of the United States, and of an Act of the General Assembly of Arizona, entitled "An Act to Codify and Revise the Laws of the Territory of Arizona," approved March 16th, 1901. This is an Amended Location Notice of the Mining Claim, located by February page/3/, in the office of the County Recorder of the aforesaid County of Graham to which reference is hereby made, and this Amended Location Notice is made and posted to correct errors in the description in the said original Location Notice. Dated and posted on the ground this Hung COPPER ERA PRINT,

with Eas

			25
TERRITORY OF ARIZONA,	ss.		
County of	· som		
	County	Recorder in and	for the County and
Territory aforesaid, do hereby certify t	that the within instrument v	was filed for reco	rd at
o'clock M., on this	day of		, and
dally recorded in Book No < 15	of F	Records of	
daly recorded in Book No County, Arizona, at pages	hazer Lakez	-3	acce.
	the day and year first aboy		
	2,		
	, ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	Ce	ounty Recorder
The same of the sa	. 18. S	, 55 E	517.70
Corner Monument	,	Corner Monument	
	300		
End Monument	Discovery 1000 feet 1000 f	End Monument	
251	feet in 3	<u> </u>	you do -
Corner Monument		Corner Monument	tile of the same
The above diagram is to give the locator a general center of claim, or any distance from either end you dother. In description be careful to state locality of claim.	idea of the plan of location under the lesire. In the diagram we have plac tim with reference to some natural ob	e new law. Your disco ced it 500 feet from one ject, or permanent mon	very shaft may be in the e end and 1000 feet from the ument, so as to identify the
1			



TERRITORY OF ARIZONA,		۷. ا
TERRITORY OF ARIZONA, County of		
	County Recorder in and	l for the County and
Territory aforesaid, do hereby certify that the w	vithin instrument was filed for reco	ord at
o'clock M., on this	day of	190, and
duly recorded in Book No of of	Records of	
County, Arizona, at pages		
Witness my hand and seal the day a	nd year first above written	
e *	C	ounty Recorder



To All Whom it May Concern:
mis minima to that the state of which is the
This mining claim, the name of which is the
Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purpose of exploration and purchase by
Jophie Q Lakeman, a Cilizen of the
United Italia
the undersigned, on the faist day of Secondary 190 2. The length of this claim is # often Hundred, feet,
The length of this claim is the fleen Hundred, feet,
and \mathcal{I} claim 230 feet,
in a North Easter by direction, and
1270. feet in a Touth westerly direction from
the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with
285.66 feet in width of the surface grounds, on each side of the center of said claim. The general course of the lode deposit and premises is from the
north East to the Pout Court
The claim is situated and located in the Copper Moientain Mining District, in
Graham County, in the Territory of Arizona, about and adjoin the
in a Galena on direction from the north East, This claim
is setuated between Gold and selver Gulekes
is allusted between Tota and selver Tulekes.
The surface boundaries of the claim are marked upon the ground as follows: Beginning at
a mound of olones
at a point in a North Earles direction 230 feet from
the discovery shaft (at which this notice is posted), being in the center of the South Early
end line of said claim; thence \$290 36 E 300 feet to a 4"X4" pine for corner of said claim; thence
being the Horth East corner of said claim; thence
577° 51'W 1500 foot to a 1"V" bi- book
577°51'W 1500 feet to a 4"X4" frine fort being at the Double East corner of said claim: thence N 29°56'W 300
Joueth East corner of said claim; thence N 29° 56' W 300
feet to a a mound of Mones being the center of the Douth West end
of said claim; thence N 240 56 W 300 feet to a 4 X 4 pine post
Limit the Oxilla land
Limit the Oxilla land
being at the Poulh west corner of said claim: thence $\sqrt{77}^{\circ}5/5$
being at the Poulh west corner of said claim; thence $\sqrt{77}^{\circ}5/\Xi$ 1500 feet to a $4''X4''$ frame for at the north was corner of said claim; thence $\sqrt{27}^{\circ}5/\Xi$
being at the Poulh west corner of said claim; thence $\sqrt{77}^{\circ}5/\Xi$ 1500 feet to a $4''X4''$ frame for at the Moreh was corner of said claim; thence $\sqrt{27}^{\circ}5/\Xi$ get to the place of beginning.
being at the Poul Corner of said claim; thence \(\) 77 \(\) 5 \(\) \(\) at the \(\) Poul \(\) corner of said claim; thence \(\) \(
being at the Poul with the corner of said claim; thence \(\frac{77}{57/5} \) feet to a \(\frac{4''X'}{4''} \) feet to the place of beginning. All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of the United States, and of an Act of the General Assembly of Arizona, entitled "An Act to Codify and Revise the Laws of the Territory of Arizona," approved March 16th, 1901. This is an Amended Location Notice of the Pine Luc
being at the Poul was corner of said claim; thence \(\frac{77}{57} \) 5/\frac{1}{57} \) at the \(\frac{9000}{1000} \) feet to a \(\frac{4''X'}{4''} \) force \(\frac{9000}{56} \) at the \(\frac{9000}{1000} \) feet to the place of beginning. All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of the United States, and of an Act of the General Assembly of Arizona, entitled "An Act to Codify and Revise the Laws of the Territory of Arizona," approved March 16th, 1901. This is an Amended Location Notice of the Pine Luce Mining Claim, located by Richard Lakenan
being at the Poul was corner of said claim; thence \(\frac{77}{57} \) 5/\frac{1}{57} \) at the \(\frac{9000}{1000} \) feet to a \(\frac{4''X'}{4''} \) force \(\frac{9000}{56} \) at the \(\frac{9000}{1000} \) feet to the place of beginning. All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of the United States, and of an Act of the General Assembly of Arizona, entitled "An Act to Codify and Revise the Laws of the Territory of Arizona," approved March 16th, 1901. This is an Amended Location Notice of the Pine Luce Mining Claim, located by Richard Lakenan
being at the Could loss corner of said claim; thence \(\frac{77}{57} \) feet to a \(\frac{7}{1} \) feet to a \(\frac{7}{1} \) feet \(\frac{7}{1} \) feet \(\frac{7}{1} \) corner of said claim; thence \(\frac{7}{1} \) feet \(\frac{7}{1} \) feet to the place of beginning. All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of the United States, and of an Act of the General Assembly of Arizona, entitled "An Act to Codify and Revise the Laws of the Territory of Arizona," approved March 16th, 1901. This is an Amended Location Notice of the Pine Live Mining Claim, located by \(\frac{1}{1} \) Michael \(\frac{1}{1} \) An Act of the \(\frac{1}{1} \) day of
being at the Pouls Corner of said claim; thence \(\frac{77}{3}\) \(\frac{1}{5}\) \(\frac
being at the Journal Comment of said claim; thence of the Laws of the Territory of Arizona, approved March 16th, 1901. This is an Amended Location Notice of the Mining Claim, located by Self-And Territory of Arizona, and recorded in book on the Laws of Mines, at page 10.7, in the office of the County Recorder of the aforesaid County of Arizona and posted to correct errors in the description in the said original Location Notice.
being at the Pouls Corner of said claim; thence \(\frac{77}{3}\) \(\frac{1}{5}\) \(\frac
being at the Journal Comment of said claim; thence of the Laws of the Territory of Arizona, approved March 16th, 1901. This is an Amended Location Notice of the Mining Claim, located by Self-And Territory of Arizona, and recorded in book on the Laws of Mines, at page 10.7, in the office of the County Recorder of the aforesaid County of Arizona and posted to correct errors in the description in the said original Location Notice.
feet to a 4"X4" pene for at the Model (M) corner of said claim; thence N 77 3/E feet to a 4"X4" pene for at the Model (M) corner of said claim; thence S 390 56 = 300 feet to the place of beginning. All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of the United States, and of an Act of the General Assembly of Arizona, entitled "An Act to Codify and Revise the Laws of the Territory of Arizona," approved March 16th, 1901. This is an Amended Location Notice of the Mining Claim, located by Seehard Laker a on the 25 th day of Mines, at page 19, in the office of the County Recorder of the aforesaid County of to which reference is hereby made, and this Amended Location Notice is made and posted to correct errors in the description in the said original Location Notice. Dated and posted on the ground this first day of Seconds 190 2-
feet to a 4"X4" pene for at the Model (M) corner of said claim; thence N 77 3/E feet to a 4"X4" pene for at the Model (M) corner of said claim; thence S 390 56 = 300 feet to the place of beginning. All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of the United States, and of an Act of the General Assembly of Arizona, entitled "An Act to Codify and Revise the Laws of the Territory of Arizona," approved March 16th, 1901. This is an Amended Location Notice of the Mining Claim, located by Seehard Laker a on the 25 th day of Mines, at page 19, in the office of the County Recorder of the aforesaid County of to which reference is hereby made, and this Amended Location Notice is made and posted to correct errors in the description in the said original Location Notice. Dated and posted on the ground this first day of Seconds 190 2-

TERRITORY OF ARIZONA	, , , ss.			
County of				
Territory aforesaid, do hereby cert				
o'clock				
duly recorded in Book No County, Arizona, at pages				
Witness my hand and				
			Co	ounty Recorder
		e de la companya de l	73	.*
I : 4		.18.		
	1			
Corner Monument		Co Mor	orner nument	
End Monument	Discovery Shaft 300 feet 300 feet 300 feet 300 feet	1000 feet 1935	End Monument	
Corner Monument			orner nument	
The above diagram is to give the locator a ger center of claim, or any distance from either end other. In description be careful to state locality claim.	neral idea of the plan you desire. In the d of claim with referen	of location under the new lagram we have placed it ce to some natural object, o	law. Your disco 500 feet from on or permanent mon	very shaft may be in the e end and 1000 feet from the ument, so as to identify the
at 9 de Book /6 Pages By A	Due Ric	Dated C	Cook	Noti

Notice of Location

LODE CLAIM

COLLEGE THE STATE

COUNTY RECORDER

NOTICE OF LOCATION

LODE CLAIM

LO

To All Wh	om it May Concern:
This mi	ning plain, the name of which is the 17 1015
Mining Claim, uable mineral	deposits, was entered upon and located for the purpose of exploration and purchase by
John	hie of Lakenan, a Cityen of the
Unite	l Halio
the undersion	ed, on the first day of December 1902
	gth of this claim is 9,20,60, feet,
and I	
in a Nove	uncerton, and
the center of t	che discovery shaft, at which this notice is posted, lengthwise of the claim, together with
side of the cen	tter of said claim. The general course of the lode deposit and premises is from the
1000	h Easterly; to the worth wester by
	m is situated and located in the Copper Mountain Mining District, in
Mrah	County, in the Territory of Arizona, about.
in a	
The no	The East The Tonto on the Dout west
and the	Jugar on the north work This claim
is oil	sated between Gold and Delour Guleta
111	and with the work allow " alloha
The curf	ace boundaries of the claim are marked upon the
a mosaire	ace boundaries of the claim are marked upon the ground as follows: Beginning at
	und of stones
e	
000000 000000 000 000 000 000 000 000	
at a point in a	north Eastellairection 260 fout from
	north Eastalgairection 260 feet from
the discovery s	haft (at which this notice is posted), being in the center of the Dovel Early
the discovery s	haft (at which this notice is posted), being in the center of the Porch East claim; thence 5 3/° 22 = 300.11 feet to a 4"14" free
the discovery side	haft (at which this notice is posted), being in the center of the Roll East claim; thence \$ 31° 22 E 300.11 feet to a 4'44' free, being the Roll East corner of said claim; thence
the discovery side	haft (at which this notice is posted), being in the center of the notice is posted in the notice
the discovery side	haft (at which this notice is posted), being in the center of the Roll East claim; thence \$ 31° 22 E 300.11 feet to a 4'44' free, being the Roll East corner of said claim; thence
the discovery signal from S. 60°/2 Court	haft (at which this notice is posted), being in the center of the notice is posted) to the notice is posted), being in the center of the notice is posted. I feet to a 4"X4" from corner of said claim; thence is posted to a 4"X4" from post being at the corner of said claim; thence is not
the discovery send line of said Sout Sout	haft (at which this notice is posted), being in the center of the Porth East claim; thence \$31°22' \in 300.11 feet to a 4'14' fine, being the Porth East corner of said claim; thence we gave to a 4"14' fine fort being at the corner of said claim; thence \$100.11 feet to a 4"14' fine fort being at the corner of said claim; thence \$100.11 feet to a 4"14' fine fort being at the corner of said claim; thence \$100.11 feet to a 4"14' fine fort being at the corner of said claim; thence \$100.11 feet to a 4"14' fine fort being at the corner of said claim; thence \$100.11 feet to a 4"14' fine fort being at the corner of said claim; thence \$100.11 feet to a 4"14' fine fort being at the corner of said claim; thence \$100.11 feet to a 4"14' fine fort being at the corner of said claim; thence \$100.11 feet to a 4"14' fine fort being at the corner of said claim; thence \$100.11 feet to a 4"14' fine fort being at the corner of said claim; thence \$100.11 feet to a 4"14' fine fort being at the corner of said claim; thence \$100.11 feet to a 4"14' fine fort being at the corner of said claim; thence \$100.11 feet to a 4"14' fine fort being at the corner of said claim; thence \$100.11 feet to a 4"14' fine fort being at the corner of said claim; thence \$100.11 feet to a 4"14' fine fort being at the corner of said claim; thence \$100.11 feet to a 4"14' fine fort being at the corner of said claim; thence \$100.11 feet to a 4"14' fine fort being at the corner of said claim; thence \$100.11 feet to a 4"14' fine fort being at the corner of said claim; thence \$100.11 feet to a 4"14' fine fort being at the corner of said claim; thence \$100.11 feet to a 4"14' fine fort being at the fine fort
the discovery significant for said claim; the discovery significant feet to a method said claim; the discovery significant feet to a method said claim; the discovery significant feet to a method said claim; the discovery significant feet to a method said claim; the discovery significant feet to a method said claim; the discovery significant feet feet to a method said claim; the discovery significant feet feet feet feet feet feet feet fe	haft (at which this notice is posted), being in the center of the Doll Early claim; thence \$31°22 = 300.11 feet to a 4"X4" frame, being the Doll Early corner of said claim; thence we gave to get to a 4"X4" frame for being at the corner of said claim; thence N 31°22' W 300.11 center of the Doll Tones being the center of the Doll T
the discovery send line of said S. 6.0°/2 South feet to a Mr of said claim; the being at the	haft (at which this notice is posted), being in the center of the Doll Early claim; thence \$31°22' \int good corner of said claim; thence heing at the corner of said claim; thence \(\lambda \) \(\
the discovery send line of said S. 6.0°/2 South feet to a Mr of said claim; the being at the	haft (at which this notice is posted), being in the center of the note said claim; thence \$3/°22' \overline{East} \tag{corner of said claim; thence} being at the note of
the discovery send line of said S. 6.0°/2 South feet to a Mr. of said claim; the being at the send of said claim; the said claim; the send of said claim; the send of said claim; the said claim;	haft (at which this notice is posted), being in the center of the north said claim; thence S 3/° 22 E 300. // feet to a 4'X4" from corner of said claim; thence being at the corner of said claim; thence N 3/° 22' N 300. // wind of the center of the center of the corner of said claim; thence N 3/° 22' N 300. // end thence N 3/° 22' N 300. // feet to a 4''X4" from for N 3/° 22' N 300. // feet to a 4''X4" from for N 3/° 22' N 300. // feet to a 4''X4" from for N 3/° 22' N 300. // feet to a 4''X4" from for N 3/° 22' N 300. // feet to a 4''X4" from for N 3/° 22' N 300. // feet to a 4''X4" from for N 3/° 22' N 300. // at the feet to a 4''X4" from for N 3/° 22' N 300. // at the
the discovery sign and line of said post feet to a Mark of said claim; the being at the feet to the place All done were all done were said claim; the feet to the place all done were said claims.	haft (at which this notice is posted), being in the center of the notice is posted) being in the center of the notice is posted) being in the center of the notice is posted. I claim: thence is a solution of the notice is posted), being in the center of the notice is a solution of the notice is posted being at the center of the notice is a solution of the notice is posted in the notice in the notice is posted in the notice in the notice is posted in the notice is posted in the notice in the notice is posted in the notice in the notice in the notice is posted in the notice in the notice in the notice is posted in the notice in the notice in the notice is posted in the notice in the notice in the notice in the notice is posted in the notice in the notice in the notice in the notice is posted in the notice in the notice in the notice is posted in the notice in the notice in the notice is posted in the notice in the notice in the notice in the notice is posted in the notice in the notice in the notice in the notice is posted in the notice in the notice in the notice in the notice is posted in the notice in the notice in the notice in the notice is posted in the notice in the
feet to the place All done w United States, a Revise the Laws	haft (at which this notice is posted), being in the center of the north Sad Claim; thence \$ 3/° 2 2 = 300.11 feet to a #X4" force of said claim; thence we gad of a feet to a #X4" force for the corner of said claim; thence we gad of a feet to a fe
feet to the place All done to United States, a Revise the Laws	haft (at which this notice is posted), being in the center of the horized Salar Sala
feet to the place All done to United States, a Revise the Laws	haft (at which this notice is posted), being in the center of the North Early claim; thence \$ 3/° 22 E 300.11 feet to a 4'14" from the post of said claim; thence will be so the corner of said claim; thence of the said claim; and of an Act of the General Assembly of Arizona, entitled "An Act to Codify and so the Territory of Arizona," approved March 16th, 1901. Amended Location Notice of the said
feet to the place All done to United States, a Revise the Laws	haft (at which this notice is posted), being in the center of the notice is posted), being in the center of the notice is posted), being in the center of the notice is posted. It claim: thence solve is a notice is posted in the notice is posted in the notice is posted in the notice is not posted in the notice is posted in the notice is not posted in the notice in the notice is not posted in the notice is not posted in the notice in the notice in the notice is not posted in the notice in the notice in the notice is not posted in the notice in
the discovery send line of said Show 12 Show 12 Feet to a Mr of said claim; the being at the wing at the wing at the United States, a Revise the Laws This is an Mining Claim, low 14 July 19 July	haft (at which this notice is posted), being in the center of the notice is posted), being in the center of the notice is posted), being in the center of the notice is posted. It claim: thence so not notice is posted), being in the center of said claim: thence is not notice is posted. It is not
feet to a Place feet to the place All done w United States, a Revise the Laws This is an Mining Claim, lo page 389, in to which referen	haft (at which this notice is posted), being in the center of the North Early (claim; thence \$ 3/° 2 2 = 350.// feet to a 4''Y4'' force point of said claim; thence with the corner of s
feet to the place All done u United States, a Revise the Laws This is an Mining Claim, lo page 389, in to which referen	haft (at which this notice is posted), being in the center of the notice is posted), being in the center of the notice is posted), being in the center of the notice is posted), being the notice is posted in the notice is posted in the notice of the notice is posted in the center of the notice is made and posted to correct cription in the said original Location Notice. I claim: thence S 3/° 2 2 'W' 300.// feet to a 'Y' Y' Y' Y' 300.// feet to a 'Y' Y' Y' Y' 300.// feet to a 'Y' Y' Y' Y' Y' 300.// feet to a 'Y' Y' Y' Y' Y' Y' 100.// feet to a 'Y' Y'
feet to the place All done u United States, a Revise the Laws This is an Mining Claim, lo page 389, in to which referen	haft (at which this notice is posted), being in the center of the North Early (claim; thence \$ 3/° 2 2 = 350.// feet to a 4''Y4'' force point of said claim; thence with the corner of s
feet to the place All done u United States, a Revise the Laws This is an Mining Claim, lo page 389, in to which referen	haft (at which this notice is posted), being in the center of the notice is posted), being in the center of the notice is posted), being in the center of the notice is posted), being the notice is posted in the notice is posted in the notice of the notice is posted in the center of the notice is made and posted to correct cription in the said original Location Notice. I claim: thence S 3/° 2 2 'W' 300.// feet to a 'Y' Y' Y' Y' 300.// feet to a 'Y' Y' Y' Y' 300.// feet to a 'Y' Y' Y' Y' Y' 300.// feet to a 'Y' Y' Y' Y' Y' Y' 100.// feet to a 'Y' Y'
the discovery send line of said Show 12 Show 12 Feet to a Mr of said claim; the being at the wind states, a Revise the Laws This is an Mining Claim, low 14 page 389, in to which reference or in the deservers in the deserv	haft (at which this notice is posted), being in the center of the notice is posted), being in the center of the notice is posted), being in the center of the notice is posted), being the notice is posted in the corner of said claim; thence is not notice is made and posted to correct cription in the said original Location Notice.
the discovery send line of said Show 12 Show 12 Feet to a Mr of said claim; the being at the wind states, a Revise the Laws This is an Mining Claim, low 14 page 389, in to which reference or in the deservers in the deserv	haft (at which this notice is posted), being in the center of the North Early leading; thence \$31°22' E 200.11 feet to a #"X4" from corner of said claim; thence will being at the corner of said claim; thence of Said clai

1	2
	1
1	0
	(20)
ı	0

TERRITORY OF ARIZONA,	ss.		
County of		•	
The same territory of the same of the same and the same	Cc	ounty Recorder in and for t	he County and
Territory aforesaid, do hereby certify the	nat the within instrum	nent was filed for record at	
o'clock Ms, on this			
11.7			
duly recorded in Book No		Records or	
County, Arizona, at pages	and a second	down at 3 min	
Witness my hand and seal	the day and year firs	t above written	
	.*	Count	y Recorder
			10 × 20 10
			•
30 -7	Y		
The state of the s	A		
Corner	W.	Corner Monument	•
Months			. 25
	300 fe	i i i i i i i i i i i i i i i i i i i	8.4.8°
Мог	Disc S	d dent	
End Monument	1991 000 ● haffet 1000 feet 1	End Monument	
nt.	8 Y	S C S	
	J 12		- 1
Corner Monument	Table 15	Corner Monument	4

Notice of Location

LODE CLAIM

LODE CLAIM

REPARINT, CLIFTON

MAINT, CLIFTON

AMENDED

AMEND

AMENDED

AMENDED

AMENDED

AMENDED


AMENDED

AMENDED

AMENDED

COPPER ERA PRINT, CLIFTON

TERRITORY OF ARIZONA,
TERRITORY OF ARIZONA, County of
County Recorder in and for the County and
Territory aforesaid, do hereby certify that the within instrument was filed for record at
o'clock
duly recorded in Book No of Records of
County, Arizona, at pages
Witness my hand and seal the day and year first above written
County Recorder



Notice of Location
Notice of Location
LODE CLAIM

That Lake Blain
Rother Met Riet

Rother Met Recurrent

Dated Recurrent 1902

Filed and recorded at request of

Piled and recorded at Request of

Rook & Real Lakenan

Book & Real Lakenan

County Recorder.

By L. A. Clerker

By L. G. County Recorder.

Amer led Notice of Mining Location Lede Claim.	
To All Whom it May Concern:	21
This infinite claim at which is the	34
Mining Claim, situate on lands belonging to the United States of America, and in which there are nable mineral deposits, was entered upon and located for the purpose of exploration and purchase	e var- tse bv
Jophie R Lakinan	J
	/1 × ******
the undersigned, on the first day of December 190 >	
The length of this claim is // 90.70	fast
	1.00
and claim 900	feet,
in a North Early direction, and 290,70 feet in a South Western direction the center of the discovery chaft at which this notice is neeted lengths of the elein together	
feet in a South Westerly direction	ı from
the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together	r with
feet in width of the surface grounds, or	ı each
side of the center of said claim. The general course of the lode deposit and premises is fro	m the
Hoch Easterly to the bouch west	<u> </u>
The claim is situated and located in the The Mocentain Mining Distr	ict. in
Gounty, in the Territory of Arizona, about	
in a direction from and adjoins the light	
the north east the Stevens In The Louth west a	~
Che. Worto on the South Earl	
V	
The surface boundaries of the claim are marked upon the ground as follows: Beginn	ing at
a stound of Glones	0.0000000
	// // // // // // // // // // // // //
at a point in a north Easterly direction 900 fee	from
the discovery shaft (at which this notice is posted), being in the center of the Horth E	
the discovery shart (at which this hotice is posted), being in the center of the 1700 - 12 -	2.3.7
end line of said claim: thence \$ 290 26 E 301.77 feet to a 4"X4" from corner of said claim: t	5
pol corner of said claim; t	hence
513° 51'W 1190.70 feet to a 4"x4" frim front being	
Douth East corner of said claim; thence N 290 56 W	391.77
Once 1.10 T	7/
feet to a Mound of Mones being the center of the Louth los	
of said claim; thence $\sqrt{29^{\circ}56}$ w $\sqrt{30/77}$ feet to a $\sqrt{24}$ fine	post
being at the Jouth West corner of said claim; thence N 53° 57	E
	it the
math the T	
Moth best corner of said claim; thence 9-29056 =	61.77
All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes	of the
United States, and of an Act of the General Assembly of Arizona, entitled "An Act to Codif Revise the Laws of the Territory of Arizona," approved March 16th, 1901.	y and
This is an Amended Location Notice of the Clampbell	
Mining Claim, located by Ignacio Campbell	·········
on the 20th	lay of
were 1890 and recorded in book 6 of Records of Min	es at
pages 389, in the office of the County Recorder of the aforesaid County of	co, at
to which reference is hereby made, and this Amended Location Notice is made and posted to c	orrect
errors in the description in the said original Location Notice.	
Dated and posted on the ground this fund day of deember	سيستر 90.
Wellien. Tophie of Lakeman	*******
\mathcal{X}	0.00
L. N. Marga	
Tr. Williams	
COPPER ERA PRINT, CLIFTON.	

TERRITORY OF ARIZONA,	} ss.				*
		County 1	Recorder in a	and for the	County and
Territory aforesaid, do hereby certify the	nat the with	in instrument w	as filed for r	ecord at	
o'clock	da	ay of	nna giomentanione.	····	190, and
duly recorded in Book Noof		Re	ecords of		
County, Arizona, at pages	400		F 100 4		
Witness my hand and seal	the day and	year first above	e written		
				County	Recorder
		I'M A	()E	a dua.	5.5
t orner Monument			Corner Monument		
Adonument .	Discovery Shaft 300 feet • 300 feet	1000 feet 100	End		-
Corner Monument			Corner Monument	•	_

Notice of Location
Notice of Location
LODE CLAIM

COUNTY Recorder.

BY MENDED

AMENDED

AMENDED

LODE CLAIM

LODE CLAIM


LODE CLAIM

LODE CLAIM

ALLOW

LODE CLAIM

TERRITORY OF ARIZONA,
TERRITORY OF ARIZONA, County of
County Recorder in and for the County and
Territory aforesaid, do hereby certify that the within instrument was filed for record at
o'clock
duly recorded in Book No of Records of
County, Arizona, at pages
Witness my hand and seal the day and year first above written
County Recorder



Recorder. BOOK / BO MANDA MANDA 1900 2. BOOK / BO MANDA PRINT, OLIFTON EFA PRINT, OLIFTON	Dated December 1902 Filed and recorded at request of Children of Section of	AMENDED Notice of Location LODE CLAIM Code CLAIM Co
--	---	--

J. Holl

TO ALL WHOM THESE PRESENTS MAY CONCERN:

County of New York, State of New York do hereby declare and publish as a as alegal notice to all the world that I have a valid right to the possession, occupation and enjoyment of all and singular that tract or parcel of land, not exceeding five acres, situate, lying and being in the Copper Mountain Mining District, in the County of Graham, Territory of Arizona, bounded and described as follows, to wit:

The Lakenan Lill-Site, beginning at Corner No. One, a monument of stone about one mile in a Westerly direction from Eagle River, opposite the mouth of Gold Gulch; Thence South 406.7 feet to the Southeast corner; thence West 466.7 feet to the Jouthwest corner; thence North 466.7 feet to the Northwest corner; thence Fast 438.7 feet to the place of beginning.

This mill-site is located in connection with the Lakenan Group of mines in said Copper Mountain Mining District and is intended as a mill-site for use in working and developing said mines.

This is intended as an amended location notice of the Lakeman mill-site, located November 17,1/94, by R.Lakenan and amended Janu-ary 1,1898, by Richard Lakenan, the original notice of said location being Recorded in Book one Records of Hill-Sites, Records of Graham County, Arizona, at page 115 and said amended location being recorded at pages 186 and 127 of said Book one Record of Hill-sites.

Date and posted on the ground this

28th day of January, 1903. Sophie R. Lakenan,

By her Attorney-in-Fact,

John astawpton

Will site notice aniended notice of Lakenan Millsite leofifee Mountain Jany 22 the 1903 I Med for record the 4 "Bay of Feb 1903 at 9 o'clock a.M. and recorded in Book Ore

Millsites on page

179 at the request of A Hampton

SURVEYOR=GENERAL'S CERTIFICATE OF APPROVAL OF FIELD NOTES AND SURVEY OF MINING CLAIM.

Department of the Interior.

Office of U. S. Surveyor-General, I, U. S. Surveyor-General for the district do hereby certify that the foregoing and hereto attached Field Notes and Return of the Survey of the situate in ... , Township No., Range No. designated as Survey No. 1764 A Th Eir-, U. S. Deputy Mineral, 1903., under my instructions dated, 1903, have been critically examined and the necessary corrections and explanations made, and the said Field Notes and Return, and the Survey they describe, are hereby approved. A true copy of the copy of the location certificate filed by the applicant... for survey is included in the field notes.

4115b5m6-02