

**M  
S  
-**

**0**

**1**

**8**

**0**

**2**

7/16/03

*Thomas, notes re capital  
A.P.S.*

(4-683.)

Mineral Survey No. 1802

Lot No. ....

Prescott Land District.

FIELD NOTES

OF THE SURVEY OF THE MINING CLAIM OF

David Grubb

KNOWN AS THE

"Wellington"

Hassayampa Mining District,

Yavapai County, Arizona

*approximately* Section 12, Township 12 N, Range 2 W. (unsurveyed)

Surveyed under instructions dated May 5<sup>th</sup> 1903.

by A. B. Mader

U. S. Deputy Mineral Surveyor

Claim located Jan. 1<sup>st</sup> 1886 ~~18~~

Survey commenced June 24<sup>th</sup> 1903 ~~18~~

Survey completed June 25<sup>th</sup> 1903 ~~18~~

.. 6-20

Ross & O'Sullivan  
Prescott, A. T.

Attorneys for Claimant

# PRELIMINARY OATHS OF ASSISTANTS IN SURVEY OF MINING CLAIM.

A. N. Halloran and \_\_\_\_\_,  
do solemnly swear that we will well and faithfully execute the duties of chain carriers; that we will level the chain upon even and uneven ground and plumb the tally-pins, either by sticking or dropping the same; that we will report the true distance to all notable objects, and the true length of all lines that we assist in measuring, to the best of our skill and ability, and in accordance with instructions given us, in the survey of the Mining Claim of David Grubb

known as the Wellington  
situate in Hassayampa mining district  
Yavapai County, Arizona  
in Section \_\_\_\_\_, Township No. \_\_\_\_\_, Range No. \_\_\_\_\_

A. N. Halloran, Chairman.  
\_\_\_\_\_, Chairman.

Subscribed and sworn to by the above-named persons before me this 23rd day of June, 1903

*My Commission expires April 16, 1903.*  
W. H. Anderson  
Notary Public

I, \_\_\_\_\_, do solemnly swear that I will well and truly perform the duties of axman, in the establishment of corners and other duties, according to instructions given me and to the best of my skill and ability, in the survey of the Mining Claim of \_\_\_\_\_

known as the \_\_\_\_\_  
more fully described in the preceding affidavit.  
\_\_\_\_\_, Axman.

Subscribed and sworn to by the said \_\_\_\_\_  
\_\_\_\_\_ before me this \_\_\_\_\_ day of \_\_\_\_\_, 190\_\_\_\_

I, \_\_\_\_\_, do solemnly swear that I will well and truly perform the duties of flagman, in the establishment of corners and other duties, according to instructions given me and to the best of my skill and ability, in the survey of the Mining Claim of \_\_\_\_\_

known as the \_\_\_\_\_  
more fully described in the preceding affidavit.  
\_\_\_\_\_, Flagman.

Subscribed and sworn to by the said \_\_\_\_\_  
\_\_\_\_\_ before me this \_\_\_\_\_ day of \_\_\_\_\_, 190\_\_\_\_

Survey No 1802

Wellington Lode

3

1

Feet

Beginning at Cor. No 1.  
Identical with the corner of the location.  
A syenite stone, 11 x 12 x 22 inches  
long set 12" in the ground and  
chiseled 1-W-1802, with a mon.  
of stones 2 1/2' base by three feet  
high alongside, whence,  
U.S. Mineral Mon. No 1, Hassayampa  
Mining District bears N 87°-36' E, 687.5 ft.  
An oak tree, 11" diam, bears N 13°-20' E  
10.9' and is scribed B.T. 1-W-1802.  
An oak tree, 13" diam, scribed B.T.  
1-W-1802, bears S 64°-28' E, 16.5'.

Thence N 31°-7' E

493.15 Intersect line 1-2 of the Sacramento  
Lode, Survey No Lot 49, at a point  
492.67 ft. S 40°-53' W from Cor. No 1.

741.34 Intersect line 1-2-3 of the Snowclad  
Lode, Lot No 63, at a point 252.79 ft.  
S 48°-43' E from Cor. No 3 and 85.91 ft.  
N 48°-43' W from Cor. No 1.

1500 To Cor. No 2.

Identical with corner of the location.  
A cross on a syenite rock, in place,  
18" x 18" x 3" above ground, chiseled a  
cross at each corner point and  
2-W-1802, and erected a mon. of  
stone 2' base by 3' high alongside.  
An oak tree, 10" diam, scribed 2-W-1802  
B.T. bears S 67°-50' E, 22'.  
A pine tree, 20" diam, scribed B.T. 2-W-  
1802, bears S 71°-20' W, 39.5 ft.

Thence N 39°-11' W

down steep hill, heavily timbered.

92.27 Intersect line 3-4 of Snowclad Lode,  
lot No 63, at a point N 43°-23' E, 762.54'  
from Cor. No 3.

300 To the North Custer End.

Identical with the location.  
A mon. of stones 2' base by 3' high.

314.89 Intersect line 1-2 of the "96" Lode

- 754 of Survey No 1461 at a point  $S42^{\circ}39'W$   
360.83 ft. from Cor. No 2.
- 333.49 Intersect line 4-1 of the Mc. Kinley  
lode of Survey No 1461, at a point  
 $S60^{\circ}45'E$ , 139.37 ft. from Cor. No 4.
- 479.57 Intersect line 3-4 of the Mc. Kinley  
lode, of Survey No 1461 at a point  
 $N33^{\circ}E$ , 53.81 ft. from Cor. No 4.
- 530 Cross wagon road bears N.E. and S.W.
- 565 Cross Hassayampa Creek, 20 ft. wide,  
course S.W. bears N.
- 600 To Cor. No 3.  
Identical with Corner of the location.  
A porphyry rock, 6" x 15" x 18" long, set  
9" in the ground, to bedrock, and chiseled  
3-W-1802, with a mon. of stone, 2 1/2'  
base by 3' high alongside.  
An oak tree, 18" in diam., scribed B.T.  
3-W-1802, bears  $N16^{\circ}38'W$ , 17.7'.  
A maple tree, 14" diam, scribed B.T.  
3-W-1802, bears  $N83^{\circ}8'W$ , 102'.  
Thence  $S31^{\circ}7'W$
- 125 Cross Hassayampa Creek, 20' wide,  
course S.W. bears N.E.
- 155 Cross wagon road, bears N.E. and S.W.
- 184.34 Intersect line, representing westerly  
side line of the Wellington claim as  
fixed in Survey No 1461, at a point  
87.48 ft.  $S38^{\circ}47'W$ , from the North  
westerly corner of the Wellington  
claim as so fixed.  
up steep hill, heavily timbered.
- 855.11 Intersect line 1-4 of the "A6" lode, survey  
No 1461, identical with line 2-3 of the  
"Edua May" lode Survey No 1461, at a  
point  $N39^{\circ}W$ , 112.58 ft. from Cor. No  
1-2.
- 1045.63 Intersect line 1-2 of the "Edua  
May" lode, Survey No 1461, at a point  
 $S65^{\circ}56'W$ , 185.46 ft. from Cor. No 2.
- 1500 To Cor. No 4.

- 700 Identical with Corner of the location.  
 A schist stone, 5" x 14" x 2.4", set 12"  
 in the ground, chiseled 4-W-1802  
 with a mon. of stone 2 1/2' base by  
 3' high alongside.  
 An oak tree, 7" diam. scribed B.T. 4-W-1802  
 bears N 83° W, 9.7'.  
 No other bearings available.  
 Thence S 39°-11' E  
 up steep, bushy hill.
- 300 To the South Center End.  
 Identical with the location.  
 Quartz ledge, in place, 3' x 18" x 10"  
 above ground, chiseled a cross at  
 the exact ~~corner~~ point and S.C.E.  
 W-1802 and erected a mon. of stone  
 2 1/2' base by 3' high alongside.  
 An oak tree, 6" diam. scribed B.T.  
 S.C.E. W-1802 bears S 70° W, 10.7 ft.
- 515.07 Intersect line 1-2 of the Sacramento  
 lode, Lot N<sup>o</sup> 49 at a point S 40°-53' W  
 964.03 ft. from Cor. N<sup>o</sup> 1.
- 600 To the place of beginning.

The variation at all the Corners is 14° E.

This claim is located in the Hassayampa  
 Mining District, Yavapai Co, Arizona,  
 on unsurveyed land, in what would  
 approximately be, if surveyed, Sec. 12  
 T 12 N, R 2 W.

#### Adjoining Claims.

on the N McKinley & "96" lodes of Survey N<sup>o</sup> 1461;  
 and the Snow Clad lode, Lot N<sup>o</sup> 63 on the South,  
 the "Short Mine" lode, unsurveyed, David Grubb  
 & — Blucher, claimants; on the East the  
 Sacramento lode Lot N<sup>o</sup> 49 & Snowclad lode  
 Lot N<sup>o</sup> 63, on the West the "96" & Edna May lodes  
 of Survey N<sup>o</sup> 1461 and U. S. Public land.  
 The course and length of the ledge on the Wellington  
 lode is from the S.C.E. to the N.C.E., N 31°-7' E, 1500'  
 and is traceable by crosspings.

Expenditure of Five Hundred Dollars.

I certify that the value of the labor and improvements on the "Wellington" claim, placed thereon by the claimant or his grantors is not less than Five Hundred Dollars and that said improvements consist of:

<u>Discovery Cut No 1:</u> the southerly end of which bears S 69°-25' E, 290' from Cor. No 4 and is 4' wide x 21' long x 4' deep bearing N 31° E.	Value	\$ 125.00
<u>Shaft No 2:</u> which bears S 89°-25' E, 412' from Cor. No 4 and is 8' x 10' x 25' deep.	Value	750.00
<u>Cut No 3:</u> The southerly end of which bears S 85°-30' E, 422' from Cor. No 4 and is 6' wide x 60' long x 8' deep, bearing N 30° E.	Value	900.00
<u>Tunnel No 4:</u> which bears N 75°-30' E 400' from Cor. No 4 and consists of an approach cut 4' x 30' x 10' face and a tunnel 4' x 6' x 15' long bearing N 31° E.	Value	300.00
<u>Cut No 5,</u> the southerly end of which bears N 64°-15' E, 505' from Cor. No 4 and is 4' wide x 16' long x 8' deep bearing N 38° E.	Value	175.00
<u>Cut No 6,</u> the southerly end of which bears N 60°-55' E, 534' from Cor. No 4 and is 6' wide x 26' long x 5' deep bearing N 30° E.	Value	250.00
<u>Cut No 7,</u> the southerly end of which bears N 55°-30' E, 583' from Cor. No 4 and is 8' wide x 30' long x 10' deep, bearing N 31° E.	Value	850.00
<u>Shaft No 8,</u> which bears N 51°-05' E, 682' from Cor. No 4 and is 5' x 7' x 37' deep, timbered.	Value	500.00
<u>Shaft No 9,</u> which bears N 48°-50' E, 747' from Cor. No 4 and is 4' x 6' x 10' deep.	Value	100.00
<u>Shaft No 10,</u> which bears S 63°-15' W, 650' from Cor. No 2 and is 14' x 11' x 8' deep.	Value	400.00
<u>Cut No 11,</u> which bears S 65°-50' W 593' from Cor. No 2 and is 6' wide x 10' long x 6' face.	Value	50.00
<u>Shaft No 12,</u> which bears S 87°-25' W 348' from Cor. No 2, and is 4' x 6' x 12' deep.	Value	100.00
	Carry	\$ 4500.00





# FINAL OATHS FOR SURVEYS.

## LIST OF NAMES.

A list of the names of the individuals employed by A. B. Mader  
 United States Deputy Mineral Surveyor, to assist in running, measuring, and marking the lines  
 corners and boundaries described in the foregoing field notes of the survey of the mining claim  
 of David Grubb  
 known as the Wellington  
 and showing the respective capacities in which they acted.

A. H. Halloran, Chairman.  
 \_\_\_\_\_, Chairman.  
 \_\_\_\_\_, Axman.  
 \_\_\_\_\_, Flagman.

## FINAL OATHS OF ASSISTANTS.

We, A. H. Halloran  
 and \_\_\_\_\_, do solemnly swear that we assisted A. B. Mader  
 \_\_\_\_\_, United States Deputy Mineral Surveyor, in marking the corners and  
 surveying the boundaries of the mining claim of David Grubb  
 \_\_\_\_\_, known as the Wellington, represented  
 in the foregoing field notes as having been surveyed by said deputy mineral surveyor and under  
 his direction; and that said survey has been in all respects, to the best of our knowledge and  
 belief, faithfully and correctly executed, and the corner and boundary monuments established  
 according to law and the instructions furnished by the United States Surveyor-General for  
Arizona

A. H. Halloran, Chairman.  
 \_\_\_\_\_, Chairman.  
 \_\_\_\_\_, Axman.  
 \_\_\_\_\_, Flagman.

Subscribed and sworn to by the above-named persons before me  
 this 30<sup>th</sup> day of June, 1903

W. H. Henderson  
 Notary Public

My Commission expires April 16, 1905

FINAL OATH OF U. S. DEPUTY MINERAL SURVEYOR

I, A. B. Mader, U. S. Deputy Mineral Surveyor, do solemnly swear that, in pursuance of instructions received from the United States Surveyor General for Arizona, dated May 5<sup>th</sup> 1903, I have, in strict conformity to the laws of the United States, the official regulations and instructions thereunder, and the instructions of said Surveyor General, faithfully and correctly executed the survey of the Mining Claim of David Grubb, known as the Wellington, situate in Havasampa Mining District, Yavapai County, Arizona, in Section \_\_\_\_\_, Township No. \_\_\_\_\_, Range No. \_\_\_\_\_, and designated as Survey No. 1802, as represented in the foregoing field notes, which accurately show the boundaries of said mining claim as distinctly marked by monuments on the ground, and described in the attached copy of the location certificate, which was received by me from the Surveyor General with said instructions, and that all the corners of said survey have been established and perpetuated in strict accordance with the law, official regulations and instructions thereunder; and I do further solemnly swear that the foregoing are the true and original field notes of said survey and my report therein, and that the labor expended and improvements made upon said mining claim by claimant or his grantors are as therein fully stated, and that the character, extent, location and itemized value thereof are specified therein with particularity and full detail, and that no portion of said labor or improvements so credited to this claim has been included in the estimate of expenditures upon any other claim.

A. B. Mader  
U. S. Deputy Mineral Surveyor.

Subscribed and sworn to by the said A. B. Mader,  
U. S. Deputy Mineral Surveyor, before me C. W. Herndon  
a Notary Public this 30<sup>th</sup>  
day of June 1903.

C. W. Herndon  
Notary Public

My Commission expires April 15, 1905

Feet

## Detailed Description

of the

Conflict between the Wellington Lode, Survey No. 1802, and the "96" Lode, Survey No. 1461, which is to be excluded from the Wellington Lode in favor of the said "96" Lode.

Beginning at a point on line 3-4 of the Wellington lode, at S. 31° 7' W. 184.34 ft. from Cor. No. 3, which point is at the intersection of line 7-4 of the said Wellington lode with the west side line of the said Wellington lode as fixed in the survey of the "96" lode, Survey No. 1461.

Thence N. 31° 7' E.

184.34 Along line 4-3 of the said Wellington lode, to Cor. No. 3 of the said Wellington lode.

Thence S. 39° 11' E.

120.43 Along line 3-2 of the said Wellington lode, to a point at the intersection of line 3-4 of the McKinley lode, Survey No. 1461.

Thence S. 33° W.

53.81 to Cor. No. 4 of the said McKinley lode, Survey No. 1461, and to a point on the line of conflict between Survey No. 1461, "96" lode, and the Wellington lode as established in the survey of the said "96" lode.

Thence N. 60° 45' W.

100. Along the line of conflict as established in Survey No. 1461, "96" lode, to an angle point.

Thence S. 38° 47' W.

87.48 Along the line of conflict as established in Survey No. 1461, "96" lode, to the place of beginning survey of the conflict, containing .208 acres.

\*\*\*\*\*

Office of U. S. Surveyor-General,

Phoenix, Arizona, July 7, 1908.

I hereby certify that the foregoing description of the conflict between the Wellington lode, Survey No. 1802 and the "96" lode, Survey No. 1461, which conflict is to be excluded from the said Wellington lode in favor of the said "96" lode, is a true description of said conflict as set forth in the notes and plat of Survey No. 1802, Wellington lode.

Frank S. Ingalls,  
U. S. Surveyor General.

Affidavit of Five Hundred Dollars Improvements.

We, Sam Snapp, and Fred Crone

of lawful age, being first duly sworn according to law, depose and say: That we

are acquainted with the Wellington mining claim,

situate in Hassayampa Mining district, Yavapai County,

Arizona Territory, for which David Grubb

has made application for survey prior to application for patent under the provisions of the Act of Congress, approved May 10, 1872; and that the labor done and improvements made thereon by the applicant and his grantor exceeds Five Hundred Dollars in value, and further that we are not personally interested in said mine.

Sam Snapp

Fred Crone

TERRITORY OF ARIZONA,

County of Yavapai } ss:

Sworn to and subscribed before me, this 1<sup>st</sup>



day of July, 1903

Max J. Adams

Notary Public

My Commission expires  
April 15<sup>th</sup> 1905.

NOTICE OF LOCATION.

KNOW ALL MEN BY THESE PRESENTS:

That I the undersigned, have this day located fifteen hundred (1500) linear feet of this vein or lode, bearing precious metals, with all dips, spurs, angles and variations, with surface ground Three hundred (300) feet on each side of the center of vein, with all Mineral Deposits contained therein, and all Timber growing within the limits of said claim, and all water and water privileges thereon or appurtenant thereto, under and according to the provisions of the Mining Laws of the United States, under which it is Located. This claim commences at this Monument and Notice placed upon the ledge, and runs fifteen hundred (1500) feet in a Northerly direction along the ledge. The exterior boundaries are as follows, viz:

Less the conflict with the Sacramento. Commencing at this Monument and Notice, and running three hundred (300) feet in an easterly direction to monument of stone at S. E. corner of claim; thence in a Northerly direction parallel with the ledge (1500) fifteen hundred feet to Monument of stones at N. E. corner of claim; thence in a westerly direction at right angles across the ledge Six hundred (600) feet to monument of stone at N. W. corner of claim; thence parallel with the lode in a Southerly direction fifteen hundred (1500) feet to monument of stone at S. W. corner of claim; thence at right angles across the ledge in an easterly direction three hundred (300) \_\_\_to monument upon the ledge and place of beginning.

This ledge may be more generally described as situated (300) three hundred feet less the conflict on the east side of this vein or lode with the Sacramento Mine and the Snow Clad Mine, Lying about (300) eight hundred feet in a westerly direction from U. S. Mineral monument number 1 one, with four monuments of stone along the ledge, in Massayampa Mining District, Yavapai County, Arizona Territory, and shall be known as the "WELLINGTON" Mining Claim.

Dated on the ground this the first day of January, 1888, at 12 o'clock A. M.

W. H. HARLAN.

Filed and recorded at request of W. J. Pace, Feby. 20th, A. D. 1888, at 2:45 o'clock P. M., in Book 22 of Mines, pages 85 & 86, Records of Yavapai County, Arizona.

William Wilkerson,  
County Recorder.

By W. C. Foster, Deputy.

\*\*\*\*\*

Territory of Arizona,)
:SS.
County of Yavapai. )

I, P. J. FARLEY, County Recorder in and for the County of Yavapai, in the Territory of Arizona, and Custodian of the Records thereof, do hereby certify that I have compared the above and foregoing with, and the same is a full, true and correct copy of the notice of location of "WELLINGTON" Mining Claim, as the same appears of record in my office in Book 22 of Mines, pages 85-86, Records of Yavapai County, Arizona.

IN WITNESS WHEREOF, I have hereunto set my hand and affixed my Official Seal, this 23rd day of April, A. D. 1903.

[Handwritten signature of P. J. Farley]
County Recorder.

4-687.

SURVEYOR-GENERAL'S CERTIFICATE OF APPROVAL OF FIELD NOTES AND SURVEY OF MINING CLAIM.

Department of the Interior.

Office of U. S. Surveyor-General,

Phoenix, Arizona

Oct. 12, 1903

I, U. S. Surveyor-General for District of Arizona

do hereby certify that the foregoing and hereto attached Field Notes and Return of the Survey of the Mining Claim of David Grubb

known as the Wellington lode

situate in Hassayampa mining district,

Yavapai County, Arizona

approx. in Section 12, Township No. 12 N., Range No. 2 W. (unsurveyed)

designated as Survey No. 1802

executed by A. B. Mader, U. S. Deputy Mineral

Surveyor, June 24-25, 1903, under my instructions dated

May 5th, 1903, have been critically examined and the necessary cor-

rections and explanations made, and the said Field Notes and Return, and the Survey they describe, are hereby approved. A true copy of the copy of the location certificate filed by the applicant for survey is included in the field notes.

Frank A. Ingalls

U. S. Surveyor-General for Arizona