

MS

01829

MAR 12 1904
MAR 19 1904

(4-683.)

Mineral Survey No. 1829.

Lot No. _____

PRESCOTT Land District.

FIELD NOTES

OF THE SURVEY OF THE MINING CLAIM OF

Geo. P. Harrington

KNOWN AS THE

Cliff, Cuge, George Washington, Dyke and Champion.

Tiger Mining District,

Yavapai County, Arizona.

Section approx. Township 10 N., Range 1 W. unad. C. & S. R. H.

Surveyed under instructions dated July 2th, 1903.

by J. J. Fisher,
U. S. Deputy Mineral Surveyor.

Claim located See location certificates 1

Survey commenced July 11th, 1903.

Survey completed July 12th, 1903.

6-180

Address of claimant,

Geo. P. Harrington,

Crown King,

Arizona.

PRELIMINARY OATHS OF ASSISTANTS IN SURVEY OF MINING CLAIM.

WE, Chas Ballye and L. N. Abel,
do solemnly swear that we will well and faithfully execute the duties of chain carriers;
that we will level the chain upon even and uneven ground and plumb the tally-pins,
either by sticking or dropping the same; that we will report the true distance to all
notable objects, and the true length of all lines that we assist in measuring, to the best
of our skill and ability, and in accordance with instructions given us, in the survey of
the Mining Claim of George P Huntington

, known as the Clef. Gage, George Washington, Dyke & Champions
situate in Tiger mining district,
Yavapai County, Arizona,
in Section Approx Township No. 10 N, Range No. 1 W more

Chas. Ballye, Chairman.
+ L. N. Abel, Chairman.

Subscribed and sworn to by the above-named persons before
my commission expires me this 11th day of July, 1903
May 19 1904

J. J. Fisher
Notary Public
I, L. N. Abel

, do solemnly swear that I will well and
truly perform the duties of axeman, in the establishment of corners and other duties,
according to instructions given me and to the best of my skill and ability, in the survey
of the Mining Claim of Geo. P Huntington

known as the Clef. Gage, George Washington, Dyke & Champions,
more fully described in the preceding affidavit.

+ L. N. Abel, Axeman.

Subscribed and sworn to by the said L. N. Abel
before me this 11th day of
July, 1903
May 19 1904

J. J. Fisher
Notary Public
I, Chas Ballye

, do solemnly swear that I will
well and truly perform the duties of flagman, in the establishment of corners and other
duties, according to instructions given me and to the best of my skill and ability, in the
survey of the Mining Claim of Geo. P Huntington

known as the Clef. Gage, Geo. Washington, Dyke & Champions,
more fully described in the preceding affidavit.

Chas. Ballye, Flagman.

Subscribed and sworn to by the said Chas Ballye
before me this 11th day of
July, 1903
May 19 1904

J. J. Fisher
Notary Public
o 6-145

Part. Survey No. 1829.

CLIFF LODGE.

Beginning at cor. No. 1, which is also cor. No. 2, Gage, and cor. No. 2, Dyke lode of this survey.

A granite stone 8x12x24 ins. set one foot in ground, alongside a mon. of stones 3x3 ft. Stone marked C. 1-1829, G, 2-1829, and D. 2-1829.

A x on a granite rock in place marked B. A. C. 1-1829 brs. S. 57° 30' W. 29.1 ft.

A x on a granite rock in place marked B. A. G. 2-1829 brs. S. 3° 35' W. 37.1 ft.

U. S. M. M. No. 1, T. D. brs. N. 50° 13' E. 9829.62

Cor. common to Secs. 21-22-27 & 28, T. 10 N.
R. 1 W. brs. N. 1° 46' W. 9165.6 ft.

Thence S. 17° 49' ...

Var. 14° E.

1500.

To cor. No. 2, a porphyry stone 8x12x24 ins. set one foot in ground, alongside a mon. of stones 3x3 ft. Stone marked C. 2-1829. No brs. available.

Thence S. 73° E.

Var. 14° E.

300.

To S. C. lnd, a porphyry stone 8x12x24 ins. set one foot in ground, alongside a mon. of stones 3x3 ft. Stone marked S. C. E. C. 1829.

600.

To cor. No. 3, a quartz stone 4x12x24 ins. set one foot in ground, alongside a mon. of stones 3x3 ft. Stone marked C. 3-1829.

A x on an oak tree 4 ins. in diam. marked B. F. C. 3-1829 brs. East 11.7 ft.

Fest.

Survey No. 1329.

Thence N. $17^{\circ} 49'$ E.Var. 14° E.

1500. To cor. No. 4, which is also cor. No. 3, Guce lode of this survey.

A granite stone $8 \times 10 \times 24$ ins. set one foot in ground, alongside a mon. of stones 3×3 ft. Stone marked C. 4-1329, and G. 3-1329. No brs. available.

Thence N. 78° W.Var. 14° E.

300. To N. C. End, which is also S. C. End Guce lode of this survey. A porphyry stone $8 \times 10 \times 24$ ins. set one foot in ground, alongside a mon. of stones 3×3 ft. Stone marked N. C. E. C. 1329, and S. C. E. G. 1329.

600. To cor. No. 1, the place of beginning, survey of exterior boundaries.

* * * * *

GUCE LODGE.

Beginning at cor. No. 1, which is also cor. No. 1, Dyke, and cor. No. 1, George Washington lodes of this survey.

A cedar post 4 ins. in diam. and 4 ft long, set one foot in ground, surrounded by a mon. of stones 3×3 ft. Post marked G. 1-1329, G. w. 1-1329 and D. 1-1329.

A x on a cedar tree 6 ins. in diam. blazed and marked B. T. G. 1-1329 brs. N. $57^{\circ} 10'$ E. 17.4 ft.

U. S. M. M. No. 1, I. D. brs. N. $56^{\circ} 20'$ W. 8697.6 ft.

Cor. common to Secs. 21-22-27 & 28, T. 10 N. R. 1 W. brs. N. $4^{\circ} 26'$ W. 7717.3 ft

Feet.

Survey No. 1829.

Thence S. 13° W.Var. 14° E.

1500.

To cor. No. 3, which is also cor. No. 2, Dyke lode, and cor. No. 1, Cliff lode of this survey.
Cor. described above.

Thence S. 78° E.Var. 14° E.

300.

To S. C. End, which is also the N. C. End Cliff lode of this survey. Mon. described above.

600.

To cor. No. 3, which is also cor. No. 4, Cliff lode of this survey. Cor. described above.

Thence N. 12° E.Var. 14° E.

1500.

To cor. No. 4, which is also cor. No. 4, George Washington lode of this survey.

A porphyry stone $8 \times 10 \times 24$ ins. set one foot in ground, along side a mon. of stones 3×3 ft. Stone marked G. 4-1829, and G. W. 4-1829.

A x on a porphyry rock in place marked B. R. G. 4-1829 hrs. N. $28^{\circ} 25'$ E. 22.7 ft.

A x on a porphyry rock in place marked B. R. G. W. 4-1829 hrs. N. $38^{\circ} 50'$ W. 10.8 ft.

Thence N. 78° W.Var. 14° E.

300.

To N. C. End, which is also the S. C. End George Washington lode of this survey.

A quartzite stone $8 \times 12 \times 24$ ins. set one foot in ground, alongside a mon. of stones 3×3 ft. Stone marked N. C. E. G. 1829, and S. C. E. G. W. 1829.

600.

To cor. No. 1, the place of beginning, survey of exterior boundaries.

Feet.

Survey No. 1822.

GEORGE WASHINGTON LODE.

Beginning at cor. No. 1, which is also cor. No. 1 ~~1~~
Guge, and cor. No. 1 Dyke lodes of this survey. Cor.
described above.

U. S. M. H. No. 1, T. D. brs. N. $56^{\circ} 20'$ E.
8697.8 ft.

Cor. common to Secs. 21-23-27 & 28, T. 10 N.
N. 1 W. brs. N. $4^{\circ} 26'$ W. 7717.3 ft

Thence N. $0^{\circ} 4'$ W.

Var. 14° E.

1842.1

To cor. No. 2, which is also cor. No. 1, Champion
lode of this survey.

A porphyry stone 6x18x24 ins. set one foot in
ground, alongside a mon. of stones 3x3 ft. Stone
marked G. W. 2-1829, and C. 1-1829.

A x on a porphyry rock in place marked B. A.
G. W. 2-1829 brs. N. $13^{\circ} 30'$ E. 345 ft.

A x on a porphyry rock in place marked B. A. C.
1-1829 brs. S. $64^{\circ} 15'$ W. 79.2 ft.

Thence S. 78° E.

Var. 14° E.

300.

To N. C. End, which is also the S. C. End Cham-
pion lode of this survey.

A quartzite stone 10x18x24 ins. set one foot in
ground, alongside a mon. of stones 3x3 ft. Stone
marked N. C. E. G. W. 1829, and S. C. E. C. 1829.

600.

To cor. No. 3, which is also cor. No. 4, Cham-
pion lode of this survey.

A porphyry stone 8x10x24 ins. set one foot in

Feet.

Survey No. 1829.

ground, along side a mon. of stones 3x3 ft. Stone marked G. W. 3-1829, and C. 4-1829.

A x on a porphyry rock in place marked B. R. C. 4-1829 brs. N. $25^{\circ} 10'$ W. 22.5 ft.

Thence S. $0^{\circ} 4'$ E.

Var. 14° E.

1842.1 To cor. No. 4, which is also cor. No. 4 Gage lode of this survey. Cor. described above.

Thence N. 78° W.

Var. 14° E.

300. To S. C. End, which is also the N. C. End Gage lode of this survey. Mon. described above.

600. To cor. No. 1, the place of beginning, survey of exterior boundaries.

CHAMPICK LODGE.

Beginning at cor. No. 1, which is also cor. No. 2, George Washington lode of this survey. Corner described above.

U. S. M. M. No. 1, T. D. brs. N. $64^{\circ} 20'$ E.

3032.1 ft.

Cor. common to Secs. 21-22-27 & 28, T. 10. N. R. 1 W. brs. N. $5^{\circ} 21'$ W. 6379.9 ft.

Thence N. $0^{\circ} 45'$ W.

Var. 14° E.

1800. To cor. No. 2, a porphyry stone 5x10x24 ins. set one foot in ground, alongside a mon. of stones 3x3 ft. Stone marked C. 2-1829.

A x on a porphyry rock in place marked B. R. C. 2-1829 brs. N. $13^{\circ} 20'$ E. 71.5 ft.

Feet.

Survey No. 1829.

Thence S. 76° E.Var. 14° E.

300. To N. C. End, a porphyry stone $6 \times 8 \times 24$ ins. set one foot in ground, also beside a mon. of stones 3×3 ft. Stone marked N. C. D. C. 1829.

600. To cor. No. 3, a porphyry stone $5 \times 12 \times 24$ ins. set one foot in ground, alongside a mon. of stones 3×3 ft. Stone marked C. 3-1829.

Thence S. $0^{\circ} 45'$ E.Var. 14° E.

1500. To cor. No. 4, which is also cor. No. 3, George Washington lode of this survey. Cor. described above.

Thence N. 78° W.Var. 14° E.

300. To S. C. End, which is also the N. C. End George Washington lode of this survey. Mon. described above.

600. To cor. No. 1, the place of beginning, survey of exterior boundaries.

* * * * *

DYKE LODGE.

Beginning at cor. No. 1, which is also cor. No. 1, Gage lode, and cor. No. 1, George Washington lode of this survey. Cor. described above.

U. S. M. M. No. 1, P. D. brs. N. $56^{\circ} 20'$ E.
8697.6 ft.

Cor. common to Secs. 21-22-27 & 28, T. 10 N.
R. 1 W. brs. N. $4^{\circ} 26'$ W. 7717.3 ft.

Feet.

Survey No. 1829.

- Thence S. 13° W.
Var. 14° E.
1500. To cor. No. 2, which is also cor. No. 2, Gage, and cor. No. 1, Cliff lodes, of this survey. Cor. described above.
- Thence N. 78° W.
Var. 14° E.
320. To S. C. End, a porphyry stone 6x10x24 ins set one foot in ground, along side a mon. of stones 3x3 ft. Stone marked S. C. E. D. 1829.
520. To cor. No. 3, a quartzite stone 3x10x24 ins. set one foot in ground, alongside a mon. of stones 3x3 ft. Stone marked D. 3-1829.
- A x on a quartzite rock in place marked B. K. D. 3-1829 brs. S. 13° $35'$ E. 17 ft.
- Thence N. 12° E.
Var. 1° E.
1500. To cor. No. 4, a slate stone 4x12x24 ins. set one foot in ground, alongside a mon. of stones 3x3 ft. Stone marked D. 4-1829. No brs. available.
- Thence S. 78° E.
Var. 14° E.
200. To N. C. End, a quartzite stone 10x15x24 ins. set one foot in ground, alongside a mon. of stones 3x3 ft. Stone marked N. C. E. D. 1829.
520. To cor. No. 1, the place of beginning, survey of exterior boundaries.
- Note:
The surveys of the Gage, Cliff, George Washington, Champion and Dyke lodes are identical with their respective locations.
- * * * * *

Survey No. 1829.

AREAS.

Total area Cliff lode:.....	20.555 Acres.
" " Guge "	20.661 "
" " Geo. Wash. lode:.....	18.078 "
" " "Champion lode:.....	20.152 "
" " "Dyke lode:.....	17.906 "

Total area lode claims:.....	97.352 Acres.
* * * * *	

VEINS.

Cliff vein extends from N. C. End, S. 17° 49' W. 1500 ft. to the S. C. End.

Guge vein extends from N. C. End, S. 12° W. 1500 ft. to the S. C. End.

George Washington vein extends from N. C. End, S. 0° 4' W. 1342.1 ft. to the S. C. End.

Champion vein extends from S. C. End, N. 0°45' W. 1500 ft. to the N. C. End.

Dyke vein extends from N. C. End, S. 12° W. 1500 ft. to the S. C. End.

* * * * *

LOCATION.

This claim is located on unsurveyed land, approximately in T. 10 N. R. 1 W. G. & S. R. M. in Tiger Mining District, Navapai Co. Ariz., and is bounded on the S. W. by Castle Rock lode claim; unsurveyed, and on all other sides by Govt. land.

* * * * *

EXPENDITURE OF FIVE HUNDRED DOLLARS.

I certify that the value of the labor and

Survey No. 1822.

improvements upon this claim, placed thereon by the claimant and his grantors, is not less than five hundred dollars for each location in claim, and that said improvements consist of:

Cliff lode:

Dis. Tunnel No. 1, which hrs. from N. C. E. mon. S. $17^{\circ} 49'$ W. 110 ft. Tunnel 4x6 ft. 45 ft. long.

Value,.....\$450.00

Shaft No. 2, which hrs. from N. C. E. mon. S. $17^{\circ} 49'$ W. 800 ft. Shaft 4x6 ft. 10 ft. deep.

Value.....\$100.00

GUGE LODE:

Dis. Cut No. 1, which hrs. from S. C. E. mon. N. 12° E. 763 ft. Cut 10x30 ft. 20 ft. face.

Value.....\$200.00

Tunnel No. 2, which hrs. from cor. No. 4, S. 34° W. 730 ft. Tunnel 4x6 ft. 120 ft. long.

Value.....\$1200.00

GEORGE WASHINGTON LODE:

Dis. Tunnel No. 1, which hrs. from cor. No. 2, N. 78° W. 225 ft. Tunnel 4x6 ft. 75 ft. long.

Value \$750.00

\$250.00 of which is to be credited to George Washington lode, and \$500. to the Champion lode

Note:

\$250.00 worth of the improvements on Tunnel No. 2, Guge lode, is to be credited to George Washington lode.

CHAMPION LODE:

Dis. Cut No. 1, which hrs. from S. C. E. mon,

Survey No. 1829.

N. 0° 45' W. 50 ft. Cut 4x15 ft. 10 ft. face.

Value.....\$50.00

XX

XX

\$500 of the value of tunnel on the George Washington

XX

Lode is to be credited to the Champion Lode.

XX

XXXX.

DYKE LODE:

Dis. Shaft No. 1, which hrs. from cor. No. 1,
S. 61° 30' W. 310 ft. Shaft 4x6 ft. 40 ft. deep.

Value.....\$400.00

Shaft No. 2, which hrs. from cor. No. 1, S. 57°
45' W. 355 ft. Shaft 4x6 ft. 12 ft. deep.

Value \$120.00

Shaft No. 3, which hrs. from cor. No. 2, N. 30°
15' E. 30 ft. Shaft 4x6 ft. 12 ft. deep.

Value.....\$120.00

* * * * *

INSERUMENT.

This survey was made with a Gurley Light Mountain Solar Transit. The courses were deflected from the true meridian as determined by direct solar observations. The distances were measured with a 100 ft. steel chain, and a 75 ft. steel tape.

Prescott, Ariz.

July 25th, 1903.

J. J. Fisher

U. S. D. M. S.

FINAL OATHS FOR SURVEYS.

LIST OF NAMES.

A list of the names of the individuals employed by J. J. Fisher
 United States Deputy Mineral Surveyor, to assist in running, measuring, and marking the lines
 corners and boundaries described in the foregoing field notes of the survey of the mining claim
 of Geo. P. Harrington
 known as the Cliff, Guye, George Washington, Dyke & Champion
 and showing the respective capacities in which they acted.

- Chas. Battye , Chairman.
- L. N. Abel , Chairman.
- L. N. Abel , Assn.
- Chas. Battye , Flagman.

FINAL OATHS OF ASSISTANTS.

We Chas. Battye
 and L. N. Abel , do solemnly swear that we assisted J. J. Fisher
 , United States Deputy Mineral Surveyor, in marking the corners and
 surveying the boundaries of the mining claim of Geo. P. Harrington

..... , known as the Cliff, Guye
George Washington, Dyke & Champion , represented
 in the foregoing field notes as having been surveyed by said deputy mineral surveyor and under
 his direction; and that said survey has been in all respects, to the best of our knowledge and
 belief, faithfully and correctly executed, and the corner and boundary monuments established
 according to law and the instructions furnished by the United States Surveyor-General for
Arizona

- Chas. Battye , Chairman.
- + L. N. Abel , Chairman.
- + L. N. Abel , Assn.
- Chas. Battye , Flagman.

Subscribed and sworn to by the above-named persons before me

this 13th day of July, 1903

if correct
 May 19 1904

J. J. Fisher
 Notary Public

FINAL OATH OF U. S. DEPUTY MINERAL SURVEYOR

I, J. J. Fisher, U. S. Deputy Mineral Surveyor, do solemnly swear that, in pursuance of instructions received from the United States Surveyor General for Arizona, dated July 9th 1903, I have, in strict conformity to the laws of the United States, the official regulations and instructions thereunder, and the instructions of said Surveyor General, faithfully and correctly executed the survey of the Mining Claim of Geo. P. Harrington, known as the Cliff, Guye, George Washington, Dyle and Champion, situate in Yuma Mining District, Yavapai County, Arizona, in Section _____, Township No. _____, Range No. _____ and designated as Survey No. 1829, as represented in the foregoing field notes, which accurately show the boundaries of said mining claim as distinctly marked by monuments on the ground, and described in the attached copy of the location certificate, which was received by me from the Surveyor General with said instructions, and that all the corners of said survey have been established and perpetuated in strict accordance with the law, official regulations and instructions thereunder; and I do further solemnly swear that the foregoing are the true and original field notes of said survey and my report therein, and that the labor expended and improvements made upon said mining claim by claimant or his grantors are as therein fully stated, and that the character, extent, location and itemized value thereof are specified therein with particularity and full detail, and that no portion of said labor or improvements so credited to this claim has been included in the estimate of expenditures upon any other claim.

J. J. Fisher
U. S. Deputy Mineral Surveyor.

Subscribed and sworn to by the said J. J. Fisher
U. S. Deputy Mineral Surveyor, before me a Notary Public
in Yavapai County, Arizona this 27th
day of July 1903
My commission expires November 28-1906
J. E. Faulkner
Notary Public

Affidavit of Five Hundred Dollars Improvements.

We, Chas Battye, and L. N. Abel

of lawful age, being first duly sworn according to law, depose and say: That we are acquainted with the Cliff. Gorge. Geo. Washington. Dyer & Champion mining claims, situate in Tiger Mining district, Yavapai County, Arizona Territory, for which Geo. P. Harrington

has made application for survey prior to application for patent under the provisions of the Act of Congress, approved May 10, 1872; and that the labor done and improvements made thereon by the applicant and his grantor exceed Five Hundred Dollars in value, and further that we are not personally interested in said mine.

Chas Battye
+ L. N. Abel

TERRITORY OF ARIZONA, }
County of Yavapai } ss:

Sworn to and subscribed before me, this 13th

day of July, 1903

J. J. Fisher
Notary Public



69861503-2-02

My commission expires
May 9, 1904

"CHAMPION"

NOTICE OF MINING LOCATION.

Lode Claim.

TO ALL WHOM IT MAY CONCERN;

This Mining Claim, the name of which is the Champion Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purpose of exploration and purchase, by Geo. P. Harrington and Oro Libardon the undersigned, on the seven 7 day of May, 1901.

The length of this claim is 1500 feet and we claim 1500 feet in a northerly direction and _____ feet in a _____ direction from the center of the discovery shaft at which this notice is posted, lengthwise of the claim, together with 300 feet in width of the surface grounds, on each side of the center of said claim. The general course of the lode deposit and premises is from the South to the North.

The claim is situated and located in the Tiger Mining District, in Yavapai County, in the Territory of Arizona, about one $1\frac{1}{2}$ and half mile in a southerly direction from the Tiger Mine and mill and cross the Oro Bella road about one (1) mile westerly from the Oro Bella Mill.

The surface boundaries of the claim are marked upon the ground as follows: Beginning at--at a point in a Easterly direction , 300 feet from the discovery shaft (at which this notice is posted) being in the center of the -- end line of said claim; thence E. 300 feet to monument of stone being the south east corner of said claim; thence northerly 1500 feet to monument at -- side line of said claim; thence -- feet to a -- of stone being at the north east corner of said claim; thence Westerly 300 feet to a monument of stone at the center of the north end of said claim; thence same course 300 feet to a stone monument being at the North west corner of said claim; thence southerly 1500 feet to a stone being at the

(Champion.)

center of the -- side line of said claim; thence 1500 feet to a monument at the south west corner of said claim; thence Easterly 300 feet to the place of beginning.

All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of the United States, and ^{of} an Act of the General Assembly of Arizona, entitled "An Act Concerning Mines", approved March 20th, 1895, and amended march 2d, 1899.

Dated and posted on the ground; this the 7 day of May, 1901.

Located by
GEO. P. HARRINGTON
and OTTO LIBARDON

Filed and recorded at request of Geo. P. Harrington, June 3rd A. D. 1901, at 1:30 o'clock P. M., Book 59 Mines, page 90, Records of Yavapai County, Arizona.

SEAL.

P. J. Farley,
County Recorder

BY D. J. Sullivan, Deputy Recorder.

§§§§§§§§§§

Territory of Arizona,)

;SS.

COUNTY OF YAVAPAI.)

I, P. J. FARLEY, County Recorder in and for the County of Yavapai, in the Territory of Arizona, and Custodian of the Records thereof, do hereby certify that I have compared the above and foregoing with, and the same is a full, true and correct copy of Notice of Location of "CHAMPION" Mining Claim, as the same appears of record in my office in Book 59 of Mines, page 90, Records of Yavapai County, Arizona.

IN WITNESS WHEREOF, I have hereunto set my hand and affixed my Official Seal, this 6th day of July, A. D. 1903.

SEAL. P. J. FARLEY,
County Recorder.

AMENDED
NOTICE OF MINING LOCATION.
Lode Claim.

TO ALL WHOM IT MAY CONCERN;

This Mining Claim, the name of which is the Dyke Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purpose of exploration and purchase by Geo. P. Harrington the undersigned, on the 24 day of May, 1903.

The length of this claim is 1500 feet and I claim 255 feet in a Northerly direction and 1245 feet in a southerly direction from the center of the discovery monument at which this notice is posted, lengthwise of the claim, together with 300 feet in width of the surface grounds, on each side of the center of said claim. The general course of the lode deposit and premises is from the North to the South.

The claim is situated and located in the Tiger Mining District, in Yavapai County, in the Territory of Arizona, about one mile in a westerly direction from the Oro Bella quartz mill and lies on the West side of Gage Mining claim.

The surface boundaries of the claim are marked upon the ground as follows: Beginning at a mon. of stones at a point in a northerly direction 255 feet from the discovery monument (at which this notice is posted), being in the center of the North end line of said claim; thence Easterly 220 feet to a mon. of stones being the N. E. corner of said claim; thence Southerly 1500 feet to a mon. of stones being at the S. E. corner of said claim; thence westerly 220 feet to a mon. of stones at the center of the south end of said claim; thence westerly 300 feet to a mon. of stones being at the S. W. corner of said claim; thence Northerly 1500 feet to a mon. of stones at the N. W. corner of said claim; thence Easterly 300 feet to the place of beginning.

All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of the United States, and of an Act of the General Assembly of Arizona, entitled "An Act Concerning Mines," approved March 20th, 1895, and amended March 2d, 1899.

This is an Amended Location Notice of the Dyke Mining Claim, located by Lindley Abel, and by him deeded to Geo. P. Harrington on the 31st day of December, 1898, and recorded in Book 45 of Records of Deeds, at page 500 in the office of the County Recorder of the aforesaid county of Yavapai, to which reference is hereby made, and this Amended Location Notice is made and posted to correct errors in the description in the said original Location Notice. Dated and posted on the ground this 24th day of May, 1903

GEO. P. HARRINGTON.

Witness:

J. J. Fisher.

Recorded at request of J. J. Fisher, July 6th A. D. 1903, at 2:00 o'clock P. M., in Book-- of Mines, pages--, Records of Yavapai County, Arizona.

(SEAL)

By-----

Deputy.

P. J. Farley,
County Recorder.

TERRITORY OF ARIZONA,)
; SS.
County of Yavapai.)

I, P. J. FARLEY, County Recorder in and for the County of Yavapai, in the Territory of Arizona, and Custodian of the Records thereof, do hereby certify that I have compared the above and foregoing with, and the same is a full, true and correct copy of Amended Notice of Location of "DYKE" Mining Claim, as the same appears from

"Dyke"

the original instrument recorded in my office on the 6th day of July
A. D., 1903, at 2:00 o'clock P. M.

IN WITNESS WHEREOF, I have hereunto set my hand and affixed
my Official Seal, this 6th day of July, A. D. 1903.

P. J. FARLEY,
County Recorder.

(SEAL)

"GUGE"

NOTICE OF LOCATION.

KNOW ALL MEN BY THESE PRESENTS:

That, I, the undersigned, have this day located fifteen hundred (1500) linear feet of this vein or lode bearing precious metals, with all dips, spurs, angles and variations, with surface grounds three hundred (300) feet on each side of the center of vein, with all mineral deposits contained therein, and all timber growing within the limits of said claim, and all water and water privileges thereon or appurtenant thereto, under and according to the provisions of of Mining Laws of the United States under which it is located. This claim commences at this Monument and Notice placed upon the ledge, and runs fifteen hundred (1500) feet in a southerly direction upon the ledge. The exterior boundaries are as follows; viz; Commencing at this Monument and notice and running three hundred (300) feet in an easterly direction to monument at N. E. corner of claim; thence in a southerly direction parallel with the ledge fifteen hundred (1500) feet to monument at S. E. corner of claim; thence in a westerly direction at right angles across the ledge Six Hundred (600) feet to monument at S. W. corner of claim; thence parallel with lode in a Northerly direction fifteen hundred (1500) feet to monument at N. W. corner of claim; thence at right angles across the ledge in an easterly direction three hundred (300) feet to monument upon the ledge and place of beginning.

This ledge may be more generally described as situated about one mile west from the Orobella Mill and joins the cliffs on the North and George Washington on the south, in Tiger Mining District, Yavapai County, Arizona Territory, and shall be known as the Guge Mining Claim.

Dated on the ground this first day of January, 1896,
 Witnessed by: W.M.Petrie. Lindley Abel
 Recorded at request of L. Abel, May, 22nd, A.D. 1896, at 9 o'clock
 A. M. in Book 44 of Mines, pages 359 & 360 Records of

"GUGE"

Yavapai County, Arizona.

F. A. Tritle,
County Recorder.

SEAL.

TERRITORY OF ARIZONA,)

; SS.

COUNTY OF YAVAPAI.)

I, P. J. FARLEY, County Recorder in and for the County of Yavapai, in the Territory of Arizona, and Custodian of the Records thereof, do hereby certify that I have compared the above and foregoing with, and the same is a full, true and correct copy of notice of location of "GUGE" Mining Claim, as the same appears of record in my office in Book 44 of Mines, pages 359 - 360, Records of Yavapai County, Arizona.

IN WITNESS WHEREOF, I have hereunto set my hand and affixed my Official Seal, this 17th, day of June, A. D. 1903.

P. J. FARLEY,
County Recorder.

SEAL.

"CLIFF"

NOTICE OF LOCATION.

KNOW ALL MEN BY THESE PRESENTS;

That I, the under signed, have this day located 1500 feet of this vein or lode, bearing precious metals, with all dips, spurs, angles and variations, with surface ground 300 feet on each side of vein, with all mineral deposits, contained therein, and all Timber and water thereon or appurtenant thereto, according to the provisions of the United States Mining Laws.

The exterior boundaries are as follows;

Commencing at this Monument and Notice, and running 300 feet in an easterly direction to monument at S. E. corner; thence in a northerly direction parallel with the ledge 1500 feet to monument at N. E. corner; thence at right angles across the ledge in a westerly direction 600 feet to monument at N. W. corner; thence parallel with the lode in a southerly direction 1500 feet to monument at S. W. corner; thence at right angles across the ledge in an easterly direction 300 feet to the place of beginning.

This claim is in Tigar Mining District, Yavapai County, Arizona, and may be more generally described as situated about one mile and half in a southerly direction from the Tigar Mill and about one and half mile in a westerly direction from the Orobonito Mill and shall be known as the Cliff Mining Claim.

Dated on the ground, this 1 day of January, 1893.

LINDLEY ABEL.

Recorded at request of C. Mason, Jany. 4th, A. D. 1893, at 1:35 o'clock P. M., in Book 35 of Mines, pages 233-234, Records of Yavapai County, Arizona.

(L. S.)
By F. A. Tritle, Jr.
Deputy.

Alex. O. Brodie,
County Recorder.

TERRITORY OF ARIZONA,)

; SS.

COUNTY OF YAVAPAI.)

I, P. J. FARLEY, County Recorder in and for the County of Yavapai, in the Territory of Arizona, and Custodian of the Records thereof, do hereby certify that I have compared the above and foregoing with, and the same is a full, true and correct copy of notice of location of "CLIFF" Mining Claim, as the same appears of record in my office in Book 35 of Mines, pages 233-234, Records of Yavapai County, Arizona.

IN WITNESS WHEREOF, I have hereunto set my hand and affixed my Official Seal, this 17th day of June A. D. 1905.

P. J. FARLEY,

County Recorder.

SEAL.

NOTICE OF LOCATION.

KNOW ALL MEN BY THESE PRESENTS:

That I the undersigned, have this day located 1500 feet of this vein or lode, bearing precious metals, with all dips, spurs, angles and variations, with surface ground 300 feet on each side of vein, with all Mineral Deposits contained therein and all Timber and Water thereon or appurtenant thereto, according to the provisions of the United States Mining Laws.

The exterior boundaries are as follows: Commencing at a monument of stone, on West boundary line distant 300 feet in a westerly direction from discovery monument; thence in a Northerly direction parallel with the ledge 1500 feet to monument at N. W. corner; thence in an easterly direction at right angles across the ledge 600 feet to Monument at N. E. corner; thence in a southerly direction parallel with the ledge 1500 feet to Monument at S. E. corner; thence at right angles across the ledge in a westerly direction 300 feet to the place of and place of beginning.

This claim is in Tigar Mining District, Yavapai County, Arizona, and may be more generally described as situated on the west side of Araster Crick and about one mile in a southerly direction from the Tigar Mill, and about one mile from the Crobella Mill in a westerly direction and joins the Fred Warren claim on the north, and shall be known as the George Washington Mining Claim.

Dated on the ground this 22 day of February, 1893.

LINDLEY ABEL.

Recorded at request J. R. Lowry, Mch. 29, A. D. 1893, at 9:10 o'clock A.M. in Book 36 of Mines, pages 195-196, Records of Yavapai County, Arizona.

(L. S.)

Alex. O. Brodie,
County Recorder.

By E. E. Kirkland, Deputy.

G. W.

TERRITORY OF ARIZONA,)

; SS.

COUNTY OF YAVAPAI.)

I, P. J. FARLEY, County Recorder, in and for the County of Yavapai, in the Territory of Arizona, and Custodian of the Records thereof, do hereby certify that I have compared the above and foregoing with, and the same is a full, true and correct copy of notice of location of "GEORGE WASHINGTON" Mining Claim, as the same appears of record in my office in Book 36 of Mines, pages 195-196, Records of Yavapai County, Arizona.

IN WITNESS WHEREOF, I have hereunto set my hand and affixed my Official Seal, this 17th, day of June A. D. 1905.

P. J. FARLEY,

SEAL.

County Recorder.

4-687.

SURVEYOR-GENERAL'S CERTIFICATE OF APPROVAL OF FIELD NOTES AND SURVEY OF MINING CLAIM.

Department of the Interior.

Office of U. S. Surveyor-General,

Phoenix, Arizona.

March 21st, 1904

I, U. S. Surveyor-General for Arizona.

do hereby certify that the foregoing and hereto attached Field Notes and Return of the Survey of the Mining Claim of Geo. P. Harrington,

known as the Cliff, Guge, George Washington, Dyke & Champion.

situate in Tiger mining district, Yavapai County, Arizona.


in Section APPROX., Township No. 10 N., Range No. 1 W. unsvd. designated as Survey No. 1829

executed by J. J. Fisher, U. S. Deputy Mineral Surveyor, July 11th, 13th, 1903, 190., under my instructions dated

July 9th, 1903, 190., have been critically examined and the necessary corrections and explanations made, and the said Field Notes and Return, and the Survey they describe, are hereby approved. A true copy of the copy of the location certificate filed by the applicant for survey is included in the field notes.

Frank D. Lyalls

U. S. Surveyor-General for Arizona.



U.S. M.M. No. 1. T.D. 8033.1
 $N 64^{\circ} 20' E$

U.S. M.M. No. 1. T.D. 8697.6
 $N 56^{\circ} 20' E$

U.S. M.M. No. 1. T.D. 9826.6
 $N 50^{\circ} 3' E$

SURVEYED JULY 11-13-1903
by J. Fisher
U.S. S. M. SURVEYOR

UNITED STATES DEPARTMENT OF THE INTERIOR 9605 (956)
BUREAU OF LAND MANAGEMENT M.S. 1829
ARIZONA STATE OFFICE

NOTICE OF CANCELLATION OF MINERAL SURVEY

The Cliff, Guge, George Washington, Dyke and Champion lodes, Mineral Survey No. 1829, located in sections 3 and 4, Township 9 North, Range 1 West, and sections 33 and 34, Township 10 North, Range 1 West, Gila and Salt River Meridian, Arizona, are hereby canceled.

These claims have not been filed with the Arizona State Office, Bureau of Land Management, in accordance with Section 314, 90 STAT. 2769, (43 U.S.C. 1744).

This cancellation was necessitated to clear the record.

The Mineral Survey Plat should be noted as follows:

"Cliff, Guge, George Washington, Dyke and Champion lodes, M.S. 1829, were canceled May 20, 2002, by memo 9605 (956) M.S. 1829, which is now a part of the original field notes."

May 20, 2002
Date


Chief Cadastral Surveyor of Arizona