

MS.

0

1

8

9

0

Corrected notes
Notes filed 9:11 AM 4/2-04

MAR 3-1904
Gammis
S. O. J.

(4-683.)

Mineral Survey No. 1890

Lot No. _____

Gila Land District.

FIELD NOTES

OF THE SURVEY OF THE MINING CLAIM OF

The Turquoise Copper
Mining & Smelting Co.
KNOWN AS THE

San Juan and Maxon
Turquoise Mining District,
Cochise County, Arizona

Section _____, Township 19 S, Range 25 E
Unsurveyed.
Surveyed under instructions dated Jan 19, 1904

by John R. Rockfellow
U. S. Deputy Mineral Surveyor.

Claim located See notes, 1
Survey commenced Jan 19, 1904
Survey completed Jan 20, 1904

o 6-160

Address of Claimants Attorney
Charles Bowman
Fortbston
Arizona

PRELIMINARY OATHS OF ASSISTANTS IN SURVEY OF MINING CLAIM.

We, Ernest L. Robinson and Robert H. Artell,
do solemnly swear that we will well and faithfully execute the duties of chain carriers; that we will level the chain upon even and uneven ground and plumb the tally-pins, either by sticking or dropping the same; that we will report the true distance to all notable objects, and the true length of all lines that we assist in measuring, to the best of our skill and ability, and in accordance with instructions given us, in the survey of the Mining Claim of The Turquoise Copper Mining & Smelting Co known as the Maxon & San Juan situate in Turquoise mining district Cochise County, Arizona, in Section 2, Township No. 19 S, Range No. 25 E unsurveyed

Ernest L. Robinson, Chairman.

Robert H. Artell, Chairman.

Subscribed and sworn to by the above-named persons before me this 19th day of Jan, 1904.

Robert A. Robinson
Notary Public
MY COMMISSION EXPIRES MARCH 14, 1907

I, _____, do solemnly swear that I will well and truly perform the duties of axman, in the establishment of corners and other duties, according to instructions given me and to the best of my skill and ability, in the survey of the Mining Claim of _____ known as the _____ more fully described in the preceding affidavit.

_____, Axman.

Subscribed and sworn to by the said _____ before me this _____ day of _____, 190_____

I, _____, do solemnly swear that I will well and truly perform the duties of flagman, in the establishment of corners and other duties, according to instructions given me and to the best of my skill and ability, in the survey of the Mining Claim of _____ known as the _____ more fully described in the preceding affidavit.

_____, Flagman.

Subscribed and sworn to by the said _____ before me this _____ day of _____, 190_____

Survey No. 1890.

SAN JUAN LODGE.

Feet	
	Beginning at Cor. No. 1, identical with the N.W. Cor. of the location, and with Cor. No. 1 Empire Lode, Survey No. 1508.
	A pine post 4 ins. sq. 3.5 ft. above ground, scribed N.E.C.-E-1-1508, $\Delta F.$ and N.W.C.-S.J. to which I add 1-1890.
	Whence: Var. $12^{\circ}45'$ E.
	(1) U. S. Mineral Monument No.1, of this District, bears N. $10^{\circ}31'$ W. 2608.8 ft.
	(2) The S.W. Cor. of the Fenard Lode (unsurveyed) bears S. $67^{\circ}30'$ W. 21.6 ft.
	(3) A monument of stone bears N. $61^{\circ}00'$ W. 12.4 ft.
	(4) A monument of stone bears S. $10^{\circ}15'$ W. 39.6 ft. Thence N. $89^{\circ}28'$ E.
166.9	S. Cent. End Fenard Lode.
287.5	10 ft. right a monument of stone.
293.6	N. Cent. End, identical with location, a pine post 4 ins sq. 3.5 ft above ground in mound of stone, scribed N.C.E.-S.J. to which I add 1890.
335.7	S.E. Cor. Fenard Lode.
340.0	15.5 ft right a 2X4 post in mound of stone.
586.6	To Cor. No. 2, identical with location, Set a pine post 4 ins. sq. 14 ins. in ground to hard pan in mound of stone, scribed N.E.C.-S.J., 2-1890. Whence: Var. $12^{\circ}45'$ E.
	(1) A cross (X) and B.R. 2-1890 chiseled on a limestone 5X3 ft. 3 ft. high, bears N. $30^{\circ}56'$ E. 180.9 ft.
	(2) A cross (X) and B.R. 2-1890, chiseled on limestone bedrock, N. $13^{\circ}40'$ W. 62.4 ft.
	(3) G. I. Van Meeter's Win Mill bears S. $31^{\circ}22'$ W. about one mile.
	THENCE S. $9^{\circ}55'$ E.
42.4	Cor. No. 1 Maxon lode of this survey.
408.2	Monument.
816.65	To Cor. No.3, identical with location, A pine post 4 ins. sq. 3.5 ft. above ground in mound of stone, scribed S.E.C. - S.J. to which I add 3-1890.

San Juan Lode - Cont'd.

Feet	
	Whence: Var. 12°50' E.
	(1) A cross (X) and B. R. 3)1890, chiseled on a limestone 12 x 12 x 8 ins. bears N. 38°53' E. 55.9 ft.
	(2) A cross (X) and B.R. 3-1890, chiseled on a limestone 12 x 8 x 16 ins. bears S.18°10'E. 53.6 ft.
	THENCE S. 89°28' W.
3.58	To South Center End, identical with location. A pine post 4 ins.sq. 3.5 ft above ground in mound of stone, Scribed S.C.E. - S.J. to which I add 1890.
7.16	To Cor.NO.4, identical with the location, and on the side line of the Charleston Lode, Sur. No.1508 A pine post 4 ins.sq. 3.5 ft. above ground in mound of stone, scribed S.W.C. - S.J. to which I add 4-1890.
	THENCE Var. 12°50' E. , N. 31°32' W.
51.40	To Cor. No. 5, identical with location, and with Cor. No.1, Charleston Lode, Sur.No.1508. A juniper post 4 ins. sq. 3.5 ft. above ground, scribed N.E.C.-C.1- 1508. to which I add 5-1890.
	Thence Var. 12°45' E. N. 57°40' E.
5.00	To Cor. No.6, identical with location, and with Cor. No. 4, Empire Lode, Sur.No.1508. A pine post 4 ins. sq. 4 ft. above ground in mound of stone, scribed S.E.C.-E. 4-1508. to which I add 6-1890.
	Thence Var. 12°45' E. N. 42°49' W.
487.00	Monument.
513.00	East Center Side of Empire Lode
1026.00	To Cor.No.1, the place of beginning.

Maxon Lode.

Feet	
	Beginning at Cor. No.1, identical with the location A pine post 4 ins. sq. 3 ft. above ground in mound of stone, scribed N.W.C.- M to which I add 1-1890. Whence Var. 12°45' E. (1) U. S. Mineral Monument No.1 of this District, bears N. 22°22' W. 2812.9 ft. (2) Cor. No.2 San Juan Lode of this Survey bears N. 9°55' W. 42.4 ft. (3) San Jose Peak, (Mexico) bears S. 16°18' W. Thence S. 9°55' E.
366.40	Monument.
774.25	Cor. No.3 San Juan Lode, of this Survey.
791.50	Intersect line 5-1 Charleston Lode, Sur. No. 1508, at N. 31°32' W. 619.4 ft. from Cor. No. 5.
1496.60	To Cor. No. 2, identical with location. Set pine post 4 ins. sq. 4 ft. long 8 ins' in the ground to bed rock in mound of stone, scribed S.W.C. - M. 2-1890 Whence: Var. 12°40' E. (1) A cross (X) and B.R. 2-1890, chiseled on limestone bed rock, bears S. 74°17' W. 47.3 ft. (2) A cross (X) and B.R. (no space for more lettering) chiseled on limestone bed rock, bears S. 68°17' E. 54.4 (3) The N.E. Corner of brick casing to a boiler, on the Charleston Mine, bears S. 16°19' W. 45.4 ft. Thence N. 80°30' E.
242.80	Intersect line 4-5 Charleston Lode, Sur. No. 1508, at S. 16°16' E. 132.4 ft. from Cor. No. 5. The N. W. Cor. of the Gleeson Lode, bears S.16°16'E. 0.6 ft.
299.30	To Cor. No. 3, identical with location. Set a pine post 4 ins. sq. 4.5 ft. high one foot in the ground to bed rock, in mound of stone, scribed S.C.E.- M. 3-1890.

Maxon Lode, Cont'd.

Feet	
	<p style="text-align: center;">Whence: Var. 12°40' E.</p> <p>(1) A pipe protruding from diamond drill hole, bears N. 24°40' E. 363. ft.</p> <p>(2) A cross (X) and B.R. 3-1890, chiseled on a limestone 18 x 16 x 12 ins. bears N. 63°50' E. 18.5 ft.</p> <p>(3) A cross (X) and B.R. 3-1890, chiseled on conglomerate bed rock in narrow gulch, bears N. 38°20' W. 8.0 ft.</p> <p style="text-align: center;">Thence N. 79°55' E.</p>
132.00	North Center End of the Gleeson Lode.
284.80	North East Corner of the Gleeson Lode.
297.50	To Cor. No. 4, identical with location, Situate on the west side line of the Tom Scott Lode, Lot No. 45.
	Set a 4 X 4 post 5 ft. long 10 ins. in the to hard pan, in mound of stone, scribed S.E. Cor. Maxon, & 4-1890
	Whence: Var. 12°45' E.
	(1) S. W. Cor. Tom Scott Lode, Lot No. 45, bears S. 9°58' E. 40.0 ft.
	(2) A cross (X) and B.R. 4-1890, chiseled on limestone bed rock, bears S. 60°36' E. 5.8 ft.
	(3) A cross (X) and B.R. 4-1890, chiseled on limestone 18 x 16 x 8 ins. bears N. 30° 30' W. 19.0 ft.
	Thence N. 10°00' W.
1433.90	0.7 ft. right N.W. Cor. Tom Scott Lode.
1482.00	To Cor. No. 5, identical with location.
	Set a pine post 4 ins. sq. 5 ft. long, 8 ins. in the ground to bed rock, in mound of stone, scribed N.E. Cor. Maxon, 5-1890.
	Whence Var. 12°40' E.
	(1) A cross (X) and B.R. 5-1890, chiseled on limestone bed rock at two different points, bear as follows
	(a) S. 50°19' W. 5.5 ft.
	(b) N. 62°04' E. 14.3 ft.

SURVEY NO. 1890.

Maxon Lode, Cont'd.

Feet

(2) A post in mound of stone, S.W.Cor. Silver Bill Lode, ^(unsurveyed) bears S.25°55' E. 48.7 ft.

(3) The N.W.Cor. of the Tom Scott Lode, bears S. 10°49' E. 48.1 ft.

Thence S. 83°20' W.

296.40

To Cor. No. 6, identical with location, A pine post 4 ins. sq. 3 ft. above ground, in mound of stone, scribed N.C.E.- N. to which I add 6-1890.

Whence Var. 12°40' E.

(1) A cross (X) and B.R. 6-1890, chiseled on a limestone 16 x 16 x 8 ins. bears N. 44°27' E. 38.5 ft.

(2) A cross (X) and B.R. 6-1890, chiseled on limestone bed rock, bears S. 58°34' E. 43.6 ft.

(3) A post in mound of stone, scribed "S.E.D." and "S.W.Defiance", bears N. 70°54' E. 55.0 ft.

(4) A monument of stones, bears N. 14° 10' W. 13.0 ft

Thence S. 79°55' W.

298.70

To Cor. No. 1, the place of beginning.

-; ; ; ;-

AREA Acres.

San Juan Lode,	5.318
Maxon Lode,	20.438
Conflict between Maxon and	
Charleston Lodes.....	<u>2.214</u>
Net area of the Maxon Lode.....	18.224
Total.....	<u>23.542</u> Acres.

Location.

This claim is located in the Turquoise Mining District, in the South Western portion of Tp. 19 S. R. 25 E. (unsurveyed)

The course of the ledge on the SanJuan Lode, from present developements is presumed to be N. 28° 13' W. 9098# and S. 28° 13' E. from the discovery extending the length of the claim.: *from S.E. to N.E. E.*

On the Maxon to be N. 9°56' W. ~~and S. 9°56' E.~~

from corner No. 3 to corner No. 6.

The adjoining claims are:-

On the North, the Fenard Lode, (unsurveyed). Costello Copper Co. Claimant; the Dragoon, Defiance, and Silver Bill lodes (unsurveyed) claimants unknown;

On the South, the Gleeson Lode, ^{unsurveyed} John Gleeson claimant:

On the East, the Tom Scott Lode, Lot No. 45, The Turquoise Copper Mining and Smelting Co. claimant.

On the West, the Empire and Charleston lodes of Sur. No. 1508. Copper Belle Mining Co. claimant.

-::+::-

EXPENDITURE OF \$ 500.00

I hereby certify that the value of the labor and improvements upon this claim placed thereon by the claimant and their grantors is not less than One thousand dollars, and that said improvements consist of :-

On the San Juan Lode.

Discovery shaft which bears from Cor. No. 6, N. 23°15' W. 381. ft. Shaft 6 X 5 ft. 21 ft. deep, timbered 6 ft.

Value..... \$ 225.00

On the Maxon Lode,

(1) Discovery shaft which bears from Cor. No. 4, N.32°W. 768.0 ft. Shaft 7 X 5 - timbered, Depth 245.0 ft.

Value.....\$ 3500.00

(2) A shaft which bears N. 73°45' E. 145.0 ft. from a point on line 1-2 at S. 9°55' E. 862.0 ft. from Cor. No.1 Shaft 6 X 5,9 ft. deep.

Value \$ 80.00

The San Juan and Maxon lodes being adjacent the work on one tends to develop the other; hence I assign of the value of discovery shaft of Maxon \$ 400.0 to the San Juan Lode.

Other Improvements.

On the Maxon Lode.

(1) At the discovery shaft a hoisting engine, building, and equipment.

Value \$ 2500.00

Continued.

(2) A frame building used as an assay office, the S.W. Cor. of which bears N. 47°13' E. 79.5 ft. from Cor.No.3. Building 30 X 16 ft. Value\$ 600.00

(3) A frame building used as a store house, the S.E. Cor. of which bears N. 56°53' W. 203. ft. from Cor.No.4. Building 17 X 13 ft. Value.....\$ 200.00

All of above building and improvements belong to the claimants herein.

-::+::-

This Survey was made with a Young & Sons Mountain Transit, No. 6855 provided with a Smith Solar Attachment, The courses were deflected from the true meridian as determined by direct solar observations.

The distances were measured with 100 ft. and 500 ft. steel tapes.

It will be noted that the courses and distances of the boundaries of the Tom Scott Lode, Lot No. 45, differ from those of the patent notes.

I ran all four sides of the Tom Scott and as a check ran three sides a second time and am positive as to my course

Tombstone Ariz.

February 29th 1904.

John A. Rockwell
 U. S. Dep. Mineral Surveys

FINAL OATHS FOR SURVEYS.

LIST OF NAMES.

A list of the names of the individuals employed by John A. Rockefeller
 United States Deputy Mineral Surveyor, to assist in running, measuring, and marking the lines
 corners and boundaries described in the foregoing field notes of the survey of the mining claim
 of The Turquoise Copper Mining & Smelting Co.
 known as the Maxon & San Juan
 and showing the respective capacities in which they acted.

Ernest L. Robinson, Chainman.
Robert H. Astell, Chainman.
 _____, Axman.
 _____, Flagman.

FINAL OATHS OF ASSISTANTS.

We, Ernest L. Robinson
 and Robert H. Astell, do solemnly swear that we assisted John A. Rockefeller
Rockefeller, United States Deputy Mineral Surveyor, in marking the corners and
 surveying the boundaries of the mining claim of The Turquoise
Copper Mining & Smelting Co.
 _____, known as the
Maxon & San Juan, represented
 in the foregoing field notes as having been surveyed by said deputy mineral surveyor and under
 his direction; and that said survey has been in all respects, to the best of our knowledge and
 belief, faithfully and correctly executed, and the corner and boundary monuments established
 according to law and the instructions furnished by the United States Surveyor-General for
Arizona.

Ernest L. Robinson, Chainman.
Robert H. Astell, Chainman.
 _____, Axman .
 _____, Flagman.

Subscribed and sworn to by the above-named persons before me

this 23^d day of January, 1904

John A. Rockefeller
 Notary Public

(4-686.)

FINAL OATH OF U. S. DEPUTY MINERAL SURVEYOR

I, John A. Rockefeller U. S. Deputy Mineral Surveyor, do solemnly swear that, in pursuance of instructions received from the United States Surveyor General for Arizona, dated Jan 19 1904, I have, in strict conformity to the laws of the United States, the official regulations and instructions thereunder, and the instructions of said Surveyor General, faithfully and correctly executed the survey of the Mining Claim of The Turquoise Copper Mining & Smelting Co. known as the San Juan & Mafra, situate in Turquoise Mining District, Cochise County, Arizona, in Section , Township No. 19 S Range No. 25 E Unsurveyed and designated as Survey No. 1890, as represented in the foregoing field notes, which accurately show the boundaries of said mining claim as distinctly marked by monuments on the ground, and described in the attached copy of the location certificate, which was received by me from the Surveyor General with said instructions, and that all the corners of said survey have been established and perpetuated in strict accordance with the law, official regulations and instructions thereunder; and I do further solemnly swear that the foregoing are the true and original field notes of said survey and my report therein, and that the labor expended and improvements made upon said mining claim by claimant or grantors are as therein fully stated, and that the character, extent, location and itemized value thereof are specified therein with particularity and full detail, and that no portion of said labor or improvements so credited to this claim has been included in the estimate of expenditures upon any other claim.

John A. Rockefeller
U. S. Deputy Mineral Surveyor.

Subscribed and sworn to by the said John A. Rockefeller,
U. S. Deputy Mineral Surveyor, before me a Notary Public in and
for Cochise County, Arizona this 1st
day of March 1904
My Commission Expires April 15 1905

Frank W. Godbody
Notary Public

Affidavit of Five Hundred Dollars Improvements.



We, William Shaw, and William A. Cummings
of lawful age, being first duly sworn according to law, depose and say: That we
are acquainted with the Maxon & San Juan mining claim,
situate in Turquoise Mining district, Cochise County,
Arizona Territory, for which The Turquoise Copper
Mining & Smelting Co.
has made application for survey prior to application for patent under the provisions
of the Act of Congress, approved May 10, 1872; and that the labor done and improve-
ments made thereon by the applicant and its grantor exceed One Thousand
~~Five Hundred~~
Dollars in value, and further that we are not personally interested in said mine.

William Shaw

William A. Cummings

TERRITORY OF ARIZONA, }
County of Cochise } ss:

Sworn to and subscribed before me, this 22^d

day of January, 1904



John A. Rockfellow
Notary Public

My Commission Expires March 14, 1907.

AMENDED

Notice of Mining Location

LODE CLAIM

To All Whom it May Concern:

This Mining Claim, the name of which is the San Juan
Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purposes of exploration and purchase by Turquoise Copper Mining & Smelting Company,
a corporation,

(Locator must insert either "a citizen of the United States," or, "who has declared his intention to become a citizen of the United States.")

the undersigned, on the 19th day of December, 1903

The length of this claim is 915 feet,
and W.C. claim four hundred and thirtyfive feet,

in a Southeasterly, direction and four hundred
and eighty feet in a Northwesterly direction from

the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with three hundred feet in width of the surface grounds, on each

side of the center of said claim. The general course of the lode deposit and premises is from the Southeast to the Northwest

The claim is situated and located in the Turquoise Mining District, in Cochise County, in the Territory of Arizona, ~~about~~

in a ~~direction from~~

The N. W. corner is identical with C. r. No. 1 of Empire Lode survey No. 1508 whence U. S. Mineral Monument brs. N. 10° 31' W. 2608.8 ft. It is bounded on the West by the Empire and Charleston lodes, and on the east by the Maxon lode claim.

The surface boundaries of the claim are marked upon the ground as follows: Beginning at a post in a mound of stone

at a point in a Southeasterly, direction 435 feet from the discovery shaft (at which this notice is posted), being in the center of the South end line of said claim; thence Easterly 4 feet to a Monument, being the Southeast corner of said claim; thence Northwesterly 793 feet to a Monument, being at the Northeast corner of said claim; thence Westerly 300 feet to a Monument, at the center of the North end of said claim; thence same course 300 feet to a Monument, being at the Northwest corner of said claim; thence Southeasterly 1033 feet to a Monument, at the Southwest corner of said claim; thence Easterly 4 feet to the place of beginning.

All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of the United States, and of an Act of the General Assembly of Arizona, entitled "An Act to Revise and Codify the Laws of the Territory of Arizona," approved March 16, 1901.

Dated and posted on the ground this 19th day of December, 1903.

This is an amended notice of location of the San Juan Claim, located Oct. 8, 1900, by the undersigned and recorded in Book 18, Record of Mines at page 380 and is made to supply omissions in original notice.

Turquoise Copper Mining & Smelting Co.

By Thos Lowry Sept

TERRITORY OF ARIZONA,
County of Cochise } ss.

I, Franz Hare, County Recorder in and for the County and Territory aforesaid, do hereby certify that the within instrument was filed for record at 11 o'clock, 11 M., on this 21st day of Dec, 1903, and duly recorded in Book No. 22 of Mining Records of Cochise County, Arizona, at pages 468.

WITNESS my hand and official seal the day and year first above written.

Franz Hare
County Recorder.

Notice of Location

LODE CLAIM

Dated 1903

Filed and Recorded at request of

Chas Bowman

Dec 21st, 1903

at 11 - A M.


Book 22 Record of Mines

Pages 468

Franz Hare
County Recorder.

By Franz Hare
Deputy Recorder.

THE H. H. MCNEIL CO., PRINTERS, PHOENIX, ARIZ.



This diagram is to give locator a general idea of plan of location under the new law. The Discovery Shaft can be in the center of claim or any distance from either end desired. In the diagram it is placed 500 feet from one end and 1000 feet from the other. Commence description of claim at a center end monument, giving its distance and direction from center of Discovery Shaft; thence bound the claim in either direction. In description be careful to state locality of claim with reference to some natural object, or permanent monument, as will identify the claim.

Territory of Arizona:
 :S.S.
 County of Maricopa :

I, Charles Bowman, attorney in fact for the Turquoise Copper Mining and Smelting Company, do solemnly swear that the discovery shaft of the Maxon lode, included in mineral survey No. 1890, Arizona, is to be used as a working shaft, from which levels and drifts will be run into the San Juan claim of same survey, and other surrounding claims, for the purpose of tapping the ore bodies of said claims, and that said discovery shaft of the Maxon lode is for the development of the San Juan lode as well as the Maxon lode.

Charles Bowman

Sworn to before me this 27th day of May, A. D. 1905

Wesley Astill
 Notary Public

My Commission expires Oct 1st 1907.

C O P Y.

Office of U. S. Surveyor-General,

Phoenix, Arizona May 27, 1905.

I, Frank S. Ingalls, United States Surveyor-General for the District of Arizona, do hereby certify that a portion of the value of Shaft No.1, of the Maxon lode, Survey No. 1890, is properly credited to the San Juan lode of the same survey, as set forth in the hereto attached report of John A. Rockfellow, United States Deputy Mineral Surveyor, dated May 23, 1905, for the following reason, from my personal knowledge of the mines located in this section of Arizona, the only practicable and economical way of developing these claims is by a central system of workings. As a rule, the ore bodies are found at great depth, and by sinking a working shaft at some central point, the surrounding ground can be most advantageously developed by drifting from such working shaft.

The claimants of the San Juan and Maxon lode state that the discovery shaft of the Maxon lode is to be used as a working shaft, from which drifts will be run into the San Juan lode, and I therefore, certify that a portion of this shaft is properly credited to the San Juan lode.

(Signed) *Frank S. Ingalls.*

U.S. Surveyor General.

POOR QUALITY

The following pages are scanned at the best possible quality setting. The original pages are of poor quality and this is the best possible reproduction.

S U P P L E M E N T A L R E P O R T
Of the
D E P U T Y M I N E R A L S U R V E Y O R.

To the Lodes of the Lodes Performed and Improvements Made upon the
SAN JUAN LODES, situated in the Turquoise Mining District,
Coolidge Territory, Arizona.

I, John A. Rockefeller, Deputy United States Mineral Surveyor for
Arizona Territory, do hereby certify that the SAN JUAN and MAXON lodes,
being adjacent, the work done upon the discovery shaft on the MAXON lode
has a direct tendency to develop, and is essential to the practical develop-
ment of, and actually facilitates the extraction of mineral from the
SAN JUAN lode. And that the said shaft on the MAXON lode is a direct
shaft, and is in reasonable proximity to the SAN JUAN lode, so that
the work done upon it tends directly to develop the SAN JUAN lode, and
hence I regard the value of the work done upon the discovery shaft on
the MAXON lode, as being to the SAN JUAN lode.

And I further certify that the SAN JUAN lode has, in fact, been
developed by the shaft sunk upon the MAXON lode claim, and as a matter
of fact, it is the only practical way of working and developing the ore
bearing in the SAN JUAN lode, owing to the formation and dip of the
formation in the said SAN JUAN lode claim; and is, to develop it through
the workings of the said MAXON claim.

Dated this 23rd day of May, A.D. 1903.

John A. Rockefeller
U.S. Deputy Mineral Surveyor.

A. L. WOOD COUNTY OF ARIZONA.

NOTICE TO THE PUBLIC OF THE:— That the above loca and mining claim has been located by W. H. Bryant on the 7th day of July, 1900, and is 150 feet in length and 300 feet wide, and is 300 feet on each side of the center of the claim; hence the discovery of it, the date of its location, and the general course of the loca and claim is N. 82° 55' W. and is described as follows, to wit:

So located at the north center end of the claim a monument of 10 feet in height is posted, and runs a distance of 73° 55' N 225.1 feet to a monument being the S. W. corner of the claim; a second S. 82° 55' W 149.7 feet to a monument being the S. E. corner of the claim; a third S. 80° 50' E 225.9 feet to a monument; a fourth S. 82° 55' W 227.1 feet to a monument, being the N. W. corner of the claim; a fifth S. 82° 55' W 149.7 feet to a monument, being the N. E. corner of the claim; a sixth S. 80° 50' E 225.9 feet to the place of beginning.

This claim is situated in the Arizona Mining District, Tenth Range of, Territory of Arizona, and lies immediately West of the S. E. of a patented claim. The S. W. corner lies along West boundary of said loca Scott 39.7 ft northerly from S. W. cor. of loca Scott. The N. E. cor is 44 ft northerly from the S. W. cor. of loca Scott.

This is an amended location notice of the above mining claim located by W. H. Bryant on the 1st day of January 1889, and recorded in book 11 of records of mines at page 320, in the office of the County Recorder of the aforesaid county of Dec 1889, to which reference is hereby made, and this Amended Location Notice is made and posted to correct errors in the description in the said Original Location Notice.

Dated at the town of this 7th day of July 1900.

Witness J. J. McKelloe

W. H. Bryant

Filed and recorded at request of W. H. McKittrick Aug. 20 A. D. 1900 at 3 P. M. Book 15, record of mines, page 149-50

TERRITORY OF ARIZONA,

County of Cochise. '03.

I, Frank Fare, County Recorder in and for the said county, do hereby certify that I have compared the foregoing copy with the original Awarded E. c. c. Notice of the Maxon Mining Claim, filed and recorded in my office on the 26th day of August, 1900, in Book 18, record of mines, pages 149-50, and that the same is a full, true and correct copy of such original and of the whole thereof.

Witness my hand and official seal, this 27th day of Dec. 1903.

Frank Fare
County Recorder.

4-687.

SURVEYOR-GENERAL'S CERTIFICATE OF APPROVAL OF FIELD NOTES AND SURVEY OF MINING CLAIM.

Department of the Interior.

Office of U. S. Surveyor-General,

Phoenix, Arizona

May 5th, 1904

I, U. S. Surveyor-General for District

do hereby certify that the foregoing and hereto attached Field Notes and Return of the Survey of the Mining Claim of The Turquoise Copper Mining & Smelting Co.

known as the SAN JUAN & MAXON

situate in Turquoise mining district, Cochise County, Arizona

in Section ---, Township No. 19 S., Range No. 25 E. (unsurveyed) designated as Survey No. 1890

executed by John A. Rockfellow, U. S. Deputy Mineral Surveyor, Jan. 19-20th, 1904, under my instructions dated

Jan. 19th, 1904, have been critically examined and the necessary corrections and explanations made, and the said Field Notes and Return, and the Survey they describe, are hereby approved. A true copy of the copy of the location certificate filed by the applicant for survey is included in the field notes.

Frank S. Ingalls

U. S. Surveyor-General for Arizona

SILVER BILL

DRAGON

FENERD

TOM SCOTT
LOT NO. 45.

Maxon
disc. Shaft
Sur. No. 1890.

San Juan
disc. Shaft
Sur. No. 1890.

CHARLESTON
SUR. NO. 1508.

EMPIRE
SUR. NO. 1508.

SUR. No. 1890.

GILA LAND DIST.

Surveyed January 19th + 20th, 1907.

by J. A. Rockfellow.

U.S. Dep. Mineral Surveyor.

SCALE 200 FT. TO 1 INCH.

