

**M
S
.**

0

1

9

3

3

Copied 11 PM 6/19/1904 1

MAY 9-1904
Examined
G. C. J.

(4-683.)

Mineral Survey No. 1933

Lot No. _____

Prescott

Land District.

FIELD NOTES

OF THE SURVEY OF THE MINING CLAIM OF

Gen. P. Harrington

KNOWN AS THE

Duncan & Reservoir - Exploration & Castel Rock
Tiger

Mining District,

Coconino County, Arizona

Section _____, Township _____, Range _____

Surveyed under instructions dated April 1, 1904,

by J. J. Fisher,
U. S. Deputy Mineral Surveyor.

Claim located See loc. certificates, 1

Survey commenced April 26, 1904

Survey completed " - 27, 1904

o 6-160

Hendon & Norris, Atty for Claimant

Prescott
Arizona

10 copies
10 notes
10 areas
this
adjacent

PRELIMINARY OATHS OF ASSISTANTS IN SURVEY OF MINING CLAIM. ²

WE, Chas. Battye and R. G. Willson, do solemnly swear that we will well and faithfully execute the duties of chain carriers; that we will level the chain upon even and uneven ground and plumb the tally-pins, either by sticking or dropping the same; that we will report the true distance to all notable objects, and the true length of all lines that we assist in measuring, to the best of our skill and ability, and in accordance with instructions given us, in the survey of the Mining Claim of Geo. P. Harrington

known as the Juniper, President, Exploration and Castel Rock situate in Tiger mining district, La Paz County, Arizona, in Section _____, Township No. _____, Range No. _____

R. G. Willson, Chainman.
Chas. Battye, Chainman.

Subscribed and sworn to by the above-named persons before me this 26th day of April, 1894

J. J. Fisher
Notary Public

I, R. G. Willson, do solemnly swear that I will well and truly perform the duties of axeman, in the establishment of corners and other duties, according to instructions given me and to the best of my skill and ability, in the survey of the Mining Claim of Geo. P. Harrington

known as the Juniper, President, Exploration & Castel Rock more fully described in the preceding affidavit.

R. G. Willson, Axeman.

Subscribed and sworn to by the said R. G. Willson before me this 26th day of April, 1894

J. J. Fisher
Notary Public

I, Chas. Battye, do solemnly swear that I will well and truly perform the duties of flagman, in the establishment of corners and other duties, according to instructions given me and to the best of my skill and ability, in the survey of the Mining Claim of Geo. P. Harrington

known as the Juniper, President, Exploration & Castel Rock more fully described in the preceding affidavit.

Chas. Battye, Flagman.

Subscribed and sworn to by the said Chas. Battye before me this 26th day of April, 1894

J. J. Fisher
Notary Public

POOR QUALITY

The following pages are scanned at the best possible quality setting. The original pages are of poor quality and this is the best possible reproduction.

Page

Index No. 1928

GRANITE ROCK BODIES.

beginning at cor. No. 1, the northeast cor. of location, and in other cor. No. 1 U1177, Sur. No. 2-1892, and also No. 2 Dyle Isles, Sur. No. 1892.

A granite block 10x12x14 ft. set one foot from the side of a row of stones 2x4 ft. stone label C. No. 1-1897. Same stone label C. 1-1897, in 2-1892 and in 2-1893.

A 2' x 6' granite rock in place marked B. A. C. 1-1897 hrs. S. 37° 30' W. 10.1 ft.

A 2' x 6' granite rock in place marked B. A. C. 2-1892 hrs. S. 3° 30' W. 37.1 ft.

Cor. corner of stones 11, 22, 33 & 54, A. C. 1-1897 hrs. S. 1° 48' W. 11.5 ft.

Stone B. 17° 30' W.

Sur. 14° S.

1500.

In cor. No. 2, this is 11x13 cor. No. 2 U1177 hrs. Sur. No. 1-1897. A porphyry stone 4x12x14 ft. set one foot from the side of a row of stones 2x4 ft. stone label C. No. 2-1891. Same stone label C. 2-1892. In cor. 11x13 ft.

Stone B. 77° W.

Sur. 18° W.

220.

In cor. No. 1, a granite stone 4x12x14 ft. set one foot from the side of a row of stones 2x4 ft. stone label C. No. C. No. 1-1897.

520.

In cor. No. 2, a slate stone 4x12x14 ft. set one

2000

Survey No. 1033

From point, also side of road of stone 841 C. stone marked C. No. 3-1033.

to cor. No. 1, stone 1001 in place marked B. No. C. No. 3-1033. Dist. 11. 41° 15' W. 1450 ft.

thence S. 75° W.

Var. 14° W.

210.

to cor. No. 2, stone 1002 in place marked B. No. C. No. 3-1033. Dist. 11. 41° 15' W. 200 ft. from cor. No. 1.

212.1

to intersect line 1-2 exploration hole. Dist. 11. 41° 15' W. 333.3 ft. from cor. No. 1.

1500.

to cor. No. 4, which is also cor. No. 3. 1003. Dist. 11. 41° 15' W. 1000 ft. From cor. No. 1, stone 1004 in place marked B. No. C. No. 3-1033. Dist. 11. 41° 15' W. 1000 ft. From cor. No. 1, stone 1005 in place marked B. No. C. No. 3-1033. Dist. 11. 41° 15' W. 1000 ft.

thence S. 75° W.

Var. 14° E.

200.

to cor. No. 1, stone 1001 in place marked B. No. C. No. 3-1033. Dist. 11. 41° 15' W. 1000 ft. From cor. No. 1, stone 1002 in place marked B. No. C. No. 3-1033. Dist. 11. 41° 15' W. 1000 ft. From cor. No. 1, stone 1003 in place marked B. No. C. No. 3-1033. Dist. 11. 41° 15' W. 1000 ft.

220.

to cor. No. 1, the place of beginning of exterior boundaries.

thence S. 75° W.

to cor. No. 1, the point marked B. No. C. No. 3-1033.

to cor. No. 2, a granite stone 16x10x24 ins. set
one foot in ground, located in a row of stones 345 ft.
stone marked U. S. G. L. 1983.

to cor. No. 2, a granite stone 16x10x24 ins. set
one foot in ground, located in a row of stones 345 ft.

to cor. No. 2, a granite stone 16x10x24 ins. set
one foot in ground, located in a row of stones 345 ft.

to cor. No. 2, a granite stone 16x10x24 ins. set
one foot in ground, located in a row of stones 345 ft.

located at 31° 51' N.

Var. 1-9 ft.

to intersect line 345 dated Red line of
this survey at 31° 51' N. 315.0 ft. from cor. No. 2.

to cor. No. 2, a granite stone 16x10x24 ins. set
one foot in ground, located in a row of stones 345 ft.
stone marked U. S. G. L. 1983. No bro. available. U.S. loc.
cor. No. 2, 31° 51' N. 345.0 ft.

located at 31° 51' N.

Var. 1-9 ft.

to cor. No. 2, a granite stone 16x10x24 ins. set
one foot in ground, located in a row of stones 345 ft.
stone marked U. S. G. L. 1983.

to intersect line 345 dated Red line of
this survey at 31° 51' N. 315 ft. from cor. No. 2.

to cor. No. 2, a granite stone 16x10x24 ins. set
one foot in ground, located in a row of stones 345 ft.
stone marked U. S. G. L. 1983. U.S. loc. No. 2, 31° 51'
N. 345.0 ft.

Page 1.

Survey No. 1933.

A corner of a granite rock is shown with the S. E. corner of the survey, S. 80° 10' W. 193 ft.

Distance 17° 31' N.

Var. 1° N.

1933

to cor. No. 4, which is also cor. No. 4 of the 1st lot of this survey. A slate stone 4x10x4 in. set out 200 ft. in a line, along which a row of stakes has been placed marked N. 4-1933 and P. 4-1933. No. 4-1933.

Distance N. 30° W.

Var. 1° N.

1933

to N. C. and, which is also the S. E. corner of the 1st lot of this survey. A porphyry stone 3x6x3 in. set out 200 ft. in a line, along which a row of stakes has been placed marked N. C. 1-1933 and S. C. 1-1933.

1933

to cor. No. 1, the place of beginning, bearing 100° 00' 00" W. 100 ft.

N. 31° 31' E. 100 ft.

beginning at cor. No. 1, the most easterly cor. of location, which is also cor. No. 3 of the 1st lot of this survey. A slate stone 4x10x4 in. set out 200 ft. in a line, along which a row of stakes has been placed marked N. 1-1933 and S. 1-1933.

A corner of a granite rock is shown with the S. E. corner of the survey, S. 80° 10' W. 193 ft.

Cor. 101 of 1933. N. 31° 31' E. 100 ft. to N. C. 1-1933. N. 31° 31' E. 100 ft.

1000.

Thence S. 30° 45' W.
Var. 14' W.

To cor. No. 2, a slate stone 6x10x14 ins. set one foot in ground, alongside a row of stones 2x2 ft. Stone marked F. 2-1888. No. 2a, available.

Thence N. 54° 30' W.
Var. 14' W.

To cor. No. 3, which is also cor. No. 1 exploration hole, 1000 of this survey. Cor. described above.

Thence S. 20° W.
Var. 14' W.

To S. C. end, which is also the N. C. end hole drilled 1000 of this survey. Cor. described above.

To cor. No. 4, which is also cor. No. 4 exploration hole of this survey. Cor. described above.

Thence N. 70° 45' W.
Var. 14' W.

To cor. No. 5, a slate stone 6x10x14 ins. set one foot in ground, alongside a row of stones 2x2 ft. Stone marked F. 5-1888.

A row of granite rock in place. Marked S. A. F. 5-1888, ore. N. 61° 50' W. 60 ft.

Thence N. 5° 45' E.
Var. 14' W.

To cor. No. 6, which is also cor. No. 3 Juniper

Foot.

January 10, 1901.

hole of this survey. A granite stone 3x12x24 ins. set one foot in ground, along side corner of stone 2x2 ft. along marked P. S-1933 and J. S-1933.

A x on a slate reef in place marked B. N. J. S-1933 and J. S-1933. 31° 51' N. 37.7 ft.

Hence N. 33° 00' W.

Var. 14° W.

1900. To N. of hole, which is also the S. C. well spring hole of this survey. A porphyry stone 3x12x12 ins. set one foot in ground, along side corner of stone 2x2 ft. along marked P. S. N. P. 1933 and S. C. N. J. 1933.

1900. To cor. No. 1, the place of beginning survey of exterior well holes.

JUNIPER LODGE.

Beginning at cor. No. 1, the northwest cor. of lot 11st. A porphyry stone 3x12x24 ins. set one foot in ground, along side corner of stone 2x2 ft. along marked J. S. 1-1933.

A x on a slate reef in place marked B. N. J. 1-1933 and J. S. 31° 50' N. 40.9 ft. No other hrs. available
Cor. common to Secs. 31, 32, 33 & 34, T. 10 N. N. P. G. & S. N. J. hrs. N. 10° 15' W. 334.1 ft.

Hence S. 3° 41' W.

Var. 13° W.

1900. To cor. No. 2, which is also cor. No. 1, President hole of this survey. Cor. described above.

Foot.

Survey No. 1887

Bearing S. 25° W.

Var. 14° W.

300. To S. C. and, which is also the N. C. and Pres-ident hole of this survey. Cor. described above.

400. To cor. No. 3, which is also cor. No. 3 president hole of this survey. Cor. described above.

Bearing N. 59° 44' W.

Var. 14° W.

500. To cor. No. 4, a granite stone 3x12x24 ins. set one foot in ground, alongside a cor. of stones 3x9 ft. above marked J. 4-1887.

A cor. of granite rock is placed marked N. C. J. 4-1887 bearing S. 68° 30' W. 31.0 ft.

Bearing N. 35° W.

Var. 15° W.

300. To N. C. and, a granite stone 3x12x24 ins. set one foot in ground, alongside a cor. of stones 3x5 ft. Stone marked N. C. E. J. 1888.

100. To cor. No. 1, the place of beginning, survey of exterior boundaries.

* * * * *

Notes:

Survey No. 1888 is identical with location except where otherwise noted in field notes.

* * * * *

Survey No. 1822.

AREAS.

CASTLE ROCK LODE:.....17,813 A.
 EXPLORATION LODE:
 Gross area.....18,041 acres.
 Less area filed with ~~Castel~~
 loc. 1822 and survey..... 1,257 "
 Net area exploration lode.....14,784 A.
 INCIDENTAL LODE.....13,675 A.
 JUNIPER LODE.....20,203 A.
 Total net area, lode and as.....78,579 A.

VEINS.

Castel rock vein extends from Dis. Shaft No. 1,
 N. 17° 49' E. 750 ft., and S. 17° 49' W. 750 ft.
 Exploration vein extends from Dis. Shaft No. 1,
 N. 21° 51' E. 100 ft., and S. 21° 51' E. 1225.0 ft.
 Incident vein extends from Dis. Shaft No. 1,
 N. 5° 44' E. 400 ft. and S. 24° 45' W. 1100 ft.
 Juniper vein extends from Dis. Shaft No. 1,
 N. 0° 44' W. 350 ft. and S. 5° 44' W. 1250 ft.

LOCATION.

This claim is located on unsurveyed Govt. land,
 approximately 1 1/2 mi. N. W. G. & S. R. R., in
 Mohave County District, Yavapai Co. Ariz., and is
 bounded on the southeast by Cliff lode, Sur. No. 1822,
 partly on the west by Standard lode, unsurveyed, Utah
 Liberator, claim no. 1. ~~XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX~~
 and on the North of Castel Rock by Dyke, Sur. No.
 1829. On all other sides by Govt. land.

Survey No. 1933.

THE MINES OF FIVE MOUNTAIN HOLDINGS.

I certify that the value of the labor and improvements upon this claim, placed thereon by the claimant or his executor, is not less than \$500.00 for each location in claim, and that said improvements consist of:

CASTLE ROCK LODE:

Dis. Shaft No. 1, which hrs. from N. C. W. mon. S. 17° 43' W. 750 ft. Shaft 4x3 ft. 10 ft. deep.

Value.....\$100.00

Note: There is to be credited to Castle Rock Lode \$400.00 worth of the improvements on Cliff Dev. Tunnel.

DEFENDERS LODE:

Dis. Shaft No. 1, which hrs. from N. C. W. mon. S. 1° 51' W. 20 ft. Shaft 4x3 ft. 10 ft. deep.

Value.....\$100.00

Note: There is to be credited to Exploration Lode \$400.00 worth of the improvements on Cliff Dev. Tunnel.

PRINCIPAL LODE:

Dis. Cut No. 1, which hrs. from N. C. W. mon. S. 5° 44' W. 400 ft. Cut 4x10 ft. 14 ft. face.

Value.....\$100.00

Note: There is to be credited to President Lode \$400.00 worth of the improvements on Cliff Dev. Tunnel.

JANIPER LODE:

Dis. Shaft No. 1, which hrs. from N. C. W. mon. S. 5° 44' W. 250 ft. Shaft 4x3 ft. 10 ft. deep.

Value.....\$100.00

Note: There is to be credited to Janiper Lode \$400.00 worth of the improvements on Cliff Dev. Tunnel.

10.

Survey No. 1025.

INSERMENT.

This survey was made with a Garley Light Mount-
ain Solar Transit. The courses were deflected from the
true meridian as determined by direct solar observat-
ions. The distances were measured with a 70 ft. steel
tape and a 100 ft. steel chain.

Prescott, Ariz.

May 5th 1904.

U. S. D. M. S.

FINAL OATHS FOR SURVEYS.

LIST OF NAMES.

A list of the names of the individuals employed by J. J. Fisher

United States Deputy Mineral Surveyor, to assist in running, measuring, and marking the lines, corners, and boundaries described in the foregoing field notes of the survey of the mining claim of.....

known as the Geo. W. Harrington
Imperial, President, Exploration and Leased Rock

and showing the respective capacities in which they acted.

- Chas. Batty, Chainman.
- R. G. Wilson, Chainman.
- R. G. Wilson, Arman.
- Chas. Batty, Flagman.

FINAL OATHS OF ASSISTANTS.

We Chas. Batty

and R. G. Wilson, do solemnly swear that we assisted J. J. Fisher

United States Deputy Mineral Surveyor, in marking the corners and surveying the boundaries of the mining claim of Geo. W. Harrington

known as the Imperial, President, Exploration and Leased Rock

represented in the foregoing field notes as having been surveyed by said deputy mineral surveyor and under his direction; and that said survey has been in all respects, to the best of our knowledge and belief, faithfully and correctly executed, and the corner and boundary monuments established according to law and the instructions furnished by the United States Surveyor-General for Arizona

- Chas. Batty, Chainman.
- R. G. Wilson, Chainman.
- R. G. Wilson, Arman.
- Chas. Batty, Flagman.

Subscribed and sworn to by the above-named persons before me this 27th

day of April, 1904

J. J. Fisher
Notary Public

Handwritten note: 27th April 1904

(4-686.)

FINAL OATH OF U. S. DEPUTY MINERAL SURVEYOR

I, J. J. Fisher, U. S. Deputy Mineral Surveyor, do solemnly swear that, in pursuance of instructions received from the United States Surveyor General for Arizona, dated April 14 1907, I have, in strict conformity to the laws of the United States, the official regulations and instructions thereunder, and the instructions of said Surveyor General, faithfully and correctly executed the survey of the Mining Claim of W. J. Cannonville, known as the W. J. Cannonville Lignite District, situate in Yuma Mining District, Yuma County, Arizona, in Section 1, Township No. 11 N, Range No. 11 E and designated as Survey No. 1123, as represented in the foregoing field notes, which accurately show the boundaries of said mining claim as distinctly marked by monuments on the ground, and described in the attached copy of the location certificate, which was received by me from the Surveyor General with said instructions, and that all the corners of said survey have been established and perpetuated in strict accordance with the law, official regulations and instructions thereunder; and I do further solemnly swear that the foregoing are the true and original field notes of said survey and my report therein, and that the labor expended and improvements made upon said mining claim by claimant or his grantors are as therein fully stated, and that the character, extent, location and itemized value thereof are specified therein with particularity and full detail, and that no portion of said labor or improvements so credited to this claim has been included in the estimate of expenditures upon any other claim.

J. J. Fisher
 U. S. Deputy Mineral Surveyor.

Subscribed and sworn to by the said J. J. Fisher
 U. S. Deputy Mineral Surveyor, before me a Notary Public in and for Yuma County Arizona this 6th
 day of May 1907

Thomas C. Job
 Notary Public

My Commission Expires July 9, 1907

Affidavit of Five Hundred Dollars Improvements.

We, Charles Battye, and R. G. Willson

of lawful age, being first duly sworn according to law, depose and say: That we are acquainted with the Jumbo, President, Explorator & Castle Rock mining claim, situate in Tiger Mining district, Yavapai County, Arizona Territory, for which Geo. P. Harrington

has made application for survey prior to application for patent under the provisions of the Act of Congress, approved May 10, 1872; and that the labor done and improvements made thereon by the applicant and his grantor exceed Five Hundred Dollars in value, and further that we are not personally interested in said mine.

Chas. Battye
R. G. Willson

TERRITORY OF ARIZONA, }
County of Yavapai } ss:

Sworn to and subscribed before me, this 27th

day of April, 1904



J. J. Fisher
Notary Public

My commission expires
May 19, 1904

NOTICE OF MINING LOCATION. LODE CLAIM.

TO ALL WHOM IT MAY CONCERN:

This mining claim, the name of which is the Exploration Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purpose of exploration and purchase by Geo. P. Harrington & Otto Libardou

the undersigned, on the 28 day of Jan 1904

The length of this claim is 1500 feet and we claim 20 feet [We or I.] in a northerly direction, and 1480 feet in a southerly direction from the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with three hundred (300) feet in width of the surface grounds, on each side of the center of said vein. The general course of the lode deposit and premises is from the northerly to the southerly.

The claim is situated and located in the Bigel Mining District, in Yavapai County, in the Territory of Arizona, about 1/4 mile in a westerly direction from Castle Rock Camp & lies South of the President Claim

The surface boundaries of the claim are marked upon the ground as follows: Beginning at a monument of stones at a point in an northerly direction 20 feet from the discovery shaft (at which this notice is posted), being in the center of the north end line of said claim; thence easterly 300 feet to a monument of stones, being the northeast corner of said claim; thence southerly 1500 feet to a monument of stones, being at the southeast corner of said claim; thence westerly 300 feet to a monument of stones at the center of the south end of said claim; thence westerly 300 feet to a monument of stones, being at the southwest corner of said claim; thence northerly 1500 feet to a monument of stones, being the northwest corner of said claim; thence easterly 300 feet to the place of beginning.

All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of the United States, and of an Act of the General Assembly of Arizona, entitled "An Act Concerning Mines," approved March 20th, 1895, and amended March 2d, 1899, and March 16th, 1901.

Dated and posted on the ground this 28 day of Jan 1904

Geo. P. Harrington
Otto Libardou

Indexed

1020

Expiration

Geo. P. Harrington
and C. H. Libardon

Figure District

Date Jan 28th 1904

Recorded at Request of

Chas. Batty

File 16" A. D. 1904

At 11:50 o'clock A. M.

In Book 71 of Minutes

Page 132

Records of Yavapai County, Arizona

P. J. Farley
County Recorder

By R. E. Butler Deputy
Recorder

AMENDED

Notice of Mining Location.

LODE CLAIM.

To All Whom It May Concern:

This mining claim, the name of which is the Juniper
 Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purpose of exploration and purchase by Geo. P. Harrington & Otto Libardson
 the undersigned, on the 28 day of Jan 1904

The length of this claim is 1400 feet, and we
 claim 1400 feet in a westerly
southerly direction, and 50 feet in a
southerly direction from the center of the discovery monument, at which this notice is posted, lengthwise of the claim, together with 300 feet in width of the surface grounds, on each side of the center of said claim. The general course of the lode deposit and premises is from the westerly to the southerly

The claim is situated and located in the Pinet Mining District, in Yavapai County, in the Territory of Arizona, about 1/2 mile in a N.W. direction from Castle Rock Camp, & lies east of the Stinson claim

The surface boundaries of the claim are marked upon the ground as follows: Beginning at a corner of stone
of stone
 at a point in a westerly direction 1400 feet from the discovery monument, (at which this notice is posted), being in the center of the work end line of said claim; thence easterly 300 feet to a corner of stone, being the N.E. corner of said claim; thence southerly 1500 feet to a corner of stone being at the S.E. corner of said claim; thence westerly 300 feet to a corner of stone at the center of the work end of said claim; thence westerly 300 feet to a corner of stone, being at the S.W. corner of said claim; thence westerly 1500 feet to a corner of stone at the N.W. corner of said claim; thence westerly 300 feet to the place of beginning.

All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of the United States, and of an Act of the General Assembly of Arizona, entitled "An Act Concerning Mines," approved March 20th, 1895, and amended March 2nd, 1899.

This is an Amended Location Notice of the _____ Mining Claim, located by _____ on the _____ day of _____ 19____, and recorded in Book _____ of Records of Mines, at page _____, in the office of the County Recorder of the aforesaid County of _____ to which reference is hereby made, and this Amended Location Notice is made and posted to correct errors in the description in the said original Location Notice.

Dated and posted on the ground this 28 day of Jan 1904
Geo. P. Harrington
Otto Libardson

1018
J. J. [unclear]
P. J. Farley
P. J. Farley
P. J. Farley

C. H. Givardson
Geo P. Harrington
Tiger District

Dated Jan 28-1904

Recorded at Request of

Chas. Butler
Feb 16 A. D. 1904

At 11:50 o'clock A. M.

In Book 70 of Mines

Page 131

Records of Yavapai County, Arizona

P. J. Farley
County Recorder.

By R. E. Butler Deputy
Recorder

Notice of Mining Location.

LODE CLAIM.

To All Whom It May Concern:

This mining claim, the name of which is the President Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purpose of exploration and purchase by Geo. P. Harrington & Otto Libardou

(Locator must insert either "a citizen of the United States," or, "who has declared his intention to become a citizen of the United States.")

the undersigned, on the 28 day of Jan. 1904

The length of this claim is 1500 feet, and we claim 400 feet in a N. 5° 44' E. direction, and 1100 feet in a S. 24° 45' E. direction from

the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with 300 feet in width of the surface grounds, on each side of the center of said claim. The general course of the lode deposit and premises is from the north to the south

The claim is situated and located in the Signal Mining District, in Yavapai County, in the Territory of Arizona, about 1/3 mile in a N. W. direction from the Castle Rock Camp & lies east of the Standard & Black Diamond claims

The surface boundaries of the claim are marked upon the ground as follows: Beginning at a mon. of stone

at a point in a north direction 400 feet from the discovery shaft (at which this notice is posted), being in the center of the north end line of said claim; thence N. 85° E 300 feet to a mon. of stone, being the NE corner of said claim; thence S. 5° 44' W 400 feet to a mon. of stone at the center of the east side line of said claim; thence S. 24° 45' E 1100 feet to a mon. of stone, being at the SE corner of said claim; thence S. 85° W 300 feet to a mon. of stone at the center of the south end of said claim; thence S. 85° W. 300 feet to a mon. of stone, being at the SW corner of said claim; thence N. 24° 45' W. 1100 feet to a mon. of stone being at the center of the west side line of said claim; thence N. 5° 44' E 400 feet to a mon. of stone at the N.W. corner of said claim; thence N. 85° E 300 feet to the place of beginning.

All done under the provisions of Chapter Six, of Title XXXII., of the Revised Statutes of the United States, and of an Act of the General Assembly of Arizona, entitled "An Act Concerning Mines," approved March 20th, 1895, and amended March 2, 1899.

Dated and posted on the ground this 28 day of Jan. 1904

Geo. P. Harrington
Otto Libardou

TERRITORY OF ARIZONA,
County of..... } ss

I..... County Recorder in and for the County and Territory aforesaid, do hereby certify that the within instrument was filed for record at..... o'clock..... M., on this..... day of..... 190.... and duly recorded in Book No..... of..... County, Arizona, at pages.....

WITNESS my hand and official seal the day and year first above written.

County Recorder.

Indexed
1019

Sanborn's
Combs and

Notice of Location.

LODE CLAIM.

Geo P Harrington and
Otto Livardon

Tiger District

Dated *Jan 28* 1904

Filed and recorded at request of

Chas. Battye
Feb. 16 A. D. 1904


at *11:50* o'clock A. M.

Book *70 of Mines*

Pages *70-71-72*

F. J. Farley
County Recorder.

By *R. E. Butler*
Deputy Recorder.



This diagram is to give locator a general idea of plan of location under the new law. The Discovery Shaft can be in the center of claim or any distance from either end desired. In the diagram it is placed 500 feet from one end and 1000 feet from the other. Commence description of claim at a center end monument, giving its distance and direction from center of Discovery Shaft; thence bound the claim in either direction. In description be careful to state locality of claim with reference to some natural object, or permanent monument, as will identify the claim.

Castel Rock.

Notice of Mining Location.
Lode Claim.

To all whom it may concern; This Mining Claim, the name of which is the Castel Rock Mining Claim, situate on lands belonging to the United States of America and in which there are valuable mineral deposits, was entered upon and located for the purpose of exploration and purchase by Geo.P.Harrington and Otto Libardon, the undersigned, on the seven 7 day of March, 1903.

The length of this claim is fifteen hundred (1500) feet and we claim seven hundred and fifty (750) feet in a northerly direction and seven hundred and fifty 750 feet in a southerly direction from the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with three hundred (300) feet in width of the surface grounds, on each side of the center of said claim. The general course of the lode deposit and premises is from the northerly to the southerly.

The claim is situated and located in the Tiger Mining District, in Yavapai County, in the Territory of Arizona, about one and half miles 1 1/2 miles in a southwesterly direction from the Ora Bella Mill and mine.

The surface boundaries of the claim are marked upon the ground as follows; Beginning at a monument of stones and run seven hundred and fifty 750 feet at a point in a northerly direction----feet from the discovery shaft (at which this notice is posted), being in the center of the north end line of said claim; thence easterly 300 feet to a monument of stones being the northeast corner of said claim; thence southerly 750 feet to a monument at the center of the east side line of said claim; thence southerly 750 feet to a monument of stones being at the southeast corner of said claim; thence westerly 300 feet to a monument of stones at the center of the south end of said claim; thence westerly 300 feet to a monument of stones being at the southwest corner of said claim; thence northerly 750 feet to a monument of stones being at the center of the west side line of said claim; thence northerly 750 feet to a monument of stones at the northwest corner of said claim; thence easterly 300 feet to the place of beginning.

All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of the United States and of an act of the General Assembly of Arizona, entitled "An Act Concerning Mines", approved March 20th, 1895 and amended March 2d, 1899.

Dated and posted on the ground this seven 7 day of March, 1903.

Located by } Geo.P.Harrington,
Witness Thos.J.McGovern. } Otto Libardon.

Recorded at request of Otto Libardon, April 1", A.D.1903, at 9:00 o'clock A.M. in Book 67 of Mines, page 317, Records of Yavapai County, Arizona.

By W.H.Pound, Deputy. (Seal) P.J.Farley, County Recorder.

Territory of Arizona, }
County of Yavapai, } ss.

I, P.J.Farley, County Recorder in and for the County of Yavapai, Territory of Arizona and custodian of the records thereof, do hereby certify that I have compared the above and foregoing with and the same is a full, true and correct copy of the notice of location of the "Castel Rock" Mining Claim, as the same appears of record in my office in Book 67 of Mines, page 317, Records of Yavapai County, Arizona.

In Witness Whereof I have hereunto set my hand and affixed my official seal this the 29th day of March, A.D.1904.


County Recorder.

4-687.

SURVEYOR-GENERAL'S CERTIFICATE OF APPROVAL OF FIELD
NOTES AND SURVEY OF MINING CLAIM.

Department of the Interior,

Office of U. S. Surveyor-General,

Phoenix, Arizona

May 28, 1904

I, U. S. Surveyor-General for District of Arizona

do hereby certify that the foregoing and hereto attached Field Notes and Return of the Survey of the
Mining Claim of Geo. P. Harrington

Juniper, President, Exploration & Castel Rock

situate in Tiger Mining District,
Yavapai County, Arizona

in Section , Township No. , Range No. ,
designated as Survey No. 1933

executed by J. J. Fisher, U. S. Deputy Mineral
Surveyor, April 26-27, 1904, under my instructions dated

April 1, 1904, have been critically examined and the necessary cor-
rections and explanations made, and the said Field Notes and Return, and the Survey they describe,
are hereby approved. A true copy of the copy of the location certificate filed by the applicant for
survey is included in the field notes.

Frank A. Ingalls

U. S. Surveyor-General for Arizona

