

**MS**

**0**

**1**

**9**

**4**

**2**

Copied 4/20/01

MAY 13 1904

Examined  
J. C. J.  
JUN 6 - 1904

(4-688.)

Mineral Survey No. 1972

Lot No. \_\_\_\_\_

Prescott

Land District.

### FIELD NOTES

OF THE SURVEY OF THE MINING CLAIM OF

O. C. Lake of Memphis Tenn.

KNOWN AS THE

Fountain Head Lode

Walla Walla

Mining District,

Wahonee

County,

Arizona Territory

Sections 4 and 5, Township 22. N., Range 17. W.

Surveyed under instructions dated April 22, 1904

by O. F. Ruence,

U. S. Deputy Mineral Surveyor.

Claim located April 15<sup>th</sup>, 1877.

Survey commenced April 26, 1904

Survey completed April 28, 1904

o 6-180

Claimants address:

O. C. Lake 268 Front St. Memphis Tenn.

By John J. Hawkins, Attorney

Prescott, Arizona

# PRELIMINARY OATHS OF ASSISTANTS IN SURVEY OF MINING CLAIM.

We, A. C. Hancock and Robert Gray,  
do solemnly swear that we will well and faithfully execute the duties of chain carriers; that we will level the chain upon even and uneven ground and plumb the tally-pins, either by sticking or dropping the same; that we will report the true distance to all notable objects, and the true length of all lines that we assist in measuring, to the best of our skill and ability, and in accordance with instructions given us, in the survey of the Mining Claim of A. C. Lake

known as the Fountain Head Lode Survey No. 1942  
situate in Wallapai mining district  
Mohave County, Arizona Territory,  
in Section 4 & 5, Township No. 22 N., Range No. 17 W.

A. C. Hancock, Chairman.

Robert Gray, Chairman.

Subscribed and sworn to by the above-named persons before me this 26<sup>th</sup> day of April, 1904.

Jno. P. Feeny  
County Recorder  
By O. F. Kuenker Deputy

I, A. C. Hancock, do solemnly swear that I will well and truly perform the duties of axman, in the establishment of corners and other duties, according to instructions given me and to the best of my skill and ability, in the survey of the Mining Claim of A. C. Lake

known as the Fountain Head Lode Survey No. 1942  
more fully described in the preceding affidavit.

A. C. Hancock, Axman.

Subscribed and sworn to by the said A. C. Hancock  
before me this 26<sup>th</sup> day of April, 1904.

Jno. P. Feeny  
County Recorder  
By O. F. Kuenker Deputy

I, Robert Gray, do solemnly swear that I will well and truly perform the duties of flagman, in the establishment of corners and other duties, according to instructions given me and to the best of my skill and ability, in the survey of the Mining Claim of A. C. Lake

known as the Fountain Head Lode Survey No. 1942  
more fully described in the preceding affidavit.

Robert Gray, Flagman.

Subscribed and sworn to by the said Robert Gray  
before me this 26<sup>th</sup> day of April, 1904.

Jno. P. Feeny  
County Recorder  
By O. F. Kuenker Deputy

Survey No 1942.FeetFountain Head Code

Beginning at cor No 1  
 Identical with loc. cor & mon.  
 A redwood, root 4. ins. square  
 1/2 ft. long, 20. ins. in ground with  
 mound of stone, verified - 1-1942.  
 where:  
 cross (x) B.R. 1-1942, etched in  
 granite boulder 4 x 6 ft. 20 ins. above  
 ground, bears S. 66° 05' W. 52 3/4 ft

cor. No 1. Eagle Code. Survey No  
 1943. bears N. 30° 27' E. 787.55 ft

cor. No 1. De La Fontaine Code  
 Survey No 1456. bears S. 61° 30' W.  
 1738 1/2 ft.

cor to sec. 4-5-8-9. Tp. 22. N. R.  
 17. W. bears S. 48° 48' W. 1400.27 ft.

NE. cor. Starspangled Banner  
 Code, identical with NW. cor. In-  
 fallible Code, both unmurveyed and  
 claimed by C. Fletcher, bears  
 N. 86° 50' W. 186. ft.

Trance N. 54° 40' W.

descend along Northside of hill  
 400. to center of wash, 20 ft. wide, flow  
 N. and ascend  
 600. to top of ridge, bears N & S. and  
 descend  
 920. to center of wash, 25 ft. wide, flow  
 N. and ascend  
 1115. to top of ridge bears N & S. and  
 descend  
 1291. <sup>32</sup> intersect section line at N. 1668.27 ft from  
 cor to sec 4-5-8-9. Tp. 22. N. R. 17 W.  
 and at S. 971.03 ft from 1/4. sec. cor

Feet

1490

to cor.  $N^{\circ} 2$ .

Identical with loc. mon. & cor.

a redwood post 4. ins. square  
3 1/2 ft long, 18. ins. in ground with  
mound of stone, scribed 2-1942.

whence:

cross (x) B.R. 2-1942, chiseled in  
granite cliff, 2. ft above ground bears  
 $N. 62^{\circ} 55' E. 19.5^{\circ}$  ft.

a spring of water known as "Dove"  
springs, bears  $N. 37^{\circ} E. 270$  ft

Thence  $N. 75^{\circ} 20' E.$

descend.

260 to center of wash 30 ft wide flows  $N E$ .

ascend

280 1/4 intersect section line at  $N. 2014.38$  ft  
from cor to sec 4-5-8-9. Tp. 22. 31.  
R. 17. W. and at  $S. 625.63$  ft. from 1/4 sec.  
cor.

300 to Stonemountain at north west  
end center of claim, identical with  
southeast end center Silver Legion Code  
monument and claimed by J.

Jubman

descend.

460 to center of gulch 25 ft wide  
flows  $E$ .

and ascend.

600 to cor  $N^{\circ} 3$

Identical with loc. mon. & corner

a redwood post 4. ins. square  
3 1/2 ft. long, 16. ins. in ground (to  
bedrock) with mound of stone  
scribed 3-1942.

whence:

cross (x) B.R. 3-1942, chiseled  
in granite reef, 3. ft above ground

Feet.

Bears  $N. 10^{\circ} 55' E. 14. ft.$ Thence  $S. 54^{\circ} 40' E$ 

descend

500 to center of gulch, 40 ft wide gulch  
East and ascend1490 to cor.  $N. 2^{\circ} 4'$ 

Identical with loc. mon. and corner  
a redwood post, 4 ins. square,  
3 1/2 ft long, 18 ins. in ground with  
mound of stone, scribbled 4-1942.

whence:

cross (x) D.R. 4-1942, chiseled in  
granite boulder 3 x 3 ft. and 22 ins.  
above ground, bears  $N. 38^{\circ} 15' E.$   
24 5/8 ft.

Thence  $S. 35^{\circ} 20' W.$ 

ascend

300 to ~~Post~~ and monument on S.E. end  
of claim whence:

Unit. loc. mon, a redwood post  
4 ins. square, 3 1/2 ft long, 18 ins.  
in ground with mound of stones,  
scribbled I.L.M-1942. bears  
 $N. 54^{\circ} 40' W. 200 ft.$

475 to trail, bears NW and SE from  
Stockton trace to Deer Springs.600 to cor.  $N. 21.$  and place of beginning.

The survey and location are  
identical.

The course of the lode is  
from Unit. loc. mon. to NW end  
center  $N. 54^{\circ} 40' W. 1290 ft.$  and to  
S.E. end center  $S. 54^{\circ} 40' E. 200 ft.$

Variation at all  
corners  $13^{\circ} 55' E.$

Area.

Total area Fountain Head Lode.  
20.523. Acres.

Location.

This claim is located on ~~unmerged~~ land in S.W.  $\frac{1}{4}$  Sec. 4. and S.E.  $\frac{1}{4}$  Sec. 5 T<sub>1</sub>P. 22. N. R. 17. W. Colo and Salt River Base and Meridian on the east slope of the hill in Talcott Mining District, Mohave Co. Arizona

Expenditure of Five Hundred Dollars

I certify that the value of the labor and improvements upon this claim, placed thereon by the claimant and his grantors is not less than five hundred dollars and that said improvements consist of:

- 1) Discovery shaft 7 x 5 ft. 6 ft deep, adjoining the Unit. loc. mon. on the northwest and post-ordered I. L. M. - 1942.  
Value \$ 25<sup>00</sup>
- 2) a shaft 4 x 6 ft. 50 feet deep in rock bears S. 54° 40' E. 19 ft. from Unit loc. mon and post-ordered I. L. M. - 1942  
Value \$ 400<sup>00</sup>
- 3) a tunnel 6  $\frac{1}{2}$  x 4 ft and 35 ft. long in rock, mouth of which bears N. 55° 25' W. 300 ft. from Unit loc. mon. and post-ordered I. L. M. - 1942.  
Value \$ 200<sup>00</sup>
- 4) a shaft 4 x 6 ft. 65 ft. deep in rock, with drift from bottom of shaft 60 ft long along vein - course of drift N. 54°

10' 11" - bears  $N. 54^{\circ} 10' W.$  767. ft from  
 Init. loc. mon. and post, scried  
 I. L. M. - 1942.

Value \$ 1200.

5) a crosscut tunnel  $4 \times 6\frac{1}{2}$  ft, 60 ft  
 long in rock - course of tunnel  $S. 40^{\circ} W.$   
 mouth of which bears  $N. 30^{\circ} 20' W.$  575 ft.  
 from Init. loc. mon. and post scried  
 I. L. M. - 1942

Value \$ 375.<sup>00</sup>

6) a shaft  $4 \times 6$  ft - 20 ft deep in rock,  
 bears  $N. 54^{\circ} 15' W.$  827. ft from Init.  
 loc. mon. and post, scried: I. L. M. - 1942.

Value \$ 140.<sup>00</sup>

7) a shaft  $4 \times 7$  ft, 35 ft deep in rock  
 bears  $N. 54^{\circ} 40' W.$  873. ft - from Init.  
 loc. mon. and post scried I. L. M.  
 1942.

Value \$ 250.<sup>00</sup>

There are no other improvements.

The adjoining claims are:  
 on the  $NW.$ , the "Silver Legion"  
 lode, unmined, claimed by  
 J. H. Johnson - on the North:  
 The "Eagle" lode, Inuey, No 1943 -  
 on the South: The "Star Spangled  
 Banner" unmined, and the "In."  
 "Jalible" lode, unmined, both  
 claimed by J. Fletcher.

### Instrument

This survey was  
 made with a Steller and Brightley  
 Transit, provided with a solar  
 attachment, by which the true  
 Meridian was determined, inde-  
 pendent of the Needle. I connected  
 this survey with the Red La Fontaine  
 lode, Inuey No 1456, and found



that corner and distance from cor  
 No. 1. De La Fontaine, Survey No. 1456.  
 to cor. sec. 4-5-8-9-Tp 22. N. R. 17.  
 W., closed with corner and distance  
 from cor No. 1. Fountain's Head side  
 this survey, to cor. sec. 4-5-8-9  
 Tp 22. N. R. 17. W.

The distances were measured  
 with a 500 foot steel tape.

Kingman May 6<sup>th</sup> 1904

O. F. Kuencer.

E. S. Deely Min

Surveyor

# FINAL OATHS FOR SURVEYS.

## LIST OF NAMES.

A list of the names of the individuals employed by O. F. Kuencer

United States Deputy Mineral Surveyor, to assist in running, measuring, and marking the lines, corners, and boundaries described in the foregoing field notes of the survey of the mining claim of.....

O. C. Laska

known as the Fountain Head Lode Survey No 1942

and showing the respective capacities in which they acted.

- O. C. Hancock....., Chairman.
- Robert Gray....., Chairman.
- O. C. Hancock....., Axman.
- Robert Gray....., Flagman.

## FINAL OATHS OF ASSISTANTS.

We, O. C. Hancock and Robert Gray

and....., do solemnly swear that we assisted O. F. Kuencer

....., United States Deputy Mineral Surveyor, in marking the corners and surveying

the boundaries of the mining claim of O. C. Laska

known as the Fountain Head Lode Survey No 1942

represented in the foregoing field notes as having been surveyed by said deputy mineral surveyor and under his

direction; and that said survey has been in all respects, to the best of our knowledge and belief, faithfully and

correctly executed, and the corner and boundary monuments established according to law and the instructions

furnished by the United States Surveyor-General for Arizona

- A. C. Hancock....., Chairman.
- Robert Gray....., Chairman.
- A. C. Hancock....., Axman.
- Robert Gray....., Flagman.

Subscribed and sworn to by the above-named persons before me this 20<sup>th</sup>

day of April, 1904.

John P. Feeny  
County Recorder  
By O. F. Kuencer Deputy

(4-686.)

FINAL OATH OF U. S. DEPUTY MINERAL SURVEYOR

I, O. F. Kuencer, U. S. Deputy Mineral Surveyor, do solemnly swear that, in pursuance of instructions received from the United States Surveyor General for Arizona, dated April 22 - 1904, I have, in strict conformity to the laws of the United States, the official regulations and instructions thereunder, and the instructions of said Surveyor General, faithfully and correctly executed the survey of the Mining Claim of O. C. Lapa, known as the Fountain Head lode, situate in Halepas Mining District, Mohave County, Arizona, in Sections 4 and 5, Township No. 22 N., Range No. 17 W. and designated as Survey No. 1942, as represented in the foregoing field notes, which accurately show the boundaries of said mining claim as distinctly marked by monuments on the ground, and described in the attached copy of the location certificate, which was received by me from the Surveyor General with said instructions, and that all the corners of said survey have been established and perpetuated in strict accordance with the law, official regulations and instructions thereunder; and I do further solemnly swear that the foregoing are the true and original field notes of said survey and my report therein, and that the labor expended and improvements made upon said mining claim by claimant or his grantors are as therein fully stated, and that the character, extent, location and itemized value thereof are specified therein with particularity and full detail, and that no portion of said labor or improvements so credited to this claim has been included in the estimate of expenditures upon any other claim.

O. F. Kuencer  
U. S. Deputy Mineral Surveyor.

Subscribed and sworn to by the said O. F. Kuencer  
U. S. Deputy Mineral Surveyor, before me a Notary Public  
this 19<sup>th</sup>  
day of May.

Jno P. Green  
Notary Public

Affidavit of Five Hundred Dollars Improvements.

We, J. P. Gideon, and Kear McCharles

of lawful age, being first duly sworn according to law, depose and say: That we

are acquainted with the Fountain Head mining claim,

situate in Nallapas Mining district, Mohave County,

Arizona Territory, for which O. C. Lake

has made application for survey prior to application for patent under the provisions of the Act of Congress, approved May 10, 1872; and that the labor done and improvements made thereon by the applicant and his grantors exceed Five Hundred Dollars in value, and further that we are not personally interested in said mine.

J. P. Gideon

Kear McCharles

TERRITORY OF ARIZONA, }  
County of Mohave } ss:

Sworn to and subscribed before me, this 9<sup>th</sup>

day of May, 1904

Jno P. Feeley  
Notary Public



N O T I C E .

---

We the undersigned do this day locate and claim fifteen hundred (1500) feet on this ledge or lode of mineral bearing rock. We claim thirteen hundred (1300) feet in a northerly and two hundred (200) feet in a southerly direction from this notice and monument, we also claim all the privileges granted by the United States mining laws, as well as those granted by the laws of the Wallapai District this claim is situated about one half mile from Stockton hill northerly and about 1000 feet in a northeasterly direction from the Star Spangled Banner mine, and Southerly from Dove Spring this shall be known as the Fountain Head Ledge & Comp.

April 15th 1877

J. P. LAYNE      750 feet

ROBERT GRAY      750 feet

Recorded at the request of Robt. Gray April 17th A.D.

1877, at 7 P.M.

Caldwell Wright  
County Recorder  
By H. Bucksbaum  
Deputy

N O T I C E .

We the undersigned do this day locate and claim fifteen hundred (1500) feet on this ledge or lode of mineral bearing rock. We claim thirteen hundred (1300) feet in a northerly and two hundred (200) feet in a southerly direction from this notice and monument, we also claim all the privileges granted by the United States mining laws, as well as those granted by the laws of the Wallapai District this claim is situated about one half mile from Stockton hill northerly and about 1000 feet in a northeasterly direction from the Star Spangled Banner mine, and Southerly from Dove Spring this shall be known as the Fountain Head Ledge & Comp.

April 15th 1877

J. P. LAYNE 750 feet

ROBERT GRAY 750 feet

Recorded at the request of Robt. Gray April 17th A.D. 1877, at 7 P.M.

Caldwell Wright  
County Recorder

TERRITORY OF ARIZONA, }  
County of Mohave. } ss.

13

I, Jno. P. Feeny, Recorder of Mohave County, Territory of Arizona, do hereby certify that I have compared the foregoing copy of location notice of the Fountain Head Mining Claim, and of the endorsement thereupon with the original records of the same on file in this office and that the same are correct transcripts therefrom and of the whole of said original records.

WITNESS my hand and the seal of said office this Nineteenth day of December, 1903.

Jno. P. Feeny  
Recorder of Mohave County.



4-687.

SURVEYOR-GENERAL'S CERTIFICATE OF APPROVAL OF FIELD NOTES AND SURVEY OF MINING CLAIM.

Department of the Interior,

Office of U. S. Surveyor-General,

Phoenix, Arizona

July 12, 1904

I, U. S. Surveyor-General for District of Arizona

do hereby certify that the foregoing and hereto attached Field Notes and Return of the Survey of the Mining Claim of A. C. Lake

known as the Fountain Head Lode

situate in Wallapai Mining District, Yavapai County, Arizona

in Section 4 & 5, Township No. 22 N., Range No. 17 W.

designated as Survey No. 1942

executed by O. F. Kuencer, U. S. Deputy Mineral

Surveyor, April 26-28, 1904, under my instructions dated

April 15th, 1904, have been critically examined and the necessary cor-

rections and explanations made, and the said Field Notes and Return, and the Survey they describe,

are hereby approved. A true copy of the copy of the location certificate filed by the applicant for

survey is included in the field notes.

Frank S. Sigall

U. S. Surveyor-General for Arizona





UNITED STATES DEPARTMENT OF THE INTERIOR  
 BUREAU OF LAND MANAGEMENT  
 ARIZONA STATE OFFICE

9630 (942)  
 Group 715

November 28, 1994

Memorandum

To: Chief, Office Section, Branch of Cadastral Survey

From: Chief Cadastral Surveyor

Subject: Notice of Cancellation of Surveys, Navajo Special Meridian, Arizona

Effective November 28, 1994, the surveys of the following townships of the Navajo Special Meridian, Arizona are cancelled.

Surveyed Townships

T. 1 N., Rs. 7, 9, 10, and 11 W.  
 T. 2 N., Rs. 7, 10, and 11 W.  
 T. 3 N., Rs. 6, 7, 10, and 11 W.  
 T. 4 N., Rs. 6, 10, and 11 W.  
 \*T. 5 N., Rs. 6, 10, and 11 W.  
 T. 6 N., Rs. 6, 7, 9, 10, and 11 W.  
 T. 7 N., Rs. 7, 9, 10, and 11 W.

Partially Surveyed Townships

T. 1 N., Rs. 5, and 8 W.  
 T. 2 N., Rs. 5, 8, and 9 W.  
 T. 3 N., Rs. 5, 8, and 9 W.  
 T. 4 N., Rs. 5, 7, 8, and 9 W.  
 T. 5 N., Rs. 5, 7, 8, and 9 W.  
 T. 6 N., Rs. 5, and 8 W.  
 T. 7 N., Rs. 5, 6, and 8 W.

Also effective November 28, 1994, the suspension is lifted on the plat approved June 23, 1933, and accepted January 6, 1934, T. 5 N., R. 10 W.

\*Portions of T. 5 N., R. 10 W., were resurveyed in 1933 under Group 183 and in 1940-42 under Group 235 for the primary purpose of preserving the identification of the Boundary of Canyon De Chelly National Monument. The portions of those surveys resurveyed in 1991-92 under Group 715, plat accepted August 16, 1994, and the subdivision of sections 10, 22, 25 and 26 in the 1940-42 resurvey are the only portions of the Navajo Special Meridian that remain uncanceled.

This cancellation is to include the 1869 survey of the South and West Boundaries, by Treaty of June 1, 1868, and the subsequent 1919-20 resurvey of the West Boundary of the Navajo Indian Reservation.

Townships surveyed or partially surveyed in New Mexico under the Navajo Special Meridian were cancelled by Memorandum dated June 17, 1936 under memorandum file #1643519 "E" and included the following townships:

T. 1 N., Rs. 1, 2, and 3 W.	T. 9 N., Rs. 1, 2, 3, and 4 W.
T. 2 N., Rs. 1, and 5 W.	T. 10 N., Rs. 1, 2, 3, 4, and 5 W.
T. 3 N., Rs. 1, and 5 W.	T. 11 N., Rs. 1, 2, 3, 4, and 5 W.
T. 4 N., Rs. 1, 2, and 5 W.	T. 12 N., Rs. 3, 4, and 5 W.
T. 5 N., Rs. 1, and 2 W.	T. 13 N., Rs. 1, 2, 3, 4, and 5 W.
T. 6 N., Rs. 1, 2, 3, and 4 W.	T. 14 N., Rs. 3, 4, and 5 W.
T. 7 N., Rs. 1, 2, and 3 W.	
T. 8 N., Rs. 1, 2, 3, and 4 W.	

By Directors' Letter dated May 11, 1951, the surveys executed in Arizona under the Navajo Special Meridian in Tps. 8, 9, 10, 11, 12, 13, 14, 15 N., Rs. 5, 6, 7, 8, 9, 10, and 11 W. were cancelled. In particular they are:

Surveyed

T. 8 N., Rs. 9, 10, and 11 W.  
 T. 9 N., Rs. 9, 10, and 11 W.  
 T. 10 N., Rs. 5, 9, and 10 W.  
 T. 11 N., Rs. 5, 9, 10, and 11 W.  
 T. 12 N., Rs. 9, 10, and 11 W.  
 T. 13 N., Rs. 9, 10, and 11 W.  
 T. 14 N., Rs. 5, 6, 7, 8, 9, 10, and 11 W.  
 T. 15 N., Rs. 7, 8, 9, and 10 W.

Partially Surveyed

T. 8 N., Rs. 6, 7, and 8 W.  
 T. 9 N., Rs. 5, 6, and 8 W.  
 T. 10 N., Rs. 6, 7, 8, and 11 W.  
 T. 11 N., Rs. 6, 7, and 8 W.  
 T. 12 N., Rs. 5, and 6 W.  
 T. 13 N., Rs. 5, 6, 7, and 8 W.  
 T. 15 N., Rs. 5, 6, and 11 W.

Unsurveyed

T. 8 N., R. 5 W.  
 T. 9 N., R. 7 W.  
 T. 12 N., Rs. 7, and 8 W.

By Memorandum dated January 29, 1992, File No. 9630 (942), this office, Tps. 1 and 2 N., R. 6 W. were cancelled.

A copy of this memorandum will be placed at the front of each of the following original field note books, located at the Arizona State Cadastral Survey Office, containing the field notes of the affected surveys.

BOOK: 1932, 1933, 1934, 1935, 1936, 1937, 1938, 1939, 1940, 1941, 1942, 1943, 1944, 1945, 1946, 1947, 1948, 1949, 1950, 1951, 1952, 1953, 1954, 1955, 1956, 2627, 3342, 3502, 3966, 4288

The notation, "Cancelled November 28, 1994 per Memorandum File No. 9630 (942) Group 715, Arizona," will be made on the following plats:

Approved February 28, 1870

T. 1 N., Rs. 9, and 10 W.  
 T. 2 N., R. 10 W.  
 T. 3 N., R. 10 W.  
 T. 4 N., R. 10 W.  
 T. 5 N., R. 10 W.  
 T. 6 N., R. 10 W.  
 T. 7 N., R. 10 W.

Approved May 7, 1870

T. 6 N., R. 9 W.  
 T. 7 N., R. 9 W.

Approved May 23, 1870

T. 1 N., R. 7 W.  
 T. 2 N., R. 7 W.  
 T. 3 N., Rs. 6, and 7 W.  
 T. 4 N., R. 6 W.  
 T. 5 N., R. 6 W.  
 T. 6 N., Rs. 6, and 7 W.  
 T. 7 N., R. 7 W.

Approved March 7, 1871

T. 1 N., R. 11 W.  
 T. 2 N., Rs. 5, and 11 W.  
 T. 3 N., Rs. 5, and 11 W.  
 T. 4 N., Rs. 5, and 11 W.  
 T. 5 N., R. 11 W.  
 T. 6 N., R. 11 W.  
 T. 7 N., R. 11 W.

The notation, "Cancelled November 28, 1994, except for those portions resurveyed in 1991-92, Group 715, plat accepted August 16, 1994, and the survey of the subdivision of sections 10, 22, 25 and 26 on this plat, per Memorandum File No. 9630 (942) Group 715, Arizona," will be made on the following plat:

T. 5 N., R. 10 W., approved December 3, 1943, and accepted December 23, 1943.

The notation, "Suspension Lifted, November 28, 1994, per Memorandum File No. 9630 (942) Group 715, Arizona," will be made on the following plat:

T. 5 N., R. 10 W., approved June 23, 1933, and accepted January 6, 1934.



James P. Kelley