U. S. Deputy Mineral Surveyor.

Survey commenced September 28th, 1904
Survey completed October 20th, 1904 Survey commenced Septer

Past Office address of claurants ally Bishes, backing brunty anyone

PRELIMINARY OATHS OF ASSISTANTS IN SURVEY OF MINING CLAIM.

Willer Chead	
11 13,4-2	and for Sartch,
do solemnly swear that we will well and f	aithfully execute the duties of chain carriers; that we will
level the chain upon even and uneven grou	and and plumb the tally-pins, either by sticking or dropping
	tance to all notable objects, and the true length of all lines four skill and ability, and in accordance with instructions
given us, in the survey of the Mining Clair	m of function deutlogen
Le /1/1 / 600	Lell atty.
known as the	
known as the	7
situate in	mining district
Coches	County, augaing,
in Section approx, Township No. 2 2	Range No. 21 ESTSAS VM
in section, from the first	
	Teter Chead , Chainman.
	One Barriel
	Chainman,
Subscribe	ed and sworn to by the above-named persons before me this
	Ig ch day of Seplewles, 190 of
•••	, 100
	CO UNOTARI PUBLIC
	In and for the County of Cochise, Territory of A My Commission Expires March 21, 1908.
T	
	lishment of corners and other duties, according to instruc-
	<i>*</i>
known as the	
more fully described in the preceding affida	•
1	V1t.
	vit. , Axman.
Subscribe	, Axman.
	d and sworn to by the said
	, Axman.
	d and sworn to by the said
	d and sworn to by the saidday of
	d and sworn to by the saidday of
	d and sworn to by the said
	d and sworn to by the said
I,perform the duties of flagman, in the establications given me and to the best of my s	d and sworn to by the saidday of, 190
I,perform the duties of flagman, in the establishment of the best of my s	d and sworn to by the said
I,perform the duties of flagman, in the establications given me and to the best of my seemble when he was the seemble when the seemble when we have the seemble which we have the seemble which we have the seemble when we have the seemble which we have the see	d and sworn to by the said, Axman.
I,perform the duties of flagman, in the establishment of the best of my s	d and sworn to by the said, Axman.
I,perform the duties of flagman, in the establications given me and to the best of my seemble when he was the seemble when the seemble when we have the seemble which we have the seemble which we have the seemble when we have the seemble which we have the see	d and sworn to by the said, Axman.
I,perform the duties of flagman, in the establishment of the best of my second with the dest of my second with the more fully described in the preceding affidation.	d and sworn to by the said
I,perform the duties of flagman, in the establishment of the best of my second with the dest of my second with the more fully described in the preceding affidation.	d and sworn to by the said
I, perform the duties of flagman, in the established given me and to the best of my second with the seco	d and sworn to by the said
I,perform the duties of flagman, in the establishment of the best of my second with the best of my second with the more fully described in the preceding affidation.	d and sworn to by the said, Asman. before me thisday of, 190, do solemnly swear that I will well and truly dishment of corners and other duties, according to instruction in the survey of the Mining Claim of, Flagman. vit, Flagman.

SWIM

Beginning at Cor.No.1, the NE. cor., identical with location and with Gors.No.1 and 4 respectively of Eric Cattle Clair, Survey No.1464 and Julia lode, Survey No.1780, a pine post 4 ft.long 4 ins. sq. set 1 ft in the groundin a mound of stones and scribed 1-1986 S L., whence a pine post of same dimensions and scribed W. G. 1-1986 brs.

S. 53° 32' E. 25 ft. and a second pine post of same dimensions and scribing brs. N. 53° 32' W. 25 ft., and U. S. CO. 57' 33" W. 3405.5 M. M. No. 4 Warren Minim: District brs. N. 69° 56' 50" M. 2731.4 ft.

Thence S. 53° 32' E

1531.6 along line 1-4 Eric Catile Claim, Survey No.1464 to Cor No. 2, the SE cor., identical with location and with Horne Gors No. 1, 2 and 4 respectively Lacour loce, Survey No. 1782, Baras lode, Survey No.1663 and Eric Catile Claim Survey No.1464, a pine post 4 ft.long 4ins sq set 1 ft in the ground in a mound of stones and scribed 2-1936 S L., whence a pine post of same dimensions and scribed V. C. 2-2-1986 brs. S. 53° 32' E. 25 ft. and a second pine post of same dimensions and scribing brs. N. 53° 32' W. 25 ft.

Thence S. 20° 34' W.

- 20.0 along line 1-2 Home lode, Survey Po.1782 to original loeation for f. and center,
- 27.2 same bearing to Sor.No.3, the SV. cor. identical rith location and on line 1-4 hast Rose of Summer Lode, Survey No. 1561 a pine post 4 ft long 4 ins sq set 1 ft in the round in a mound of stones and scribed 3-1986 S L., whence a pine post of same dimensions and scribed W. C. 3-1986 brs.N. 53° 05' W. 25 ft and a second pine post of same dimensions and scribing brs. S. 53° 05' E. 25 ft.,

Thence N. 53° 05' W.

1233.1 along line 4-1 hast Rose of Surner lode, Survey No.1561

to Cors.No.1 and 5 respectively of hast Rose of Survey No.1780 from lode, Survey No. 1561 and Julia lode, Survey No.1780 from which point Cor.No.4 Julia lode brs. N. 44° 38' W. 107.3 ft

tion a pine post 4 ft long 4 ins sq set 1 ft in the ground in a mound of stones and scribed 4-1986 % L whence a pine post of same dimensions and scribed W. C. 4-1986 brs. V. 53° 05' W. 25 ft and a second pine post of same dimensions and scribing brs. S. 53° 05' E. 25 ft.

Thence N. 20° 34' E.

7.2 to original location for H. end center -

16.4 same bearing to for No.1, the place of beginning.

Ledge.

The presumed course of the vein upon this claim is from the S. end center of location F. 53° 05' W. 1884.6 ft.

AREA.

Total area Swin Lode, 0.641 Acres Less are in conflict with Julia Lode, Survey No.1780 0.018 "

Wet area Swin lode, 0.62% Acres.

Improvements.

I certify that the value of the labor and improvements on this claim placed thereon by claim and or its grantoms are as follows:

Holl Discovery Shaft 4x6x10 ft. brs.from ". en d center of localion 5.53° 05' H. 100 ft. Value \$100

Note

Somplete as identit of \$500 improvements on this claim
will be furnished before the expiration of publication.

ADJCIFIE Chains.

Horth Erie Cattle Claim, Survey No.1464, owner by an Lacant herein. Baras lode, Survey No.1663, Copper Queen Con hin. Co over.

Hast Home lode, Survey Po.1782, owned by applicant herein.

South Last Pose of Survey Lode, Survey No.1581 same owner.

"est Julia lode, Survey No.1780 I. ". "allace

LOCATION.

This claim is located about $\frac{5}{4}$ mi in a SE direction from the City of Bisbee on unsurveyed Lands in Warren Mining District, Cochisc County, Frizona, approximately in Tp 23 S R 24 E G & S R B & M.

INSTRUMINT.

This survey was rade with a Leitz Mount in and Mining transit. The commen were deflected from the true meridian as determined by solar observation, checked by an observation on Polaria. The distances were measured with a 500 foot steel tape.

Magnetic Variation 18° 50' E.

U. S. Deputy Mineral Surveyor.

Hisben, Arizona,

Letalize of the 200

Note Any discrepancies between the courses and distances of this survey and those of the adjoining approved surveys are due to errors in the latter.

FINAL OATHS FOR SURVEYS.

LIST O	F NAMES,					
	of bo while	-10				
A list of the names of the individuals emp	ployed by Chaustu, 1	ace to A				
United States Deputy Mineral Surveyor, to ass	sist in running, measuring, and mark	ting the lines				
corners and boundaries described in the forego		1//				
of franchene	comment of fle	Cloude				
known as the						
and showing the respective capacities in which	they acted.					
	Ater Wiale	Chainman				
	Sac Bouton	, charleman.				
		, Chainman.				
		, Axman.				
		, Fiagman.				
	•••					
FINAL CATHS	OF ASSISTANTS.					
We, Geter Chead	lemnly swear that we assisted L					
We,	4					
and fug harch, do sol	lemnly swear that we assisted	authur				
M. Sunth , United States Dep	uty Mineral Surveyor, in marking th	g corners and				
surveying the boundaries of the mining claim of function development						
for 124.0° for 5	Jaky/					
The Contract	- ary	•••••				
	, known as the					
Spring	/	, represented				
in the foregoing field notes as having been surv						
his direction; and that said survey has been i						
belief, faithfully and correctly executed, and t						
according to law and the instructions furnis	shed by the United States Surveyo	r-General for				
Jugona.						
	Chefer Blinds	Chainman				
	So Cardo	Obsiemen				
¥ī		, Axman .				
		., Flagman.				
Subscribed and s	sworn to by the above-named person	ns before me				
uns	May of Cecoto, 1	90.7				
	_					

NOTARY PUBLIC
In and for the County of Cochise, Territory of Arizona,
My Commission Expires March 21, 1908.

FINAL OATH OF U. S. DEPUTY MINERAL SURVEYOR

I, Franklin Worth, U. S. Deputy Mineral					
Surveyor, do solemnly swear that, in pursuance of instructions received from the United					
States Surveyor General for, dated, dated, lefteruler 22 no, 1904, I have, in strict conformity to the laws of the					
United States, the official regulations and instructions thereunder, and the instructions					
of said Surveyor General, faithfully and correctly executed the survey of the Mining					
Claim of function Development 60					
191 O'Connell alty, known as the					
situate in Mining District,					
County ansona in Section					
Whately, Township No. 338, Range No. 34 Ely +5RB +2M was					
and designated as Survey No. 1986 , as represented					
in the foregoing field notes, which accurately show the boundaries of said mining claim					
as distinctly marked by monuments on the ground, and described in the attached copy					
of the location certificate, which was received by me from the Surveyor General with					
said instructions, and that all the corners of said survey have been established and per-					
petuated in strict accordance with the law, official regulations and instructions there-					
under; and I do further solemnly swear that the foregoing are the true and original					
field notes of said survey and my report therein, and that the labor expended and					
improvements made upon said mining claim by claimant or grantors					
are as therein fully stated, and that the character, extent, location and itemized value					
thereof are specified therein with particularity and full detail, and that no portion of					
said labor or improvements so credited to this claim has been included in the estimate					
of expenditures upon any other claim.					
l'. S. Deputy Mineral Surveyor.					
C.S. Deputy Mineral Surveyor.					
Subscribed and sworn to by the said Franklin Whenth.					
U. S. Deputy Mineral Surveyor, before me this					
day of October 1904.					
en Elmin					
In and for the County or Counts, Lentters A. A.					

Motice of Mining Location

LODE CLAIM

To All Whom It May Concern:
This Mining Claim, the name of which is the
Mining Claim, situate on lands belonging to the United States of America, and in which there
are valuable mineral deposits, was entered upon and located for the purposes of exploration and
purchase by A. D. Hovland, a Citizen of the United States
purchase by Tilly Toutand, a surgent of the manch
(Locator must insert either "a citizen of the United States," or, "who has declared his intention to become a citizen of the United States.")
the undersigned, on the 30 day of tune 1903
The length of this claim is 1385 feet,
and claim 160 feet,
in a U. Westerly direction and 1225
feet in a S. Easterly direction from
the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together
with 20 feet in width of the surface grounds, on each
side of the center of said claim. The general course of the lode deposit and premises is from the
The claim is situated and located in the Carress Mining District, in
Cochise County, in the Territory of Arizona, about 2000 feet
in a S. Easterly direction from Sacramento Hill and
bounded on the M. E. Ly the Eric Patent claim(1464),
on S. 6. by Home (Tatent 1782), porther S. H. by Last
(Rose (Ralent 156/)
The surface boundaries of the claim are marked upon the ground as follows: Beginning at

Territoryyof Arizona,)

:S5.

County of Cochise.

I, Frank Hare County Recorder in and for said County, hereby certify that I have compared the foregoing copy with the original location notice of the Swim mining claim filed and recorded in my office on the 3rd day of fully 1903 in Book 27 page 67 , Record of Mines, and that the same is a full, true and correct copy of such original and of the whole thereof.

witness my hand and seal of ffice, this 16 h day of Sept. 1904


County Recorder.

8

Motice of Mining Location

LODE CLAIM

To All Whom It May Concern:
This Mining Claim, the name of which is the
Mining Claim, situate on lands belonging to the United States of America, and in which there
are valuable mineral deposits, was entered upon and located for the purposes of exploration and
purchase by A. S. Havland, a Ectizin of the United States
(Locator must insert either "a citizen of the United States," or, "who has declared his intention to become a citizen of the United States.")
the undersigned, on the 30 day of June 190 3
The length of this claim is 13.8.5 feet,
and claim 160 feet,
in a M. Hesterly direction and 1225
feet in a S. Easterly direction from
the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together
with
side of the center of said claim. The general course of the lode deposit and premises is from the
The claim is situated and located in the
Cochiese County, in the Territory of Arizona, about 2000 feet
in a S. Easterly direction from Sacramento Adel and
bounded on the N. E. Ly the Eric Pstent claim (1464),
on S. E. by Home (Tatent 1782), putter S. H. by Last
Case (patent 1561)
The surface boundaries of the claim are marked upon the ground as follows: Beginning at
d Monument
·y
at a point in a Seasterly direction 160 feet from
1 26
the discovery shaft (at which this notice is posted), being in the center of the
end line of said claim; thence A Musterly 20 feet to a post
end line of said claim; thence A. Mesterly 20 feet to a post corner of said claim; thence
end line of said claim; thence A. Mesterly 20 feet to a post
end line of said claim; thence A. Mesterly 20 feet to a post
end line of said claim; thence A. Mesterly 20 feet to a post corner of said claim; thence something is a corner of said claim; thence something is said claim;
end line of said claim; thence A. Mesterly 20 feet to a post corner of said claim; thence something 1385 feet to a post peing at the corner of said claim; thence something 15 feet to a monument at the center of the something of the said claim; thence the said claim;
end line of said claim; thence A. Mesterly 20 feet to a post corner of said claim; thence being the corner of said claim; thence of said claim; thence of said claim; thence of the corner of said claim; thence of the corner of said claim; thence of the said claim; thence of the said claim; thence of said claim; the said
end line of said claim; thence A Musterly 20 feet to a post corner of said claim; thence being the corner of said claim; thence of said claim; thence of said claim; thence of the corner of said claim; thence of the corner of said claim; thence of the said claim; thence of said claim;
end line of said claim; thence A Mesterly 20 feet to a post corner of said claim; thence said claim; thence a startly 1385 feet to a said claim; thence I Casterly 15 feet to a Monument at the center of the S.O. corner of said claim; thence I Casterly 15 feet to a sort, being at the S.O. corner of said claim; thence I Casterly 15 feet to a sort, being at the S.O. corner of said claim; thence I Seet to a sort the said claim; thence I Seet to a sort the said claim; thence I Seet to a sort the said claim; thence S.O. corner of said claim; thence S.O. corner of said claim; thence S.O. corner of said claim;
end line of said claim; thence — heing the — Corner of said claim; thence — Lasterly 1385 feet to a — Rox — heing at the — Los — heing at the — heing at
end line of said claim; thence A Mesterly 20 feet to a post corner of said claim; thence said claim; thence a startly 1385 feet to a said claim; thence I Casterly 15 feet to a Monument at the center of the S.O. corner of said claim; thence I Casterly 15 feet to a sort, being at the S.O. corner of said claim; thence I Casterly 15 feet to a sort, being at the S.O. corner of said claim; thence I Seet to a sort the said claim; thence I Seet to a sort the said claim; thence I Seet to a sort the said claim; thence S.O. corner of said claim; thence S.O. corner of said claim; thence S.O. corner of said claim;
end line of said claim; thence A. Italian, 20 feet to a port corner of said claim; thence being the corner of said claim; thence of
end line of said claim; thence — Mesterly 1385 feet to a post point thence — Casterly 1385 feet to a post point the corner of said claim; thence — Casterly 1385 feet to a post point feet to a Monument at the center of the cond of said claim; thence — Casterly 15 feet to a post point at the corner of said claim; thence — Corner of said clai
end line of said claim; thence I listerly 20 feet to a post corner of said claim; thence corner of said claim; thence so corne
end line of said claim; thence I listerly 20 feet to a post corner of said claim; thence corner of said claim; thence so corne
end line of said claim; thence — Mesterly 1385 feet to a post point thence — Casterly 1385 feet to a post point the corner of said claim; thence — Casterly 1385 feet to a post point feet to a Monument at the center of the cond of said claim; thence — Casterly 15 feet to a post point at the corner of said claim; thence — Corner of said clai



This diagram is to give locator a general idea of plan of location under the new law. The Discovery Shaft can be in the center of claim or any distance from either end desired. In the diagram it is placed 500 feet from one end and 1000 feet from the other. Commence description of claim at a center end monument, giving its distance and direction from center of Discovery Shaft; thence bound the claim in either direction. In description be careful to state locality of claim with reference to some natural object, or permanent monument, as will identify the claim.

Motice of Location

LODE CLAIM

	L.

Dated	190
Filed and Reco	orded at request of
	A. D. 190
at	
Book	
Pages	
	County Recorder.
By	**************************************

y Recorde

Ð

SURVEYOR=GENERAL'S CERTIFICATE OF APPROVAL OF FIELD NOTES AND SURVEY OF MINING CLAIM.

Department of the Interior,

Office of U.S. Surveyor-General,

Phoenix, Arizona.					
Oct 21 -, 190_4					
I, U. S. Surveyor-General for the district of Arizona.					
do hereby certify that the foregoing and hereto attached Field Notes and Return of the Survey of the					
Mining Claim of Junction Development Co., J. M. O'Connell, Atty.					
, known as the					
Swim.					
situate in Warren Mining District,					
Cochise,County,Arizona.					
in Section approx., Township No. 23 S., Range No. 24 E.					
, designated as Survey No. 1986.					
executed by Franklin W. Smith, U.S. Deputy Mineral					
Surveyor, Sept. 28th to Oct. 2nd 1904., 190, under my instructions dated					
Sept. 22nd 1904. , 190 , have been critically examined and the necessary cor-					
rections and explanations made, and the said Field Notes and Return, and the Survey they describe,					
are hereby approved. A true copy of the copy of the location certificate filed by the applicant. for					
survey is included in the field notes. U. S. Surveyor-General for Arizona.					

7360b5m3-03

Improvements.

I certify that the value of the labor and improvements on the Swim Lode Mineral Survey No. 1986 placed thereon by the claimant, or its grantors, is not less than \$500.00, and that said improvements consist of:

- No. 1. Discovery shaft 4 X 6 X 50 feet, bears from North end center of location South 53° 05' East 100 feet; value \$500.
- No. 2. Junction Shaft, 6 X 20 X 800 feet, four compartment, timbered, bears from a point on line 5-6 Error Lode, Survey No. 1968 North 30° 7" West 344.7 feet from corner No. 5, North 24° 10' West 223.4 feet; value \$60,000.00 1/20 interest allotted to this survey, \$3000.00. Total improvements Swim Lode \$3500.00.
- Note. The main working shaft of the Junction Developing Company situated on the East side line of the Error Lode, Survey No. 1968 (18 feet of which shaft is situated on the Waddell Lode Survey No. 1652) was sunk for the purpose of developing the entire Junction Group, as a centrally located shaft by drifting and cross-cutting from same has proven beyond question to be the best and most practical method to develop the ore deposits of this district.

U. S. Deputy Mineral Surveyor.

Bisbee, Arizona, Dec. 15th, 1904.

Affidavit of Five Hundred Dollars Improvements.

wr. Frank Radoth,	and Fre	l Han	enstein
	www.se.	V	
of lawful age, being first duly sworn accord	ing to law, a	lepose and say	: That we
are acquainted with the		mi	ining claim,
situate in Marie Mir	ning district,.	bochi	se County,
Arizona Territory, for which	-//	Pevelop	ment
Artzona Territory, for which		<i>l</i> \.	
la JMO Connect at	ty in -	fact	
ha made application for survey prior to app			
of the Act of Congress, approved May 10, 1872	; and that th	e labor done a	nd improve-
ments made thereon by the applicant and	to oran	ors organd Fi	ro Hundrod
Dollars in value, and further that we are not	personally i	nterested in sa	id mine.
	Frans	& Radot	In ,
	7 11	auenstein	
•	Ind M	aulnssum	
TERRITORY OF ARIZONA,			
TERRITORY OF ARIZONA, County of Lochuse ss:			
			105 th
Sworn to and			
SEAL. E. Clay of6	Decen	ber, 190 %	_
× ************************************	me	Cass	edy
Mus Com 2011 September 1		•	
my Commission Exprire			

Certificate of U. S. Surveyor General

AS TO

EXPENDITURES REP	ORTED AFTER	Return	OF SURVEY	OF	MINING	CLAIM.
------------------	-------------	--------	-----------	----	--------	--------

T TT (1 P)	Cl	T) 2		
		1		,
do hereby certify the			or i	or
improvements made	by claimant	or <u>its</u>	grantors, upon _/ tl	ne mining claim of
Junction Develo	pment Compa	any	A A	

known as the		Swim		
situate in	Warı	ren		mining district,
Cochise		County,	Arizona	,
in Section	, Township I	No	, Range No.	·;
that said improvemen	nts consist of	Dis. sha	ft 4 x 6 x 50	ft. value\$500.
and 1/20 intere	est in June	tion Devel	opment Company	's main working
shaft, value \$3	000 .00			

	1 2 1 2 2			
		•		
	and that	no portion c	f said labor or impa	royamanta lua baan
included in the estimate				
				al Surveyor, dated
Dec. 15,190	14, 18	, is hereto a	ttached.	
			10 A chy	
	U	I.S.SurveyorG	eneral for Arizon	ıa
Office of U.S. Survey	or General,			
Phoenix, Ar	Izona	· ,		
Dec. 24,1	1904	, 18		. 4

SWIM

SURVEY Nº 1986.

Scale: 200ft-fin.

