

**MS**

**0**

**1**

**9**

**9**

**0**

Copied by  
CMT 12/30/04

Recd. Dec. 9. 04  
Examined  
H. C. Jr.

(4-683.)

Mineral Survey No. 1990

Lot No. ....

Gila

Land District.

FIELD NOTES

OF THE SURVEY OF THE MINING CLAIM OF

The Imperial Copper Co.

KNOWN AS THE

Luslie

Siorwell

Mining District,

Pima County, Ariz

Section       , Township 12 S., Range 8 E unsurveyed

Surveyed under instructions dated Sept 27, 1904

by John A. Rockwell  
U. S. Deputy Mineral Surveyor.

Claim located Sept 7 ..... \$1900

Survey commenced Nov 29 ..... 1904

Survey completed Nov 30 ..... 1904

Benn Goodrich

Attorney

Tombstone Ariz

Overl. O.K. - See line C.S.  
8/12/04

TERRITORY OF ARIZONA,  
County of Pima } ss.

Before me, G. W. Diez, a Notary Public  
in and for the County of Pima Territory of Arizona, on this day personally appeared  
Robert B Stewart  
known to me to be the person.....whose name.....is subscribed to the foregoing instrument, and acknowledged to me  
that.....he.....executed the same for the purpose.....and consideration therein expressed.

Given under my hand and seal of office this 30 day  
of Nov A. D. 1908  
G. W. Diez  
Notary Public.

(My Commission expires Sept 7 1908)

# PRELIMINARY OATHS OF ASSISTANTS IN SURVEY OF MINING CLAIM.

We, Robert B. Stewart and \_\_\_\_\_, do solemnly swear that we will well and faithfully execute the duties of chain carriers; that we will level the chain upon even and uneven ground and plumb the tally-pins, either by sticking or dropping the same; that we will report the true distance to all notable objects, and the true length of all lines that we assist in measuring, to the best of our skill and ability, and in accordance with instructions

given us, in the survey of the Mining Claim of The Imperial  
Copper Co.

known as the Leslie  
situate in Silver Bell mining district

Pima County, Ariz

in Section \_\_\_\_\_, Township No. 12 S, Range No. 8 E unsurveyed

Robert B. Stewart, Chainman.

\_\_\_\_\_, Chainman.

Subscribed and sworn to by the above-named persons before me this 30th day of November, 1904

John Doan  
Justice of the Peace  
Silver Bell Precinct Pima County  
Arizona

I, \_\_\_\_\_, do solemnly swear that I will well and truly perform the duties of axman, in the establishment of corners and other duties, according to instructions given me and to the best of my skill and ability, in the survey of the Mining Claim of

known as the \_\_\_\_\_  
more fully described in the preceding affidavit.

\_\_\_\_\_, Axman.

Subscribed and sworn to by the said \_\_\_\_\_

\_\_\_\_\_ before me this \_\_\_\_\_ day of \_\_\_\_\_, 190\_\_\_\_

I, \_\_\_\_\_, do solemnly swear that I will well and truly perform the duties of flagman, in the establishment of corners and other duties, according to instructions given me and to the best of my skill and ability, in the survey of the Mining Claim of

known as the \_\_\_\_\_  
more fully described in the preceding affidavit.

\_\_\_\_\_, Flagman.

Subscribed and sworn to by the said \_\_\_\_\_

\_\_\_\_\_ before me this \_\_\_\_\_ day of \_\_\_\_\_, 190\_\_\_\_

Survey No. 1990 -- Leslie Lode.

Feet Beginning at Corner No. 1, a pine post 4 ins. sq.,  
3 1/2 ft. long, set 6 ins. in ground to bed rock, in  
mound of stone, scribed 1 - 1990 L,

Whence,

1,- Corner of location, a pine post 4 ins. sq.,  
2 1/2 ft. high, in mound of stone, scribed N.W. COR. LES-  
LIE 1 - 1939, bears S. 73°40', W. 523 ft.

2,- U.S.Location Monument No. 1204 bears N.55°40'  
W. 2413.9 ft.

3,- A cross (X) and B.R. 1 - 1990, chiseled on  
quartzite bedrock, bears S. 18°30', W. 5.2 ft.

4,- A cross and B.R. 1 - 1990, chiseled on quartzite  
bedrock, bears N. 80°48', W. 8.5 ft.

Thence N. 73°40' E.

Va. 13°45' E.

Descend slope.

461.5 Center of track Arizona Southern R. R., on curve,  
bears S.W. & N. E.

527.5 Post in mound of stone, scribed 5 - 1819 P

618 Center of wash in gulch 6 ft. wide, course N.

727.6 Point whence a pipe, perpendicular, 1 in. diameter,  
3 ft. high, fastened in large boulder, bears S. 60°46',  
E. 74.4

855 Small frame cabin 25 ft. left.

875 Wagon road bears S. & N.

940 Center of wash in gulch 20 ft. wide, Course N. N.W.

972.8 Post in mound of stone, scribed 2 - 1939 L

1010 Small stone monument

1024 4 1/2 ft. left, S.W. cor. frame building.

1070 Center of road or street, bears S.E. and N.W.

1089.2 To Cor. No. 2, identical with location, a pine post  
4 ins. sq., 18 ins. above ground, in mound of stone,  
scribed 1 - 1819 P and N E C - L, to which I add 2 - 1990,

Whence,

1,- A cross (X) and B.R. 2 - 1990, chiseled on top

Feet of a quartzite rock 24 X 12 ins., projecting 30 ins. above ground, bears S. 71° 10', E. 58.8 ft.

2,- A cross (X) and B.R. 2 - 1990, chiseled on a quartzite rock 24 X 15 X 6 ins., bears N. 40° 05', E. 61.8 ft.

3,- The S.E. Cor. of frame house mentioned above, bears S. 86° 45', W. 32.2 ft.

Thence, S 7° 11' E

Va. 13° 40' E

Across space traveled by teams.

104.9 2 ft. right S.E. Cor. of a frame house.

300.4 East Center End, a pine post 4 ins. sq., 3 ft. high, in mound of stone, scribed E C E - L, to which I add 1990.

Whence,

1, -Center of an old monument, 5 ft. base 2 1/2 ft high, bears N. 83°, E. 10 ft.

2,- S.E. Cor. of stone walls of old cabin, bears N. 37° 45', W. 34 ft.

370 Center of wash in box canyon 20 ft. wide, Course W.

460 A corral fence, wood and barbed wire, bears E. S.E. and W. N.W.

516 Fence as above, Course same, South boundary of corral.

600.4 To Cor. No. 3, identical with location and with N.W. Cor. Black Eagle Lode Sur. No. 1987, S.W. Cor. Bell Lode Sur. No. 1819, N. E. Cor. Wilson lode Sur. No. 1208 A.

A red wood post 4 ins. sq., 3 ft. high, in monument of stone, scribed

1 - 1987 B E

1 - 1819 B

M.S. 18 - 1208 A

3 - ~~1839~~<sup>1939</sup> L. This I change to

3 - 1990 L. Attached to this post is a 2 X 4 post, scribed N.E. Cor. B.E. and S. E. Cor LESLIE.

Whence,

1, -A cross (X) and B. T. 3 - 1990, scribed on a paloverde tree 3 ins. diameter, bears N. 49° 50', W. 25.3 ft.

-3-

Feet 2,- A cross (X) and B.R. (not space for more), chiseled on a porphyry rock even with surface of ground, exposing surface 10 X 8 ins., bears S.  $51^{\circ} 10'$ , E. 55.5 ft.

3,- The S.E. Cor. of a stable 31 X 16 ft. (Course of long side N.  $16^{\circ} 30'$  E.) bears N.  $16^{\circ} 22'$ , E. 77.2 ft.

Thence,

S.  $75^{\circ} 09'$  W., Va.  $13^{\circ} 40'$  E.

Along N. boundary of Wilson Lode,

51 Road bears S.E. & N.W.  
 116 Road bears S. & N.  
 227 Road bears S. & N.  
 298 Ridge pole of long row of tent houses, bears S. S.W. and N. N.E.  
 598 Center of track Arizona Southern R. R., on Curve S.E.  
 1026.4 To Cor. No. 4, identical with location and with N.W. Cor. Wilson lode Sur. No. 1208 A, a red wood post 4 ins. sq., 3 1/2 ft. high, in mound of stone scribed M.S. 17 1208 A and S.W.C.L. 4 - 1939 L. This I change to 4-1990 L.

Whence,

1,- A cross (X) and B. T. 4 - 1990, chiseled on quartzite bed rock, bears S.  $72^{\circ}$ , E. 14.0 ft.

2,- A cross (X) and B. T. 4 - 1990, chiseled on quartzite bed rock, bears N.  $84^{\circ} 28'$ , W. 19.4 ft.

Thence,

N.  $18^{\circ} 21'$  W.

Va.  $13^{\circ} 40'$  E.

299.7 To Cor. No. 5, identical with location, a pine post 2 X 4 ins., 3 ft. high, in mound of stone, scribed W. E N D C E N T,- L. Set a pine post 4 ins. sq., 3.2 ft. long, 4 ins. in ground to bed rock, in mound of stone, scribed 5 - 1990 L.

Whence,

1,- A cross (X) and B. R. 5 - 1990, chiseled on quartzite rock 14 X 12 X 7 ins., a part of a reef, bears S.  $6^{\circ} 02'$ , E. 7.4 ft.

2,- A cross (X) and B. R. 5 - 1990, chiseled on

-4-

Feet quartzite bed rock, bears N. 72° 40', E. 5.4 ft.

Thence,

N. 7° 11' W.

Va. 13° 40' E.

270.1 To Cor. No. 1, the place of beginning.

Note:- The line 4 -5, continued, intersects Location corner of Leslie, and further along a post in Mound of stone, scribed M. S. 16 -1208 A. and 7 - 1208 A.

---000---

Area Leslie Lode, ~~14~~ 269 Acres.

Location.

This claim is located in Silverbell Mining District, Pima County, Arizona, in approximately Tp. 12 S. R. 8 E., unsurveyed. The lode line and presumed course of lode is from E. Center End S. 75° 15' W. 1084.7 ft. to Cor. No. 5 or W. Center End. The discovery is located approximately on said lode line, 110 ft. from East Center End.

Adjoining claims are, on the North, Lookout Lode, unsurveyed, Webster et. al., claimants, Pope lode survey No. 1819; on the East, Belle lode Survey No. 1819, and on S. E., Black Eagle lode, <sup>Sur No. 1987</sup> Imperial Copper Co., Claimant; on South, Wilson lode Survey No. 1208; on West, Daisy lode Survey No. 1208, Red Rock Mining Co., Claimants.

---000---

Expenditure of \$500.

I certify that the value of the labor and improvements placed thereon by the Claimants and their grantors is not less than five hundred dollars, and that said improvements consist of

1.--Discovery Cut and tunnel, the mouth of which bears from Cor. No. 3, N. 27.45, W. 300 ft., cut of irregular width, course Southerly 25 ft. to face 20 ft. high, thence S. 37° W., tunnel 6 1/2 X 4 1/2 ft., 46 ft.



long.

Value, \$560

2,- A shaft which bears from Cor. No. 3 N. 22°, W. 1545 ft. Shaft 6 X 4 ft., now filled up, once of considerable depth.

Value at least \$100

3,- A shaft which bears from a point on line 1 - 2 N. 73° 40', E. 727.6 ft. from Cor. 1, S. 17° 30', E. 194 ft. Shaft 6 X 5 ft. 8 ft. deep (partially filled)

Value at least \$75

Other Improvements.

Houses occupied by employes of Claimants, which bear as follows; from point on line 1 -2 N. 73° 40' E. 727.6 ft. from Cor. No. 1:

- 1. S. 12° 51', W. 133 ft. to N.E. Cor.
- 2. S. 15° 33', E. 330 " " N.W. "
- 3. S. 18° 42', E. 358.4 ft. to N.W. Cor.
- 4. S. 28° 43', E. 300.5 " " " " "
- 5. S. 32° 06', E. 357.5 " " " " "
- 6. S. 41° 00', E. 409.5 " " " " "

This building of frame for boarding house purposes.

From point on line 3 -4 at S. 75° 09', W. 62.5 ft. from Cor. No. 3.

- 7. N. 65° 21', W. 106 ft. to N. E. Cor.
- 8. N. 40° 00', W. 115 " " S. E. "
- 9. N. 57° 50', W. 195 " " N. E. "
- 10. N. 57° 00', W. 216 " " " " "
- 11. S. 82° 00', W. 199 " " " " "

All of above houses except No. 6 are of lumber and canvas with iron roofs.

The following are of lumber and canvas:

- 12. S. 76° 23', W. 356 ft. to front door
- 13. S. 81° 12', W. 425 " " N. E. Cor.
- 14. S. 83° 23', W. 338 " " " " "
- 15. N. 89° 45', W. 330 " " N. W. Cor.
- 16. N. 88° 20', W. 487 " " N. E. Cor.

Imperial Copper Co., Claimant.

From Cor. No. 2,

S.  $6^{\circ} 05'$ , E. 105 ft. to a frame house, S. E. Cor.  
House 18 X 30 ft. Course of front N.  $15'$  W.

Imperial Copper Co., Claimant

S.  $31^{\circ} 15'$ , W. 36.2 ft. to N. E. Cor. of a tent  
saloon 16 X 24 ft. Crowell & Gould, Claimants.

---000---

Instrument.

This survey was made with a Young & Sons Mountain  
Transit (No. 6855) with Smith Solar attachment. The  
courses were determined from true meridian by direct  
solar observations, checked by A. M. and P. M. settings  
and by a meridian established by me at Cor. No. 3, by  
observation of Polaris. The distances were measured  
with 500 and 100 ft. steel tapes.

Silverbell, Ariz.,

Dec. 5, 1904

*John A. Rockwell*  
U. S. Dep. Mineral Surveyor.

Note:- Any discrepancies between the courses & distances  
of this survey and those of contiguous claims are  
due to errors in the latter.

Sur. No 1990

Both the written and unwritten laws of Arizona declare that a shaft in rock 6 X 4 ft., 10 ft. deep or its equivalent, an open cut carried in to a face of ten feet, to be one hundred dollars' worth of work.

Custom accepts ten dollars per foot as the minimum cost of a shaft or tunnel of standard dimensions.

On the Leslie lode:

1) Discovery cut and tunnel consists of cut carried to a face of 20 ft., valued any way at.....\$100.00  
 Tunnel 46 FT. at \$10.00.....\$460.00  
\$560.00

2) Shaft 6 X 4 ft. once of considerable depth.

Value at least.....\$100.00


Some month before the official Survey, I made a preliminary survey of this claim and located this shaft then open. In the interval of time before the official survey a building had been erected close by and the shaft nearly filled with debris.

3) A shaft 6 X 5 ft. 8 ft. deep,

Value at least.....\$75.00

This shaft had evidently been ten feet deep when sunk, but the unprotected shaft had caved somewhat, filling up the bottom.

Tombstone, Ariz. Sept. 14, 1905.

  
 U. S. Deputy Mineral Surveyor.

Subscribed and sworn to before me this 16th. day of  
 September, 1905.

  
 CLERK DISTRICT COURT.

(4-691.)

# Certificate of U. S. Surveyor General

AS TO

EXPENDITURES REPORTED AFTER RETURN OF SURVEY OF MINING CLAIM.

I, U. S. Surveyor General for..... Dist. of Arizona....., do hereby certify that Five Hundred Dollars' worth of labor has been expended or improvements made by claimant or.....its.....grantors, upon the mining claim of..... The Imperial Copper Company,..... known as the..... Leslie, Sur. No. 1990....., situate in..... Silver Bell..... mining district,..... Pima..... County,..... ARIZONA..... in Section....., Township No....., Range No.....; that said improvements consist of Die. cut & tunnel, cut being of irregular width, 25 ft. long to face 20 ft. high, value \$100. tunnel run from face of cut 4 1/2 X 6 1/2 ft. 46 ft. long at \$10. per foot, value \$460.00 Shaft designated as shaft No. 2, 4 X 6 ft. once depth, of considerable of uncertain value. Shaft designated as shaft No. 3 6 X 5 ft. 8 ft. deep, at \$10. per foot, value \$80.00 making a total expenditure for the benefit of the Leslie lode of not less than \$640.00

....., and that no portion of said labor or improvements has been included in the estimate of expenditures upon any other claim. A copy of the report of..... John A. Rockfellow....., U. S. Deputy Mineral Surveyor, dated..... Sept. 14, 1905....., 18....., is hereto attached.

*Frank S. Galloway*  
U. S. Surveyor General for..... Arizona.....

Office of U. S. Surveyor General,

Phoenix, Arizona.

Sept. 31, 1905. 1

# FINAL OATHS FOR SURVEYS.

## LIST OF NAMES.

A list of the names of the individuals employed by John D. Rockefeller  
 United States Deputy Mineral Surveyor, to assist in running, measuring, and marking the lines, corners, and  
 boundaries described in the foregoing field notes of the survey of the mining claim of.....  
The Imperial Copper Co.  
 known as the Leslie  
 and showing the respective capacities in which they acted.

Robert B. Stewart, Chairman.  
 \_\_\_\_\_, Chairman.  
 \_\_\_\_\_, Axman.  
 \_\_\_\_\_, Flagman.

## FINAL OATHS OF ASSISTANTS.

Robert B. Stewart  
 and John D. Rockefeller, do solemnly swear that we assisted John D. Rockefeller,  
 United States Deputy Mineral Surveyor, in marking the corners and surveying  
 the boundaries of the mining claim of The Imperial Copper Co.  
 known as the Leslie  
 represented in the foregoing field notes as having been surveyed by said deputy mineral surveyor and under his  
 direction; and that said survey has been in all respects, to the best of our knowledge and belief, faithfully and  
 correctly executed, and the corner and boundary monuments established according to law and the instructions  
 furnished by the United States Surveyor-General for Ariz.

Robert B. Stewart, Chairman.  
 \_\_\_\_\_, Chairman.  
 \_\_\_\_\_, Axman.  
 \_\_\_\_\_, Flagman.

Subscribed and sworn to by the above-named persons before me this 5

day of December 24, 1908

My commission expires  
Sept 7 1908

G. W. [Signature]  
 Notary Public for  
Imperial Arizona

(4-686.)

FINAL OATH OF U. S. DEPUTY MINERAL SURVEYOR

I, John A. Rockefeller, U. S. Deputy Mineral Surveyor, do solemnly swear that, in pursuance of instructions received from the United States Surveyor General for Arizona, dated Sept 27 1904, I have, in strict conformity to the laws of the United States, the official regulations and instructions thereunder, and the instructions of said Surveyor General, faithfully and correctly executed the survey of the Mining Claim of The Imperial Copper Co., known as the Leslie, situate in Pinal Mining District, Pima County, Ariz, in Section 8 E unsurveyed, Township No. 12 S Range No. 8 E unsurveyed and designated as Survey No. 1990, as represented in the foregoing field notes, which accurately show the boundaries of said mining claim as distinctly marked by monuments on the ground, and described in the attached copy of the location certificate, which was received by me from the Surveyor General with said instructions, and that all the corners of said survey have been established and perpetuated in strict accordance with the law, official regulations and instructions thereunder; and I do further solemnly swear that the foregoing are the true and original field notes of said survey and my report therein, and that the labor expended and improvements made upon said mining claim by claimant or his grantors are as therein fully stated, and that the character, extent, location and itemized value thereof are specified therein with particularity and full detail, and that no portion of said labor or improvements so credited to this claim has been included in the estimate of expenditures upon any other claim.

John A. Rockefeller  
U. S. Deputy Mineral Surveyor.

Subscribed and sworn to by the said John A. Rockefeller  
U. S. Deputy Mineral Surveyor, before me G. W. Dies  
Notary Public this 68  
day of December 1904.

G. W. Dies  
Notary Public for Pima Co  
Arizona

c 3-154

My commission expires  
Sept 7, 1908

Leslie Mining Claim:

notice of mining location. Quartz claim. To all whom it may concern:

This mining claim, the name of which is the Leslie Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purpose of exploration and purchase by J. W. Curtis, the undersigned, on the 7<sup>th</sup> day of Sept. 1900. The length of this claim is 1500 feet and I claim 130 feet in an easterly direction and 1370 feet in a westerly direction from the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with 300 feet in width of the surface grounds, on each side of the center of said claim.

The general course of the lode deposit, and premises is from the east to the west.

The claim is situated and located in the Silver Bell Mining District, in Pima County, in the Territory of Arizona, about 200 feet in a southerly direction from the Silver Bell Camp, and Store.

The surface boundaries of the claim are marked upon the ground as follows:

Beginning at a monument of stones at a point in an easterly direction 130 feet from the discovery shaft, (at which this notice is posted), being in the center of the easterly end line of

said claim; thence northerly 300 feet to a monument of stone, being the northeast corner of said claim; thence westerly 750 feet to a monument of stone, at the center of the north side line of said claim; thence westerly 750 feet to a monument of stone, being at the northwest corner of said claim; thence southerly 300 feet to a monument of stone at the center of the westerly end of said claim; thence southerly 300 feet to a monument of stone at the southwest corner of said claim; thence easterly 750 feet to a monument of stone, being at the center of the south side line of said claim; thence easterly 750 feet to a monument of stone at the southeast corner of said claim; thence northerly 300 feet to the place of beginning.

All done under the provisions of Chapter Six of Title XXXII, of the Revised Statutes of the United States, and of an act of the General Assembly of Arizona, entitled "An Act concerning mines," approved March 20th 1895.

Dated and posted on the ground this 7th day of Sept. 1900.

Witness: Julius Volkert. } J. W. Curtis

Filed & recorded at request of Hugo J. Donaw, Nov. 1, 1900 at 9 A. M.

Chas. A. Ghibell.  
County Recorder.



Territory of Arizona, }  
County of Pima. } ss.

I, *Thomas A. Shubell* ..... County Recorder in and for the County of

Pima, do hereby certify that the above and foregoing is a full, true and correct copy *of the Leticia*  
*mining claim, situated in Silver Bell Mining District,*  
*Pima County, Arizona Territory, dated September 7<sup>th</sup> 1904.*

as appears of Record now in my office in Book *71 A Record of mines* ..... Pages *260* .....

In Witness Whereof, I have hereunto set my hand and affixed my  
official seal, at my office in Tucson, this *22nd* ..... day  
of *September* ..... A. D. 19*04*

*Thomas A. Shubell*  
.....  
County Recorder of Pima County, Arizona.

Affidavit of Five Hundred Dollars Improvements.

We, James Nimock, and R W Warren

of lawful age, being first duly sworn according to law, depose and say: That we are acquainted with the Leslie mining claim,

situate in Silvercreek Mining district, Pima County,

Arizona Territory, for which The Imperial

Copper Co

has made application for survey prior to application for patent under the provisions of the Act of Congress, approved May 10, 1872; and that the labor done and improvements made thereon by the applicant ~~s~~ and ~~the~~ <sup>its</sup> grantor ~~s~~ exceed Five Hundred Dollars in value, and further that we are not personally interested in said mine.

James Nimock  
R W Warren

TERRITORY OF ARIZONA, }  
County of Pima } ss:

Sworn to and subscribed before me, this 6

day of December, 1904



[Signature]  
Notary Public

My commission expires  
Sept 7 1904

4-687.

SURVEYOR-GENERAL'S CERTIFICATE OF APPROVAL OF FIELD  
NOTES AND SURVEY OF MINING CLAIM.

**Department of the Interior,**

*Office of U. S. Surveyor-General,*

..... Phoenix, Arizona. ....

*January 28<sup>th</sup>*, 1905.

I, U. S. Surveyor-General for ..... the district of ARIZONA. ....

do hereby certify that the foregoing and hereto attached Field Notes and Return of the Survey of the  
Mining Claim of ..... The Imperial Copper Co., .....

....., known as the

..... Leslie, .....

situate in ..... Silver Bell, ..... Mining District,

..... Pima ..... County, ..... Arizona. ....

in Section ..... Township No. 12 S. ...., Range No. 8 E. (unsurveyed)

....., designated as Survey No. 1990

executed by ..... John A. Rockfellow, ....., U. S. Deputy Mineral

Surveyor, ..... Nov. 29 to 30, 1904. ...., 190..., under my instructions dated

..... Sept. 27, 1904. ...., 190..., have been critically examined and the necessary cor-

rections and explanations made, and the said Field Notes and Return, and the Survey they describe,

are hereby approved. A true copy of the copy of the location certificate filed by the applicant. for

survey is included in the field notes.

*Frank A. Ingalls*

U. S. Surveyor-General for ..... Arizona. ....

U.S. L.M. 1204 N. 55° 40' W 2413.9 R

LOOKOUT LODE  
Unsurveyed  
N 73° 40' E

POPE LODE  
Sur. No. 1819

BELLE LODE  
Sur. No. 1819

BLACK EAGLE LODE  
Sur. No. 1987

WILSON LODE  
Sur. No. 1208 A

DAISY LODE  
Sur. No. 1208 A

Arizona Southern R.R.

LINE  
S 75° 15' W

S 75° 09' W

S 7° 11' E

N 7° 11' W 2704

N 18° 21' W 2597

LODE  
1084.7

1026.4

1089.2

600.7

600.7

461.5

527.5

Post 5-1879

Shaft No. 3

Shaft No. 2

Dist. Cut

Tunnel

713

714

715

716

717

718

719

720

Loc. Cor.

— Survey No. 1990 —

— Gila Land District —

— LESLIE LODE —

Surveyed by  
John A. Rockfellow  
U. S. Dep. Min. Surveyor  
Nov. 29-30, 1904.

— Scale 200ft = 1 inch —

N