

MS -

0

2

1

8

0

FEB 2-1905

(4-683.)

Mineral Survey No. 2180

Lot No. _____

Arizona Land District.

FIELD NOTES

OF THE SURVEY OF THE MINING CLAIM OF

Saddle Mountain Mining Co.

KNOWN AS THE

Belard, Lupa, Tranton, Golden, Loharick, Golden Gate
Mount, Idaho, Red, Saddle Mountain Mining District,

Pinal County, Arizona

Section _____, Township 5 S., Range 16 E

Surveyed under instructions dated Nov 4, 1905

by Edwin R. Dietrich
U. S. Deputy Mineral Surveyor

Claim located See location notes

Survey commenced Nov. 20th, 1905

Survey completed Nov 25th, 1905

o. 6-100

Address:

Herford & Hazzard,
Attorneys
Tucson, Ariz.

Tie ✓
Ledges ✓ numerous clerical errors
is ✓ excepting on Lohar
Areas out

ESTABLISHMENT OF U.S.L.M. NO.2180

After making a diligent search for quarter and section corners in Tp. 5 S., R. 16 E., G.& S.R.B.M., with which to connect Mineral surveys, Nos. 2179, 2180, 2181 and 2182, I am unable to find any, therefore I proceed to establish a United States Location Monument. I select a prominent point on a high ridge, immediately north of the Golden Gate Lode. At this point I set a pine post 8 inches square, 8 ft. long, 3 ft. in the ground, and surround the same by a mound of stone, and I mark said post U S L Mon. No. 2180, Saddle Mt. M. D.

November 19, 1905.

November 20, 1905. 3h 27' m., a.m., l.m.t., I observe Polaris at western elongation, and mark the line by a pin 18 ins. long driven in the ground at a point 400 ft. N. of monument. At 8h 05m., a.m., l.m.t., I deflect from the line determined on Polaris 1° 26' to the east.

From the meridian thus established I deflect the following bearings:

A cross (X) and B.R.U.S.L.M.No.2180, chiseled on a syenite boulder 5 x 6 x 7 ft. above the ground, brs. N. 2° 6' W. 51.7 ft.

A cross (X) and B.R.U.S.L.M.No.2180, chiseled on a syenite boulder 4 x 5 x 6 ft. above the ground, brs. S. 54° 42' W., 17.6 ft.

Mount Turnbull brs. N. 84° 05' E.

Stanley Peak brs. S. 85° 49' E.

Saddle Mountain brs. S. 20° 25' E.

Mount Lemon brs. S. 10° W.

Squaw Peak brs. N. 70° 10' W.

Smokestack of smelter at Christmas, Gila County,
hrs. N. 59° 03' W.

RECORDED IN THE OFFICE OF THE COUNTY CLERK AT GILA COUNTY, ARIZONA, 1904.

Edgar C. Dietrich
U. S. Deputy Mineral Surveyor.

Feet

SURVEY NO. 2180

TRENTON LODE.

Beginning at Cor. No. 1.

Identical with the location, which is a mound of stone 2½ ft. base 2 ft. high.

A syenite stone 30 x 8 x 6 ins., set 15 ins. in the ground, with mound of stone, chiseled T-1-2180, whence

U. S. L. M. No. 2180 brs. S. 86° 46' W., 512.7 ft.

A cross (X) and B.R. 1-1-2180, chiseled on a syenite boulder 4 x 6 x 8 above ground, brs. S. 23° 30' W. 53.1 ft.

A cross (X) and B.R. 1-1-2180, chiseled on a porphyry boulder 8 x 10 x 12 ft. above the ground, brs. S. 12° 09' E., 72 ft.

Thence S. 21° 29' E.

Var. 13° E.

300. West End Center. Monument.

Identical with the location, which is a mound of stone 2½ ft. base 2 ft. high, forms also the N.W. Cor of the Golden Ella Lode, unsurveyed.

600. To Cor. No. 2.

Identical with the location, which is a mound of stone 2½ ft. base 2 ft. high, forms also the W. End Center of the Golden Ella Lode, unsurveyed.

A porphyry stone 30 x 8 x 6 ins., set 15 ins. in the ground, with mound of stone, chiseled T-2-2180,

No bearings available.

Thence N. 39° 10' E.

Var. 13° E.

1500. To Cor. No. 3.

Identical with the location, which is a mound of stone 2½ ft. base 2 ft. high, forms also the N.E. Cor of the Golden Ella Lode, unsurveyed.

A granite 30 x 10 x 10 ins., set 15 ins. in the ground, with mound of stone, chiseled T-3-2180, whence

A cross (X) and B. R 3-2180 chiseled on a granite ledge 30 x 10 x 4 ft. brs. S. 60° 04' E. 16.3 ft.

Feet

A cross (X) and B R 3-2180 chiseled on a granite ledge 12 x 10 x 30 ft. above the ground, brs. N. 87° 25' E., 21.7 ft. ^{*Halden*} N.W. Cor. Ella Lode, unsurveyed, brs. S. 50° 06' W. 1378.1 ft. ^{*unsurveyed*} N.W. Cor. ~~No. 1~~ of the Concord Lode, (Survey No. 2179, brs. N. 30° 48' E 365.8 ft. ^{*Sur. No. 2182*} ~~unsurveyed~~ ^{*Beats*} S. 50° 37' E, 872.2.

 Thence N. 21° 29' W.

Var. 13° E.

300. To East end center.

Identical with the location, which is a mound of stone 2½ ft base 2 ft. high.

600. To Cor. No. 4.

Identical with the location, which is a mound of stone 2½ ft. base 2 ft. high.

A syenite 30 x 20 x 10 ins., set 15 ins. in the ground, with mound of stone, chiseled T-4-2180, whence

A cross (X) and B R 4-2180 chiseled on a syenite boulder 5 x 5 x 6 ft. above the ground, brs. S. 80° 45' E., 5.3 ft.

No other bearing available.

 Thence S. 39° 10' W.

Var. 13°

150. Gulch, course N. E.

300. To N. E. Cor. of Blue Bird Lode, unsurveyed.

1450. Gulch, course easterly.

1500. To Cor. No. 1 place of beginning.

 GOLDEN GATE LODGE.

Beginning at Cor. No. 1.

Identical with the location, and with Cor. No. 1 of Trenton Lode of this survey. I chisel on stone G G-1-2180, whence

U.S.L.M. No. 2180 brs. S. 86° 46' W., 512.7 ft.

Feet
288.
735.
1125.
1500.

Thence S. 71° 54° W.
Var. 13° E.
Gulch, course S. E.
Gulch, course S. E.
Gulch, course S. E.
To Cor. No. 3.

Identical with the location, which is a mound of stone 2½ ft. base 2 ft. high.
A porphyry stone 30 x 12 x 6 ins., set 15 ins. in the ground, with mound of stone, chiseled G C 3-2180 on N. E. face, whence
A cross (X) and B R 2-3-5-2180 chiseled on a porphyry stone 3 x 3 x 2 ft. above the ground, brs. S. 76° 05' W., 92. ft.

A Palo Verde 6 ins. diam., blazed and scribed
B T 2-3-5-2180, brs. S. 37° 04' W., 63.8 ft.

Thence N. 21° 29' W.
Var. 13° E.

To the West End Center Monument.
Identical with the location, which is a mound of stone 2½ ft. base 2 ft. high.
Gulch, course S. E.
To Cor. No. 4.

Identical with the location, which is a mound of stone 2½ ft. base 2 ft. high.
A porphyry stone 30 x 10 x 8 ins., set 15 ins. in the ground, with mound of stone, chiseled G C 4-2180, whence
A cross (X) and B R 1-4-2180, chiseled on a porphyry rock 10 x 5 x 3 ft. above the ground, brs. N. 79° 30' E 17.7 ft.
Squaw Peak brs. N. 67° 47' W.

Feet

Thence S. 21° 29' E.

300. To East end center monument.

Identical with the location, and with the W. end center monument of the Trenton Lode of this survey.

600. To Cor. No. 2.

Identical with the location, and with Cor. No. 2 of the Trenton Lode of this survey.

I chisel on Cor. stone G G 2-2180.

75°
Thence S. 75° 57' W.

Var. 13°

245. Gulch, course S. W.

330. Gulch, course southerly.

380. Gulch, course, southerly.

720. Gulch, course S. S. E.

810 *Gulch, course S. E.*
928 *Gulch, course S.*
1100. Gulch, course southerly.

1280. Gulch, course southerly.

1457. Gulch, course S. E.

1500. To Cor. No. 3.

Identical with the location, which is a mound of stone 2½ ft. base 2 ft. high.

A syenite stone 30 x 10 x 8 ins., set 15 ins. in the ground, with mound of stone, chiseled GG 3-2180 on N. E. face, whence

A cross (X) and B R 2-3-~~5~~-2180 chiseled on a syenite boulder 2 x 2 x 2 ft. above the ground, brs. N. 53° 30' W. 27.3 ft.

South Peak of Saddle Mountain brs. S. 24° 16' E.

Thence N. 21° 29' W.

Var. 13° E.

40. *Course*
300. *GULCH S. E.* To West End Center Monument.

Identical with the location, which is a mound of stone 2½ ft base 2 ft. high.

600. To Cor. No. 4.

Feet

Identical with the location, which is a mound of stone $2\frac{1}{2}$ ft. base 2 ft. high.

A granite stone 30 x 12 x 6 ins., set 15 ins. in the ground, with mound of stone, chiseled G G 4-2180 on S.E. face, whence

A cross (X) and BR 1-4-2180 chiseled on a porphyry boulder 4 x 3 x 2 ft above the ground, brs. S. $34^{\circ} 24'$ W., 37.5 ft.

A Palo Verde 6 ins. diam., blazed and scribed B T 1-4-2180, brs. N. $63^{\circ} 11'$ W., 66.3 ft.

Thence N. $75^{\circ} 57'$ E.

Var. 13° E.

450. Culch, course southerly.

1500. To cor. No. 1 the place of beginning.

GOLDEN CHARIOT LODGE.

Beginning at Cor. No. 1.

Identical with the location, and with Cor. No. 4 of the Golden Gate Lode of this survey, I chisel on corner stone G C 1-2180, whence

U.S.L.M. No. 2180, brs. N. $70^{\circ} 26'$ E 1001 ft.

Thence S. $21^{\circ} 29'$ E.

Var. 13° E.

300. To the East End Center Monument.

Identical with the location, and with the ~~east~~^{West} end center of the Golden Gate Lode of this survey.

600. To Cor. No. 2.

Identical with the location, and with Cor. No. 3 of the Golden Gate Lode of this survey, I chisel G C-2-2180,

Feet

Thence S. $71^{\circ} 54'$ W.Var. 13° E.

288. Gulch, course S. E.
 735. Gulch, course S. E.
 1125. Gulch, course S. E.
 1500. To Cor. No. 3.

Identical with the location, which is a mound of stone $2\frac{1}{2}$ ft. base 2 ft. high.

A porphyry stone 30 x 12 x 6 ins., set 15 ins. in the ground, with mound of stone, chiseled G C 3-2180 on N. E. face, whence

A cross (X) and B R 2-3-5-2180 chiseled on a porphyry stone 3 x 3 x 2 ft. above the ground, brs. S. $76^{\circ} 05'$ W., 92. ft.

A Palo Verde 6 ins. diam., blazed and scribed B T 2-3-5-2180, brs. S. $37^{\circ} 04'$ W., 63.8 ft.

 Thence N. $21^{\circ} 29'$ W.

Var. 13° E.

300. To the West End Center Monument.

Identical with the location, which is a mound of stone $2\frac{1}{2}$ ft. base 2 ft. high.

450. Gulch, course S. E.

600. To Cor. No. 4.

Identical with the location, which is a mound of stone $2\frac{1}{2}$ ft. base 2 ft. high.

A porphyry stone 30 x 10 x 8 ins., set 15 ins. in the ground, with mound of stone, chiseled G C 4-2180, whence

A cross (X) and B R 1-4-2180, chiseled on a porphyry rock 10 x 5 x 3 ft. above the ground, brs. N. $79^{\circ} 30'$ E. 17.7 ft.

Squaw Peak brs. N. $67^{\circ} 47'$ W.

Feet

A cross (X) and B R 3-2180 chiseled on a granite ledge 12 x 10 x 30 ft. above the ground, brs. N. 87° 25' E., 21.7 ft. ^{Golden} N.W. Cor. Ella Lode, unsurveyed, brs. S. 50° 06' W. 1378.1 ft. ^{unsurveyed} N.W. Cor. No. 1 of the Concord Lode, (Survey No. 2179, brs. N. 30° 48' E. 365.8 ft. ^{Survey No. 2182} N.W. Cor. No. 1 of the Big Rock Lode, brs. S. 50° 37' E., 872.2.

Thence N. 21° 29' W.

Var. 13° E.

300. To East end center.

Identical with the location, which is a mound of stone 2½ ft base 2 ft. high.

600. To Cor. No. 4.

Identical with the location, which is a mound of stone 2½ ft. base 2 ft. high.

A syenite 30 x 20 x 10 ins., set 15 ins. in the ground, with mound of stone, chiseled T-4-2180, whence

A cross (X) and B R 4-2180 chiseled on a syenite boulder 5 x 5 x 6 ft. above the ground, brs. S. 80° 45' E., 5.3 ft.

No other bearing available.

Thence S. 39° 10' W.

Var. 13°

150. Gulch, course N. E.

300. To N. E. Cor. of Blue Bird Lode, unsurveyed.

1450. Gulch, course easterly.

1500. To Cor. No. 1 place of beginning.

GOLDEN GATE LODGE.

Beginning at Cor. No. 1.

Identical with the location, and with Cor. No. 1 of Trenton Lode of this survey. I chisel on stone G G-1-2180, whence

U.S.L.M. No. 2180 brs. S. 86° 46' W., 512.7 ft.

Feet

SURVEY NO. 2180

TRENTON LODE.

Beginning at Cor. No. 1.

Identical with the location, which is a mound of stone 2½ ft. base 2 ft. high.

A syenite stone 30 x 8 x 6 ins., set 15 ins. in the ground, with mound of stone, chiseled T-1-2180, whence

U. S. L. M. No. 2180 brs. S. 86° 46' W., 512.7 ft.

A cross (X) and B.R. 1-1-2180, chiseled on a syenite boulder 4 x 6 x 8 above ground, brs. S. 23° 30' W. 53.1 ft.

A cross (X) and B.R. 1-1-2180, chiseled on a porphyry boulder 8 x 10 x 12 ft. above the ground, brs. S. 12° 09' E., 72 ft.

Thence S. 21° 29' E.

Var. 13° E.

300. West End Center, Monument.

Identical with the location, which is a mound of stone 2½ ft. base 2 ft. high, forms also the N.W. Cor of the Golden Ella Lode, unsurveyed.

600. To Cor. No. 2.

Identical with the location, which is a mound of stone 2½ ft. base 2 ft. high, forms also the W. End Center of the Golden Ella Lode, unsurveyed.

A porphyry stone 30 x 8 x 6 ins., set 15 ins. in the ground, with mound of stone, chiseled T-2-2180,

No bearings available.

Thence N. 39° 10' E.


Var. 13° E.

1500. To Cor. No. 3.

Identical with the location, which is a mound of stone 2½ ft. base 2 ft. high, forms also the N.E. Cor of the Golden Ella Lode, unsurveyed.

A granite 30 x 10 x 10 ins., set 15 ins. in the ground, with mound of stone, chiseled T-3-2180, whence

A cross (X) and B.R. 3-2180 chiseled on a granite ledge 30 x 10 x 4 ft. brs. S. 60° 04' E. 16.3 ft.



Feet

Thence N. 21° 29' W.

Var. 13° E.

50. Gulch, course S. W.
 100. Gulch, course S. W.
 300. To West End Center Monument.

Identical with the location, which is a mound of stone 2½ ft. base 2 ft. high.

390. Gulch, course S. W.
 600. To Cor. No. 4.

Identical with the location, which is a mound of stone 2½ ft. base and 2 ft. high.

A porphyry stone 30 x 8 x 6 ins., set 15 ins. in the ground, with mound of stone, chiseled W R-4-2180.

No bearings available.

 Thence N. 85° 00' E.

Var. 13° E.

245. Gulch, course, S. W.
 712. Gulch, course, S. S. E.
 1182. Gulch, course S. W.
 1360. To Cor. No. 1 the place of beginning.

 LUPA LODGE

Beginning at Cor. No. 1.

A sandstone 30 x 12 x 10 ins., set 15 ins. in the ground, with mound of stone, chiseled L 1-2180 on the S.W. face, whence

U.S.L.M. No. 2180 brs. N. 56° 23' E., 2333 ft.

Old location monument, which is a mound of stone, 2½ ft. base 2 ft. high, brs. N. 17° 26' W., 136 ft.

No bearings available.

Feet	
	<p style="text-align: center;">Thence S. 17° 26' E. Var. 13° E.</p>
139.8	<p>To East End Center Monument.</p> <p>Identical with the location, which is a mound of stone 2½ ft. base 2 ft. high.</p>
145.	Gulch, course N. E.
439.8	<p>To Cor. No. 2.</p> <p>Identical with the location, which is a mound of stone 2½ ft. base 2 ft. high.</p> <p>A syenite stone 30 x 8 x 6 ins., set 15 ins. in the ground, with mound of stone, chiseled L 2-2180 on the N. W. face, whence</p> <p style="padding-left: 40px;">Squaw Peak brs. N. 64° 17' W. Stanley Peak brs. S. 87° 35' E.</p> <p style="text-align: center;">-----</p> <p style="text-align: center;">Thence S. 78° 32' W. Var. 13° E.</p>
1400.	Gulch, course S. W.
1497.8	<p>To Cor. No. 3.</p> <p>Identical with the location, which is a mound of stone 2½ ft. base 2 ft. high.</p> <p>A cross (X) and L-3-2180, chiseled on a sandstone 3 x 2 x 2 ft. above the ground, whence</p> <p>A cross (X) and B-R 3-2180, chiseled on a sandstone 4 x 3 x 3 ft. above the ground, brs. N. 39° 20' W., 3 ft.</p> <p>A cross (X) and B R 3-2180, chiseled on a sandstone 5 x 6 x 6 ft. above the ground, brs. N. 67° W. 8.7 ft.</p> <p>N.W. Cor. No. 4 Side Show No. 1 Lode, survey No. 2181, ^{undiscovered} brs. S 76°-13' E. 389.1 ft.</p> <p style="text-align: center;">-----</p> <p style="text-align: center;">Thence N. 17° 26' W. Var. 13° E.</p>
300.	<p>To West End Center Monument.</p> <p>Identical with the location, which is a mound of</p>

Feet

562
562. stone 2½ ft. base 2 ft. high.

To Cor. No. 4.

Identical with the location, which is a mound of stone 2½ ft. base 2 ft. high.

A sandstone 30 x 10 x 8 ins., set 15 ins. in the ground, with mound of stone, chiseled L-4-2180 on S. E. face, whence

Cor. No. 3 West Ridge Lode of this survey brs. S. 85° W., 57 ft.

No other bearing available.

Thence N. 85° 00' E.
Var. 13° E.

1303. To Cor. No. 5.

Identical with Cor. No. 2 of West Ridge Lode and Cor. No. 3 of the Golden Chariot Lode of this survey, I chisel corner stone L-5-2180 on S. face.

Thence N. 71° 54' E.
Var. 13° E.

217.2 To Cor. No. 1 the place of beginning.

LOLA LODE.

Beginning at Cor. No. 1

A porphyry stone 30 x 12 x 8 ins., set 15 ins. in the ground, with mound of stone, chiseled L-1-2180, whence U.S.L.M. No. 2180 brs. N. 31° 24' E 985.1 ft.

A cross (X) and B R 1-2180, chiseled on a syenite rock 6 x 5 x 3 ft. above the ground, brs. N. 14° 20' W. 20 ft.

A cross (X) and B R 1-2180, chiseled on a porphyry stone 10 x 6 x 5 ft. above the ground, brs. N. 25° 56' E. 16.9 ft.

Old location monument, which is a mound of stone

Feet

2½ ft. base 2 ft. high, brs. N. 17° 26' W., 141 ft.

Thence S. 17° 26' ^E ~~W~~.

Var. 13° E.

159.8 To East End Center Monument.

Identical with the location, which is a mound of stone 2½ ft. base 2 ft. high.

459.8 To Cor. No. 2.

This Cor. falls on a vertical bluff, therefore set witness corner at a point N. 17° 26' W. 15 ft.

A syenite 30 x 10 x 5 ins., set 15 ins. in the ground, with mound of stone, chiseled W C-L-3-2180 on N. W. face.

A cross (X) and B R W C-2-2180, chiseled on N. face of bluff 10 x 15 x 20 ft. above the ground, brs.

S. 69° 30' W. 54 ft.

^{110'} ~~N.W. Cor. No. 4~~ Side Show No. 2 Lode, ^{measured} ~~survey No. 2181~~, brs. S 31°-31' W. 618.75 ft.

Thence from true Cor.

Point S. 73° 15' W.

Var. 13° E.

10. Gold Gulch, course S. S. E.

1499.3 To Cor. No. 3.

Identical with the location, and with Cor. No. 2 of the Lupa Lode of this survey, I chisel Cor. stone L-3-2180.

Thence N. 17° 26' W.

Var. 13° E.

300. To west end center monument.

Identical with the location, and with east end center monument of the Lupa Lode of this survey.

439.8 To Cor. No. 4.

Identical with Cor. No. 1 of the Lupa Lode of this

Feet

survey, I chisel L-4-2180.

Old location monument brs. N. 17° 26' W., 136 ft.

Thence N. 71° 54' E.

Var. 13° E.

1282.8 To Cor. No. 5.

Identical with Cor. No. 3 Golden Gate Lode and Cor No. 2 Golden Chariot Lode of this survey.

Thence N. 75° 57' E.

Var. 13° E.

216.9 To Cor. No. 1 the place of beginning.

A R E A

Trenton Lode,		18.099 Acres	✓
Less area in conflict with Golden Ella Lode, unsurveyed,		<u>4.502</u>	" ✓
Net area Trenton Lode,		13.597 Acres	✓
Golden Gate Lode,	20.487	20.487	" +
Golden Chariot, Lode,		20.625	" ✓
West Ridge Lode,		17.963	" ✓
Lupa Lode,		16.393	" ✓
Lola Lode,	15.706	<u>15.706</u>	" +
Net area,		104.771	" +

LOCATION.

This claim is located in the northeastern portion of Tp. 5 S., R. 16 E., G.&S.R.B.M., ^{and Tp. 4 S. R. 16 E. unsurveyed.} Saddle Mountain Mountain Mining District, Pinal County, Arizona.

ADJOINING CLAIMS

The Trenton Lode is bounded on the north by the Blue Bird Lode, unsurveyed, on the south by the Golden Ella Lode, unsurveyed.

The Golden Gate Lode is bounded on the north by the '96 Lode, unsurveyed, on the south by the Golden Fraction Lode, unsurveyed.

Golden Chariot is bounded on the north by Unknown Lode, unsurveyed.

The West Ridge is bounded on the west by the El Dorado No. 3 Lode, unsurveyed.

The Lupa Lode is bounded on the west by the El Dorado No. 1 Lode, unsurveyed.

The Lola Lode is bounded on the east by the Golden Fraction Lode, unsurveyed.

 COURSE OF VEIN.

The presumed course of vein of the Trenton Lode is from the west end center to the east end center, N. 39° 10' E. 1500 ft.

The presumed course of vein of the Golden Gate Lode is from the west end center to the east end center, N. 75° 57' E., 1500 ft.

The presumed course of the vein of the Golden Chariot Lode is from the west end center to the east end center, N. 71° 54' E., 1500 ft.

The presumed course of vein of the West Ridge Lode is from the west end center to the east end center, N. 85° E., 1360 ft.

The presumed course of vein of the Lupa Lode is from the west end center to the east end center, N. 78° 32' E., 1497.8 ft.

The presumed course of the vein of the Lola Lode is from the west end center to the east end center, N. 73° 15' E. 1499.3 ft.

Feet

EXPENDITURE OF FIVE HUNDRED DOLLARS.

I certify that the value of the labor and improvements upon this claim, placed thereon by the claimants and their grantors, is not less than five hundred dollars for each lode, and that said improvements consist of:

TRENTON LODGE:

From Cor. No. 1:

Discovery shaft No. 1, 4 x 6 ft. 300 ft. deep, with drift at bottom, 4 x 6 ft. running 150 ft. westerly, brs. S. 30° 45' E., 278 ft. Value, \$2500.00

Cut No. 2, 4 x 6 ft. 20 ft. long, course S. E., brs. S. 38° 30' E., 280 ft. Value, \$ 100.00

Tunnel No. 3, 4 x 6 ft. 300 ft. long, course S.W., brs. N. 65° 23' E., 421 ft. Value, \$2000.00

GOLDEN GATE LODGE

From Cor. No. 1:

Discovery cut No. 1, 4 x 6 ft. 10 ft. long, brs. S. 35° 40' W., 461 ft. Value, \$ 100.00

Cut No. 2, 4 x 6 ft. 10 ft. long, brs. S. 57° 30' W. 939 ft. Value, \$ 100.00

Shaft No. 3, 4 x 6 ft. 10 ft. deep, brs. S. 61° W. 1230 ft. Value, \$ 100.00

Shaft No. 4, 4 x 6 ft. 10 ft. deep, brs. S. 64° W. 450 ft. Value, \$ 100.00

Shaft No. 5, 4 x 6 ft. 50 ft. deep, brs. S. 65° 45' W. 1353 ft. Value, \$ 500.00

GOLDEN CHARIOT LODGE.

From Cor. No. 4:

Discovery cut No. 1, 4 x 6 ft. 10 ft. long, brs. S. 79° 40' E., 629 ft. Value, \$ 100.00

Cut No. 2, 4 x 6 ft. 10 ft. long, brs. S. 85° 40' E., 865 ft. Value, \$ 100.00

From Cor. No. 5

Shaft No. 2, 4 x 6 ft. 150 ft. deep, brs. S. 41° 30' W.
 50 ft. Value, \$1000.00
 Tunnel No. 3, 4 x 6 ft. 35 ft. long, course
 N. 24° W., brs. S. ⁷³ 73° 0' E., 181 ft. Value, \$ 200.00
 Cut No. 4, 4 x 6 ft. 15 ft. long, brs. S. 82° E.,
 75 ft. Value, \$ 100.00
 Tunnel No. 5, 4 x 6 ft. 20 ft. long, course W.,
 brs. S. 77° E., 50 ft. Value, \$ 150.00

 INSTRUMENT.

This survey was made with a Gurley Light Mountain Transit. The courses were deflected from the true meridian as determined by direct solar observations and checked by a meridian determined by Polaris. The distances were measured with a 100-ft steel tape.

 POLARIS OBSERVATION.

November 25, 1905. At Cor. No. 1 of the Trenton Lode at 3h 07 m., a.m., l.m.t., I observe Polaris at western elongation, and mark the line by setting an iron rod 5 ft. long at a point 300 ft. N. of the Cor.

At 7h 40m., a.m., l.m.t., I deflect the azimuth of 1° 26' to the E., and from the meridian thus established I check the courses of the lines determined by solar observations and the same agree.

NOTE:

Although these lodes appear to be situated in a sub-divided township, there are no corners to be found, with which to tie this survey, therefore I connected this survey with U. S. L. M. No. 2180.

Edgar L. Dietrich
 U. S. Deputy Mineral Surveyor.

SUPPLEMENTAL REPORT FOR CONNECTING LINE OF MINERAL

MIN 2180 19


SURVEY No. 2180.

When I first went to the field and executed Survey No. 2180, Trenton, Golden Gate, Golden Chariot, Lola, Lupa & West Ridge Lodes, I made a diligent search for the corners of the public survey, which I knew should be in place, as T. 5 S., R. 16 E. was officially surveyed, but after a diligent search I was unable to find any of the public land corners, and I determined that there was no corner of the public land survey to be found within a radius of two miles; and I therefore connected Corner No. 1 of the above named lodes with U. S. L. M. No. 2180, and established Corner No. 1 at the corner nearest to the Mineral Monument. On filing my notes in the office of the Surveyor-General for Arizona, I was advised that it would be necessary, under a recent ruling of the Department to connect a corner of this survey with a corner of the public land survey. If no corner could be found within a radius of two miles, or within a reasonable distance over two miles, it would be necessary for me to connect with the calculated point of the nearest corner of the public land survey. I therefore returned to the field, and upon further investigation based on information received from Mr. Philip Contzen, U. S. Deputy Surveyor, who had re-established the east boundary of T. 5 S., R. 16 E., I was enabled to find the corner of Tps. 4 & 5 S., Rgs. 16 & 17 E., which corner was within two miles of the easterly end line of the Trenton Lode of this survey. (The Trenton Lode being the easterly claim of this survey). I therefore connected Corner No. 1 of the various lodes above named with the said township corner. As Corner No. 1 of the Trenton Lode is not the corner nearest this township corner I also connected Corner No. 3 of the Trenton Lode to the said township corner

- From Corner No. 1 of the Trenton Lode 880 7' E
 Cor. of Tps. 4 & 5 S., Rgs. 16 & 17 E. bears S. ~~88°-22'~~ E.,
~~10954.1'~~ dist. *10444.5 ft. dist.*
- From Corner No. 1 of the Golden Gate Lode 880 7' E
 Cor. of Tps. 4 & 5 S., Rgs. 16 & 17 E. bears S. ~~88°-22'~~ E.,
~~10954.1'~~ dist. *10444.5 ft. dist.*
- From Corner No. 1 of the Golden Chariot Lode
 Cor. of Tps. 4 & 5 S., Rgs. 16 & 17 E. bears N. 89°-54' E.,
~~11093.6'~~ dist.
- From Corner No. 1 of the Lupa Lode 850 39'
 Cor. of Tps. 4 & 5 S., Rgs. 16 & 17 E. bears N. ~~89°-54'~~ E.,
~~10954.1'~~ dist. *11930.3 ft. dist.*
- From Corner No. 1 of the Lola Lode 87° 22'
 Cor. of Tps. 4 & 5 S., Rgs. 16 & 17 E. bears N. 87°-22' E.,
~~10974.7'~~ dist. *11475.6 ft. dist.*
- From Corner No. 1 of the West Ridge Lode
 Cor. of Tps. 4 & 5 S., Rgs. 16 & 17 E. bears N. 87°-54' E.,
~~11328.2'~~ dist. *11328.2 ft. dist.*
- From Corner No. 3 of the Trenton Lode 840 10'
 Cor. of Tps. 4 & 5 S., Rgs. 16 & 17 E. bears S. ~~81°-40'~~ E.,
~~9320.5'~~ dist. *9320 ft. dist.*

From U. S. L. M. No. 2180, Cor. of Tps. 4 & 5 S., Rgs. 16 & 17 E. bears S. 88° 22' E., 10954.9 ft.

Edgar C. Dietrich
 U. S. Dep. Min. Surveyor.



FINAL OATHS FOR SURVEYS.

LIST OF NAMES.

A list of the names of the individuals employed by Edgar B. Dietrich

United States Deputy Mineral Surveyor, to assist in running, measuring, and marking the lines, corners, and boundaries described in the foregoing field notes of the survey of the mining claim of

Saddle Mountain Mining Co.
known as the Salahua, Trintou, Golden Chariot, Golden Gate, West
Ridge Roads
and showing the respective capacities in which they acted.

- Arthur Pogue, Chairman.
- Henry W. Huggins, Chairman.
- Henry W. Huggins, Assman.
- Arthur Pogue, Flagman.

FINAL OATHS OF ASSISTANTS.

We, Arthur Pogue, Henry W. Huggins

and Edgar B. Dietrich, do solemnly swear that we assisted Edgar B. Dietrich

, United States Deputy Mineral Surveyor, in marking the corners and surveying the boundaries of the mining claim of Saddle Mountain Mining Co.

known as the Salahua, Trintou, Golden Chariot, Golden Gate, West Ridge Roads

represented in the foregoing field notes as having been surveyed by said deputy mineral surveyor and under his direction; and that said survey has been in all respects, to the best of our knowledge and belief, faithfully and correctly executed, and the corner and boundary monuments established according to law and the instructions furnished by the United States Surveyor-General for Arizona

- Arthur Pogue, Chairman.
- Henry W. Huggins, Chairman.
- Henry W. Huggins, Assman.
- Arthur Pogue, Flagman.

Subscribed and sworn to by the above-named persons before me this 5th

day of January, 1906

W. G. Power

(4-686.)

FINAL OATH OF U. S. DEPUTY MINERAL SURVEYOR

I, Edgar C. Dietrich, U. S. Deputy Mineral Surveyor, do solemnly swear that, in pursuance of instructions received from the United States Surveyor General for Arizona, dated Nov 2 1905, I have, in strict conformity to the laws of the United States, the official regulations and instructions thereunder, and the instructions of said Surveyor General, faithfully and correctly executed the survey of the Mining Claim of Saddle Mountain Mining Co, known as the Gold Superficial, Golden Chariot, Golden Gate, West Cedar, and Saddle Mountain Mining District, situate in Yavapai County, Arizona, in Section _____, Township No. 5 N, Range No. 16 E, and designated as Survey No. 2180, as represented in the foregoing field notes, which accurately show the boundaries of said mining claim as distinctly marked by monuments on the ground, and described in the attached copy of the location certificate, which was received by me from the Surveyor General with said instructions, and that all the corners of said survey have been established and perpetuated in strict accordance with the law, official regulations and instructions thereunder; and I do further solemnly swear that the foregoing are the true and original field notes of said survey and my report therein, and that the labor expended and improvements made upon said mining claim by claimant or its grantors are as therein fully stated, and that the character, extent, location and itemized value thereof are specified therein with particularity and full detail, and that no portion of said labor or improvements so credited to this claim has been included in the estimate of expenditures upon any other claim.

Edgar C. Dietrich
U. S. Deputy Mineral Surveyor.

Subscribed and sworn to by the said Edgar C. Dietrich,
U. S. Deputy Mineral Surveyor, before me _____
this 5th
day of January, 1906.

W. G. Power

Affidavit of Five Hundred Dollars Improvements.

We, Casimiro Barthelmy and John M. Trayer

of lawful age, being first duly sworn according to law, depose and say: That we are acquainted with the Lola, Lupa, Fronton, Golden Chariot
Golden Gate and West Ridge mining claim, situate in Saddle Mountain

mining district, Pima County, Arizona Territory, for which

Saddle Mountain Mining Co.

has made application for survey prior to application for patent under the provisions of the Act of Congress

approved May 10, 1872; and that the labor done and improvements made thereon by the applicant and

its grantor exceed five hundred dollars in value, and further that we are not personally interested

in said mine.

Casimiro R. Barthelmy
John M. Trayer

TERRITORY OF ARIZONA,

COUNTY OF Pima } ss:

Sworn to and subscribed before me this 5th day

[SEAL.]

of January, 1906

W. G. Power

Notice is hereby given that the Trerter Mining Claim, containing mineral bearing quartz, granite rock, in place, located by Geo. F. Chittenden on this 7th day of March 1870, has been located for mining purposes. Said claim is 1500 feet in length, and 300 feet on each side of the discovery shaft, for full length of claim. The general course of the lode, deposit or production is Westerly & Easterly.

This claim is situated in the Saddle Mountain Mining District, Pinal County, Arizona, about 9 miles in a Westerly direction from the town of Paddyville, about 3 miles E. of Deer Creek.

This claim is bounded as follows, to-wit:- Beginning at the Easterly center end of the claim being 1500 feet West of the discovery shaft, upon which this notice is posted; thence 500 feet in a Northerly direction to a post or monument; thence 750 feet in a Easterly direction to a post or monument; at the center of the South side ~~line~~ of said claim; thence 750 feet in a Easterly direction to a post or monument; thence 500 feet in a Northerly direction to a post or monument, being the center end post or monument of West end of said claim, and 300 feet East of the discovery shaft; thence 500 feet in a Northerly direction to a post or monument; thence 750 feet in an Easterly direction to a post or monument, being the center of the West side of claim; thence 750 feet in a Easterly direction to a post or monument; thence 500 feet in a Northerly direction to the place of beginning.

Done and published by virtue of the laws of the United States, and the laws of the Territory of Arizona.

Witness,

G. H. Fuller.

Geo. F. Chittenden)
 _____)
 Locators.

Notice is hereby given that the Lode mining claim, containing mineral bearing quartz, rock or earth in place, located by N. F. Keller on this 7th day of April, 1907, has been located for mining purposes.

Said claim is 1500 feet in length, and 750 feet on each side of the discovery shaft for full length of claim.

The general course of the lode consists of veins in Northeastly & South east dip.

This claim is situated in the Double Mountain Mining District, Mineral County, Idaho, about one mile in westerly direction from Elk Creek and occupies the West half of section 27 of T12N. R10E. and adjoins the Northwest side lines of the Colman Lode, a Colman Strata Lode, Idaho.

This claim is located as follows, to-wit:- Beginning at the Southeast end of said claim it being 1000 feet Southwesterly from the discovery shaft, from which this notice is posted: thence 700 feet in a westerly direction to a post of monument; thence 500 feet in a northerly direction to a post of monument, at the corner of the Northwestly side line of said claim; thence 750 feet in a Northwesterly direction to a post of monument; thence 750 feet in a southerly direction to a post of monument; being the center and east end corner of Northeastly end of said claim, and 500 feet from the discovery shaft, thence 500 feet in a Southwesterly direction to a post of monument; thence 750 feet in a Southwesterly direction to a post of monument, being the center of the Northeastly side of claim; thence 500 feet in a Southwesterly direction to a post of monument; thence 750 feet in a northerly direction to the place of beginning. This claim takes in the shaft of the Old Ajax Mine and I claim the continuance of Ajax vein for the full length of my claim, the exception of said vein being within my side lines for 1500 feet in length.

Done and given by virtue of the laws of United States, and the laws of the Territory of Idaho.

N. F. Keller.)

Locater.

Embassy of Mexico,
County of _____

I, J. H. Keller do hereby certify that I am a member of the within named and described club. This name has been given by the directors of a lot which does at least ten feet in diameter the lower part of the shaft of the shaft, showing a hole, possibly or all over in place, which makes it of value to the club and since the discovery of the hole on a lot like

that the discovery within the lot has been within the surface boundaries of a lot of by the substantial parts or other monuments at least three feet in diameter, and it was given of said lot, it was of the nature of a lot which is a lot of the nature of the lot of discovery on the surface of a lot like or similar in nature and in value to the within location described.

Dated this 1st day of May, 1911.

J. H. Keller.

Witness my hand and the seal of said County at the City of San Francisco, California, this 1st day of May, 1911.

J. H. Keller, Mayor,
City and County of San Francisco, District.

Notice is hereby given that the Lure Mining Claim, containing mineral bearing quartz, and other rock in place, located by W. H. Moller on this 2nd day of April, 1892, has been located for mining purposes.

Said claim is 1500 feet in length, and 1 claim 700 feet ~~width~~ on each side of the discovery shaft, for full length of claim.

The general course of the claim, dip and strata is North westerly and Southern dip. This claim is situated in the Free St. Vrain Mining District, Final County, Arizona, about one mile in a Northwesterly direction from the creek on the low divide between the heads of Cold Gulch and Sulphur Gulch, and for a part of its length adjoins the Gold in Charlot

claim. This claim is bounded and defined as follows, to-wit:- Beginning at the Northern terminus of a part of claim, it bears 1000 feet Southwesterly of the discovery shaft, from which this claim is located: thence 700 feet in a Northwesterly direction to a post or monument; thence 700 feet in a Northwesterly direction to a post or monument at the corner of the Northwesterly side of said claim; thence 700 feet in a Northerly direction to a post or monument, being the center and post or monument of the Northern part of said claim, and 500 feet from the discovery shaft; thence 700 feet in a Southwesterly direction to a post or monument; and 700 feet in a Southwesterly direction to a post or monument, being the corner of the Southwesterly side of claim; thence 700 feet in a Southwesterly direction to a post or monument; thence 700 feet in a Northwesterly direction to the place of beginning.

None taken under by virtue of the laws of the United States, and the laws of the Territory of Arizona.

W. H. Moller, Esq.
Locater.

Discoveries of *phosphorus*,
counting of *...*

I, H. H. Miller do hereby certify that I am a locator of the within named and described mining claim, that claim has been sunk by the discoverers of said claim - about the year 1860 - and the lower pin of the shaft is the upper - , bearing - 100', depth of shaft in rock, within about 100 feet prior to the date, mentioned of discovery of the lode on said claim.

The said discoverers within the said claim have given the names hereinafter set forth to the shafts and shafts of said claim, to wit: Lower shaft - First shaft, and I was aware of said shafts, as one of the parties of said discovery, in fact, at the point of discovery on the location specified.

H. H. Miller,

Witness my hand and the seal of H. H. Miller on the 24th day of July, 1881, at ...

J. J. ...
Wm. ...

Amended Notice of Mining Location.

The Saddle Mountain Mining Company, the undersigned, being the present owner of the Saddle Mountain Mining Claim, which was located by B.C. Collier and H. M. Collier, on the 17th day of February, 1880, and of which the location notice is recorded in the office of the Recorder of Final County, Arizona, in Book 17 of Mines, at page 34, does hereby, without waiver of any right to nullify said location, amend the said location and the said location notice so that it shall read as follows:-

To All Men Concerned:-

This Mining Claim, the name of which is the Saddle Mountain Mining Claim, situated on lands belonging to the United States of America, and in which there is a lode of mineral deposits, was amended and located for the purpose of exploration and purchase by the Saddle Mountain Mining Company by George W. Chittenden, Partner, the undersigned, on the 11th day of June A.D., 1880.

The length of this claim is 1500 feet and its width 500 feet in a North Westerly direction, and 500 feet in a Southwesterly direction from the center of the Discovery shaft, at which this notice is posted, lengthwise of the lode, legal or said 500 feet is width of the surface grounds on each side of the center of the claim. The general course of the lode deposit and premises is Northwesterly and Southwesterly.

The claim is situated in the Saddle Mountain Mining District, Final County, Arizona, about 1/2 mile Northwesterly from Ash Creek, and about 1 1/2 miles Southwesterly from the Salt River. The Westerly end of the claim adjoins the Westerly end of the Frontier Claim, and the Eastern end of the claim adjoins the Eastern end of the Golden Gate Claim.

The surface boundaries of the claim are marked upon the ground as follows: Beginning at a monument of stones at a point in an Easterly direction 90 feet from Discovery shaft, being the center of the Easterly end of the claim; thence Southerly 500 feet to a monument of stones; thence Easterly 1500 feet to a monument of stones; thence Northerly 500 feet to a monument of stones, being the center of the Easterly end of said claim; thence North 500 feet to a monument of stones; thence Easterly 1500 feet to a monument of stones; thence Southerly 500 feet to a monument of stones, the place of beginning.

All done under the provisions of Chapter Six, of Title XXXIII, of the Revised Statutes of the United States, and of an Act of the General Assembly of Arizona, entitled, "An Act to Revise and Codify the laws of the Territory of Arizona", approved, March 13, 1901.

Done and posted on the ground this 11th day of September, 1905.

Saddle Mt Lining Co-

By Geo. E. Chittenden, Manager.

Filed and recorded at the request of Harford and Hazard on Oct-4th 1905-
at 71. .

T. E. Davis, Recorder.

By H. H. Eastman, Deputy.

Amended Notice of Mining Location.

The Saddle Mountain Mining Company, the undersigned, being the present owner of the Golden Gate Mining Claim, which was located by D. C. Collock and H. H. Heller, on the 15th day of February, 1882, and of which the location notice is of record in the office of the Recorder of Pinal County, Arizona, in Book 18 of Mines, at page 18, does hereby without waiver of any rights under said location, amend said location and said location notice, so that the same shall read as follows:

To All Whom It May Concern:-

This Mining Claim, the name of which is the Golden Gate Mining Claim, situated on the 1st of March, 1882, and in which there are mineral-bearing strata containing valuable mineral deposits, was entered upon and located for the purposes of exploration and purchase by the Saddle Mountain Mining Company, by George P. Chittenden, its agent, on the 15th day of February 1882.

The length of this claim is 1800 feet, and its width 500 feet in an East-westerly direction and 1500 feet in a North-southly direction from the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with 500 feet in width of the surface grounds on each side of the center of said claim. The general course of the beds, deposit and strata is from the East to the West.

The claim is situated in Saddle Mountain Mining District, in Pinal County, Arizona, about $\frac{1}{2}$ mile northerly from Ash Creek, and about $1\frac{1}{4}$ miles southeasterly from the Gila River. The Easterly end of the claim adjoins the Westerly end of the Golden Christ Claim, and the Westerly end of the claim adjoins the Easterly end of the Great Bridge Claim, and the North side line of the claim adjoins the North side line of the Lola claim for a part of its length.

The surface boundaries of the claim are marked upon the ground as follows: Beginning at a monument of stones at a point in a Westerly direction 200 feet from the center of the discovery shaft, at which this notice is posted, being the center of the East side line of said claim;

thence Southerly 700 feet to a monument of stones; thence Westerly 1500 feet to a monument of stones; thence Northerly 700 feet to a monument of stones, being the center of the Westerly end of said claim; thence Northerly 700 feet to a monument of stones; thence Easterly 1500 feet to a monument of stones; thence Southerly 700 feet to the place of beginning.

All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of the United States, and of an Act of the General Assembly of Arizona, entitled, "An Act to Revise and Codify the laws of the Territory of Arizona", approved, March 13, 1901.

Dated and posted on this ground this 11th day of Sept- 1905.

Saddle Mt Mining Co-

By Geo. M. Chittenden, Manager.

Filed and recorded at the request of Harford and Hazard on Oct 4th 1905, at P. M.

W. B. Devine, Recorder.

By W. H. Bartleson, Deputy.

Amended Notice of Mining Location.

The Saddle Mountain Mining Company, the undersigned, being the present owner of the West Ridge Mining Claim, which was located by H. H. Keller, on the 7th day of March 1880, and of which the location notice is of record in the office of the Recorder of Pinal County, Arizona, in Book 17 of Mines, at page 405, does hereby, without waiver of any rights under said location, amend said location and said location notice, so that it shall read as follows:

To All Whom It May Concern:

This Mining Claim, the name of which is the West Ridge Mining Claim, situated on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purposes of exploration and purchase by The Saddle Mountain Mining Company, by George E. Christensen, manager, the undersigned, on the 4th day of Sept, 1883.

The length of this claim is 1500 feet, and we claim 500 feet in an Easterly direction, and 1500 feet in a Westerly direction from the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with 500 feet in width of the surface grounds on each side of the center of said claim. The general course of the lode, deposit and premises is from the East to the West.

The claim is situated in the Saddle Mountain Mining District, in Pinal County, Arizona Territory, about 2 Miles in an Easterly direction from the town of Dudleyville and 1 Mile East of Red Creek, and the Easterly end line of the claim adjoins the Westerly end line of the Golden Gate, and the Southerly side line adjoins the Northerly side line of the Lola an Luna claims.

The surface boundaries of the claim are marked upon the ground as follows: Beginning at a monument of stones, at a point in an Easterly direction, 300 feet from the center of the discovery shaft, at which this notice is posted, being the center of the Easterly end line of the claim;

thence Southerly 300 feet to a monument of stones; thence Westerly 1500 feet to a monument of stones; thence Northerly 500 feet to a monument of stones, being the center of the Westerly end line of said claim; thence Northerly 500 feet to a monument of stones; thence Easterly 1500 feet to a monument of stones; thence Southerly 300 feet to the place of beginning. All done under the provisions of Chapter Six, of Title XXIII, of the Revised Statutes of the United States, and of an Act of the General Assembly of Idaho, Chapter 131, "An Act to Revise and Codify the Laws of the Territory of Idaho," approved, March 13, 1891.

Filed and posted on the ground this 4th day of Sept, 1895.

Saddle Mt Lining Co.

by Geo. E. Chittenden, Manager.

Witness my hand at the request of Harford J. Hazard on the 4th day of Oct, 1895, A.D. 1895.

W. E. Towner, Recorder.

by H. H. Bartleson, Deputy.

4-688.

U. S. SURVEYOR-GENERAL'S FINAL CERTIFICATE ON FIELD NOTES.

Department of the Interior,

OFFICE OF U. S. SURVEYOR-GENERAL,

Phoenix, Arizona,

April 9th, 1906.

I, U. S. Surveyor-General for Arizona,

do hereby certify that the foregoing transcript of the Field Notes, return and approval of the survey of the mining claim of Saddle Mountain Mining Company,

known as the Lola, Lupa, Trenton, Golden Chariot, Golden Gate & West Ridge Lodes, situate in Saddle Mountain

Mining District, Pinal County, Arizona,

in Section _____, Township No. 5 S., Range No. 16 E., and

designated as Survey No. 2180, has been correctly copied from the originals on file in

this office; that said Field Notes furnish such an accurate description of said mining claim as will, if incorporated into a patent, serve fully to identify the premises, and that such reference is made therein to natural objects or permanent monuments as will perpetuate and fix the locus thereof.

And I further certify that five hundred dollars' worth of labor has been expended or improvements made upon said mining claims by claimant or its grantors, and that said improvements consist of 9 shafts, 3 tunnels, 15 cuts and 200 ft. of drifts, total value \$9900.00

and that no portion of said labor or improvements has been included in the estimate of expenditures upon any other claim.

I further certify that the plat thereof, filed in the U. S. Land Office at Phoenix, Arizona, is correct and in conformity with the foregoing Field Notes.

Frank S. Ingalls,

United States Surveyor-General for Arizona.

(4-687.)

Surveyor General's Certificate of Approval of Field Notes and Survey of Mining Claim.

Department of the Interior,

Office of U. S. Surveyor General,

Phoenix, Arizona.....

April 9th, 1906, 18 .

I, U. S. Surveyor General for Arizona,
do hereby certify that the foregoing and hereto attached Field Notes and Return of the
Survey of the Mining Claim of Saddle Mountain Mining Co.

....., known as the
Lola, Lupa, Tranton, Golden Chariot, Golden Gate & West Ridge Lodes,
situate in Saddle Mountain mining district,

Pinal County, Arizona,

in Section _____, Township No. 5 S., Range No. 16 E.

....., designated as Survey No. 2180

executed by Edgar C. Dietrich, U. S. Deputy Mineral


Surveyor, Nov. 20-25, 1905, 18 , under my instructions dated

November 2, 1905, 18 , have been critically examined and the

necessary corrections and explanations made, and the said Field Notes and Return, and

the Survey they describe, are hereby approved. A true copy of the copy of the location

certificate filed by the applicant for survey is included in the field notes.



U. S. Surveyor General for Arizona.

1890
1890