

M
S
.

0

2

1

8

1

FEB-1918

1917/18

Mineral Survey No. 1124

Land District.

FIELD NOTES

of Mining Co.

Mining District.

Range A B.

U. S. Deputy Mineral Surveyor

1905
1905

Attorney,
Oregon

Accepted by [unclear]
Feb 13/06

FEB 23 1906

(4-683.)

Mineral Survey No. 2181

Lot No. _____

Gila Arizona Land District.

FIELD NOTES

OF THE SURVEY OF THE MINING CLAIM OF

Saddle Mountain Mining Co.

KNOWN AS THE

Bridgport, Buffalo, Philadelphia, Superior, Bidwell & Shaw No. 1
and Bidwell & Shaw No. 2, Saddle Mountain Mining District,

Pinal County, Arizona

Section _____, Township 5 S., Range 10 E.

Surveyed under instructions dated Nov 2, 1905
by Hedgar P. Dietrich
U. S. Deputy Mineral Surveyor

Claim located Superior, Bidwell & Shaw, 1

Survey commenced Dec 5th, 1905

Survey completed Dec 12th, 1905

6-100

Address:
Herford & Hazzard, Attorneys,
Tucson, Arizona

Tie out
Ledges ✓
six ✓
areas - errors checked

Feet

SURVEY NO. 2181

SIDE SHOW NO. 1 LODGE

Beginning at Cor. No. 1.

Identical with the location, which is a mound of stone, 2½ ft. base 2 ft. high.

A syenite stone 30 x 12 x 5 ins., set 15 ins. in the ground, with mound of stone, chiseled S S No 1-1-2181 whence

U. S. L. M. No. 2180 brs. N. 31° 42' E., 2700 ft.

A Palo Verde 6 ins. diam., brs. N. 28° W. 10.2 ft.

A Palo Verde 4 ins. diam., brs. S. 23° 30' E. 80.5 ft.

Both trees blazed and scribed B T 1-2181.

Thence S. 7° 30' W.

Var. 13° E.

72. Gulch, course S. E.

223. Gulch, course S. E.

300. East end center monument,

Identical with the location, which is a mound of stone 2½ ft. base 2 ft. high.

600. To Cor. No. 2.

Identical with the location, which is a mound of stone 2½ ft. base 2 ft. high.

A granite stone 30 x 14 x 6 ins., set 15 ins. in the ground, with mound of stone, chiseled S S No. 1 2-2181, whence

A Palo Verde 4 ins. diam., brs. N. 83° 15' W. 20.4 ft.

A Palo Verde 8 ins. diam., brs. N. 3° 30' E. 100.9 ft.

Both trees blazed and scribed B T 2-2181.

Thence N. 82° 30' W.

Var. 13° E.

1000. Ridge, bears N.E. and S.W.

1495. To Cor. No. 3.

Feet

Identical with the location, which is a mound of stone $2\frac{1}{2}$ ft. base 2 ft. high.

A granite stone 30 x 20 x 10 ins., set 15 ins. in the ground, with mound of stone, chiseled S H No.1 3-2181

A cross (X) and B R 3-2181 chiseled on a granite ledge 4 x 5 x 20 ft. above the ground, brs. S.45° 30' E. 34.3 ft.

A cross (X) and B R 3-2181 chiseled on a granite boulder 2 x 2 x 3 ft. above the ground, brs. S.69° 30' W. 28.4 ft.

Thence N. 7° 30' E.

Var. 13° E.

300.. West end center monument,

Identical with the location, which is a mound of stone $2\frac{1}{2}$ ft. base 2 ft. high.

369. Gulch, course S. W.

600. To cor. No. 4.

Identical with the location, which is a mound of stone $2\frac{1}{2}$ ft. base 2 ft. high.

A porphyry stone 30 x 10 x 10 ins., set 15 ins. in the ground, with mound of stone, chiseled S H No.1 4-2181 whence

A cross (X) and B R 4-2181 chiseled on a porphyry boulder 2 x 2 x 3 ft above ground, brs. N.59° W. 31.5 ft.

A cross (X) and B.R 4-2181 chiseled on a porphyry boulder $1\frac{1}{2}$ x 2 x 2 ft. above ground, brs. S.26° E. 11.7 ft.

Cor.No.3 Lupa Lode Survey No.2180 brs N.76° 18' W 259.1 ft.

Thence S. 82° 30' E.

Var. 13° E.

262. Gulch, course S. W.

620. Ridge, bears N.E. and S.W.

1314. Gulch, course S. E.

Feet

1495. To Cor. No. 1 the place of beginning.

SLEEPER LODGE.

Beginning at Cor. No. 1.

Identical with the location, which is a mound of stone $2\frac{1}{2}$ ft. base 2 ft. high.

A syenite stone 30 x 14 x 14 ins., set 15 ins. in the ground, with mound of stone, chiseled S 1-2181, whence

U. S. L. M. No. 2180 brs. N. $0^{\circ} 46'$ E., 2500 ft.A Palo Verde 6 ins. diam., blazed and scribed B T 1-2181, brs. N. $35^{\circ} 19'$ E. 67 ft.Saddle Mountain brs. S. $27^{\circ} 21'$ E.
-----Thence S. $7^{\circ} 30'$ W.Var. 13° E.

300. East end center monument.

Identical with location, which is a mound of stone $2\frac{1}{2}$ ft. high 2 ft. base.

450. Gold Gulch, course S. E.

600. To Cor. No. 2.

Identical with the location, which is a mound of stone $2\frac{1}{2}$ ft. base 2 ft. high.

A limestone 30 x 14 x 12 ins., set 15 ins. in the ground with mound of stone, chiseled S 2-2181, whence

A Palo Verde 6 ins. diam., brs. S. $74^{\circ} 26'$ W. 87 ft.A Palo Verde 8 ins. diam., brs. S. $63^{\circ} 44'$ E. 53.3 ft.Both trees blazed and scribed, B T 2-2181
-----Thence N. $82^{\circ} 30'$ W.Var. 13° E.

920. Gulch, course S. E.

1400. To cor. No. 3.

Identical with location, which is a mound of stone $2\frac{1}{2}$ ft. base 2 ft. high.

Feet

A syenite stone 30 x 10 x 10 ins., set 15 ins. in the ground, with mound of stone, chiseled S 3-2181 whence

A Palo Verde 4 ins. diam., blazed and scribed B T 3-2181, brs. S. 18° E. 49.8 ft.

Mount Turnbull brs. N. 82° 24' E.

Thence N. 7° 30' E.

Var. 13° E.

20. To Cor. No. 2 of the Side Show No. 1 Lode of this survey
300. To West end center monument.
Identical with the location, which is a mound of stone 2½ ft. base 2 ft. high.
320. East End Center Monument of Side Show No. 1 Lode of this survey.
600. To Cor. No. 4.
Identical with the location, which is a mound of stone 2½ ft. base 2 ft. high.
A syenite stone 30 x 10 x 3 ins., set 15 ins. in the ground, with mound of stone, chiseled S 4-2181, whence
A Palo Verde 5 ins. diam., blazed and scribed B T 4-2181, brs. N. 89° W. 30 ft.
Cor. No. 1 of Side Show No. 1 Lode of this survey brs. N. 7° 30' E. 20 ft.
No other bearing available.
- Thence S. 82° 30' E.
Var. 13° E.
400. Gulch, course S. 82° 30' E.
850. Leave gulch, course S. E.
1264. Gold Gulch, course S. E.
1330. Gulch, course southerly.
1400. To Cor. No. 1 the place of beginning.
-

Feet

PHILADELPHIA LODE

Beginning at Cor. No. 1.

Identical with the location, and with Cor.No. 1 of the Sleeper Lode of this survey, I chisel on this stone P-1-2181, whence U. S. L. M. No. 2180 brs. N. 0° 46' E. 2500 ft.

Thence S. 7° 30' W.
Var. 13° E.

300. To the West End Center Monument.

Identical with the location, and identical with the East End Center ^{of the Sleeper lode} of this survey.

600. To Cor. No. 2.

Identical with the location, and with Cor.No. 2 of the Sleeper Lode of this survey.

I chisel on this stone P-2-2181.

Thence S. 82° 30' E.
Var. 13° E.

62. Gold Gulch, course S. E.

155. Gulch, course S. W.

824.5 To Cor. No. 3.

Identical with the location, which is a mound of stone 2½ ft. base 2 ft. high.

A sandstone 30 x 6 x 6 ins., set 15 ins. in the ground, with a mound of stone, chiseled P-3-2181, whence

A Palo Verde 6 ins.diam., brs.N.10° 23' W. 42.4 ft.

A Palo Verde 4 ins.diam., brs.S.67° E. 42.4 ft.

Thence N. 7° 30' ^E W.
Var. 13° E.

300. East End Center Monument.

Identical with the location, which is a mound of stone 2½ ft. base 2 ft. high.

Feet

stone 2½ ft. base 2 ft. high.

A sandstone 30 x 6 x 6 ins., set 15 ins. in the ground, with mound of stone, chiseled P-4-2181, whence

A cross (X) and B R 4-2181 chiseled on a sandstone boulder, 2 x 3 x 4 ft. above ground, brs.N.49° 09' W. 8.7 ft.

A Palo Verde 6 ins.diam., blazed and scribed B T 4-2181, brs. N. 23° 41' E. 21.5 ft.



Thence ^N 82° 30' W.

Var. 13° E.

239. Gulch, course S. W.

690. Gulch, course, S. E.

824.5 To Cor. No. 1 the place of beginning.



SIDE SHOW NO.2 LODE.

Beginning at Cor. No. 1

Identical with the location, which is a mound of stone 2½ ft. base 2 ft. high.

A porphyry 30 x 6 x 5 ins., set 15 ins. in the ground, with mound of stone, chiseled ^S ~~N~~ No.2 1-2181, whence

U. S. L. M. No. 2180 brs. N. 21° 29' W. 2152.3 ft.

A Palo Verde 5 ins.diam., brs.N. 15° 30' E. 28.2 ft.

A Palo Verde 4 ins.diam., brs.S.62° 40' E. 31. ft.

Both trees blazed and scribed B T 1-2181.



Thence S. 7° 30' W.

Var. 13° E.

300. To east end center monument.

Identical with the location which is a mound of stone 2½ ft. base 2 ft. high.

418. Gulch, course S. W.

600 To Cor. No. 2.

Feet

Identical with the location, which is a mound of stone $2\frac{1}{2}$ ft. base 2 ft. high.

A porphyry 30 x 6 x 8 ins., set 15 ins. in the ground, with mound of stone, chiseled S S No.2 2-2181 whence

A Palo Verde 8 ins.diam., brs.N.19° 45' E. 61 ft.

A Palo Verde 8 ins.diam., brs.S.11° 09' W. 70 ft.

Both trees blazed and scribed B T 2-2181

Cor.No.4 Philadelphia Lode of this survey brs. S. 82° 30' E. 74.5 ft.

Thence N. 82° 30' W.

Var. 13° E.

750. To Cors. No. 1 of the Sleeper and Philadelphia Lodes of this survey.

1500. To cor. No. 3.

Identical with the location, which is a mound of stone $2\frac{1}{2}$ ft. base 2 ft. high.

A sandstone 30 x 12 x 4 ins., set 15 ins. in the ground, with mound of stone, chiseled S S No.2 3-2181, whence

A Palo Verde 4 ins.diam., brs.N.31° 40' E. 21.6 ft.

A Palo Verde 5 ins.diam., brs.S.77° 37' E. 34. ft.

Both trees blazed and scribed B T 3-2181.

Thence N. 7° 30' E.

Var.13° E.

300. West End Center Monument.

Identical with the location, which is a mound of stone $2\frac{1}{2}$ ft. base 2 ft. high.

330. Gulch, course S. E.

480. gulch, course S. E.

600. To cor. No. 4.

Identical with the location, which is a mound of *stones* $2\frac{1}{2}$ ft. base 2 ft. high.

| Feet | |
|-------|--|
| | <p>A porphyry stone 30 x 10 x 10 ins., set 15 ins. in the ground, with mound of stone, chiseled S S No.2-4-2181 whence</p> <p>A Palo Verde 4 ins.diam.,brs.N.67° W. 14.6 ft.</p> <p>A Palo Verde 4 ins.diam.,brs.N.88° 16' E. 6.8 ft.</p> <p>Cor. No. 2 of the Lola Lode survey No. 2180 brs. N.31°31' E 618.75 ft.</p> <p>-----</p> <p>Thence S. 82° 30' E.</p> <p>Var. 13° E.</p> |
| 425. | Gold Gulch, course S. E. |
| 850. | Gulch, course,S.W. |
| 1280. | Gulch, course S.W. |
| 1500. | To Cor. No. 1 the place of beginning. |
| | <p>-----</p> <p>BUFFALO LODGE</p> <p>Beginning at Cor. No. 1.</p> <p>Identical with the location, which is a mound of stone 2½ ft. base 2 ft. high.</p> <p>A granite stone 30 x 8 x 6 ins., set 15 ins. in the ground, with mound of stone, chiseled B 1-2181, whence</p> <p>U. S. L. M. No. 2180 brs. N. 16° 24' W. 2757.8 ft.</p> <p>A cross (X) and B. R. 1-2181 chiseled on a granite boulder 5 x 4 x 2 ft. above the ground, brs. S. 10° 55' E. 15.7 ft.</p> <p>A cross (X) and B. R. 1-2181, chiseled on a porphyry boulder 6 x 5 x 3 ft. brs.N. 82° 53' E. 38.4 ft.</p> <p>Cor. 4 Philadelphia Lode of this survey brs. N.7° 30' E 38.5 ft.</p> <p>-----</p> <p>Thence S. 7° 30' W.</p> <p>Var.13° E.</p> |
| 261.5 | East End Center Monument Philadelphia Lode of this survey |

| Feet | |
|-------|--|
| 306.5 | <p>West end center.</p> <p>Identical with the location, which is a mound of stone, $2\frac{1}{2}$ ft. base 2 ft. high.</p> |
| 561.5 | <p>To Cor. No. 3 Philadelphia Lode of this survey.</p> |
| 613. | <p>To Cor. No. 2.</p> <p>Identical with the location, which is a mound of stone $2\frac{1}{2}$ ft. base 2 ft. high.</p> <p>A sandstone 30 x 6 x 6 ins., set 15 ins. in the ground, with mound of stone, chiseled B-2-2181, whence</p> <p>A Palo Verde 6 ins. diam., brs. N. $83^{\circ} 07'$ E. 14.2 ft.</p> <p>A Palo Verde 4 ins. diam., brs. N. $3^{\circ} 52'$ W. 32 ft.</p> <p>Both blazed and scribed B T 2-2181</p> <p style="text-align: center;">-----</p> <p style="text-align: center;">Thence N. $85^{\circ} 39'$ E.</p> <p style="text-align: center;">Var. $13^{\circ} E$</p> |
| 85. | <p>Gulch, course S. W.</p> |
| 782. | <p>Gulch, course S. W.</p> |
| 990. | <p>Gulch, course S. W.</p> |
| 1286. | <p>Gulch, course southerly.</p> |
| 1436. | <p>Gulch, course S. S. W.</p> |
| 1500. | <p>To Cor. No. 3.</p> <p>Identical with the location, which is a mound of stone $2\frac{1}{2}$ ft. base 2 ft. high.</p> <p>A porphyry 28 x 14 x 6 ins., set 14 ins. in the ground, with mound of stone, chiseled B-3-2181, whence</p> <p>A Palo Verde 6 ins. diam., brs. N. $3^{\circ} 39'$ W. 27 ft.</p> <p>A Palo Verde 5 ins. diam., brs. S. $85^{\circ} 43'$ W. 93 ft.</p> <p>Both blazed and scribed B-T 3-2181.</p> <p style="text-align: center;">-----</p> <p style="text-align: center;">Thence N. $7^{\circ} 30'$ E.</p> <p style="text-align: center;">Var. $13^{\circ} E$.</p> |
| 306.5 | <p>To East Center End Monument.</p> <p>Identical with the location, which is a mound of stone $2\frac{1}{2}$ ft. base 2 ft. high.</p> |

| Feet | |
|--|--|
| 630. 613. | <p>To Cor. No. 4.</p> <p>Identical with the location, which is a mound of stone $2\frac{1}{2}$ ft. base 2 ft. high.</p> <p>A porphyry stone 30 x 14 x 10 ins., set 15 ins. in the ground, with mound of stone, chiseled B-4-2181, whence</p> <p>A Palo verde 8 ins. diam., brs. S. $22^{\circ}19'$ E., 37 ft.</p> <p>A Palo verde 5 ins. diam., brs. S. $48^{\circ}14'$ W., 74.7 ft.</p> <p>Both blazed and scribed B T 4-2181</p> <p>-----</p> <p>Thence S. $85^{\circ}39'$ W.</p> <p>Var. 13° E.</p> |
| 100. | Gulch, course southerly |
| 462. | Gulch, course southerly. |
| 1275. | Gulch, course southwesterly. |
| 1500. | <p>To Cor. No. 1 the place of beginning.</p> <p>-----</p> |
| BRIDGEPORT LODE | |
| Beginning at Cor. No. 1. | |
| <p>Identical with the location, which is a mound of stone $2\frac{1}{2}$ ft. base 2 ft. high.</p> | |
| <p>A cross (X) and B P 1-2181, chiseled on a quartzite ledge 5 x 4 x 3 ft. above the ground, with mound of stone, whence</p> | |
| <p>U. S. L. M. 2180 brs. N. $43^{\circ}05'$ W. 3347 ft.</p> | |
| <p>A Palo Verde 6 ins. diam., brs. N. $39^{\circ}16'$ W. 254 ft.</p> | |
| <p>A Palo Verde 8 ins. diam., brs. N. $20^{\circ}26'$ E. 18.1 ft.</p> | |
| <p>Both trees blazed and scribed B T 1-2181</p> | |
| <p>Cor. No. 2 Pittsburg Lode survey No. 2182 brs. N. $20^{\circ}49'$ E. 1930.5 ft.</p> <p>-----</p> | |
| <p>Thence S. $7^{\circ}30'$ W.</p> | |
| <p>Var. 13° E.</p> | |
| 88.3 | To Cor. No. 4 Buffalo Lode of this survey. |

| Feet | |
|-------|---|
| 329.5 | <p>West End Center Monument.</p> <p>Identical with the location, which is a mound of stone, $2\frac{1}{2}$ ft. base 2 ft. high.</p> |
| 394.8 | <p>To East End Center Monument of Buffalo Lode of this survey.</p> |
| 659. | <p>To Cor. No. 2.</p> <p>Identical with the location, which is a mound of stone $2\frac{1}{2}$ ft. base 2 ft. high.</p> <p>A Sandstone 30 x 6 x 6 ins., set 15 ins. in the ground, with mound of stone, chiseled B-P-2-2181whence</p> <p>A Palo Verde 4 ins.diam.brs.N.47°43' E. 63.9 ft.</p> <p>A Palo Verde 4 ins.diam.brs.N.70° W. 37 ft.</p> <p>Both trees blazed and scribed B T 2-2181.</p> <p>Cor.No.3 buffalo Lode of this survey brs.S.7° 30' W. 42.3 ft.</p> <p style="text-align: center;">-----</p> <p style="text-align: center;">Thence N. 73° 03' E.</p> <p style="text-align: center;">Var. 13° E.</p> |
| 70. | <p>gulch, course S. W.</p> |
| 380. | <p>Gulch, course S.W.</p> |
| 748. | <p>Road, bears NW. and S.W.</p> |
| 990. | <p>Gulch, course S.W.</p> |
| 1500. | <p>To Cor. No. 3.</p> <p>Identical with the location, which is a mound of stone $2\frac{1}{2}$ ft. base 2 ft. high.</p> <p>A granite stone 30 x 10 x 5 ins., set 15 ins. in the ground, with mound of stone, chiseled B-P-3-2181,whence</p> <p>A Palo Verde 6 ins.diam.,brs. N.52° 14' E. 52.7 ft.</p> <p>A Palo Verde 6 ins.diam.,brs. N.73° 15' W. 68.6 ft.</p> <p>Both trees blazed and scribed B T 3-2181</p> <p style="text-align: center;">-----</p> <p style="text-align: center;">Thence N. 7° 30' E.</p> <p style="text-align: center;">Var. 13° E.</p> |
| 121. | <p>Gulch, course N. W.</p> |

Feet
 329.5 East End Center Monument.
 Identical with the location, which is a mound of
 stone 2½ ft. base 2 ft. high.
 392 *Gulch, course easterly*
 650. Wagon Road to Deer Creek Coal Fields, bears N.E.
 659. To Cor. No. 4.
 Identical with the location, which is a mound of
 stone 2½ ft. base 2 ft. high.
 A porphyry stone 30 x 10 x 5 ins., set 15 ins. in
 the ground, with mound of stone, chiseled B P 4-2181,
 whence
 A cross (X) and B R 4-2181, chiseled on a granite
 boulder 2 x 3 x 3 ft. above the ground, brs. S. 60° 27' E.
 64. 3 ft.
 A cross (X) and B R 4-2181, chiseled on a granite
 boulder 4 x 4 x 5 ft. above the ground, brs. S. 30° 15' E.
 64.9 ft.

 Thence S. 73° 03' W.
 Var. 13° E.

463. Gulch, course S.W.
 1048. Gulch, course S.
 1300. Gulch, course S. W.
 1500. To cor. No. 1 the place of beginning.

A R E A

| | |
|--------------------------|--------------------------------------|
| Side Show No. 1 Lode, | 20.592 Acres |
| Sleeper Lode, | 19.284 " |
| Philadelphia Lode, | 11.357 " |
| Side Show Lode No. 2, | 20.661 " |
| Buffalo Lode, | 20. ⁶⁵⁹ 658 " |
| Bridge <i>port</i> Lode, | 20. ⁶⁵⁸ 657 " |
| Total Area of claim, | 113. ²¹¹ 210 " |

LOCATION.

This claim is located in the northeastern portion of Tp. 5 S., R. 16 E., G. & S. R. B. M., Saddle Mountain Mining District, Pinal County, Arizona.

ADJOINING CLAIMS.

There are no adjoining claims.

COURSE OF VEINS.

Side Show No. 1 Lode. The presumed course of vein is from the west end center to the east end center, S. 82° 30' E. 1495. ft.

Sleeper Lode. The presumed course of vein is from the west end center to the east end center, S. 82° 30' E. 1400 f t.

Philadelphia Lode. The presumed course of vein is from the west end center to the east end center, S. 82° 30' E. 824.5 ft.

Side Show No. 2 Lode. The presumed course of vein is from the west end center to the east end center, S. 82° 30' E. 1500 ft.

Buffalo Lode. The presumed course of vein is from the west end center to the east end center, N. 85° 39' E., 1500 ft.

Bridge Port Lode. The presumed course of vein is from the west end center to the east end center, N. 73° 03' E. 1500 ft.

EXPENDITURE OF FIVE HUNDRED DOLLARS.

I certify that the value of the labor and improvements upon this claim, placed thereon by the claimants and their grantors, is not less than five hundred dollars for each lode, and that said improvements consist of:

SIDE SHOW NO. 1 LODE:

From East end center monument:

| | | |
|--|--------|----------|
| Discovery cut No. 1, 4 x 6ft.10 ft. long, brs. N. 82° 30' W., 200 ft. | Value, | \$100.00 |
| Cut No. 2, 4 x 6ft.20 ft. long, brs. N. 80° 15' W. 852 ft. | Value, | \$200.00 |
| Shaft No. 3, 4 x 6ft.10 ft. deep, brs. N. 79° 20' W. 949 ft. | Value, | \$100.00 |
| Cut No. 4, 4 x 6ft.10 ft. long brs. N. 82° 30' W. 1078 ft. | Value | \$100.00 |

SLEEPER LODE:

From east end center monument:

| | | |
|---|--------|-----------|
| Discovery cut No. 1, 4 x 6ft.10 ft. long, brs. N.82° 30' W., 552 ft. | Value, | \$100.00 |
| Shaft No. 2, 4 x 6ft.15 ft. deep, brs. N.82° 30' W. 35 ft., | Value, | \$100.00 |
| Cut No. 3, 4 x 6ft.12 ft. long, brs. N.81° W., 270 ft. | Value, | \$100.00 |
| Shaft No. 4, 4 x 6 ft. 100 ft. deep, with a drift at bottom of shaft 4 x 6 ft.50 ft long, course W., brs. N.82° 30' W., 600 ft. | Value, | \$1000.00 |
| Tunnel No. 5, 4 x 6 ft. 50 ft. long, course W., Brs. N. 80° W., 630 ft. | Value, | \$300.00 |
| Shaft No. 6, 4 x 6 ft. 30 ft. deep, brs. N.80° 30' W. 680 ft. | Value, | \$200.00 |
| Shaft No. 7, 4 x 6 ft. 10 ft. deep, brs. N.79° 45' W. 830 ft. | Value, | \$100.00 |
| Shaft No. 8, 4 x 6 ft. 10 ft. deep, brs. N.80° 30' W. 885 ft. | Value, | \$100.00 |
| Cut No. 9, 4 x 6 ft. 10 ft. long brs. N.82° 30' W. 1100 ft. | Value, | \$100.00 |

PHILADELPHIA LODGE:

From West End Center Monument:

Discovery shaft No. 1, 4 x 6 ft. 10 ft. deep,
 S. 82° 30' E., 130 ft. Value, \$100.00

For other improvements (see Tunnel No. 3 Buffalo
 Lode, 100 ft. of which is credited to this lode,
 Value, \$100.00

SIDE SHOW NO. 2 LODGE:

From West End Center Monument:

Discovery shaft No. 1, 4 x 6 ft. 15 ft. deep, brs.
 S. 82° 30' E., 750 ft. Value, \$100.00

From Cor. No. 4:

Shaft No. 2, 4 x 6 ft. 10 ft. deep, brs. S. 15° 45' E.
 185 ft. Value, \$100.00

For other improvements see Tunnel No. 3 Buffalo
 Lode, 100 ft. of which is credited to this lode,
 Value, \$500.00

BUFFALO LODGE:

From West End Center Monument:

Discovery shaft No. 1, 4 x 6 ft. 12 ft. deep,
 brs. N. 85° 39' E., 42 ft. Value, \$100.00

Shaft No. 2, 4 x 6 ft. 20 ft. deep, brs. N. 85° 39' E.,
 70 ft. Value, \$200.00

Tunnel No. 3, 4 x 6 ft. 200 ft. long, course N.W.,
 brs. N. 85° 39' E., 116 ft. 100 ft. of this tunnel is
 credited to the Side Show No. 2 Lode,
 Value, \$500.00

And the other 100 ft. is credited to the
 Philadelphia Lode, Value, \$500.00

Shaft No. 4, 4 x 6 ft. 10 ft. deep, brs. N. 85° 39' E.,
 11 ft. Value, \$100.00

Shaft No. 5, 4 x 6 ft. 10 ft. deep, brs. N. 85° 39' E.,
 260 ft. Value, \$100.00

Shaft No. 6, 4 x 6 ft. 10 ft. deep, brs. N. 85° 39' E.,
 735 ft. Value, \$100.00

1600

| | | |
|---|--------|----------|
| Cut No. 7, 4 x 6 ft. 10 ft. long, brs. N. 86° E., 580 ft. | Value, | \$100.00 |
| Tunnel No. 8, 4 x 6 ft. 15 ft. long, course N., brs. N. 75° E. 337 ft. | Value, | \$100.00 |

1000

BRIDGE PORT LODGE:

From West End Center Monument:

| | | |
|--|--------|----------|
| Discovery shaft No. 1, 4 x 6 ft. 50 ft. deep, brs. N. 73° 03' E., 939 ft. | Value, | \$500.00 |
| Shaft No. 2, 4 x 6 ft. 10 ft. deep, brs. N. 73° 03' E., 875 ft. | Value, | \$100.00 |

INSTRUMENT:

This survey was made with a Gurley Light Mountain Transit. The courses were deflected from the true meridian as determined by direct solar observations and checked by a meridian determined by Polaris. The distances were measured with a 100-ft. steel tape.

POLARIS OBSERVATION:

December 12, 1905. At Cor. No. 4 of the Bridge Port Lodge at 1h. 52 m., a.m., l.m.t., I observe Polaris at western elongation, and mark the line by setting an iron rod 5 ft. long at a point 300 ft. N. of the Cor.

At 7h 50m., a.m., l.m.t., I deflect the azimuth of 1° 26' to the E., and from the meridian thus established I check the courses of the lines determined by solar observations and the same agree.

NOTE: Although these lodges appear to be situated in a sub-divided township, there are no corners to be found, with which to tie this survey, therefore I connected this survey with U.S.L.M. No. 2180.

Edgar C. Dietrich
U. S. Deputy Mineral Surveyor.

SURVEY No. 2181.

When I first went to the field and executed Survey No. 2181; Bridgeport, Buffalo, Philadelphia, Sleeper, Side Show No. 1 and Side Show No. 2 Lodes, I made a diligent search for the corners of the public survey, which I knew should be in place, as T. 5 S., R. 16 E. was officially surveyed, but after a diligent search I was unable to find any of the public land corners, and I determined that there was no corner of the public land survey to be found within a radius of two miles; and I therefore connected Corner No. 1 of the above named Lodes with U. S. L. M. No. 2180, and established Corner ^{No. 1} at the corner nearest to the Mineral Monument. On filing my notes in the office of the Surveyor-General for Arizona, I was advised that it would be necessary, under a recent ruling of the Department to connect a corner of this survey with a corner of the public land survey. If no corner could be found within a radius of two miles or within a reasonable distance over two miles, it would be necessary for me to connect with the calculated point of the nearest corner of the public land survey. I therefore returned to the field, and upon further investigation based on information received from Mr. Philip Conizen, U. S. Deputy Surveyor, who had re-established the east boundary of T. 5 S., R. 16 E., I was enabled to find the corner of Tps. 4 & 5 S., Rgs. 16 & 17 E., which corner was within two miles of the easterly end line of the Bridgeport lode of this survey. (The Bridgeport lode being the easterly claim of this survey). I therefore connected Corner No. 1 of the various lodes above named with the said township corner. As Corner No. 1 of the Bridgeport, Buffalo and Philadelphia lodes are not the corners nearest to this township corner I also connected Corner No. 4 of each of these lodes with the township corner.

From Corner No. 1 of the Bridgeport lode
 Cor. of Tps. 4 & 5 S., Rgs. 16 & 17 E. bears N.70°-11'E.,
 8988.4' dist.

From Corner No. 1 of the Buffalo lode
 Cor. of Tps. 4 & 5 S., Rgs. 16 & 17 E. bears N.77°-05'E.,
 10435.4' dist.

From Corner No. 1 of the Philadelphia lode
 Cor. of Tps. 4 & 5 S., Rgs. 16 & 17 E. bears N.70°-11'E.,
 11106.0' dist.

From Corner No. 1 of the Sleeper lode
 Cor. of Tps. 4 & 5 S., Rgs. 16 & 17 E. bears N.70°-11'E.,
 11106.0' dist.

From Corner No. 1 of the Side Show No. 1 lode
 Cor. of Tps. 4 & 5 S., Rgs. 16 & 17 E. bears N.80°-51'E.,
 12527.4' dist.

From Corner No. 1 of the Side Show No. 2 lode
 Cor. of Tps. 4 & 5 S., Rgs. 16 & 17 E. bears N.80°-34'E.,
 10361.8' dist.

From Corner No. 4 of the Bridgeport lode
 Cor. of Tps. 4 & 5 S., Rgs. 16 & 17 E. bears N.70°-49'E.,
 7425.0' dist.

From Corner No. 4 of the Buffalo lode
 Cor. of Tps. 4 & 5 S., Rgs. 16 & 17 E. bears N.75°-33'E.,
 8955.1' dist.

From Corner No. 4 of the Philadelphia lode
 Cor. of Tps. 4 & 5 S., Rgs. 16 & 17 E. bears N.77°-17'E.,
 10432.0' dist.

Edgar C. Dietrich
 U. S. Dep. Min. Surveyor.

FINAL OATHS FOR SURVEYS.

LIST OF NAMES.

A list of the names of the individuals employed by

Edgar C. Birtrich

United States Deputy Mineral Surveyor, to assist in running, measuring, and marking the lines, corners, and boundaries described in the foregoing field notes of the survey of the mining claim of

Saddle

Mountain Mining Co.

known as the

Bridgport, Buffalo, Philadelphia, Deepen, Side Show No 1 and Side Show No 2, Rodas

and showing the respective capacities in which they acted.

Arthur Pogue, Chainman.

Henry W. Huggins, Chainman.

Henry W. Huggins, Axman.

Arthur Pogue, Flagman.

FINAL OATHS OF ASSISTANTS.

We,

Arthur Pogue, Henry W. Huggins

and

Birtrich

Edgar C.

, United States Deputy Mineral Surveyor, in marking the corners and surveying

the boundaries of the mining claim of

Saddle Mountain Mining Co.

known as the

Bridgport, Buffalo, Philadelphia, Deepen, Side Show No 1 and Side Show No 2, Rodas

represented in the foregoing field notes as having been surveyed by said deputy mineral surveyor and under his

direction; and that said survey has been in all respects, to the best of our knowledge and belief, faithfully and

correctly executed, and the corner and boundary monuments established according to law and the instructions

furnished by the United States Surveyor-General for

Arizona

Arthur Pogue, Chainman.

Henry W. Huggins, Chainman.

Henry W. Huggins, Axman.

Arthur Pogue, Flagman.

Subscribed and sworn to by the above-named persons before me this

5th

day of

January

, 190*6*

W. G. Power

FINAL OATH OF U. S. DEPUTY MINERAL SURVEYOR

I, Edgar C. Dietrich, U. S. Deputy Mineral Surveyor, do solemnly swear that, in pursuance of instructions received from the United States Surveyor General for Arizona, dated Nov. 2 1905, I have, in strict conformity to the laws of the United States, the official regulations and instructions thereunder, and the instructions of said Surveyor General, faithfully and correctly executed the survey of the Mining Claim of Saddle Mountain Mining Co. known as the Philadelphia, Independence, No. 1, & Independence situate in 10 Saddle Mountain Mining District, Yuma County, Arizona, in Section _____, Township No. 5 N., Range No. 16 E. and designated as Survey No. 2181, as represented in the foregoing field notes, which accurately show the boundaries of said mining claim as distinctly marked by monuments on the ground, and described in the attached copy of the location certificate, which was received by me from the Surveyor General with said instructions, and that all the corners of said survey have been established and perpetuated in strict accordance with the law, official regulations and instructions thereunder; and I do further solemnly swear that the foregoing are the true and original field notes of said survey and my report therein, and that the labor expended and improvements made upon said mining claim by claimant his or ~~his~~ grantors are as therein fully stated, and that the character, extent, location and itemized value thereof are specified therein with particularity and full detail, and that no portion of said labor or improvements so credited to this claim has been included in the estimate of expenditures upon any other claim.

Edgar C. Dietrich
U. S. Deputy Mineral Surveyor.

Subscribed and sworn to by the said Edgar C. Dietrich,
U. S. Deputy Mineral Surveyor, before me _____
this 5th
day of January, 1906.

W. G. Power

Affidavit of Five Hundred Dollars Improvements.

We, Casimir R. Barthelmy John M. Trayer

of lawful age, being first duly sworn according to law, depose and say: That we are acquainted with the Bridgport, Buffalo, Philadelphia
Shelton, Side Show No. 1, Side Show No. 2

mining claims, situate in Saddle Mountain

mining district, Pinal County, Arizona Territory, for which Saddle Mountain

Mining Co. H. J. Wood, J. S. Aggards, Attorneys

have made application for survey prior to application for patent under the provisions of the Act of Congress

approved May 10, 1872; and that the labor done and improvements made thereon by the applicant and

its grantor exceed five hundred dollars in value, and further that we are not personally interested

in said mine.

Casimir R. Barthelmy
John M. Trayer

TERRITORY OF ARIZONA,
COUNTY OF Pima } ss:

Sworn to and subscribed before me this 5th day

[SEAL.]

of January, 1906

M. G. Power

Extended Notice of Mining Location.

The Saddle Mountain Mining Company, the undersigned, being the present owner of the Buffalo Mining Claim, which was located by Geo. E. Chittenden on the 25th day of March, 1880 and of which the location notice is recorded in the office of the Recorder of Pinal County, Arizona, in Book 17 of Mines, at page 403, does hereby, without waiver of any rights under the said location, amend the said location and said location notice, so that it shall read as follows:

To All Whom It May Concern:

This Mining Claim, the name of which is the Buffalo Mining Claim, situated on Public Domain in the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purpose of exploration and discovery by the Saddle Mountain Mining Company, by Geo. E. Chittenden, Manager, the undersigned, on the 25th day of March, A. D. 1880.

The length of this claim is 1500 feet, and we claim 1400 feet in an Easterly direction, and 100 feet in a Westery direction from the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with 500 feet in width ^{on} ~~each side~~ ^{each side} of the center of the claim of the surface ~~thereof~~.

The general course of the lode deposition ~~therein~~ is from the East to the West.

The claim is situated and located in the Saddle Mountain Mining District, in Pinal County, Arizona, about 9 miles in an Easterly direction from the town of Dudleyville, and about one mile Easterly from Ash Creek, and the Easterly end of the claim adjoins the Easterly end of the Liberty claim and the Westery end of the claim adjoins the Westery end of the Philadelphia claim.

The surface boundaries of the claim are ~~defined~~ ^{defined} upon the ground as follows: Beginning at a monument of stones at a point in an Easterly direction, 1400 feet from the center of the discovery shaft, at which this notice is posted, being the center of the Easterly end ~~line~~ ^{line} of the claim;

blence; easterly 100 feet to a monument of stone; thence westerly 1500 feet to a monument of stone; thence northerly 100 feet to a monument of stone; thence east 100 feet to a monument of stone; thence westerly 1500 feet to a monument of stone; the place of beginning.

All done under the provisions of Chapter 142 of 1811; well, of the Revised Statutes of the United States, and of an Act of the Congress bearing date April 20, 1820, the 20th of March and 20th of April of the year 1820 of William, the first, 1821. And the reader on the 10th of 1820 day of April, 1820.

Witness my hand and seal this 10th day of April, 1820.

John D. Sullivan, Sheriff.

Filed for record in the office of the Register of the Land Office in the County of
 -1820.

John D. Sullivan, Sheriff.

By John D. Sullivan, Sheriff.

The Saddle Mountain Mining Company, the undersigned, being the present owner of the Side Show No 1 Mining Claim, which was located by N. H. Meller, on the 15th day of September, 1902, and of which the Location Notice is of Record in the office of the Recorder of Pinal County, Arizona, in Book 50, Records of Mines, at page 157, does hereby, without waiver of any rights under said location, amend said location and said location notice, so that the same shall read as follows:

To All Whom It May Concern:

This Mining Claim, the name of which is the Side Show No 1 Mining Claim, situate on lands belonging to the United States, and in which there are valuable mineral deposits, was entered upon and located for the purposes of exploration and purchase by the Saddle Mountain Mining Company, by George E. Chittenden, the undersigned, on the 15th day of Sept. 1905.

The length of this claim is 1500 feet, and its claim 1200 feet in a Westerly direction and 300 feet in an East Fly direction, from the center of the discovery shaft at which this notice is posted, lengthwise of the claim, together with 500 feet in width of the surface grounds on each side of the center of said claim. The general course of the ledge, deposit, and premises is from the Easterly to the Westerly.

This claim is in the Saddle Mountain Mining District, Pinal County, Arizona, about 1500 feet Easterly from the channel of Cold Gulch, and is the Easterly extension of the Sleeper claim.

The surface boundaries of the claim are bounded upon the ground as follows: Beginning at a monument of stone at a point in an Easterly direction 500 feet from the center of the discovery shaft, at which this notice is posted, being the center of the Easterly end of said claim; thence Southerly 500 feet to a monument of stone; thence Westerly 1500 feet to a monument of stone; thence Northerly 500 feet to a monument of stone, being the center of the Westerly end line of said claim; thence Northerly 500 feet to a monument of stone; thence Easterly 1500 feet to a monument of stone; thence Southerly 500 feet to the place of beginning. All done under the provisions of Chapter Six, of Title XXIII, of the Revised Statutes of the United States, and of an Act of the General Assembly of Arizona, entitled, "An Act to Revise and Codify the Laws of the Territory of Arizona", approved, March 13, 1901.

Dated and printed on the second day of July, 1905.

Waddington Printing Co.

by Geo. D. Chisholm, Manager.

Printed and bound at the request of Harford & Hazard, on Oct. 4th 1905,
at P. D. . . .

J. B. Irving, Harford.

by E. J. Durrleson, P. D.



Approved Notice of said Location,

The Waddell Lumber Mining Company, the undersigned, being the present owner of the said show No 5 Mining claim, which was located by H. H. Keller, on the 25th day of September, 1908, and of which the location notice is of record in the office of the Recorder of Placer County, Arizona, in Book 50 Records of Mines, at page 157, does hereby, without waiver of any rights under said location, amend said location and said location notice, so that the same shall read as follows:

To All Whom It May Concern:

This being of it, the name of which is the said show No 5 Mining claim, also be an notice belonging to the United States of America, and in which there are various mineral deposits, was situated upon the located for the purpose of exploration and purchase, by the Waddell Lumber Mining Company, by George E. Chittenden, the undersigned, on the 11th day of Sept. 1908.

The length of this claim is 1000 feet, and its claim 750 feet in a northerly direction and 750 feet in an easterly direction, from the center of the discovery shaft, of which this notice is posted, lengthwise of the claim, beginning with 700 feet in width of the surface ground, on each side of the center of said claim. The general course of the lode deposit and trend of it are shown by the following map.

This claim is also located in Placer Mining District, Placer County, Arizona, on the north side of said claim, the north side line of the said claim being

The surface boundaries of this claim are as follows upon the ground as follows: Beginning at a monument of stone, at a point in an easterly direction ---- feet from the center of the discovery shaft, at which this notice is posted, being the center of the discovery end of said claim; thence southerly 700 feet to a monument of stone; thence westerly 1000 feet to a monument of stone; thence northerly 700 feet to a monument of stone, being the center of the easterly end line of said claim; thence northerly 700 feet to a monument of stone; thence westerly 1500 feet to a monument of stone; thence southerly 500 feet to the place of beginning.

All done under the provisions of Chapter Six, of Title XXIII, of the Revised Statutes of the United States, and of an Act of the General Assembly of Arizona, entitled, "An Act to Revise and Codify the Laws of the Territory of Arizona", approved, March, 13, 1901.
Done and posted on the ground this 11th day of Sept. 1905.
Saddie M. Mining Co.

By Geo. W. Stillenden, Manager.

Witness my hand and seal of the office of Recorder of the County of Pima, Arizona, this 11th day of Sept. 1905,
L. W. ...

J. B. ...
By N. B. ...

All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of the United States, and of an Act of the General Assembly of Arizona, entitled, "An Act to Revise and Codify the Laws of the Territory of Arizona", approved, March, 13, 1901.

Dated and posted on the ground this 11th day of Sept. 1905.

Saddle Mt Mining Co.

By Geo E. Chittenden, Manager.

Filed and recorded at the Registry of Maricopa, A. Hazard on Oct. 4th 1905,
A. T. T.

T. E. Devine, Recorder.

By W. R. Bartholson, Deputy.

Notice of Mining Location. Lode Claim.

To All Who It May Concern:

This Mining Claim, the name of which is the Bridgport Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purposes of exploration and purchase by the Buffalo Mt Mining Company, by Geo. B. Shittenden, Manager, the undersigned, on the 4th day of September, 1905.

The length of this claim is 1500 feet, and we claim 750 feet in a West-ly direction and 750 feet in a East-ly direction from the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with 500 feet in width of the surface grounds, on each side of the center of said claim. The general course of the lode and vein is from the West to the East.

The claim is situated and located in the Gadsden Mining District, in Mohave County, in the Territory of Arizona, about 9 miles in an Easterly direction from the town of Dudleyville and about one mile in a Northerly direction from Ash Creek and the Easterly end adjoins the Easterly end of the Buffalo Claim.

The corners or boundaries of the claim are marked upon the ground as follows: Beginning at a monument of stones at a point 750 feet in an Easterly direction 750 feet from the discovery shaft (at which this notice is posted), being in the center of the East-ly end line of said claim; thence Southerly 500 feet to a monument of stones; thence Easterly, 1500 feet to a monument of stones, thence Northerly 500 feet to a monument of stones at the center of the West-ly end of said claim; thence West 500 feet to a monument; thence 1500 feet to a monument; thence 500 feet to the place of beginning.

All done under the provisions of Chapter Six, of Title XXXIII, of the Revised Statutes of the United States, and of an act of the General Assembly of Arizona, entitled, "An Act to Revise and Codify the Laws of the Territory of Arizona," approved March 13, 1901.

Dated and Posted on the ground this 4th day of September 1905.

Buffalo Mountain Mining Co.

by Geo. B. Shittenden, Manager.

Filed and recorded at the Records of Harford & Howard on Oct 4th 1885
at 11:15.

T. F. Deane, Recorder.
by H. M. Fairbairn, Deputy.

Notice is hereby given, that the Philadelphia Mining Claim, containing mineral bearing quartz, earth or rock on place, located by Geo. B. Chittenden on this 31st day of March 1890 has been located for mining purposes.

Said claim is 1500 feet in length, and 1 claim 500 feet on each side of the discovery shaft, for full length of all in. The general course of the lode, deposit or promise is Easterly and West-ly. This claim is situated in the Saddle Mountain Mining District, Pinal County, Arizona, about 2 miles in an Easterly direction from the town of Dudleyville & the discovery shaft is on the East side of Gold Gulch.

This claim is bounded and marked as follows, to-wit:- Beginning at the Easterly center end of the claim being 1500 feet Easterly of the discovery shaft, upon which this notice is posted, thence 500 feet in a Southerly direction to a post or monument; thence 750 feet in a West-ly direction to a post or monument at the center of the South side of said claim; thence 750 feet in a West-ly direction to a post or monument; thence 500 feet in a North-ly direction to a post or monument being the center and post or monument of the West end of said claim, and 750 feet from the discovery shaft; thence 500 feet in a North-ly direction to a post or monument; thence 750 feet in a West-ly direction to a post or monument, being the center of the North side of claim; thence 750 feet in a West-ly direction to a post or monument; thence 500 feet in a Southerly direction to the place of beginning.

Done under and by virtue of the laws of the United States and the laws of the Territory of Arizona.

| | | |
|---------------|---------------------|-----|
| Witness. | Geo. B. Chittenden. | ls. |
| N. H. Keller. | _____ | ls. |
| | _____ | ls. |

Territory of Arizona,) ss.
County of Pinal.)

I, Geo. B. Chittenden do hereby certify that I am a locator of the within named and described mining claim.

That there has been sunk by the discoverers of said claim a shaft at least ten feet deep below the lower rim of the shaft at the surface, showing a lode, deposit or mineral in place within ninety days prior to this date, and since the discovery of the lode on said claim.

that the discoverer----- within the said claim has marked the surface boundaries of said claim by eight substantial posts or stone monuments at least three feet in height, one at each corner of said claim, and one at the center of each end and side thereof; and posted at the point of discovery on the surface a plain sign or notice substantially conforming to the within location certificate.

Dated this 10th 1890. Geo. B. Chittenden.

Filed and recorded at the request of A. F. Parker on the 4th day of June, A. D. 1890, at P. M.

H. C. Chamberlin, Recorder.

By Theo. C. Peyton, Deputy.

Notice of Location.

Notice is hereby given that the Sleeper Mining Claim, was located by N. H. Keller, on this 1st day of January, 1908., for mining purposes. Said claim is 1500 feet in length along this vein or deposit of mineral bearing rock in place, and 300 feet in width on each side of the center of said vein or deposit, from end to end of said claim.

The general course of this claim is Easterly and Westerly, and it is situated in the Santa Fe and Mining District, Pinal County, Arizona, on Cold Gulch about a mile above the junction of said Gulch with Ash Creek. This claim runs from this discovery monument or stake, upon which this notice is posted, 600 feet in an Easterly direction to the Easterly center end monument or stake, and 900 feet in a Westerly direction from the aforesaid location monument or stake, to the Westerly center end monument or stake, and is also marked by two corner monuments or stakes, at each end of said claim, one on each side of the 300 feet from the center end monuments or stakes, so that the claim is the form of a parallelogram. It is a re location of a ledge and surface ground formerly included in a claim known as the LUCK Out. No work having been performed on said LUCK OUT claim since the year 1901. the ledge and ground included in said claim became subject to location.

N. H. Keller.

Locator.

Filed and recorded at the request of Geo. W. Brown on the 13th day of Feb., A. D. 1908, at 1 P. M.

Thos. C. Peyton, Recorder.

By E. A. Lonergan, Deputy.

Territory of Arizona, }
 County of Pinal. } S. B.

I, T. E. DAVIS, Recorder in and for the County of Pinal, Territory of Arizona, do hereby certify that the above and foregoing contains a full and complete copy of the original copies of all the records of the said County, Arizona, from the date of the organization thereof, to-wit: 1892, to the date of this copy, to-wit: 1910, and that the same are true and correct copies of the original records.

In testimony whereof, I have hereunto set my hand and the seal of said County at the City of Philadelphia, in the County of Philadelphia, State of Pennsylvania, this 19th day of October, A. D. 1910.

T. E. DAVIS, Recorder in and for the County of Pinal,
 Philadelphia.

FILED FOR RECORD IN THE OFFICE OF THE RECORDER AT PHOENIX, ARIZONA, THIS 19TH DAY OF OCTOBER, 1910.

T. E. DAVIS, Recorder in and for the County of Pinal,
 Philadelphia.

T. E. DAVIS, Recorder in and for the County of Pinal,
 Philadelphia.

T. E. DAVIS, Recorder in and for the County of Pinal,
 Philadelphia.

T. E. DAVIS, Recorder in and for the County of Pinal,
 Philadelphia.

T. E. DAVIS, Recorder in and for the County of Pinal,
 Philadelphia.

T. E. DAVIS, Recorder in and for the County of Pinal,
 Philadelphia.

T. E. DAVIS, Recorder in and for the County of Pinal,
 Philadelphia.

T. E. DAVIS, Recorder in and for the County of Pinal,
 Philadelphia.

T. E. DAVIS, Recorder in and for the County of Pinal,
 Philadelphia.

T. E. DAVIS, Recorder in and for the County of Pinal,
 Philadelphia.

T. E. DAVIS, Recorder in and for the County of Pinal,
 Philadelphia.


T. E. DAVIS, Recorder in and for the County of Pinal,
 Philadelphia.

T. E. DAVIS, Recorder in and for the County of Pinal,
 Philadelphia.

WITNESSED my hand and the seal of said County at the City of Phoenix, Territory of Arizona, this 19th day of October, A. D. 1910.

T. E. DAVIS

Recorder in and for the County of Pinal, Arizona.



4-688.

U. S. SURVEYOR-GENERAL'S FINAL CERTIFICATE ON FIELD NOTES.

Department of the Interior,
OFFICE OF U. S. SURVEYOR-GENERAL,

Phoenix, Arizona.

April 5, 1906, 190

I, U. S. Surveyor-General for the district of Arizona.
do hereby certify that the foregoing transcript of the Field Notes, return and approval of the survey
of the mining claim of Saddle Mountain Co.

known as the Bridgeport, Buffalo, Philadelphia, Sleeper, Side Show
No. 1 and Side Show No. 3 lodes,
situate in Saddle Mountain

Mining District, Pinal, County, Arizona.

in Section, Township No. 5 S., Range No. 16 E., and

designated as Survey No. 2181, has been correctly copied from the originals on file in
this office; that said Field Notes furnish such an accurate description of said mining claim as will, if
incorporated into a patent, serve fully to identify the premises, and that such reference is made therein
to natural objects or permanent monuments as will perpetuate and fix the locus thereof.

And I further certify that five hundred dollars' worth of labor has been expended or improve-
or for each of
ments made upon said mining claim by claimant or its grantors, and that said improvements
consist of 7 cuts, 16 shafts, 3 tunnels, total value \$5300.00
100 ft. of Tunnel No. 3, Buffalo lode, credited to Side Show
No. 2, valued \$500. 100 ft. credited to Philadelphia lode,
valued \$500.

and that no portion of said labor or improvements has been included in the estimate of expenditures
upon any other claim.

I further certify that the plat thereof, filed in the U. S. Land Office at Phoenix, Arizona.
is correct and in conformity with the foregoing Field Notes.

(signed) Frank S. Ingalls,

United States Surveyor-General for Arizona.

4-687.

**SURVEYOR-GENERAL'S CERTIFICATE OF APPROVAL OF FIELD
NOTES AND SURVEY OF MINING CLAIM.**

Department of the Interior,

Office of U. S. Surveyor-General,

Phoenix, Arizona.

April 5, 1906, 190

I, U. S. Surveyor-General for the district of Arizona.

do hereby certify that the foregoing and hereto attached Field Notes and Return of the Survey of the
Mining Claim of Saddle Mountain Co.

Bridgeport, Buffalo, Philadelphia, Sleeper, Side Show No.1 & Side Show No.2 lodes,

situate in Saddle Mountain, Mining District,
Pinal County, Arizona.

in Section , Township No. 5 S., Range No. 16 E.
, designated as Survey No. 2181

executed by Edgar C. Dietrich, U. S. Deputy Mineral
Surveyor, Dec. 5th 12th 1905., 190., under my instructions dated

Nov. 2, 1905., 190., have been critically examined and the necessary cor-
rections and explanations made, and the said Field Notes and Return, and the Survey they describe,
are hereby approved. A true copy of the copy of the location certificate filed by the applicant for
survey is included in the field notes.

Frank A. Searles

U. S. Surveyor-General for Arizona.

POOR

QUALITY

The following pages are scanned at the best possible quality setting. The original pages are of poor quality and this is the best possible reproduction.

1880
M
S
P