

MS

0

2

1

9

3

POOR QUALITY

The following pages are scanned at the best possible quality setting. The original pages are of poor quality and this is the best possible reproduction.

Copied by *[handwritten]*
2/19/06

[handwritten]

(4-683.)

Mineral Survey No. 9105

Lot No. _____

~~Site~~ Arizona Land District.

FIELD NOTES

OF THE SURVEY OF THE MINING CLAIM OF

Mowry Mines Co.

KNOWN AS THE

Clayton & Co. Lode
Patencia

Mining District.

Santa Cruz County, Arizona

Section 23, Township 23 S., Range 16 E (unsurveyed)

Surveyed under instructions dated Jan 3 - 1906
by William H. Hartman
U. S. Deputy Mineral Surveyor

Claim located See location map

Survey commenced Jan 9th 1906

Survey completed Jan 11th 1906

address:

Kingan & Knight, Attorneys
Tucson, Arizona

*Ties
Ledges
etc
areas*

Feet

SURVEY NO. 2193

THE ASH LODE.

Beginning at Cor. No. 1.

Identical with the location, which is a mound of stone 3 ft. base $2\frac{1}{2}$ ft. high.

A granite stone 24 x 8 x 8 ins., set 12 ins. in the ground, with mound of stone, chiseled A-1-2193, whence

U.S.M.M.No.3, brs. N. $34^{\circ} 43'$ W., 4051.5 ft.

An oak 6 ins. diam., brs. S. 85° E., 11 ft.

An oak 6 ins. diam., brs. S. $84^{\circ} 30'$ W., 14 ft.

Both trees blazed and scribed 1-2193 B T

Thence S. $23^{\circ} 16'$ E.

Var. 13° E.

300. East End Center Monument.

Identical with the location, which is a mound of stone 3 ft. base $2\frac{1}{2}$ ft. high.

440. Road, bears E. and W.

500. Creek, 30 ft. wide, course E.

600. To Cor. No. 2.

Identical with the location, which is a mound of stone 3 ft. base $2\frac{1}{2}$ ft. high.

A granite stone 24 x 12 x 12 ins., set 12 ins. in the ground, and mound of stone, chiseled A-2-2193, whence

An oak 12 ins. diam., brs. N. 84° E., 31 ft.

An oak 8 ins. diam., brs. N. 78° W., 25 ft.

Both trees blazed and scribed 2-2193 B T

Thence S. $70^{\circ} 20'$ W.

Var. 13° E.

1079. To Cor. No. 3.

Identical with the location, which is a mound of stone 3 ft. base $2\frac{1}{2}$ ft. high.

A limestone 24 x 12 x 6 ins., set 12 ins. in the

Feet

ground, with mound of stone, chiseled A-3-2193, whence
 A Pinon 6 ins. diam., brs. N. 83° E., 35 ft.
 An oak 6 ins. diam., brs. S. 24° E., 40 ft.
 Both trees blazed and scribed 2-3-2193 B T

 Thence N. 23° 16' W.

Var. 13° E.

260. Creek, 30 ft. wide, course N. W.

300. West End Center Monument.

Identical with the location, which is a mound of
 stone 3 ft. base 2½ ft. high.

580. Road, bears E. and W.

600. To Cor. No. 4.

Identical with the location, which is a mound of
 stone 3 ft. base 2½ ft high.

A limestone 24 x 12 x 8 ins., set 12 ins. in the
 ground, with mound of stone, chiseled ^A4-2193, whence

An oak 36 ins. diam., brs. N. 43° W. 52 ft.

An Oak 24 ins. diam., brs. S. 69° E. 151 ft.

Both trees blazed and scribed 1-4-2193 B. T.

 Thence N. 70° 20' E.

var. 13° E.

1079. To Cor. No. 1 the place of beginning.

 CEDAR LODE.

Beginning at Cor. No. 1.

Identical with the location, and with Cor. No. 4 of
 the Ash Lode of this survey, I chisel C-1-2193 on the
 Cor. stone, whence

U.S.M.M. No. 3 brs. N. 19° 17' W. 3913 ft.

 Thence S. 23° 16' E.

Var. 13 ° E.

300. To East end center monument.

Feet	
600.	<p>Identical with the location, and with the west end center monument of the Ash Lode of this survey.</p> <p>To Cor. No. 2.</p>
	<p>Identical with the location, and with Cor. No. 3 of the Ash Lode of this survey, I chisel on Cor. stone C-2-2193.</p>
1086.	<p style="text-align: center;">-----</p> <p style="text-align: center;">Thence S. 55° 53' W. Var. 13° E.</p> <p>To Cor. No. 3.</p> <p>Identical with the location, which is a mound of stone 3 ft. base 2½ ft. high.</p> <p>A limestone 24 x 8 x 8 ins., set 12 ins. in the ground, with mound of stone, chiseled C-3-2193, whence</p> <p>An oak 6 in. diam., brs. N. 37° W., 8 ft.</p> <p>An Oak 12 ins. diam., brs. S. 28° E., 5 ft.</p> <p>Both trees blazed and scribed 3-2193 B T</p>
60.	<p style="text-align: center;">-----</p> <p style="text-align: center;">Thence N. 23° 16' W. Var. 13° E.</p> <p>Creek, 30 ft. wide, course N. E.</p>
300.	<p>West End Center Monument.</p> <p>Identical with the location, which is a mound of stone 3 ft. base 2½ ft. high.</p>
600.	<p>To Cor. No. 4.</p> <p>Identical with the location, which is a mound of stone 3 ft. base 2½ ft. high.</p> <p>A limestone 24 x 8 x 6 ins., set 14 ins. in the ground, with mound of stone, chiseled C-4-2193, whence</p> <p>An oak 10 ins. diam., brs. N. 26° 30' E., 44 ft.</p> <p>An oak 6 ins. diam., brs. West 33 ft.</p> <p><i>Both trees blazed and scribed 4-2193-B. T.</i></p>

Feet	
	Thence N. 55° 53' E.
	Var. 13° E.
20.	Gulch, course S. E.
430.	Gulch, course S. E.
1060.	Road, bears E. and W.
1086.	To Cor. No. 1 the place of beginning.

A R E A.

Ash Lode,	✓ 14,833 Acres
Cedar Lode,	✓ <u>14,692 "</u>
Total net area,	✓ 29,525 "

LOCATION.

The Cedar and Ash Lodes are located approximately in Sec. 23, Tp. 23 S., R. 16 E., G. & S.R.B.M., unsurveyed, Patagonia Mining District, Santa Cruz County, Arizona.

ADJOINING CLAIMS.

There are no adjoining claims.

COURSE OF VEINS.

The presumed course of vein on the Ash Lode is from the west end center monument to the east end center monument, N. 70° 20' E., 1079 ft.

The presumed course of vein on the Cedar Lode is from the west end center monument to the east end center monument, N. 55° 53' E., 1086 ft.

EXPENDITURE OF FIVE HUNDRED DOLLARS.

I certify that the value of the labor and improvements upon the Ash and Cedar Lodes, placed thereon by the claimant and his grantors, is not less than five hundred

MISSING

PAGE(S)

dollars, and that said improvements consist of:

ASH LODE:

From the West End Center Monument:

Discovery shaft No. 1, 4 x 6 ft. 10 ft. deep, brs. N. 70° 20' E., 60 ft.	Value,	\$ 100.00
Tunnel No. 2, 4 x 6 ft., 30 ft. long, course S.E., brs. N. 85° E., 190 ft.	Value,	\$ 300.00
Shaft No. 3, 6 x 8 ft. 15 ft. deep, brs. N. 62° E., 600 ft.,	Value,	\$ 150.00

CEDAR LODE:

From the East End Center Monument:

Discovery Shaft No. 1, 4 x 6 ft. 10 ft. deep, brs. S. 55° 53' W., 60 ft.	Value,	\$ 100.00
Shaft No. 2, 4 x 6 ft. 10 ft. deep, brs. S. 78° W., 40 ft.	Value,	\$ 100.00
Cut No. 3, 4 x 6 ft. 20 ft. long, course S. E., brs. S. 51° W., 500 ft.	Value,	\$ 200.00
Shaft No. 4, 6 x 9 ft. 18 ft. deep, brs. S. 86° W., 460 ft.	Value,	\$ 200.00

INSTRUMENT.

This survey was made with a Gurley Light Mountain Transit. The courses were deflected from the true meridian as determined by direct solar observations and checked by a meridian determined by Polaris. The distances were measured with a 100-ft. steel tape.

POLARIS OBSERVATION.

January 9, 1906. At Cor. No. 1 of the Ash Lode at 12h 10m., a.m., l.m.t., I observe Polaris at Western Elongation, and mark the line by an iron bolt 18 ins. long set 300 ft. N. of said Cor.

At 8h 03m a.m., l.m.t., I deflect the azimuth of $1^{\circ} 24'$ to the E., and from the meridian thus established I determine the courses of the survey which also agree with the courses determined by solar observations.

Philip Couzens
U. S. Deputy Mineral Surveyor.

I certify, upon evidence gathered by me from persons well acquainted with the premises that the Western Extension of the Enterprise Millsite, Lot 58 B. is an abandoned location. No traces of any of the corners could be located in the field and no one acquainted with said location knows anything of their former whereabouts. The millsite was surveyed for patent upon application of the assignors of the present claimants, but the records show no evidence of its ever having been patented.

Philip Conzels
U. S. Dep. Mineral Surveys

FINAL OATHS FOR SURVEYS.

LIST OF NAMES.

A list of the names of the individuals employed by

Philip Poutzen

United States Deputy Mineral Surveyor, to assist in running, measuring, and marking the lines, corners, and boundaries described in the foregoing field notes of the survey of the mining claim of

Mowry Mines Co.

known as the

Ash and Cedar

and showing the respective capacities in which they acted.

Frank S. Blair, Chainman.

Walter Percival, Chainman.

Manuel Salazar, Axman.

Manuel Salazar, Flagman.

FINAL OATHS OF ASSISTANTS.

We,

Frank S. Blair, Walter Percival

and

Manuel Salazar

do solemnly swear that we assisted

Philip Poutzen

United States Deputy Mineral Surveyor, in marking the corners and surveying

the boundaries of the mining claim of

Mowry Mines Co.

known as the

Ash and Cedar

represented in the foregoing field notes as having been surveyed by said deputy mineral surveyor and under his

direction; and that said survey has been in all respects, to the best of our knowledge and belief, faithfully and

correctly executed, and the corner and boundary monuments established according to law and the instructions

furnished by the United States Surveyor-General for

Arizona

F. S. Blair, Chainman.

Walter Percival, Chainman.

Manuel Salazar, Axman.

Manuel Salazar, Flagman.

Subscribed and sworn to by the above-named persons before me this

25th

day of

January, 190*6*

W. G. Power

(4-686.)

FINAL OATH OF U. S. DEPUTY MINERAL SURVEYOR

I, Philip Contzen, U. S. Deputy Mineral Surveyor, do solemnly swear that, in pursuance of instructions received from the United States Surveyor General for Arizona, dated January 3-1906, I have, in strict conformity to the laws of the United States, the official regulations and instructions thereunder, and the instructions of said Surveyor General, faithfully and correctly executed the survey of the Mining Claim of Mowry Mines Co., known as the Ashland Cedar Lodge, situate in Patagonia Mining District, Santa Cruz County, Arizona, in Section 23, Township No. 23 N, Range No. 16 E (unsurveyed) and designated as Survey No. 2193, as represented in the foregoing field notes, which accurately show the boundaries of said mining claim as distinctly marked by monuments on the ground, and described in the attached copy of the location certificate, which was received by me from the Surveyor General with said instructions, and that all the corners of said survey have been established and perpetuated in strict accordance with the law, official regulations and instructions thereunder; and I do further solemnly swear that the foregoing are the true and original field notes of said survey and my report therein, and that the labor expended and improvements made upon said mining claim by claimant or its grantors are as therein fully stated, and that the character, extent, location and itemized value thereof are specified therein with particularity and full detail, and that no portion of said labor or improvements so credited to this claim has been included in the estimate of expenditures upon any other claim.

Philip Contzen
U. S. Deputy Mineral Surveyor.

Subscribed and sworn to by the said Philip Contzen,
U. S. Deputy Mineral Surveyor, before me _____
this 25th
day of January, 1906,

W. G. Power

Affidavit of Five Hundred Dollars Improvements.

We, Frank K. Blair and Walter Percival

of lawful age, being first duly sworn according to law, depose and say: That we are acquainted with the

Ash and Cedar mining claims, situate in Patagonia

mining district, Santa Cruz County, Arizona Territory, for which

Murray Mines Co

has made application for survey prior to application for patent under the provisions of the Act of Congress

approved May 10, 1872; and that the labor done and improvements made thereon by the applicant and

its grantor exceed five hundred dollars in value, and further that we are not personally interested

in said mine.

Frank K. Blair

Walter Percival

TERRITORY OF ARIZONA,

COUNTY OF Pima

} ss:

Sworn to and subscribed before me this 25th day

of January, 1906

W. G. Power

[SEAL.]

N O T I C E O F L O C A T I O N.

Quartz Claim.

TO ALL WHOM IT MAY CONCERN:-

This mining claim the name of which is the CEDAR mining claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purpose of exploration and purchase by J. N. Curtis, the undersigned on the 7th day of July, 1899.

The length of the claim is 1500 feet, and I claim 1450 feet in a westerly direction and 50 feet in an Easterly direction from the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with 300 feet in width of the surface grounds on each side of the center of said claim; The general course of the lode deposit and premises is from the East to the West.

This claim is situated and located in the Patagonia Mining District, in Santa Cruz County, in the Territory of Arizona, about 1/2 mile in a southerly direction from the Enterprise Mine -patented.

The surface boundaries of the claim are marked upon the ground as follows:- Beginning at a monument of stones at a point in an Easterly direction fifty feet from the discovery shaft, at which this notice is posted) being in the center of the east end lines of said claim; thence southerly 300 feet to a monument of stones being the S. Easterly corner of said claim; thence Westerly 750 feet to a monument of stones at the center of the south side line of said claim; thence westerly 750 feet to a monument of stones being at the S. Westerly corner of said claim; thence northerly 300 feet to a monument of stones at the center of the west end of said claim; thence northerly 300 feet to a monument of stones being at the N. Westerly corner of said claim; thence Easterly 750 feet to a monument of stones being at the center of the north side of said claim; thence easterly 750 feet to a monument of stones at the N. Easterly corner of said claim; thence southerly 300 feet to the place of beginning.

All done under the provisions of Chapter Six of Title XXXII of the Revised Statutes of the United States, and of an Act of the General Assembly of Arizona, entitled "An Act Concerning Mines", approved March 20th, 1895.

Dated and posted on the ground this 7 day of July, 1899.

J. N. CURTIS.

Witness.

E. T. Jones.

J. Balch.


Filed req. A. Steinfeld Sep. 16, 1899.

W. N. Cummings, Co. Recorder.

Territory of Arizona,) ss.
County of Santa Cruz.)

I, Phil Herold, County Recorder in and for the County and Territory aforesaid, do hereby certify that the foregoing is a full, true and correct copy of Location Notice of CEDAR mining claim, located by J. N. Curtis, as the same appears of record in my office in Book 1 of Mining Locations, at pages 239-240 and 241.

Witness my hand and seal of office this 26th day of July,
A. D. 1904;



County Recorder.

NOTICE OF LOCATION.

Quartz Claim.

TO ALL WHOM IT MAY CONCERN:—

This mining claim the name of which is the ASH mining claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purpose of exploration and purchase by J. N. Curtis, the undersigned, on the 7th day of July, 1899.

The length of the claim is 1500 feet, and I claim 1450 feet in an Easterly direction and 50 feet in a Westerly direction from the center of the discovery shaft, at which this notice is posted, lengthwise of the claim together with 300 feet in width of the surface ground on each side of the center of said claim. The general course of the lode deposit and premises is from the East to the West.

This claim is situated and located in the Patagonia Mining District, in Santa Cruz County, in the Territory of Arizona, about 1/2 a mile in a southerly direction from the Enterprise Mine-(patented).

The surface boundaries of the claim are marked upon the ground as follows:— Beginning at monument of stones at a point in a westerly direction fifty feet from the discovery shaft, at which this notice is posted, being in the center of the west end lines of said claim; thence southerly 300 feet to a monument of stone being the S. westerly corner of said claim; thence easterly 750 feet to a monument of stones at the center of the south side line of said claim; thence easterly 750 feet to a monument of stones being the S. Easterly corner of said claim; thence northerly 300 feet to a monument of stones at the center of the east end of said claim; thence northerly 300 feet to a monument of stones being at the N. Easterly corner of said claim; thence westerly 750 feet to a monument of stones at the center of the north side line of said claim; thence westerly 750 feet to a monument of stones at the N. Westerly corner of said claim; thence southerly 300 feet to the place of beginning.

All done under the provisions of Chapter Six of Title XXXII of the Revised Statutes of the United States, and of an Act of the General Assembly of Arizona, entitled "An act Concerning Mines", approved March 20th, 1895.

Dated and posted on the ground this 7th day of July, 1899.

J. N. CURTIS.

Witness.

E. T. Jones.

J. Balch.

Filed & recorded req. Alb. Steinfeld, Sep. 16, 1899. at 9 A. M.

W. N. Cummings, Co. Recorder.

Territory of Arizona,)
 County of Santa Cruz.) SS.

I, Phil Herold, County Recorder in and for the County and Territory aforesaid, do hereby certify that the foregoing is a full, true and correct copy of location notice of ASH mining claim, located by J. N. Curtis, as the same appears of record in my office in Book 1 of Mining Locations at page 237 et seq.

Witness my hand and seal of office this 26th day of July,
 A. D. 1904.


County Recorder.

4-687.

SURVEYOR-GENERAL'S CERTIFICATE OF APPROVAL OF FIELD NOTES AND SURVEY OF MINING CLAIM.

Department of the Interior,

Office of U. S. Surveyor-General,

Phoenix, Arizona,

March 15, 1906.

I, U. S. Surveyor-General for the district of Arizona,

do hereby certify that the foregoing and hereto attached Field Notes and Return of the Survey of the Mining Claim of Howry Mines Co.

known as the Ash and Cedar lodes,

situate in Patagonia, Mining District, Santa Cruz, County, Arizona.

in Section 23, Township No. 23 S., Range No. 16 E. unsurveyed, designated as Survey No. 2193

executed by Philip Contzen, U. S. Deputy Mineral Surveyor, Jan. 9th -- 11th 1906, 190, under my instructions dated

Jan. 3, 1906, 190, have been critically examined and the necessary corrections and explanations made, and the said Field Notes and Return, and the Survey they describe, are hereby approved. A true copy of the copy of the location certificate filed by the applicant. for survey is included in the field notes.

Handwritten signature of Frank J. Sigsbee

U. S. Surveyor-General for Arizona.

U. S. SURVEYOR-GENERAL'S FINAL CERTIFICATE ON FIELD NOTES.

Department of the Interior,

OFFICE OF U. S. SURVEYOR-GENERAL,

Phoenix, Arizona.

March 15, 1906

I, U. S. Surveyor-General for the district of Arizona, do hereby certify that the foregoing transcript of the Field Notes, return and approval of the survey of the mining claim of Mowry Mines Co.

known as the Ash and Cedar lodes, situate in Patagonia, Mining District, Santa Cruz, County, Arizona, in Section 23, Township No. 23 S., Range No. 16 E., unsurveyed, and designated as Survey No. 2193, has been correctly copied from the originals on file in

this office; that said Field Notes furnish such an accurate description of said mining claim as will, if incorporated into a patent, serve fully to identify the premises, and that such reference is made therein to natural objects or permanent monuments as will perpetuate and fix the locus thereof.

And I further certify that five hundred dollars' worth of labor has been expended or improvements made upon said mining claim by claimant or its grantors, and that said improvements consist of On the Ash, 2 shafts and 1 tunnel, value \$550.00 On the Cedar, 3 shafts and 1 cut, value \$600.00

and that no portion of said labor or improvements has been included in the estimate of expenditures upon any other claim.

I further certify that the plat thereof, filed in the U. S. Land Office at Phoenix, Arizona is correct and in conformity with the foregoing Field Notes.

(Signed) Frank S. Ingalls,

United States Surveyor-General for Arizona.

Large
Map