

MS -

0

2

1

9

9

(4-683.)

Mineral Survey No. 2199

Lot No. _____

Arizona Mount Canyon Land District.

FIELD NOTES

OF THE SURVEY OF THE MINING CLAIM OF

The Mountain Side Mining & Milling Co

KNOWN AS THE

Golden Mountain Side, mountainer and
Mountaintop situated in Weaver Mining District,

Yavapai County,

Section 31st Township 70 N, Range 5 W

Surveyed under instructions dated Jan 30th, 1906
by H. H. Robert

U. S. Deputy Mineral Surveyor

Claim located _____, 1

Survey commenced Jan 31st, 1906

Survey completed Feb 27th, 1906

Agent for claimant

Geo. B. Blpton

Wichburg

Arizona

Tax ✓
Lodge on Golden Mountain side ✓
fix ✓
area ✓

Improvements on Mountaintop too small
See clerical notes

906 H.S.P.
3006
1
MAY 31 1906
MAY 21 1906

feet Beginning at Cor. No. 1, identical with
 the N.W. Cor. of the location, where I
 cut a cross (X) and M. No. 1-2199 on
 a granite rock in place 5x3x2 ft.
 above ground, alongside; built
 a mound of stone 4 ft. high, 4 ft.
 base. Whence a cross (X) and
 B.R. -1-2199, is chiseled on a
 point of rock and b.s. N. 21° 30' W.
 6.5 ft. - U.S.L.M. No. 1277 b.s.
 N. 44° 2' 30" W. 1666.5 ft.

Thence N. 73° 43' E.

300.05 To the N.C.E. a cross (X) and N.C.E.
 2199-M. chiseled on a stone in
 place, alongside; is built a mound
 of stone 4 1/2 ft. high 4 1/2 ft. base.

600.1 To Cor. No. 2, identical with the N.E. Cor.
 of the location, where I cut a cross
 (X) and M. No. 2-2199. on a stone
 8x14x22 ins. set 8 ins. in to
 ground, alongside; built a mound
 of stone 4 1/2 ft. high, 4 1/2 ft. base.
 Whence a cross (X) and B.R.
 -2-2199 - chiseled on a rock
 4x4x3 1/2 ft. above ground b.s.
 S. 71° 30' E. - 13 1/2 ft.

Thence S. 16° 43' E.

1500.0 To Cor. No. 3, identical with the S.E.
 Cor. of the location, where I cut
 a cross (X) and M. No. 3-2199 on
 bed rock, alongside; built a
 mound of stone 4 ft. high 4 ft. base

where a cross (X) and B.R. - 3-2199 chiseled on the face of the cliff fro. N. $73^{\circ} 43' E.$ 3.4 ft.

Thence S. $73^{\circ} 43' W.$

300.05 To the original location for S.C.E.

420.4 To Cor. No. 4. On the east side line 2-3 of the Helen Morris Lodge Sur. No. 2200. - where I cut a cross (X) and M- No. 4-2199, on the granite bed rock, alongside; built a mound of stone 4 ft. high 4 ft. base.

where a cross (X) and B.R. - 4-2199, chiseled on bed rock fro. S. $14^{\circ} 30' E.$ - 6.3 ft. - The S.W. Cor. of the location fro. S $73^{\circ} 43' W.$ 179.7 ft. Cor. No. 4 is identical with Cor. No. 1 of the Golden Mountain Side of the Henry.

Thence N. $8^{\circ} 18' W.$

424.9 To Cor. No. 5 along the line 3-2 of the Helen Morris Lodge Sur. No. 2200, identical with Cor. No. 2 of the Helen Morris Lodge.

where I cut a (X) cross on a stone in place $36 \times 18 \times 18$ ins. above ground marked M- No. 5-2199, alongside; is built a mound of stone 4 ft. high 4 ft. base

Thence S $53^{\circ} 34' W.$

257.0 To Cor. No. 6, along line 2-1 of the Helen Morris Lodge Sur. No. 2200.

where I cut a cross (X) and M- No. 6-2199 on a granite rock $12 \times 18 \times 18$ ins. set 8 ins in the ground, alongside; built a mound

of stone 4 ft. high, 4 ft. base.

Whence a cross (X) and B.R. -6-2199 chiseled on a point of rock hrs. N. 36° 30' W. 3.4 ft.

Thence N. 16° 43' W.

1167.9 To Cor. No. 1, The place of beginning.

Mag. Variation on this ^{at all corners} claim γ 14° 4' E.

The presumed course of the vein on this claim is from the S.E. N. 16° 43' ^{N.} - 1500. ft.

Golden Mountain Side Lot E.

Beginning at Cor. No. 1, identical with Cor. No. 4, Mountainer - also chiseled on the bed rock beside the (X) cross marking the corner. G.M. No. 1-2199.

Whence the N.W. Cor. of the location hrs. S 73° 43' W. 179.7 ft.

U.S.L.M. No. 1277, hrs. N. 34° 18' W. 3128.0 ft.

Thence N. 73° 43' E.

120.35 To original location for N.C.E.

420.4 To Cor. No. 2, identical with the N.E. Cor. of the location, also identical with Cor. No. 3 of the Mountainer of this survey. Alongside; the cross (X) marking the cor. on bed rock I also chiseled M.S. - No. 2-2199.

Thence S. 14° 33' E.

915.7 To Cor. No. 3, identical with Cor. of the location, the exact corner being inaccessible over edge of cliff - I chiseled a cross ⁽⁺⁾ and W.C. - G.M. No. 3-2199.

on bed rock

which bears $S 71^{\circ} 12' E - 5.0$ ft from the true corner. Alongside; of the correct corner I built a mound of stone $3\frac{1}{2}$ ft. high 4 ft. base.

Thence $S. 71^{\circ} 12' E.$

352.4 To Cor. No. 4 being on the West End line of the mountaintop ^{side} of this survey.

When I set a stone $24 \times 6 \times 10$ ins. set 8" in the ground to bed rock. I cut a (X) cross on same for exact corner and G.M. - No. 4 - 2199. Alongside; built a mound of stone 4 ft. high, 4 ft base.

Whence a cross (X) and B.R. - 4 - 2199, chiseled on a rock in place $3 \times 6 \times 4$ ft. above ground bears $S. 70^{\circ} 13' W. 9.4$ ft.

The S. E. Cor. of the location bears $S 71^{\circ} 12' E. 344.6$ ft.

Cor. No. 1 of the mountaintop of this survey bears $N. 16^{\circ} 17' W. 27.9$ ft.

Thence $S. 16^{\circ} 17' E.$

198.1 To Cor. No. 5. This course is along line 1-4 of the mountaintop ^{side} of this survey.

At cor. No. 5, I cut a (X) cross and G.M. No. 5 - 2199, on a rock in place $2 \times 2 \times 1$ ft. above ground. Alongside; built a mound of stone $4\frac{1}{2}$ ft. high $4\frac{1}{2}$ ft. base.

Whence a cross (X) and B.R. - 5 - 2199, chiseled on a point of rock bears $N. 73^{\circ} 43' E. 8.8$ ft.

The S. E. Cor. of the location bears $N. 73^{\circ} 43' E 282.0$ ft.

Thence $S. 73^{\circ} 43' W.$

240.0 To the S.C.E. a cross (X) on a rock in place marked G.M. S.C.E. 2199. Alongside; built a mound of stone 4 ft. high and 4 ft. base.

632.5 To Cor. No. 6 being on the East side line of the Gold King Survey 2200.

At Cor. No. 6 I cut a cross on a rock in place for the exact corner and G.M. - No. 6 - 2199-, Alongside; built a mound of stone 4 ft. high 4 ft. base.

Whence a cross (X) and B.T. - 6 - 2199 - chiseled on a point of rock brs. $S 86^{\circ} 30' E. 9.1$ ft.

The S.W. Cor of the location brs. $S 73^{\circ} 43' W. 130.5$ ft.

From the S.W. Cor. of the location the next Cor. of the location brs. $N. 71^{\circ} 12' W. 166.2$ ft.

Thence $N. 58^{\circ} 9' W.$

327.3 Along line 3-2 of the Gold King Survey No. 2200, To Cor. No. 7 identical with Cor No. 2 of the Gold King, a cross (X) chiseled on bed rock and marked alongside G.M. - No. 7 - 2199 - A mound of stone 4 ft. high, 4 ft. base is built along side the corner point. This Cor. is also on the South End line of the Helen Morris, ^{Lady} Survey No. 2200.

Thence $N. 53^{\circ} 34' E.$

22.0 Along line 4-3 of the Helen Morris.

22.0 To Cor No. 8, identical with Cor. No. 3, of the Helen Morris. The cross

chiseled on bed rock has, chiseled
 along side of it, G.M. No. 8-2199. A
 mound of stone 4 ft. high, 4 ft base
 is built along side - Whence a
 cross (X) and B.P. - G.M. - 8-2199 to.
 N. 53° 34' E. - 6.0 ft

1075.1 Thence N. 8° 18' W.
 To cor No. 1. the place of beginning
 This course follows along line
 3-2 of the Helen Morris Survey
 No 2200.

Ledge

The presumed course of the vein on
 this claim is from the S.E.
 N. 71° 12' W. 431.6 ft.
 Thence N. 14° 33' W. 1068.4 "
1500.0 ft total length.

Mag. variation on this claim 13° 37' E.
 at all corners

Mountaintop Lode

Beginning at Cor. No. 1, identical with
 the N.W. Cor. of the location, where
 I cut a cross (X) and M. No. 1-2199, on
 a granite rock in place 22 x 12 x 4
 inches above ground, along side,
 built a mound of stone 4 1/2 ft high,
 4 ft. base - Whence a cross (X) and
 B.P. - 1-2199 is chiseled on a point
 of exposed bed rock and to. N. 16° 07' W.
 23.3 ft.
 C.S.L.M. No 1277 to. N 38° 21' W
 4386.3 ft.

Thence N. $73^{\circ} 43'$ E.

1500.0 To Cor. No. 2, identical with the N.E. Cor. of the location - Where I chiseled a cross (X) and M. No. 2-2199, on bed rock, alongside; built a mound of stone 4 ft. high, 4 ft. base. Thence a cross (X) and B.P. - 2 - 2199, chiseled on bed rock tra. $S 16^{\circ} 17' E. 12.0$ ft.

Thence S. $16^{\circ} 17'$ E.

300.0 To E.C.E. where I cut a cross (X) and E.C.E. - 2199 - M. on a stone in place $20 \times 12 \times 6$ ins. above ground. alongside; built a mound of stone 4 ft. high, 4 ft. base.

600.0 To Cor. No. 3, identical with the S.E. Cor. of the location; where I cut a cross (X) and M. No. 3-2199 on bed rock - alongside; built a mound of stone 4 ft. high, 4 ft. base.

Thence a cross (X) and B.P. - 3 - 2199, chiseled on a point of rock tra. North 21.0 ft.

Thence S. $73^{\circ} 43'$ W.

1500.0 To Cor. No. 4, identical with the S.W. Cor. of the location, where I cut a cross (X) and M. No. 4-2199

high 4 ft. base - whence a cross
(X) and B.T. - 4-2199, chiseled
on a point of rock to
N. 33° 30' E. 14.7 ft.

Thence N. 16° 17' W.

300.0 To original location for W.E.C.

374.0 To Cor. No. 5, of the Golden Mountain side
of this survey.

572.1 To Cor. No. 4 of the Golden Mountain side

600.0 To Cor. No. 1. Of this location the
place of beginning.

Mag. Variation on this claim 13° 13' E.
at all corners

The presumed course of the vein on this
claim is from the E.C.E.

S. 73° 43' W. 1500.0 ft.

Area — acres

Total Net Area of Mountainer Lode --- 18.874 ✓

Total Net Area of Golden Mountain side Lode 16.328⁷ ✓

Total Net Area of Mountain top Lode 20.661 ✓

Net area of group --- 55.863 ✓

Improvements

I certify that the value of the labor
and improvements on this group
placed there on by the claimant or
his grantors is not less than
\$500.00 for each location, and that
said improvements consists of
Mountainer

No. 1 The discovery cut (open cut) 10 ft.
x 20 ft. deep. which is on the center

line of the claim 215 ft in a N. 16° 43' W. direction from the S.C.E.

Val. \$ 100.⁰⁰

No 2 A Tunnel the mouth of which bears S. 32° 40' E. 1050 ft. from Cor. No 1 - Tunnel is 6 x 7 x 253 ft. long. Value 2530.⁰⁰

Golden Mountain side,

No 1 The discovery tunnel the mouth of which bears S. 58° 15' E. 230 ft. from Cor. No 1. This tunnel is caved in - No value given but must have been over 10 ft. in length.

No 2 A Tunnel the mouth of which bears S. 28° 45' E. 580 ft. from Cor. No 1. Tunnel 6 x 7 x 93 ft. long. 40 ft. of this tunnel is credited to the Mountain top lode, 53 ft. to this lode Value 930. Value 930.⁰⁰

Mountain top:

No 1 The discovery which is located 10 ft. N. 73° 43' E. from the West Center End of the claim

Open 8 x 8 x 10 ft. deep
 Adit from tunnel No. 2 Golden Mountain side lode 40 ft. value \$ 400.⁰⁰

Total improvements on Group. 3660.⁰⁰

Adjoining claims

- North Unsurveyed claims, claimants and claims unknown.
- East Porto del Oro; claimant unknown
 Loreno; claimant unknown
 both being unsurveyed.
- South Gold King Survey No. 2200. G.E. Lamb Trustee

Other claims & claimants unknown.
West Helen Morris, survey No. 2200. J. E. Lamb & Co.
Gloria, unsurveyed claimant J. R. Williams.

Location

This group is located about one mile in a north easterly direction from Stanton P.O. on Rich hill

Approximately in T_{p.} 10 N., R. 5 W.

of the G. & S. R. - B & M. in Weaver
Mining dist., Yavapai Co., Arizona.

Instrument

This survey was made with a P & A
Wetstock Light mountain transit No. 4.

The courses were deflected from the true
meridian as determined by solar
observations checked by an observation
of Polaris, the distances were
measured by 500- and 25-ft. steel
tapes.

H. H. Holcomb

U.S. Dep. Min. Surveyor

Maricopa Arizona

March 1st 1906.

Note

on the Golden Mountain Side
 claim, the improvement No. 2,
 a tunnel the mouth of which
 is S. 28° 45' E. 580. ft. from
 Cor No. 1. Tunnel 6 x 7 x 93. ft.
 long valued at - \$930.⁰⁰
 This tunnel develops the ledge
 which lay or dips at an
 angle approximately 10° and
 cuts through the mountain.
 The out crop can be traced
 in places and follow the
 contour of the mountain around
 Apparently the same ledge on
 the Mountain top. Thus this
 tunnel extended would come
 into Mountain top ground or
 ledge & leads to develop this
 claim - Therefore I have
 credited ^{\$}450.⁰⁰ of this improvement
 to the mountain top making
 total improvement on this claim
 \$500.⁰⁰

H. H. Holbert

FINAL OATHS FOR SURVEYS.

LIST OF NAMES.

A list of the names of the individuals employed by A. H. Holbert

United States Deputy Mineral Surveyor, to assist in running, measuring, and marking the lines, corners, and boundaries described in the foregoing field notes of the survey of the mining claim of.....

The Mountain Side Mining & Milling Co
known as the Golden Mountain Side, Mountaineer, Mountain top

and showing the respective capacities in which they acted.

A. D. Tomb, Chairman.

Wm DeArmond, Chairman.

....., Axman.

....., Flagman.

FINAL OATHS OF ASSISTANTS.

We, A. D. Tomb

and Wm DeArmond, do solemnly swear that we assisted A. H. Holbert

....., United States Deputy Mineral Surveyor, in marking the corners and surveying

the boundaries of the mining claim of The Mountain Side Mining & Milling Co

known as the Golden Mountain Side, Mountaineer & Mountain top

represented in the foregoing field notes as having been surveyed by said deputy mineral surveyor and under his

direction; and that said survey has been in all respects, to the best of our knowledge and belief, faithfully and

correctly executed, and the corner and boundary monuments established according to law and the instructions

furnished by the United States Surveyor-General for Arizona

A. D. Tomb, Chairman.

Wm DeArmond, Chairman.

....., Axman.

....., Flagman.

Subscribed and sworn to by the above-named persons before me this 13th

day of March, 1906

[Signature]

NOTARY PUBLIC

My commission expires March 24, 1908

File 152

(4-686.)

FINAL OATH OF U. S. DEPUTY MINERAL SURVEYOR

I, H. H. Holbert, U. S. Deputy Mineral Surveyor, do solemnly swear that, in pursuance of instructions received from the United States Surveyor General for Arizona, dated Jan 30th 1906, I have, in strict conformity to the laws of the United States, the official regulations and instructions thereunder, and the instructions of said Surveyor General, faithfully and correctly executed the survey of the Mining Claim of The Mountain Side Mining and Milling Co, known as the Golden Mountain Side Mountain, Mountain top, situate in Weaver Mining District, Yavapai County, Arizona, in Section _____, Township No. _____, Range No. _____ and designated as Survey No. 2199, as represented in the foregoing field notes, which accurately show the boundaries of said mining claim as distinctly marked by monuments on the ground, and described in the attached copy of the location certificate, which was received by me from the Surveyor General with said instructions, and that all the corners of said survey have been established and perpetuated in strict accordance with the law, official regulations and instructions thereunder; and I do further solemnly swear that the foregoing are the true and original field notes of said survey and my report therein, and that the labor expended and improvements made upon said mining claim by claimant or his grantors are as therein fully stated, and that the character, extent, location and itemized value thereof are specified therein with particularity and full detail, and that no portion of said labor or improvements so credited to this claim has been included in the estimate of expenditures upon any other claim.

H. H. Holbert
U. S. Deputy Mineral Surveyor.

Subscribed and sworn to by the said H. H. Holbert,
U. S. Deputy Mineral Surveyor, before me O. L. Gear
Notary Public this 13th
day of March 1906.

O. L. Gear
NOTARY PUBLIC
My commission expires March 2^d 1909

Affidavit of Five Hundred Dollars Improvements.

We, T. B. Williams and W. J. DeArmond

of lawful age, being first duly sworn according to law, depose and say: That we are acquainted with the

Golden Mountain Side, Mountain, Mountain mining claim, situate in Maricopa

mining district, Yavapai County, Arizona Territory, for which

The Mountain Side Mining and Milling Co

has made application for survey prior to application for patent under the provisions of the Act of Congress

approved May 10, 1872; and that the labor done and improvements made thereon by the applicant and

its grantor exceed \$1500.00 ~~five hundred dollars~~ in value, and further that we are not personally interested

in said mine.

T. B. Williams
W. J. DeArmond

TERRITORY OF ARIZONA,

COUNTY OF Yavapai } ss: 1111

Sworn to and subscribed before me this 13th day

of March, 1906

[SEAL.]

[Signature]

NOTARY PUBLIC
My commission expires March 24 1909

8
7

Thence N. $73^{\circ} 43'$ E.
1500.0 To Cor. No. 2, identical with the
N.E. Cor. of the location - Where I
chiseled a cross (X) and M. No. 2-2199,
on bed rock, alongside; built
a mound of stone 4 ft. high, 4 ft
base. Thence a cross (X) and
B.R. - 2 - 2199, chiseled on bed
rock tra. S $16^{\circ} 17'$ E. 12.0 ft.

Thence S. $16^{\circ} 17'$ E.
300.0 To E.C.E. where I cut a cross (X)
and E.C.E. - 2199 - M. on a stone
in place $20 \times 12 \times 6$ ins. above
ground. alongside; built a
mound of stone 4 ft. high, 4 ft.
base.

600.0 To Cor. No. 3, identical with the
S.E. Cor. of the location; where I
cut a cross (X) and M. No. 3-2199
on bed rock - alongside; built a
mound of stone 4 ft. high, 4 ft base
Thence a cross (X) and B.R. - 3 - 2199,
chiseled on a point of rock tra.
North 21.0 ft.

Thence S. $73^{\circ} 43'$ W.
1500.0 To Cor. No. 4, identical with the
S.W. Cor. of the location, where I
cut a cross (X) and M. No. 4-2199,
on the granite bed rock, alongside;
built a mound of stone 4 ft.

high 4 ft. base - whence a cross
(X) and -B.P. - 4-2199, chiseled
on a point of rock to
N. 33° 30' E. 14.7 ft.

Thence N. 16° 17' W.

300.0 To original location for W.E.C.

374.0 To Cor. No. 5, of the Golden Mountainside
of this survey.

572.1 To Cor. No. 4 of the Golden Mountainside

600.0 To Cor. No. 1. of this location the
place of beginning.

Mag. Variation on this claim 13° 13' E.
at all corners

The presumed course of the vein on this
claim is from the E.C.E.
S. 73° 43' W. 1500.0 ft.

Area — acres

Total Net Area of Mountain Lode --- 18.874 ✓

Total Net Area of Golden Mountainside Lode 16.328⁷ ✓

Total Net Area of Mountain Top Lode 20.661 ✓

Net area of group --- 55.863 ✓

Improvements

I certify that the value of the labor
and improvements on this group
placed there on by the claimant or
his grantors is not less than
\$500.00 for each location, and that
said improvements consist of
Mountains

No 1 The discovery cut (open cut) 10 ft.
x 20 ft. deep. which is on the center

GOLDEN MOUNTAIN SIDE.

NOTICE OF MINING LOCATION.
Quartz Claim.

To all whom it may concern:

This mining claim, the name of which is the Golden Mountain Side Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purpose of exploration and purchase by Lillian Upton the undersigned, on the 1st day of Jan. 1899.

The length of this claim is Fifteen hundred (1500) feet, and I claim Two hundred and ten (210) feet in a Northerly direction and Twelve hundred and ninety feet in a Southerly direction from the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with Three hundred (300) feet in width of the surface grounds, on each side of the center of said claim. The general course of the lode deposit and premises is from the North to the South.

The claim is situated and located in the Weaver Mining District, in Yavapai County, in the Territory of Arizona, about $\frac{3}{4}$ of a mile in an Easterly direction from Stanton and is on the west slope of Rich Hill. This is a relocation of the Mountain side mining claim.

The surface boundaries of the claim are marked upon the ground as follows: Beginning at a monument of stone at a point in a Northerly direction Two hundred and ten feet from the discovery shaft (at which this notice is posted), being in the center of the North end line of said claim; thence East 300 feet to a monument, being the North East corner of said claim; thence South 750 feet to a monument at the center of the East side line of said claim; thence South 750 feet to a monument being at the South East corner of said claim; thence Westerly 300 feet to a monument at the center of the South end of said claim; thence Westerly 300 feet to a monument, being at the South West corner of said claim; thence Northerly 750 feet to a monument being at the center of the West side line of said claim; thence Northerly 750 feet to a monument at the Northwest corner of said claim; thence Easterly 300 feet to the place of beginning.

All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of the United States, and of an Act of the General Assembly of Arizona, entitled "An Act Concerning Mines", approved March 20th, 1895.

Dated and posted on the ground this First day of Jan. 1899, 5:45 A. M.

Lillian Upton.

Witness: Geo. B. Upton.
F. R. Nichols.

Filed and recorded at request of Lillian Upton, March 21st A. D. 1899, at 9:00 o'clock a. m., Book 50 of Mines, page 521, Records of Yavapai County, Arizona.

(Seal) W. I. Johnson,
County Recorder.
By F. H. Dougherty,
Deputy Recorder.

"MOUNTAINEER".

NOTICE OF MINING LOCATION.
Quartz Claim.

To all whom it may concern:

This mining claim, the name of which is the Mountaineer Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purpose of exploration and purchase by Lillian Upton the undersigned, on the 1st day of Jan. 1899.

The length of this claim is Fifteen hundred (1500) feet, and I claim Six hundred (600) feet in a Southerly direction and Nine hundred (900) feet in a Northerly direction from the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with Three hundred (300) feet in width of the surface grounds, on each side of the center of said claim. The general course of the lode deposit and premises is from the North to the South.

The claim is situated and located in the Weaver Mining District, in Yavapai County, in the Territory of Arizona, about $\frac{3}{4}$ of a mile in an Easterly direction from Stanton, on west slope of Rich Hill and is a relocation of the T. D. Dale Mining Claim.

The surface boundaries of the claim are marked upon the ground as follows: Beginning at a monument of stone joining North end center monument of the "Golden Mountain Side Claim", at a point.....direction.....feet from the discovery shaft (at which this notice is posted), being in the center of the.....end line of said claim; thence Easterly 300 feet to a monument, being the South East corner of said claim; thence Northerly 750 feet to a monument at the center of the East side line of said claim; thence Northerly 750 feet to a monument being at the North East corner of said claim; thence Westerly 300 feet to a monument at the center of the North end of said claim; thence Westerly 300 feet to a monument, being at the North West corner of said claim; thence Southerly 750 feet to a monument being at the center of the West side line of said claim; thence Southerly 750 feet to a monument at the Southwest corner of said claim; thence Easterly 300 feet to the place of beginning.

All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of the United States, and of an Act of the General Assembly of Arizona, entitled "An Act Concerning Mines", approved March 20th, 1895.

Dated and posted on the ground this First day of Jan. 1899, 5:30 A. M.

Lillian Upton.

Witness: Geo. B. Upton.
F. R. Nichols.

Filed and recorded at request of Lillian Upton, March 21st A. D. 1899, at 9:00 o'clock A. M., Book 50 of Mines, page 523, Records of Yavapai County, Arizona.

(Seal) W. I. Johnson,
County Recorder.

By F. H. Dougherty,
Deputy Recorder.

"MOUNTAINTOP".

NOTICE OF MINING LOCATION.
Quartz Claim.

To all whom it may concern:

This Mining Claim, the name of which is the "Mountaintop" Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purpose of exploration and purchase by Lillian Upton the undersigned, on the 29th day of June, 1899.

The length of this claim is fifteen hundred (1500) feet, and I claim Fifteen hundred (1500) feet in a North Easterly direction from the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with Three Hundred (300) feet in width of the surface grounds, on each side of the center of said claim. The general course of the lode deposit and premises is from the North east to the South west.

The claim is situated and located in the Weaver Mining District, in Yavapai County, in the Territory of Arizona, about one mile in a Westerly direction from Weaver on the East slope of Rich Hill and is an extension of the Golden Mountain Side.

The surface boundaries of the claim are marked upon the ground as follows: Beginning at a monument of stone at the discovery shaft (at which this notice is posted), being in the center of the South end line of said claim; thence Westerly 300 feet to a monument, being the South west corner of said claim; thence North Easterly 750 feet to a monument at the center of the West side line of said claim; thence North easterly 750 feet to a monument being at the North west corner of said claim; thence Easterly 300 feet to a monument at the center of the North end of said claim; thence Easterly 300 feet to a monument, being at the North East corner of said claim; thence South westerly 750 feet to a monument being at the center of the East side line of said claim; thence South westerly 750 feet to a monument at the South East corner of said claim; thence Westerly three hundred (300) feet to the place of beginning.

All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of the United States, and of an Act of the General Assembly of Arizona, entitled "An Act Concerning Mines", approved March 20, 1895.

Dated and posted on the ground this 29th day of June, 1899.

Lillian Upton.

Filed and recorded at the request of Geo. B. Upton, Sept. 18th A. D. 1899, at 9 o'clock A. M., Book 52 of Mines, page 389, Records of Yavapai County, Arizona.

By E. C. Averyt,
Deputy Recorder.

(Seal) W. I. Johnson,
County Recorder.

TERRITORY OF ARIZONA,)
 County of Yavapai.) ss.

I, ROLAND MOSHER, County Recorder in and for the County of Yavapai, in the Territory of Arizona, and custodian of the records of said office, do hereby certify that I have compared the above and foregoing with, and the same contains a full, true and correct copy of the notice of location of each of the following described lode mining claims, as the same appear from the original records of said notices of location in my said office, viz:-

GOLDEN MOUNTAIN SIDE Mining Claim, notice of location whereof is of record in Book 50 of Mines, page 521, records of Yavapai County, Arizona;

MOUNTAINEER mining Claim, notice of location whereof is of record in Book 50 of Mines, page 523, said county records;

MOUNTAINTOP Mining Claim, notice of location whereof is of record in Book 52 of Mines, page 389, said county Records..

IN WITNESS WHEREOF, I have hereunto set my hand and affixed my official seal, this 23rd day of December, A. D. 1905.

Roland Mosher

 County Recorder.

By _____ Deputy.

4-688.

U. S. SURVEYOR-GENERAL'S FINAL CERTIFICATE ON FIELD NOTES.

Department of the Interior,

OFFICE OF U. S. SURVEYOR-GENERAL,

Phoenix, Arizona,

May 21st, 1906.

I, U. S. Surveyor-General for District of Arizona
do hereby certify that the foregoing transcript of the Field Notes, return and approval of the survey of the mining claim of Mountain Side Mining & Milling Co.
known as the Golden Mountain Side, Mountaineer & Mountaintop
situate in Weaver
Mining District, Yavapai County, Arizona
in Section _____, Township No. 10 N., Range No. 5 W. unsurveyed, and designated as Survey No. 2199, has been correctly copied from the originals on file in this office; that said Field Notes furnish such an accurate description of said mining claim as will, if incorporated into a patent, serve fully to identify the premises, and that such reference is made therein to natural objects or permanent monuments as will perpetuate and fix the locus thereof.

And I further certify that five hundred dollars' worth of labor has been expended or improvements made upon ^{or for each of} said mining claim by claimant or its grantors, and that said improvements consist of 2 cuts and 3 tunnels, total value \$3660.00

and that no portion of said labor or improvements has been included in the estimate of expenditures upon any other claim.

I further certify that the plat thereof, filed in the U. S. Land Office at Phoenix
Arizona is correct and in conformity with the foregoing Field Notes.

Frank S. IngallsUnited States Surveyor-General for Arizona

(4-687.)

Surveyor General's Certificate of Approval of Field Notes and Survey of Mining Claim.

Department of the Interior,

Office of U. S. Surveyor General,

Phoenix, Arizona,

May 21st, 1906, ~~1908~~ ..

I, U. S. Surveyor General for District of Arizona .. ,
do hereby certify that the foregoing and hereto attached Field Notes and Return of the
Survey of the Mining Claim of ..
Mountain Side Mining & Milling Co. ..
.., known as the
Golden Mountain Side, Mountaineer & Mountaintop .. ,
situate in Weaver .. mining district,
Yavapai .. County, Arizona .. ,
in Section .., Township No. 10 N. , Range No. 5 W. unsurveyed ..
.., designated as Survey No. 2199 ..
executed by H. H. Holbert .., U. S. Deputy Mineral
Surveyor, Jan. 31st - Feby 27th, 1906 .., ~~1908~~ .., under my instructions dated
Jan. 30th, 1906 .., ~~1908~~ .., have been critically examined and the
necessary corrections and explanations made, and the said Field Notes and Return, and
the Survey they describe, are hereby approved. A true copy of the copy of the location
certificate filed by the applicant for survey is included in the field notes.


U. S. Surveyor General for Arizona ..

SURVEY N^o 2199.

N. 44° 2' 30" W. 1666.5 ft.
To U.S.L. No 1277

N.

