

MS
-

0

2

2

0

0

1
Nov 15 1905
Nov 21 1905
24 10
Nov 21 1905

(4-683.)

Mineral Survey No. 2200

Lot No. _____

Western Arizona Land District.

FIELD NOTES

OF THE SURVEY OF THE MINING CLAIM OF

G. E. Lamb, Trustee

KNOWN AS THE

Gold King, Helen Morris and
Clinton, situated in Weaver Mining District.

Yavapai County, Arizona

Section April Township 10 N., Range 5 W. (Kumarrapid)

Surveyed under instructions dated Jan 30th, 1906

by A. H. Holbert

U. S. Deputy Mineral Surveyor

Claim located see location notices 1

Survey commenced Jan 31st 1906

Survey completed July 27th 1906

6-17)

Agent for Claimant

Geo. B. Nupton

Pickensburg

Arizona

Trust
Survey
his - report
check

see enclosure

Feet

Beginning at corner No. 1 identical with the N.W. Cor. of the location, where I cut a cross (X) on a rock in place, 18 x 12 x 11 ins. above ground, marked H.M.-No. 1-2200, along side; build a mound of stone 4 ft. high, 4 ft. base.

Whence a point of rock marked with cross (X) and B.R.-1-2200. bears N. 18° 10' E. 20.1 ft.

U.S.L.M. No. 1277, to N. 24° 12' W. 2815.3 ft.

Thence - N. 53° 34' E.

340.2 To N.C.E. a stone 12 x 8 x 20 ins. set 8 ins. in the ground, beside a mound of stone 4 ft. high, 4 ft. base.

423.4 To Cor. No. 6 ^{Lodge} Mountainier, Survey No. 2199.

680.4 To Cor. No. 2, identical with the N.E. Cor. of the location, ^{and with Cor. No. 5 Mountainier's Lodge Survey No. 2199} where I placed a cross (X) on a rock in place 36 x 18 x 18 ins. above ground marked H.M.-No. 2-2200.

Build a mound of stone 4 ft. high, 4 ft. base beside the corner stone.

Whence a point of rock marked with a cross (X) and B.R. - No. 2-2200. bears N. 16.5 ft.

424.9 To Cor. No. 4-1 ^{Golden Mountainier's Lodge Survey No. 2199} Mountainier and ^{and with Cor. No. 8 Golden Mountainier's Lodge Survey No. 2199} S.E. Cor. of the location, where I

1500.0 cut a cross (X) on bed rock along side marked H.M.-No. 3-2200 - also built a mound of stone beside the point. 4 ft. high, 4 ft. base.

feet
 contains a cross (x) on the face of
 the cliff marked B.R. H.M. 3-2200.
 bts. $N. 53^{\circ} 34' E - 6.0 \text{ ft.}$

Thence $S 53^{\circ} 34' W.$

- 22.0 To Cor. No. 2 of the Gold King of this
 survey. Identical with Cor. No. 7 Golden Mountainside Lodge Sur.
 340.2 To S.E.C. a stone marked with a (x) and
 H.M. 2200 - beside a mound of stone
 4 ft. high, 4 ft. base. No. 2199
 595.2 To Cor. No. 4 identical with Cor. No. 1 of
 the Gold King Lodge of this survey.
 From which the S. W. Cor. of the location
 bears $S. 53^{\circ} 34' E. 85.2 \text{ ft.}$

At this point Cor. No. 4. I set a stone
 8 x 8 x 30 ins. 12 ins in the ground and chiseled
 a cross (x) and H.M. - No. 4, - 2200. on same.
 marking the exact corner, I built a mound
 of stone beside same, 4 1/2 ft. high, 4 ft. base.

A cross (x) marked B.R. H.M. - 4-2200.
 bts. $N. 6^{\circ} 43' E. 17.3 \text{ ft.}$ from the corner.
 Cor. No. 4 is on the side line of the St. Elmo Lodge unsurveyed

- 375.7 To N.E. Cor. of the St. Elmo Lodge unsurveyed
 1461.7 To Cor. No. 9. The place of beginning.

Ledge

The presumed course of the ledge
 on this claim is from the S.E.C
 $N. 8^{\circ} 18' W. - 1500. \text{ ft.}$

Mag. Variation $13^{\circ} 30' E.$ at all Cor's.

Survey No. 2200 - Gold King Lode

feet

Beginning at Cor. No. 1, Whence Thence N.W. Cor. of the location Trs. S. 53° 34' W. 72.3 ft.
Cor. No. 1. is identical with
Cor. No. 4. Helen Morris Lode of this survey.
U.S.L.M. 1277, Trs. N. 19° 47' W. 4252.2 ft.

Thence N. 53° 34' E.

250.5 To the N.E. identical with the N.E. of the location a mound of stone 4 ft high, 4 ft. base.

573.2 To Cor. No. 2 identical with N.E. Cor. of ^{and with Cor. No. 7 Golden Mountainside Lode Sur. No. 2199} the location, Where I cut a cross on bed rock and chiseled G.K. - No. 2 - 2200, alongside; I also built a mound of stone 4 ft. high, 4 ft. base along side of the corner point.

Whence a cross (X) and B.R. - 2 - 2200 is chiseled on a point of rock and Trs. S. 3.0 ft.

327.3
771.4 Thence S. 58° 9' E.
To Cor. No. 6 Golden Mountainside Lode Sur. No. 2199.
To Cor. No. 3. identical with Cor. of the location, Where I cut a cross (X) on bed rock and G.K. - No. 3 - 2200, alongside built a mound of stone 4 ft. high, 4 ft. base - Whence a cross (X) and B.R. - 3 - 2200, is chiseled on the face of the cliff and Trs. N. 6.0 ft.

Thence S. 40° 25' E.

347.2 To Cor. No. 4. identical with corner of the location - Where I cut a (X) and G.K. No. 4 - 2200, on a rock in place 2 x 3 x 2 ft. above ground - alongside built a mound of stone 4 ft. high and 4 ft. base. Whence a cross (X) and B.R. - 4 - 2200 marked or cut into

fat. a point of rock trs. N. 50° 00' E. - 8.5 ft.

Thence S. 76° 6' E.

378.0 To cor. No. 5. identical with the S.E. cor. of the location, where I cut a (X) cross on bed rock and G.K. - No. 5 - 2200 - alongside; built a mound of stone 4 ft. high, 4 ft. base alongside.

Whence a cross and B.R. - 5 - 2200, is chiseled on a point of rock and trs. N. 36° 30' W. 15.0 ft.

Thence S 53° 34' W.

85.15 To cor. No. 2 of the Clinton Lodge of this survey.

387.45 To original location for S.C.E.

689.75 To cor. No. 1 of the Clinton Lodge of this survey

974.9 To cor. No. 6 identical with the S.W. cor. of the location. where I cut a cross (X) on bed rock and G.K. No. 6 - 2200, alongside; built a mound of stone 4 ft. high, 4 ft. base.

Whence a cross (X) and B.R. - 6 - 2200, chiseled on the face of the cliff trs. N. 36° 30' W. - 5.0 ft. - A second (X) and mark ^{B.R. - 6 - 2200} trs. N. 53° 34' E. 27.0 ft.

Thence N. 76° 6' W.

321.9 To cor. No. 7, identical with cor. of the location, where I cut a cross (X) on bed rock and G.K. - No. 7 - 2200 alongside; built a mound of stone 4½ ft. high, 4½ ft. base - Whence a cross cut on a point of rock and B.R. - 7 - 2200 - trs. N. 72° 0' E. 11.8 ft.

Sur No. 2200

5

6

Survey Gold King Lode Continued

Thence N. 40° 25' W.

474.8 To cor. No. 8. identical with Cor. of the location where I cut a cross (X) and G.K. - No. 8. - 2200, on a granite rock in place 2 x 3 x 2½ ft. above ground. Along side; built a mound of stone 4 ft. high, 4 ft. base.

Whence a cross (X) and B.R. - 8 - 2200 chiseled on bed rock hrs. N. 4.5 ft.

Thence N. 58° 9' W.

611.8 To cor. No. 9, where I cut a cross (X) and G.K. - No. 9 - 2200, on a rock 6 x 18 x 18 ins. set 8 ins. in the ground to bed rock, along side; built a monument of stone 4 ft. high, 4 ft. base.

Whence a (X) cross and B.R. - 9 - 2200, cut on a rock 4 x 5 x 3 ft. above ground bears N. 27° 0' E. 12.0 ft.

This cor. is on the East side line of the St. Elmo ^{Lode}, unsurveyed bearing S. 11° 15' E. 467.6 ft. from the N.E. Cor. of the St. Elmo.

The N.W. Cor. of the location bears N. 58° 9' W. 89.6 ft.

Thence N. 11° 15' W.

91.9 To cor. No. 1. The place of beginning Ledge

The presumed course of the ledge on this claim is from the S.C.E.

Thence N. 76° 6' W. - 350.0 ft.
" N. 40° 25' W. - 411.0
" N. 58° 9' W. - 736.4

to the N.E. Total length of apex of ledge
1497.4 ft. _____

Mag. Variation $13^{\circ} 40' E$. at all corners

Survey No. 2200 Clinton Lode

Beginning at Cor. No. 1, identical with the N.W. Cor. of the location, where I cut a cross (X) on a rock in place $3 \times 3 \times 2$ ft. above ground and C- No. 1- 2200, alongside; built a mound of stone 4 ft. high, 4 ft. base. Whence a cross (X) and B.R. 1-2200 is chiseled on a rock $6 \times 7 \times 3$ ft. above ground and bro. S. $19^{\circ} 0' W.$ 7.7 ft.
U.S.L.M. 1977 bro. N. $25^{\circ} 58' 30'' W.$ 5466.4 ft.

Thence N. $53^{\circ} 34' E.$

302.3 To original location for N.E.C. along line 5-6 of the Gold King Lode of this survey.

604.6 To Cor. No. 2 identical with the N.E. Cor. of the location, where I cut a cross (X) and C- No. 2-2200, on a granite rock in place $4 \times 1\frac{1}{2} \times 1$ ft. above ground alongside; built a mound of stone 4 ft. high, 4 ft. base.

Whence a cross (X) and B.R.-2-2200, chiseled on a rock $10 \times 6 \times 4$ ft. above ground bears N. $71^{\circ} 0' E.$ 10.0 ft.

Thence S. $29^{\circ} 21' E$

840.0 To Cor. No. 3 - identical with Cor. of the location, where I cut a cross (X) on bed rock and C- No. 3-2200.

Alongside; built a mound of stone $3\frac{1}{2}$ ft high, 4 ft. base with a round timber 3" ins. diameter in the center $4\frac{1}{2}$ ft. high.

where a cross (X) and B.R.-3-2200,
is chiseled on a point of rock frs.
S. $50^{\circ}0' E$. 4.7 ft.

Thence S. $36^{\circ}26' E$

660.0 To cor. No. 4, identical with the S.E.
Cor. of the location, where I chiseled
a cross (X) and C-No. 4-2200, on a
stone $18 \times 18 \times 8$ ins. set 6 ins. in the
ground to bed rock, alongside; built
a mound of stone 4 ft. high, 4 ft. base.

Where a cross (X) and B.R.-4-2200
is chiseled on the face of the cliff frs.
N. $30^{\circ}0' W$. 1.5 ft.

Thence S. $53^{\circ}34' W$.

300.0 To the S.C.E., a stone $8 \times 8 \times 24$ ins. set
8" ins. in the ground marked S.C.E.-C-
2200 - alongside; built a mound
of stone 4 ft. high, 4 ft. base.

600.0 To cor. No. 5, identical with the S.W.
Cor. of the location, where I cut a
cross (X) on bed rock and C-No. 5-2200,
alongside; built a mound of stone
4 ft. high, 4 ft. base.

Where a cross (X) and B.R.
-5-2200 chiseled on a point of
rock frs. N. $53^{\circ}34' W$. 4.8 ft.

Thence N. $36^{\circ}26' W$.

697.4 To cor. No. 6, identical with Cor. of
the location, where I cut a cross
(X) and C-No. 6-2200, on a rock

in place 30 x 18 x 6 ins. above ground. Along side; built a mound of stone 4 1/2 ft. high, 4 1/2 ft. base. Whence a point of rock shield with a (X) and B.R.-6-2200 on its face fro. S. 50° 0' E. 10.5 ft.

Thence N. 29° 21' W.

802.6 To loc. No. 1. The place of beginning

Ledge

The presumed course of the vein on this claim is from the S.C.E.

N. 36° 26' W. 678.7

Thence N. 29° 21' W. 821.3

Total length = 1500.0 ft.

Mag. Variation on this claim 140° E. at all pts.

Area

Total area of the Helen Morris acres

Lod. & Net ----- 19.367

Total Net area of the

Gold King Lod. & ----- 20.556

Total Net Area of the

Clinton Lod. & ----- 20.661

Net Area of Group ----- 60.584

Improvements

Certify that the value of the labor and improvements on this group placed there on by the claimant or his grantor is as follows:

Helen Morris

The discovery Tunnel the

mouth of which - br. S 46° 15' E.
450.0 ft. from Cor N°1.

Tunnel 6 x 7 x 20 ft. long Val. \$150.00
Credit from improvement No. 2 on the old King ledge 35.00
Gold King.

1 The discovery shaft the
mouth of which br. N. 69° 30' W. 350. ft
from the S.C.E. A shaft 6 x 7 x 44 ft.
deep, br. S 75° 35' E. dips at an angle
of -23°. Value = 440.00

2 An inclined shaft the mouth of which
br. N. 61° 0' W. from the S.C.E. 360.0 ft.
Shaft 6 x 7 x 100. ft. deep with 70.0 ft
of drifting to the South East.
Shaft br. N. 62° 40' E. dips -23°
Credit from this shaft to Helen Warren
under \$350 leaving a credit to this ledge value 1350.00
~~1700.00~~

3 A Tunnel the mouth of same
bearing S. 54° 0' W. 20. ft. from
the S.C.E. Tunnel 6 x 7 x 275. ft.
long br. to the North West
Credit from this tunnel to Clinton ledge \$100. 2650.00
Leaving a credit to this ledge Value ~~2750.00~~

4 An open cut which br.
S. 70° 50' E. from Cor. N°1. 950. ft.
cut is 8 x 10 x 20 ft. deep.
Value 100.00

Clinton

1 The discovery which is on the
center line S 29° 21' E. 300 ft. from
the N.C.E. - A cut 8 x 10 x 20 ft. deep.
Value 100.00

2 An inclined shaft the mouth of same
being on the center line S 29° 21' E.
270. ft. from the N.C.E.
br. North East dip -23°
Shaft is 6 x 7 x 30 ft. deep Val = 300.00

Credit from improvement No. 8. Gold King lode \$100

Total value improvements on
Group. ----- \$ 5540.⁰⁰

North Elva Adjoining Claims
Unsurveyed claims, ~~claims and~~ ^{claimed by J. P. R. Williams}
Claims unknown.

East Mountaineer & ^{Golden} Mountain Side Survey
No. 2199. Other Claims unknown.

South Unserved Claims, Claims and
Claims unknown.

West Mamie Survey No. 2198.
St. Elmo Unserved D.B. Young
Claimant,
Rabbit's Foot Unserved J.R. Williams
Claimant.

This group is located about 1/2 mile
East of Stanton on Rich-hill, township
unsurveyed, may be Town 10 north
range 5 West of the Gila and Salt
River meridian. Weaver Mining Dist. Yavapai
co., Arizona.

This survey was made with a P.S.
Wittstock light mountain transit.

The courses were deflected from the
true meridian as determined by solar
observations checked by an observation
of Polaris, the distances were measured
with a 500.- and 25-ft. steel tapes.

H. H. Holbert

U.S. Dep't. Min. Surveyor

Martinez Ariz.

March 1st 1906

Notes

The ledge on the Gold King lode begins at the S.C.E. and bears N. 76° 6' W. 260. ft. at which point an open cut starts in following the ledge around to the discovery shaft a distance of 100 ft. This work is part of the discovery work. I ran my center line out to the vertex of the angle making a distance of N. 76° 6' W. 350. ft. from the S.C.E. - Thence N. 4° 25' W. 411.0 ft. to the next angle This follows the ledge as near as possible to its angle as indicated by the open cut improvement No. 4 on this claim. Thence N. 58° 9' W. 736.4 ft. to the N.C.E. which is supposed to be on the ledge - The out crop is indicated by red line on the preliminary plat.

Notes

As the Helen Morris is presumed to be the direct north extension of the Gold King lode work

on the Gold King Lodge tends
 to improve the Helen Morris.
 Thus I have credited \$350.00
 of the work done on the Gold
 King improvement of \$1700.00
 given as improvement No. 2,
 an inclined shaft; to the Helen
 Morris making total improvement
 of same \$500.00 -

Note

As the Clinton Lodge is the direct
 Southern extension of the Gold
 King Lodge I have credited
 \$100.00 of the improvement No. 3
 \$2750.00 of the Gold King Lodge
 to the Clinton Lodge, making
 the total improvement of same
 \$500.00

H. H. Holbert

FINAL OATHS FOR SURVEYS.

LIST OF NAMES.

A list of the names of the individuals employed by H. H. Halbert

United States Deputy Mineral Surveyor, to assist in running, measuring, and marking the lines, corners, and boundaries described in the foregoing field notes of the survey of the mining claim of

G. E. Lamb Trustee

known as the Gold King Helen Morris, Clinton

and showing the respective capacities in which they acted.

A. D. Tomb, Chairman.

Wm De Armond, Chairman.

....., Azman.

....., Flagman.

FINAL OATHS OF ASSISTANTS.

We, A. D. Tomb

and Wm De Armond, do solemnly swear that we assisted H. H. Halbert

....., United States Deputy Mineral Surveyor, in marking the corners and surveying

the boundaries of the mining claim of G. E. Lamb Trustee

known as the Gold King, Helen Morris & Clinton

represented in the foregoing field notes as having been surveyed by said deputy mineral surveyor and under his

direction; and that said survey has been in all respects, to the best of our knowledge and belief, faithfully and

correctly executed, and the corner and boundary monuments established according to law and the instructions

furnished by the United States Surveyor-General for Arizona

A. D. Tomb, Chairman.

Wm De Armond, Chairman.

....., Azman.

....., Flagman.

Subscribed and sworn to by the above-named persons before me this 13th

day of March, 1906

[Signature]

NOTARY PUBLIC

My commission expires March 24 1908

File 160

(4-686.)

FINAL OATH OF U. S. DEPUTY MINERAL SURVEYOR

I, A. H. Holbert, U. S. Deputy Mineral Surveyor, do solemnly swear that, in pursuance of instructions received from the United States Surveyor General for Arizona, dated Jan 30th 1906, I have, in strict conformity to the laws of the United States, the official regulations and instructions thereunder, and the instructions of said Surveyor General, faithfully and correctly executed the survey of the Mining Claim of J. E. Lamb, Trustee, known as the Gold King, Helen Morris, Clinton situate in Weaver Mining District, Yavapai County, Arizona, in Section _____, Township No. _____, Range No. _____ and designated as Survey No. 2200, as represented in the foregoing field notes, which accurately show the boundaries of said mining claim as distinctly marked by monuments on the ground, and described in the attached copy of the location certificate, which was received by me from the Surveyor General with said instructions, and that all the corners of said survey have been established and perpetuated in strict accordance with the law, official regulations and instructions thereunder; and I do further solemnly swear that the foregoing are the true and original field notes of said survey and my report therein, and that the labor expended and improvements made upon said mining claim by claimant or their grantors are as therein fully stated, and that the character, extent, location and itemized value thereof are specified therein with particularity and full detail, and that no portion of said labor or improvements so credited to this claim has been included in the estimate of expenditures upon any other claim.

A. H. Holbert

U. S. Deputy Mineral Surveyor.

Subscribed and sworn to by the said A. H. Holbert,

U. S. Deputy Mineral Surveyor, before me [Signature]
Notary Public this 13th
day of March 1906.

[Signature]

NOTARY PUBLIC

My commission expires March 20 1909

Affidavit of Five Hundred Dollars Improvements.

We, T. R. Williams and W. J. DeArmond

of lawful age, being first duly sworn according to law, depose and say: That we are acquainted with the Gold King, Helen Morris, Clinton mining claim, situate in Weaver

mining district, Yavapai County, Arizona Territory, for which

J. E. Lamb, Trustee

has made application for survey prior to application for patent under the provisions of the Act of Congress

approved May 10, 1872; and that the labor done and improvements made thereon by the applicant... and

his grantor... exceed ~~five hundred~~ ^{for each claim} dollars in value, and further that we are not personally interested in said mine.

T. R. Williams

W. J. DeArmond

TERRITORY OF ARIZONA,
COUNTY OF Yavapai } SS:

Sworn to and subscribed before me this 13th day

of March, 1906

[SEAL.]

[Signature]

NOTARY PUBLIC
My commission expires March 20 1900

117861400-2-04

CERTIFICATE OF MINING LOCATION.
Quartz Claim.

THIS CERTIFIES, That the Gold King Mining Claim was located by the undersigned Lillian Upton and Fannie A. Showerman on the Second day of February 1897.

That said mining claim is Fifteen hundred feet in length and Three hundred feet on each side of the center of the discovery shaft, lengthwise of the claim, is claimed by the locators: that the general course of the lode and premises is from the South East to the North West: that said claim is situated and located in Weaver Mining District, in Yavapai County, in the Territory of Arizona, about a mile and a quarter in an Easterly direction from Stanton on South end of Rich Hill.

That the undersigned discoverer of said mining claim located the same on the Second day of February 1897, by posting at the point of discovery on the surface a plain notice, of which the following is a copy:

TO ALL WHOM IT MAY CONCERN:

This mining claim, the name of which is the Gold King Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purpose of exploration and purchase by Lillian Upton and Fannie A. Showerman the undersigned on the Second day of February 1897.

The length of this claim is fifteen hundred feet and we claim Three hundred and fifty feet in a South Easterly direction and Eleven hundred and fifty feet in a North Westerly direction from the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with Three hundred feet in width of the of the surface grounds, on each side of the center of said claim. The general course of the lode deposit and premises is from the South East to the North West.

The claim is situated and located in Weaver Mining District, in Yavapai County, in the Territory of Arizona, about a mile and a quarter in an Easterly direction from Stanton on South End of Rich Hill.

The surface boundaries of the claim are marked upon the ground as follows: Beginning at a monument at a point in a South Easterly direction Three hundred and fifty feet from the discovery shaft (at which this notice is posted), being in the center of the Southern end line of said claim; thence N. E. Three hundred feet to a monument being the South East corner of said claim; thence N. W. 750 feet to a monument at the center of the Eastern side line of said claim; thence North Westerly 750 feet to a monument being at the North Eastern corner of said claim; thence South Westerly 300 feet to a monument at the center of the Northern end of said claim; thence South Westerly 300 feet to a monument being at the North West corner of said claim; thence South Easterly 750 feet to a monument being at the center of the Western side line of said claim; thence South Easterly 750 feet to a monument at the South West corner of said claim; thence North Easterly 300 feet to the place of beginning.

All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of the United States and of an Act of the General Assembly of Arizona, entitled "An Act Concerning Mines", approved March 20th, 1895.

Dated and posted on the ground this Second day of February, 1897.

Lillian Upton.
Fannie A. Showerman.

That L. Upton and F. A. Showerman have sunk a discovery shaft on the premises so claimed to a depth of Twelve feet incline shaft (not less than ten) feet from the lowest part of the rim of such shaft at the surface, showing a lode deposit and mineral

in place.

That the boundaries of said claim are designated and marked as in said notice mentioned.

IN WITNESS WHEREOF, we have hereunto set our hand this Tenth day of March, 1897.

C. S. Smith.

C. B. Hosford.

Ed. Gochenvar.

Filed and recorded at request of Ed. Showerman, March 15th, 1897, at 12:25 o'clock P. M., in Book 45 of Mines, pages 459, 460 and 461, Records of Yavapai County, Arizona.

(Seal)

W. I. Johnson,

By P. J. Farley,

County Recorder.

Deputy Recorder.

"CLINTON".

NOTICE OF MINING LOCATION.
Quartz Claim.

To all whom it may concern:

This mining claim, the name of which is the Clinton Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purpose of exploration and purchase by Jno. O. Day and Geo. B. Upton, the undersigned, on the 3rd day of November, 1897.

The length of this claim is Fifteen hundred (1500) feet, and we claim Three hundred and fifty feet in a Northerly direction and Eleven hundred and fifty feet in a Southerly direction from the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with Three hundred feet in width of the surface grounds, on each side of the center of said claim. The general course of the lode deposit and premises is from the N. West to the S. East.

The claim is situated and located in the Weaver Mining District, in Yavapai County, in the Territory of Arizona, about one mile in a Easterly direction from Stanton Post Office, and is the extension of the Gold King mining claim on South and on the same ledge.

The surface boundaries of the claim are marked upon the ground as follows: Beginning at a monument at north end center at a point in a Northerly direction 350 feet from the discovery shaft (at which this notice is posted), being in the center of the end line of said claim; thence Easterly 300 feet to a monument, being the North East corner of said claim; thence 750 feet to a monument at the center of the East side line of said claim; thence 750 feet to a monument being at the South East corner of said claim; thence 300 feet to a monument at the center of the South end of said claim; thence 300 feet to a monument, being at the South West corner of said claim; thence 750 feet to a monument being at the center of the West side line of said claim; thence 750 feet to a monument at the North West corner of said claim; thence Northeast 300 feet to the place of beginning.

All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of the United States, and of an Act of the General Assembly of Arizona, entitled "An Act Concerning Mines", approved March 20th, 1895.

Dated and posted on the ground this 3rd day of November, 1897.

Jno. O. Day.

Geo. B. Upton.

Recorded at request of J. O. Day Jan. 26th A. D. 1898, at 9:40 o'clock A. M., Book 50 of Mines, page 23, Records of Yavapai County, Arizona.

(Seal) W. I. Johnson,
County Recorder.

By E. C. Averyt,
Deputy Recorder.

NOTICE OF LOCATION.
Quartz Claim.

To all whom it may concern:

This mining claim, the name of which is the The Helen Morris Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purpose of exploration and purchase by the Gold King Mining Co. the undersigned, on the 27th day of January, 1898.

The length of this claim is fifteen hundred (1500) feet, and we claim six hundred (600) feet in a Southeasterly direction and nine hundred (900) feet in a North Westerly direction from the center of discovery shaft, at which a copy of this notice is posted, lengthwise of the claim, together with three hundred (300) ft in width of the surface ground, on each side of the center of said claim. The general course of the lode deposit and premises is from the North West to the South east.

This claim is situated in the Weaver Mining District, in Yavapai County, Territory of Arizona, on west slope of Rich Hill, about three quarters of a mile in an Easterly direction from Stanton Post office, and is the Northern extension of the Gold King Mining Claim.

The surface boundaries are as follows: Beginning at a monument in a Southerly direction from the discovery shaft (at which a copy of this notice is posted), This being the South center monument; thence three hundred (300) feet in an easterly direction, to South east corner monument; thence seven hundred fifty (750) in a north westerly direction to a monument at center of east side line; thence seven hundred and fifty feet in a North Westerly direction to northeast corner monument; thence three hundred (300) feet in a Westerly direction to centre north end monument; thence three hundred (300) feet in a Westerly direction, to northwest corner monument; thence Seven hundred and fifty (750) feet in a South easterly direction parallel with ledge to center west side monument; thence seven hundred and fifty 750 feet in a Southeasterly direction to monument at south west corner; thence three hundred (300) feet in an Easterly direction to point of beginning.

All done under the provisions of Chapter Six (6), of Title XXXII, of the Revised Statutes of the United States, and of an Act of the General Assembly of Arizona, entitled "An Act Concerning Mines", approved March 20th, 1895.

Dated and posted on the grounds this 27th day of January, 1898.

Gold King Mining Company,
By Geo. B. Upton, Supt.

Recorded at request of Geo. B. Upton, April 23^d A. D. 1898, at 9:00 o'clock A. M. Book 50 of Mines, page 143, Records of Yavapai County, Arizona.

By E. C. Averyt,
Deputy Recorder.

(Seal) W. I. Johnson,
County Recorder.

TERRITORY OF ARIZONA,)
 County of Yavapai.) ss.

I, ROLAND MOSHER, County Recorder in and for the County of Yavapai, in the Territory of Arizona, and custodian of the records of said office, do hereby certify that I have compared the above and foregoing with, and the same contains a full, true and correct copy of the notice of location of each of the following described lode mining claims, as the same appear from the original records of said notices of location in my said office, viz:

GOLD KING Mining Claim, notice of location whereof is of record in Book 45 of Mines, pages 459-461, records of Yavapai County, Arizona;

CLINTON Mining Claim, notice of location whereof is of record in Book 50 of Mines, page 23, said county records;

THE HELEN MORRIS Mining Claim, notice of location whereof is of record in Book 50 of Mines, page 143, said county records.

IN WITNESS WHEREOF, I have hereunto set my hand and affixed my official seal, this 23rd day of December, A. D. 1905.

Roland Mosher
 County Recorder.

By _____, Deputy.

4-688.

U. S. SURVEYOR-GENERAL'S FINAL CERTIFICATE ON FIELD NOTES.

Department of the Interior,

OFFICE OF U. S. SURVEYOR-GENERAL,

Phoenix, Arizona,

May 27, 1906.

I, U. S. Surveyor-General for Dist. of Arizona, do hereby certify that the foregoing transcript of the Field Notes, return and approval of the survey of the mining claim of G. E. Lamb, Trustee,

known as the Gold King, Helen Morris and Clinton, situate in Weaver Mining District, Yavapai County, Arizona,

in Section, Township No., Range No., and designated as Survey No. 2200, has been correctly copied from the originals on file in this office; that said Field Notes furnish such an accurate description of said mining claim as will, if incorporated into a patent, serve fully to identify the premises, and that such reference is made therein to natural objects or permanent monuments as will perpetuate and fix the locus thereof.

And I further certify that five hundred dollars' worth of labor has been expended or improvements made upon, or for each of, said mining claim by claimant or their grantors, and that said improvements consist of 2 cuts, 2 tunnels and 3 shafts, value \$550.00

and that no portion of said labor or improvements has been included in the estimate of expenditures upon any other claim.

I further certify that the plat thereof, filed in the U. S. Land Office at Phoenix, Arizona, is correct and in conformity with the foregoing Field Notes.

Frank S. Ingalls,

United States Surveyor-General for Dist. of Arizona.

(4-687.)

Surveyor General's Certificate of Approval of Field Notes and Survey of Mining Claim.

Department of the Interior,

Office of U. S. Surveyor General,

Phoenix, Arizona,

May 22, 18 1906.

I, U. S. Surveyor General for District of Arizona,,
do hereby certify that the foregoing and hereto attached Field Notes and Return of the
Survey of the Mining Claim of G. E. Lamb, Trustee,,
....., known as the
Gold King, Helen Morris and Clinton,,
situate in Weaver mining district,
Yavapai County, Arizona,,
in Section, Township No., Range No.
....., designated as Survey No. 2200.....
executed by H. H. Holbert,, U. S. Deputy Mineral
Surveyor, Jan. 31 - Feb. 27, 1906, -18- , under my instructions dated
January 30th, 1906, -18- , have been critically examined and the
necessary corrections and explanations made, and the said Field Notes and Return, and
the Survey they describe, are hereby approved. A true copy of the copy of the location
certificate filed by the applicant for survey is included in the field notes.

Frank A. Sigall

U. S. Surveyor General for Dist. of Arizona.

SURVEY No 2200.

