

MS.

0

2

2

0

6

MINERAL SURVEY NO. 2206

Claims	M & B Desc.	Improvements	Loc. Notices
Mineral No. 1	Pg. 7	25	1
Mineral No. 2	9	26	2
Mineral No. 3	10	26	3
Mineral No. 4	12	27	4
Mineral No. 5	15	27	8
Mineral No. 6	17	28	9
Mineral No. 7	19	28	10
Montana Camp	5	25	6
Montana Dam	3	34	5
Philadelphia	1	22	7

MAR 13 1906
MAR 13 1906

(4-683.)

Mineral Survey No. 2206

Lot No. _____

Arizona Land District.

FIELD NOTES

OF THE SURVEY OF THE MINING CLAIM OF

L. Leckendorf

KNOWN AS THE

Philadelphia, Montana Dam, Montana Camp, Mineral
No 1, 2, 3, 4, 5, 6, 7 Orphan Mining District,

Santa Cruz County, Arizona

Sections 32, 33, 5, 4, Township 22 and 23 S, Range 11 East

Surveyed under instructions dated February 10, 1906

by William D. Alexander
U. S. Deputy Mineral Surveyor

Claim located See location notices, 1

Survey commenced February 27, 1906

Survey completed March 6, 1906

6-171

Address of Claimant's Atty.

Frank H. Herford

Tucson, Arizona.

Handwritten notes:
- Traced
Ridges
via 42 report
around

FEET.

SURVEY NO. 2206.

PHILADELPHIA LODE.

Beginning at Cor. No. 1

Identical with the location, which is a mound of stone
2 1/2 ft. base, 2 ft. high.

A granite stone 10 x 10 x 24 ins., set 15 ins. in
the ground, with mound of stone, chiseled P-1-2206, *on S.W. face*
whence

Cor. to Sec. ^{4,5} 32 and 33 on the South Boundary of T.22 S.
R. 11 E., G. & S.R.M. Arizona. brs. N. 3° 31' W., 1196.16
ft.

No bearings available.

Thence N. 82° 33' W.

Var. 13° 15' E.

50. Gulch, Course S.E.
300. S.W. Cor. of Mineral No. 4 Lode, and S.E. Cor. Montana
Dam Lode *both of this survey*
1450. Gulch, course N.E.
1500. To Cor. No. 2.
- Identical with the location, which is a mound of stones
2 1/2 ft. base, 2 ft. high
- A granite stone 10 x 12 x 24 ins., set 15 ins. in the
ground, with mound of stone, chiseled P-2-2206, on
S.E. face, whence
- S.W. Cor. of Montana Dam Lode ^{*of this survey*} brs. N. 82° 33' W. 300 ft.
-

Thence S. 7° 47' W.

Var. 13° 15' E.

50. Gulch brs. N.E.
300. To W. End Center monument.
- Identical with the location which is a mound of stone
2 1/2 ft. base, 2 ft. high.

RELET.

600.

To Cor. No. 3.

Identical with the location, which is a mound of stones,
2 1/2 ft. base, 2 ft. high.

A porphyry stone 10 x 12 x 24 ins., set 15 ins. in
the ground, chiseled P-3-2206 on the N.E. face.

No bearings available.

This corner is identical with N.E. Cor. Mineral No. 2.

Lode and N.W. Cor. Mineral No. 1. Lode. *both of this survey*

Thence S. 82° ³³ ~~30~~' E.

Var. 13° 15' E.

1500.

To Cor. No. 4, which is identical with the location,
a mound of stone 2 1/2 ft. base, 2 ft. high.

A granite stone 7 x 11 x 24 ins., 15 ins. in the
ground, with mound of stone, chiseled P-4-2206 on the
N.W. face. From which

An oak tree 10 ins. in diam. brs. N. 74° W. 61 ft.
scribed B.T. P-4-2206. No other bearings available.

This corner is identical with N.E. Cor. Mineral No. 1
Lode. *of this survey*

Thence N. 7° 47' E.

Var. 13° 15' E.

50.

N.W. Cor. Mineral No. 3 Lode, also S.W. Cor. Montana
Camp Lode. *both of this survey*

100.

Road, brs. W.

300.

E. End Center Monument.

Identical with the location, which is a mound of stone
2 1/2 ft. base, 2 ft. high.

350.

W. End Center Monument Montana Camp Lode. *of this survey*

575.

Gulch S.E.

600.

To Cor. No. 1, the place of beginning.

FEET.

MONTANA DAM LODGE

Beginning at Cor. No. 1

Identical with the location, which is a mound of stone,
2 1/2 ft. base, 2 ft. high.

A granite stone 8 x 10 x 26 ins., 16 ins. in the
ground, with mound of stones, chiseled M.D.-1- 2206. on
the S.W. face, whence:

An oak tree 15 ins. in diam. brs. N. 70° E. 53 ft. dist.
scribed M.D. - 1 - 2206 B.T. No other bearings available.

This corner is identical with the S.E. Cor. of Mineral

No. 7 Lode. ^{of this survey}
Cor. to Secs. ^{4, 5,} 32 and 33 on the S. boundary of T. 22 S. R.
11 E., G. & S.R.M., Ariz., brs. N. 13° E. 577.3 ft.

Thence N. 82° 33' W.

Var. 13° 15' E.

300. Road, brs. S.E.

500. Gulch, brs. S.E.

1500. To Cor. No. 2.

Identical with the location, which is a mound of stones
2 1/2 ft. base, 2 ft. high.

A granite stone ¹⁰ ~~16~~ x 10 x 24 ins., 14 ins. in the
ground, with a mound of stone, chiseled M.D. - 2 - 2206
on the S.E. face.

No bearings available.

This corner is identical with the S.W. Cor. of Mineral
No. 7 Lode. ^{of this survey}

Thence S. 9° 2' W.

Var. 13° 15' E.

300 W. End Center Monument .

Identical with the location, which is a mound of stones
2 1/2 ft. base, 2 ft high.

600 To Cor. No. 3,

FEET.

Identical with the location, which is a mound of stones,
2 1/2 ft. base, 2 ft. high,

A granite stone 10 x 10 x 24 ins., 12 ins. in the
ground, chiseled M.D. - 3 - 2206. on the N.E. face,
whence:

An oak tree 12 ins. in diam. brs. S. 80° 10' W. 77 ft.
dist., scribed M.D. - 3 - 2206 B.T.

No other bearings available.

Thence S. 82° 33' E.

Var. 13° 15' E.

300. To Cor. No. 2 Philadelphia Lode. *of this survey*

350. Gulch, brs. N.E.

1500. To Cor. No. 4.

Identical with the location, which is a mound of stones,
2 1/2 ft. base, 2 ft. high,

A quartz stone 10 x 10 x 24 ins., 14 ins. in the
ground, with mound of stone, chiseled M.D. - 4 - 2206. *on NW face*

No bearings available.

This corner is identical with the S.W. Cor. of Mineral No.
4 Lode. *of this survey*

Thence N. 9° 2' E.

Var. 13° 15' E.

150 Gulch, brs. S.E.

300 E. End Center Monument.

Identical with the location, which is a mound of stones,
2 1/2 ft. base, 2 ft. high, enclosing a 4" x 4" x 4"
pine post, set 2 ft. in the ground.

370 Frame Store Building 10' by 20' on line

390 Road, brs. W.

600 To Corner No. 1, the place of beginning.

FEET.

MONTANA CAMP LODE

Beginning at Cor. No. 1.

Identical with the location, which is a mound of stone,
2 1/2 ft. base, 2 ft. high,

A garnite stone 8 ^{ra} X 9 x 24 ins., 14 ins. in the
ground, with a mound of stone, chiseled M.C.-1 2206 on
the S.E. face.,

No bearings available

Cor. to Sec. ^{secs 4, 5,} 32 and 33 on the S. Boundary of T.22 S. R.
11 E., G. & S.R.M., Ariz., brs. N. 4° W. 1147.22 ft.

This Cor. No. 1 is located within the area embraced
by Mineral No. 4 ^{of this survey} and said conflicting area is to
be excluded from the Montana Camp Lode.

Thence S. 7° 47' W.

Var. 13° 15' E.

50. Cor. No. 1 Philadelphia Lode, and S. End Center Mineral
No. 4 Lode. ^{both of this survey. S.E. Cor. Mineral No. 4 Lode} X
75 Gulch, brs. S.E. ^{secs 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31, 32, 33, 34, 35, 36, 37, 38, 39, 40, 41, 42, 43, 44, 45, 46, 47, 48, 49, 50} X

300 W. End Center Monument.

Identical with the location, which is a mound of stone,
2 1/2 ft. base, 2 ft. high.

350 E. End Center Monument Philadelphia Lode. ^{of this survey}

550. Road, brs. W.

600. To Cor. No. 2,

Identical with the location, which is a mound of stones,
2 1/2 ft. base, 2 ft. high.

A granite stone 10 x 10 x 24 ins., set 12 ins. in
the ground, chiseled M.C. - 2 - 2206 on N.E. face,
whence,

Cor. No. 4 Philadelphia Lode ^{of this survey} brs. S. 7° 47' W., 50 ft.

No other bearings available.

FEET.

Thence S. 82° 13' E.

Var. 13° 15' E.

- 50. Road, brs. N.W.
- 250. Gulch and road, brs. S.
- 300. N. End Center Monument Mineral No. 3 Lode. *of this survey*
- 600. N.E. Cor. Mineral No. 3 Lode. *of this survey*
- 1500. To Cor. No. 3.

Identical with the location, which is a mound of stones, 2 1/2 ft. base, 2 ft. high.

A granite stone 7 x 9 x 24 ins., set 14 ins. in the ground, with mound of stone, chiseled M.C.-3-2206, on the N.W. face, whence:

An oak tree 10 ins. in diam. brs. N. 34° W., 91.5 ft dist. scribed B.T. M.C.-3-2206.

No other bearings available.

Thence N. 7° 47' E.

Var. 13° 15' E.

- 300. E. End Center Monument.
- Identical with the location, which is a mound of stone, 2 1/2 ft. base, 2 ft. high:

- 600 To Cor. No. 4.
- Identical with the location which is a mound of stone, 2 1/2 ft. base, 2 ft. high,

A granite stone 8 x 12 x 24 ins., set 14 ins. in the ground, with mound of stones, chiseled M.C.-4-2206 on the S.W. face, whence:

An oak tree 10 ins. in diam. brs. N. 62° W., 12.6 ft. dist., scribed M.C.-4-2206 B.T.

An oak tree 8 ins. in diam. brs. S. 13° W., 24.7 ft. dist., scribed M.C.-4-2206 B.T.

No other bearings available.

FERT.

Thence N. 82° 13' W.
 Var. 13° 15' E.

948.9 Gulch, brs. S.W.

1198.9 Intersect E. Side line Mineral No. 4 Lode ^{of this survey}, whence S.E.
 Cor. Mineral No. 4 ^{of this survey} Lode brs. S. 9° 2' W. 48.25 ft. X
 This point is identical with S.W. Cor. Mineral No. 5
 Lode. ^{of this survey} X

1300. Road, brs. N.W.

1500. To Cor. No. 1 and place of beginning.

MINERAL NO. 1 LODE.

Beginning at Cor. No. 1

Identical with the location, and with Cor. No. 4
 Philadelphia Lode of this Survey, chiseled M1-1-2206
 on the S. W. face. on Cor. stone, whence:
 An oak tree 10 ins. in diam. brs. N. 74° W., 61 ft.
 dist., scribed M1-1-2206 B.T.

Cor. to Secs. ^{4, 5} 32 and 33 on the S. Boundary of T. 22 S.
 R. 11 E., G. & S.R.M. Arizona, brs. N. 0° 15' E., 1788.42
 ft. dist.

^{N.W.} Cor. No. 1 Mineral No. 3 Lode ^{of this survey} brs. N. 7° 47' E. 50 ft. X
 No other bearings available.

Thence N. 82° 33' W.
 Var. 13° 15' E.

1500. To Cor. No. 2,
 Identical with location, and with Cor. No. 3 Philadel-
 phia Lode of this Survey, chiseled M1-2-2206 on the
 S.E. face.

No bearings available.

This cor. is identical with N.E. Cor. Mineral No. 2
 Lode. ^{of this survey} X

FEET.

Thence S. $7^{\circ} 47'$ W.Var. $13^{\circ} 15'$ E.

300

W. End Center Monument,

Identical with the location, which is a mound of stones,
2 1/2 ft. base, 2 ft. high,

Which is also identical with the E. End Center Monument
of Mineral No. 2 Lode. *of this survey*

600.

To Cor. No. 3,

Identical with the location, which is a mound of stones,
2 1/2 ft. base, 2 ft. high,

A porphyry stone 8 x 10 x 24 ins., set 14 ins. in
the ground, with a mound of stones, chiseled M1-3-2206
on the N.E. face.

This Cor. is identical with the S.E. Cor. of Mineral No.
2 Lode. *of this survey*

No bearings available.

Thence S. $82^{\circ} 33'$ E.Var. $13^{\circ} 15'$ E.

1500

To Cor. No. 4,

Identical with the location, which is a mound of stones,
2 1/2 ft. base, 2 ft. high,

a porphyry stone 6 x 14 x 24 ins., set 15 ins. in
the ground, with a mound of stones, chiseled M1-4-2206,
on the N.W. face.

No bearings available.

Thence N. $7^{\circ} 47'$ E.Var. $13^{\circ} 15'$ E.

300

To E. End Center Monument,

Identical with the location, which is a mound of stones,
2 1/2 ft. high, 2 ft. base,

FEET.

600. To Cor. No. 1 and place of beginning.

MINERAL NO.2 LODE.

Beginning at Cor. No. 1,

Identical with the location, and with Cor. No. 3 Philadelphia Lode of this Survey, and also Cor. No. 2 Mineral No.1 Lode of this Survey, chiseled M2-1-2206 on S.W. face of corner stone, whence

Cor. to Secs. ^{4, 5} 32 and 33 on the S. Boundary of T.22 S. R.11 E., G. & S.R.M., Ariz., brs. N. 43°10' E.

2185.57 ft. dist.

Thence N. 89° 53' W.

Var. 13° 15' E.

1500. To Cor. No. 2,

Identical with the location, which is a mound of stones 2 1/2 ft. base, 2 ft. high,

A granite stone 10 x 10 x 24 ins., set 14 ins. in the ground, with a mound of stones, chiseled M2-2-2206 on the S. E. face.

No bearings available.

Under ordinary circumstances this would be called Cor. No. 1 of the Survey of this lode, and connection made with 1/4 Sec. Cor. on the S. Boundary of Sec. 32~~2~~ T. 22 S.R.11 E., but said connection line would be impractical to measure as the nature of the land over which it passes offers exceptional difficulties, i.e cañons and bluffs.

Thence S. 7° 47' W.

Var. 13° 15' E.

FEET.

300

W. End Center Monument,

Identical with the location, which is a mound of stones,
2 1/2 ft. base, 2 ft. high.

600.

To Cor. No. 3,

Identical with the location, which is a mound of stones,
2 1/2 ft. base, 2 ft. high,

A granite stone 8 x 12 x 24 ins., set 14 ins. in
the ground, with a mound of stones, chiseled M2-3-2206
on the N. E. face.

No bearings available.

Thence S. 89° 53' E.

Var. 13° 15' E.

1500.

To Cor. No. 4,

Identical with location and with Cor. No. 3 of Mineral
No. 1 Lode of this Survey, chiseled M2-4-2206 on the
N.W. face.

Thence N. 7° 47' E.

Var. 13° 15' E.

300.

E. End Center Monument,

Identical with the location, which is a mound of stones,
2 1/2 ft. base, 2 ft. high, also identical with W. End
Center Monument, Mineral No. 1 Lode of this Survey.

600.

To Cor No. 1, the place of beginning.

MINERAL NO. 3 LODE.

Beginning at Cor No. 1,

Identical with the location, and with Cor. No. 2 Montana
Camp Lode of This Survey, chiseled M3-1-2206 on the
S.E. face.

FRET.

Cor~~y~~ to Secs. ^{4, 5} 32 and 33 on the S. Boundary of T.
22 S.R. 11 E., G. & S.R.M., Ariz., brs. N. $0^{\circ} 2' E.$
1738.87 ft. dist.

Thence S. $7^{\circ} 47' W.$

Var. $13^{\circ} 15' E.$

50. Cor. No. 4 Philadelphia Lode, and Cor. No. 1 Mineral
No. 1 Lode, both of this survey.
350. E. End Center Monument Mineral No. 1 Lode. *of this survey*
650. Cor. No. 4 Mineral No. 1 Lode of this Survey. *of this survey*
1500. To Cor. No. 2,
Identical with the location, which is a mound of stones,
2 1/2 ft. base, 2 ft high,
A porphyry stone 10 x 10 x 24 ins. set 14 ins. in
the ground, with a mound of stone, chiseled M3-2-2206
on the N. E. face.
No bearings available.

Thence S. $82^{\circ} 13' E.$

Var. $13^{\circ} 15' E.$

110. Gulch, brs. S.
167. Road, brs. N.
300. S. End Center Monument,
Identical with the location, which is a mound of stones,
2 1/2 ft. base, 2 ft. high.
- 600 To Cor. No. 3,
Identical with the location, which is a mound of stones,
2 1/2 ft. base, 2 ft. high,
A porphyry stone 8 x 8 x 26 ins., set 14 ins. in
the ground, with mound of stone, chiseled M3-3-2206 on
the N.W. face.
No bearings available.
-

FEET.

Thence N. 7° 47' E.

Var. 13° 15' E.

530 Gulch, brs. S.W.

1500. To Cor. No. 4,

Identical with the location, which is a mound of stones,
2 1/2 ft. base, 2 ft. high,

A granite stone 8 x 12 x 24 ins., set 14 ins. in the
ground, with a mound of stone, chiseled M3-4-2206 on
the S. W. face.

No bearings available.

This corner is located on the S. Side line of Montana
Camp Lode of this Survey.

Thence N. 82° 13' W.

Var. 13° 15' E.

300. N. End Center Monument,

Identical with location which is a mound of stones,
2 1/2 ft. base, 2 ft. high,

350. Gulch and road, brs. S.

550. Road, brs. N.W.

600. To Cor No. 1 and place of beginning..

MINERAL NO. 4 LODE.

Beginning at Cor. No. 1,

Identical with the location, which is a mound of stones,
2 1/2 ft. base, 2 ft. high,

A granite stone 8 x 20 x 20 ins., set 14 ins. in the
ground, with a mound of stone, chiseled M4-1-2206 on
the S. E. face, whence:

Cor. to Secs. ^{44, 54} 32 and 33 on the S. Boundary of T. 22
S. R. 11 E., G. & S. R. M., Ariz., brs. S. 2° 0' W.,
326.6 ft. dist.

FEET.

No other bearings available.

Thence S. 9° 2' W.

Var. 13° 15' E.

72.48 Cross Section line bet. Secs. 32 and 33, whence

One quarter Sec. Cor. bet. Secs. 32 and 33, brs. North 2,385. ft.

Sec. Cor. for Secs. ^{4,5} 32 and 33 on S. Boundary of T. 22 S. R. 11 E., G. & S.R.M., Ariz., brs. South 254.78 ft.

300. N.E. Cor. Mineral No. 7 Lode. *of this survey*

330.35 Cross South Boundary of Section 32, whence:

One-quarter Cor. on S. Boundary of Sec. 32, brs. N. 89° 50' W. 2,587.01 ft. dist.

Cor. to Secs. ^{4,5} 32 and 33, T. 22 S. R. 11 E., brs. S. 89° 50' E. 40.48 ft. dist.

600 E. End Center Monument Mineral No. 7 Lode. *of this survey*

900. Cor. No. 1 Montana Dam Lode of this Survey, also S.E.

Cor. Mineral No. 7 Lode. *of this survey*

1110. Road, brs/ W.

1130. Frame Store Building 10' x 20' on line.

1200. E. end Center Monument, Montana Dam Lode. *of this survey*

1350. Gulch, brs. S.E.

1500 To Cor. No. 2,

Identical with the location, and with Cor. No. 4 Montana Dam Lode of this Survey, chiseled M4-2-2206 on the N.E. face of corner stone.

Thence S. 82° 33' E.

Var. 13° 15' E.

250. Gulch, brs. S.E.

300 S. End Center Monument,

Identical with the location, and with Cor. No. 1

FEET.

Philadelphia Lode of this Survey.

530. Road, brs. N.W.

600. To Cor. No. 3,

Identical with the location, which is a mound of stones,
2 1/2 ft. base, 2 ft. high,

a granite stone 7 x 10 x 24 ins., set 14 ins. in the
ground, with mound of stone, chiseled M4-3-2206 on the
N. W. face, whence:

An Oak tree 24 ins. in diam. brs. N. 85° E. 9 ft.
dist., scribed M4-3-2206 B.T.

No other bearings available.

Thence N. 9° 2' E.

Var. 13° 15' E.

48.25 S.W. Cor. Mineral No.5 Lode.

of this survey

348.25 W. End Center Mineral No.5 Lode.

of this survey

648.25 N.W. Cor. Mineral No.5 Lode.

of this survey

1240.89 Intersect S. Boundary Sec. 3³, T.22 S. R. 11 E., whence,

One-quarter Sec. Cor. on South Boundary Sec. 33
brs. S. 89° 52' E. 2,065.50 ft. dist.

Sec. Cor. to Secs. ^{4, 5} 32 and 33 on S. Boundary of T.
22 S. R. 11 E. brs. N. 89° 52' W. 566.53 ft. dist.

1500. To Cor. No.4,

Identical with the location, which is a mound of stones,
2 1/2 ft. base, 2 ft. high.

A Granite stone 10 x 10 x 24 ins., 14 ins in the
ground, with a mound of stone, chiseled M4-4-2206 on
S.W. face, whence

An oak tree 20 ins. ^{1a} diam brs. S. 32° 30' W. 43 ft.
dist., scribed M4-4-2206 B.T.

No other bearings available.

X
X
X
X
X

FEET.

Thence N. 82° 33' W.

Var. 13° 15' E.

300. N. End Center Monument,
Identical with the location, which is a mound of stones,
2 1/2 ft. base, 2 ft. high,
600. To Cor No.1, the place of beginning.

MINERAL NO.5 LODE.

Beginning at Cor. No.1

Identical with the location, which is a mound of stones,
2 1/2 ft. base, 2 ft. high,

A granite stone 5 x 12 x 26 ins., set 14 ins. in the
ground, with mound of stone, chiseled M5-1-2206 on the
S.E. face, whence:

Cor. Secs. ^{4.5} 32 and 33 on the S. Boundary of T. 22 S.
R. 11 E., G. & S.R.M., Ariz., brs. N. 38° 34' W. 758.04 ft.
dist.

No other bearings available.

Thence S. 9° 2' W.

Var. 13° 15' E.

300. W. End Center Monument,
Identical with the location, which is a mound of stones,
2 1/2 ft. base, 2 ft. high.
600. To Cor. No.2,
Identical with the location, which is a mound of stones,
2 1/2 ft. base, 2 ft. high,
- A granite stone 6 x 10 x 26 ins., set 15 ins. in the
ground, with mound of stones, chiseled M5-2-2206 on the
N. E. face, whence:
- Cor. No. 3 Mineral No.4 Lode ^{of this survey} brs. S. 9° 2' W. 48.25 ft.
dist.

FEET.

An oak tree 24 ins. in diam. brs. S. $2^{\circ}42'$ E.
46.5 ft. dist., scribed M5-2-2206 B.T.
No other bearings available.

Thence S. $82^{\circ}13'$ E.
Var. $13^{\circ}15'$ E.

250. Gulch, Brs. S.W.
1198.9 Cor. No.4 Montana Camp Lode of this Survey.
1500. To Cor. No.3,
Identical with the location, which is a mound of stones,
2 1/2 ft. base, 2 ft. high,
A granite stone 6 x 13 x 25 ins., set 15 ins. in the
ground, with mound of stone, chiseled M5-3-2206, on
the N.W. face.
No bearings available.

Thence N. $9^{\circ}2'$ E.
Var. $13^{\circ}15'$ E.

300 To E. End Center Monument,
Identical with the location, a mound of stones, 2 1/2
ft. base, 2 ft. high.
600. To Cor. No. 4,
Identical with the location, which is a mound of stones,
2 1/2 ft. base, 2 ft. high,
A granite Stone 8 x 10 x 25 ins., set 14 ins. in
the ground, with mound of stone, chiseled M5-4-2206 on
S.W. face, whence:
An oak tree 10 ins. in diam. brs. S. $82^{\circ}45'$ W.
31. ft. dist., scribed M5-4-2206 B.T.
No other bearing available.

FEET.

Thence N. $82^{\circ} 13' W.$ Var. $13^{\circ} 15' E.$

600. Gulch, brs. S.W.

750. S.W. Cor. Mineral No.6 Lode. *of this survey*

1500. To Cor No.1 and place of beginning.

MINERAL NO.6 LODE.

Beginning at Cor. No.1,

Identical with the location, which is a mound of stones,
2 1/2 ft. base, 2 ft. high, and is located near the
right bank of a gulch bearing West.One-quarter Cor. on S. Boundary Sec. 33 T. 22 S.
R. 11 E., G.& S.R.M., Ariz., brs. N. $28^{\circ} 47' W.$ 340.60
ft. dist.To insure permanency, I set Witness Cor. to Cor. No.
1, N. $9^{\circ} 2' E.$, 50. ft. dist. from point for Cor. No.1A granite stone 8 x 9 x 24 ins., set 14 ins. in the
ground, with mound of stone, chiseled W.C. M6-1-2206
on S.W. face.

No other bearings available.

From the true point for Cor. No.1

Thence N. $82^{\circ} 13' W.$ Var. $13^{\circ} 15' E.$

800. Gulch, brs. S.

1500. To Cor. No.2,

Identical with the location, which is a mound of stones,
2 1/2 ft. base, 2 ft. high,A granite stone 8 x 10 x 24 ins., set 14 ins. in
the ground, with mound of stone, chiseled M6-2-2206 on
S.E. face.No bearings available.

FEET.

Thence S. $9^{\circ} 2'$ W.Var. $13^{\circ} 15'$ E.

300. W. End Center Monument,

Identical with the location, which is a mound of stones,
2 1/2 ft. base, 2 ft. high.

600. To Cor. No. 3,

Identical with the location, which is a mound of stone,
2 1/2 ft. base, 2 ft. high,

A granite stone 6 x 12 x 25 ins., set 14 ins. in
the ground, with mound of stone, chiseled M6-3-2206 on
N.E. face.

No bearings available.

Thence S. $82^{\circ} 13'$ E.Var. $13^{\circ} 15'$ E.

150. Gulch, brs. S.W.

505. Ten foot shaft five ft. N. of line.

750. Cor. No.4 Mineral No.5 Lode of this Survey.

1500. To Cor. No.4,

Identical with the location, which is a mound of stones,
2 1/2 ft. base, 2 ft. high,

A granite stone 6 x 10 x 24 ins., set 14 ins. in
the ground, with mound of stone, chiseled M6-4-2206 on
N.W. face. Whence-

An oak tree 14 ins. in diam. brs. S. 67° W. 11 ft.
dist., scribed M6-4-2206 B.T.

No other bearings available.

Thence N. $9^{\circ} 2'$ E.Var. $13^{\circ} 15'$ E.

300. E. End Center Monument,

Identical with the location, which is a mound of stones,

FEET.

2 1/2 ft. base, 2 ft. high.

595. Gulch, brs. W.

600. To point for Cor. No.1 and place of beginning.

MINERAL NO. 7. LODE.

Beginning at Cor. No.1,

Identical with the location, which is a mound of stones,
2 1/2 ft. base, 2 ft. high,A granite stone 12 x 12 x 26 ins., set 15 ins. in
the ground, with mound of stone, chiseled M7-1-2206 on
S.W. face, whence-An oak tree 10 ins. in diam. brs. S. 19° 20' E.
35.8 ft. dist., scribed M7-1-2206 B.T.Cor. to Secs. ^{4.5}32 and 33 on the S. Boundary of T.22
S.R.11 E., G. & S.R.M., Ariz., brs. S. 49° 54' E.
46.7 ft. dist.

No other bearings available.

Thence N. 82° 33' W.

Var. 13° 15' E.

540 Gulch, brs. S.

825. Gulch, brs. S.

970. Road, brs. S.E.

1500. To Cor. No.2,

Identical with the location, a mound of stones, 2 1/2
ft. high, 2 ft. base,A granite stone 8 x 9 x 24 ins., set 12 ins. in the
ground, with mound of stone, chiseled M7-2-2206 on
S.E. face.No bearings available.

FEET.

Thence S. 9° 2' W.

Var. 13° 15' E.

222.81 Cross S. Boundary Sec. 32., whence-

One-quarter Sec. Cor. on S. Boundary Sec. 32, brs.
N. 89° 50' W., 1070.05 ft. dist.

Cor. to Secs. 32 and 33 on S. Boundary of T. 22 S.
R 11 E, G. & S.R.M., Ariz., brs. S. 89° 50' E. 1517.86
ft. dist.

300. W. End Center Monument,

Identical with the location, which is a mound of stones,
2 1/2 ft. base, 2 ft. high.

600. To Cor. No. 3, Identical with Cor. No. 2 ^{of this survey} Montana Dam Lode,

and with the location, chiseled M7-3-2206 on N.E. face
of corner stone.

Thence S. 82° 33' E.

Var. 13° 15' E.

1000. Gulch, brs. S.E.

1200. Road, brs. S.E.

1500. To Cor. No. 4,

Identical with the location, and with Cor. No. 1 Montana
Dam Lode of this Survey, chiseled M7-4-2206 on N.W.
face of Cor. stone, whence-

An oak tree 15 ins. in diam. brs. N. 70° E. 53. ft.
dist, scribed M7-4-2206 B.T.

No other bearings available.

Thence N. 9° 2' E.

Var. 13° 15' E.

300. E. End Center Monument,

Identical with the location, which is amount of stones,
2 1/2 ft. base, 2 ft. high.

FEET.

569.65 Intersect S. Boundary Sec. 32, whence-
 Cor. to Secs. ^{4, 5} 32 and 33 on the S. Boundary of T. 22
 S. R. 11 E., brs. S. 89° 50' E., 4048 ft. dist.
 One-quarter Sec. Cor. on the S. Boundary Sec. 32,
 brs. N. 89° 50' W., 2587.61 ft. dist.
 600. To Cor, No.1, the place of beginning.

A R E A.

Philadelphia Lode,	✓ 20.661	acres.
Montana Dam Lode,	✓ 20.653	"
Montana Camp Lode	20.661	
Less Conflict with Mineral No.4 Lode,	<u>.339</u>	
Net Area Montana Camp Lode,	20.322	"
Mineral NO.1 Lode,	✓ 20.661	"
Mineral No.2 Lode,	✓ 20.476	"
Mineral No.3 Lode,	✓ 20.661	"
Mineral No.4 Lode,	✓ 20.653	"
Mineral No.5 Lode,	✓ 20.656	"
Mineral No.6 Lode,	✓ 20.656	"
Mineral No.7 Lode,	✓ <u>20.653</u>	"
Total area of Lodes	206.052	"

L O C A T I O N.

The Lodes embraced in Survey No. 2206 are located
 in the S.E. Quarter Sec. 32 and the S.W. Quarter Sec.
 33, T. 22 S. R. 11 E., G. & S.R.M., Surveyed, and in
 the N.E. portion of Sec. 5 and N.W. portion of Sec. 4,
 T. 23 S. R. 11 E. of G.& S.R.M., unsurveyed, in Oro
 Blanco Mining District, Santa Cruz County, Arizona.

PRESUMED COURSE OF VEIN.

The presumed course of veins on the Philadelphia, Montana Dam, Mineral No.1 and Mineral No.7 Lodes is from their respective E. End Center Monuments to their respective W. End Center Monuments, N. 82° 33' W., 1500 ft.

The Presumed course of vein on the Montana Camp, Mineral No.5, and Mineral No.6 Lodes is from their E. End Center Monuments to their respective W. End center Monuments N. 82° 13' W., 1500. ft.

The presumed course of vein on the Mineral No.4 Lode is from its S. End Center Monument to its N. End Center Monument, N. 9° 2' E., 1500. ft.

The presumed course of Vein on the Mineral No.3 Lode is from its S. End Center Monument to its N. End Center Monument, N. 7° 47' E., 1500. ft.

The presumed course of vein on Mineral No. 2 Lode is from its E. end center monument to its W. end center monument, N. 89° 53' W., 1500. ft.

ADJOINING CLAIMS.

There are no plainly defined adjoining claims.

EXPENDITURE OF FIVE HUNDRED DOLLARS.

I certify that the value of the labor and improvements upon this claim, placed thereon by the claimant and his grantors, is not less than five hundred dollars on each lode, and that said improvements consist of:

PHILADELPHIA LODE,

No.1.

From Cor. No. 2, Mouth of 274 ft. tunnel, brs. S. 44° 10' E., 441 ft. This tunnel brs. S. 82° 33' E. At 38 ft. there is a winze 75 ft. deep.

At 83 ft.: there is a cross cut S. 70 ft.

At 200 ft.: there is a vertical winze 35 ft. deep. Adjacent to this winze and connected therewith there is a drift running S. 82° 33' E. 40 ft., and N. 82° 33' W. 40 ft.

At a point 20 ft. N. from the bottom of this winze, there is an incline winze 40 ft. deep bearing N.

On the S. side of the main tunnel at the 200 ft. point there is a 70 ft. shaft connects with the surface.

At 210 ft. a cross cut runs 43 ft. in a S. direction, from the end of which a drift 47 ft. in length brs. S. 82° 33' E.

At the breast of the main tunnel a 75 ft. incline shaft comes ^{from} ~~to~~ the surface.

All the above workings have a dimension of five by seven feet. *The discovery is in this working.*
 Value - - - - - \$8,000.00

No. 2

From a point N. 82° 33' W. 300 ft. from Cor. No.1
 Mouth of tunnel brs. S. 61° W. 237 ft.

From which point cross cut tunnel brs. S. 9° W. 137 ft.

From the breast of this tunnel a drift brs. N. 82° 33' W. , 96 ft. with a cross cut N. 12 ft. at a point 45 ft. from the breast.

From the breast of main cross-cut tunnel drift brs. S. 82° 33' E. 111 ft., and at 5 ft. in this drift a 45 ft. winze inclines to the N. about 20° from the perpendicular.

From the breast of the main cross-cut tunnel an incline shaft, 68 ft. in depth connects with the surface.
 Sectional dimensions 5 x 7 ft.
 Total number of linear feet 469
 Value - - - - - \$4,500.00

From Cor. No.1, Mineral No. 3 Lode, which is located on the E. End line of the Philadelphia Lode, N. 7° 47' E.

No. 3

50 ft. from Cor. N. 4. of said Philadelphia Lode, mouth of a tunnel brs. N. 5° W. 334 ft.

From which point the said tunnel brs. N. 87°10' W. 100 ft., and at a point 42 ft. on this course a branch from the main tunnel brs. N. 57°10' W. 165 ft.

Sectional dimensions 5 x 7 ft.

Total number of linear feet 265.

Value - - - - - \$2,600.00

No. 4

From Cor. No.1. Mineral No.3. Lode, described above, and located on E, end line Philadelphia claim, 50 ft. from Cor. No.4. thereof, mouth of tunnel brs. N. 78°30' W. 276 ft. distant.

From which point tunnel brs. S.56° W. 73 ft., and Left branch of same brs. S. 36° W. 53 ft.

Sectional dimensions 5 x 7 ft.

Value - - - - - \$1,000.00

MONTANA DAM LODE.

No. 1

From the E. End center monument, Discovery cut, 2 x 4 ft., 6 ft long crosses center line of claim at a point N. 82° 33' W. 60 ft. dist.

Value - - - - - \$12.00

No. 2

From E. end center monument, Shaft, 40 ft. deep brs. N. 86° 25' W. 419 ft. dist. Dimensions, 4 x 6 ft.,

Value - - - - - \$400.00

No. 3

From E. end center monument, Mouth of tunnel brs. N. 67° W. 99³/₄ ft. dist. tunnel brs. S. 8° 30' W.

Dimensions 5 x 7 ft., 60 ft. long

Value - - - - - \$600.00

MONTANA CAMP LODE.

From Cor. No.1. Philadelphia Lode, which is on the W. end line of the Montana Camp Lode, 50 ft. from Cor. No. 1. of said Montana Camp Lode,

No. 1. Mouth of discovery tunnel brs. S. 55° 15' E. 510 ft. dist. from which said tunnel brs. S. 75° E. 85 ft. Sectional dimensions 5 x 7 ft.

Value - - - - - \$800.00

From said Cor. No. 1. Philadelphia Lode, located on the W. End line of Montana Camp Lode, 50 ft. from Cor. No.1. of said Montana Camp Lode,

No. 2. A shaft brs. S. 53° 30' E. *162 ft distant* Dimensions 4 x 6 ft., 12 ft. deep.

Value - - - - - \$100.00

MINERAL NO.1. LODE.

From E. end center monument,

No. 1 Discovery cut, 2 x 4 ft. 6 ft. long crosses center line of the claim at a point N. 82° ³³ ~~14~~' W. 50 ft. dist.

Value - - - - - \$12.00

From E. end center monument,

No. 2. Shaft, brs. N. 72° W. 452 ft. dist. dimensions 4 x 6 x 10 ft.

Value - - - - - \$100.00

From Cor No. 4.

No.3 Mouth of tunnel brs. N. 26° 15' W., 46 ft. dist. from which tunnel 5 x 7 ft., 60 ft. long brs. N.

Value - - - - - \$500.00

From Cor. No. 4,

No. 4. Shaft 4 x 6 x 24 ft. brs. N. 50° W. 35 ft. dist.

Value - - - - - \$240.00

This shaft is intended for the development of Mineral No. 3. Lode, *and is credited to said lode.*

No. 5. From the W. end center monument, at a point N. 30° E. 195 ft.,
 a tunnel hrs. W. dimensions 5 x 7 x 80 ft.
 This tunnel is intended for the development of Mineral No. 2 Lode. *and is credited to said ~~lode~~ lode*
 Value - - - - - \$800.00

 MINERAL NO. 2. LODE.

No. 1. From the E. end center monument,
 Discovery Cut, hrs. W. 50 ft. dist.
 Dimensions 2 x 4 x 6 ft.
 Value - - - - - \$15.00

No. 2. From the E. end center monument,
 Shaft, 4 x 6 ft by 30 ft. deep, hrs. N. 27° W. 80 ft. dist.
 Value - - - - - \$300.00

Tunnel No. 5 of Mineral No. 1. Lode is credited to the development of this claim,
 Value - - - - - \$800.00

 MINERAL NO. 3. LODE.

No. 1. From the S. end center monument,
 Discovery shaft, 4 x 6 ft. 10 ft. deep, hrs. N. 7° 47' E. 800 ft. dist.
 Value - - - - - \$100.00

Shaft No.4 located on Mineral No. 1 Lode is credited to the development of Mineral No. 3 Lode,
 Value - - - - - \$240.00

No. 2. Wagon road running the fulllength of Mineral No. 3 Lode has been cut into rocky side hill to a width of ten feet.

This road is intended to facilitate the development of Mineral No. 3. Lode, and to provide economical means for transportation of the ores from Mineral No. 3. Lode to stamp mill,

Value - - - - - \$ 800.00.

MINERAL NO. 4. LODE.

From the S. end center monument,

- No. 1. Discovery shaft 2 x 4 x 6 ft. in length is located N. 9° 2' E. 80 ft. dist.

Value - - - - - \$ 10.00

From the S. end center monument, beginning at a point located N. 19° 25' E. 490 ft. dist. a tunnel 5 x. 7 x 100 ft. in length, brs. S. 70° E.

- No. 2.

At 40 ft. in this tunnel, cross-cut brs. N. 35 ft.

At the breast of which, 30 ft. upraise connects with surface

At the breast of the main tunnel a 30 ft. upraise connects with the surface.

Value - - - - - \$1,000.00

MINERAL NO. 5 LODE.

From the W. end center monument,

- No. 1. Discovery shaft 4 x 6 x 10 ft. deep, brs. S. 81° 10' E. 698 ft. dist.

from which an open cut 2 x 4 x 12 ft. long, extends in a Northerly direction.

Value - - - - - \$110.00

From the W. end Center Monument,

- No. 2. Mouth of tunnel brs. S. 68° 20' E. 601 ft. from which point tunnel 5 x 7 x 50 ft. long brs. S.

Value - - - - - \$500.00

MINERAL NO. 6. LODE.

From the W. end center monument,

No. 1. Discovery cut brs. S. 82° 13' E. 65 ft. dist.
dimensions 2 x 4 x 6 ft. long,

Value - - - - - \$10.00

From W. end center monument,

No. 2. Shaft, 4 x 6 x 22 ft., ^{deep} brs. N. 80° 40' E. 66 ft. dist.

Value - - - - - \$200.00

From W. end center monument,

No. 3. Southerly end of open cut brs. N. 82° E. 618 ft. Dist.
Cut brs. N. 20° W., dimensions 5 x 5 x 75 ft.

Value - - - - - \$500.00

From a point located 416 ft. from Cor. No. 3, on the
South side line of the claim,

No. 4. Mouth of tunnel brs. N. 9° 2' E. 79 ft. dist. Tunnel
brs. S. 20° E.

Dimensions 5' x 7' x 63 ft.

Value - - - - - \$500.00

From a point on the S. side line of the claim, located
505 ft. from Cor. No. 3,

No. 5. A shaft, 4 x 6 x 10 ft. , brs. N. 5 ft. dist.

Value - - - - - \$100.00

MINERAL NO. 7. LODE.

From the E. end center monument, From a point N. 82° 33'
W. 120 ft. dist, ↓

No. 1. Discovery tunnel brs. S. 45° E. 80 ft.
dimensions 5 x 7 x 80 ft.

Value - - - - - \$600.00

From W. end center monument,

No. 2. Shaft brs. S. 80° 33' E. 424 ft. dist.
Dimensions 4 x 6 x 24 ft.

Value - - - - - \$200.00

O T H E R I M P R O V E M E N T S .

From W. end center monument of Montana Camp Lode the S.E. Cor. of main building of Ten Stamp Mill brs. E. 74. ft. dist.

The Dimensions of the building are as follows: Commencing at the point above indicated, thence:

N. 24 ft., thence E. 16 ft., thence N. 5 ft., thence e. 7 ft., thence N. 61 ft., thence E. 31 ft., thence S. 51 ft., thence E. 24 ft., thence S. 40 ft., thence E. 18 ft., thence S. 32 ft., thence W. 53 ft., thence N. 33 ft., thence W. 45 ft., to place of beginning.

Immediately East of this mill are a series of 8 galvaized iron cyanide tanks, 10 ft. in diam.

Immediately South of the mill are 3 galvanized iron tanks of similar proportions.

From the E. end center Montana Dam Lode, 10 x 20 ft. ^{Store} frame building brs. N. 9° 2' E. 70 ft. dist.

I N S T R U M E N T S

Survey was executed with Young & Sons light mountain transit No. 7520, provided with horizontal limb reading to single minutes of arc. The instrument was also provided with a Smith Solar Attachment, and the bearings of the lines of this Survey were determined by a solar observation.

Measurements were all taken with a 100 ft. steel tape,

P O L A R I S O B S E R V A T I O N .

March 6th, 1906.

At 8^{25^m} P.M. l.m.t., at Cor. No. 3 Mineral No. 4 Lode, I observe polaris at its Western elongation, turn off $1^{\circ} 24'$ to the E. and mark the meridian thus obtained by a nail driven in the ground about 200 ft. N. of my station.

March 7th, 1906.

At 7 a.m. l.m.t. I determine the bearing of the E. side line of Mineral No. 4 lode by comparison with the meridian obtained last evening, and find that the bearings check exactly N. $9^{\circ} 2'$ E.

FINAL OATHS FOR SURVEYS.

LIST OF NAMES.

A list of the names of the individuals employed by William B Alexander
United States Deputy Mineral Surveyor, to assist in running, measuring, and marking the lines, corners, and
boundaries described in the foregoing field notes of the survey of the mining claim of.....

L. Leckendorf
known as the Philadelphia, Montana Dam, Montana Camp, Mineral No 1, 2, 3, 4, 5, 6, 7
and showing the respective capacities in which they acted.

- Charles M. Pogue , Chainman.
- Arthur Pogue , Chainman.
- M. Baldeble , Axman.
- A. Sanchez , Flagman.

FINAL OATHS OF ASSISTANTS.

We, Charles M. Pogue, Arthur Pogue, M. Baldeble
and A. Sanchez , do solemnly swear that we assisted William
B. Alexander , United States Deputy Mineral Surveyor, in marking the corners and surveying

the boundaries of the mining claim of L. Leckendorf

known as the Philadelphia, Montana Dam, Montana Camp, Mineral No 1, 2, 3, 4, 5, 6, 7

represented in the foregoing field notes as having been surveyed by said deputy mineral surveyor and under his
direction; and that said survey has been in all respects, to the best of our knowledge and belief, faithfully and
correctly executed, and the corner and boundary monuments established according to law and the instructions
furnished by the United States Surveyor-General for.....

- Arizona
Charles M. Pogue , Chainman.
- Arthur Pogue , Chainman.
- M. Baldeble , Axman.
- A. Sanchez , Flagman.

Subscribed and sworn to by the above-named persons before me this fifteen
day of May , 1906.

Ralph W. Lawrence
Notary Public
Pima County Arizona

My Commission Expires Sept. 24, 1907.

(4-686.)

FINAL OATH OF U. S. DEPUTY MINERAL SURVEYOR

I, William B. Alexander, U. S. Deputy Mineral Surveyor, do solemnly swear that, in pursuance of instructions received from the United States Surveyor General for Arizona, dated February 10, 1906, I have, in strict conformity to the laws of the United States, the official regulations and instructions thereunder, and the instructions of said Surveyor General, faithfully and correctly executed the survey of the Mining Claim of L. Zeckendorf, known as the Philadelphia, Montana Dam, Montana Camp, Mineral No. 1, 2, 3, 4, 5, 6, & 7 situate in Pro. & Lucas Mining District, Santa Cruz County, Arizona, in Sections 32, 33, 34, & 35, Townships No. 22 & 23 S., Range No. 11 East, G. & S. P. M. Company, and designated as Survey No. 2206, as represented in the foregoing field notes, which accurately show the boundaries of said mining claim as distinctly marked by monuments on the ground, and described in the attached copy of the location certificate, which was received by me from the Surveyor General with said instructions, and that all the corners of said survey have been established and perpetuated in strict accordance with the law, official regulations and instructions thereunder; and I do further solemnly swear that the foregoing are the true and original field notes of said survey and my report therein, and that the labor expended and improvements made upon said mining claim by claimant or his grantors are as therein fully stated, and that the character, extent, location and itemized value thereof are specified therein with particularity and full detail, and that no portion of said labor or improvements so credited to this claim has been included in the estimate of expenditures upon any other claim.

William B. Alexander

U. S. Deputy Mineral Surveyor.

Subscribed and sworn to by the said William B. Alexander,
U. S. Deputy Mineral Surveyor, before me, Allan B. Jaynes,
Clerk of the District Court, this 5th
day of May, 1906.

Allan B. Jaynes

CLERK U. S. DISTRICT COURT FOR
FIRST JUDICIAL DISTRICT, ARIZONA.

By Loraine M. Miller,
Deputy.

Affidavit of Five Hundred Dollars Improvements.

We, Charles M. Pogue and James Owen

of lawful age, being first duly sworn according to law, depose and say: That we are acquainted with the Philadelphia, Montana Dam,
Montana Dam, Minerals N. 2, 3, 4, 5, 6, 7, mining claim, situate in the Oro Blanco

mining district, Santa Cruz County, Arizona Territory, for which

S. J. Eckendorf

has made application for survey prior to application for patent under the provisions of the Act of Congress

approved May 10, 1872; and that the labor done and improvements made thereon by the applicant and

his grantor exceed five hundred dollars in value, and further that we are not personally interested

in said mine.

Charles M. Pogue
James Owen

TERRITORY OF ARIZONA,
COUNTY OF Pima } ss:

Sworn to and subscribed before me this 7th day
of May, 1906

[SEAL.]

Ralph W. Langworthy
Notary Public

11786b400-2-04

My com. Exp. Sept. 24, 1906.

Notice of Mining Location, Quartz Claim.

35

TO ALL WHOM IT MAY CONCERN:

This Mining Claim, the name of which is the Mineral No. 1 Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purpose of Exploration and Purchase by J. H. Curtis, the undersigned, on the 5th day of October, 1898.

The length of the Claim is fifteen hundred(1500)feet and I claim three hundred and seventy five(375)feet in an Easterly direction and eleven hundred and twenty five(1125)feet in a West-erly direction from the center of the discovery shaft, at which this notice is posted, lengthwise of the Claim, together with three hundred feet(300)in width of the surface grounds, on East side of the center of said claim. The general course of the lode, deposit and promises is from the East to the West.

This Claim is situated and located in the Oro Blanco Mining District, in Pima County, in the Territory of Arizona, about fifteen hundred(1500)feet in a Southerly direction from the Montana Camp Settlement, and is parrallel and adjoins the Philadel-phia Mine on the South. It is a relocation, in part, of an abandoned property. The surface boundaries of the Claim are marked upon the ground as follows:

Beginning at a monument of stones at a point in an Easterly direction three hundred and seventy five(375)feet from the dis-covery shaft(at which this notice is posted)being in the center of the East end lines of said Claim, thence three hundred(300) feet Northerly to a monument of stones, being the North-east corner of said Claim; thence seven hundred and fifty(750)feet Westerly to a monument of stones; at the center of the North side line of said Claim; thence seven hundred and fifty(750)

Notice of Mining Location. Quartz Claim. Continued.

feet Westerly to a monument of stones, being at the North-west corner of said claim; thence three hundred(300)feet Southerly to a monument of stones at the center of the West end of said Claim; thence three hundred(300)feet Southerly to a monument of stones, being at the South-west corner of said Claim; thence seven hundred and fifty(750)feet Easterly to a monument of stones, being at the center of the South side line of said claim; thence seven hundred and fifty(750)feet Easterly to a monument of stones at the South-east corner of said Claim; thence three hundred(300)feet Northerly to the place of beginning.

All done under the provisions of Chapter six, of Title XXXIII of the revised statutes of the United States, and of an Act of the General Assembly of Arizona entitled "An Act Concerning Mines", approved March 20th., 1895.

Dated and posted on the ground this 5th day of October, 1898.

J. N. Curtis.

Filed and recorded at request of Albert Steinfeld, December 29th., 1898, at 12 M.

Chas. A. Shibell,
County Recorder.

MINERAL NO. 2., MINING CLAIM.

Notice of mineral location, Quartz Claim.

TO ALL WHOM IT MAY CONCERN:

This Mining Claim, the name of which is the Mineral No. 2 Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purpose of exploration and purchase by J. N. Curtis, the undersigned, on the 5th day of October, 1898.

The length of the Claim is fifteen hundred (1500) feet and I claim seventy five (75) feet in an Easterly direction and fourteen hundred and twenty five (1425) feet in a Westerly direction from the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with three hundred (300) feet in width of the surface grounds, on each side of the center of said claim, the general course of the lode, deposit and premises is from the East to the West. This claim is situated and located in the Oro Blanco Mining District, in Pima County, in the Territory of Arizona, about two thousand (2000) feet in a Southerly direction from the Montana Camp settlement - is an extension of Mineral No. 1 Mine. - is parallel and adjoins the Montana No. 2 Mine, on the South side. This is a relocation, in part, of an abandoned property.

The surface boundaries of the Claim are marked upon the ground as follows: Beginning at a monument of stones at a point in an Easterly direction seventy five (75) feet from the discovery shaft (at which this notice is posted) being in the center of the East end lines of said Claim; thence Northerly three hundred (300) feet to a monument of stones, being the North-east corner of said Claim; thence Westerly seven hundred and fifty (750) feet to a monument of stones at the center of the North side line of said Claim;

MINERAL NO.2., MINING CLAIM.

Notice of Mineral Location, Quartz Claim. Continued.

thence Westerly seven hundred and fifty(750)feet to a monument of stones, being at the North-west corner of said Claim; thence Southerly three hundred(300)feet to a monument of stones at the center of the West end of said Claim; thence Southerly three hundred(300)feet to a monument of stones, being at the South-west corner of said Claim; thence Easterly seven hundred and fifty(750)feet to a monument of stones, being at the center of the South side line of said Claim; thence Easterly seven hundred and fifty(750)feet to a monument of stones at the South-east corner of said Claim; thence three hundred(300)feet to the place of beginning.

All done under the provisions of Chapter six, of Title XXXII of the revised statutes of the United States, and of an Act of the General Assembly of Arizona, entitled "An Act Concerning Mines". Approved March 20th., 1895.

Dated and posted on the ground this 5th day of October, 1898.

J. N. Curtis.

Filed and recorded at request of Albert Steinfeld, December 29th., A. D. 1898.

Chas. A. Shibell,
County Recorder.

MINERAL NO. 3, MINING CLAIM.

Notice of Mineral Location, Quartz Claim.

TO WHOM IT MAY CONCERN:

This Mining Claim, the name of which is the Mineral No. 3 Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purpose of Exploration and Purchase by J. N. Curtis, the undersigned, on the 5th day of October, 1898.

The length of the Claim is fifteen hundred(1500)feet and I claim seven hundred(700)feet in a Northerly direction and eight hundred(800)feet in a Southerly direction from the center of the discovery shaft, at which this notice is posted, length-wise of the claim, together with three hundred(300)feet in width of the surface grounds, on each side of the center of said claim, the general course of the lode, deposit and premises is from the North to the South. This Claim is situated and located in the Oro Blanco Mining District, in Pima County, in the Territory of Arizona, about one thousand(1000)feet in a Southerly direction from the Montana Camp Settlement - about three hundred(300)feet in a Southerly direction from the Montana Mill - adjoins the Montana Camp Mine on its South-western corner and is a relocation, in part, of the Conglomerate Mine.

The surface boundaries of the Claim are marked upon the ground as follows: Beginning at a monument of stones in a Northerly direction seven hundred(700)feet from discovery shaft, at which this notice is posted, being in the center of the North end lines of said Claim; thence Westerly three hundred(300)feet to a monument of stones, being the North-west corner of said Claim; thence Southerly seven hundred and fifty(750)feet to a monument of stones at

MINERAL NO. 3, MINING CLAIM.

Notice of Mineral Location, Quartz Claim. Continued.

the center of the West side line of said Claim; thence Southerly seven hundred and fifty(750)feet to a monument of stones, being at the South-west corner of said Claim; thence Easterly three hundred(300)feet to a monument of stones at the center of the South end of said Claim; thence Easterly three hundred(300) feet to a monument of stones, being at the South-east corner of said Claim; thence Northerly seven hundred and fifty(750)feet to a monument of stones, at the North-east corner of said Claim; thence Westerly three hundred(300)feet to the place of beginning.

All done under the provisions of Chapter six, Title XXXII of the revised statutes of the United States, and of an act of the General Assembly of Arizona, entitled "An Act Concerning Mines". Approved March 30th., 1895.

Dated and posted on the ground this 5th day of October, 1898.

J. N. Curtis.

Filed and recorded at request of Albert Steinfeld, December 29th., 1898, at 12 M.

Chas. A. Shibell,
County Recorder.

MINERAL NO. 4, MINING CLAIM.

41

Notice of Mining Location, Quartz Claim.

TO ALL WHOM IT MAY CONCERN:

This Mining Claim, the name of which is the Mineral No. 4 Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purpose of Exploration and Purchase by J. R. Curtis, the undersigned, on the 5th day of October, 1898.

The length of the Claim is fifteen hundred(1500) feet and I claim three hundred and eighty(380)feet in a Southerly direction and eleven hundred and twenty(1120)feet in a Northerly direction from the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with three hundred (300)feet in width of the surface grounds on each side of the center of said Claim. The general course of the lode, deposit and premises is from the North to the South.

This Claim is situated and located in the Ore Blanco Mining District, in Pima County, in the Territory of Arizona, about three hundred(300)feet in a Northerly direction from the Montana Mill, - part of the Montana Dam is located on this mine - also the Montana Camp settlement, and is a relocation, in part, of the A and P Mine. The surface boundaries of the Claim are marked upon the ground as follows: Beginning at a monument of stones at a point in a Southerly direction three hundred and eighty(380)feet from the discovery shaft(at which this notice is posted)being in center of the South end lines of said Claim; thence three hundred(300)feet Westerly to a monument of stones, being the South-west corner of said Claim; thence Northerly seven hundred and fifty(750)feet to a monument of stones at the center of the West side line of said Claim;

MINERAL NO. 4, MINING CLAIM.

Notice of Mining Location, Quartz Claim. Continued.

thence Northerly seven hundred and fifty(750)feet to a monument of stones, being at the North-west corner of said Claim; thence Easterly three hundred(300)feet to a monument of stones at the center of the North end of said Claim; thence Easterly three hundred(300) feet to a monument of stones, being at the North-east corner of said Claim; thence Southerly seven hundred and fifty(750)feet to a monument of stones, being at the center of the East side line of said Claim; thence Southerly seven hundred and fifty(750)feet to a monument of stones at the South-east corner of said Claim; thence Westerly three hundred(300)feet to the place of beginning.

All done under the provisions of Chapter six, Title XXXII of the revised statutes of the United States and of an Act of the General Assembly of Arizona, entitled "An Act Concerning Mines". Approved March 20th., 1895.

Dated and posted on the ground this 5th day of October, 1898.

J. N. Curtis.

Filed and recorded at request of Albert Steinfeld, December 29th., 1898 - 12 M.

Chas. A. Shibell,
County Recorder.

MONTANA DAM MINE.

43

Location Notice. NOTICE IS HEREBY GIVEN that the undersigned, in compliance with the requirements of the Mining Act of Congress, approved May 10th., 1872, has this day located and claims fifteen hundred(1500)linear feet along the course of this lead, lead or vein of mineral bearing quartz and three hundred(300)feet in width on each side of the middle of said lead, load or vein, situate in the Oro Blanco Mining District, County of Pima, Arizona, and more particularly described as follows, to wit:

COMMENCING at this monument of stones, being the center of the Easterly end of claim, and upon which this notice is posted; thence three hundred(300)feet to a monument of stones; thence fifteen hundred feet(1500)to a monument of stones; thence three hundred (300)feet to a monument of stones; being the center of Westerly end of Claim; thence three hundred(300)feet to a monument of stones; thence fifteen hundred(1500)feet to a monument of stones; thence two hundred and fifty(250)feet to place of beginning.

THIS CLAIM lies parrallel to and adjoining the Northerly side line of the Philadelphia Mining Claim, and adjoining and West of the Montana Camp and Gila Monster Claims, and shall be known as the Montana Dam Mine. Located October 30th., 1894.

Geo. W. Cheyney.

Filed and recorded at the request of Geo. W. Cheyney, November 2nd., A. D. 1894, at 9 A. M.

Chas. A. Shibell,

County Recorder.

44 6

MONTANA CAMP MINE.

Notice of Location. NOTICE IS HEREBY GIVEN that the undersigned, in compliance with the requirements of the Mining Act of Congress, approved May 10th., 1872, has this day located and claims fifteen hundred(1500)linear feet along the course of this lead, load or vein of mineral bearing quartz and three hundred(300)feet in width on each side of the middle of said vein, load or vein, situate in the Oro Blanco Mining District, County of Pima, Territory of Arizona, and more particularly described as follows, to wit:

COMMENCING at this monument of stones, being the Western end of the claim, and upon which this Notice is posted; thence South three hundred(300)feet to a monument of stones; thence Easterly fifteen hundred(1500)feet to a monument of stones; thence Northerly three hundred(300)feet to a monument of stones; being the center of the Easterly end of Claim; thence Northerly three hundred(300) feet to a monument of stones; thence Westerly fifteen hundred(1500) feet to a monument of stones; thence Southerly three hundred(300) feet to the place of beginning.

THIS CLAIM is an Easterly extension of the Philadelphia (formerly Montana) Mining Claim, and is a relocation of the claim formerly known as Montana No. 2, the initial monument being 50 feet North of East and centre monument of the Philadelphia, and shall be known as the Montana Camp Mine. Located January 2nd., 1893.

Witnessed by

Geo. W. Cheyney,

J. B. McClenahan.

Anna N. Cheyney.

Filed and recorded at request of Geo. W. Cheyney, January 4th.,

A. D. 1893, at 9A. M.

Chas. A. Shibell,

County Recorder.

PHILADELPHIA MINE.

LOCATION NOTICE. NOTICE IS HEREBY GIVEN that the undersigned, in compliance with requirements of the Mining Act of Congress, approved May 10th., 1872, has this day located and claims (1500) fifteen hundred linear feet along the course of this lead, lode or vein of mineral bearing quartz and three hundred (300) feet in width on each side of the middle of said lead, lode or vein, situate in the Oro Blanco Mining District, County of Pima, Territory of Arizona, and more particularly described as follows, to wit:

COMMENCING at this monument of stones, being the centre of the West end of claim, and upon which this notice is posted; thence North three hundred (300) feet to a monument of stones; thence East fifteen hundred (1500) feet to a monument of stones; thence South three hundred (300) feet to a monument of stones, being the center of the East end of claim; thence South three hundred (300) feet to a monument of stones; thence West fifteen hundred (1500) feet to a monument of stones; thence North three hundred (300) feet to the place of beginning.

THIS CLAIM is situate in Oro Blanco Mining District; the place of beginning or initial monument in which this notice is posted being S. 43° 10' W. & 1136 feet distant from U. S. M. M. No. 3 and was formerly known as the Montana Mining Claim, and shall be known as the Philadelphia Mine. Located April 25th, 1889.

Witnessed by

M. L. McLeod.

W. J. Cheyney, Locator.
by
Sam. W. Cheyney, Agt.,

Filed and recorded at request of George W. Cheyney, May 13th., A. D. 1889, at 9 A. M.

Charles A. Shibell,
County Recorder.

Territory of Arizona,)
County of Pima.) ss.

I, Charles A. Shibell, County Recorder for Pima County, Arizona Territory, do hereby certify that I have compared the foregoing eleven pages with the records of my office, and the same contain a full, true and correct copy of the location notices of the following mining claims, the names of which, together with the book and page of Records of Mines where their location notices are recorded in the office of the County Recorder of Pima County, Arizona, are as follows, to-wit:

- Philadelphia, Book AA, page 428,
- Montana Dam, " EE, " 244,
- Montana Camp, " CC, " 764,
- Mineral No. 1, " GG, " 22,
- Mineral No. 2, " GG, " 23,
- Mineral No. 3, " GG, " 24,
- Mineral No. 4, " GG, " 25.

IN WITNESS WHEREOF, I have hereunto set my hand and official seal, this 7th day of July, 1906.

Chas. A. Shibell
County Recorder.

NOTICE OF LOCATION.

Quartz Claim

TO ALL WHOM IT MAY CONCERN:-

This mining claim, the name of which is the MINERAL NO. 5 mining claim, situate on lands belonging to the United States, of America and in which there are valuable mineral deposits, was entered upon and located for the purpose of exploration and purchase by J. N. Curtis, the undersigned on the 25 day of August, 1899.

The length of the claim is 1500 feet and I claim 825 feet in an easterly direction and 675 feet in a westerly direction from the center of the discovery shaft, at which this notice is posted, lengthwise of the claim together with 300 feet in width of the surface grounds on each side of the center of the center of said claim. The general course of the lode deposit and premises is from the East to the West.

This claim is situated and located in the Oro Blanco Mining District in Santa Cruz County, in the Territory of Arizona, about 300 feet in an easterly direction from the Montana Camp settlement and about 300 feet northerly from the Montana Hill.

The surface boundaries of the claim are marked upon the ground as follows: Beginning at a monument of stones at a point in a westerly direction 675 feet from the discovery shaft, at which this notice is posted, being in the center of the west end line of said claim; thence southerly 300 feet to a monument of stones being the southwest corner of said claim; thence easterly 750 feet to a monument of stones, being at the south east corner of said claim; thence northerly 300 feet to a monument of stones at the center of the east end of said claim; thence northerly 300 feet to a monument of stones being at the north east corner of said claim;

thence westerly 750 feet to a monument of stones being at the center of the north side line of said claim; thence westerly 750 feet to a monument of stones at the north west corner of said claim; thence south 300 feet to the place of beginning.

All done under the provisions of Chapter Six of Title XXXII of the Revised Statutes of the United States, and of an Act of the General Assembly of Arizona, entitled "An Act Concerning Mines", approved March 20th, 1895.

Dated and posted on the ground this 25 August, 1899.

J. N. Curtis.

Witness:

J. S. Andrews.

Filed and recorded request of A. Allande, Nov. 6, 1899 at
11 A. M.

W. N. Cummins,

County Recorder.

NOTICE OF LOCATION.

Quartz Claim

TO ALL WHOM IT MAY CONCERN:-

This mining claim, the name of which is the MINERAL NO. 6 mining claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purpose of exploration and purchase by J. N. Curtis, the undersigned on the 25 day of August, 1899.

The length of the claim is 1500 feet, and I claim 1350 feet in an easterly direction and 150 feet in a westerly direction, from the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with 300 feet in width of the surface grounds on each side of the center of said claim. The general course of the lode deposit and premises is from the East to the West.

This claim is situated and located in the Oro Blanco Mining District, in Santa Cruz County, in the Territory of Arizona, about 1200 feet in a north easterly direction from the Montana Mill and the Montana Camp settlement.

The surface boundaries of the claim are marked upon the ground as follows: Beginning at a monument of stones at a point in a westerly direction 150 feet from the discovery shaft, at which this notice is posted, being in the center of the west end line of said claim; thence southerly 300 feet to a monument of stones being the south west corner of said claim; thence easterly 750 feet to a monument of stones at the center of the south side line of said claim; thence easterly 750 feet to a monument of stones being at the south east corner of said claim; thence northerly 300 feet to a monument of stones at the center of the east end of

said claim; thence northerly 300 feet to a monument of stones being at the north east corner of said claim; thence westerly 750 feet to a monument of stones being at the center of the north side line of said claim; thence westerly 750 feet to a monument of stones at the north west corner of said claim; thence southerly 300 feet to the place of beginning.

All done under the provisions of Chapter Six of Title XXXII of the Revised Statutes of the United States and of an Act of the General Assembly of Arizona, entitled An Act Concerning Mines, approved March 20th, 1895.

Dated and posted on the ground this 25th day of August, 1899.

J. N. Curtis.

Witness:

J. S. Andrews.

Filed and recorded request of A. Allande, Nov. 6, 1899,
at 11 A. M.

W. N. Cummings,

County Recorder.

NOTICE OF LOCATION.

Quartz Claim

TO ALL WHOM IT MAY CONCERN:-

This mining claim, the name of which is the MINERAL NO. 7 mining claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purpose of exploration and purchase by J. M. Curtis, the undersigned on the 25th day of August, 1899.

The length of the claim is 1500 feet and I claim 100 feet in an easterly direction and 1400 feet in a westerly direction from the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with 300 feet in width of the surface grounds on eachside of the center of said claim. The general course of the lode deposit and premises is from the East to the West.

This claim is situated and located in the Oro Blanco Mining District in Santa Cruz County in the Territory of Arizona, about 1000 feet in a north westerly direction from the Montana Mill, adjoins and lays parallel to the Montana Dan Mine.

The surface boundaries of the claim are marked upon the ground as follows: Beginning at a monument of stones at a point in an easterly direction 100 feet from the discovery shaft, at which this notice is posted, being in the center of the east end lines of said claim; thence northerly 300 feet to a monument of stones being the north east corner of said claim; thence ^{westerly} 750 feet to a monument of stones at the center of the north side line of said claim; thence westerly 750 feet to a monument of stones at the north west corner of said claim; thence southerly 300 feet to a monument of stones at the center of the west end of said claim; thence souther

ly 300 feet to a monument of stones being at the south west corner of said claim; thence easterly 750 feet to a monument of stones being at the center of the south side line of said claim; thence northerly 300 feet to the place of beginning.

All done under the provisions of Chapter Six of Title XXXII of the Revised Statutes of the United States and of an Act of the General Assembly of Arizona, entitled An Act Concerning Mines, approved March 20, 1895.

Dated and posted on the ground this 25th day of August, 1899.

J. M. CURTIS.

Witness:

J. S. Andrews.

Filed and recorded request of A. Allande, Novbr. 6, 1899 at 11 A. M.


W. M. Cummings,

County Recorder.

Territory of Arizona,)
 County of Santa Cruz.) ss.

I, Phil Herold County Recorder in and for the County of Santa Cruz, Territory of Arizona, do hereby certify that the foregoing is a full, true and correct copy of location notices of the MINERAL NO. 5, MINERAL NO. 6 and MINERAL NO. 7 mining claims, situated in the Oro Blanco Mining District, Santa Cruz County, Arizona, as the same appear of record in my office in Book 1 of Mining Locations at pages 308-309-310-311-312 and 313.

IN WITNESS WHEREOF, I have hereunto set my hand and affixed my official seal this 3rd day of February, A. D. 1906.


County Recorder.

4-688.

U. S. SURVEYOR-GENERAL'S FINAL CERTIFICATE ON FIELD NOTES.

Department of the Interior,
OFFICE OF U. S. SURVEYOR-GENERAL,

Phoenix, Arizona,

June 25", 1906

I, U. S. Surveyor-General for District of Arizona

do hereby certify that the foregoing transcript of the Field Notes, return and approval of the survey of the mining claim of L. Zeckendorf, Known as the Philadelphia, Montana Dam, Montana Camp, Mineral No. 1, Mineral No. 2, Mineral No. 3, Mineral No. 4, Mineral No. 5, Mineral No. 6 Mineral No. 7 situate in Oro Blanco

Mining District, Santa Cruz County, Arizona.

in Section 4, 5, 32 & 33, Township No. 22 & 23 S., Range No. 11 E., and

designated as Survey No. 3203, has been correctly copied from the originals on file in

this office; that said Field Notes furnish such an accurate description of said mining claim as will, if incorporated into a patent, serve fully to identify the premises, and that such reference is made therein to natural objects or permanent monuments as will perpetuate and fix the locus thereof.

And I further certify that five hundred dollars' worth of labor has been expended or improvements made upon ^{or for each of} said mining claims by claimant or his grantors, and that said improvements consist of 17 tunnels, 6 cuts, 11 shafts, 1180 ft. of workings and wagon road, total value \$24609.00

and that no portion of said labor or improvements has been included in the estimate of expenditures upon any other claim.

I further certify that the plat thereof, filed in the U. S. Land Office at Phoenix, Arizona is correct and in conformity with the foregoing Field Notes.

Frank S. Ingalls

United States Surveyor-General for Arizona.

(4-687.)

Surveyor General's Certificate of Approval of Field Notes and Survey of Mining Claim.

Department of the Interior,

Office of U. S. Surveyor General,

Phoenix, Arizona,

June 25th 1906

I, U. S. Surveyor General for District of Arizona, do hereby certify that the foregoing and hereto attached Field Notes and Return of the Survey of the Mining Claim of L. Zeckendorf, known as the Philadelphia, Montana Dam, Montana Camp, Mineral No. 1, Mineral No. 2, Mineral No. 3, Mineral No. 4, Mineral No. 5, Mineral No. 6, Mineral No. 7, situate in Oro Blanco mining district, Santa Cruz County, Arizona, in Section 4, 5, 32 & 33 Township No. 22 & 23 S Range No. 11 E., designated as Survey No. 2306, executed by William B. Alexander, U. S. Deputy Mineral Surveyor, Feb. 27 - March 6, 1906, under my instructions dated Feb. 10, 1906, have been critically examined and the necessary corrections and explanations made, and the said Field Notes and Return, and the Survey they describe, are hereby approved. A true copy of the copy of the location certificate filed by the applicant for survey is included in the field notes.

Frank A. Sigall

U. S. Surveyor General for Arizona.

LARGE

FORMAT

