

M
S

0
2
2
8
9

*Copy Recd
Aug 27-06*

(4-683.)

Mineral Survey No. 2289

Lot No. _____

Arizona Land District.

FIELD NOTES

OF THE SURVEY OF THE MINING CLAIM OF

Rami Lalonde

KNOWN AS THE

Buster

Warren Mining District,

Cochise County, Arizona

Section Approx., Township 23 S., Range 24 E. G. & S. R. B. & M.

Surveyed under instructions dated July 25th, 1906,

by I. J. Stauber,

U. S. Deputy Mineral Surveyor.

Claim located See Location notice, 1

Survey commenced August 6th, 1906, 1

Survey completed August 6th, 1906, 1

o 6-180

Post office address of Claimant,
Rami Lalonde, Lowell, Arizona.

*See
edge
with
area*

BUSTER LODGE

Beginning at Cor. No. 1, the S. E. Cor. and situated at the intersection of line 3-4 Korpplode, Survey No. 1850 and line 3-4 Baltimore lode, Survey No. 2071, a pine post 4 ft. long, 4 in. sq., set 18 in. in the ground in a mound of stones and scribed 1-2289 B L, whence a pine post of same dimensions and scribed B P 1-2289 brs. N. $74^{\circ} 30' E.$, 56.6 ft., and a second pine post of same dimensions and scribing brs. N. $38^{\circ} 30' W.$, 50.0 ft., no bearing monuments available, and original location for S.E. Cor. which is identical with Cor. No. 4, Baltimore lode, Survey No. 2071, brs. S. $38^{\circ} 30' E.$, 78.1 ft. and U. S. M. M. No 4, Warren Mining District brs. S. $29^{\circ} 17' W.$, 4551.0 ft.

Thence N. $38^{\circ} 30' W.$

1162.4 along line 3-4 Baltimore lode, Survey No. 2071, to Cors. No. 2 and 3, respectively, of Pig Iron No. 3 lode, Survey No. 2121 and Baltimore lode, Survey No. 2071,

1234.4 same bearing, to Cor. No. 2, the S. W. Cor., identical with location, a pine post 4 ft. long, 4 in. sq., set 18 in. in the ground in a mound of stones and scribed 2-2289 B L, whence a pine post of same dimensions and scribed B P 2-2289 brs. S. $38^{\circ} 30' E.$, 50.0 ft., and a second pine post of same dimensions and scribing brs. N. $46^{\circ} 47' E.$, 25.0 ft., no bearing monuments available.

Thence N. $46^{\circ} 47' E.$

35.9 to original location for W.E.C.

73.9 same bearing, to Cor. No. 3, the N. W. Cor. identical with location and situated at the intersection of line 2-3 Pig Iron No. 3 lode, Survey No. 2121, and line 1-2 Bull Dog lode, Survey No. 2202, a pine post 4 ft. long, 4 in. sq., set 18 in. in the ground in a mound of stones and scribed 3-2289 B L, whence a pine post of same dimensions and scribed B. P. 3-2289 brs. S. $46^{\circ} 47' W.$, 25.0 ft. and a second pine post of same dimensions and scribing brs. S. $44^{\circ} 4' E.$, 50.0 ft., no bearing monuments available.

Feet	<p>and Cor. No. 2, Pig Iron No. 3 lode, Survey No. 2121, brs. S. 4° 49' W., 107.3 ft. and Cor. No. 3 of the same survey brs. N. 4° 49' E., 63.3 ft. and Cor. No. 2, Bull Dog lode, Survey No. 2202, brs. N. 44° 4' W., 123.8 ft.</p>
1119.8	<p style="text-align: center;">Thence S. 44° 4' E.</p> <p>along line 2-1 Bull Dog lode, Survey No. 2202, to Cor. No. 4, identical with Cor. No. 1 and the S. W. Cor., respectively, of Bull Dog lode, Survey No. 2202 and Easy Mark lode, unsurveyed, a pinepost 4 ft. long, 4 in. sq., set 18 in. in the ground in a mound of stones and scribed 4-2289 B L, whence a pine post of same dimensions and scribed B P 4-2289 brs. N. 44° 4' W., 50.0 ft. and a second pine post of same dimensions and scribing brs. S. 44° 29' E., 50.0 ft., no bearing monuments available</p> <p style="text-align: center;">Thence S. 44° 29' E.</p>
160.2	<p>to Cor. No. 5, the E. E. Cor., identical with location and with the N. W. Cor. of Sambo lode, unsurveyed, and situated on the south side line of Easy Mark lode, unsurveyed, a pine post 4 ft. long, 4 in. sq., set 18 in. in the ground in a mound of stones and scribed 5-2289 B L, whence a pine post of same dimensions and scribed B P 5-2289 brs. N. 44° 29' W., 50.0 ft., and a second pine post of same dimensions and scribing brs. S. 46° 47' W., 10.0 ft., no bearing monuments available.</p> <p style="text-align: center;">Thence S. 46° 47' W.</p>
40.0	<p>to original location for E.E.C.</p>
101.1	<p>same bearing, to Cor. No. 6, identical with Cor. No. 5, and the S. W. Cor. respectively, of Korpp lode, Survey No. 1850, and Sambo lode, unsurveyed, a pine post 4 ft. long, 4 in. sq., set 18 in. in the ground in a mound of stones and scribed 6-2289 B L, whence a pine post of same dimensions and scribed B P 6-2289 brs. N. 46° 47' E., 20.0 ft., and a second pine post of same dimensions and scribing brs. S. 74° 30' W., 50.0 ft., no bearing</p>

Feet

monuments available.

106.6

Thence S. 74° 30' W.
to Cor. No. 1, the place of beginning.

LEDGE

The presumed course of the vein on this claim is from the E.E.C. location N. 44° 7' W., 1280.0 ft.

AREAS

Total Area of Buster lode,	3.946 A. ✓
Less area in conflict with Pig Iron No. 3 lode, Survey No. 2121,	<u>0.061 A.</u> ✓
Net area of Buster lode,	3.885 A. ✓

IMPROVEMENTS

I hereby certify that the value of the labor and improvements on this claim placed thereon by the claimant or his grantors is as follows:

No. 1	Discovery cut, 4 x 10 x 20 ft. brg. S. 4° W., the mouth of which brs. from E.E.C. location, N. 44° 7' W., 510.0 ft.	Value, \$150.00
-------	---	-----------------

Note; Complete affidavit of \$500.00 improvements will be furnished prior to the expiration of the period of publication of the notice of application for patent.

ADJOINING CLAIMS

North	Bull Dog lode, Survey No. 2202, owned by Remi Lalonde; Easy Mark lode, unsurveyed, owned by C. T. Winwood, et al.
East	Korpp lode, Survey No. 1850, owned by John Korpp, and Sambo lode, unsurveyed, owned by C. T. Winwood.
South	Baltimore lode, Survey No. 2071, owned by James H. Bell.
West	Pig Iron No. 3 lode, Survey No. 2121, owned by John B. Anderson, et al.

LOCATION


This claim is located about 1 mile in a northeasterly direction from the City of Bisbee, on unsurveyed land in the Warren Mining District, Cochise County, Territory

of Arizona, approximately in Tp. 23 S., R. 24 E., G. & S.
R. B. & M.,

INSTRUMENT

This survey was made with a C. L. Berger and Sons
N. 1 C Transit; the courses were deflected from the
true meridian as determined by a Solar observation,
checked by an observation on Polaris; the distances
were measured with a 300-foot steel tape.

Magnetic variations, $12^{\circ} 50'$ E., at all corners.



U. S. Deputy Mineral Surveyor

Dated at Bisbee, Arizona,

August 14th, 1906.

Note: The tie lines of this survey may agree
with the tie lines of Surveys No. 2202 and 2121.

BUSTER LODE

situated in the Warren Mining District, Cochise County, Territory of Arizona, and owned by Remi Lalonde.

AFFIDAVIT OF \$500.00 IMPROVEMENTS

I hereby certify that the value of the labor and improvements on this claim placed thereon by the claimant or his grantor is not less than \$500.00 and that said improvements were placed on said claim before the first day of December, 1906, and prior to the expiration of the period of publication of the notice of application for patent. Said improvements are as follows:

- | | | |
|-------|---|------------------|
| No. 1 | Discovery cut, 4 x 10 x 20 ft. brg. S. 4° 0' W., the mouth of which brs. from E. E. C. location N. 44° 7' W., 510 ft. | Value, \$ 150.00 |
| No. 2 | Cut, 6 x 8 x 10 ft. with tunnel at face, 4 x 6 x 10 brg. S. 10° 0' W., the mouth of cut brs. from E. E. C. location N. 44° 7' W., 491.0 ft. | Value, \$ 200.00 |
| No. 3 | Cut, 13 x 10 x 10, brg. S. 8° 0' W., the mouth of which brs. from E.E.C. location, N. 44° 7' W., 470.0 ft. | Value, \$ 200.00 |

Total Improvements \$550⁰⁰

J. Stuber

U. S. Deputy Mineral Surveyor.

Dated Bisbee, Arizona,

December 12th, 1906.

Affidavit of Five Hundred Dollars Improvements.

We, Joseph Waters and Joseph Laduc

of lawful age, being first duly sworn according to law, depose and say: That we are acquainted with the

Buster mining claim, situate in Warren

mining district, Cochise County, Arizona Territory, for which

Remi Lalonde

has made application for survey prior to application for patent under the provisions of the Act of Congress

approved May 10, 1872; and that the labor done and improvements made thereon by the applicant and

his grantor exceed five hundred dollars in value, and further that we are not personally interested

in said mine.

Joseph Waters
Joseph Laduc

TERRITORY OF ARIZONA,
COUNTY OF Cochise } ss:

Sworn to and subscribed before me this 10th. day

[SEAL.]

of December. 1906

[Signature]

NOTARY PUBLIC

In and for the County of Cochise, Territory of Arizona.
My Commission Expires March 12, 1910.

(4-691.)

Certificate of U. S. Surveyor General

AS TO

EXPENDITURES REPORTED AFTER RETURN OF SURVEY OF MINING CLAIM.

I, U. S. Surveyor General for District of Arizona,
do hereby certify that Five Hundred Dollars' worth of labor has been expended or
improvements made by claimant or his grantors, upon the mining claim of
Reni Lalonde

known as the Buster,
situate in Warren mining district,
Cochise County, Arizona

in Section _____, Township No. _____, Range No. _____;
that said improvements consist of 3 cuts, at a total value of \$550.00

_____, and that no portion of said labor or improvements has been
included in the estimate of expenditures upon any other claim. A copy of the report of
I. J. Stauber, U. S. Deputy Mineral Surveyor, dated
December 12, 1906, is hereto attached.



U. S. Surveyor General for Arizona

Office of U. S. Surveyor General,

Phoenix, Arizona,

December 19, 1906

FINAL OATHS FOR SURVEYS.

LIST OF NAMES.

A list of the names of the individuals employed by I. J. Stauber

United States Deputy Mineral Surveyor, to assist in running, measuring, and marking the lines, corners, and boundaries described in the foregoing field notes of the survey of the mining claim of

Remi Lalonde

known as the Buster

and showing the respective capacities in which they acted.

D. E. Curry, *Chainman.*

H. E. Birkner, *Chainman.*

....., *Arman.*

....., *Flagman.*

FINAL OATHS OF ASSISTANTS.

We, D. E. Curry

and H. E. Birkner, do solemnly swear that we assisted

I. J. Stauber, United States Deputy Mineral Surveyor, in marking the corners and surveying the boundaries of the mining claim of

Remi Lalonde

known as the Buster

represented in the foregoing field notes as having been surveyed by said deputy mineral surveyor and under his direction; and that said survey has been in all respects, to the best of our knowledge and belief, faithfully and correctly executed, and the corner and boundary monuments established according to law and the instructions furnished by the United States Surveyor-General for Arizona

D. E. Curry, *Chainman.*

H. E. Birkner, *Chainman.*

....., *Arman.*

....., *Flagman.*

Subscribed and sworn to by the above-named persons before me this 14th

day of August, 1906.

Paul J. Pettee
NOTARY PUBLIC

and for the County of Cochise, Territory
My Commission Expires March 12, 1910

(4-686.)

FINAL OATH OF U. S. DEPUTY MINERAL SURVEYOR

I, I. J. Stauber, U. S. Deputy Mineral Surveyor, do solemnly swear that, in pursuance of instructions received from the United States Surveyor General for Arizona, dated July 12, 1906, I have, in strict conformity to the laws of the United States, the official regulations and instructions thereunder, and the instructions of said Surveyor General, faithfully and correctly executed the survey of the Mining Claim of Remi Lalonde, known as the Buster lode, situate in Warren Mining District, Cochise County, Arizona, in Section Approx. Township No. 25 S., Range No. 34 E., C. & S. R. E. & M. and designated as Survey No. 2289, as represented in the foregoing field notes, which accurately show the boundaries of said mining claim as distinctly marked by monuments on the ground, and described in the attached copy of the location certificate, which was received by me from the Surveyor General with said instructions, and that all the corners of said survey have been established and perpetuated in strict accordance with the law, official regulations and instructions thereunder; and I do further solemnly swear that the foregoing are the true and original field notes of said survey and my report therein, and that the labor expended and improvements made upon said mining claim by claimant or his grantors are as therein fully stated, and that the character, extent, location and itemized value thereof are specified therein with particularity and full detail, and that no portion of said labor or improvements so credited to this claim has been included in the estimate of expenditures upon any other claim.

I. J. Stauber
 U. S. Deputy Mineral Surveyor.

Subscribed and sworn to by the said I. J. Stauber,
 U. S. Deputy Mineral Surveyor, before me
Frank Pettee this 14th
 day of August, 1906.

Frank Pettee
 NOTARY PUBLIC

and for the County of Cochise, Territory of Arizona
 My Commission Expires March 12, 1910

Notice of Mining Location.

LODE CLAIM.

To All Whom It May Concern:

This Mining Claim, the name of which is the Buster Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purposes of exploration and purchase by

Rossi Galande
Citizen of the United States.

(Locator must insert either "a citizen of the United States," or, "who has declared his intention to become a citizen of the United States.")

the undersigned, on the 25 day of June 1906

The length of this claim is 1500 feet, and 1000 feet, in a Westerly direction and 500 feet in a Easterly direction from the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with 300 feet in width of the surface grounds, on each side of the center of said claim.

The general course of the lode deposit and premises is from the Easterly to the West

The claim is situated and located in the Warren Mining District, in Coconino County, in the Territory of Arizona, about one mile in a Northerly direction from Copper King Shaft

No. 1 of Bisbee, Arizona. This claim takes in the ground lying between the Baltimore and the Bull Dog mining claims.

The surface boundaries of the claim are marked upon the ground as follows: Beginning at

at a point in a Easterly direction 500 feet from the discovery shaft (at which this notice is posted), being in the center of the Easterly end line of said claim; thence 300 feet to a Stone Monument, being the Northeast corner of said claim; thence 1500 feet to a Stone Monument, being at the Northwest corner of said claim; thence 300 feet to a Stone Monument at the center of the Westerly end of said claim; thence 300 feet to a Stone Monument, being at the Southwest corner of said claim; thence 1500 feet to a Stone Monument at the Southeast corner of said claim; thence 300 feet to the place of beginning.

All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of the United States, and of an Act of the General Assembly of Arizona, entitled "An Act to Revise and Codify the the Laws of the Territory of Arizona," approved March 16, 1901.

Dated and posted on the ground this 25 day of June 1906

Rossi Galande

TERRITORY OF ARIZONA,

County of COCHISE } ss.

I, Frankston, County Recorder in and for the County

and Territory aforesaid, do hereby certify that the within instrument was filed for record at

o'clock, 9 M., on this 3 day of JULY 1903, and duly recorded

in Book No. 37 of MINING Records of COCHISE County,

Arizona, at pages 17

WITNESS my hand and official seal the day and year first above written.

Frankston
County Recorder.

COMPARED
No 3626

Notice of Location.

LODE CLAIM.

Dated 190

Filed and Recorded at request of
P. A. Gieseman

JUL 3 1903 A. D. 190


at 10 M.

Book 37 Records of Mines

Pages 17

Frankston
County Recorder.

By Deputy Recorder.



This diagram is to give locator a general idea of plan of location under the new law. The Discovery Shaft can be in the center of claim or any distance from either end desired. In the diagram it is placed 500 feet from one end and 1000 feet from the other. Commence description of claim at a center end monument, giving its distance and direction from center of Discovery Shaft; thence bound the claim in either direction. In description be careful to state locality of claim with reference to some natural object, or permanent monument, as will identify the claim.

4-688.

U. S. SURVEYOR-GENERAL'S FINAL CERTIFICATE ON FIELD NOTES.

Department of the Interior,
OFFICE OF U. S. SURVEYOR-GENERAL,

Phoenix, Arizona,

September 25, 1906.

I, U. S. Surveyor-General for District of Arizona
do hereby certify that the foregoing transcript of the Field Notes, return and approval of the survey
of the mining claim of
Remi Lalonde
known as the Buster
situate in Warren
Mining District, Cochise County, Arizona
in Section APPROX., Township No. 23 3., Range No. 24 E., and
designated as Survey No. 2289, has been correctly copied from the originals on file in
this office; that said Field Notes furnish such an accurate description of said mining claim as will, if
incorporated into a patent, serve fully to identify the premises, and that such reference is made therein
to natural objects or permanent monuments as will perpetuate and fix the locus thereof.

less than
And I further certify that five hundred dollars' worth of labor has been expended or improve-
ments made upon said mining claim by claimant or his grantors, and that said improvements
consist of at time of survey, 1 cut, valued at \$150.00

and that no portion of said labor or improvements has been included in the estimate of expenditures
upon any other claim.

I further certify that the plat thereof, filed in the U. S. Land Office at Phoenix,
Arizona is correct and in conformity with the foregoing Field Notes.

Frank S. Ingalls,

United States Surveyor-General for Arizona.

4-687.

SURVEYOR-GENERAL'S CERTIFICATE OF APPROVAL OF FIELD
NOTES AND SURVEY OF MINING CLAIM.

Department of the Interior,

Office of U. S. Surveyor-General,

Phoenix, Arizona,

September 25, 1906

I, U. S. Surveyor-General for District of Arizona

do hereby certify that the foregoing and hereto attached Field Notes and Return of the Survey of the
Mining Claim of Remi Lalonde

....., known as the

Buster

situate in Warren Mining District,

Cochise County, Arizona

in Section approx., Township No. 23 S., Range No. 24 E.

....., designated as Survey No. 2289

executed by I. J. Stauber, U. S. Deputy Mineral

Surveyor, August 6, 1906, under my instructions dated

July 12, 1906, have been critically examined and the necessary cor-

rections and explanations made, and the said Field Notes and Return, and the Survey they describe,

are hereby approved. A true copy of the copy of the location certificate filed by the applicant for

survey is included in the field notes.

Frank A. Ingalls

U. S. Surveyor-General for Arizona.

