

MS

0

2

3

1

3

Copy by,
W.S.I.-1/18/07.

DEC 22 1906
1
JAN 14 1907

4-683.

Mineral Survey No. 2313

Lot No.

Arizona Land District.

FIELD NOTES

OF THE SURVEY OF THE MINING CLAIM OF

W. H. BUTLER

KNOWN AS THE

Arizona, California and Monitor

Globe Mining District,

Gila County, Arizona

Sections 24 and 19, Township 1 N, Ranges 15 E and 16 E uns.

Surveyed under instructions dated September 13, 1906,

by *Robert R. Boyd*
U. S. Deputy Mineral Surveyor

Claim located See location notices, 1

Survey commenced December 14th, 1906

Survey completed December 16th, 1906

o 6-160

Address of Claimant,

Seth E. Hazzard, Atty.,

Bisbee, Arizona.

Handwritten notes:
- [unclear]
- [unclear]
- [unclear]

Handwritten notes:
- [unclear]
- [unclear]
- See letter
- [unclear]

SURVEY NO. 2313
ARIZONA LODE MINING CLAIM

Feet

- Beginning at Cor No. 1, the S. W. Cor, identical with location, with the S E cor of California Lode of this Survey, a pine post 4 in square, 4 ft long, set to bedrock in a mound of stones and scribed 1-2313-A L, whence an X-B R, ^{2 3/8} chiseled on an outcrop of Quartzite 2 ft square level with the surface of the ground, bears N 83° 28' W 36.76 ft. ^{2 3/8}
- An X-B R, ^{2 3/8} chiseled on a Ledge of Quartzite 2 ft high bears S 43° 52' E 15.5 ft, and the E 1/4 cor of Sec 24, T 1 N, R 15 E, G & S R B & M, bears S 30° 33' W 1006.0 ft.
- Thence N 0° 23' W
- 300.0 to the original location for the W. E. C, *situated on outcrop of ledge.*
- 591.8 same bearing, to cor No. 2, identical with location, with cor No. 4 of California Lode, this survey, a pine post 4 in square, 4 ft long, set 18 in. in the ground in a mound of stone and scribed 2-2313-A L, whence a Boulder of Diabase 2 ft square and 1 ft high, chiseled X-B R-2313, bears S 79° 45' W 28.53 ft. Black Peak bears N 13° 45' E, S E cor of Gem Shaft bears N 43° 12' W.
- Thence N 86° 06' E
- 59.64 to the intersection of line 6-7 Hog Eye Lode, Survey No. 1106, at N 45° 02' W 278.9 ft from cor No. 6,
- 585.04 same bearing to the intersection of line 5-6 Hog Eye Lode Survey No. 1109 at N 54° 32' E 401.3 ft from cor No. 6,
- 1500.0 same bearing to cor No. 3, identical with location, a pine post 4 in square, 4 ft long, set 18 in. in the ground in a mound of stones and scribed 3-2313-A L. Whence an Outcrop of Quartzite 2 x 3 ft x 6 in out of the ground bears S 82° 56' E 19.8 ft, *chiseled X-B R-2313* Outcrop of Quartzite 2 x 2 ft x 18 in. out of the ground chiseled X-B R-2313 bears N 4° 23' E 15.12 ft.
- Thence S 0° 23' E
- 202.9 to the intersection of line 1-2 Stonewall Lode Survey No. 1123, at N 75° 18' E 158.3 ft from Cor No. 1,
- 291.8 same bearing to the original location for E E C, *situated on outcrop of ledge.*
- 558.5 same bearing to the intersection of line 4-1 Stonewall Lode, Survey No. 1123, at S 26° 14' E 351.7 ft from cor No. 1.
- 570.0 same bearing to cor No. 4, identical with location, a pine post 4 in square, 4 ft long, set 18 in. in the ground in a mound of stones and scribed 4-2313-A L, Whence a Pillar of Quartzite 6 x 8 ft square and 8 ft high, chiseled X-B R-2313, bears N 86° 51' W 27.93 ft.
- Thence S 85° 16' W
- 1501.5 to cor No. 1, the place of the beginning.

LEDGE

The *general* course of the vein on this claim is from the E E C of location S 86° 06' W 1500.0 ft.

CALIFORNIA LODE MINING CLAIM.

- Beginning at cor No. 1, the S E cor, identical with location, with cor No. 1 Arizona Lode this survey, a pine post etc., *and scribed 1-2313-C.L. whence the* E 1/4 cor of Sec 24, T 1 N, R 15 E, G & S R B & M bears S 30° 33' W 1006.0 ft.
- Thence N 89° 49' W
- 514.4 to the intersection of the east line of Sec 24, T 1 N, R 15 E, G & S R B & M, at N 0° 12' W 867.9 ft from the E 1/4 cor and S 0° 12' E 1290.3 ft from the C.C. established by the Segregation Survey on the S E side line of Cuprite Lode, Survey No. 307.
- 636.2 same bearing to cor No. 1, Monitor Lode of this Survey.
- 1406.9 same bearing to the intersection of line 5-6 Centraylia

Feet

- Lode Survey No. 1108 at S 44° 10' W 19.0 ft from cor No. 6, which intersection is identical with the intersection of line 3-4 Monitor Lode, this survey, at N 46° 58' E 545.9 ft from cor No. 3.
- 1498.0 same bearing to cor No. 2, identical with location, a pine post 4 in square, 4 ft long, set 18 in. in the ground in a mound of stone and scribed 2-2313-C L, whence the Center of the Center Compartment of the Grey Shaft bears N 22° 05' W,
- Thence N 0° 23' W
- 156.2 to the intersection of line 6-7 Centraylia Lode Survey No. 1108 at N 36° 26' W 177.5 ft, from cor No. 6,
- 300.0 same bearing to the original location for W E C, *situated on* *outside of ledge.*
- 518.9 same bearing to the intersection of line 3-4, Grey Lode survey No. 307, at S 54° 15' W 580.0 ft from cor No. 3,
- 591.4 same bearing to cor No. 3, identical with location, a pine post 4 in square, 4 ft long, set 18 in. in the ground in a mound of stone and scribed 3-2313-C L, whence the Center of the Center Compartment of the Grey Shaft bears N 68° 44' W,
- An Outcrop of Quartzite 2 x 2 ft x 6 in high, chiseled X-B R-2313, bears N 30° 35' E 43.2 ft.
- Thence S 89° 48' E
- 100.6 to the intersection of line 3-4 Grey Lode Survey No. 307 at S 54° 15' W 456.6 ft from cor No. 3,
- 985.5 same bearing to the intersection of the *East* line of Sec 24, T 1 N, R 15 E, G & S R B & M, at N 0° 12' W 1459.9 ft from the E 1/4 cor. and S 0° 12' E 698.3 ft from the C C established by the Segregation Survey on the southeast side line of the Cuprite Lode Survey No. 307,
- 1498.0 same bearing to cor No. 4, identical with location, with cor No. 2, Arizona Lode of this survey, a pine post etc. scribed 4-2-2313-C L,
- Thence S 0° 23' E
- 291.8 to the original location for E E C, *situated on* *outside of ledge.*
- 591.8 same bearing to cor No. 1, the place of the beginning.

LEDGE

The *general* course of the vein on this claim is from the E E C of location S 89° 49' W 1498.0 ft.

MONITOR LODE MINING CLAIM

Beginning at cor No. 1, the S E cor, identical with location, situate on line 1-2 California Lode of this survey, a pine post 4 in square and 4 ft long, set 18 in. in the ground in a mound of stones and scribed 1-2313-M L, *whence.*

Belfrey on Globe Public School bears S 35° 38' W,
Needles bears S 77° 41' W,
The E 1/4 cor of Sec 24 T 1 N, R 15 E, G & S R B & M, bears S 8° 11' E, 877.1 ft.

Thence S 46° 58' W

- 1370.6 to cor No. 2, identical with location, a pine post 4 in square, 4 ft long, set 18 in. in the ground in a mound of stone and scribed 2-2313-M L, whence a Cropping of Quartzite 2 x 3 ft x 6 in out of the ground bears S 82° 45' E 15.0 ft, chiseled X-B R-2313, a Cropping of Quartzite 1 ft square, 6 in high, chiseled X-B R-2313- bears N 71° 40' W 15.5 ft,

Thence N 16° 35' W

- 295.0 to the original location for the S W E C, situated on top of a Ridge, *on* *outside of ledge.*
- 559.5 same bearing to the intersection of line 5-6 Centraylia Lode survey No. 1108, at S 44° 10' W 579.2 ft from cor No. 6

Feet

- 590.0 same bearing to cor No. 3, identical with location, a pine post 4 in square, 4 ft *long*, set 18 in. in the ground in a mound of stone and scribed 3-2313-M L, whence a Cropping of Quartzite 2 x 1 ft x 1 ft high bears S 79° 15' E 37.83 ft, chiseled X-B R- 2313,
- Thence N 46° 58' E
- 545.9 to the common intersections of lines 1-2 California Lode of this survey and 5-6 Centraylia Lode survey No. 1108, at S 44° 10' E 19.0 ft from cor No. 6, Centraylia Lode, *at N 89° 49' W 170.7 ft from from Cor No. 1. Monitor Lode*
- 1370.6 same bearing to cor No. 4, identical with location, a pine post 4 in square, 4 ft *long*, set 18 in. in the ground in a mound of stone and scribed 4-2313-M L, No bearing monuments available.
- Thence S 16° 35' E
- 295.0 to the original location for N E E C, situated on top of a Ridge, *on outcrop of ledge.*
- 590.0 same bearing to cor No. 1, the place of the beginning.

LEDGE

The *general* course of the vein on this claim is from the N E E C S 46° 58' W 1370.6 ft.

Note The following lines, as reported in the Official Surveys, are in error:

- Line 1-2 Stonewall Lode Survey No. 1123, N 74° 46' E,
- Line 4-1 Stonewall Lode Survey No. 1123, N 26° 31' W,
- Line 5-6 Hog Eye Lode, Survey No. 1106, S 54° 16' W,
- Line 6-7 Hog Eye Lode, Survey No. 1106, N 45° 11' W.

AREA

	acres	acres	acres
Total Area Arizona Lode		19.966 ✓	
<i>Less</i> Area in conflict with Stone-wall Lode Survey No. 1123	0.626 ✓		
<i>Less</i> Area in conflict with Hog Eye Lode, Survey No. 1106	1.267 ✓		
Total Area in conflict		1.893 ✓	
Net Area of Arizona Lode			18.073 ✓
Total Area of Monitor Lode		16.621 ✓	
<i>Less</i> Area in conflict with Cali- for nia Lode this survey	4.998 ✓		
<i>Less</i> Area in conflict with Centray- lia Lode Survey No. 1108	0.171 ✓		
Total Area in conflict		5.169 ✓	
Net Area of Monitor Lode			11.452 ✓
Total Area of California Lode		20.344 ✓	
<i>Less</i> Area in conflict with Grey Lode Survey No. 307	0.084 ✓		
<i>Less</i> Area in conflict with Cen- traylia Lode Survey No. 1108	0.202 ✓		
Total Area in conflict		0.286	
Net Area of California Lode			20.058 ✓
Net Area of Group.			49.583 acres

IMPROVEMENTS

I certify that the value of labor and improvements on this group, placed thereon by the claimant or his grantors, is not less than \$500.00 for each location, and said improvements consist of the following:

- is*
- No. 1 ARIZONA Shaft 5 x 7 x 25 ft., the N W cor of which bears from cor No. 1 N 40° 05' E 421.0 ft. From the bottom of this shaft, a drift runs

	in a westerly direction 20 ft and a slope 10 ft ^{high} runs due east 12 ft.	Value	\$450.00
No. 2	An Open Cut, running S 46° E 8.0 ft from the center of the south side of Shaft No. 1 to a Tunnel 4 x 6 x 16 ft long, extending S 45° E into the side of the mountain,	Value	140.00
No. 3	An Open Cut 5 x 12 x 12 ft Face, extending in an easterly direction, the center of the mouth of which bears from the W E C of location due east 60.0 ft.	Value	75.00
No. 4	Test Pit 6 ft deep, the center of which bears from cor No 1 N 62° 05' E 761.0 ft.	value	30.00
	Total Value of Improvements		<u>\$695.00</u>

CALIFORNIA

No. 1	Discovery Shaft 4 x 6 x 40 ft deep, the center of which bears from cor No. 1, N 56° 30' W 519.0 ft.	Value	400.00
No. 2	Inclined Shaft 4 x 6 x 45 ft deep, inclined 62 1/2° in a northerly direction, the S W cor of which bears from cor No 1 N 48° 45' W 405.0 ft.	Value	450.00
No. 3	Open Cut 4 x 12 x 12 ft and Tunnel 4 x 6 x 6 ft, extending in a N 15° W direction, the center of the mouth of which bears from cor No 1, N 21° 48' W 250.0 ft,	Value	100.00
No. 4	Trench 4 ft wide, 4 ft deep, 12 ft long, running due east and west, the center of east end bears N 58° 35' W 538.0 ft from cor No 1	Value	40.00
No. 5	Trench 4 ft wide, 6 ft deep, 20 ft long, running in an east and west direction, the center of the east end of which bears from cor No 1 N 61° W 590.0 ft.	Value	100.00
No. 6	Trench 4 ft wide, 4 ft deep, 20 ft long, running in an east and west direction, the center of the east end of which bears from cor No 1 N 64° 10' W 647.0 ft.	Value	75.00
No. 7	Pit 4 x 6 x 8 ft deep, the center of which bears from cor No. 1 N 69° 10' W 729.0 ft.	Value	60.00
No. 8	The center of the mouth of Open Cut bears S 74° 40' W 729.0 ft, thence S 1° 45' W 25.5 ft to the Portal of the Tunnel, 80.0 ft same bearing to Point at Junction of Drift in the tunnel, 103.0 ft same bearing to the Face. From point at Junction of Drifts S 89° W, 26.0 ft. to the center of Winze 4 x 6 x 15 ft deep. 29.0 ft to Breast. From same Point at Junction of Drifts S 81° E 135.7 ft. to Bend in the Drift, Thence S 88° 45' E 53.5 ft to Breast. Average size of Drift 4 ft x 6 ft cross section,	Value	2300.00
No. 9	Center of Mouth of Open Cut bears S 87° 50' W 786.0 ft from cor No 4, thence S 14° 30' E 28.0 ft to entrance of Tunnel, 178.0 ft same bearing Bend in Tunnel, thence S 2° E 60.0 ft to a point at Junction of the Drift, 73.0 ft same bearing to Face. Point at the junction of Drift S 84° 30' E 117.0 ft to Breast. S 81° W 38.0 ft, entrance to Slope 10 ft high, 53.0 ft to Breast.	Value	2800.00
	Total Value Improvements on California		<u>\$6325.00</u>

172
 60
 73
 311.25

335.7
 53.5
 189.2

Feet

590.0 same bearing to cor No. 3, identical with location, a pine post 4 in square, 4 ft long, set 18 in. in the ground in a mound of stone and scribed 3-2313-M L, whence a Cropping of Quartzite 2 x 1 ft x 1 ft high bears S 79° 15' E 37.83 ft, chiseled X-B R- 2313,

Thence N 46° 58' E

545.9 to the common intersections of lines 1-2 California Lode of this survey and 5-6 Centraylia Lode survey No. 1108, at S 44° 10' E 19.0 ft from cor No. 6, Centraylia Lode, ^{and at N 89° 49' W 170.7 ft from from Cor No. 1 Monitor Lode}

1370.6 same bearing to cor No. 4, identical with location, a pine post 4 in square, 4 ft long, set 18 in. in the ground in a mound of stone and scribed 4-2313-M L, No bearing monuments available.

Thence S 16° 35' E

295.0 to the original location for N E E C, situated on top of a Ridge, ^{on outcrop of ledge.}

590.0 same bearing to cor No. 1, the place of the beginning.

LEDGE

The *general* course of the vein on this claim is from the N E E C S 46° 58' W 1370.6 ft.

Note The following lines, as reported in the Official Surveys, are in error:
 Line 1-2 Stonewall Lode Survey No. 1123, N 74° 46' E,
 Line 4-1 Stonewall Lode Survey No. 1123, N 26° 31' W,
 Line 5-6 Hog Eye Lode, Survey No. 1106, S 54° 16' W,
 Line 6-7 Hog Eye Lode, Survey No. 1106, N 45° 11' W.

AREA

	acres	acres	acres
Total Area Arizona Lode		19.966 ✓	
<i>Less</i> Area in conflict with Stone-wall Lode Survey No. 1123	0.626 ✓		
<i>Less</i> Area in conflict with Hog Eye Lode, Survey No. 1106	1.267 ✓		
Total Area in conflict		1.893 ✓	
Net Area of Arizona Lode			18.073 ✓
Total Area of Monitor Lode		16.621 ✓	
<i>Less</i> Area in conflict with California Lode this survey	4.998 ✓		
<i>Less</i> Area in conflict with Centraylia Lode Survey No. 1108	0.171 ✓		
Total Area in conflict		5.169 ✓	
Net Area of Monitor Lode			11.452 ✓
Total Area of California Lode		20.344 ✓	
<i>Less</i> Area in conflict with Grey Lode Survey No. 307	0.084 ✓		
<i>Less</i> Area in conflict with Centraylia Lode Survey No. 1108	0.202 ✓		
Total Area in conflict		0.286	
Net Area of California Lode			20.058 ✓
Net Area of Group.			49.583 acres

IMPROVEMENTS

I certify that the value of labor and improvements on this group, placed thereon by the claimant or his grantors, is not less than \$500.00 for each location, and said improvements consist of the following:

ARIZONA

No. 1 ^{is} Shaft 5 x 7 x 25 ft., the N W cor of which bears from cor No. 1 N 40° 05' E 421.0 ft. From the bottom of this shaft, a drift runs

MONITOR

No. 1	Discovery Shaft 5 x 7 x 11 ft deep, the center of which bears from Cor No. 1 S 72° 30' W 657.0 ft	Value	\$100 00
No. 2	Shaft 4 x 6 x 18 ft deep Vertical, with an incline 4 x 6 x 32 ft in a N 10° W direction and 45° from vertical, <i>N.E. Cor of which is from Cor No. 1. 272° 30' W 565.0 ft.</i>	Value	500 00
No. 3	Open Cut 4 x 14 x 10 ft face leading to a Tunnel 4 x 6 x 83 ft long; running in a S 15° E direction, center of the mouth of open cut bears from cor No. 1 S 86° 32' W 655.0 ft.	Value	500 00
Total value of improvements on Monitor Lode			<u>\$1100 00</u>

LOCATION

These Claims are located in Sec. 24 T 1 N, R 15 E, and Sec 13 T 1 N, R 16 E unsurveyed, G & S R B & M, in the Globe Mining District, Gila County, Arizona, about two and one half miles in a northeasterly direction from the business section of the town of Globe.

ADJOINING CLAIMS

N Grey, Survey No 307, South Grey unsurveyed, Belmont unsurveyed, Hog Eye Survey No 1106, United Globe Mines owner and Upper Noth, *unsurveyed* owned by applicant herein,

E Stonewall Lode, Survey No 1123, United Globe Mines owner,

S West Stonewall, unsurveyed, United Globe Mines owner, Nevada Lode unsurveyed, Anoka Lode unsurveyed, Globe Consolidated Copper Company owner, Dime Lode, unsurveyed, United Globe Mines owner,

W Lady Elgin Lode unsurveyed, Centraylia Lode Survey No 1108, South Grey Lode unsurveyed and Grey Lode Survey No 307, United Globe Mines owner.

INSTRUMENT

This Survey was made with a C. L. Berger & Sons No. 5194 Complete Mining Transit. The courses were deflected from the true meridian, as determined by direct Solar observation, checked by an observation on Polaris. Distances were measured with a 300 ft steel tape. Magnetic variation 13° 45' E at all corners.

Robert R. Boyd
U. S. Deputy Mineral Surveyor

Dated 18th December, 1906,
Globe, Arizona.

27 32 2
33
37
2

FINAL OATHS FOR SURVEYS.

LIST OF NAMES.

A list of the names of the individuals employed by Robert R. Boyd

United States Deputy Mineral Surveyor, to assist in running, measuring, and marking the lines, corners, and boundaries described in the foregoing field notes of the survey of the mining claim of

W. H. Butler

known as the Arizona, California and Monitor

and showing the respective capacities in which they acted.

E. E. Barker, Chainman.

K. H. Pearson, Chainman.

....., Axman.

....., Flagman.

FINAL OATHS OF ASSISTANTS.

We, E. E. Barker

and K. H. Pearson, do solemnly swear that we assisted

Robert R. Boyd, United States Deputy Mineral Surveyor, in marking the corners and surveying the boundaries of the mining claim of

W. H. Butler

known as the Arizona, California and Monitor

represented in the foregoing field notes as having been surveyed by said deputy mineral surveyor and under his

direction; and that said survey has been in all respects, to the best of our knowledge and belief, faithfully and

correctly executed, and the corner and boundary monuments established according to law and the instructions

furnished by the United States Surveyor-General for Arizona

E. E. Barker, Chainman.

K. H. Pearson, Chainman.

....., Axman.

....., Flagman.

Subscribed and sworn to by the above-named persons before me this 18th

day of December, 1906

G. F. Hodge

Notary Public in and for the
County of Gila, Territory of
Arizona.

My commission expires January 13, 1910.



(4-686.)

FINAL OATH OF U. S. DEPUTY MINERAL SURVEYOR

I, Robert R Boyd, U. S. Deputy Mineral Surveyor, do solemnly swear that, in pursuance of instructions received from the United States Surveyor General for Arizona, dated Sept 13, 1906, I have, in strict conformity to the laws of the United States, the official regulations and instructions thereunder, and the instructions of said Surveyor General, faithfully and correctly executed the survey of the Mining Claim of W. H. Butler, known as the Arizona, California Monitor, situate in Globe Mining District, Gila County, Arizona, in Section 24 & 19, Township No. 1 N, Range No. 15 & 16 E Ures, and designated as Survey No. 2313, as represented in the foregoing field notes, which accurately show the boundaries of said mining claim as distinctly marked by monuments on the ground, and described in the attached copy of the location certificate, which was received by me from the Surveyor General with said instructions, and that all the corners of said survey have been established and perpetuated in strict accordance with the law, official regulations and instructions thereunder; and I do further solemnly swear that the foregoing are the true and original field notes of said survey and my report therein, and that the labor expended and improvements made upon said mining claim by claimant or his grantors are as therein fully stated, and that the character, extent, location and itemized value thereof are specified therein with particularity and full detail, and that no portion of said labor or improvements so credited to this claim has been included in the estimate of expenditures upon any other claim.

Robert R. Boyd
U. S. Deputy Mineral Surveyor.

Subscribed and sworn to by the said Robert R. Boyd,
U. S. Deputy Mineral Surveyor, before me A. F. Dodge
Notary Public this 18th
day of December, 1906.

A. F. Dodge,
Notary Public in and
for the county of Gila,
Territory of Arizona.

My commission expires January 13, 1910.



Affidavit of Five Hundred Dollars Improvements.

We, E. E. Barker, and K. H. Pearson

of lawful age, being first duly sworn according to law, depose and say: That we are acquainted with the Arizona, California and Monitor mining claim, situate in Globe Mining district, Gila County, Arizona Territory, for which W. H. Butler

has made application for survey prior to application for patent under the provisions of the act of Congress, approved May 10, 1872; and that the labor done and improvements made thereon by the applicant and his grantors exceed Five Hundred Dollars in value, and further that we are not personally interested in said mine.

E. E. Barker
K. H. Pearson

TERRITORY OF ARIZONA,
County of Gila ss:



Sworn to and subscribed before me, this 18th day of December, 1906

G. F. Dodge

Notary Public, in and for the County of Gila, Territory of Arizona. My commission expires January 13, 1910.

POOR QUALITY

The following pages are scanned at the best possible quality setting. The original pages are of poor quality and this is the best possible reproduction.

Notice of Mining Location

LODE CLAIM

To All Whom It May Concern:

This Mining Claim, the name of which is the California Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purpose of exploration and purchase by W. H. Butler

(Locator must insert either "a citizen of the United States," or, "who has declared his intention to become a citizen of the United States.")

the undersigned, on the 26th day of July, 1906

The length of this claim is Fifty-two Hundred (5200) feet, and 1 claim Three Hundred (300) feet,

in a East direction and South direction from the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with Three Hundred (300) feet in width of the surface grounds, on each side of the center of said claim. The general course of the lode deposit and premises is from the East to the West

The claim is situated and located in the Phoenix Mining District, in Maricopa County, in the Territory of Arizona, about 1500 feet in a South direction from the Discovery Shaft

The surface boundaries of the claim are marked upon the ground as follows: Beginning at

A monument of stones at a point in a East direction 300 feet from the discovery shaft (at which this notice is posted,) being in the center of the East end line of said claim; thence South 300 feet to a monument of stones, being the South East corner of said claim; thence West 1500 feet to a monument of stones, being at the South West corner of said claim; thence North 300 feet to a monument of stones at the center of the West end of said claim; thence North 300 feet to a monument of stones, being at the North West corner of said claim; thence East 1500 feet to a monument of stones at the North East corner of said claim; thence South 300 feet to the place of beginning.

All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of the United States, and of an Act of the General Assembly of Arizona, entitled "An Act to Revise and Codify the Laws of the Territory of Arizona," approved March 16, 1901.

This is an Amended Location Notice of the California Mining Claim, located by C. Doyle on the 12 day of January 1890, and recorded in Book 3 of Records of Mines, at page 106, in the office of the County Recorder of the aforesaid County of Maricopa to which reference is hereby made, and this amended Location Notice is made and posted to correct errors in the description in the said original Location Notice.

Dated and posted on the ground this 26th day of July, 1906

W. D. Fisk

Filed and recorded at the request of E. W. Armstrong on the 9 day of August A. D. 1906, at 10 o'clock A. M.
W. D. Fisk, County Recorder.
by Richard Fleming, Deputy Recorder.

TERRITORY OF ARIZONA, }
COUNTY OF GILA. } SS

I, W. D. FISK, County Recorder in and for the County of Gila, Territory of Arizona, do hereby certify that the above and foregoing contain and constitute a full, true and correct copy of.....Location Notice of.....
.CALIFORNIA mining claim.....

as the same appears of record in my office in Book....12..Records of Mines.....
at page.....182.....; that I have compared the same with the original record, and that the same is a true transcript and of the whole thereof.

Given under my hand and seal of office this....9th.....day of
.....August....., A. D. 1906..

W. D. Fisk
County Recorder, Gila County, A. T.
Richard Fleming
Deputy Recorder

Notice of Mining Location

LODE CLAIM

To All Whom It May Concern:

This Mining Claim, the name of which is the Monitor
Mining Claim, situate on lands belonging to the United States of America, and in which there
are valuable mineral deposits, was entered upon and located for the purpose of exploration and
purchase by W. H. Butler, a citizen of the United
States

(Locator must insert either "a citizen of the United States," or, "who has declared his intention to become a citizen of the United States.")

the undersigned, on the 26th day of July, 1906

The length of this claim is Eighteen hundred (1500) feet,
and 1 claim Seven hundred and seventy (770) feet,
in a North easterly direction and Seven hundred
and thirty (730) feet in a South westerly direction from
the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together
with Seven hundred (700) feet in width of the surface grounds, on each
side of the center of said claim. The general course of the lode deposit and premises is from the
North East to the South West

The claim is situated and located in the Shobe Mining District, in
Gila County, in the Territory of Arizona, about 1000 feet
in a South easterly direction from the top shaft of
the United State Mines

The surface boundaries of the claim are marked upon the ground as follows: Beginning at

a monument of stones
at a point in a North easterly direction 270 feet from
the discovery shaft (at which this notice is posted,) being in the center of the North east
end line of said claim; thence South East feet to a monument
of stones, being the South East corner of said claim; thence
South West 1500 feet to a monument of stones, being at the
South West corner of said claim; thence South West feet
to a monument of stones at the center of the South West end of said claim;
thence North West 300 feet to a monument of stones being at the
North West corner of said claim; thence North easterly
feet to a monument of stones at the North East corner of said claim;
thence South easterly 300 feet to the place of beginning.

All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of
the United States, and of an Act of the General Assembly of Arizona, entitled "An Act to Revise
and Codify the Laws of the Territory of Arizona," approved March 16, 1901.

This is an Amended Location Notice of the Monitor
Mining Claim, located by Wm M. Williams
on the 1st day of
January 1893, and recorded in Book H of Records of Mines, at
page 19, in the office of the County Recorder of the aforesaid County of Gila
to which reference is hereby made, and this amended Location Notice is made and posted to
correct errors in the description in the said original Location Notice.

Dated and posted on the ground this 26th day of July, 1906

W. H. Butler

Filed and recorded at the request of E. W. Armstrong on the 9 day
of August A. D. 1906, at 10 o'clock A. M.

W. D. Fisk, County Recorder
by Richard Fleming, Deputy Recorder.

TERRITORY OF ARIZONA, }
COUNTY OF GILA. } ss

I, W. D. FISK, County Recorder in and for the County of Gila, Territory of Arizona, do hereby certify that the above and foregoing contain and constitute a full, true and correct copy of.... Location notice of.....
MONITOR mining claim

as the same appears of record in my office in Book... 12. Records. of. Mines.....
at page... 185.....; that I have compared the same with the original record, and that the same is a true transcript and of the whole thereof.

Given under my hand and seal of office this..... 9..... day of

August

6
....., A. D. 190.....

W. D. Fisk
.....
County Recorder, Gila County, A. T.
Richard Fleming
Deputy Recorder

AMENDED

Notice of Mining Location

12

LODE CLAIM

To All Whom It May Concern:

This Mining Claim, the name of which is the Original Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purpose of exploration and purchase by W. H. Butler

a citizen of the United States
(Locator must insert either "a citizen of the United States," or, "who has declared his intention to become a citizen of the United States.")

the undersigned, on the 26th day of July 1906

The length of this claim is Fifteen Hundred (1500) feet, and 1 claim Two Hundred and Eighty (280) feet,

in a Westerly direction and Two Hundred and Twenty (220) feet in an Easterly direction from

the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with Three Hundred feet in width of the surface grounds, on each side of the center of said claim. The general course of the lode deposit and premises is from the East to the West.

The claim is situated and located in the Globe Mining District, in Gila County, in the Territory of Arizona, about 2100 feet

in an Easterly direction from the "big" shaft of the United Globe Mines

The surface boundaries of the claim are marked upon the ground as follows: Beginning at

a monument of stones at a point in a Westerly direction 280 feet from

the discovery shaft (at which this notice is posted,) being in the center of the West end line of said claim; thence Westerly 300 feet to a monument of stones

, being the North West corner of said claim; thence Easterly 170 feet to a monument of stones, being at the North East corner of said claim; thence Southly 300 feet

to a monument of stones at the center of the East end of said claim; thence Southly 300 feet to a monument of stones, being at the South East corner of said claim; thence Westerly 1500

feet to a monument of stones at the South West corner of said claim; thence Westerly 1300 feet to the place of beginning.

All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of the United States, and of an Act of the General Assembly of Arizona, entitled "An Act to Revise and Codify the Laws of the Territory of Arizona," approved March 16, 1901.

This is an Amended Location Notice of the Original Mining Claim, located by W. H. Butler

on the 13 day of January 1890, and recorded in Book 3 of Records of Mines, at page 107, in the office of the County Recorder of the aforesaid County of Gila

to which reference is hereby made, and this amended Location Notice is made and posted to correct errors in the description in the said original Location Notice.

Dated and posted on the ground this 26th day of July 1906

W. H. Butler

Filed and recorded at the request of E. W. Armstrong on the 9 day of August A. D. 1906, at 10 o'clock A. M.

W. D. Fisk, County Recorder
by Richard Fleming, Deputy Recorder.

TERRITORY OF ARIZONA, }
COUNTY OF GILA. } SS

I, W. D. FISK, County Recorder in and for the County of Gila, Territory of Arizona, do hereby certify that the above and foregoing contain and constitute a full, true and correct copy of ... Location Notice of

..... ARIZONA mining claim

as the same appears of record in my office in Book *12 Records of Mines*

at page *183*.....; that I have compared the same with the original record, and that the same is a true transcript and of the whole thereof.

Given under my hand and seal of office this *9* day of

..... *August*, A. D. 190*6*.

W. D. Fisk

By Richard Fleming
County Recorder, Gila County, A. T.
Deputy Record

4-688.

U. S. SURVEYOR-GENERAL'S FINAL CERTIFICATE ON FIELD NOTES.

Department of the Interior,

OFFICE OF U. S. SURVEYOR-GENERAL,

Phoenix, Arizona,

February 19, 1907

I, U. S. Surveyor-General for District of Arizona do hereby certify that the foregoing transcript of the Field Notes, return and approval of the survey of the mining claim of W. H. Butler

known as the Arizona, California, Monitor

situate in Globe

Mining District, Gila County, Arizona

in Section 24/19, Township No. 1 N., Range No. 15 E./16 E. unsubs, and

designated as Survey No. 2513, has been correctly copied from the originals on file in this office; that said Field Notes furnish such an accurate description of said mining claim as will, if incorporated into a patent, serve fully to identify the premises, and that such reference is made therein to natural objects or permanent monuments as will perpetuate and fix the locus thereof.

And I further certify that five hundred dollars' worth of labor has been expended or improvements made upon each of said mining claim by claimant or his grantors, and that said improvements consist of Arizona, 1 shaft, 1 tunnel, 2 cuts, 1 drift, 1 stope and 1 test pit, valued at \$695.00; California, 2 shaft, 3 cuts, 3 trenches, 3 tunnels, 4 drifts, 1 pit, 1 winze and 1 stope, valued at \$6325.00; Monitor, 2 shafts, 1 cut and 1 tunnel, valued at \$1100.00, total value of improvements \$8120.00

and that no portion of said labor or improvements has been included in the estimate of expenditures upon any other claim.

I further certify that the plat thereof, filed in the U. S. Land Office at Phoenix, Arizona is correct and in conformity with the foregoing Field Notes.

Frank S. Ingalls,

United States Surveyor-General for Arizona.

4-687.

SURVEYOR-GENERAL'S CERTIFICATE OF APPROVAL OF FIELD NOTES AND SURVEY OF MINING CLAIM.

Department of the Interior,

Office of U. S. Surveyor-General,

Phoenix, Arizona,

February 19, 1907

I, U. S. Surveyor-General for District of Arizona

do hereby certify that the foregoing and hereto attached Field Notes and Return of the Survey of the Mining Claim of W. H. Butler

known as the Arizona, California, Monitor

situate in Globe Mining District, Gila County, Arizona

in Section 24/19, Township No. 1 N., Range No. 15 E. / 16 E. unsur., designated as Survey No. 2313

executed by Robert R. Boyd, U. S. Deputy Mineral Surveyor, December 14-16, 1906, under my instructions dated

September 13, 1906, have been critically examined and the necessary corrections and explanations made, and the said Field Notes and Return, and the Survey they describe, are hereby approved. A true copy of the copy of the location certificate filed by the applicant for survey is included in the field notes.

Frank S. Ingalls

U. S. Surveyor-General for Arizona

MAR