

MS

0

2

3

3

8

1
1913-1906
0761-0759

Copied Oct. 13
C. A. S.

(4-683.)

Mineral Survey No. 2338

Lot No. _____

Arizona Land District.

FIELD NOTES

OF THE SURVEY OF THE MINING CLAIM OF

Arizona Price Mining Company

KNOWN AS THE
Weaver Mill Tail
Stalder
Weaver
Weaver
Chief
Vanderbuilt
Canyon
and Spot Cash
Mining District,

Yuma County, Arizona

Section Unsurveyed, Township 3 N, Range 21 W

Surveyed under instructions dated August 30th, 1906,
by William H. Elliott,
U. S. Deputy Mineral Surveyor.

Claim located see location notes, 1

Survey commenced September 15th, 1906

Survey completed September 20th, 1906

o 6-180

Address of claimants' Attorney,

John D. Pope,

Rooms 526-531 Stinson Block,

Los Angeles, Cal.

Survey 2338.

Feet

Golden Giant Lode.

- Beginning at Cor. No. 1, a schist stone, 24x14x9 ins. set 12 ins. in ground chiseled 2338 G. G. 1, with mound of stone 3 ft. base 3 ft. high alongside, from which U.S.L.M. No. 2338 bears N. 62° 58' W. 3863.8 ft.
- No other bearings available..
- Thence N. 12° 21' E .
750. To westerly side centre, a mound of stone, 3 ft. base and 3 ft. high.
962. Wash 40 ft. wide. Course N. 50° W.
1500. To Cor. No. 2. a schist stone 24 X 12 X 8 ins. set 14 ins. in ground chiseled 2338 G. G. 2 with mound of stone 3 ft. base and 3 ft. high, alongside. No bearings available.
- Thence S. 77° 39' E.
300. To northerly end centre, a mound of stone 3 ft. base and 3 ft. high.
- 476.7 To Cor. No. 3, a diorite stone , 24X10X5 ins. set 14 ins. in ground chiseled, ²³³⁸ G. G. 3, with mound of stone 3 ft. base and 3 ft. high alongside. No bearings available.
- Thence S. 12° 21' W.
750. To easterly side centre, a mound of stone, 3 ft. base and 3 ft. high.
1500. To Cor. No. 4. a schist stone 30X12X5 ins. set 14 ins. in ground chiseled, ²³³⁸ G. G. 4. with mound of stone 3 ft. base and 3 ft. high alongside. No bearings available.
- Thence N. 77° 39' W.
- 176.7 To southerly end centre, a mound of stone 3 ft. base and 3 ft. high.
- 476.7 To Cor. No. 1 the place of beginning.
- Variation at all Corners 14° 35' E.
- All Cors. identical with Cors. of location.

Vanderbuilt Lode.

Beginning at Cor. No. 1, a diorite stone 24 X 14 X 10 ins. set 12 ins. in ground chiseled 2338 V.L. with mound of stone 3 ft. base and 3 ft. high alongside.

U.S.L.M. 2338 bears N. 65° 16' W. 3856.2 ft. No other bearings available.

Thence S. 77° 39' E.

24 southerly end centre Sultan Lode, this survey.

- Feet.
- 302.4 Northerly end centre, identical with Cor. No. 4, Sultan Lode, this survey.
- 604.8 Cor. No. 2, a schist stone 24 X 11 X 5 ins, set 12 ins. in ground, chiseled 2338 V. 2, with mound of stone 3 ft. base and 3 ft. high alongside. No bearings available. Thence S. 5° 04' W.
750. Easterly side centre, a mound of stone 3 ft. base and 3 ft. high.
1500. Cor. No. 3, a schist stone 30 X 12 X 10 ins. set 16 ins. in ground chiseled 2338 V. 3 with mound of stone 3 ft. base and 3 ft. high alongside. No bearings available. Thence N. 77° 39' W.
- 302.4 Southerly end centre, a mound of stone 3 ft. base and 3 ft. high.
- 604.8 Cor. No. 4, a Syenite stone 24 X 10 X 8 ins. set 12 ins. in ground with mound of stone 3 ft. base and 3 ft. high, alongside. No bearings available. Thence N. 5° 04' E.
750. Westerly ^{side} ~~end~~ centre, a mound of stone, 3 ft. base and 3 ft. high.
1500. to Cor. No. 1, the place of beginning.
All corners identical with Cors. of location.
Variation at all Corners 14° 35' East.
-
- Sultan Lode.
- Beginning at Cor. No. 1 identical with Cor. No. 4, Golden Giant Lode, this survey, the east side of stone chiseled ²³³⁸ S. I. From which U.S.L.M. No. 2338 bears N. 64° 49' W. ^{37269ft}
- Thence N. 12° 21' E.
750. Easterly ^{side} ~~end~~ centre, identical with westerly ^{side} ~~end~~ centre Golden Giant Lode, this survey.
1500. Cor. No. 2, identical with Cor. No. 3, Golden Giant Lode this survey, the east side of stone chiseled ²³³⁸ S. 2. Thence S. 77° 39' E.
135. Northerly end centre, a mound of stone 3 ft. base and 3 ft. high.

Feet.
435. Cor. No. 3, a syenite stone 24 X 12 X 8 ins. set 14 ins. in ground chiseled 2338 S.3, with mound of stone 3 ft. base and 3 ft. high, alongside. No bearings available. Thence S. 12°21' W.

750. Easterly side centre, a mound of stone 3 ft. base and 3 ft. high.

1500. Cor. No. 4, a schist stone 24 X 12 X 8 ins. set 12 ins. in ground chiseled 2338 S. 4, with mound of stone 3 ft. base and 3 ft. high alongside. No bearings available. Thence N. 77°39' W.

300. Southerly end centre, a mound of stone 3 ft. base and 3 ft. high.

435. Cor. No. 1, the place of beginning.
All Corners identical with Cors. of location.
Variation at all Corners 14°35' East.

Canyon Lode.

Beginning at Cor. No. 1, a slate stone 26 X 12 X 8 ins. set 14 ins. in ground chiseled 2338 C.1, with mound of stone, 3 ft. base and 3 ft. high, alongside.
U.S.L.M. No. 2338, bears S. 23° W. 2313.8 ft.
No other bearings available.
Thence N. 12°21' E.

225. Wash 12.5 ft. wide, course ^{the survey} *intersect line 1-4 Weaver lode at N. 74° 51' W. 544.7 ft. from cor. 4*
264.7
451.9 End centre, a mound of stone, 3 ft. base and 3 ft. high.

923.8 Cor. No. 2, a diorite stone 24 X 12 X 8 ins. set 12 ins. in ground chiseled 2338 C.2.
No bearings available.
Thence S. 28°02' E.

750. Side centre, a mound of stone, 3 ft. base and 3 ft. high.
841.1 *intersect line 3-4 Weaver lode at N. 15° 09' E. 46.2 ft. from cor. 4*
1500. Cor. No. 3, a slate stone 26 X 8 X 6 ins. set 14 ins. in ground, chiseled 2332 C.3 with mound of stone 3 ft. base and 3 ft. high, alongside. Cor. No. 2, Golden Giant Lode, this survey, bears N. 12°21' E. 122.9 ft.
No other bearings available.
Thence S. 12°21' W.

375. Wash 40 ft. wide, course N. ^{05°} ~~35°~~ W.

| | |
|----------------|--|
| Feet. 461.9 | End centre, a mound of stone 3 ft. base and 3 ft. high. |
| 627.1 | Side centre of Golden Giant Lode, this survey. |
| 923.8 | Cor. No. 4, a slate stone 28 X 11 X 7 ins. set 16 ins. in ground, chiseled 2338 C.4, with mound of stone 3 ft. base and 3 ft. high alongside. Cor. No. 1, Golden Giant Lode, this survey, bears S. 12° 21' W. 453.3 ft. No other bearings available. Thence N. 28° 09' W. |
| 750. | Side centre, a mound of stone 3 ft. base and 3 ft. high. |
| 1500. | Cor. No. 1, the place of beginning. All Cors. identical with Cors. of location. Variation at all Cors. 14° 35' East. |
| ----- | |
| Weaver Lode. | |
| | Beginning at Cor. No. 1, a syenite stone 24 X 14 X 8 ins. set 12 ins. in ground chiseled 2338 W.1, with mound of stone 3 ft. base and 3 ft. high alongside from which U.S.L.M. No. 2338, bears S. 76° 26' W. 2365.8 ft. A Palo Verde tree 14 ins. in diameter scribed 2338 W.1, B.T. bears S. 71° E. 78.8 ft. Thence N. 15° 09' E. |
| 105. | Leave wash. |
| 750. | Side centre, a mound of stone, 3 ft. base and 3 ft. high. |
| 1050. | Wash, 350 ft. wide, course W. |
| 1500. | Cor. No. 2, a syenite stone 24 X 12 X 10 ins. set 12 ins. in ground chiseled 2338 W.2, with mound of stone 3 ft. base and 3 ft. high, alongside. No bearings available. Thence S. 74° 51' E. |
| 300. | End centre, a mound of stone 3 ft. base and 3 ft. high. |
| 525. | Wash, 300 ft. wide. Course S. 80° W. |
| 600. | Cor. No. 3, a syenite stone 24 X 12 X 5 ins. set 12 ins. in ground chiseled 2338 W.3, with mound of stone 3 ft. base and 3 ft. high, alongside, from which a Palo Verde tree, 10 ins. in diam. scribed 2338 W.3 B.T. bears N. 29° 45' W. 13.5 ft. Thence S. 15° 09' W. |
| 325. | Leave wash. |

| | |
|-----------------|--|
| Feet. | |
| 750. | Side centre, a mound of stone, 3 ft. base and 3 ft. high. |
| I453.8 | Cross 2-3 line of Canyon Lode, this survey at N.28°09'W. at 658.9 ft. from Cor. No.3. |
| I460. | Wash, 10 ft. wide, course S.50°W. |
| I500. | Cor. No. 4, a schist stone 24 X 10 X 7 ins. set 12 ins. in ground chiseled 2338W.4, with mound of stone 3 ft. base and 3 ft. high, alongside. A Palo Verde tree 12 ins in diameter, scribed 2338 W.4, B.T. bears N.39°30'E. 31.5 ft. Thence N.74°51'W. |
| 80. | Wash 15 ft. wide, course S.45°W. |
| 300. | End centre, a mound of stone, 3 ft. base and 3 ft. high. |
| 400. | Wash 100 ft. wide, course N.65°W. |
| 544.7 | Cross 1-2 line of Canyon Lode, this survey, at N.12°21'E. 264.7 ft. from Cor. No.1. |
| 600. | Cor. No. 1, the place of beginning. |
| | All Cors. identical with Cors. of location. |
| | Variation at all Cors. 14°35' East. |
| ----- | |
| Spot Cash Lode. | |
| | Beginning at Cor. No. 1, a slate stone 24 X 12 X 8 ins. set 12 ins. in ground chiseled 2338 S.C.1, with mound of stone 3 ft. base and 3 ft. high, alongside. |
| | U.S.L.M. No. 2338, bears N.46°04'W. 2138.7 ft. |
| | No other bearings available. |
| | Thence N.61°51'E. |
| 750. | Side centre, a mound of stone 3 ft. base and 3 ft. high. |
| I500. | Cor. No.2, a diorite stone 24 X 12 X 10 ins. set 12 ins. in ground chiseled 2338 S.C. 2, with mound of stone 3 ft. base and 3 ft. high, alongside. No bearings available. |
| | Thence S.28°09'E. |
| 300. | End centre, identical with Cor. No.4, Canyon Lode, this survey. <i>on line 1-2 Golden Giant lode this survey at N.12°21'E. 453.3 ft. from Cor. No.1</i> |
| 600. | Cor. No.3, a slate stone 28 X 12 X 9 ins. set 16 ins. in ground chiseled 2338 S.C. 3, with mound of stone 3 ft. base and 3 ft. high, alongside. No bearings available. |
| | Thence S.61°51'W. |
| 256.2 | Intersect 1-2 line of Golden Giant Lode, this survey at |

Feet. N.12°21'E. 58.8 ft. from Cor. No.1.

750. Side centre, a mound of stone, 3 ft. base and 3 ft. high.

1500. Cor. No. 4, a diorite stone 24 X 14 X 12 ins. set 12 ins. in ground, chiseled 2338 S.C.4, with mound of stone 3 ft. base and 3 ft. high, alongside. No bearings available. Thence N.28°09'W.

300. End centre, a mound of stone 3 ft. base and 3 ft. high.

600. Cor. No. 1, the place of beginning.

All Cors. identical with Cors. of location.

Variation at all Cors. 14°35' East.

Weaver Chief Lode.

Beginning at Cor. No. 1, a diorite stone 24 X 8 X 7 ins. set 12 ins. in ground, chiseled 2338 W.C. 1, with mound of stone 3 ft. base and 3 ft. high, alongside, from which U.S.L.M. No. 2338 bears N.84°07'W. 1066. ft. No other bearings available. Thence N.61°51'E.

312.9 End centre, a mound of stone, 3 ft. base and 3 ft. high.

625.8 Cor. No. 2, a diorite stone, 24 X 12 X 10 ins. set 12 ins. in ground chiseled 2338 W.C. 2, with mound of stone 3 ft. base and 3 ft. high, alongside. No bearings available. Thence S.44°41'E.

750. Side centre, a mound of stone, 3 ft. base and 3 ft. high.

1500. Cor. No. 3, a slate stone 24 X 12 X 7 ins. set 12 ins. in ground chiseled 2338 W.C. 3, with mound of stone 3 ft. base and 3 ft. high alongside. Cor. No. 2, Spot Cash Lode this survey, bears N.61°51'E. 221.6 ft. No other bearings available. Thence S.61°51'W.

312.9 End centre, a mound of stone, 3 ft. base and 3 ft. high.

528.4 Side centre Mon. of Spot Cash Lode, this survey.

625.8 Cor. No. 4, a diorite stone 30 X 14 X 9 ins. set 16 ins. in ground chiseled 2338 W.C. 4, with mound of stone 3 ft. base and 3 ft. high, alongside. Cor. No. 1 Spot Cash Lode, this survey, bears S.61°51'W. 652.6 ft. No other bearings available.

Feet. Thence N.44°41'W.
 750. Side centre, a mound of stone 3 ft. base and 3 ft. high.
 1500. Cor. No. 1, the place of beginning.
 All Cors. identical with Cors. of location.
 Variation at all Cors. 14°35' East.

There are no known adjoining claims.

Areas.

| | |
|---|----------------|
| Total and net area Sultan Lode, - - - - - | 14.979 Acres ✓ |
| Total area Canyon Lode | 20.660 ✓ |
| Less conflict with Weaver | 4.419 ✓ |
| Total net area Canyon Lode - - - - - | 16.241 " ✓ |
| Total area Spot Cash Lode | 20.661 ✓ |
| Less conflict with Golden Giant | .882 ✓ |
| Total net area Spot Cash Lode - - - - - | 19.779 " ✓ |
| " " " Weaver Lode, - - - - - | 20.661 " ✓ |
| " " " Weaver Chief Lode - - - - - | 20.658 " ✓ |
| " " " Golden Giant Lode - - - - - | 16.415 " ✓ |
| " " " Vanderbuilt Lode - - - - - | 20.659 " ✓ |
| Total area of Claim - - - - - | 139.392 " ✓ |

Lode Lines.

Golden Giant lode. The presumed course of lode is N.12°21'E. 750 ft. and S.12°21'W. 750 ft. from discovery shaft.

Vanderbuilt lode. The presumed course of lode line is N.5°04'E. 785 ft. and S.5°04'W. 715 ft. from discovery shaft.

Canyon lode. The presumed course of lode line is N.28°09'W. 550 ft. and S.28°09'E. 950 ft. from dis. cut and tunnel.

Sultan Lode. The presumed course of lode line is N.12°21'E. 1100 ft. and S.12°21'W. 400 ft. from discovery tunnel.

Weaver Lode. The presumed course of lode line is N. 15°09'E. 500 ft and S.15°09'W. 1000 ft. from discovery shaft.

Spot Cash Lode. The presumed course of lode line is N.61°51'E. 230 ft. and S.61°51'W. 1270 ft. from discovery cut.

Weaver Chief Lode.The presumed course of lode line is S.44°41'E. 385 ft. and N.44°41'W. 1115 ft. from discovery tunnel.

Location.

This claim is located on unsurveyed public land in Weaver Mining District, in Yuma County, Arizona, approximately in T.3 N. E.2/ W. G. & S. R. E. & M.

Expenditures.

I hereby certify that the value of the labor and improvements upon the claims embraced in this survey, placed thereon by claimant or its grantors is not less than \$500. for each location embraced in survey, and that said improvements consist of:

Golden Giant: Discovery shaft No.1, which bears from S. end centre N.12°21'E. 750 ft. and consists of a shaft 6 X 4 ft. X 120 ft. deep with a drift at bottom 4 ft. wide and 7 ft. high course S.10°W. 30 ft.

Value of shaft and drift - - - - - \$1500.

Tunnel No.2, the approach to which bears from the S. end centre N.6°30'E. 530 ft. Approach S.6°45'E. 70 ft. thence tunnel 7 ft. high and 4 ft. wide, S.6°45'E. 50 ft. to point 1, 197 ft. to point 2, thence S.21°30'E. 32 ft. to point 3, thence S.49°E. 45 ft. to face.

From point 1 there is a drift that runs S.33°45'W. 50 ft thence S.12°30'W. 20 ft. to face. From point 2 there is a drift that runs N.58°30'W. 29 ft. thence N. 37 ft. to face. At point 3 there is a winze 6 X 4 X 30 ft. deep on an incline of 56° and course of N.70°E. From point 3 a drift S.51°W. at 32 ft. bottom of shaft from surface 60 ft. deep, at 80 ft. face of drift. Ground is stoped 10 ft. wide, from a height of 25 ft. at shaft to 8 ft. at point 3.

Value of tunnel, approach, drifts, winze, stope and shaft. - - - - - \$7000.

Shaft No. 3, which bears from S. end centre N. 17° W. 240 ft 6 X 4 X 10 ft. deep Value - - - - - \$100.

A tunnel No. 4, the mouth of which bears from S. end center N. 13° W. 300 ft. 44 ft. long on course of S. 56° W. 7 ft high and 4 ft. wide. Value - - - \$450.

A cut, No. 5, which bears from S. end center N. 12° 15' E. 140. ft. and is 18 ft. long by 10 ft. wide and 3 ft. deep, course of cut S. 53° 30' W.

Value \$150.

An incline shaft, No. 6, which bears from Dis. shaft N. 10° 30' W. 285. ft. and is 6x4 by 10 ft. deep, on incline of 45°, course of incline N. 80° E.

Value 1500.

Total value of improvements \$9800.00

Less bottom 15 ft. of Dis. shaft credited to ^{Canyon} ~~Vanderbilt~~ lode \$150.00

Less 38 ft. of tunnel No 4 credited to Spot Cash lode \$350.00

Less 30 ft. of drift in bottom of Dis. shaft credited to Weaver Chief lode \$300.00 \$200.00

Net value of improvements Golden Giant lode \$9000.00

Sultan lode. Discovery tunnel, No. 1, which bears from S. end center N. 12° 21' E. 400. ft. 10. ft. approach and 47. ft. tunnel 7. ft. high 3. ft. wide course N. 40° E.

Value \$500.00

A shaft, No. 2, which bears from S. end center N. 52° 30' E. 150. ft. 6x4 ft. by 10. ft. deep, Value \$100.00

A cut, No. 3, which bears from S. end center N. 65° E. 200. ft. 8 ft. long 4 ft. wide and 5 ft. face, course of cut S. 5° W.

Value \$ 50.00

Total value of improvements \$650.00

Less last 15 ft. of tunnel credited to Vanderbilt Lode - - - - - 150.00

Net value of improvements - - - - - \$500.00

Vanderbuilt Lode: Discovery cut No. I. which bears from S. end center N.5°04'E. 715 ft. and is 10 ft. long 8 ft. wide and 10 ft. face course N.5°E. Value \$150.00

A tunnel No.2 which bears from N. end center S.5°30'E. 310 ft. and is 7 ft. high 5 ft. wide and 15 ft. long.

Course of tunnel N.37°E. Value \$200.00

To which add 15¹/₂ ft. tunnel from Sultan 150.00

Total value of imp. - - - - - \$500.00

Canyon Lode: Discovery cut and tunnel No.1, which bears from northerly end center S.28°09'E. 550 ft. and consists of a cut 15 ft. long 4 ft. wide 12 ft. face and a tunnel 7 ft. high 4 ft. wide and 10 ft. long course S.35°E. Value - - - - - \$200.00

A cut No.2, which bears from northerly end center S.26°E. 600 ft. and is 10 ft. long 4 ft. wide and 10 ft. face. Course of cut S.35°E. Value - - - - - \$100.00

A cut No.3, which bears from southerly end center N.16°30'W. ^{15 ft.} and is 8 X 8 ft. X 3 ft. deep Value - - - \$50.00

Bottom 15 ft. of disc. shaft No.1 Golden Giant ^{Lode} \$150.00

Total value of imp. - - - - - \$500.00

Weaver Lode: Dis. shaft No.1, which bears from N. end center S.15°09'W. 500 ft. and is 10 ft. deep, the top 5 ft. is 16 X 8 ft. and the bottom 5 ft. 6 X 4 ft.

Value - - - - - \$200.00

A shaft No.2, which bears from N. end center S.15°09'W. 725 ft. and is 6 X 8 X 10 ft. deep. Value - - - \$100.00

A shaft No.3, which bears from S. end center N. 15°09'E. 675 ft. 6 X 4 ft X 10 ft. deep Value - - - - - \$100.00

A cut No.4, which bears from S. end center N.24°30'E. 350 ft. and is 20 ft. long 4 ft. wide and 8 ft. face Course S.74°E. Value - - - - - \$100.00

Total value of improvements, - - - - - \$500.00

Spot Cash Lode: The disc. cut and tunnel which bears from easterly end center S.61°51'W. 230 ft. and consists of a cut 4 ft. wide 15 ft. long and 12 ft. face and tunnel 7 ft. high 4 ft. wide and 12 ft. long.

Course S.25°E. Value - - - - - \$150.00

to which add 35 ft. of tunnel No.4, of Golden Giant
Lode Value - - - - - \$350.00

Total value of improvements - - - - - \$500.00

Weaver Chief Lode: Dis. tunnel No.1, which bears from
southerly end center N.44°41'W. 385 ft. and consists of
approach of 35 ft. and is 4 ft. wide and 5 ft. deep ~~and~~
and tunnel 7 ft. high and 8 ft. long.

Course S.41°30'E. Value - - - - - \$175.00

No. 2
A cut, 6 X 4 ft. by 7 ft. deep that bears from southerly
end center N.55°W. 550 ft. and is 4 X 6 X 4 ft. deep

Value - - - - - \$25.00

To which add 30 ft. of drift at bottom of shaft of
Golden Giant Lode Value - - - - - \$300.00

Total Value of improvements. p - - - - - \$500.00

Instrument.

This survey was made with a Stackpole and Pro. transit
No. 1269. The courses were deflected from the true
meridian as determined by direct solar observation,
checked by an observation on Polaris.

The measurements were made with a 100 ft. and a 300 ft.
steel tape.

On the evening of Sept. 15 th, 1903, at 7-45 P.M. I
observe Polaris and follow it to its eastern elongation
I turn an angle of 1°26' E from this and set point.

On the morning of the 16th, I connect by transit line
with survey.

U. S. L. M. No. 2338.

There being no Cor. of Government survey or U.S.L.M. within two miles, I establish U.S.L.M. No. 2338 on top of a high ridge course N. 56° W. & S. 50° E.,
A Diorite stone 36 X 16 X 9 ins., set 20 ins. in ground, chiseled U.S.L.M.-2338, with cross (x) on top of stone, built a mound of stone 6 ft. base and 5 ft. high alongside in bottom of which is a stone with a face of 12 X 12 ins., chiseled U.S.L.M.-2338, whence:-

A cross (x) on a rock in place exposed 12 X 10 ft., chiseled U.S.L.M.-2338-B.R., brs. N. 70° 17' W. 11.4 ft. U.S.L.M. No. 2123 brs. approximately N. 80° E. about 3 miles, over high mountain.

U.S.L.M. No. 2338 is located on unsurveyed land in approximately T. 3 N., R. 21 W., G. & S. R., B. & M., in Weaver Mining District, Yuma County, Arizona.

(4-686.)

FINAL OATH OF U. S. DEPUTY MINERAL SURVEYOR

I, William H. Elliott, U. S. Deputy Mineral Surveyor, do solemnly swear that, in pursuance of instructions received from the United States Surveyor General for Arizona, dated August 30th 1906,

I have, in strict conformity to the laws of the United States, the official regulations and instructions thereunder, and the instructions of said Surveyor General, faithfully and correctly executed the survey of the Mining Claim of the Arizona Prince Mining Company known as the Weaver Sulphur Gold Mine Weaver Sulphur Gold Mine found with barryon and spot cash, known as the

situate in Weaver Mining District, Yuma County, Arizona, in Section unsurveyed, Township No. 8 N, Range No. 2 W, 6 S, R. B. M., and designated as Survey No. 2338, as represented

in the foregoing field notes, which accurately show the boundaries of said mining claim as distinctly marked by monuments on the ground, and described in the attached copy of the location certificate, which was received by me from the Surveyor General with said instructions, and that all the corners of said survey have been established and perpetuated in strict accordance with the law, official regulations and instructions thereunder; and I do further solemnly swear that the foregoing are the true and original field notes of said survey and my report therein, and that the labor expended and improvements made upon said mining claim by claimant or its grantors are as therein fully stated, and that the character, extent, location and itemized value thereof are specified therein with particularity and full detail, and that no portion of said labor or improvements so credited to this claim has been included in the estimate of expenditures upon any other claim.

William H. Elliott
U. S. Deputy Mineral Surveyor.

Subscribed and sworn to by the said William H. Elliott,
U. S. Deputy Mineral Surveyor, before me Burt Deuel
Clerk of the Probate Court
this 6th
day of October 1906.

Burt Deuel
Clerk of the Probate Court

FINAL OATHS FOR SURVEYS.

LIST OF NAMES.

A list of the names of the individuals employed by William H. Elliott

United States Deputy Mineral Surveyor, to assist in running, measuring, and marking the lines, corners, and boundaries described in the foregoing field notes of the survey of the mining claim of the Arizona

Prince Mining Company,
known as the Weaver, Sultan, & Golden Giant, Weaver Cliff, Vanderbuilt Canyon and Spot Cash

and showing the respective capacities in which they acted.

- George K. Cusenbary, Chairman.
- Charles H. Perwilliger, Chairman.
- Francisco Sanchez, Axman.
- Gregorio Velasco, Flagman.

FINAL OATHS OF ASSISTANTS.

We, George K. Cusenbary, Charles H. Perwilliger, Francisco Sanchez
and Gregorio Velasco, do solemnly swear that we assisted William

H. Elliott, United States Deputy Mineral Surveyor, in marking the corners and surveying

the boundaries of the mining claim of the Arizona Prince Mining
Company

known as the Weaver, Sultan, & Golden Giant, Weaver Cliff, Vanderbuilt Canyon and Spot Cash

represented in the foregoing field notes as having been surveyed by said deputy mineral surveyor and under his direction; and that said survey has been in all respects, to the best of our knowledge and belief, faithfully and correctly executed, and the corner and boundary monuments established according to law and the instructions furnished by the United States Surveyor-General for Arizona

- George K. Cusenbary, Chairman.
- Charles H. Perwilliger, Chairman.
- Francisco Sanchez, Axman.
- Gregorio Velasco, Flagman.

Subscribed and sworn to by the above-named persons before me this 24th

day of September, 1906

S. M. Wilson
Notary Public

My commission expires
14224b5m8-04 March 11-07.

Affidavit of Five Hundred Dollars Improvements.

We, Henry R. Adams, and Augustus W. Adams

of lawful age, being first duly sworn according to law, depose and say: That we are acquainted with the Heaven Puellans Golden Lion Chief Vanderburg Canyon and Spot Cash mining claim,

situate in Moave Mining district, Yuma County,

Arizona Territory, for which the Arizona Prince Mining Company

has made application for survey prior to application for patent under the provisions of the act of Congress, approved May 10, 1872; and that the labor done and improvements made thereon by the applicants and their ^{its} grantors exceed Five Hundred Dollars in value, and further that we are not personally interested in said mine.

Henry R. Adams
Augustus W. Adams

TERRITORY OF ARIZONA, }
County of Yuma } ss:

Sworn to and subscribed before me, this 24th day of September, 1906



S. M. Wilson

14396b400-8-04

My commission expires
March 11, 07.

Location Notice of the
Canyon Mine

Notice is hereby given that we the undersigned Locators according to the Laws of the United States and Territory of Arizona This Mineral bearing quartz Lode Situated in Weaver Mining district Yuma Co. Arizona about one mile Easterly from Self defence Mine, and about seven miles Easterly from the nearest point on the Colorado River which is about three miles below Ehrenberg. This notice is posted in a monument at the South West corner of the discovery shaft, representing the center of the claim, thence 300 ft Northerly to a side center monument, thence 750 ft to the South West corner, thence 300 ft to the Westerly end center, thence 300 ft to the South West corner, thence 750 ft to the South Easterly side center, thence 750 ft to the North Easterly corner, then 300 ft to the North Easterly End center thence 300 ft to the North East corner, thence 750 ft to the Northerly side center monument

Located June 21st 1900

Locators (Geo.K. Cusenbary
(A.V. Wilson
(J. Erwin
(

Recorded at request of A.V. Wilson at 9 o'clock A.M. August 7th A.D. 1900.

W.E. Marvin, County Recorder.

Book "K" of Mines pages 107-8

Territory of Arizona,)
)SS.
County of Yuma.)

I, J.M.Polhamus, County Recorder in and for the County of Yuma, Territory of Arizona, do hereby certify the within and foregoing to be a full, true and correct copy of the Notice of Location of the Canyon Mine, as the same appears of record in my office in Book "K" of Mines at page 107.

In witness whereof I have hereunto set my hand and official seal this 14th day of August, A.D., 1906



J. M. Polhamus
County Recorder,
By *Chas H Moore*
Deputy Recorder.

Location Notice of the
Spot Cash Mine

We the undersigned Locate according to the Laws of the United States and Territory of Arizona This Mineral bearing quartz Lode situated in Weaver Mining District, Yuma County Arizona about one mile Easterly from the Self defence mine. on the South side of Cusenbary Canyon oposite the Canyon Claim and is about seven miles from the nearest point on the Colorado River in an Easterly direction. This Notice is Posted in the center of the claim, and is about five hundred feet N. Easterly from an open cut representing the required preliminary work showing the lode in place. This claim is marked by eight lawful monuments the course of the claim being N. Easterly and S Westerly direction.

Located June 21st 1900

By (Geo. K. Cusenbary
(
(A. V. Wilson
(
(J. Erwin
(

Recorded at request of A. V. Wilson at 9 o'clock A.M. August 7th A.D. 1900.

W. E. Marvin, County Recorder.

Book "K" of Mines page 107.

Territory of Arizona,)
County of Yuma.)SS.

I, J.M.Polhamus, County Recorder in and for the County of Yuma, Territory of Arizona, do hereby certify the within and foregoing to be a full, true and correct copy of the Notice of Location of the Spot Cash Mine, as the same appears of record in my office in Book "K" of Mines at page 107.

In witness whereof I have hereunto set my hand and official seal this 14th day of August, A.D., 1906.



J. M. Polhamus
County Recorder,
BY *Chas H Moore*
Deputy Recorder.

Vanderbilt Quartz Claim.

We the undersigned this 1st day of April (1900) locate and claim 1500 ft in length by 600 ft in width along this vein lode or deposit of mineral bearing rock as described to wit.

Beginning at a point 750 ft north of Discovery shaft where this notice is posted being the center of the North end thence Easterly 300 ft to the nor west corner thence 750 ft southerly to center of east sid line thence 750 southerly to sou east corner. thence westerly 300 ft to the center of south end, thence westerly 300 ft to Sou west corner, thence northerly 750 ft to center of west side line thence Northerly 750 ft to nor west corner, thence 300 ft Easterly to place of beginning. This claim is situated in the Weaver Mining District County of Yuma Ter of Arizona about 10 miles South East of Ehrenberg and joining the Golden Grant on the south and shall be known as the Vanderbilt.

Dated and posted on the ground this 1 first day of April 1900.

Witness

Geo. K. Cusenbary

Locators

A. V. Wilson

E. Stewart

Recorded at request of E. Stewart at 9 o'clock A.M. July 2nd 1900.

W. E. Marvin Co. Recorder

By W. J. Riley Deputy.

Book "K" of Mines page 69.

Territory of Arizona,)
)SS.
 County of Yuma.)

I, J.M. Polhamus, County Recorder in and for the County of Yuma, Territory of Arizona, do hereby certify the within and foregoing to be a full, true and correct copy of the Notice of location of the Vanderbilt Quartz Claim, as the same appears of record in my office in Book "K" of Mines at page 69.

In witness whereof I have hereunto set my hand and official seal this 14th day of August, A.D., 1906.

J. M. Polhamus
 County Recorder
 By *Chas H Moore*
 Deputy Recorder.



Certificate of Mining Location,
Quartz Claim.

This Certifies, That the Sultan Mining Claim was located by the undersigned, Thomas W. Hamilton on the 1st day of January 1899. That said mining claim is 1500 feet in length, and 300 feet on each side of the center of the discovery shaft, lengthwise of the claim, is claimed by the locators; that the general course of the lode and premises is from the North to the South; that said claim is situated and located in Weaver Mining District, in Yuma County, in the Territory of Arizona, about 10 miles in a N Easterly direction from Ehrenberg.

That the undersigned discoverer of said mining claim located the same on the 1st day of January 1899, by posting at the point of discovery on the surface a plain notice, of which the following is a copy:

To All Whom It May Concern:

This mining claim, the name of which is the Sultan Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purpose of exploration and purchase by Thomas W. Hamilton the undersigned, on the 1st day of January 1899. The length of this claim is 1500 feet, and I claim 750 feet in a Northerly direction and 750 feet in a Southerly direction from the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with 300 feet in width of the surface grounds, on each side of the center of said claim. The general course of the lode deposit and premises is from the North to the South. The claim is situated and located in Weaver Mining District, in Yuma County, in the Territory of Arizona, about 10 miles in a N Easterly direction from Ehrenberg.

The surface boundaries of the claim are marked upon the ground as follows: Beginning at Location monument which is at a point in a Northerly direction 750 feet from the discovery shaft (at which this Notice is posted), being in the center of the North end line of said claim; thence 300 feet to a monument being the N.W. corner of said claim; thence 750 ft to a monument at the center of the West side line of said claim; thence 750 feet to a monument being at the S.W. corner of said claim; thence 300 feet to a monument at the center of the South end of said claim; thence 300 feet to a monument being at the S.E.

corner of said claim; thence 750 feet to a monument being at the center of the East side line of said claim; thence 750 feet to a monument at the N.E. corner of said claim; thence 300 feet to the place of beginning.

All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of the United States, and of An "Act of the General Assembly of Arizona, entitled " An Act Concerning Mines," approved March 20th, 1895.

Dated and posted on the ground this 1st day of January 1899.

Witness

Locator

G.K. Cusenbary

Thomas W. Hamilton

Recorded at request of Tom. W. Hamilton January 23rd 1899 at 2 o'clock P.M.

W.E. Marvin, Co. Recorder

By F. Avila, Deputy Co. Recorder.

Book I of Mines Page 522

Territory of Arizona,)
 County of Yuma.) SS.

I, J.M. Polhamus, County Recorder in and for the County of Yuma, Territory of Arizona, do hereby certify the within and foregoing to be a full true and correct copy of the Notice of Location of the Sultan Mining Claim, as the same appears of record in my office in Book "I" of Mines at page 523.

In witness whereof I have hereunto set my hand and official seal this 14th day of August, A.D., 1906.



J. M. Polhamus

County Recorder,

By *Charles Moore*

Deputy Recorder.

Location Notice of the
Weaver Chief Lode.

We the undersigned Locate according to the Laws of the United States and Territory of Arizona this mineral bearing quartz Lode situated in Weaver Mining District Yuma County Arizona, about one mile North Easterly from the Self defence mine, and about one half mile Northerly from the Canyon and Spot Cash Claims and about seven and one half miles from the nearest point on the Colorado River. This claim is the West-erly Extension of the Sultan the course of the claim is Easterly and Westerly, seven hundred and fifty ft Each way from an open cut in the center of the claim showing the Lode in place, this Notice is posted at the South West corner of the cut and the claim is bounded by eight Lawful monuments

Located June 22nd 1900

By (Geo.K. Cusenbary
(
(A.V. Wilson
(
(J. Erwin

Recorded at request of A.V. Wilson at 9 o'clock A.M. August 7th, A.D. 1900.

W.E. Marvin County Recorder

Book "K" of Mines Page 108

Territory of Arizona,)
County of Yuma.)SS.

I, J.M.Polhamus, County Recorder in and for the County of Yuma, Territory of Arizona, do hereby certify the within and foregoing to be a full, true and correct copy of the Notice of Location of the Weaver Chief Lode, as the same appears of record in my office in Book "K" of Mines at page 108.

In witness whereof I have hereunto set my hand and official seal this 14th day of August, A.D., 1906.

J.M. Polhamus
County Recorder
By *Charles Moore*
Deputy Recorder.



Weaver Load
Quartz Claim

the undersigned Locate & Claim 1500 ~~fifteen~~ ft in Length along this Lode or deposit of mineral Together with 300 ft on each side of Center of vein situated in the Weaver Mining Dist County of Yuma Territory of Arizona about 10 miles Sou East of Ehrenberg and described as follows Beginning at a point 500 ft north of this shaft where this notice is Posted being the center of North End thence 300 ft Easterly to nor w corner thence 750 ft Southerly to E side Line center thence Southerly 750 ft to S.E. cor thence westerly 300 ft to South center end thence westerly 300 ft to S.W.cor thence northerly 750 ft to West side center thence northerly 750 ft to nor west corner thence Easterly 300 ft to place of beginning Located & Posted on the ground this 10 day of Nov 1899

Wit

J.E.Stewart

Locator

A.V.Wilson

Recorded at request of J.E.Stewart at 9 o'clock A.M. August 9th
A.D. 1900

W.E.Marvin, County Recorder.

Book "K" of Mines page 109

Territory of Arizona,)
)SS.
County of Yuma.)

I, J.M.Polhamus, County Recorder in and for the County of Yuma, Territory of Arizona, do hereby certify the within and foregoing to be a full, true and correct copy of the Notice of Location of the Weaver Lode, as the same appears of record in my office in Book "K" of Mines at page 109.

In witness whereof I have hereunto set my hand and official seal this 14th day of August, A.D., 1906.



J. M. Polhamus
County Recorder,
BY Chas H Moore
Deputy Recorder.

Certificate of Mining Location,
Quartz Claim.

This Certifies, That the Golden Giant Mining Claim was located by the undersigned, Thomas W. Hamilton, on the 1st day of January 1899

That said mining claim is 1500 feet in length, and 750 feet on each side of the center of the discovery shaft, lengthwise of the claim, is claimed by the locator; that the general course of the lode and premises is from the North to the South; that said claim is situated and located in Weaver Mining District, in Yuma County, in the Territory of Arizona, about 10 miles in a N Easterly direction from Ehrenberg.

That the undersigned discoverer of said mining claim located the same on the 1st day of January 1899, by posting at the point of discovery on the surface a plain notice, of which the following is a copy:

To All Whom It May Concern:

This mining claim, the name of which is the Golden Giant Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purpose of exploration and purchase by Thomas W. Hamilton, the undersigned, on the 1st day of January 1899.

The length of the claim is 1500 feet, and I claim 750 feet in a Northerly direction and 750 feet in a Southerly direction from the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with 300 feet in width of the surface grounds, on each side of the center of said claim. The general course of the lode deposit and premises is from the North to the South.

The claim is situated and located in Weaver Mining District, in Yuma County, in the Territory of Arizona, about 10 miles East from Ehrenberg and 1500 feet East of the Weaver Pass wagon road

The surface boundaries of the claim are marked upon the ground as follows; Beginning at North End centre monument which is at a point in a Northerly direction 750 feet from the discovery shaft (at which this notice is posted), being in the center of the North end line of said claim; thence 300 feet to a monument being the N.W. corner of said claim; thence 750 feet to a monument at the center of the West side line of said claim; thence 750 feet to a monument being at the S.W. corner of said claim; thence 300 feet to a monument at the center of the South end of said claim; thence 300 feet to a monument being at the S.E. cor-

ner of said claim; thence 750 feet to a monument being at the center of the East side line of said claim; thence 750 feet to a monument at the N. East corner of said claim; thence 500 feet to the place of beginning.

All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of the United States, and of an Act of the General Assembly of Arizona, entitled " An Act Concerning Mines", approved March 20th, 1895.

Dated and posted on the ground this 1st day of January 1899

| | | |
|----------------|---|--------------------|
| G.K. Cusenbary |) | Locator |
| |) | |
| Witness |) | Thomas W. Hamilton |

Recorded at request of Thomas W. Hamilton January 25rd A.D. 1899 at 2 o'clock P.M.

W.E. Marvin Co. Recorder.

By F. Avila Deputy Co. Recorder.

Book "I" of Mines Page 524.

Territory of Arizona,)
)SS.
 County of Yuma.)

I, J.M. Polhamus, County Recorder in and for the County of Yuma, Territory of Arizona, do hereby certify the within and foregoing to be a full, true and correct copy of the Notice of Location of the Golden Giant Mining Claim, as the same appears of record in my office in Book "I" of Mines at page 524.

In witness whereof I have hereunto set my hand and official seal this 14th day of August, A.D., 1906.



J. M. Polhamus
 County Recorder,
 By *Charles H. Moore*
 Deputy Recorder.

U. S. SURVEYOR-GENERAL'S FINAL CERTIFICATE ON FIELD NOTES.

Department of the Interior,

OFFICE OF U. S. SURVEYOR-GENERAL,

Phoenix, Arizona,

Oct. 22, 1906

I, U. S. Surveyor-General for District of Arizona do hereby certify that the foregoing transcript of the Field Notes, return and approval of the survey of the mining claim of ARIZONA PRINCE MINING COMPANY known as the Weaver, Sultan, Golden Giant, Weaver Chief, Vanderbult, Canyon and Spot Cash,

situate in WEAVER Mining District, Yuma County, Arizona

in Section unsur., Township No. 3 N, Range No. 21 W.G.&S.R.B.&M and designated as Survey No. 2338,

has been correctly copied from the originals on file in this office; that said Field Notes furnish such an accurate description of said mining claim as will, if incorporated into a patent, serve fully to identify the premises, and that such reference is made therein to natural objects or permanent monuments as will perpetuate and fix the locus thereof.

And I further certify that five hundred dollars' worth of labor has been expended or improved or for each of improvements made upon said mining claim by claimant or its grantors, and that said improvements consist of 8 shafts, 7 tunnels, 12 cuts, 1 winze and 246 ft. of drifts, total value \$12000.00

and that no portion of said labor or improvements has been included in the estimate of expenditures upon any other claim.

I further certify that the plat thereof, filed in the U. S. Land Office at Phoenix, Arizona is correct and in conformity with the foregoing Field Notes.

Frank S. Ingalls,

United States Surveyor-General for Arizona

4-687.

SURVEYOR-GENERAL'S CERTIFICATE OF APPROVAL OF FIELD NOTES AND SURVEY OF MINING CLAIM.

Department of the Interior,

Office of U. S. Surveyor-General,

Phoenix, Arizona,

Oct. 22, 1906

I, U. S. Surveyor-General for District of Arizona

do hereby certify that the foregoing and hereto attached Field Notes and Return of the Survey of the Mining Claim of ARIZONA PRINCE MINING COMPANY

known as the Weaver, Sultan, Golden Giant, Weaver Chief, Vanderbuilt, Canyon and Spot Cash

situate in W E A V E R Mining District, Yuma County, Arizona

in Section unsurveyed, Township No. 3 N., Range No. 21 W., G. & S. R. B. & M., designated as Survey No. 2338

executed by William H. Elliott, U. S. Deputy Mineral Surveyor, Sept. 15 - Sept. 20, 1906, under my instructions dated August 30, 1906, have been critically examined and the necessary corrections and explanations made, and the said Field Notes and Return, and the Survey they describe, are hereby approved. A true copy of the copy of the location certificate filed by the applicant for survey is included in the field notes.

Frank J. Ingalls

U. S. Surveyor-General for Arizona.