

MS

**0
2
3
5
5**

MINERAL SURVEY NO. 2355

Claims	M & B Desc.	Improvements	Loc. Notices
Hualapai No.	Pg.	Pg.	Pg.
1	1	26	1
"	2	26	2
"	3	26	3
"	4	27	4
"	5	27	5
"	6	27	6
"	7	27	7
"	8	27	8
"	9	27	9
"	10	27	10
"	11	27	11
"	12	27	12
"	13	27	13
"	14	28	14
"	15	28	15
"	16	28	16
"	17	28	17
"	18	28	18
"	19	28	19
"	20	28	20
"	21	28	21
"	22	28	22
"	23	29	23
"	24	28	24
"	25	28	25

(4-683.)

Mineral Survey No. 2355

Lot No.

Arizona Land District.

FIELD NOTES

OF THE SURVEY OF THE MINING CLAIM OF

Hualapai Mining Co.

KNOWN AS THE
Hualapai Nos. 1-2-3-4-5-6-7-8-9-10-11-12-13-14-15-16-17-18-19-
20-21-22-23-24 and 25.

Moer Mining District,

Maricopa County, Arizona

Section , Township 8 N. Range 3 E., unsurveyed.

Surveyed under instructions dated Oct. 5th, 1906,

by J. C. Debbins
U. S. Deputy Mineral Surveyor

Claim located see location notices. 1

Survey commenced Dec. 10th, 1906.

Survey completed March 16th, 1907.

Address of Claimant's Agent

T.W. Chamberlain, Secy.,

P.O. Box No. 44,

Phoenix, Arizona.

Handwritten notes:
see spec. 2355
correct

Feet . . . Mineral Survey No. 2355.

Hualapai No. 1 lode.

Beginning at cor. No. 1, the N.W. cor., identical with cor. of the location and with cors. No. 4-3-2, respectively, of the Hualapai No. 2, Hualapai No. 6, and Hualapai No. 5 lodes of this survey, a quartz rock, 12x12x24 ins., set 12 ins. in the ground with mound of stones 2 ft. base and 3 ft. high alongside, stone chiseled H. No. 1-1-2355, H. No. 2-4-2355, H. No. 6-3-2355, and H. No. 5-2-2355; whence:

U.S.L.M. No. 2355 bears N. 1° 30' E. 2127 ft. dist.

No bearings available.

Thence S. 35° 00' W.

1425. Center of gulch, 10 ft. wide, bears Northerly and Southerly.

1500. To cor. No. 2, identical with cor. of the location and with cor. No. 3 of the Hualapai No. 2 lode of this survey a porphyry rock 6x8x24 ins., set 12 ins. in the ground, with mound of stone 2 ft. base and 3 ft. high alongside, stone chiseled H. No. 1-2-2355, and H. No. 2-3-2355.
No bearings available.

Thence S. 38° 00' E.

290. Center of gulch, 10 ft. wide, course Northerly brs. Southerly.
313.7 To S.C.E. identical with point for S.C.E. of the location monument not set as point falls in center of wash, course North and South.

343.5 W.C. for S.C.E., a porphyry rock, 6x8x24 ins. set 12 ins. in the ground with mound of stone alongside.

627.4 To cor. No. 3, identical with cor. of the location, a porphyry rock, 6x10x22 ins. set 12 ins. in the ground with mound of stone 2 ft. base and 3 ft. high alongside, stone chiseled H. No. 1-3-2355.

No bearings available.

Thence N. 35° 00' E.

1500.00 To cor. No. 4, identical with cor. of the location and with cor. No. 3 of the Hualapai No. 5 lode of this survey a porphyry rock, 6x10x24 ins., set 12 ins. in the ground with mound of stone 2 ft. base and 3 ft. high alongside,

Feet stone chiseled H. No. 1-4-2355 and H. No. 5-3-2355.

No bearings available.

Thence N. $38^{\circ}00'$ W.

313.7 To F.C.E., identical with location.

627.4 To cor. No. 1 and place of beginning.

Ledge.

The presumed course of the ledge of the Hualapai No. 1

lode is from the S.C.E. of the location N. $35^{\circ}00'$ E.

1500 ft. to the N.C.F.

Hualapai No. 2 lode.

Beginning at cor. No. 1, the N.E. cor., identical with cor.

of the location and with cors. No. 4-3-2 of the Hualapai.

No. 3, Hualapai No. 7, and Hualapai No. 6 lodes, respect-

ively, all of this survey, a porphyry rock, 6x8x24 ins.

set 12 ins. in the ground with mound of stone alongside,

stone chiseled H. No. 2-1-2355, H. No. 3-4-2355, H. No. 7-

3-2355, and H. No. 6-2-2355; whence:

U.S.L.M. No. 2355 bears N. $15^{\circ}09'$ E. 1690.7 ft.

No bearings available.

Thence S. $35^{\circ}00'$ W.

200. Cross wagon road, hrs. Northeasterly & Southerly.

300.0 Center of Moor Gulch Creek 50 ft. wide bears Southwesterly
and Northeasterly.

400. Center wagon road, course Easterly and Westerly.

1450. Center of gulch, 10 ft. wide, course N. Westerly hrs. Southerly.

1500.00 To cor. No. 2, identical with cor. of the location and

with cor. No. 3 of the Hualapai No. 23 lode of this survey

a porphyry rock, 6x12x24 ins. set 12 ins. in the ground

with mound of stone alongside, stone chiseled H. No. 2-

2-2355 and H. No. 23-3-2355.

No bearings available.

Thence S. $38^{\circ}00'$ E.

65. Center of gulch, course Northerly and Southerly.

270. Center of gulch, course Easterly and Westerly.

313.7 To S.C.E., identical with location.

627.4 To cor. No. 3, identical with the location and with cor.

No. 2 of the Hualapai No. 1 lode of this survey, cor.

- Feet heretofore described.
- Thence N. 35° 00' E.
1500. To cor. No. 4, identical with location and with cors. No. 3-2-1 of the Hualapai No. 6, Hualapai No. 5, and Hualapai No. 1 lodes, all of this survey, cor. heretofore described.
- No bearings available.
- Thence N. 38° 00' W.
- 313.7 To N.C.E., identical with the location.
545. Center of Moor Gulch Creek.
- 627.4 To cor. No. 1, the place of beginning.
- The presumed course of the ledge of the Hualapai No. 2 lode is from the S.C.E., North 35° 00' E., 1500 ft. to the N.C.E.
- *****
- Hualapai No. 3 lode.
- Beginning at cor. No. 1, the N.W. cor., identical with the location and with cor. No. 1-2-2 of the Hualapai No. 4, Hualapai No. 8, and Hualapai No. 7 lodes, respectively, a quartz rock, 6x10x24 ins., set 12 ins. in the ground, with mound of stone, 2 ft. base and 3 ft. high alongside, stone chiseled H. No. 3-1-2355, H. No. 4-1-2355, H. No. 8-2-2355, and H. No. 7-2-2355.
- No bearings available. U.S.L.M. No. 2355, b.s. N36°03' E. 1407 ft.
- Thence S. 35° 00' W.
1389. To cor. No. 2, identical with the location and with cor. No. 2 of the Hualapai No. 4 lode of this survey, a porphyry rock, 7x8x24 ins., set 12 ins. in the ground with mound of stone 2 ft. base and 3 ft. high alongside, stone chiseled H. No. 3-2-2355 and H. No. 4-2-2355.
- No bearings available.
- Thence S. 38° 00' E.
235. Center of Moor Gulch Creek, 50 ft. wide bears Northerly and Southerly.
- 313.7 To S.C.E., identical with the location.
340. Cross wagon road, bears N. Easterly and S. Westerly.
- 627.4 To cor. No. 3, identical with the location and with cor.

Feet No. 2 of the Hualapai No. 23 lode of this survey, a porphyry rock, 6x8x24 ins., set 12 ins. in the ground with mound of stone, 2 ft. base and 3 ft. high alongside, stone chiseled. H. No. 3-3-2355 and H. No. 23-2-2355.

No bearings available.

Thence N. 35° 00' E.

989. Cross wagon road, brs. N. Easterly and S. Westerly.
 1089. Center of Moor Gulch Creek, 50 ft. wide, brs. S. Westerly and Easterly.
 1189. Cross wagon road, brs. N. Easterly and Southerly.
 1389. To cor. No. 4, identical with the location and with cors. No. 3-2-1 of the Hualapai No. 7, Hualapai No. 6, and Hualapai No. 2 lodes, respectively, of this survey, cor. heretofore described.

No bearings available.

Thence N. 38° 00' W.

30. Cross wagon road, brs. Easterly and S. Westerly.
 313.7 To N.C.E., identical with the location.
 627.4 To cor. No. 1 to place of beginning.

The presumed course of the ledge on the Hualapai No. 3 lode is from the S.C.E. N. 35° 00' E. 1389 ft. to the N.C.E.

Hualapai No. 4 lode.

Beginning at cor. No. 1, the N.E. cor., identical with the location and with cors. No. 2-2-1 of the Hualapai No. 8, Hualapai No. 7, and Hualapai No. 3 lodes, of this survey, cor. heretofore described, whence:

U.S.L.M. No. 2355 brs. N. 36° 03' E. 1407 ft..

No bearings available.

Thence S. 35° 00' W.

1389. To cor. No. 2, identical with the location and with cor. No. 2 of the Hualapai No. 3 lode of this survey, cor. heretofore described.

Thence N. 38° 00' W.

- 313.7 To S.C.E. identical with the location,
 627.4 To cor. No. 3 identical with the location, a porphyry

Feet rock, 6x12x24 ins., set 12 ins. in the ground with mound of stone, 2 ft. base and 3 ft. high alongside, stone chiseled H. No. 4-3-2355.

No bearings available.

Thence N. 35° 00' E.

1389. To cor. No. 4, identical with the location and with cor. No. 3 of the Hualapai No. 8 lode of this survey, a porphyry rock, 6x8x22 ins., set 12 ins. in the ground with mound of stone 2 ft. base and 3 ft. high alongside, stone chiseled H. No. 4-4-2355 and H. No. 8-3-2355.

No bearings available.

Thence S. 38° 00' E.

313.7 To the N. C. E., identical with the location.

627.4 To cor. No. 1, the place of beginning.

The presumed course of the ledge on the Hualapai No. 4 lode is from the S.C.E.N. 35° 00' E. 1389 ft. to the N.C.E.

Hualapai No. 5 lode.

Beginning at cor. No. 1, the N.W. cor., identical with the location and with cors. 4-4-1 of the Hualapai No. 6, Hualapai No. 10, and Hualapai No. 9 lodes, respectively, all of this survey, a porphyry rock 12x12x20 ins., set 12 ins. in the ground with mound of stone 2 ft. base and 3 ft. high alongside, stone chiseled H. No. 5-1-2355, H. No. 6-4-2355, H. No. 10-4-2355, and H. No. 9-1-2355; whence: U.S.L.M. No. 2355 bears N41° 53' W. 1206 ft.

No bearings available.

Thence S. 35° 00' W.

1500. To cor. No. 2 identical with the location and with cors. No. 2-4-3, respectively, of the Hualapai No. 1, Hualapai No. 2, and Hualapai No. 6 lodes of this survey, cor. heretofore described.

Thence S. 38° 00' E.

313.7 To S.C.E., identical with the location.

627.4 To cor. No. 3, identical with the location and with cor. No. 4 of the Hualapai No. 1 lode of this survey, cor. heretofore described.

Feet
 -1500. Thence N. 35° 00' E.
 To cor. No. 4, identical with the location and with cor. No. 4 of the Hualapai No. 9 lode of this survey, a porphyry rock, 12x12x20 ins., set 12 ins. in the ground with mound of stone, 2 ft. base and 3 ft. high alongside, stone chiseled H. No. 5-4-2355 and H.No.9-4-2355.
 No bearings available.

313.7 Thence N. 38° 00' W.
 627.4 To N.C.E., identical with the location.
 To cor. No. 1, the place of beginning.
 The presumed course of the ledge on the Hualapai No. 5 lode is from the S.C.E.N.35°00'E. 1500 ft. to the N.C.E.

 Hualapai No. 6 lode.
 Beginning at cor.No. 1, the W.W.cor., identical with the location and with cors. No.4-4-1 of the Hualapai No.7, Hualapai No.11, and Hualapai No. 10 lodes, respectively, all of this survey, a porphyry rock, 6x6x24 ins., set 12 ins. in the ground with mound of stone, 2 ft. base and 3 ft. high alongside, stone chiseled H.No.6-1-2355, H.No.7-4-2355, H.No.11-4-2355, and H.No.10-1-2355, whence:
 U.S.L.M. No. 2355 bears N. 46° 05' W. 581.99 ft.
 No bearings available.

1450. Thence S. 35° 00' W.
 Cross wagon road, bears N.Easterly and S.Westerly.

1500. To cor. No.2, identical with the location and with cors. No. 1-4-3 of the Hualapai No. No. 2, Hualapai No 3, and Hualapai No. 7 lodes, respectively, all of this survey, cor. heretofore described.

313.7 Thence S. 38° 00' E.
 627.4 Along line 1-4 of Hualapai No. 2 lode of this survey.
 To S.C.E. identical with the location.
 To cor. No. 3, identical with the location and with cors. No. 2-1-4 of the Hualapai No. 5, Hualapai No. 1 and Hualapai No. 2 lodes of this survey, respectively, cor. heretofore described.

1500. Thence N. 35° 00' E.
 To cor. No. 4, identical with the location and with cors.

Feet No. 1-1-4 of the Hualapai No.5, Hualapai No.9, and Hualapai No. 10 lodes, respectively, all of this survey, cor. heretofore described.

Thence N. 38° 00' W. . . .

270. Cross wagon road, brs. N. Easterly and S.Westerly. . . .
 313.7 To N. C. E. identical with the location.
 400. Center of Moor Gulch Creek, 50 ft. wide, brs. Northerly and S.Westerly.
 627.4 To cor. No. 1, the place of beginning.

The presumed course of the ledge on the Hualapai No. 6 lode is from the S.C.E.N. 35°00'E. 1500 ft. to the N.C.E.

Hualapai No. 7 lode.

Beginning at cor. No. 1, the N.W. cor., identical with the location and with cors. No. 1-1-1 of the Hualapai No. 8, Hualapai No. 12, and Hualapai No. 11 lodes, respectively, all of this survey, a porphyry rock, 6x6x24 ins., set 12 ins. in the ground, with mound of stone, 2-ft. base and 3 ft. high alongside, stone chiseled H.No.7-1-2355, H.No. 8-1-2355, H.No. 12-1-2355, and H.No.11-1-2355; whence: U.S.L.M. No 2355 bears S. 19° 40' W. 96.8 ft.
 No bearings available.

Thence S. 35° 00' W. . . .

1500. To cor. No. 2, identical with the location and with cors. No. 1-1-2 of the Hualapai No. 3, Hualapai No. 4, and Hualapai No. 8 lodes, respectively, all of this survey.
 Cor. heretofore described.

Thence S. 38°00'E. . . .

- 313.7 Along line 4-1 of the Hualapai No 3 lode of this survey.
 313.7 To S.C.E., identical with the location.
 627.4 To cor. No. 3 identical with the location and with cors. No. 2-1-4 of the Hualapai No. 6, Hualapai No. 2, and Hualapai No. 3 lodes, respectively, all of this survey, cor. heretofore described..

Thence N. 35° 00' E. . . .

1500. Along line 1-2 of the Hualapai No. 6 lode of this survey.
 To cor. No. 4, identical with the location and with cors. No. 1-1-4 of the Hualapai No. 6, Hualapai No. 10 and

Feet Hualapai No. 11 lodes, respectively, all of this survey,
cor. heretofore described.

Thence N. 38° 00' W.

313.7 To the N.C.E., identical with the location.

627.4 To cor. No. 1, the place of beginning.

The presumed course of the ledge on the Hualapai No. 7
lode is from the S.C.E.N. 35° 00' E. 1500 ft. to the N.C.E.

Hualapai No. 8 lode.

Beginning at cor. No. 1, the N.E. cor., identical with
the location and with cors. No. 1-1-1 of the Hualapai No. 7
Hualapai No. 11, and Hualapai No. 12 lodes, respectively,
of this survey, cor. heretofore described; whence:

U.S.L.M. No. 2355 bears S. 19° 40' W. 96.8 ft.

No bearings available.

Thence S. 35° 00' W.

1500. To cor. No. 2 identical with the location and with cor. S.
No. 2-1-1 of the Hualapai No. 7, Hualapai No. 3, and
Hualapai No. 4 lodes, respectively, all of this survey,
cor. heretofore described.

No bearings available.

Thence N. 38° 00' W.

313.7 To S.C.E. identical with the location.

627.4 To cor. No. 3 identical with the location and with cor.
No. 4 of the Hualapai No. 4 lode of this survey, cor.
heretofore described.

Thence N. 35° 00' E.

1500. To cor. No. 4 identical with the location and with cor.
No. 4 of the Hualapai No. 12 lode of this survey, a por-
phyry rock, 10x12x24 ins., set 12 ins. in the ground with
mound of stone, 2 ft. base and 3 ft. high alongside, stone
chiseled H. No. 8-4-2355 and H. No. 12-4-2355.

No bearings available.

Thence S., 38° 00' E.

313.7 To N.C.E. identical with the location.

627.4 To cor. No. 1, the place of beginning.

The presumed course of the ledge on the Hualapai No. 8

Feet lode is from the S.C.E.N. 35°00'E. 1500 ft. to the N.C.E.

Hualapai No. 9 lode.

Beginning at cor. No. 1, the S.W. cor., identical with the location and with corrs. No. 1-4-4 of the Hualapai No. 5, Hualapai No. 6 and Hualapai No. 10, lodes, respectively, all of this survey, cor. heretofore described; whence: U.S.L.M. No. 2355, brs. N.41° 53' W. 1206 ft.

No bearings available.

Thence N. 35° 00' E.

1500. To cor. No. 2, identical with the location and with corrs. No. 3-4-1 of the Hualapai No. 10, Hualapai No. 14, and Hualapai No. 13 lodes, respectively, all of this survey, a porphyry rock, 6x8x24 ins., set 12 ins. in the ground with mound of stone alongside, stone chiseled H.No. 9-2-2355, H. No. 10-3-2355, H. No. 14-4-2355, and H. No. 13-1-2355;

No bearings available.

Thence S. 38° 00' E.

313.7 To N.C.E. identical with the location.

627.4 To cor. No. 3, identical with the location and with cor. No. 4 of the Hualapai No. 13 lode of this survey, a porphyry rock, 16x10x24 ins., set 12 ins. in the ground, with mound of stone, 2 ft. base and 3 ft. high alongside, stone chiseled H. No.9-3-2355 and H.No.13-4-2355.

No bearings available.

Thence S. 35° 00' W.

1500. To cor. No. 4, identical with the location and with cor. No. 4 of the Hualapai No. 5 lode of this survey, cor. heretofore described.

Thence N. 38° 0' W.

313.7 To S.C.E., identical with the location.

627.4 To cor. No. 1, the place of beginning.

The presumed course of the ledge on the Hualapai No. 9 lode is from the S.C.E. N.35°00'E.1500 ft. to the N.C.E.

Hualapai No. 10 lode.

Feet Beginning at cor. No. 1, the S.W. cor., identical with the location and with cors. No. 1-4-4 of the Hualapai No. 6, Hualapai No. 7, and Hualapai No. 11 lodes, respectively, all of this survey, cor. heretofore described; whence: U.S.L.M. No. 2355 brs. N. $46^{\circ}05'$ W. 581.99 ft.

No bearings available.

Thence N. $35^{\circ}00'$ E.

1500. To cor. No. 2, identical with the location and with cors. No. 3-4-1 of the Hualapai No. 11, Hualapai No. 15, and Hualapai No. 14 lodes, respectively, all of this survey, a porphyry rock, 6x12x30 ins., set 12 ins. in the ground, with mound of stone, 2 ft. base and 3 ft. high alongside stone chiseled H. No. 10-2-2355, H. No. 11-3-2355, H. No. 15-4-2355, and H. No. 14-1-2355.

No bearings available.

Thence S. $38^{\circ}00'$ E.

170. Center Moor Gulch Creek, 50 ft. wide, brs. N. Easterly and S. Westerly.

313.7 To N.C.E., identical with location.

627.4 To cor. No. 3, identical with location and with cors. No. 2-1-4 of the Hualapai No. 9, Hualapai No. 13, and Hualapai No. 14 lodes, respectively, all of this survey, cor. heretofore described.

Thence S. $35^{\circ}00'$ W.

1500. To cor. No. 4, identical with the location and with cors. No. 1-1-4 of the Hualapai No. 9, Hualapai No. 5, and Hualapai No. 6 lodes, respectively, all of this survey, cor. heretofore described.

Thence N. $38^{\circ}00'$ W.

Along line 4-1 of the Hualapai No. 6 lode of this survey.

313.7 To S.C.E. identical with the location.

627.4 To cor. No. 1, the place of beginning.

The presumed course of the ledge on the Hualapai No. 10 lode is from the S.C.E. N. $35^{\circ}00'$ E. 1500 ft. to the N.C.E.

Hualapai No. 11 lode.

Beginning at cor. No. 1, the S.W. cor. identical with

Feet the location and with cors. No. 1-1-1 of the Hualapai No. 7, Hualapai No. 8, and Hualapai No. 12 lodes, respectively, all of this survey, cor. heretofore described; whence: U.S.L.M. No. 2355 hrs. S. 19° 40' W. 96.8 ft.
 No bearings available.
 . Thence N. 35° 00' E.

1500. To cor. No. 2, identical with the location and with cors. No. 2-1-1 of the Hualapai No. 12, Hualapai No. 16, and Hualapai No. 15 lodes, respectively, all of this survey, a porphyry rock, 6x8x24 ins., set 12 ins. in the ground with mound of stone, 2 ft. base and 3 ft. high alongside stone chiseled H. No. 11-2-2355, H. No. 12-2-2355, H. No. 16-1-2355, and H. No. 15-1-2355.
 No bearings available.
 Thence S. 38° 00' E.

313.7 To N.C.E. identical with the location.

627.4 To cor. No. 3 identical with the location and with cors. No. 2-1-4 of the Hualapai No. 10, Hualapai No. 14, and Hualapai No. 15 lodes, respectively, all of this survey, cor. heretofore described.
 Thence S. 35° 00' W.

1500. To cor. No. 4, identical with the location and with cors. No. 1-1-4 of the Hualapai No. 10, Hualapai No. 6, and Hualapai No. 7 lodes, respectively, all of this survey, cor. heretofore described.
 Thence N. 38° 00' W.

313.7 To S.C.E. identical with the location.

627.4 To cor. No. 1, the place of beginning.
 The presumed course of the ledge on the Hualapai No. 11 lode is from the S.C.E.N. 35° 00' E. 1500 ft. to the N.C.E.

 Hualapai No. 12 lode.
 Beginning at cor. No. 1, the S.E. cor., identical with the location and with cors. No. 1-1-1 of the Hualapai No. 11, Hualapai No. 7, and Hualapai No. 8 lodes, respectively, all of this survey, cor. heretofore described; whence: U.S.L.M. No. 2355, hrs. S. 19° 40' W. 96.8 ft.

Feet - Thence N. 35° 00' E.

1500. To cor. No. 2, identical with the location and with cors. No. 2-1-1 of the Hualapai No. 11, Hualapai No. 15, and Hualapai No. 16 lodes, respectively, all of this survey, cor. heretofore described.

Thence N. 38° 00' W.

313.7 To N.C.E. identical with the location.

627.4 To cor. No. 3 identical with the location and with cor. No. 4 of the Hualapai No. 16 lode of this survey, a porphyry rock, 6x10x24 ins., set 12 ins. in the ground, with mound of stone 2 ft. base and 3 ft. high alongside, stone chiseled H. No. 12-3-2355, H. No. 16-4-2355.

No bearings available.

Thence S. 35° 00' W.

1500. To cor. No. 4 identical with the location and with cor. No. 4 of the Hualapai No. 8 lode of this survey, cor. heretofore described.

Thence S. 38° 00' E.

313.7 To S.C.E. identical with the location.

627.4 To cor. No. 1, the place of beginning.

The presumed course of the ledge on the Hualapai No. 12 lode is from the S.C.E. N. 35° 00' E. 1500 ft. to the N.C.E.

Hualapai No. 13 lode.

Beginning at cor. No. 1, the S.W. cor., identical with the location and with cors. No. 2-3-4 of the Hualapai No. 9, Hualapai No. 10, and Hualapai No. 14 lodes, respectively, all of this survey, cor. heretofore described; whence: U.S.L.M. No. 2355 brs. S. 78° 46' W. 1698.7 ft.

No bearings available.

Thence N. 35° 00' E.

1500. To cor. No. 2, identical with the location and with cor. No. 3 of the Hualapai No. 14 lode of this survey, a porphyry rock, 6x8x24 ins., set 12 ins. in the ground with mound of stone, 2 ft. base and 3 ft. high alongside, stone chiseled H. No. 13-2-2355 and H. No. 14-3-2355.

No bearings available.

Feet Easterly, gulch 50 ft. wide.
 627.4 To cor. No. 3 identical with the location and with cor. No. 2 of the Hualapai No. 13 lode, cor. heretofore described.

Thence S. 35° 00' W.

1500. To cor. No. 4 identical with the location and with cors. No. 1-2-3 of the Hualapai No. 13 lode, Hualapai No. 9 lode, and Hualapai No. 10 lode, respectively, all of this survey, cor. heretofore described.

Thence N. 38° 00' W.

Along line 2-3 of the Hualapai No. 10 lode of this survey.

313.7 To S.C.E. identical with the location.

627.4 To cor. No. 1, the place of beginning.

The presumed course of the ledge on the Hualapai No. 14 lode is from the S.C.E.N. 35° 00' E. 1500 ft. to the N.C.E.

Hualapai No. 15 lode.

Beginning at cor. No. 1, the S.W. cor., identical with the location and with cors. No. 2-2-1 of the Hualapai No. 11 Hualapai No. 12, and Hualapai No. 16 lodes, respectively, all of this survey, cor. heretofore described; whence:

U.S.L.M. No. 2355 brs. S. 34° 05' W. 1593.61 ft.
 No bearings available.

Thence N. 35° 00' E.

90. Center of gulch 30 ft. wide, course S. Easterly, brs. N. Westerly.

1060. Center of gulch 10 ft. wide, course Southerly brs. North-erly.

1500. To cor. No. 2 identical with the location and with cor. No. 2 of the Hualapai No. 16 lode of this survey, a porphyry rock, 5x10x24 ins. set 12 ins. in the ground with mound of stone, 2 ft. base and 3 ft. high alongside, stone chiseled H. No. 15-2-2355 and H. No. 16-2-2355.

No bearings available.

Thence S. 38° 00' E.

313.7 To N.C.E. identical with the location.

627.4 To cor. No. 3 identical with the location and with cor. No. 2 of the Hualapai No. 14 lode of this survey, cor.

Feet heretofore described.

Thence S. 35° 00' W.

Along line 2-1 of the Hualapai No. 14 lode.

1500. To cor. No. 4, identical with the location and with cors. No. 1-2-3 of the Hualapai No. 14, Hualapai No. 10, and Hualapai No. 11 lodes, respectively, all of this survey, cor. heretofore described.

Thence N. 38° 00' W.

313.7 To S.C.E. identical with the location.

627.4 To cor. No. 1, the place of beginning.

The presumed course of the ledge, on the Hualapai No. 15 lode is from the S.C.E. N. 35° 00' E. 1500 ft. to the N.C.E.

Hualapai No. 16 lode.

Beginning at cor. No. 1, the S.E. cor., identical with the location and with cors. No. 1-2-2 of the Hualapai No. 15, Hualapai No. 11, and Hualapai No. 12 lodes, respectively, all of this survey, cor. heretofore described; whence:

U.S.J.M. No 2355 hrs. S. 34° 05' W. 1593.61 ft.

No bearings available.

Thence N. 35° 00' E.

Along line 1-2 of the Hualapai No. 15 lode.

1500. To cor. No. 2 identical with the location and with cor. No. 2 of the Hualapai No. 15 lode of this survey, cor. heretofore described.

Thence N. 38° 00' W.

313.7 To N.C.E. identical with the location.

627.4 To cor. No. 3 identical with the location, a porphyry rock, 6x8x24 ins. set 12 ins. in the ground with mound of stone 2 ft. base and 3 ft. high alongside, stone chiseled H. No. 16-3-2355.

No bearings available.

Thence S. 35° 00' W.

1475. Center of gulch 15 ft. wide, course S. Easterly hrs. N. Westerly.

1500. To cor. No. 4 identical with the location and with cor. No. 3 of the Hualapai No. 12 lode of this survey, cor. heretofore described.

Feet

Thence S. 38° 00' E

313.7 To S.C.E. identical with the location.

627.4 To cor. No. 1, the place of beginning.

The presumed course of the ledge on the Hualapai No. 16 lode is from the S.C.E.N. 35° 00' E. 1500 ft. to the N.C.E.

Hualapai No. 17 lode.

Beginning at cor. No. 1, the S.W. cor., identical with the location and with cor. No. 4 of the Hualapai No. 18 lode of this survey and situated on line 2-3 of the Hualapai No. 14 lode at N. 38° 00' W. 288.5 ft. from cor. No. 3, a porphyry rock, 6x10x24 ins., set 12 ins. in the ground with mound of stone 2 ft. base and 3 ft. high alongside, stone chiseled H. No. 17-1-2355 and H. No. 18-4-2355; whence:

U.S.L.M. No. 2355 hrs. S. 52° 43' W. 2951.6 ft.

No bearings available.

Thence N. 29° 42' E.

1500. To cor. No. 2 identical with the location and with cors. No. 3-4-1 of the Hualapai No. 18, Hualapai No. 20, and Hualapai No. 19 lodes, respectively; all of this survey, a porphyry rock, 6x8x24 ins. set 12 ins. in the ground with mound of stone 2 ft. base and 3 ft. high alongside, stone chiseled H. No. 17-2-2355, H. No. 18-3-2355, H. No. 20-4-2355, and H. No. 19-1-2355.

No bearings available.

Thence S. 38° 00' E.

145. Center of Moor Gulch Creek 50 ft. wide, course S. Westerly hrs. N. Easterly.

324. To N.C.E. identical with the location.

648. To cor. No. 3 identical with the location and with cor. No. 4 of the Hualapai No. 19 lode of this survey, a porphyry rock; 8x8x24 ins. set 12 ins. in the ground, with mound of stone 2 ft. base and 3 ft. high alongside, stone chiseled H. No. 17-3-2355 and H. No. 19-4-2355.

No bearings available.

Feet
 1500. Thence S. 29° 42' W.
 To cor. No. 4 identical with the location and situated on line 2-3 of the Hualapai No. 13 lode at N. 38° 00' W. 268 ft. from cor. No. 3, a porphyry rock, 6x10x24 ins., set 12 ins. in the ground with mound of stone, 2 ft. base and 3 ft. high alongside, stone chiseled H. No. 17-4-2355.
 No bearings available.

Thence N. 38° 00' W.

45.75 To N.C.E. of the Hualapai No. 13 lode.
 324. To S.C.E. identical with the location.
 359.5 To cors. No. 2-3 of the Hualapai No. 13 and Hualapai No. 14 lodes of this survey.
 466.9 Center of Moor Gulch Creek 45 ft. wide, course S.westerly hrs. N.Easterly.
 648. To cor. No. 1, the place of beginning.
 The presumed course of the ledge on the Hualapai No. 17 lode is from the S.C.E. N. 29° 42' E. 1500 ft. to the N.C.E.

Hualapai No. 18 lode.

Beginning at cor. No. 1, the S.W. cor., identical with the location and situated on line 2-3 of the Hualapai No. 15 lode of this survey at N. 38° 00' W. 310 ft. from cor. No. 3, a porphyry rock, 5x8x24 ins. set 12 ins. in the ground with mound of stone 2 ft. base and 3 ft. high alongside, stone chiseled H. No. 18-1-2355; whence:
 U.S.L.M. No. 2355 hrs. S. 41° 7' W. 3005.8 ft.
 No bearings available.

Thence N. 29° 42' W.

1500. To cor. No. 2 identical with the location and with cor. No. 1 of the Hualapai No. 20 lode of this survey, a porphyry rock, 4x12x24 ins. set 12 ins. in the ground with mound of stone 2 ft. base and 3 ft. high alongside, stone chiseled H. No. 18-2-2355 and H. No. 20-1-2355.
 No bearings available.

Thence S. 38° 00' E.

324. To N.C.E. identical with the location.
 648. To cor. No. 3 identical with the location and with cor.

Feet No. 2-1-4 of the Hualapai No. 17, Hualapai No. 19, and Hualapai No. 20 lodes, respectively, all of this survey, cor. heretofore described.

Thence S. 29° 42' W.

1500. To cor. No. 4 identical with the location and with cor. No. 1 of the Hualapai No. 17 lode of this survey and situated on line 2-3 of the Hualapai No. 14 lode of this survey, cor. heretofore described.

Thence N. 38° 00' W.

25.25 To N.C.E. of the Hualapai No. 14 lode.

324. To S.C.E. identical with the location.

338. To cors. No. 2-3 of the Hualapai No. 14 and Hualapai No. 15 lodes of this survey.

648. To cor. No. 1, the place of beginning.

The presumed course of the ledge on the Hualapai No. 18 lode is from the S.C.E. N. 29° 42' E. 1500 ft. to the N.C.E.

Hualapai No. 19 lode.

Beginning at cor. No. 1, the S.W. cor., identical with the location and with cors. No. 2-3-4 of the Hualapai No. 17, Hualapai No. 18, and Hualapai No. 20 lodes, respectively, all of this survey, cor. heretofore described; whence:

U.S.L.N. No. 2355 hrs. S. 45° 00' W. 4372.2 ft.

No bearings available.

Thence N. 29° 42' E.

1500. To cor. No. 2 identical with the location and with cor. No. 3 of the Hualapai No. 20 lode of this survey, a porphyry rock, 3x10x24 ins. set 12 ins. in the ground with mound of stone 2 ft. base and 3 ft. high alongside, stone chisled H. No. 19-2-2355 and H. No. 20-3-2355.

No bearings available.

Thence S. 38° 00' E.

324. To N.C.E. identical with the location.

365. Center of Moor Gulch Creek, 50 ft. wide, course Southerly bears Northerly.

648. To cor. No. 3 identical with the location, a porphyry

Feet. boulder in place 12x28 ins. 10 ins. above ground, chiseled + for exact cor. point and H. No. 19-3-2355, with mound of stone 2 ft. base and 3 ft. high alongside.

No bearings available.

Thence S. 29° 42' W.

1500. To cor. No. 4 identical with the location and with cor. No. 3 of the Hualapai No. 17 lode of this survey, cor. heretofore described.

Thence N. 38° 00' W.

Along line 2-3 of the Hualapai No. 17 lode of this survey.

324. To S.C.E., identical with the location.

648. To cor. No. 1, the place of beginning.

The presumed course of the ledge on the Hualapai No. 19 lode is from the S.C.E.N. 29° 42' E. 1500 ft. to the N.C.E.

Hualapai No. 20 lode.

Beginning at cor. No. 1, the S.W. cor., identical with the location and with cor. No. 2 of the Hualapai No. 18 lode of this survey, cor. heretofore described; whence: U.S.L.M. No. 2355 hrs. S. 37° 18' W. 4486.9 ft.

No bearings available.

Thence N. 29° 42' E.

1500. To cor. No. 2 identical with the location, a porphyry rock 6x10x24 ins., set 12 ins. in the ground, with mound of stone 2 ft. base and 3 ft. high alongside, stone chiseled H. No. 20-2-2355.

No bearings available.

Thence S. 38° 00' E.

324. To N.C.E. identical with the location.

648. To cor. No. 3 identical with the location and with cor. No. 2 of the Hualapai No. 19 lode of this survey, cor. heretofore described.

Thence S. 29° 42' W.

1500. To cor. No. 4 identical with the location and with cors. No. 1-2-3 of the Hualapai No. 19, Hualapai No. 17, and Hualapai No. 18 lodes, respectively, all of this survey, cor. heretofore described.

- Feet . Thence N. 38° 00' W.
324. To S.C.E. identical with the location.
648. To cor. No. 1, the place of beginning.
- The presumed course of the ledge on the Hualapai No. 20 lode is from the S.C.E.N. 29° 42' E. 1500 ft. to the N.C.E.
- *****
- Hualapai No. 21 lode.
- Beginning at cor. No. 1, the N.E. cor., identical with the location and with cor. No. 4 of the Hualapai No. 22 lode of this survey, a porphyry rock, 5x7x24 ins., set 12 ins. in the ground with mound of stone 2 ft. base and 3 ft. high alongside, cor. situated on line 2-3 of the Hualapai No. 1 lode of this survey at S. 38° 00' E. 166.4 ft. from cor. No. 2 stone chiseled H. No. 21-1-2355 and H. No. 22-4-2355; whence:
- U.S.L.M. No. 2355 hrs. 1. 13° 7' E. 3579.5 ft.
- No bearings available.
- Thence S. 59° 22' W.
1500. To cor. No. 2 identical with the location and with cor. No. 3 of the Hualapai No. 22 lode of this survey, a porphyry rock, 6x8x24 ins., set 12 ins. in the ground with mound of stone 2 ft. base and 3 ft. high alongside, stone chiseled H. No. 21-2-2355 and H. No. 22-3-2355.
- No bearings available.
- Thence S. 38° 00' E.
- 302.4 To W.C.E. identical with the location.
- 604.8 To cor. No. 3 identical with the location and with cor. No. 2 of the Hualapai No. 24 lode of this survey, a porphyry rock, 6x8x24 ins. set 12 ins. in the ground with mound of stone 2 ft. base and 3 ft. high alongside, stone chiseled H. No. 21-3-2355 and H. No. 24-2-2355.
- No bearings available.
- Thence N. 59° 22' E.
1320. Center of gulch 10 ft. wide, course Southerly hrs. Northerly.
1500. To cor. No. 4 identical with the location and with cor. No. 1 of the Hualapai No. 24 lode of this survey, a por-

Feet phryry rock, 7x10x24 ins., set 12 ins. in the ground with mound of stone 2 ft. base and 3 ft. high alongside stone chiseled H. No. 21-4-2355 and H. No. 24-1-2355.

No bearings available.

Thence N. 38° 00' W.

✓ 143.6 To cor. No. 3 of the Hualapai No. 1 lode of this survey.

✓ 302.4 To E.C.E. identical with the location.

604.8 To cor. No. 1, the place of beginning.

The presumed course of the ledge on the Hualapai No. 21 lode is from the W.C.E. N. 59° 22' E. 1500 ft. to the E.C.E.

Hualapai No. 24 lode.

Beginning at cor. No. 1, the N.W. cor., identical with the location and with cor. No. 4 of the Hualapai No. 21 lode of this survey, cor. heretofore described; whence: U.S.L.M. No. 2355 hrs. N. 36° 20' E. 3987 ft.

No bearings available.

Thence S. 59° 22' W.

Along line 4-3 of the Hualapai No. 21 lode of this survey.

1500. To cor. No. 2 identical with the location and with cor. No. 3 of the Hualapai No. 21 lode of this survey, cor. heretofore described.

Thence S. 38° 00' E.

✓ 302.4 To W.C.E. identical with the location.

604.8 To cor. No. 3 identical with the location and with cor. No. 2 of the Hualapai No. 25 lode of this survey, an igneous rock, 6x10x24 ins., set 12 ins. in the ground with mound of stone 2 ft. base and 3 ft. high alongside, stone chiseled H. No. 24-3-2355 and H. No. 25-2-2355.

No bearings available.

Thence N. 59° 22' E.

1500. To cor. No. 4 identical with the location and with cor. No. 1 of the Hualapai No. 25 lode of this survey, a porphyry rock in place, 10x23 ins., 4 ins. above ground with mound of stone, 2 ft. base and 3 ft. high alongside, stone chiseled +, for exact cor. point and H. No. 24-4-2355 and H. No. 25-1-2355.

Feet No bearings available. . . .
 .Thence N. 38° 00' W.

160. Center of gulch 10 ft. wide, course Westerly hrs. Easterly.
 302.4 To E.C.E. identical with the location.
 604.8 To cor. No. 1, the place of beginning.

The presumed course of the ledge on the Hualapai No. 24 lode is from the W.C.E. N. 59° 22' E. 1500 ft. to the E.C.E.

Hualapai No. 25 lode.

Beginning at cor. No. 1, the N.E. cor., identical with the location and with cor. No. 4 of the Hualapai No. 24 lode of this survey, cor. heretofore described; whence: U.S.L.M. No. 2355 hrs. N. 0° 52' E. 4439.8ft.

No bearings available. . . .
 Thence S. 59° 22' W.

1500. To cor. No. 2 identical with the location and with cor. No. 3 of the Hualapai No. 24 lode of this survey, cor. heretofore described. . . .
 Thence S. 38° 00' E. -

302.4 To W.C.E. identical with the location. . . .
 604.8 To cor. No. 3 identical with the location, a porphyry rock, 6x8x24 ins. set 12 ins. in the ground with mound of stone 2 ft. base and 3 ft. high alongside, stone chiseled H. No. 25-3-2355. . . .
 No bearings available. . . .
 Thence N. 59° 22' E.

1500. To cor. No. 4 identical with the location, a porphyry rock in place 2x3 ft. 2 ft. above ground, with mound of stone 2 ft. base and 3 ft. high alongside, stone chiseled + for exact cor. point and H. No. 25-4-2355. . . .
 No bearings available. . . .
 Thence N. 38° 00' W.

302.4 To E.C.E. identical with the location. . . .
 604.8 To cor. No. 1, the place of beginning.
 The presumed course of the ledge on the Hualapai No. 25 lode is from the W.C.E. N. 59° 22' E. 1500 ft. to the E.C.E.

Feet

Hualapai No. 22 lode.

Beginning at cor. No. 1, the N.E. cor., identical with the location and with cor. No. 4 of the Hualapai No. 23 lode of this survey and situated on line 2-3 of the Hualapai No. 2 lode of this survey at N. 38° 00' W. 438.4 ft. from cor. No. 3, a porphyry rock, 6x6x24 ins., set 12 ins. in the ground with mound of stone 2 ft. base and 3 ft. high alongside, stone chiseled H. No. 22-1-2355 and H. No. 23-4-2355; whence:

U.S.L.M. No. 2355 hrs. N. 21° 29' E. 3234.2 ft.

No bearings available.

Thence S. 59° 22' W.

33. To S.C.P. of the Hualapai No. 23 lode of this survey.

50. Center of gulch 10 ft. wide course Northerly hrs. South-erly,

103. To cor. No. 5 of the Hualapai No. 23 lode of this survey and cor. No. 3, the S.E. cor. of the Belcher lode, sur-vey No. 2195.

1320. Bank of Moor Gulch Creek.

1440. Same bank of Moor Gulch Creek.

1500. To cor. No. 2 identical with the location, a porphyry rock, 5x5x24 ins., set 12 ins. in the ground with mound of stone 2 ft. base and 3 ft. high alongside; whence:
 Cor. No. 4 of the Belcher lode survey No. 2195 hrs. S. 59° 22' W. 41.61 ft.

No other bearings available.

Thence S. 38° 00' E.

302.4 To W.C.E. identical with the location.

604.8 To cor. No. 3 identical with the location and with cor. No. 2 of the Hualapai No. 21 lode of this survey, cor. heretofore described.

Thence N. 59° 22' E.

1500. To cor. No. 4 identical with the location and with cor. No. 1 of the Hualapai No. 21 lode of this survey, cor. heretofore described.

Thence N. 38° 00' W.

166.4 To cors. No. 2-3 of the Hualapai No. 1 and Hualapai No.

Feet 2 lodes of this survey.
 302.4 To E.C.E. identical with the location.
 480.4 To S.C.E. of the Hualapai No. 2 lode of this survey.
 604.8 To cor. No. 1, the place of beginning.
 The presumed course of the ledge on the Hualapai No. 22 lode is from the W.C.E.N. $59^{\circ}22' E.$ 1500 ft. to the E.C.E.

Hualapai No. 23 lode.

Beginning at cor. No. 1 identical with the location and situated on line 2-3 of the Hualapai No. 4 lode of this survey at S. $38^{\circ} 00' E.$ 173.96 ft. from cor. No. 3, a porphyry rock 4x22x24 ins. set 12 ins. in the ground with mound of stone 2 ft. base and 3 ft. high alongside, stone chiseled H. No. 23-1-2355; whence:

U.S.L.M. No. 2355 hrs. N. $42^{\circ} 42' E.$ 2717 ft.

No bearings available.

Thence S. $38^{\circ} 00' E.$

39.75 To S.C.E. of the Hualapai No. 4 lode.

353.45 To cor. No. 2-2 of the Hualapai No. 4 and Hualapai No. 3 lodes.

Thence same course along line 2-3 of the Hualapai No. 3 lode.

980.85 To cor. No. 2 identical with the location and with cor. No. 3 of the Hualapai No. 3 lode, cor. heretofore described, and situated on line 1-2 of the Hualapai No. 2 lode of this survey.

Thence S. $35^{\circ} 00' W.$

Along line 1-2 of the Hualapai No. 2 lode of this survey.

111. To cor. No. 3 identical with the location and with cor. No. 2 of the Hualapai No. 2 lode, cor. heretofore described.

Thence S. $38^{\circ} 00' E.$

Along line 2-3 of the Hualapai No. 2 lode of this survey.

189. To cor. No. 4 identical with the location and with cor. No. 1 of the Hualapai No. 22 lode of this survey, cor. heretofore described.

Thence S. $59^{\circ} 22' W.$

- Feet Along line 1-2 of the Hualapai No. 22 lode of this survey.
- 33. To S.C.E. identical with the location.
- 103. To cor. No. 5 identical with the location and with cor. No. 3 of the Belcher lode, survey No. 2195, a porphyry rock, 8x8 ins., 8 ins. above ground with 2 mounds of stone 2 ft. base and 3 ft. high alongside, stone chiseled 3-2195-B for cor. No. 3 of the Belcher lode to which I add H. No. 23-5-2355.
- No bearings available.
- Thence N. 28° 07' W.
- 515. Center of Moor Gulch Creek 50 ft. wide, course S.Westerly
----- N.Easterly
- 550. Cross read Easterly and Westerly.
- 600.56 To cor. No. 2 of the Belcher lode Survey No. 2195 and the S.E. cor. of the Sunnyside lode unsurveyed.
- 1207.2 To cor. No. 6 identical with the location, a porphyry rock, the same as cor. No. 1, cor. heretofore described which I chisel for cor. No. 6 of this claim H.No.23-6-2355.
- No bearings available.
- Thence N. 59° 22' E.
- 1. To cor. No. 1, the place of beginning.
- The presumed course of the ledge on the Hualapai No. 23 lode is from the S.C.E. N. 31° 25' W. 120.6 ft to the N. End line.

Note:-The discrepancies between the courses and lengths of the lines of this survey and the location notices are due to errors in the location notices. The discrepancies between the lines of this survey and the lines of the Belcher lode, survey No. 2195, are due to errors in the latter.

The magnetic variation at all cors. of this survey is 13° 38' E.

AREAS.

Total & net area of the Hualapai No. 1 lode	20.66 ✓
Total & net area of the Hualapai No. 2 lode	20.66 ✓
Total & net area of the Hualapai No. 3 lode	19.132 ✓
Total & net area of the Hualapai No. 4 lode	19.132 ✓
Total & net area of the Hualapai No. 5 lode	20.66 ✓
Total & net area of the Hualapai No. 6 lode	20.66 ✓
Total & net area of the Hualapai No. 7 lode	20.66 ✓
Total & net area of the Hualapai No. 8 lode	20.66 ✓
Total & net area of the Hualapai No. 9 lode	20.66 ✓
Total & net area of the Hualapai No. 10 lode	20.66 ✓
Total & net area of the Hualapai No. 11 lode	20.66 ✓
Total & net area of the Hualapai No. 12 lode	20.66 ✓
Total & net area of the Hualapai No. 13 lode	20.66 ✓
Total & net area of the Hualapai No. 14 lode	20.66 ✓
Total & net area of the Hualapai No. 15 lode	20.66 ✓
Total & net area of the Hualapai No. 16 lode	20.66 ✓
Total & net area of the Hualapai No. 17 lode	20.645 ✓
Total & net area of the Hualapai No. 18 lode	20.645 ✓
Total & net area of the Hualapai No. 19 lode	20.645 ✓
Total & net area of the Hualapai No. 20 lode	20.645 ✓
Total & net area of the Hualapai No. 21 lode	20.654 ✓
Total & net area of the Hualapai No. 22 lode	20.654 ✓
Total & net area of the Hualapai No. 23 lode	2.404 ✓
Total & net area of the Hualapai No. 24 lode	20.654 ✓
Total & net area of the Hualapai No. 25 lode	20.654 ✓
Total & net area of Survey No. 2355	495.104 ✓

DISCOVERIES & EXPENDITURES.

Hualapai No. 1 lode
No. 1 dis. open cut, 4x12x12 ft., which bears from the
S.C.E. N. 35° 00' E. 100 ft.

Value-----\$100.00

Hualapai No. 2 lode.
No. 1 dis. dis. cut, 4x12x10 ft., which hrs. from the
N.C.E. S. 35° 00' W. 100 ft.

Value-----\$100.00

Hualapai No. 3 lode.

No. 1 dis. shaft, 4x6x10 ft., which bears from the N.C.E.

S. 35° 00' W. 100 ft.

Value-----\$100.00

Hualapai No. 4 lode.

No. 1 dis. open cut, 4x12x12 ft., which brs. from the N.C.E. S. 35° 00' W. 300 ft.

Value-----\$100.00

Hualapai No. 5 lode.

No. 1 dis. shaft and open cut, shaft 4x6x10 ft. deep, cut, 4x12x10 ft., center of shaft brs. from N.C.E. S. 35° 00' W. 550 ft.

Value-----\$200.00

Hualapai No. 6 lode.

No. 1 dis. tunnel, 4x6x10 ft., long which brs. from the S.C.E. N. 35° 00' E. 525 ft.

Value-----\$100.00

Hualapai No. 7 lode.

No. 1 dis. open cut, 10x12x12 ft., mouth of cut brs. from S.C.E. N. 35° 00' E. 50 ft.

Value-----\$100.00

Hualapai No. 8 lode.

No. 1 dis. shaft, 4x6x10 ft., which brs. from S.C.E. N. 35° 00' E. 300 ft.

Value-----\$100.00

Hualapai No. 9 lode.

No. 1 dis. open cut, 10x12 ft., 12 ft. face the center of mouth of which brs. From S.C.E. N. 35° 00' E. 270 ft.

Value-----\$100.00

Hualapai No. 10 lode.

No. 1 dis. open cut, 10x12 ft., 10 ft. face, the center of mouth of which brs. From S.C.E. N. 35° 00' E. 175 ft.

Value-----\$100.00

Hualapai No. 11 lode.

No. 1 dis. open cut, 10x12 ft., 12 ft. face, the center of mouth of which brs. from the S.C.E. N. 35° 00' E. 620 ft. ^{N.35° E}

Value-----\$100.00

Hualapai No. 12 lode.

No. 1 dis. open cut, 10x12 ft., 10 ft. face, the center of mouth of which brs. from the S.C.E. N. 35° 00' E. 633 ft.

Value-----\$100.00

Hualapai No. 13 lode.

No. 1 dis. open cut, 10x12 ft., 12 ft. face, the center of mouth of which brs. from S.C.E. N. 35° 00' E. 100 ft.

Value-----\$100.00

Hualapai No. 14 lode.
No. 1 dis. open cut, 10x12 ft., 12 ft. face, the center
of mouth of which brs. from S.C.E. N. 35° 00' E. 70 ft.

Value-----\$100.00

Hualapai No. 15 lode.

No. 1 dis. open cut, 10x12 ft., 10 ft. face, the center
of mouth of which brs. from the S.C.E. N. 35° 00' E. 300 ft.

Value-----\$100.00

Hualapai No. 16 lode.

No. 1 dis. open cut, 10x12 ft., 12 ft. face, the center
of mouth of which brs. from S.C.E. N. 35° 00' E. 93 ft.

Value-----\$100.00

Hualapai No. 17 lode.

No. 1 dis. shaft, 4x6x10 ft., which brs. from the N.C.E.
S. 29° 42' W. 65 ft.

Value-----\$100.00

Hualapai No. 18 lode.

No. 1 dis. shaft, 4x6x10 ft., which brs. from the N.C.E.
S. 29° 42' W. 22 ft.

Value-----\$100.00

Hualapai No. 19 lode.

No. 1 dis. cut, 10x12 ft., 12 ft. face, the center of
mouth of which brs. from S.C.E. N. 29° 42' E. 60 ft.

Value-----\$100.00

Hualapai No. 20 lode.

No. 1 dis. shaft, 4x6x10 ft., which brs. from the S.C.E.
N. 29° 42' E. 120 ft.

Value-----\$100.00

Hualapai No. 21 lode.

No. 1 dis. cut, 10x12 ft., 10 ft. face, the center of
mouth of which brs. from N.C.E. S. 59° 22' W. 330 ft.

Value-----\$100.00

Hualapai No. 24 lode.

No. 1 dis. shaft, 4x6x10 ft., which brs. from N.C.E. S.
59° 22' W. 480 ft.

Value-----\$100.00

Hualapai No. 25 lode.

No. 1 dis. shaft, 4x6x10 ft., which brs. from the N.C.E.
S. 59° 22' W. 320 ft.

Value-----\$100.00

Hualapai No. 22 lode.

No. 1 dis. cut, 10x12 ft., 12 ft. face, the center of

mouth of which hrs. from N.C.E. S.59° 22' W. 100 ft.

Value-----\$100.00

Hualapai No. 23 lode.

No. 1 dis. cut., 10x12 ft., 12 ft. face, the center of
mouth of which hrs. from S.C.E. N. 31° 25' W. 450 ft.

Value-----\$100.00

Note:-There are 3 shafts being sunk on the claims of this survey which are to be used as working shafts and are for the common development of all the claims of this survey. Before the expiration of the period of publication, I will make a supplemental report giving in detail the dimensions of these shafts with their underground workings and the manner in which they are for the common development of all the claims of the survey, together with my certificate that not less than \$500.00 has been expended upon or for each claim in the survey.

ADJOINING CLAIMS.

West of the Hualapai No. 23 lode, Sunnyside lode unsurveyed, and the Belcher lode, Survey No. 2195, both claimed by J. K. Truman.

West of the Hualapai No. 22 lode, Oriole lode, unsurveyed, claimed by J. K. Truman.

West of the Hualapai No. 21 lode, Navajo No. 1 lode; West of the Hualapai No. 24 lode, Navajo No. 2 lode; West of the Hualapai No. 25 lode, Navajo No. 3 lode; all unsurveyed and claimed by applicant herein.

North of the Hualapai No. 19 and Hualapai No. 20 lodes, Jumbo No. 1 lode, unsurveyed, claimed by applicant herein.

There are no other known adjoining claims.

This survey is located in the Moor Mining District, Maricopa County, Arizona, on unsurveyed land in what will approximately be when the lines of the public survey are extended Tp. 8 N. R. 3 E. G. & S. R. E. & M.

This survey was executed with a Gurley complete engineer's transit. The courses were deflected from the true meridian as determined by direct solar observations checked on Polaris. The distances were measured with a 100 ft. steel tape.

Phoenix, Arizona.

James C. Dobbins
U.S. Dept. Min'l Surveyor.

U. S. L. M. No. 2355.

Moor Gulch Creek passes through the center of this group of claims, the ground rising rapidly on each side of the Creek. As there are no corners of the public land survey or United States Location Monument within the prescribed 2 mile limit, I select a prominent knoll in the Northwest corner of the Hualapai No. 7 lode for the point visible for the greatest distance in all directions where I establish U. S. L. M. No. 2355 as follows:-

A quartz rock in place in a quartz reef which stands above ground 3 ft. on West face and 2 ft. on N, E, and S faces with mound of stone 6 ft. base, $4\frac{1}{2}$ ft. high alongside, rock chiseled U. S. L. M. No. 2355; whence:-

Mouth of box canyon of Moor Gulch brs. North $48^{\circ} 15'$ E.

Top of Ram's Head Butte brs. North $50^{\circ} 30'$ E.

Monument Butte brs. South $07^{\circ} 00'$ W.

South Peak of New River Mountain brs. S. $63^{\circ} 45'$ W.

Gibson Butte brs. S. $36^{\circ} 00'$ W.

There are no other bearings available.

FINAL OATHS FOR SURVEYS.

LIST OF NAMES.

A list of the names of the individuals employed by James C. Dobbins
 United States Deputy Mineral Surveyor, to assist in running, measuring, and marking the lines, corners, and
 boundaries described in the foregoing field notes of the survey of the mining claim of Kualapai
Mining Company
 known as the Kualapai No. 1 to No. 25 both inclusive
 and showing the respective capacities in which they acted.

Wm Brill Chainman.
O. F. Harrington Chainman.
 Axman.
 Flagman.

FINAL OATHS OF ASSISTANTS.

We, Wm Brill
 and O. F. Harrington do solemnly swear that we assisted James C.
Dobbins United States Deputy Mineral Surveyor, in marking the corners and surveying
 the boundaries of the mining claim of Kualapai Mining Company
 known as the Kualapai No. 1 to Kualapai No. 25 both inclusive
 represented in the foregoing field notes as having been surveyed by said deputy mineral surveyor and under his
 direction; and that said survey has been in all respects, to the best of our knowledge and belief, faithfully and
 correctly executed, and the corner and boundary monuments established according to law and the instructions
 furnished by the United States Surveyor-General for Arizona

Wm Brill Chainman.
O. F. Harrington Chainman.
 Axman.
 Flagman.

Subscribed and sworn to by the above-named persons before me this 16th
 day of March 1907

H. M. Fuchs

Notary Public

(4-686.)

FINAL OATH OF U. S. DEPUTY MINERAL SURVEYOR

I, James C. Dobbins, U. S. Deputy Mineral Surveyor, do solemnly swear that, in pursuance of instructions received from the United States Surveyor General for Arizona, dated October 5th 1906, I have, in strict conformity to the laws of the United States, the official regulations and instructions thereunder, and the instructions of said Surveyor General, faithfully and correctly executed the survey of the Mining Claims of Kualapai Mining Company, known as the Kualapai Nos. 1 to 25 feet inclusive, situate in Moore Mining District, Maricopa County, Arizona, in Section _____, Township No. _____, Range No. Unsurveyed, and designated as Survey No. 2355, as represented in the foregoing field notes, which accurately show the boundaries of said mining claim as distinctly marked by monuments on the ground, and described in the attached copy of the location certificate, which was received by me from the Surveyor General with said instructions, and that all the corners of said survey have been established and perpetuated in strict accordance with the law, official regulations and instructions thereunder; and I do further solemnly swear that the foregoing are the true and original field notes of said survey and my report therein, and that the labor expended and improvements made upon said mining claim by claimant or its grantors are as therein fully stated, and that the character, extent, location and itemized value thereof are specified therein with particularity and full detail, and that no portion of said labor or improvements so credited to this claim has been included in the estimate of expenditures upon any other claim.

James C. Dobbins
U. S. Deputy Mineral Surveyor.

Subscribed and sworn to by the said James C. Dobbins,
U. S. Deputy Mineral Surveyor, before me H. M. Fickas, a
notary public this 15th
day of April, 1907.

H. M. Fickas
Notary Public

(My commission expires Dec. 23, 1907)

HUALAPAI NO. 1, LODE CLAIM.

Know all men by these presents, that the Hualapai Mining company, a corporation, organized and existing under and by virtue of the laws of the Territory of Arizona; whose officers and stockholders are citizens of the United States, claims by right of discovery and location, fifteen hundred (1500) feet, linear and horizontal measurement, of the Hualapai No. 1 lode, along the vein thereof, ^{with all its dips} variations and angles, together with three hundred (300) feet in width on each side of the middle of said vein at the surface; and all veins, lodes, ledges, deposits and surface ground within the lines of said claim.

Fourteen hundred (1400) feet on said lode running N. 35° 00' E. from the center of the discovery monument, and one hundred (100) feet running S. 35° 00' W. from the center of said discovery monument.

Said claim is situated in Moor Mining District, Maricopa County, Arizona, to the east of Moor Gulch, about 1 mile in a North easterly direction from U.S.L.M. No. 1446, and about 1/2 a mile easterly from the Truman shaft.

Bounded and described as follows, to-wit;

Beginning at the center of the discovery monument, where this notice is posted, said discovery monument being situated upon said lode, within the lines of said claim, Thence N. 35° 00' E. 1400 ft. to the end center north, a mound of stone, identical with the end center south of the Hualapai No. 5 lode claim. Thence N. 33° 00' W. 513.75 feet, a quartz rock 12 x 12 x 24 ins. set 12 ins. in ground, chiseled H. 7. with mound of stone alongside, the N.W. cor., identical with the S.W. cor. of Hualapai No. 5 lode claim, with the S.E. cor. of Hualapai No. 6 lode claim amended location and with the N.E. cor. of Hualapai No. 2 lode claim amended location. Thence S. 35° 00' W. 1500 feet, a porphyry rock 6 x 8 x 24 ins., set 12 ins. in ground, chiseled H. 2. with mound of stone alongside, the S.W. cor. identical with the S.E. cor. of Hualapai No. 2 lode claim amended location, with the N.E. cor. of Hualapai No. 22 lode claim and with the N.W. cor. of Hualapai No. 21 lode claim.

Thence S. 38 0 00' E. 313.75 ft., the end center south, which falls in bed of creek where it is impracticable to erect a monument, 343.5 feet a porphyry rock 6 x 8 x 24 ins. set 12 ins. in ground, chiseled W.C.H.E.C. with mound of stone alongside for witness corner for end center south, identical with Witness corner for end center north of Hualapai No. 21 lode claim, 627.5 feet, a porphyry rock 6 x 10 x 22 ins. set 12 ins. in ground, chiseled H.1. with mound of stone alongside, the S.E. cor. identical with the N.E. cor. of Hualapai No. 21 lode claim. Thence N. 35 0 00' E. 1500 feet, a porphyry ^{rock} 6 x 10 x 24 ins. set 12 ins. in ground, chiseled H.6. with mound of stone alongside, the N.E. cor., identical with the S.E. cor. of Hualapai No. 5 lode claim.

Thence N. 58 0 00' W. 313.75 ft., the end center north.

This is a relocation of a forfeited or abandoned lode claim.

The date and name of the original location, the name of the original locators, and the exterior boundaries of the original claim are unknown.

Monumented and located March 9th, 1906.

Hualapai Mining Company.

Attest:

By George D. Christy, President.

T.W. Chamberlain,

Secretary.

Filed and recorded at request of T.W. Chamberlain, Apr. 7, 1906, at 10.30 A.M.

C.F. Leonard, County Recorder.

2104

By V.L. Vaughn, Deputy.

Book 16 of Mines, pages 144-145.

Hualapai No.2 Lode Claim.

Amended Location.

Know all men by these Presents; That the Hualapai Mining Company, a corporation organized and existing under and by virtue of the Laws of the Territory of Arizona, whose officers and stockholders are citizens of the United States, claim by right of re-location and this amended location certificate, fifteen hundred (1500) feet, linear and horizontal measurement, on the Hualapai lode No.2 lode, along the vein thereof, with all its dips, variations and angles; together with three hundred (300) feet in width on each side of the middle of said vein at the surface; and all veins, lodes, ledges and surface ground within the lines of said claim.

Sixty (60) feet on said lode running N. 35 0 00' E. from the center of the discovery monument and fourteen hundred forty (1440) feet S. 35 0 00' W. from center of said discovery monument.

Said claim is situated in the Moor Mining District, Maricopa County Arizona, on the Moor Gulch, about 1/2 mile N.E. of the Truman shaft, and about 1 1/2 miles N.E. of the U.S.L.M. No. 1446. Bounded and described as follows, to-wit;

Beginning at the center of the discovery monument, where this notice is posted, said discovery monument being situated upon said lode, within the lines of said claim;

Thence N. 35 0 00' E. 60 ft., a mound of stone, the end center north, identical with the end center south of Hualapai No. 6 lode claim. Thence N. 38 0 00' E. 313.75 ft., a porphyry rock 6 x 8 x 24 ins. set 12 ins. in ground, chiseled H. 8. with mound of stone alongside, the N.W. cor., identical with the S.W. cor. of Hualapai No. 6 lode claim, with the S.E. cor. of Hualapai No. 7 lode claim and with the N.E. cor. of Hualapai No. 3 lode claim, all amended locations. Thence S. 35 0 00' W. 1500 ft. a porphyry rock 6 x 12 x 24 ins. set 12 ins. in ground, chiseled H. 3. with mound of stone alongside, the S.W. cor. whence a shaft 4 x 7 ft. 160 ft. deep bears N. 82 0 00' E. 82 ft. distant. This corner

is identical with the S.E. cor. of Hualapai No. 3 lode claim, amended location, and the N.W. cor. of Hualapai No. 22 lode claim. Thence S. 58 o oo' E. 313.75 ft., a mound of stone, the end center south identical with end center north of Hualapai No. 22 lode claim, 627.5 ft. a porphyry rock 6 x 8 x 24 ins. set 12 ins. in ground, chiseled H/2 with mound of stone alongside. the S.E. cor. identical with the S.W. cor. of Hualapai No. 1 lode claim, with the N.W. cor. of Hualapai No. 21 lode claim and with the N.E. cor. of Hualapai No. 22 lode claim. Thence N. 55 o oo' E. 1500 feet, a quartz rock 12 x 12 x 24 ins. set 12 ins. in ground, chiseled H.7. with mound of stone alongside, the N.E. cor., identical with the S.E. cor. of Hualapai No. 6 lode claim amended location. with the S.W. cor. of Hualapai No. 5 lode claim and with the N. W. cor. of Hualapai No. 1 lode claim. Thence N. 58 o oo' W. 313.75 ft. a mound of stone, the end center north. Being the same lode claim originally located as the Tuff Nut lode claim, on the 14th day of July, 1903 by J.M.Burris and J.S.Harden and recorded March 26th, 1904 in Book No. 14 of Mines at pages 160 and 161, records of Maricopa County, Arizona; being at that ^{time} a re-location of a forfeited or abandoned lode claim.

The date and name of the original location, the name of the original locator and the exterior boundaries of the original claim were unknown.

This further Certificate of location is made without the waiver of any previous rights, but to correct any error in prior location or record. Monumented and relocated March 8, 1906.

Attest

Hualapai Mining Company,

T.W.Chamberlain, Secretary.

By George D.Christy, President.

Filed and recorded at request of T.W.Chamberlain, Apr. 7, 1906, at 10:32 A.M.

C.F.Leonard, County Recorder.

By V.L.Vaughn, Deputy.

2105

Book 16 of Mines, pages 146-147.

Hualapai No. 3 Lode Claim.

Amended Location.

Know all men by these Presents; that the Hualapai Mining Company, a corporation organized and existing under and by virtue of the Laws of the Territory of Arizona, whose officers and stockholders are citizens of the United States, claim by right of re-location and this amended location certificate, fifteen hundred (1500) feet, linear and horizontal measurement, on the Hualapai No. 3 lode, along the vein thereof, with all its dips, variations and angles; together with three hundred (300) feet in width on each side of the middle of said vein, at the surface; and all veins, lodes, ledges and surface ground within the boundaries of said claim. One hundred (100) feet running N/ 35 0 00' E. from the center of the discovery monument and fourteen hundred (1400) feet running S. 35 0 00' W. from the center of said discovery monument.

Said claim is situated in the Moor Mining District, Maricopa County, Arizona, on Moor Gulch, covering both sides of the creek, about 1/3 mile N.E. of the Truman shaft, and about 1 1/2 miles N.E. of U.S.L.M. No. 1146.

Bounded and described as follows, to-wit; Beginning at the center of the discovery monument where this notice is posted, said discovery monument being situated upon said lode, within the lines of said claim; Thence N. 35 0 00' E. 100 ft. around of stone, the end center north, identical with the end center south of Hualapai No. 7 lode claim; thence N/ 38 0 00' W/ 313.75 ft., a porphyry rock 6 x 10 x 24 ins. set 12 ins. in ground, chiseled H.9. with mound of stone alongside, the N.W. cor. identical with the S.W. cor. of Hualapai No. 7 lode claim amended location, with the S.E. cor. of Hualapai No. 8 lode claim and with the N.E. cor. of Hualapai No. 4 lode claim.

Thence S. 35 0 00' W. 1500 ft. a porphyry rock 7 x 8 x 24 ins. set 12 ins. in ground, chiseled H.4. with mound of stone alongside, the S.W. cor. identical with the S.E. cor. of Hualapai No. 4 lode claim.

Thence S. 38 o oo' E. 513.75 ft., a mound of stone, the end center south, 627.5 ft. a porphyry rock 6 x 8 x 24 ins. set 12 ins. in ground chiseled H.3. with mound of stone alongside, the S.E. cor. identical with the N.W. cor. of Hualapai No. 22 lode claim and the S.W. cor. of Hualapai No. 2 lode claim amended location.

Thence N. 35 o oo' E. 1500 ft .a porphyry rock 6 x 8x22 ins. set 12 ins. in ground, chiseled H.8. with mound of stone alongside, the N.E. cor. identical with the S.E. cor/ of Hualapai No. 7 lode claim, with the S.W. cor of Hualapai No. 6 lode claim and with the N.W. cor. of Hualapai No. 2 lode claim, all amended locations. Thence N. 38 o oo' W. 513.75 ft. a mound of stone, the end center north. Being the same lode claim originally located as the Bell lode claim, on the 25th day of June, 1904, by John Harden, T.W.Chamberlain, Trustrim Connell, and James M.Barris, and recorded November 9th, 1904, in Book 14 of Mines, pages 596 and 597 of the records of Maricopa County, Arizona; being at that time a relocation of a forfeited or abandoned lode claim. The date and name of the original location, the names of the original locators and the exterior boundaries of the original claim were unknown.

This further certificate of location is made without waiver of any previous rights, but to correct any error in prior location or record. Monumented and located March 8th, 1906.

Hualapai Mining Company,

Attest,

By George D.Christy, President.

T.W.Chamberlain, Secretary.

Filed and recorded at request of T.W.Chamberlain, Apr. 7, 1906, at 10:35 A.M.

C.F.Leonard, County Recorder.

#2106.

By V.L.Vaughn, Deputy.

Book 16 of Mines, pages 148-149.

Hualapai No.4. Lode Claim.

Know all men by these Presents, that the Hualapai Mining Company, a corporation, organized and existing under and by virtue of the Laws of the Territory of Arizona, whose officers and stockholders are citizens of the United States, claim by right of discovery and location, fifteen hundred (1500) feet, linear and horizontal measurement, on the hualapai No.4 lode, along the vein thereof, with all its dips, variations and angles; together with three hundred (300) feet in width on each side of the middle of said vein at the surface, and all veins, lodes, ledges, deposits and surface ground within the lines of said claim.

Three hundred (300) feet on said lode running N. 35 o oo' E. from the center of the discovery monument and twelve hundred (1200) feet running S. 35 o oo' W/ from the center of said discovery monument.

Said claim is situated in the Moor Mining District, Maricopa County, Arizona, on the west side of Moor Gulch, about 1/2 mile N.E. of the Truman shaft and about 1 1/4 miles N.E. of U.S.L.M. No. 1446.

Bounded and described as follows, to-wit; Beginning at the center of the discovery monument where this notice is posted, said discovery monument being situated upon said lode, within the lines of said claim. Thence N. 35 o oo' E. 300 ft., the end center north, a mound of stone identical with the end center South of Hualapai No. 8 lode claim.

Thence N. 38 o oo' W/ 313.75 ft., a porphyry rock 6 x 6 x 22 ins. set 12 ins. in ground, chiseled H.10, with mound of stone alongside, the W.W. cor. identical with the S.W. cor. of Hualapai No. 10 lode Claim.

Thence S. 35 o oo' W. 1500 ft., a porphyry rock 6 x 12 x 24 ins. set 12 ins. in ground chiseled H.5. with mound of stone alongside, the S.W. cor. Thence S. 38 o oo' E. 313.75 ft., a mound of stone, the end center south.

627.5 ft. a porphyry rock 7 x 8 x 24 ins. set 12 ins. in ground chiseled H.4. with mound of stone alongside, the S.E. cor. identical with the S.W. cor. of Hualapai No. 3 lode claim, amended location.

Thence ^N 35 o oo' E. 1500 ft., a porphyry rock 6 x 10 x 24 ins. set

12 ins. in ground, chiseled H.9. with mound of stone alongside, the N.E cor. identical with the N.W. cor. of Hualapai No. 3 lode claim amended location, with the S.W. cor. of Hualapai No.7 lode claim amended location and with the S.E. cor. of Hualapai No.8 lode claim.

Thence N/ 38 o 00' W. 313.75 ft., a mound of stone, the end center north.

This is a relocation of a forfeited or abandoned lode claim. The date and name of the original location, the name of the original locators and the exterior boundaries of the original claim are unknown.

monumented and located March 8th, 1906.

Hualapai Mining Company,

Attest,

By George D.Christy, President.

T.W.Chamberlain, Secretary.

Filed and recorded at request of T.W.Chamberlain, Apr. 7, 1906, at 10:34 A.M.

C.F.Leonard, County Recorder.

By V.L.Vaughn, Deputy.

#2107.

Book 16 of Mines, pages 150-151.

Hualapai No.5. Lode Claim.

Know all men by these Presents, that the Hualapai Mining Company, a corporation, organized and existing under and by virtue of the Laws of the Territory of Arizona, whose officers and stockholders are citizens of the United States, claim by right of discovery and location, fifteen hundred (1500) feet, linear and horizontal measurement, on the Hualapai No.5 lode, along the vein thereof, with all its dips, variations and angles; together with three hundred (300) feet in width on each side of the middle of said vein at the surface: and all veins, lodes, ledges, deposits and surface ground within the lines of said claim:

Five hundred, fifty (550) feet on said ledge running N. 35 o oo' E. from the center of the discovery monument, and nine hundred, fifty (950) feet S. 35 o oo' W. from center of said discovery monument. Said claim is situated in the Moor Mining District, Maricopa County, Arizona. about 600 feet east of Moor Gulch, about 1 mile N.E of the Truman shaft and 1 3/4 miles N.E. of U.S.L.M No. 1446.

Bounded and described as follows, to-wit; Beginning at the center of the discovery monument where this notice is posted, said discovery monument being situated upon said lode. within the lines of said claim: Thence N. 35 o oo' E. 550 ft., the end center north, a mound of stone, identical with the end center south of Hualapai No. 9 lode claim. Thence N/ 38 o oo' W. 313.75 ft. a porphyry rock 12 x 12 x 20 ins. set 12 ins. in ground, chiseled H.12. with mound of stone alongside, the N.W. cor. identical with the S.W. cor. of Hualapai No.9 lode claim, the S.E. cor. of Hualapai No.10 lode claim amended location and with the N.E. cor. of Hualapai No.6 lode claim amended location. Thence S. 35 o oo' W. 1500 ft. a quartz rock 12 x 12 x 24 ins. set 12 ins. in ground, chiseled H.7. with mound of stone alongside, the S.W. cor. identical with the N.W. cor. of Hualapai No.1 lode claim; with the N.E. cor. of Hualapai No.2 lode claim amended location and the S.E. cor. of Hualapai No.6 lode claim amended location: Thence S. 38 o oo' E. 313.75 feet, a mound of stone, the end center south, identical with the end center north of the Hualapai No.1 lode claim, 627.5 feet, a porphyry rock

6 x 10 x 26 ins. set 12 ins. in ground, chiseled H.6. with mound of stone alongside, the S.E. cor. identical with the N.E. cor. of Hualapai No.1 lode claim.

Thence N. 35 o oo' E. 1500 feet, a porphyry rock 4 x 12 x 24 ins. set 12 ins. in ground, chiseled H/11, with mound of stone alongside, the N.E. cor. identical with the S.E. cor. of Hualapai No.9 lode claim. Thence N. 38 o oo' W. 513.75 Ft., a mound of stone, the end center north.

This is a relocation of a forfeited or abandoned lode claim. The date and name of the original location, the name of the original locators and the exterior boundaries of the original claim are unknown.

Monumented and located March 9th, 1906.

Hualapai Mining Company,

Attest:

By George D.Christy, President.

T.W.Chamberlain, Secretary.

Filed and recorded at request of T.W.Chamberlain, Apr. 7, 1906. at 10:35 A.M.

C.F.Leonard, County Recorder.

#2108.

By V.L.Vaughn, Deputy.

Book 16 of Mines, pages 151-153.

Hualapai No.6. Lode Claim.

Amended Location.

Know all men by these Presents, That the Hualapai Mining Company, a corporation, organized and existing under and by virtue of the Laws of the Territory of Arizona, whose officers and stockholders are citizens of the United States, claim by right of re-location and this amended location certificate, fifteen hundred (1500) feet, linear and horizontal measurement, on the Hualapai No.6 lode, along the vein thereof, with all its dips, variations and angles; together with three hundred (300) feet in width on each side of the middle of said vein at the surface; and all veins, lodes, ledges and surface ground within the lines of said claim.

Five hundred twenty five (525) feet running S/ 35 o oo' W/ from the center of the discovery monument and nine hundred, seventy five (975) feet running N. 35 o oo' E. from center of said discovery monument.

Said claim is situated in the Moor Mining District, Maricopa County, Arizona, on Moor Gulch, covering both sides of the creek, about 3/4 mile N.E. of the Truman shaft and about 1 3/4 miles N.E. of U.S.L.H. No.146.

Bounded and described as follows, to-wit; Beginning at the center of the discovery monument where this notice is posted, said discovery monument being situated upon said lode, within the lines of said claim.

Thence S. 35 o oo' W. 525 ft., a mound of stone, the end center south, identical with the end center north of Hualapai No.2 lode claim amended location. Thence N. 38 o oo' W/ 313.75 ft., a porphyry rock 6 x 8 x 22 ins. set 12 ins. in ground, chiseled H/8 with mound of stone alongside, the S.W. cor., identical with the N.E. cor. of the Hualapai No.3 lode claim, with the S.E. cor. of Hualapai No.7 lode claim and with the N.W. cor. of Hualapai No.2 lode claim, all amended locations. Thence N. 35 o oo' E. 1500 ft. a porphyry rock 6 x 6 x 24 ins. set 12 ins. in ground, chiseled H.13 with mound of stone alongside, the N.W. cor. identical with the N.E. cor. of Hualapai No.7 lode claim, with the S.E. cor. of Hualapai No.11 lode claim and with the S.W. cor. of Hualapai No.10 lode claim, all amended locations. Thence S. 38 o oo' E. 313.75 ft. a mesquite post squared to 5 x 5 inches, 5 1/2 ft. long, set 1 ft. in ground

and in mound of earth 3 ft. high, the end center north identical with the end center south of the Hualapai No.10 lode claim amended location. 627.5 ft. sporphyry rock 12 x 12 x 20 ins. set 12 ins. in ground, chiseled H.12 with mound of stone alongside, the N.E. cor. identical with the S.E. cor. of Hualapai No.10 lode claim amended location, with the N.W. cor. of Hualapai No.5 lode claim and with the S.W. cor. of Hualapai No. 9 lode claim. Thence S/ 55 o oo' W. 1500 ft. a quartz rock 12 x 12 x 24 ins. set 12 ins. in ground, chiseled H.7 with mound of stone alongside, the S.E. cor., identical with the N.E. cor. of Hualapai No. 2 lode claim amended location, with the N.W. cor. of Hualapai No.1 lode claim and with the S.W. cor. of Hualapai No.5 lode claim. Thence N. 33 o oo' W. 313.75 ft. a mound of stone the end center south. Being the same lode claim originally located as the Stonewall Lode Claim, on the 14th day of July, 1903 by J.M.Burris and J.G.Harden and recorded March 25th, 1904 in Book 14 of Mines, pages 154-156, records of Maricopa County, Arizona; being at that time a relocation of a forfeited or abandoned lode claim. The date and name of the original location, the names of the original locators and the exterior boundaries of the original claim were unknown. This further certificate of location is made without the waiver of any previous rights, but to correct any error in prior location or record.

Monumented and relocated March 8th, 1906.

Hualapai Mining Company,

Attest

By George D.Christy, President.

T.W.Chamberlain, Secretary.

Filed and recorded at request of T.W.Chamberlain, Apr.7, 1906,
at 10:36 A.M.

C.F.Leonard, County Recorder.

#2109.

By V.L.Vaughn, Deputy.

Book 16 of Mines, pages 153-154.

Hualapai No.7. Lode Claim.

Amended Location.

Know all men by these Presents, That the Hualapai Mining Company, a corporation, organized and existing under and by virtue of the Laws of the Territory of Arizona, whose officers and stockholders are citizens of the United States, claim by right of relocation and this amended location certificate, fifteen hundred (1500) feet, linear and horizontal measurement, on the Hualapai No.7 lode, along the vein thereof, with all its dips, variations and angles; together with three hundred (300) feet in width on each side of the middle of said vein at the surface, and all veins, lodes, ledges and surface ground within the lines of said claim. Fifty (50) feet running S. 35 o oo' W. from the center of the discovery monument and ^{hundred} fourteen_^ fifty (1450) feet running N. 35 o oo' E. from the center of said discovery monument. Said claim is situated in Moor Mining District, Maricopa County, Arizona. on the west side of Moor Gulch, about 3/4 of a mile N.E. of the Truman shaft and about 1 3/4 miles N.E. of U.S.L.M. No. 1446.

Bounded and described as follows, to-wit; Beginning at the center of the discovery monument where this notice is posted, said discovery monument being situated upon said lode, within the lines of said claim; Thence S. 35 o oo' W. 50 ft., a mound of stone, the end center South, identical with the end center North of Hualapai No.3 lode claim amended location.

Thence N. 38 o oo' W. 313.75 Ft. a porphyry rock 6 x 10 x 24 ins. set 12 ins. in ground, chiseled H.9 with mound of stone alongside, the S.W. cor., identical with the N.W. cor. of Hualapai No.3 lode claim amended location, with the N.E. cor. of Hualapai No.4 lode claim and with the S.E. cor. of Hualapai No.8 lode claim. Thence N. 35 o oo' E. 1500 feet, a quartz rock 6 x 8 x 20 ins. set 12 ins. in ground, chiseled H.14 with mound of stone alongside, the N.W. cor., identical with the S.W. cor. of Hualapai No.11 lode claim amended location, with the S.E. cor. of Hualapai No.12 lode claim and with the N.E. cor. of Hualapai No.8 lode claim.

Thence S. 38 o oo' E. 313.75 ft., a mound of stone, the end Center North, identical with the end center South of Hualapai No.11 lode claim 627.5 ft. a porphyry rock 6 x 6 x 24 ins. set 12 ins. in ground, chiseled H.13 with mound of stone alongside, the N.E. cor. identical with the S.E. cor. of Hualapai No.11 lode claim, with the N.W. cor. Hualapai No.6 lode claim and with the S.W. cor. of Hualapai No.10 lode claim, all amended locations. Thence S. 35 o oo' W. 1500 ft. a porphyry rock 6 x 8 x 22 ins. set 12 ins. in ground, chiseled H.8 with mound of stone alongside, the S.E. cor. whence Hualapai shaft 4 ft. 2 ins. x 7 ft. 2 ins. 50 ft. deep bears N. 61 o oo' W. 165 ft. distant. Hualapai engine house bears N. 76 o oo' W. 180 ft. dist. Hualapai Boarding House, frame Building, bears N. 53 o 30' E. 75 ft. dist. Hualapai Bunk house, frame building, bears N. 50 o oo' E. 215 ft. dist. The S.E. cor. is identical with the N.E. cor. of Hualapai No.3 lode claim, with the N.W. cor. of Hualapai No.2 lode claim and with the S.W. cor. of Hualapai No.6 lode claim, all amended locations. Thence N. 38 o oo' W. 313.75 ft. a mound of stone, the end center South. Being the same lode claim originally located as the Ora Bell Lode Claim, on the 10th day of August, 1904, by J.M.Burris, Erustrim Connell and George D.Christy and recorded November 9th, 1904, in Book 14 of Mines, pages 594 and 595 of the records of Maricopa County, Arizona. being at that time a relocation of a forfeited or abandoned lode claim. The date and name of the original location, the names of the original locators and the exterior boundaries of the original claim were unknown. This further certificate of location is made without waiver of any previous rights, but to correct any error in prior location or record. Monumented and relocated March 8th, 1906.

Attest

Hualapai Mining Company,

T.W.Chamberlain, Secretary.

By George D.Christy, President.

Filed and recorded at request of T.W.Chamberlain, Apr.7, 1906, at 10:57

C.F.Leonard, County Recorder.

A.M.
#2110

Book 16 of Mines, pages 155-156.

By V.L.Vaughn. Deputy.

Hualapai No. 3. Lode Claim.

Know all men by these Presents; That the Hualapai Mining Company, a corporation, organized and existing under and by virtue of the Laws of the Territory of Arizona, whose officers and stockholders are citizens of the United States, claim by right of discovery and location, fifteen hundred (1500) feet, linear and horizontal measurement, on the Hualapai No. 3 lode, along the vein thereof, with all its dips, variations and angles; together with three hundred (300) feet in width on each side of the middle of said vein at the surface and all veins, lodes, ledges, deposits and surface ground within the lines of said claim.

Three hundred (300) feet on on said lode running S. 55 o oo' W. from the center of the discovery monument and twelve hundred (1200) feet running N. 55 o oo' E. from the center of said discovery monument. Said claim is situated in the Moor Mining District, Maricopa County, Arizona, about 900 feet west of the Hualapai camp, on the west side of Moor Gulch, and about 3000 ft. N.E. of the Truman shaft and about 1 1/2 miles N.E. of U.S.L.M. No. 1446.

Bounded and described as follows, to-wit; Beginning at the center of the discovery monument where this notice is posted, said discovery monument being situated on said lode, within the lines of said claim:

Thence S. 35 o oo' W. 300 ft. a mound of stone, the end center South; identical with end center North of Hualapai No. 4 lode claim. Thence N. 58 o oo' W. 313.75 ft. a porphyry rock 6 x 10 x 22 ins. set 12 ins. in ground, chiseled H. 10 with mound of stone alongside, the S.W. cor. identical with the N.W. cor. of Hualapai No. 4 lode claim. Thence N. 55 o oo' E. 1500 ft/ a porphyry rock 10 x 12 x 24 ins. set 12 ins. in ground, chiseled H. 15 with mound of stone alongside, the N.W. cor. identical with the S.W. cor. of Hualapai No. 12 lode claim. Thence S. 38 o oo' E. 313.75 ft., mound of stone, the End center North, identical with the End Center South of the Hualapai No. 12 lode claim. 627.5 ft. a quartz rock 6 x 8 x 20 ins. set 12 ins. in the ground, chiseled H. 14 with mound of stone alongside, the N.E. cor. identical with the S.E.

cor. of Hualapai No.12 lode claim, with the S.W. cor. of Hualapai No. 11 lode claim amended location and with the N.W. cor. of Hualapai No. 7 lode claim amended location. Thence S. 35 o oo' W. 1500 ft. a porphyry rock 6 x 10 x 24 ins. set 12 ins. in the ground, chiseled H.9. with mound of stone alongside, the S.E. cor identical with the N.E. cor. of Hualapai No. 4 lode claim, with the S.W. cor. of Hualapai No.7 lode claim amended location, and with the N.W. cor. of Hualapai No.3 amended location. Thence N. 58 o oo' W. 313.75 ft., mound of stone, the end center South.

This is a relocation of a forfeited or abandoned lode claim. The date and name of the original location, the name of the original locators, and the exterior boundaries of the original claim are unknown.

Monumented and located March 9th, 1906.

Hualapai Mining Company,

Attest.

By George D.Christy, President.

T.W.Chamberlain, Secretary.

filed and recorded at the request of T.W.Chamberlain, Apr. 7 , 1906, at 10:38 A.M.

C.F.Leonard, County Recorder.

#2111.

By V.L.Vaughn, Deputy.

Book 16 of Mines, pages 157-158.

Hualapai No.9. Lode Claim.

Know all men by these presents, that the Hualapai Mining Company, a corporation, organized and existing under and by virtue of the Laws of the Territory of Arizona, whose officers and stockholders are citizens of the United States, claim by right of discovery and location, fifteen hundred (1500) feet/ linear and horizontal measurement, on the Hualapai No.9 lode, along the vein thereof, with all its dips, variations and angles; together with three hundred (300) feet in width on each side of the middle of said vein at the surface; and all veins, lodes/ ledges, deposits and surface ground within the lines of said claim:

Two hundred, seventy (270) feet of said lode running S. 55 o oo' W. from the center of the discovery monument and twelve hunderd, thirty (1230) feet N. 55 o oo' E. from the center of said discovery monument.

Said claim is situated in the Moor Mining District, Maricopa County, Arizona, about 600 ft/ east of Moor Gulch, about 1/2 mile N.E. of the Truman shaft and about 2 miles N.E. of U.S. L.M. No. 1446.

Bounded and described as follows, to-wit: Beginning at the center of the discovery monument where this notice is posted, said discovery monument being situated upon the said lode within the lines of said claim; Thence S. 35 o oo' W. 270 ft., the end center South, a mound of stone, identical with end center North of Hualapai No.5 lode claim; Thence N. 38 o oo' W. 313.75 ft., a porphyry rock 12 x 12 x 20 ins. set 12 ins. in ground, chiseled H.12, with mound of stone alongside, the S.W. cor. identical with the N.W. cor. of Hualapai No.5 lode claim, with the N.E. cor. of Hualapai No. 6 lode claim amended location and also with the S.E. cor. of Hualapai No. 10 lode claim amended location. Thence N. 35 o oo' E. 1500 feet, a porphyry rock 6 x 8 x 21 ins. set 12 ins. in ground, chiseled H.17, with mound of stone alongside, the N.W. cor. identical with the N.E. cor. of Hualapai No.10 lode claim amended location, with the S.E. cor. of Hualapai No.14 lode claim amended location and with the S.W. cor. of Hualapai No.15 lode claim.

Thence S. 38 o oo' E. 313.75 ft. a mound of stone, the end center North, identical with the end center South of Hualapai No.15 lode claim,

627.5 ft., a porphyry rock 6 x 10 x 24 ins. set 12 ins. in ground, chiseled H.16, with mound of stone alongside, the W.E. cor Identical with the S.E. cor. of Hualapai No.13 lode claim, Thence S.55 o oo' W. 1500 ft., a porphyry rock 4 x 12 x 24 ins. set 12 ins. in ground, chiseled H.11, with mound of stone alongside, the S.E. cor. identical with the N.E. cor. of Hualapai No.5 lode claim. Thence N. 38 o oo' W. 315.75 a mound of stone, the end ~~cor~~ South.

This is a relocation of a forfeited or abandoned lode claim.

The date and name of the original location, the names of the original locators and the exterior boundaries of the original claim are unknown.

Monumented and located March 9th, 1906.

Hualapai Mining Company,

Attest

By George D.Christy, President.

T.W.Chamberlain, Secretary.

Filed and recorded at request of T.W.Chamberlain, Apr. 7 , 1906.

at 10:39 A.M.

C.F.Leonard, County Recorder.

By V.L.Vaughn, Deputy.

#2112

Book 16 of Mines, pages 159- 160.

Hualapai No.10. Lode Claim.

Amended Location.

Know all men by these Presents, That the Hualapai Mining Company, a corporation, organized and existing under and by virtue of the Laws of the Territory of Arizona, whose officers and stockholders are citizens of the United States, claim by right of ^{re} location and this amended location certificate, fifteen hundred (1500) feet, linear and horizontal measurement, on the Hualapai No.10 lode, along the vein thereof, with all its dips, variations and angles; together with three hundred (300) feet in width on each side of the middle of said vein at the surface; and all veins, lodes, ledges and surface ground within the lines of said claim. One hundred seventy five (175) feet running S. 35° 00' W. from the center of the discovery monument and thirteen hundred twenty five (1325) feet running N. 35° 00' E. from center of said discovery monument.

Said claim is situated in the Moor Mining District, Maricopa County, Arizona, on Moor Gulch, covering both sides of the creek, about 1 mile N.E. of the Truman shaft and about 2 miles N.E. of the U.S.L.M. No. 1446. Bounded and described as follows, to-wit:

Beginning at the center of the discovery monument, where this notice is posted, said discovery monument being situated upon said lode, within the lines of said claim. Thence S. 35° 00' W. 175 ft., a mesquite post 8 inches in diameter, 5-1/2 ft. long, squared to 5 x 5 ins., set 18 ins. in ground, the end center South, identical with the end center North of Hualapai No.6 lode claim amended location. Thence N. 38° 00' W. 213/75 ft., a porphyry rock 6 x 6 x 24 ins. set 18 ins. in ground, chiseled H.13 with mound of stone alongside, the S.W. cor. identical with the N.W. cor. of Hualapai No.6 lode claim, with the N.E. cor. of Hualapai No.7. lode claim, and with the S.E. cor. of Hualapai No.11 lode claim, all amended locations. Thence N. 35° 00' E. 1500 ft., a porphyry rock 6 x 12 x 30 ins. set 12 ins. in ground, chiseled H.18, with mound of stone alongside, the N.W. cor. identical with the N.E. cor.

of Hualapai No. 11 lode claim, with the S.W. cor. of Hualapai No. 14 lode claim and with the S.E. cor. of Hualapai No. 15 lode claim, all amended locations. Thence S. 38 0 00' E. 313.75 ft., a mound of stone, the End Center North, identical with the end center South of Hualapai No. 14 lode claim amended location, 627.5 ft., a porphyry rock 6 x 8 x 24 ins. set 12 ins. in ground, chiseled H. 17. with mound of stone alongside, the N.E. cor. identical with the S.E. cor. of Hualapai No. 14 lode claim amended location, with the N.W. cor. of Hualapai No. 9 lode claim and with the S.W. cor. of Hualapai No. 15 lode claim. Thence S. 35 0 00' W. 1500 ft., a porphyry rock 12 x 12 x 20 ins. set 12 ins. in ground, chiseled H. 12 with a mound of stone alongside, the S.E. cor. identical with the N.E. cor. of Hualapai No. 6 lode claim amended location, with the N.W. cor. of Hualapai No. 5 lode claim and with the S.W. cor. of Hualapai No. 9 lode claim. Thence N. 38 0 00' W. 313.75 ft. a mesquite post, the end center South;

Being the same lode claim originally located as the Climax Lode Claim, on the 14th day of July, 1903, by J.H. Burris and J.G. Harden and recorded in the office of the Recorder of Maricopa County, Arizona, on March 26, 1904, in Book 14 of Mines at pages 153 and 154. Being at that time a relocation of a forfeited or abandoned lode claim. The date and name of the original location, the names of the original locators and the exterior boundaries of the original claim were unknown.

This further certificate of location is made without the waiver of any previous rights, but to correct any error in prior location or record. Monumented and relocated March 8th, 1906.

Hualapai Mining Company,

Attest: by George D. Christy, President.
T.W. Chamberlain, Secretary.

Filed and recorded at request of T.W. Chamberlain, Apr. 7, 1906, at
10:40 A.M.

C.F. Leonard, County Recorder.

#8113

By V.L. Vaughn, Deputy.

Book 16 of Mines, pages 161-162.

Hualapai No. 11. Lode Claim.

Amended Location.

Know all men by these Presents, that the Hualapai Mining Company, a corporation, organized and existing under and by virtue of the laws of the Territory of Arizona, whose officers and stockholders are citizens of the United States, claim by right of relocation and this amended location certificate, fifteen hundred (1500) feet, linear and horizontal measurement, on the Hualapai No. 11 lode, along the vein thereof, with all its dips, variations and angles; together with three hundred (300) feet in width on each side of the middle of said vein at the surface; and all veins, lodes, ledges and surface ground within the lines of said claim. Six hundred twenty (620) feet running S. 35° 00' W. from the center of the discovery monument, and eight hundred eighty (880) feet running N. 35° 00' E. from center of said discovery monument. Said claim is situated in Moor Mining District, Maricopa County, Arizona, on the west side of Moor Gulch, about 1 mile N.W. of the Truman shaft and about 2 miles N.E. of U.S.L.M. No. 1416.

Bounded and described as follows, to-wit; Beginning at the center of the discovery monument where this notice is posted, said discovery monument being situated upon said lode within the lines of said claim.

Thence S. 35° 00' W. 620 ft., a mound of stone, the end center South, identical with the end center North of Hualapai No. 7 lode claim amended location, Thence N. 38° 00' W. 313.75 ft., a quartz rock 6 x 8 x 20 ins. set 12 ins. in ground, chiseled H. 14 with mound of stone alongside, the S.W. cor. identical with the N.W. cor. of Hualapai No. 7 lode claim amended location, with the N.E. cor. of Hualapai No. 8 lode claim and with the S.E. cor. of Hualapai No. 12 lode claim. Thence N. 35° 00' E. 1500 ft., a porphyry rock 6 x 8 x 24 ins. set 12 ins. in ground, chiseled H. 19. with mound of stone alongside, the N.W. cor., identical with the N.E. cor. of Hualapai No. 12 lode claim, with the S.E. cor. of Hualapai No. 16 lode claim and with the S.W. cor. of Hualapai No. 15 lode claim amended location. Thence S. 38° 00' W. 313.75 ft. a mound of

stone, the end center North, identical with the end center South of the Hualapai No. 15 lode claim. 627.5 ft., a porphyry rock 6 x 12 x 30 ins. set 12 ins. in the ground, chiseled H.18 with mound of stone alongside, the N.E. cor. identical with the N.W. cor. of Hualapai No. 10 lode claim, with the S.W. cor., of Hualapai No. 14 lode claim, and with the S.E. cor. of Hualapai No. 15 lode claim, all amended locations. Thence S. 35° 00' W. 1500 ft., a porphyry rock 6 x 6 x 24 ins. set 12 ins. in ground, chiseled H.15 with mound of stone alongside, the S.E. cor. identical with the N.W. cor. of Hualapai No. 6 lode claim, with the N.E. cor. of Hualapai No. 7 lode claim and with the S.W. cor. of Hualapai No. 10 lode claim, all amended locations. Thence N. 38° 00' W. 313.75 ft., a monument of stone, the end center South, Being the same lode claim originally located as the Marymac Lode Claim, on the 10th day of July, 1904, by J.M. Burris, Trustrum Connell and George D. Christy, and recorded in the office of the recorder of Maricopa County, Arizona, Nov. 9th, 1904, in Book 14 of Mines, pages 591 and 592, being at that time a relocation of a forfeited or abandoned lode claim. The date and name of the original location, the names of the original locators and the exterior boundaries of the original claim were unknown.

This further certificate of location is made without the waiver of any previous rights, but to correct any error in prior location or record. Monumented and re-located March 8th, 1906.

Hualapai Mining Company,

Attest:

By George D. Christy, President.

T.E. Chamberlain, Secretary.

Filed and recorded at request of T.E. Chamberlain, Apr. 7, 1906,
at 10:41 A.M.

C.F. Leonard, County Recorder.

2114

By V.L. Vaughn, Deputy.

Book 16 of Mines, pages 163-164.

Hualapai No. 12. Lode Claim.

Know all men by these Presents, that the Hualapai Mining Company, A corporation, organized and existing under and by virtue of the Laws of the Territory of Arizona, whose officers and stockholders are citizens of the United States, claim by right of discovery and location, fifteen hundred (1500) feet, linear and horizontal measurement, on the Hualapai No. 12 lode, along the vein thereof, with all its dips, variations and angles, together with three hundred (300) feet in width on each side of the middle of said vein at the surface, and all veins, lodes, ledges deposits and surface ground within the lines of said claim: Six hundred thirty (three) (633) feet on said lode running S. 55 o oo' W. from the center of the discovery monument and eight hundred sixty seven (867) feet running N. 55 o oo' E. from center of said discovery monument. Said Claim is situated in the Moor Mining District, Maricopa County, Arizona, about 900ft. west of Moor Gulch, about 1 mile N.E. of the Truman shaft, and about 3 miles N.E. of U.S.L.M. NO. 1446.

Bounded and described as follows, to-wit: Beginning at the center of the discovery monument where this notice is posted, said discovery monument being situated upon said lode, within the lines of said claim;

Thence S. 55 o oo' W. 655 ft., a mound of stone, the end center South, identical with the end center North of Hualapai No. 8 lode claim.

thence N. 38 o oo' W. 313.75 ft., a porphyry rock 10 x 12 x 24 ins. set 12 ins. in ground, chiseled H. 15 with mound of stone alongside, the S.W. cor. identical with the N.W. cor. of Hualapai No. 8 lode claim.

Thence N/ 55 o oo' E. 1500 ft., a porphyry rock 6 x 10 x 24 ins. set 12 ins. in ground, chiseled H. 20 with mound of stone alongside, the north west corner identical with the south west corner of Hualapai No. 16 lode claim. Thence ^S 38 o oo' E. 313.75 ft., a mound of stone the end center North, identical with the end center South of the Hualapai No. 16 lode claim. 627.5 ft., a porphyry rock 6 x 8 x 24 ins. set 12 ins. in ground, chiseled H. 19 with mound of stone alongside, the N.E. cor. identical with the S.E. cor. of Hualapai No. 16 lode claim amended location, and with the N.W. cor. of Hualapai No. 11 lode claim amended

location, Thence S. 35 o oo' W. 1500 ft., a quartz rock 6 x 8 x 12 ins. set 12 ins. in ground, chiseled H.14 with mound of stone alongside, the S.E. cor. identical with the N.E. cor of Hualapai No. 8 lode claim, with the N.W. cor. of the Hualapai No. 7 lode claim amended location and with the S.W. cor. of Hualapai No. 11 lode claim amended location. Thence N. 33 o oo' W. 313.75 ft., a mound of stone, the end center South. This is a relocation of a forfeited or abandoned lode claim.

The date and name of the original location, the names of the original locators and the exterior boundaries of the original claim are unknown.

Monumented and located March 2th, 1906.

Hualapai Mining Company,

Attest:

By George D. Christy, President.

T.W. Chamberlain. Secretary.

Filed and recorded at request of T.W. Chamberlain, Apr. 7 1906,
at 10:42 A.M.

C.F. Leonard, County Recorder.

By V.L. Vaughn, Deputy.

#2115

Book 16 of Mines, pages 165-166.

Hualapai No. 13. Lode Claim.

Know all men by these presents, that the Hualapai Mining Company, a corporation, organized and existing under and by virtue of the Laws of the Territory of Arizona, whose officers and stockholders are citizens of the United States, claim by right of discovery and location, fifteen hundred (1500) feet, linear and horizontal measurement, on the Hualapai No. 13 lode, along the vein thereof, with all its dips, variations and angles; together with three hundred (300) feet in width on each side of the middle of said vein at the surface; and all veins, lodes, ledges and deposits and surface ground within the lines of said claim.

One hundred (100) feet of said lode running S. 35 o oo' W. from the center of the discovery monument and fourteen hundred (1400) feet N. 35 o oo' E. from the center of said discovery monument.

Said claim is situated in the Moor Mining District, Maricopa County, Arizona, on the west slope of a long ridge east of Moor Gulch, about 1 1/4 miles N.W. of the Truman shaft and about 2 miles N.E. of U.S.L.M. No. 1446. Bounded and described as follows, to-wit;

Beginning at the center of the discovery monument where this notice is posted, said discovery monument being situated upon said lode, within the lines of said claim. Thence S. 35 o oo' W. 100 ft., the end center South, a mound of stone. Identical with the end center north of Hualapai No. 9 lode claim. Thence N. 38 o oo' W. 313.75 ft., a porphyry rock 6 x 8 x 24 ins. set 12 ins. in ground, chiseled H. 17. with mound of stone alongside, the S.W. cor. identical with the N.W. cor. of Hualapai No. 9 lode claim, with the N.E. cor., of Hualapai No. 10 lode claim amended location, and with the S.E. cor. of Hualapai No. 14 lode claim amended location. Thence N. 35 o oo' E. 1500 ft. a porphyry rock 6 x 8 x 24 ins. set 12 ins. in ground, chiseled H. 23. with mound of stone alongside, the N.W. cor. identical with the N.E. cor. Hualapai No. 14 lode claim.

Thence S. 32 o oo' W. 36.5 ft., a mound of stone, the end center South, of Hualapai No. 17 lode claim, 313.75 ft., a mound of stone, the end center North, 361.5 ft., a porphyry rock 8 x 8 x 24 ins. set 12 ins. in ground, chiseled H. 22. the S.E. cor. Hualapai No. 17 lode claim amended

location. 627.5 ft., a porphyry rock 8 x 10 x 24 ins. set 12 ins. in ground, chiseled H. 21 with mound of stone alongside, the N.E. cor. Thence S 35 o oo' E. 1500ft. a porphyry rock 6 x 10 x 24 ins. set 12 ins. in ground, chiseled H. 16 with mound of stone alongside, the S.E. cor. identical with the S.E. cor. of Hualapai No. 9 lode claim.

Thence N. 38 o oo' W. 313.75 ft., a mound of stone, the End Center South.

This is a relocation of a forfeited or abandoned lode claim.

The date and name of the original location, the names of the original locators and the xterior boundaries of the original claim are unknown.

Monumented and located March 9th, 1906.

Hualapai Mining Company,

Attest:

by George D Christy, President.

T.W. Chamberlain, Secretary.

Filed and recorded at request of T.W. Chamberlain, Apr. 7, 1906,
at 10:43 A.M.

C.F. Leonard, County Recorder,

By V.L. Vaughn, Deputy.

#2116

Book 16 of Mines, pages 167-168.

Hualapai No. 14. Lode Claim.

Amended Location.

Know all men by these presents, that the Hualapai Mining Company, a corporation, organized and existing under and by virtue of the Laws of the Territory of Arizona, whose officers and stockholders are citizens of the United States, claim by relocation and this amended location certificate, fifteen hundred (1500) feet, linear and horizontal measurement, on the Hualapai No. 14 lode, along the vein thereof, with all its dips, variations and angles; together with three hundred (300) feet in width on each side of the middle of said vein, at the surface; and all veins, lodes, ledges and surface ground within the lines of said claim. Seventy (70) feet running S. 55 o oo W. from the center of the discovery monument and fourteen hundred thirty (1430) feet running N. 55 o oo' E. from center of said discovery monument.

Said claim is situated in the Moor Mining District, Maricopa County, Arizona, on Moor Gulch, covering both sides of the creek, about 1 1/4 miles N.E. of the Truman shaft and about 2 1/4 miles N.E. of U.S.L.M. No. 1446. Bounded and described as follows, to-wit:

Beginning at the center of the discovery monument where this notice is posted, said discovery monument being situated upon said lode, within the lines of said claim; Thence S. 55 o oo' W. 70 ft., a mound of stone, the end center South, identical with the end center North of Hualapai No. 10 lode claim amended location. Thence N. 38 o oo' W. 315.75 ft. a porphyry rock 6 x 8 x 24 ins. set 12 ins. in ground, chiseled H.18, with mound of stone alongside, the S.W. cor. identical with the N.W. cor. of Hualapai No. 10 lode claim, with the N.E. cor. of Hualapai No. 11 lode claim and with the S.E. cor. of Hualapai No. 15 lode claim, all amended locations. Thence N. 35 o oo' E. 1500 feet a porphyry rock 6 x 10 x 24 ins. set 12 ins in ground, chiseled H.25, with mound of stone alongside, the N.W. cor. identical with the N.E. cor. of Hualapai No. 15 lode claim amended location. Thence S. 38 o oo' E. 14 ft., a mound of stone, the end center South of Hualapai No. 13 lode claim amended location, 315.75

feet a mound of stone, the end center North, 339 ft a porphyry rock 6 x 10 x 24 ins. set 12 ins. in ground, chiseled H.24 with mound of stone alongside, the S.W. cor. of Hualapai No. 17 lode claim and the S.E cor. of Hualapai No.18 lode claim amended locations, 627/5 feet a porphyry rock 6 x 8 x 24 ins. set 12 ins. in ground, chiseled H.23 with mound of stone alongside, the N.E cor. identical with the N.W. cor. of Hualapai No. 13 lode claim. Thence S. 35 0 00' W.1500 ft., a porphyry rock 6 x 8 x 24 ins. set 12 ins. in ground, chiseled H.17 with mound of stone alongside, the S.E. cor. identical with the N.W. cor. of Hualapai No. 10 lode claim amended location, with the N.W. cor. of Hualapai No.9 lode claim and with the S.W. cor. of Hualapai No. 13 lode claim.

Thence N.38 0 00' W.313.75 feet, a mound of stone, the end center South.

Being the same lode claim originally located as the Little Annie lode claim on the 14th day of July, 1905, by J.M.Burris and J.G.Harden and recorded in the office of the Recorder of Maricopa County, Arizona, March 26th 1904, in Book 14 of Mines, pages 156, 157 and 158. Being at that time a relocation of a forfeited or abandoned lode claim. The date and name of the original location, the names of the original locators and the exterior boundaries of the original claim were unknown.

This further certificate of location is made without the waiver of any previous rights, but to correct any error in prior location or record. Monumented and relocated March 3th, 1906.

Hualapai Mining Company,

Attest:

by George D.Christy, President.

T.W.Chamberlain, Secretary.

Filed and recorded at request of T.W.Chamberlain, Apr.7, 1906, at 10:44 A.M.

C.F.Lennard, County Recorder.

#2117

By V.L.Vaughn, Deputy.

Book 16 of Mines, pages 169-170.

Hualapai No. 15. Lode Claim.

Amended Location.

Know all men by these Presents, that the Hualapai Mining Company, a corporation, organized and existing under and by virtue of the Laws of the Territory of Arizona, whose officers and stockholders are citizens of the United States, claim by right of relocation and this amended location certificate, fifteen hundred⁽¹⁵⁰⁰⁾ feet, linear and horizontal measurement, on the Hualapai No. 15 lode, along the vein thereof, with all its dips, variations and angles; together with three hundred (300) feet in width on each side of the middle of said vein at the surface; and all veins, lodes, ledges and surface ground within the lines of said claim. Three hundred (300) feet running S. 55° 00' W. from the center of the discovery monument and Twelve hundred (1200) feet running N. 35° 00' E. from center of said discovery monument.

Said claim is situated in ^{the} Moor Mining District, Maricopa County, Arizona, about 600ft. west of Moor Gulch, about 1-1/2 miles N.W. of the Truman shaft and about 2 1/2 miles N.E. of the U.S.L.M. No. 1446.

Bounded and described as follows, to-wit: Beginning at the center of the discovery monument where this notice is posted, said discovery monument being situated upon said lode, within the lines of said claim. Thence S. 55° 00' W. 500ft., a mound of stone, the End center South, identical with the end center North of Hualapai No. 11 lode claim. Thence N. 35° 00' E. 313.75 ft., a porphyry rock 6 x 8 x 24 ins. set 12 ins. in ground chiseled H. 19, with mound of stone alongside, the S.W. cor. identical with the N.W. cor. of Hualapai No. 11 lode claim amended location, with the N.E. cor. of Hualapai No. 12 lode claim and with the S.E. cor. of Hualapai No. 16 lode claim. Thence N. 35° 00' E. 1500ft., a porphyry rock 5 x 10 x 24 ins. set 12 ins. in ground, chiseled H. 27, with mound of stone alongside, the N.W. cor. identical with the N.E. cor. of Hualapai No. 16 lode claim. Thence S. 35° 00' E. 313.75 ft., a mound of stone, the end center North. 316.5 ft. a porphyry rock 5 x 8 x 24 ins. set 12 ins. in ground, chiseled H. 26, with mound of stone alongside, the S.W. cor.,

of Hualapai No. 13 lode claim amended location. 627.5 feet a porphyry rock 6 x 10 x 25 ins. set 12 ins. in ground, chiseled H.25 with mound of stone alongside, the N.E. cor. identical with the N.W. cor. of Hualapai No. 14 lode claim amended location. Thence S. 35 o oo' W. 1500 ft. a porphyry rock 6 x 12 x 30 ins. set 12 ins. in ground, chiseled H.18 with mound of stone alongside, the S.E. cor., identical with the N.W. cor. of Hualapai No. 10 lode claim, with the N.E. cor. of Hualapai No. 11 lode claim and with the S.W. cor. of Hualapai No. 14 lode claim, all amended locations.

Thence N. 38 o oo' W. 313.75 feet, a mound of stone, the end center South.

Being the same lode claim originally located as the Blue Jay Lode Claim on the 25th day of June, 1904, by John Harden, T.W. Chamberlain, Trustrim Connell and J.M. Burris and recorded Nov. 9th, 1904 in the office of the Recorder of Maricopa County, Arizona, in Book 14 of Mines, pages 593 and 594. Being at that time a relocation of a forfeited or abandoned lode claim.

The date and name of the original location, the names of the original locators and the exterior boundaries of the original claim were unknown.

This further certificate of location is made without waiver of any previous rights, but to correct any error in prior location or record.

Monumented and located March 8th, 1906.

Hualapai Mining Company,

Attest: By George D. Christy, President.
T.W. Chamberlain, Secretary.

Filed and recorded at request of T.W. Chamberlain, Apr. 7, 1906,
at 10:45 A.M.

C.F. Leonard, County Recorder.

#2118.

Et V.L. Vaughn, Deputy.

Book 16 of Mines, pages 171-172.

Hualapai No. 16. Lode Claim.

Know all men by these Presents, that the Hualapai Mining Company, a corporation, organized and existing under and by virtue of the Laws of the Territory of Arizona, whose officers and stockholders are citizens of the United States, claim by right of discovery and location, fifteen hundred (1500) feet, linear and horizontal measurement, on the Hualapai No. 16 lode, along the vein thereof, with all its dips, variations and angles; together with three hundred (300) feet in width on each side of the middle of said vein at the surface; and all veins, lodes, ledges, deposits and surface ground within the lines of said claim. Ninety three (93) feet on said lode running S. 55° 00' W. from the center of the discovery monument and fourteen hundred seven (1407) feet running N. 55° 00' E. from the center of said discovery monument.

Said claim is situated in the Moor Mining District, Maricopa County, Arizona, about 1200 feet west of the Moor Gulch, about 1 1/4 miles N.E. of the Truman shaft and about 2 miles N.E. of U.S.L.M. No. 1446.

Bounded and described as follows, to-wit: Beginning at the center of the discovery monument, where this notice is posted, said discovery monument being situated upon said lode within the lines of said claim: Thence S. 55° 00' W. 93 feet, amount of stone, the end center South identical with the end center North of Hualapai No. 12 lode claim. Thence N. 38° 00' W. 313.75 ft., a porphyry rock 6 x 10 x 24 ins. set 12 ins. in ground, chiseled H.20, with mound of stone alongside, the S.W. cor. identical with the N.W. cor. of Hualapai No. 12 lode claim. Thence north 55° 00' E. 1500 ft., a porphyry rock 6 x 8 x 24 ins. set 12 ins. in ground, chiseled H.23, with mound of stone alongside, the N.W. cor.

Thence S. 38° 00' E. 313.75 ft., a mound of stone, the end center North, 627.5 ft. a porphyry rock 5 x 10 x 24 ins. set 12 ins. in ground, chiseled H.27, with mound of stone alongside, the N.E. cor. identical with the N.W. cor. of Hualapai No. 15 lode claim amended location.

Thence S. 55° 00' W. 1500 ft., a ~~X~~^P porphyry rock 6 x 8 x 24 ins. set 12 ins. in ground, chiseled H.19 with mound of stone alongside, the S.W. cor., identical with the N.E. cor. of Hualapai No. 12 lode claim, with

the N.W. cor. of Hualapai No.11 lode claim amended location and with the
S.W. cor. of Hualapai No.15 lode claim amended location

Thence N. 58 0 00' W. 313.75 ft., a mound of stone, the end center South.

This is a relocation of a forfeited or abandoned lode claim. The date
and name of the original location, the names of the original locators and
the exterior boundaries of the original claim are unknown.

Monumented and located March 8th, 1906.

Hualapai Mining Company,

Attest:

By George D.Christy, President.

T.W.Chamberlain, Secretary.

Filed and recorded at request of T.W.Chamberlain, Apr.7, 1906 at
10:46 A.M.

C.F.Leonard, County Recorder.

By V.L.Vaughn, Deputy.

2119.

Book 16 of Mines, pages 173-174.

Hualapai No. 17. Lode Claim.

Amended Location.

Know all men by these Presents, that the Hualapai Mining Company, a corporation, organized and existing under and by virtue of the laws of the Territory of Arizona, whose officers and stockholders are citizens of the United States, claim by right of relocation and this amended location certificate, fifteen hundred (1500) feet, linear and horizontal measurement, on the Hualapai No. 17 lode, along the vein there of, with all its dips, variations and angles; together with three hundred (300) feet in width on each side of the middle of said vein at the surface; and all veins, lodes, ledges, and surface ground within the lines of said claim. Sixty five (65) feet running N. 29° 42' E. from the center of the discovery monument and fourteen hundred thirty five (1435) feet running S. 29° 42' W. from the center of said discovery monument. Said claim is situated in the Moor Mining District, Maricopa County, Arizona, on Moor Gulch, covering both sides of the creek, about 1 3/4 miles N.E. of the Truman shaft and about 2-3/4 miles N.E. of U.S.L.M. 1446. Bounded and described as follows, to-wit: Beginning at the center of the discovery monument where this notice is posted, said discovery monument being situated upon said lode within the lines of said claim. Thence N. 29° 42' E. 65 ft., a mound of stone, the end center North, identical with the end center South of Hualapai No. 19 lode claim amended location. whence a shaft 4 x 7 ft 43 ft. deep bears S. 45° 15' W. 325 ft. distant. Thence N/ 38° 00' W. 325 ft., a porphyry rock 6 x 8 x 24 ins. set 12 ins. in ground, chiseled H. 30, with mound of stone alongside, the N.W. cor., identical with the N.E. cor., of Hualapai No. 18 lode claim amended location, with the S.W. cor. of Hualapai No. 19 lode claim amended location and with the S.E. cor. of Hualapai No. 20 lode claim. Thence S. 29° 42' W. 1500 ft. a porphyry rock 6 x 10 x 24 ins. set 12 ins. in ground, chiseled H. 24 with mound of stone alongside, the S.W. cor. whence the end center North of Hualapai No. 14 lode claim amended location bears N. 58° 00' W. 25.25 ft. distant. Thence S. 58° 00' E.

288.5 ft. the N.E. cor. of Hualapai No. 14 lode claim and the N.W. cor. of Hualapai No. 13 lode claim. 325 ft. a mound of stone, the end center South, 602.25 ft. a mound of stone, the end center North of Hualapai No. 13 lode claim. 650 ft. a porphyry rock 8 x 8 x 24 ins. set 12 ins. in ground, chiseled H. 22, with mound of stone alongside, the S.E. cor. Thence N. 29 o 42' E. 1500 ft. a porphyry rock 8 x 8 x 24 ins. set 12 ins. in ground, chiseled H. 29 with mound of stone alongside, the N.E. cor. identical with the S.E. cor. of Hualapai No. 19 lode claim. Thence N. 38 o 00' W. 525 ft. a mound of stone, the end center North.

Being the same lode claim originally located as the Crackerjack lode claim, on the 24th day of June, 1904, by John Harden, T.W. Chamberlain, Trustim Connell and James M. Burris and recorded November 9th, 1904, in Book 14 of Mines, pages 588 and 589 of the records of Maricopa County, Arizona; being at that time a relocation of a forfeited or abandoned lode claim. The date and name of the original location, the names of the original locators and the exterior boundaries of the original claim were unknown. This further certificate of location is made without waiver of any previous rights, but to correct any error in prior location or record. Monumented and located March 8th, 1906.

Hualapai Mining Company,

Attest: By George D. Christy, President.
T.W. Chamberlain, Secretary.

Filed and recorded at request of T.W. Chamberlain, Apr. 7/ 1906.
at 10:47 A.M. C.F. Leonard, County Recorder.
2120 By V.L. Vaughn, Deputy.
Book 16 of Mines, pages 174-176.

Hualapai No. 18. Lode Claim.

Amended Location.

Know all men by these presents, that the Hualapai Mining Company, a corporation, organized and existing under and by virtue of the laws of the Territory of Arizona, whose officers and stockholders are citizens of the United States, claim by right of relocation and this amended location certificate, fifteen hundred (1500) feet, linear and horizontal measurement, on the Hualapai No. 18 lode, along the vein thereof, with all its dips, variations and angles; together with three hundred (300) feet in width on each side of the middle of said vein at the surface, and all veins, lodes, ledges and surface ground within the lines of said claim.

Twenty two (22) feet running N. 89 o 42' E. from the center of the discovery monument, and fourteen hundred seventy eight (1478) feet running S. 29 o 42' W. from the center of said discovery monument.

Said claim is situated in the Moor Mining District, Maricopa County, Arizona, about 900 feet west of Moor Gulch, about 2 miles N.E. of the Trumanshaft and about 3 miles N.E. of U.S.L.M. No. 1446.

Bounded and described as follows, to wit: Beginning at the center of the discovery monument where this notice is posted, said discovery monument being situated upon said lode, within the lines of said claim;

Thence N. 29 o 42' E. 22 ft., a mound of stone, the end center North, identical with the end center South of Hualapai No. 20 lode claim;

Thence N. 38 o 00' W. 325 ft., a porphyry rock 4 x 12 x 24 ins. set 12 ins. in ground, chiseled H. 31 with mound of stone alongside, the N.W. cor. identical with the S.W. cor. of Hualapai No. 20 lode claim.

Thence S. 29 o 42' W. 1500 feet, a porphyry rock 5 x 8 x 24 ins. set 12 ins. in ground, chiseled H. 26 with mound of stone alongside the S. W. cor. Thence S. 38 o 00' E. 275 ft., a mound of stone, the end center North of Hualapai No. 15 lode claim amended location. 313.75 feet, the N.W. cor. of Hualapai No. 14 lode claim amended location, identical with the N.W. cor. of Hualapai No. 15 lode claim amended location.

325 ft. a mound of stone, the end center South. 625.75 ft. the

end center N. of Hualapai No.14 lode claim amended location. 650 feet, a porphyry rock 6 x 10 x 24 ins. set 12 ins. in ground; chiseled H.24, with mound of stone alongside, the S.E. cor., identical with the S.W. cor., of Hualapai No.17 lode claim amended location. Thence N. 29 o 42' E. 1500 feet, a porphyry rock 6 x 8 x 24 ins. set 12 ins. in ground, chiseled H.30, with mound of stone alongside, the N.E. cor., identical with the N.W. cor. of Hualapai No.17 lode claim amended location, with the S.W. cor. of Hualapai No.19 lode claim amended location and with the S.E. cor. of Hualapai No.20 lode claim. Thence N. 38 o 00' W. 325 ft., mound of stone, the End Center North.

Being the same lode claim originally located as the Maggie May Lode Claim, on the 14th day of July, 1905, by James Burris and John G. Harden, and recorded March 26, 1904 in Book 14 of Mines, pages 158 and 159 of the records of Maricopa County, Arizona; being at that time a relocation of a forfeited or abandoned lode claim. The date of and name of the original location, the names of the original locators and the exterior boundaries of the original claim were unknown.

this further certificate of location is made without waiver of any previous rights, but to correct any error in prior location or record.

Monumented and relocated March 8th, 1906.

Hualapai Mining Company,

Attest:

By George D. Christy, President.

T.W. Chamberlain, Secretary.

Filed and recorded at request of T.W. Chamberlain, Apr. 7 1906,

at 10:48 A.M.

C.F. Leonard, County Recorder,

2121.

by V.L. Vaughn, Deputy.

Book 16 of Mines, pages 176-178.

Hualapai No. 19. Lode Claim.

Amended Location.

Know all men by these Presents, that the Hualapai Mining Company, a corporation, organized and existing under and by virtue of the Laws of the Territory of Arizona, whose officers and stockholders are citizens of the United States, claim by right of relocation and this amended location certificate, fifteen hundred (1500) feet, linear and horizontal measurement, on the Hualapai No. 19 lode, along the vein thereof, with all its dips, variations and angles; together with three hundred (300) feet in width on each side of the middle of said vein at the surface; and all veins, lodes, ledges and surface ground within the lines of said claim.

Sixty (60) feet running S. 29 o 42' W. from the center of the discovery monument and fourteen hundred forty (1440) feet running N. 29 o 42' E. from center of said discovery monument. Said claim is situated in Moor Mining District, Maricopa County, Arizona, on Moor Gulch, covering both sides of the creek, about 2-1/4 miles N.W. of the Truman shaft and about 3-1/4 miles N.E. of U.S.L.M. No. 1446.

Bounded and described as follows, to-wit: Beginning at the center of the discovery monument where this notice is posted, said discovery monument being situated upon said lode, within the lines of said claim;

Thence S. 29 o 42' W. 60 feet, a mound of stone, the end center South, identical with the end center North of Hualapai No. 17 lode claim.

Thence N. 38 o 00' W. 325 ft/ a porphyry rock 6 x 8 x 24 ins. set 12 ins. in ground, chiseled H.30 with mound of stone alongside, the S.W. cor. identical with the N.E. cor. of Hualapai No. 18 lode claim amended location and with the S.E. cor. of Hualapai No. 20 lode claim and with the N.W. cor. of No. 17 lode claim amended location. Thence N. 29 o 42' E. 1500ft. a porphyry rock 3 x 10 x 24 ins. set 12 ins. in ground, chiseled H.33, with mound of stone alongside, the N.W. cor., identical with the N.E. cor. of Hualapai No. 20 lode claim. Thence S. 38 o 00' E. 325 ft., a mound of stone, the end center North, 650 ft. a porphyry boulder in place 12 x 28 ins. standing 10 ins above ground, chiseled H.32 with mound

of stone alongside, the N.E. cor. Thence S. 29 o 42'W. 1500 feet, a porphyry rock 8 x 8 x 24 ins. set 12 ins. in ground, chiseled H. 29 with mound of stone alongside, the S.E. cor., identical with the N.E. cor. of Hualapai No. 17 lode claim amended location. Thence N. 38 o oo' W. 325 ft., mound of stone, the end center South.

Being the same lode claim originally located as the Texas Lode Claim on the 24th day of June, 1904, by John Harden, T.W. Chamberlain, Trustim Connell and James M. Burris, and recorded November 9th, 1904 in Book 14 of Mines, pages 589, 590 and 591 of the records of Maricopa County, Arizona; being at that time a relocation of a forfeited or abandoned lode claim. The date and name of the original location, the names of the original locators and the exterior boundaries of the original claim were unknown. This further certificate of location is made without waiver of any previous rights, but to correct any error in prior location of record. Monumented and relocated March 8th, 1906.

Hualapai Mining Company,

Attest:

By George D. Christy, President.

T.W. Chamberlain, Secretary.

Filed and recorded at request of T.W. Chamberlain Apr. 7, 1906, at 10:49 A.M.

C.F. Leonard, County Recorder,

#2122.

by V.L. Vaughn, Deputy

Book 16 of Mines, pages 179-180.

Hualapai No. 20. Lode Claim.

Know all men by these Presents, that the Hualapai Mining Company, a corporation, organized and existing under and by virtue of the Laws ^{of the Territory} of Arizona, whose officers and stockholders are Citizens of the United States, claim by right of discovery and location, fifteen hundred (1500) feet linear and horizontal measurement, on the Hualapai No. 20 lode, along the vein thereof, with all its dips, variations and angles; together with three hundred (300) feet in width on each side of the middle of said vein at the surface; and all veins, lodes, ledges deposits and surface ground within the lines of said claim:

One hundred twenty (120) feet of said lode running S. 29 o 42' W. from the center of the discovery monument and thirteen hundred eighty (1380) feet running N. 29 o 12' E. from the center of said discovery monument.

Said claim is situated in the Moor Mining District, Maricopa County, Arizona, on the west side of Moor Gulch, about 3 miles N.E. of the Truman shaft and about 3 miles N.E. of U.S.L.M. No. 1446.

Bounded and described as follows, to-wit: Beginning at the center of the discovery monument where this notice is posted, said discovery monument being situated upon the said lode, within the lines of said claim:

Thence S/ 29 o 42' W. 120 ft. the end center South, a mound of stone identical with the end center north of ^{the} Hualapai No. 18 lode claim amended location. Thence N. 38 o 00' W. 325 ft., a porphyry rock 4 x 12 x 24 ins. set 12 ins. in ground, chiseled H. 21, with mound of stone alongside, the S.W. cor. identical with the N.W. cor. Hualapai No. 18 lode claim amended location. Thence N. 29 o 42' E 1500 ft., a porphyry rock 6 x 10 x 24 ins. set 12 ins. in ground, chiseled H. 34, with mound of stone alongside, the N.W. cor. Thence S. 38 o 00' W. 325 ft., a mound of stone, the end center North, 650 ft., a porphyry rock 3 x 10 x 24 ins. set 12 ins. in ground, chiseled H. 33, with mound of stone alongside, the N.E. cor. identical with the N.W. cor. of Hualapai No. 19 lode claim amended location, Thence S. 29 o 42' W. 1500 feet, a porphyry rock 6 x 8 x 24 ins/ set 12 ins. in ground, chiseled H. 50, with mound of stone alongside,

the S.E. cor. identical with the N.W. cor. of Hualapai No. 17 lode claim, with the N.E. cor/ of Hualapai No. 18 lode claim, and with the S.W. cor. of Hualapai No. 19 lode claim, all amended locations. Thence N. 38 o oo' W. 325 ft., a mound of stone, the end center South.

This is a relocation of a forfeited or abandoned lode claim. The date and name of the original location, the name of the original locators and the exterior boundaries of the original claim are unknown.

Monumented and located March 9th, 1906.

Hualapai Mining Company,

Attest:
E.W. Chamberlain, Secretary.

By George D. Christy, President

Filed and recorded at request of E.W. Chamberlain, Apr. 7, 1906,
at 10:50 A.M.

C.F. Leonard, County Recorder.

By V.L. Vaughn, Deputy.

18123

Book 16 of Mines, pages 181-182.

Hualapai No. 21.

Lode Claim.

Amended Location.

Know all men by these presents, that the Hualapai Mining Company, a corporation, organized and existing under and by virtue of the Laws of the Territory, whose officers and stockholders are citizens of the United States, claim by right of re-location and this amended location certificate, fifteen hundred (1500) feet, linear and horizontal measurement, on the Hualapai No. 21 lode, along the vein thereof, with all its dips, variations and angles; together with three hundred (300) feet in width on each side of the middle of said vein at the surface; and all veins, lodes, ledges and surfave ground within the lines of said claim.

330 feet of said lode running N. 59 o 22' E. from the center of the discovery monument where this notice is posted, and 1170 feet running S. 59 o 22' W. from the center of said discovery monument.. Said discovery monument being ^{situated} upon said lode, within the lines of said claim.

Said claim is situated in Moor Mining District, Maricopa County, Arizona, about 3/5 mile East of the Truman shaft and about 6500 feet N.E. of U.S.L.M No. 1446.

Bounded and described as follows, to-wit:

Beginning at a mound of stone, the N.E. end center, whence, the discovery monument bears S. 59 o 22' E. 330 ft. distant.

Thence N. 33 o 00' W. 133.95 feet, the witness corner for S. end center of Hualapai No. 1 lode claim; 302.4 feet, a porphyry rock 5 x 7 x 24 ins. set 12 ins. in ground, chiseled H-43, with mound of stone alongside, the N.W. cor.

Thence S. 59 o 22' W. 1500 feet, a porphyry rock 6 x 8x24 ins. set 12 ins. in ground, chiseled H-38 with mound of stone alongside, the S.W. cor., identical with the S.E. cor. of Hualapai No. 22 and the N.W. cor. of Navajo No. 1 claim.

Thence S. 32 o oo' E. 302.4 feet, a mound of stone, the S. end center identical with the N. end center of Navajo No. 1 lode claim; 674.8 feet a porphyry rock 6 x 8 x 24 ins. set 12 ins. in ground, chiseled H-39 with mound of stone alongside, the S.E. cor., identical with the S.W. cor. of Hualapai No. 24, the N.E. cor. of Navajo No. 1 and the N.W. cor. of Navajo No. 2 lode claims.

Thence N/ 59 o 22' E. 1500 feet, a porphyry rock 7 x 10 x 24 ins. set 12 ins. in ground, chiseled H-42, with mound of stone alongside, the N.W. cor., identical with the N.W. cor. of Hualapai No. 24 lode claim.

Thence N. 38 o oo' W. 148.6 feet cor. No. 1, the S.E. cor. of Hualapai No. 1 lode claim; 302.4 feet, a mound of stone, the N/ end center, the place of beginning.

Being the same claim originally located as Hualapai No. 21 lode claim, on the 14th day of March, 1906, by the Hualapai Mining Company, a corporation, and recorded in Book No. 16 of Mines, pages 183 & 184, of the records of Maricopa County, Arizona.

This further certificate of location of location is made without the waiver of any previous rights, but to correct any error in prior location or record.

Monumented and relocated May 21st, 1906.

Hualapai Mining Company,

Attest

By H.W. Hamilton, President.

Secretary.

Filed and recorded at request of E.W. Chamberlain, Jul. 16, 1906,
at 2:45 P.M.

C.F. Leonard, County Recorder,

Book 16 of Mines, pages 573-575.

By V.E. Vaughn, Deputy.

#4130.

Thence S. 30 o 00' E. 302.4 feet, a mound of stone, the S. end center, identical with the N. end center of Navajo No. 1 lode claim; 604.8 feet a porphyry rock 6 x 8 x 24 ins. set 12 ins. in ground, chiseled H-39, with mound of stone alongside, the S.E. cor., identical with the S.W. cor. of Hualapai No. 24, the N.E. cor. of Navajo No. 1 and the N.W. cor. of Navajo No. 2 lode claims.

Thence N. 59 o 22' E. 1500 feet, a porphyry rock 7 x 10 x 24 ins. set 12 ins. in ground, chiseled H-42, with mound of stone alongside, the N.E. cor. identical with the N.W. cor. of Hualapai No. 24 lode claim.

Thence N. 58 o 00' W. 143.6 feet cor No. 1, the S.E. cor. of Hualapai No. 1 lode claim; 302.4 feet, a mound of stone, the N. end center, the place of beginning.

Being the same claim originally located as Hualapai No. 21 lode claim, on the 14th day of March, 1906, by the Hualapai Mining Company, a corporation, and recorded in Book No. 16 of Mines, pages 133-3 134, of the records of Maricopa County, Arizona.

This further certificate of location is made without the waiver of any previous rights, but to correct any error in prior location or record.

Monumented and relocated May 21st, 1906.

Hualapai Mining Company,

Attest

By H.W. Hamilton, President.

Secretary.

Filed and recorded at request of T.W. Chamberlain, Jul. 16, 1906,
at 2:45 P.M.

C.F. Leonard, County Recorder,

Book 16 of Mines, pages 573-575.

By V.L. Vaughn, Deputy.

4130

Hualapai No. 22.

Lode Claim.

Amended Location.

Know all men by these presents, that the Hualapai Mining Company, a corporation, organized and existing under and by virtue of the Laws of ^{the Territory of} Arizona, whose officers and stockholders are citizens of the United States, claim by right of re-location and this amended location certificate, fifteen hundred (1500) feet, linear and horizontal measurement, on the Hualapai No. 22 lode, along the vein thereof, with all its dips, variations and angles; together with three hundred (300) feet in width on each side of the middle of said vein at the surface; and all veins, lodes, ledges and surface ground within the lines of said claim.

100 feet on said lode running N. 59 o 22' E. from the center of the discovery monument where this notice is posted, and fourteen hundred (1400) feet running S. 59 o 22' W. from the center of said discovery monument. Said discovery monument being situated upon said lode, within the lines of said claim.

Said claim is situated in Moor Mining District, Maricopa County, Arizona, about 1-1/4 miles east of the Truman Shaft and about 6000 feet N.E. of U.S.L.M. No. 1446.

Bounded and described as follows, to-wit:

Beginning at a mound of stone, the N. end center, whence, the discovery monument bears S. 59 o 22' E. 100 ft. distant.

Thence N. 38 o 00' W. 177.65 feet, a mound of stone, the S. end center of Hualapai No. 2 lode claim; 502.4 feet, a porphyry rock 6 x 6 x 24 ins. set 12 ins. in ground, chiseled H135 with mound of stone alongside, the N.W. cor., identical with the N.E. cor. of Hualapai No. 23 lode claim.

Thence S. 59 o 22' W. 33 feet, a mound of stone, the E. end center of Hualapai No. 23 lode claim; 103 feet, a porphyry rock 8 x 8 x 24 ins. set 12 ins. in ground, chiseled H136, with mound of stone alongside, the S.E. cor. of Hualapai No. 23 lode claim and the N.E. cor. of Belcher lode claim survey No. 2195: 1500 feet, a porphyry rock 5 x 5 x 24 ins. set 12 ins. in ground, chiseled H137 with mound of stone alongside,

the S.W. cor. whence, the S.E. cor. of Belcher lode claim, Survey No. 2195 bears S. 59 o 22' W. 41.61 feet distant.

Thence S. 58 o 00' E. 302.4 feet, a mound of stone, the s. end center; 604.8 feet, a porphy rock 6 x 8 x 24 ins. set 12 ins. in ground, chiseled H-38, with mound of stone alongside, the S.E. cor., identical with the S.W. cor. of Hualapai No. 21 and the N.W. cor. of Navajo No. 1 lode claims.

Thence N/ 59 o 22' E. 1500 feet, a porphyry rock 5 x 7 x 24 ins., set 12 ins. in ground, chiseled H-45 with mound of stone alongside, the N.E. cor., identical with the N.W. cor. of Hualapai No. 21 lode claim.

Thence N. 58 o 00' W. 166.5 feet, the S.W. cor. of Hualapai No. 1, and the S.E. cor. of Hualapai No. 2 lode claims; 302.4 feet, the N. end center, the place of beginning.

Being the same claim originally located as Hualapai No. 22 lode claim, on the 14th day of March, 1906, by the Hualapai Mining Company, a corporation, and recorded in Book 16 of Mines, pages 184-185, of the Records of Maricopa County, Arizona.

This further certificate of location is made without the waiver of any previous rights, but to correct any error in prior location or record.

Monumented and relocated May 21st, 1906.

Hualapai Mining Company,

Attest

By H.W. Hamilton, President.

Secretary?

Filed and recorded at request of T.W. Chamberlain, Jul. 16, 1906,
at 2:50 P.M.

C.F. Leonard County Recorder,

By V.L. Vaughn, Deputy.

Book 16 of Mines, pages 575-577.

#4131.

Hualapai No. 23.

Lode Claim.

Know all men by these presents, that the Hualapai Mining Company, a corporation, organized and existing under and by virtue of the Laws of the Territory of Arizona, whose officers and stockholders are citizens of the United States, claim by right of discovery and location, eleven hundred ninety-seven and seventy-eight hundredths (1197.78) feet, linear and horizontal measurement, on the Hualapai No. 23 lode, along the vein thereof, with all its dips, variations and angles; together with one hundred and fifty (150) feet in width on each side of the middle of said vein at the surface; and all veins, lodes/ ledges, deposits and surface ground within the lines of said claim:

450 feet on said lode running S. 51 o 22' E. from the center of the discovery monument where this notice is posted, and 747.78 feet running N. 71 o 22' W. from the center of said discovery monument. Said discovery monument being situated upon said lode, within the lines of said claim.

Said claim is situated in the Moor Mining District, Maricopa County Arizona, about 2000 feet N.W. of the Truman Shaft and about 6500 feet in a north westerly direction from U.S.L.M. No. 1446.

Bound and described as follows, to-wit:

Beginning at the East end center, a mound of stone, whence, the discovery monument bears N. 51 o 22' W. 450 ft. distant.

Thence S. 59 o 22' W. along the west side line of Hualapai No. 23 lode claim 70 ft., a porphyry rock 8 x 8 ins., 3 ins. above ground with two mounds of stone alongside, chiseled 3-2195-B for N.E. cor. of Belcher lode claim (patented) and H-56 for S.E. cor. of Hualapai No/ 23 lode claim.

Thence N. 28 o 00' E. 290 feet, the N. end center of Belcher claim; 600.8 feet the N.W. cor. of Belcher and N.E. cor. of Sunnyside claim; 1200 ft., a porphyry rock 4 x 22 x 24 ins. set 12 ins. in ground,

chiseled X-H-46, with mound of stone alongside, the S.W. cor.

Thence N. 35 o oo' 1 foot, rock previously described, chiseled X-H-47, with mound of stone alongside, the W.W. cor., whence the S.W. cor. of Hualapai No. 4 claim bears N. 38 o oo' W. 274 ft. dist.

Thence S. 38 o oo' W. 39.79 ft., the S. end center of Hualapai No. 4 lode claim; 353.5 feet, the S.W. cor of Hualapai No. 3 and the S.E. cor. of Hualapai No. 4 lode claim; 667.25 feet the S. end center of Hualapai No. 3 lode claim; 981 feet, a porphyry rock 6 x 8 x 24 ins. set 12 ins. in ground, chiseled H-5-A with mound of stone alongside, for angle point of N. side line.

Thence S. 35 o oo' W. along the West side line of Hualapai No. 2 lode claim 111 feet, a porphyry rock 6 x 6 x 24 ins. set 12 ins. in ground, chiseled H-5 an angle point on the W. side line, identical with the S.W. cor of Hualapai No. 2 lode claim.

Thence S. 38 o oo' E. 189 ft., a porphyry rock 6 x 6 x 24 ins., set 12 ins. in ground, chiseled H-55, with mound of stone alongside, the N.E. cor. whence, mound of stone, the S. end center of Hualapai No. 2 lode claim bears S. 32 o oo' E. 124.75 feet distant.

Thence S. 59 o 22' W. 33 feet, a mound of stone, the East end center and place of beginning.

This is a relocation of a forfeited or abandoned lode claim. The date and name of the original location, the name of the original locators and the exterior boundaries of the original claim are unknown.

Monumented and located May 21st. 1906.

Hualapai Mining Company,

Attest.

By H.W. Hamilton, President.

Secretary.

Filed and recorded at request of T.W. Chamberlain, Jul. 16, 1906,
at 2:55 P.M.

C.F. Leonard, County Recorder.

By V.L. Vaughn, Deputy.

Book 16 of Mines, pages 577-579.

#4152.

Hualapai No. 24.

Lode Claim.

Know all men by these presents, that the Hualapai Mining Company, a corporation, organized and existing under and by virtue of the Laws of the Territory of Arizona, whose officers and stockholders are citizens of the United States, claim by right of discovery and location, fifteen hundred (1500) feet, linear and horizontal measurement, on the Hualapai No. 24 Lode, along the vein thereof, with all its dips, variations and angles; together with three hundred (300) feet in width on each side of the middle of said vein at the surface; and all veins, lodes, ledges, deposits and surface ground within the lines of said claim:

480 feet on said lode running N. 59 o 22' E. from the center of the discovery monument, where this notice is posted, and 1020 feet running S. 59 o 22' W. from the center of said discovery monument. Said discovery monument being situated upon said lode within the lines of said claim.

Said claim is situated in the Moor Mining District, Maricopa County, Arizona, about ~~one~~ half mile east of the Truman shaft and about 1-1/2 miles east of U.S.L.M. No. 1446.

Bounded and described as follows, to-wit;

Beginning at a mound of stone, the N. end center, whence the discovery monument bears S. 59 o 22' W. 480 ft. Dist.

Thence N/ 38 o 00' W. 302.4 ft., a porphyry rock 7 x 10 x 24 ins., set 12 ins. in ground, chiseled H-42, with mound of stone alongside, the N.W. cor., identical with the N.E. cor. of Hualapai No. 21 lode claim.

Thence S. 59 o 22' W. 1500 ft., a porphyry rock 6 x 8x24 ins. set 12 ins. in ground, chiseled H-59, with mound of stone alongside, the S.W. cor/, identical with the S.E. cor. of Hualapai No. 21, the N.E. cor. of Navajo No. 1 and the N.W. cor of Navajo No. 2 lode claims.

Thence S. 38 o 00' E., 302.4 feet, mound of stone, the S. end center, identical with the N. end center of Navajo No. 2 lode claim; 604.8 ft., an igneous rock 6 x 10 x 24 ins., set 12 ins. in ground,

chiseled H.-40, with mound of stone alongside, the S.E. cor., identical with the S.W. cor. of Hualapai No. 25, the N.E. cor. of Navajo No. 2 and the N.W. cor. of Navajo No. 3 lode claims.

Thence N. 59 o 22' E. 1500 ft., a rock in place showing a flat surface sloping south, chiseled X.H.41, with mound of stone alongside, the N.E. cor., identical with the N.W. cor. of Hualapai No. 25 lode claim.

Thence N. 38 o 00' W. 502.4 feet, the N. end center and place of beginning.

This is a relocation of a for cited or abandoned lode claim. The date and name of the original location, the names of the original locators and the exterior boundaries of the original claim are unknown.

Monumented and located May 21st. 1906.

Hualapai Mining Company,

Attest,

by H.W. Hamilton/ President.

Secretary.

Filed and recorded at request of T.W. Chamberlain, Jul. 16, 1906.
at 3:00 P.M.

C.F. Leonard, County Recorder,

By V.B. Vaughn, Deputy.

Book 16 of Mines, pages 580-581.

#4133.

Hualapai No. 25.

Lode Claim.

Know all men by these presents, that the Hualapai Mining Company, a corporation, organized and existing under and by virtue of the laws of the Territory of Arizona, whose officers and stockholders are citizens of the United States, claim by right of discovery and location, fifteen hundred (1500) feet, linear and horizontal measurement, on the Hualapai No. 25 lode, along the vein thereof, with all its dips, variations and angles; together with three hundred (300) feet in width on each side of the middle of said vein at the surface; and all veins, lodes, ledges, deposits and surface ground within the lines of said claim;

320 feet of said claim running N. 59 o 22' E. from the center of the discovery monument where this notice is posted, and 1130 feet running S. 59 o 22' W. from the center of the discovery monument. Said discovery monument being situated upon said lode, within the lines of said claim.

Said claim is situated in the Moor Mining District, Maricopa County, Arizona, about 3/5 mile east of the Truman Shaft and about 1-1/2 miles east of U.S.L.M. No. 1446.

Bounded and described as follows, to-wit;

Beginning at a mound of stone, the N. end center, whence, the discovery monument bears S. 59 o 22' W. 520 feet distant.

Thence N. 78 o 00' W. 502.4 feet, a rock in place showing a flat surface and sloping to the south, chiseled H.K.41, with mound of stone alongside, the N.W. cor., identical with the N.E. cor. of Hualapai No. 24 lode claim.

Thence S. 59 o 22' W. 1500 feet, an igneous rock 6 x 10 x 24 ins. set 12 ins. in ground, chiseled H-40, with mound of stone alongside, the S.W. cor., identical with the S.E. cor. of Hualapai No. 24, the N.E. cor. of Navajo No. 2 and the N.W. cor. of Navajo No. 5 lode Claims.

Thence S. 32 o 00' E. 302.4 feet, mound of stone, the S. end center, identical with the N. end center of Navajo No. 5 lode claim; 604.8

feet, a porphyry rock, 6 x 8 x 24 ins., set 12 ins. in ground, chiseled H-15, with mound of stone alongside, the S.W. cor., identical with the N.W. cor. of Navajo No. 3 lode claim.

Thence N. 59° 00' E. 1500 feet, a rock in place, 2 ft. high, 3 ft. long, chiseled X-H-44, with mound of stone alongside, the N. end center, place of beginning.

the N.E. corner thence N. 38° 00' W. 302.4 feet a mound of stone

This is a relocation of a forfeited or abandoned lode claim. The date and name of the original location, the name of the original locators and the exterior boundaries of the original claim are unknown.

Monumented and located May 21st. 1906.

Hualapai Mining Company,

Attest.

By H.W. Hamilton, President.

Secretary.

Filed and recorded at request of T.W. Chamberlain, Jul. 16, 1906,
at 3:05 P.M.

C.F. Leonard, County Recorder.

By V.L. Vaughn, Deputy.

Book 16 of Mines, pages 582-585.

#4134.

Territory of Arizona.)
 : ss.
 County of Maricopa.)

I, C.F. Leonard, County Recorder in and for the
 County and Territory aforesaid, do hereby certify ^{that} the within and forego-
 ing are true and exact copies of the records of my said office, of the
 Location Notices of the Hualaapi Mining Claims, numbered 1 to 25 in-
 elusive; and reference is hereby made to said copies for the dates,
 books and pages of said records, all of which are fully and severally
 given therein.

Witness my hand and seal of office, this 20th day of July, 1908.



C. F. Leonard
 County Recorder.

4-687.

SURVEYOR-GENERAL'S CERTIFICATE OF APPROVAL OF FIELD NOTES AND SURVEY OF MINING CLAIM.

Department of the Interior,

Office of U. S. Surveyor-General,

Phoenix, Arizona,

June 20, 1907

I, U. S. Surveyor-General for District of Arizona

do hereby certify that the foregoing and hereto attached Field Notes and Return of the Survey of the Mining Claim of Hualapai Mining Company

known as the Hualapai Nos. 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24 and 25

situate in Moor Mining District, Maricopa County, Arizona

in Section, Township No., Range No. UNSAT. designated as Survey No. 2355

executed by James C. Dobbins, U. S. Deputy Mineral Surveyor, Dec. 10, 1906, - March 16, 1907, 1907, under my instructions dated Oct. 5, 1906, have been critically examined and the necessary cor-

rections and explanations made, and the said Field Notes and Return, and the Survey they describe, are hereby approved. A true copy of the copy of the location certificate filed by the applicant.. for survey is included in the field notes.

Frank S. Ingalls

U. S. Surveyor-General for Arizona

4-688.

U. S. SURVEYOR-GENERAL'S FINAL CERTIFICATE ON FIELD NOTES.

Department of the Interior,

OFFICE OF U. S. SURVEYOR-GENERAL,

Phoenix, Arizona,

June 20, 1907

I, U. S. Surveyor-General for District of Arizona

do hereby certify that the foregoing transcript of the Field Notes, return and approval of the survey of the mining claim of

Hualapai Mining Company

known as the Hualapai Nos. 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24 and 25 Moor

situate in Mining District, Maricopa County, Arizona

in Section, Township No., Range No. UNSUR., and

designated as Survey No. 2355, has been correctly copied from the originals on file in

this office; that said Field Notes furnish such an accurate description of said mining claim as will, if incorporated into a patent, serve fully to identify the premises, and that such reference is made therein to natural objects or permanent monuments as will perpetuate and fix the locus thereof.

less than

And I further certify that five hundred dollars' worth of labor has been expended or improved each of

ments made upon said mining claim by claimant or grantors, and that said improvements

consist of at time of survey, 17 cuts, 1 tunnel and 8 shafts,

total value, \$2600.00

and that no portion of said labor or improvements has been included in the estimate of expenditures upon any other claim.

I further certify that the plat thereof, filed in the U. S. Land Office at Phoenix,

Arizona is correct and in conformity with the foregoing Field Notes.

Frank S. Ingalls

United States Surveyor-General for Arizona

(4-691.)

Certificate of U. S. Surveyor General

AS TO

EXPENDITURES REPORTED AFTER RETURN OF SURVEY OF MINING CLAIM.

I, U. S. Surveyor General for District of Arizona,
do hereby certify that Five Hundred Dollars' worth of labor has been expended or
improvements made by claimant or its grantors, upon the mining claim of
Hualapai Mining Company

known as the Hualapai Nos. 1 to 25, both inclusive,
situate in Moor mining district,
Maricopa County, Arizona
in Section _____, Township No. 8 N., Range No. 3 E., Unsur.;

that said improvements consist of, in addition to the improvements re-
ported at time of survey, the following common improvements for
the development of all the claims of this survey;
Shaft No. 2 on the Hualapai No. 3 lode,
Shaft No. 2 on the Hualapai No. 22 lode,
Shaft No. 2 on the Hualapai No. 2 lode,
Shaft No. 2 on the Hualapai No. 17 lode, total value of
these additional and common improvements, ----- \$41320.00

As these improvements form the basis of one system of under-
ground workings for the development of all the claims of this sur-
vey, a 1/25 interest therein, valued at \$1652.80 is properly
credited to each claim of the survey.

And I further certify that said improvements were made prior
to the expiration of the period of publication of notice of applica-
tion for patent, -----, and that no portion of said labor or improvements has been
included in the estimate of expenditures upon any other claim. A copy of the report of
J. C. Dobbins, U. S. Deputy Mineral Surveyor, dated
July 16, _____, 1907, is hereto attached.

Frank S. Ingalls, _____

U. S. Surveyor General for Arizona. _____

Office of U. S. Surveyor General,

Phoenix, Arizona, _____,

March 23, _____, 1908 :

SUPPLEMENTARY AFFIDAVIT AND REPORT
OF \$500 LABOR AND IMPROVEMENTS ON THE HUALAPAI MINE
SURVEY NO. 2355.

This supplementary report is filed in conjunction with Survey No. 2355, work done under instructions dated October the 5th, 1906.

I certify the value of labor and improvements upon Hualapai No. 1 Lode Claim, Hualapai No. 2 Lode Claim, Hualapai No. 3 Lode Claim, Hualapai No. 4 Lode Claim, Hualapai No. 5 Lode Claim, Hualapai No. 6 Lode Claim, Hualapai No. 7 Lode Claim, Hualapai No. 8 Lode Claim, Hualapai No. 9 Lode Claim, Hualapai No. 10 Lode Claim, Hualapai No. 11 Lode Claim, Hualapai No. 12 Lode Claim, Hualapai No. 13 Lode Claim, Hualapai No. 14 Lode Claim, Hualapai No. 15 Lode Claim, Hualapai No. 16, Lode Claim, Hualapai No. 17 Lode Claim, Hualapai No. 18 Lode Claim, Hualapai No. 19 Lode Claim, Hualapai No. 20 Lode Claim, Hualapai No. 21 Lode Claim, Hualapai No. 22 Lode Claim, Hualapai No. 23 Lode Claim, Hualapai No. 24 Lode Claim, and Hualapai No. 25 Lode Claim placed thereon by the claimants and their grantors is not less than \$500 and that said improvements consist of

- No.2 On Hualapai No. 3 Lode Claim, a shaft 4 ft. 4 in. X 8 ft. 4 in., 262 ft. deep, which bears from cor. No. 4 of Hualapai No. 3 Lode Claim N. 60° 18' W. 163.45 ft. This shaft is a double compartment shaft, thoroughly timbered and lagged with Oregon pine from top to bottom. At 232 ft. in depth there is a station 12 ft. X 12 ft. X 12 ft. timbered with Oregon pine. There is a crosscut S. 54° 00' E., 525 ft. in length. At 238 ft. from the station on this crosscut there is a drift N. 75 ft. and S. 70 ft. From the station there is a crosscut driven N. 54° W., 234 ft. distant. The crosscuts and drifts are 5 ft. X 7½ ft., equipped with track of 8 lb. iron, laid on 4 in. X 6 in. cross

	ties. The value of this work is	\$31180.00
No. 2	On Hualapai No. 22 Lode Claim, a shaft 4 ft. 4 in. X 8 ft. 4 in. in the clear, double compartment, 64 ft. deep, timbered and lagged from top to bottom with Oregon pine, which bears S. 24° 00' E. 164 ft. from cor. No. 3 of Hualapai No. 23 Lode Claim; total value	\$2560.00
No. 2	On Hualapai No. 2 Lode Claim, a shaft 5 ft. X 8 ft. 168 ft. deep, two compartments, timbered with Oregon pine, which bears N. 16° 46' E. 198 ft. from cor. No. 3 of Hualapai No. 23 Lode Claim; total value.....	\$6720.00
No. 2	On Hualapai No. 17 Lode Claim, a shaft 4 ft. X 6 ft. X 43 ft., which bears from the N. end center of Hualapai No. 17 Lode Claim S. 45° 15' W. 325 ft. dist. Total value.....	\$860.00
	Giving a total value of labor and improvements herein reported of	\$41320.00
	Crediting one- twenty-fifth (1/25) of this total to each of the aforesaid claims gives each claim a credit of.....	\$1652.80
	I have previously reported and filed with my original field notes the twenty-five discoveries for this property with an estimated value of	\$2500.00
	Total Improvements.....	\$43820.00

The workings on this property are laid out with a general system for future developments of the property. The improvements that I have enumerated above are the foundation of this system.

It is the intention of the claimants to connect these separate workings, each with the other, following the ore deposits through their underground meanderings. That their plan and intentions are good and that they expect to carry them out is being demonstrated at what the claimants call Hualapai Shaft No. 1, which is No. 2 in my list of work and improvements on the property. Here they are driving North and South on the ledge.

The fact that these conditions exist is the reason I have unhesitatingly credited 1/25 of each piece of general work to each claim of the claimants.

OTHER IMPROVEMENTS.

- Bearing from cor. No. 4 of Hualapai No. 3 Lode Claim S. 64° 15' W. 234 ft., a corrugated iron barn 10 ft. X 14 ft.
- N. 77° 20' W. 133.5 ft., corrugated iron blacksmith shop 14 X 20 ft.
- N. 69° 18' W. 174 ft. a corrugated iron engine house, 20 X 50 ft.
- S. 63° E. 82 ft., a frame boarding house, 18 X 54 ft.
- S. 52° 43' E., 357 ft. a frame bunk house, 16 X 20 ft.
- S. 55° E. , 412 ft., a frame bunk house 16 X 18 ft.
- S. 85° 57' E. 360 ft., a frame bunk house 16 X 20 ft.

The engine house is equipped with a 15 h. p. Fairbanks-Morse Gear Hoist; a 40 h. p. Fairbanks-Morse gasoline engine, a Fairbanks-Morse 10 in. X 10 in. Air Compressor, belted to the 40 h. p. engine. The shaft is equipped with a skip, a 2 in. pipe line transmission of air power and an 8 in. galvanized iron air pipe, connected to a No. 5 Buffalo Blower. Everything is in good working shape.

I further certify that all of the above enumerated work and improvements were placed on said property prior to the expiration of the period of publication of the application for patent, to-wit, Sept. 30, 1907.

James C. Robbins
 U. S. Deputy Mineral Surveyor.

Territory of Arizona,) :ss.
 Maricopa County.)

Subscribed and sworn to before me,
 a Notary Public in and for said county, this 16th
 day of July, 1907

H. M. Fuchs
 Notary Public.

My commission expires Dec. 23, 1907

Map