



M  
S  
0  
2  
4  
2  
4



JUL 16 1907  
AUG 26 1907

(4-683.)

Mineral Survey No. 2424

Lot No. \_\_\_\_\_

Arizona

Land District.

FIELD NOTES

OF THE SURVEY OF THE MINING CLAIM OF

George U Young

KNOWN AS THE

Princeton, Princeton No 2, Princeton No 3, Italian, Iron Must, Mulligell, Derby,  
Derby No 2, Derby No 3, Ellen No 1, Ellen No 2, Pinos Alto No 1, Pinos Alto No 2,  
Pinos Alto No 3, Happy Strike, Protection # 2, Protection # 3, Key Island, Humbert, August  
Pelley, Sunny Side, Sunny Side No 1, Sunny Side & Kowaka Down Mining District,

Thumb Butte Mining District, Guepnie County, Arizona

Section 26-27, 28, 29, 30, Township 14 N., Range 3 W

Surveyed under instructions dated June 17, 1907

by J. J. Fisher  
U. S. Deputy Mineral Surveyor.

Claim located see loc. certificate, 1

Survey commenced June 20, 1907

Survey completed June 30, 1907

o 6-180

Address.

Henry J. Andrews  
Attorney for Claimant  
Prescott  
Ariz.



## "PURITAN LODE"

Feet

Beginning at cor. No. 1, identical with cor. of  
 and with corner No. 2, Puritan No. 2, this survey  
 location, a pine post in mon. of stones.

Set a porphyry stone 24x8x6 ins., 12 ins. in ground.

Stone marked P. 1-2424. Also P. No. 2, 2-2424.

Alongside a post in mound of stone.

Whence a cross on a juniper 8 ins. diam. marked

B. T. P. 1-2424 brs. S. 78° 10' E. 63 ft.

Cor. to secs. 26, 27, 34 & 35, T. 14 N. R. 3 W.

brs. N. 88° 29' 27" E. 5386.8 ft. No other brs.

available.

Thence N. 70° W.

445.6  
735

*To intersect line bet secs 28 & 33 at S 89° 54' W - 52.86' from corner sec 28, 28, 33 & 34 and N 89° 54' E 2114' from  
 1/4 sec. cor. bet secs. 28 and 33 T 14 N R 3 W*

To cor. No. 2, identical with cor. of location,

a pine post in mound of stones.

Set a porphyry stone 18x12x6 ins., 12 ins. in ground.

Stone marked P. 2-2424.

Whence a cross on a granite rock in place marked

B. R. P. 2-2424 brs. S. 78° 30' E. 4.4 ft.

Thence N. 54° 55' W.

76

To cor. No. 1 Happy Strike Lode of this survey.

735

To cor. No. 3, which is also cor. No. 1 Puritan No.

3 lode of this survey, identical with cor. of location.,

a pine post in monument of stones.

Set a porphyry stone 24x10x6 ins., 12 ins. in ground.

Stone marked P. 3-2424 and P. No. 3, 1-2424.

Whence a cross on a porphyry rock in place marked

B. R. P 3-2424 brs. S. 4° 30' E. 20 ft.

A cross on a porphyry rock in place marked B. R. P. 3,

1-2424 brs. N. 15° 5' E. 14.5 ft.

Thence N. 35° 5' E.

300

To W. center end, which is also the E. center end

Puritan No. 3 lode of this survey, identical with

location, a pine post in mound of stones.



- Feet Set a porphyry stone 24x14x4 ins., 12 ins. in ground.  
Stone marked E. C. E. P. 3, 2424 and W. C. E. P. 2424.
- 600 To cor. No. 4, which is also cor. No. 4 Puritan No. 3  
Lode of this survey, identical with cor. of location.  
a pine post in mound of stones.  
Set a porphyry stone 20x10x6 ins., 12 ins. in ground.  
Stone marked P. 4-2424 and P. 3, 4-2424.  
Whence a cross on a pine 12 ins. diam. marked B. T.P  
4-2424 brs. S. 32° 45' W. 36.7 ft.
- Thence S. 54° 55' E.
- 735 To cor. No. 5, identical with cor. of location,  
a pine post in mon. of stones.  
Set a porphyry stone 20x10x5 ins., 12 ins. in ground.  
Stonemarked P. 5-2424. No brs. available.
- Thence S. 70° E.
- 473.4 *To intersect line bet Secs. 27 & 28 at North 14 27.7' from cor. Secs. 27, 28, 33 & 34 and South 2212.3'  
from 1/4 Sec. Cor. bet Secs. 27 & 28 T. 14 N. R. 3 W.*
- 735 ft. to cor. No. 6, which is also cor. No. 3, Puritan No. 2  
Lode of this survey, identical with location, a  
pine post in mon. of stones.  
Set a granite stone 24x8x5 ins. 12 ins. in ground.  
Stone marked P. 6-2424, and P. 2,3-2424.  
Whence a cross on an oak 8 ins. diam. marked B. T. P.  
6-2424 brs. S. 72° 45' E. 32.1 ft.  
A cross on an oak 12 ins. diam. marked B. T. P. 2,  
3-2424 brs. S. 35° 50' E. 54.8 ft.
- Thence S. 35° 5' W.
- 300 To E. center end, which is also the W. center end of  
Puritan No. 2 Lode of this survey, identical with  
location, a pine post in mon. of stones.  
Set a granite stone 20x12x10 ins. , 12 ins. in ground.  
Stone marked E. C E. P. 2424 and P. 2,2424.
- 413.5 To intersect line bet. Secs. 27 & 34, at S. 89° 53'E.  
8.2 ft. from Cor. Secs. 27, 28, 33 & 34, and N. 89° 55' W.  
2634.7 ft. from 1/4 Sec. Cor. bet. Secs. 27 & 34.
- 427.7 To intersect line bet. Secs. 33 & 34 at South 11.7 ft.  
from Cor. Secs. 27, 28, 33 & 34, and North 2628.3 ft.  
from 1/4 Sec. Cor. bet. Secs. 33 & 34, T. 14 N., R. 3 W.



|        |   |
|--------|---|
| Feet   |   |
| 600    | To cor. No. 1, the place of beginning survey of exterior boundaries.<br><del>Whence cor. to sec. 26, 27, 34 and 35 T. 14, N. R. 3 W. brs. N. 88° 29' 29" E. 5386.8 ft.</del><br>.....   |
|        | "PURITAN NO. 2. LODE"   |
|        | Beginning at Cor. No. 1, identical with cor. location, a pine post in mon. of stone.<br>Set a granite stone 20x8x6 ins., 12 ins. in ground, stone marked P. 2, 1-2424.<br>Whence a cross on an oak 6 ins. diam. marked B. T. P. 2 1--2424 brs. East 6.4 ft.<br>A cross on an oak 6 ins. diam. marked B. T. P. 2, 1-2424 brs. S. 66° 45' W. 7.3 ft.<br>Cor. to secs. 26, 27, 34, and 35 T. 14 N. R. 3 W. brs. N. 84° 29' 31" E. 3922.6 ft. |
| 1399.8 | Thence N. 81° W.  |
| 1500   | <i>To intersect line bet. Secs. 33 and 34 at South 168.3' from Cor. secs. 27, 28, 33 and 34 and North 2471.7' from 1/4 sec cor. bet. secs. 33 and 34 T. 14 N. R. 3 W.</i><br>To Cor. No. 2, which is also cor. No. 1 "Puritan Lode" of this survey, cor. described above.<br>Thence N. 35° 5' E.  |
| 172.3  | <i>To intersect line bet. Secs. 33 and 34 at South 11.7' from Cor. secs. 27, 28, 33 and 34 and North 2625.3' from 1/4 sec. cor. bet. secs. 33 and 34 T. 14 N. R. 3 W.</i>   |
| 136.5  | <i>To intersect line bet. Secs. 27 and 34 at S. 89° 53' E. 8.2' from Cor. sec. 27, 28, 33 and 34 and N. 89° 53' W. 2634.7' from 1/4 sec cor. bet. secs. 27 and 34</i>   |
| 300    | To W. center end, which is also the E. center end "Puritan Lode" of this survey, cor. described above.  |
| 600    | To cor. No. 3, which is also cor. No. 6 "Puritan Lode" of this survey, cor. described above.  |
|        | Thence S. 81° E.  |
| 300    | To cor. No. 4 "Iron Mask Lode" this survey.   |
| 900    | To cor. No. 1 "Iron Mask" this survey   |
| 1500   | To cor No. 4 identical with cor. of location, a pine post in mon. of stones.  |



Feet Set a granite stone 20x12x8 ins., 12 ins. in ground,  
 stone marked P. 2, 4-2424.  
 Whence a cross on an oak 5 ins. diam. marked B. T. P. 2,  
 4-2424 brs' N 52° 45' E. 17.6 ft.  
 A cross on an oak 6 ins. diam. marked B. T. P. 2,4-  
 2424 brs. N. 72° 15' W. 18 ft.

131.4  
 300 *To intersect line bet. secs. 27 & 34 at S 59° 53' E 1650.5' from cor. sec. 27, 28, 33 & 34 and W 89° 53' N 972.4' from 1/4 sec. cor. bet. secs. 27 & 34, T. 14 N. R. 3 W.*  
 Thence S. 35° 5' W.  
 TO E. center end, identical with location, a pine  
 post in monument of stone.

Set a granite stone 24x10x6 ins., 12 ins. in ground.  
 Stone marked E. C. E. P. 2, 2424  
 600 To Cor. No. 1, the place of beginning, survey of  
 exterior boundaries.

.....

"PURITAN NO. 3 LODGE"

Beginning at cor. No. 1, which is also cor. No. 3 of  
 the "Puritan Lode" of this survey, cor. described  
 above.

Whence cor. to secs. 26, 27, 34 & 35 T. 14 N. R. 3 W.  
 brs. S. 85° 26' 15" E. 6699.4 ft.

Thence N. 54° 55' W.

1455 To cor. No. 2, identical with cor. of location,  
 an oak stake in a mon. of stone.  
 Set a slate stone 24x12x6 ins., 12 ins. in ground.  
 Stone marked P. 3,2-2424.  
 Whence a pine 24 ins. in diam. marked B. T. P. 3,2-  
 2424 brs. S. 59° 45' W. 9.5 ft. No other brs. available.

Thence N. 35° 5' E.

300 To W. center end, identical with location, an oak  
 stake in a monument of stone.  
 Set a slate stone 30x16x5 ins., 20 ins. in ground.  
 Stonemarked W. C. E. P. 3, 2424.



Feet

600 To cor. no. 3, identical with cor. of location, a cedar stake in mon. of stones.

Set a porphyry stone 20x8x6 ins., 12 ins. in ground. Stonemarked P. 3, 3-2424.

Whence a cross on a porphyry rock in place marked B.R. P. 3,3-2424 brs. N. 36°55' E. 10.8 ft. No other brs. available.

Thence, S. 54°55' E.

1455 To cor. no. 4, which is also cor. No. 4 of "Puritan Lode" of this survey, cor. described above.

Thence S. 35° 5' W.

300 to E. center end, which is also the west center end of Puritan Lode of this survey. Mon. described above.

600 To cor. No. 1, the place of beginning, survey of exterior boundaries.

.....

"HAPPY STRIKE LODE"

Beginning at cor. no. 1, identical with cor. of location, a monument of stones 2x2 ft.

Set a porphyry stone 24x8x6 ins., 12 ins. in ground.

Stone marked H. S. 1-2424

Whence a cross on a pine 30 ins. diam. marked B. T.

H. S. 1-2424, brs. N. 21° 10' E. 58.8 ft.

No other bearings available. Cor. Secs. 26.27.34 & 35 T. 14 N. R. 3 W. brs. S 88° 33' 41" E 6142.2 ft.

Thence S. 29° W.

166.2

To the west line bet. Secs. 28 & 33 at S 89° 54' 11" 747.9' from cor. Secs. 27, 28, 33 & 34 and N 89° 54' E 1694.7' from 1/4 sec. cor. bet. Secs. 28 & 33 T. 14 N. R. 3 W.

460

To cor. No. 2 PenosAlto No. 1 and S. W. cor. of "Iona"

Lode, UNSURVEYED.

1060

To cor. No. 3 PenosAlto No. 1 and cor. No. 2 Highland Lodes of this survey

1500

To cor. No. 2, which is also cor. No. 3 Highland Lode of this survey.



- Feet identical with cor. of location, a pine post in mon. of stones.
- Set a porphyry stone 20x8x8 ins., 12 ins. in ground Stonemarked H. S. 2-2424 and H. 3-2424.
- Whence a cross on a pine 8 ins. in diam. marked B. T. H. S. 2-2424 bears S. 21° E. 6.6 ft.
- A cross on a pine 8 ins. diam. marked B. T. H. 3-2424 brs. N. 63° W. 6.3. ft.
- Thence N. 54° 55' W.
- 300 To S. center end, identical with location, a pine post in mon. of stone.
- Set a porphyry stone 30x9x5 ins. 12 ins. in ground. Stone marked S. C. E. H. S., 2424.
- 600 To cor. no. 3, identical with cor. of location, a pine stake in mon. of stones.
- Set a porphyry stone 24x10x5 ins., 12 ins. in ground. Stone marked H. S. 3-2424. No brs. available.
- Thence N. 29° E.
- 934.2  
1500 *No intersect line bet secs. 28 & 33 at S 89° 54' 17" W 30.7' from cor. sec. 27, 28, 33 & 34 and N 89° 54' E 1011.9' from 74 sec. cor. bet secs. 28 & 33 T 14 N R 3 W.*
- To cor. no. 4 identical with cor. of location, a pine post in mon. of stone.
- Set a porphyry stone 18x10x4 ins., 12 ins. in ground. Stone marked H. S. 4-2424.
- Whence a cross on a porphyry rock in place marked B. R. H. S. 2424 brs. N. 28° 40' E. 18.3 ft.
- No other brs. available.
- Thence S. 54° 55' E.
- 300 To N. center end, identical with location, a pine post in mon. of stones.
- Set a porphyry stone 18x10x8 ins., 12 ins. in ground, stone marked N. C. E. H. S. 2424.
- 600 to cor. No. 1, the place of beginning, survey of exterior boundaries.
- ~~Whence cor. to secs. 26, 27, 34 & 35 T 14 N. R. 3 W. brs. S. 88° 33' 41" E. 6148.8 ft.~~



Feet

## "PENOSALTO NO 1. LOPE"

Beginning at cor. No. 1, which is also cor. No. 2

"Peno Alto No. 2 Lode" of this survey identical with location, an oak stake in mon. of stones.

Set a porphyry stone 24x8x8 ins., 12 ins. in ground  
Stone marked P. A. 1,1-2424, and P. A. 2, 2-2424.

Whence a cross on an oak 5 ins. diam. marked B. T. P. A. 1, 1-2424, brs. S.  $10^{\circ} 30'$  E. 2 ft.

A cross on an oak 10 ins. diam. marked B. T. P. A. 2, 2-2424 brs. S.  $46^{\circ} 30'$  E. 18.6 ft. Cor. to secs. 26, 27, 34 & 35 T. 14 N. R. 3 W. brs. N.  $86^{\circ} 34' 51''$  E. 5918.5 ft.

Thence N.  $77^{\circ}$  W.

466

*Cor No 2 at*  
To intersection of line 1-2 Happy Strike Lode of this survey, original cor. of location brs. N.  $77^{\circ}$  W. 1000 ft., a pine post in a mon of stone.

Set a porphyry stone 20x8x5 ins., 12 ins. in ground.  
Stone marked P. A. 1,2-2424.

Whence a cross on a pine 18 ins. diam. marked B. T. P. A. 1,2-2424 brs. S.  $79^{\circ} 15'$  W. 18.8 ft. No other bearings available.

Thence S.  $29^{\circ}$  W.

300

To west center end.

Set a porphyry stone 18x12x4 ins., 12 ins. in ground.  
Stonemarked W. C. E. P. A. 1,2424.

600

To cor. no. 3, which is also cor. No. 2 "Highland Lode" of this survey, original cor. of location brs. N.  $77^{\circ}$  W. 860 ft., a pine post in mon. of stone.

Set a porphyry stone 18x10x5 ins., 12 ins. in ground.  
Stone marked P. A. 1,3-2424 and H. 2-2424.

Whence a cross on a pine 6 ins. diam. marked B. T. P. A. 1,3-2424 brs. S.  $72^{\circ}$  W. 8.3 ft' No other bearings available.



Feet

Thence  $\ddot{N}$ .  $82^{\circ} 45'$  E.

555.4 To cor. No. 4, which is also cor. No. 3 ~~Pen~~ <sup>142</sup> Peno Alto Lode of this survey, original cor. of location brs. S.  $29^{\circ}$  W. ~~100~~ ft.

Set a porphyry stone 24x10x4 ins., 12 ins. in ground. Stone marked P. A. 1, 4-2424. Also P. A. 2, 3-2424. Whence a cross on oak 6 ins. diam. marked B. T. P. A. 2-3--2424 brs. S.  $2^{\circ} 15'$  E. 16 ft. A cross on an oak 6 ins. diam. marked B. T. P. A. 1, 4-2424 brs. S.  $79^{\circ}$  W. 9 ft.

Thence N.  $29^{\circ}$  E.

300 To E. center end, which is also the W. center end Peno Alto No. 2 Lode, this survey, identical with location.

Set a granite stone 16x8x6 ins. , 10 ins. in ground. Stonemarked E. C. E. P. A. 1-2424 and W. C. E. P. A. 2-2424.

400 To cor. No. 1, the place of beginning survey of exterior boundaries.

.....

"PENO ALTO NO. 2 LODE"

Beginning at cor. No. 1, identical with corner location, an oak stake in a monument of stone.

Set a granite stone 16x8x8 ins., 10 ins. in ground. Stonemarked P. A. 2, 1-2424.

Cor. to secs. 26, 27, 34 & 35, T. 14 N. R. 3 W. brs. N.  $83^{\circ} 14' 25''$  E. 4378.8 ft.. No other bearings available.

Thence N.  $84^{\circ} 3'$  W.

487.42 To intersect. E/ end line of "Iona Lode" , unsurveyed.

743.3 ~~1567.6~~ To cor No. 2, which is also cor. No. 1 "Penos Alto.

No. 1 Lode" this survey, ~~ident~~ with cor. of location



Feet

an oak stake in mon. of stones, *on South side line of the Iowa lode, unmined, at N 77° W 1034 from S.E. cor, Iowa, Cor. described above.*

Thence S. 29° W.

100

To W. center end., which is also the E. center end "PenosAlto No. 1 Lode" of this survey. Mon. described above.

400

To cor. No. 3, which is also cor. No. 4 "PenosAlto No. 1 Lode" of this survey. Cor. described above. *Whence Cor. No. 1. Highland lode of this survey brs. N 82° 45' E 452.6'*

379.7  
835.7  
1500

Thence S. 77° E.

*To intersect line 4-1. Highland of this survey of S 29° W 162.96' from Cor No. 1, to intersect line bet. secs. 33 + 34 at South 902.5' from secs. 27, 28, 33 + 34 and North 1737.8' from 1/4 sec. cor. bet. secs. 33 + 34 T. 14 N. R. 8 W. To Cor. No. 4. Identical with Cor. of Location*

a pine stake in mon. of stones.  
Set a porphyry stone 20x15x10 ins., 12 ins. in ground.  
Stonemarked P. A. 2, 4-2424.

Whence a cross on an oak 6 ins. diam. marked B. T.  
P. A. 2, 4-2424 brs. S. 50° 30' W. 26.7 ft.  
A cross on an oak 6 ins. diam. marked B. T. P. A. 2, 4-2424 brs. S. 72° 15' E. 35 ft.

Thence N. 29° E.

300

To E. center end, identical, *with location* a pine stake in mon. of stone.  
Set a porphyry stone 20x15x10 ins., 12 ins. in ground.  
Stonemarked E. C. E. P. A. 2, 2424.

600

To cor. No. 1, the place of beginning survey of exterior boundaries.

.....  
"HIGHLAND LODE"

Beginning at cor. No. 1, identical with cor. of location, an oak stake in monument of stones.  
Set a porphyry stone 20x10x6 ins., 12 ins. in ground stone marked H. 1-2424.  
Whence an oak 6 ins. diam. marked B. T. H. 1-2424 brs.



Feet N. 53° 40' E. 16.4 ft..  
 An oak 4 ins. diam. marked B. T. H. 1-2424, brs.  
 N. 71° 15' W. 11.8 ft.  
 Cor. to secs. 26, 27, 34, & 35 T. 14 N. R. 3 W. brs.  
 N. 83° 29' 3" E. 5690 ft.

Thence S. 82° 45' W.

452.6 To cor. No. 3 Peno Alto No. 2, and cor. No. 4 Penos  
 Alto No. 1 lodes of this survey  
 1008 <sup>Cor. No. 2</sup> To <sup>^</sup>intersect. line 1-2 Happy Strike Lode of this  
*At S 29° W 1060' from Cor. No. 1, Happy Strike.*  
 survey, <sup>^</sup>original cor. of location brs. S. 82° 45' W.  
 492 ft. Cor. described above.

Thence S. 29° W.

140 To W. center end.  
 Set a porphyry stone 24x12x6 ins., 12 ins. in ground.  
 Stone marked W. C. E. H., 2424  
 440 To cor. No. 3, which is also cor. No. 2 Happy Strike  
 Lode of this survey. Cor. described above, original  
 cor. of location a pine post in mon. of stones brs.  
 S. 82° 45' W 492 ft.

Thence N. 82° 45' E.

1008 To cor. No. 4, which is also cor. No. 1 Peno Alto No.  
 3 Lode of this survey, identical, a pine post in mon-  
 ument of stone.  
 Set a porphyry stone 20x10x4 ins., 12 ins. in ground  
 stone marked H. 4-2424; also P. A. 3, 1-2424.  
 Whence a cross on a pine 6 ins. diam. marked B. T.  
 H. 4-2424, brs. N. 9° 40' E. 42.5 ft.  
 A cross on a pine 8 ins. diam. marked B. T. P. A. 3,  
 1-2424, brs. N. 41° 15' E 77.5 ft.

Thence N. 29° E.

277.04 To intersect line 3-4 Peno Alto No. 2 Lode of this  
 survey at S. 77° E. 377.7 ft. from cor. No. 3 Peno  
 Alto No. 2.



Feet. . . . .  
 300 To E. center end, identical with E. center end of  
 location, an oak stake in mon. of stones.  
 440 Set a porphyry stone 20x8x10 ins., 12 ins. in ground.  
 Marked E. C. E. H. 2424.  
 To cor. No. 1, the place of beginning, survey of  
 exterior boundaries.

.....  
 "PENO ALTO NO. 3 LODE"

Beginning at cor. No. 1, which is also cor. No. 4  
 "Highland" Lode of this survey. Cor. described above.  
 Whence cor. to secs. 26, 27, 34, & 35 T. 14 N. R. 3 W.  
 brs. N. 80° 2' 12" E. 5956.2 ft.

Thence S. 82° 45' W.

1008 To cor. No. 3 "Highland" and cor. No. 2, "Happy Strike"  
 lodes of this survey.

1500 To cor. No. 2, identical with corner location, an  
 oak stake in a monument of stones.  
 Set a porphyry stone 20x10x6 ins., 12 ins. in ground.  
 Stone marked P. A. 3, 2-2424.  
 Whence a cross on a porphyry rock in place marked B. R.  
 P. A. 3, 2-2424 brs. S. 59° 55' E. 32.7 ft.  
 A cross on a porphyry rock in place marked B. R. P.  
 A. 3, 2-2424, brs. N. 44° 30' E. 14.2 ft.

Thence S. 7° 15' E.

300 To W. center end, identical with location, an oak  
 stake in a mound of stones.  
 Set a porphyry stone 30x12x10 ins. 12 ins. in ground.  
 Stone marked W. C. E. P. A. 3, 2424.

600 To cor. No. 3, identical with location, an oak stake  
 in mound of stone.  
 Set a porphyry stone 20x10x8 ins., 12 ins. in ground.  
 Stone marked P. A. 3, 3-2424.  
 A cross on an oak 12 ins. diam. marked B. T. P. A. 3,



Feet 3-2424 brs. S. 68° 45' E. 20.3 ft.

A cross on a pine 8 ins. diam. marked B. T. P. A. 3,3-2424 brs N. 81° 40'W. 29.3 ft.

Thence N. 82° 45' E.

1500 To cor. No. 4, identical with cor. of location, an oak stake in mound of stones.

Set a granite stone 24x10x8 ins., 12 ins. in ground.

Stone marked P. A. 3, 4-2424.

Whence a cross on an oak 8 ins. in diam. marked B. T. P. A. 3,4-2424 brs. S. 36° W. 6.8 ft.

An oak 5 ins. diameter marked B. T. P. A. 3, 4-2424 brs N. 69° 45' E. 9.3 ft.

Thence N. 7° 15' W.

300 TO E. center end , identical with E. center end of location, a an oak stake in a mon. of stones.

Set a porphyry stone 20x10x8 ins., 12 ins. in ground.

Stone marked P. A. 3 E. C. E., 2424

600 To cor. No. 1, place of beginning survey of exterior boundaries.

.....

"IRON MASK LODGE"

Beginning at cor. No. 1, identical with cor. of location, an oak stake in a monument of stones.

Set a granite stone 18x8x8 ins., 12 ins. in ground.

Stone marked I. M. 1--2424

Whence a cross on a pine 5 ins. diam. marked B. T. I. M. 1, 2424, brs. S. 66° 45' W. 12 ft.

No other bearings available. Whence cor. to secs. 26, 27, 34, & 35, T. 14 N. R. 3 W. brs. S. 87° 7', 38" E. 4156.2 ft.

Thence N. 19° 40' E.

1165 To intersect line 3-4 "Derby No. 2 Lode" of this survey at S. 62° 20' E. 258 feet from cor. No. 3

1500 To cor. No. 2, identical with cor. of location, an oak stake in a mound of stones.



Feet      Set a porphyry stone 20x12x5 ins., 12 ins. in ground  
 Stone marked I. M. 2-2424. No bearings available.

Thence N. 81° W.

221.47    To intersect line 2-3 "Derby No. 2 Lode" of this  
 survey at N. 28° E. 260.85 ft. from cor. No. 3.

300        To N. center end, identical with location, an oak  
 stake in monument of stones.  
 Set a granite stone 24x12x4 ins., 12 ins. in ground.  
 Stone marked N. C. E. I. M. 2424.

372.07    To intersect line 1-4 "Sunnyside No. 1 Lode" of  
 this survey at N. 19° 40' E. 400. 66 ft. from cor.  
 No. 4.

600        To cor. No. 3, identical with location, a cedar stake  
 in mon. of stones.  
 Set a porphyry stone 20x6x4 ins., 12 ins. in ground.  
 Stone marked I. M. 3-2424.  
 Whence a cross on a juniper, 15 ins. diam. marked B. T. I.  
 M. 3-2424, brs. S. 46° E. 103.5 ft.  
 A cross on a cedar 6 ins. diam. marked B. T. I. M. 3  
 -2424 brs. S. 37° 30' W. 67.5 ft.

Thence S. 19° 40' W.

357.2     To intersect line 3-4 Sunnyside No. 1 Lode of this  
 survey at N. 70° W. 224 ft from cor. No. 4

1500      To cor. No. 4, identical with cor. of location , an  
 oak stake in mon. of stones.  
 Cut a cross on a granite rock in place for cor. point  
 and marked I. M. 4-2424. No bearings available.

Thence S. 81° E.

300        To S. center end, identical with location, an oak stake  
 in mon. of stone.  
 Set a lava stone 16x12x8 ins., 10 ins. in ground.  
 Stone marked S. C. E. I. M. 2424.

600        To place of beginning survey of exterior boundaries.

.....



Feet.

**HUGUENOT LODE**

Beginning at cor. No. 1, which is also cor. No. 4  
 "Derby No. 3 Lode", and cor. No. 3 "Madizell" lodes  
 of this survey, identical with cor. of location.  
 Set a granite stone 24x8x6 ins., 12 ins. in ground.  
 Stone marked H. 1--2424 D. No. 3, 4-2424 and M. 3-  
 2424.

Whence a cross on an oak 5 ins. diam. marked B. T.  
 H. 1-2424 brs. S. 66° W. 23.8 ft.

A cross on a pine 8 ins. diam. marked B. T. M. 3-  
 2424 brs. N. 16° 50' E. 53.5 ft.

Whence cir. to secs. 26, 27, 34 & 35, T. 14 N. R. 3 W.  
 brs. S. 89° 2' 38" E. 2633.3 ft.

Thence N. 62° 20' W.

1500

*Cer No 2 and*  
 To intersect line 1-2 Iron Mask Lode, identical with  
 cor. of location, which is also cor. No. 3, Derby No.  
 3 Lode of this survey, an oak stake in monument of  
 stones.

Set a granite stone 18x8x8 ins., 12 ins. in ground.  
 Stone marked H. 2-2424 and D. 3, 3-2424. No bearings  
 available.

Thence S. 19° 40' W.

300 To W. center end, identical with location, a cedar  
 stake in mon. of stones.

Set a lava stone 20x10x6 ins., 12 ins. in ground.  
 Stone marked W. C. E. H., 2424.

565 To intersect line 3-4 "Puritan No. 2 Lode" of this  
 survey at N. 81° W. 600 ft. from cor. No. 4.

600 To cor. No. 3, identical with corner of location, an  
 oak stake in a monument of stones.

Set a porphyry stone 24x12x6 ins., 12 ins. in ground.  
 Stone marked H. 3-2424. No bearings available.

362.6

534.04

Thence S. 62° 20' E.  
 To intersect line bet. secs. 27+34 at S 89° 53' E. 1443.1 from cor. Secs 27, 28, 33+34, and  
 N 89° 53' W 1199.8' from 1/4 Sec. Cor. bet. Secs 27+34, T. 14 N. R. 3 W.  
 To intersect line 1-4 "Puritan No. 2 Lode" of this  
 survey at S. 35° 5' W. 228.64 from cor. No. 4

Feet  
 1500 To cor. No. 4, identical with cor. of location, an oak stake in mon. of stones.  
 Set a granite stone 24x12x8 ins., 12 ins. in ground.  
 Stone marked H. 4-2424.  
 Whence a cross on a pine 8 ins. diam. marked B. T. H. 4-2424 brs. N. 00° 45' W. 18.2 ft.  
 A cross on an oak 8 ins. diameter marked B. T. H. 4-2424 brs. N. 77° 25' W. 22.4 ft.

Thence N. 19° 40' E.

300 To E. center end, identical with location, an oak stake in mon. of stone.  
 Set a granite stone 24x8x6 ins., 12 ins. in ground.

Stone marked E. C. E. H. 2424.

558.6

*To intersect line bet secs 27 & 34 at S 89° 53' E. 26.38 ft. from cor. Secs 27, 28, 33, & 34 and N 89° 53' W. 4.8' from 74 Sec. Corner - Secs 27 & 34, T. 14 N. R. 3 W.*

600 To cor. No. 1, the place of beginning survey of exterior boundaries.

.....  
 "DERBY NO. 3 LODE"

Beginning at cor. No. 1, which is also cor. No. 2 "Madizell Lode" of this survey, identical with location, a pine stake in a mon. of stone.  
 Set a granite stone 24x10x6 ins., 12 ins. in ground.  
 Stone marked D. 3, 1-2424 and M. 2-2424.  
 A walnut 8 ins. diameter marked B. T. M. 2-2424, brs. N. 9° W. 30.8 ft.  
 A cross on a pine 10 ins. diam. marked B. T. D. 3, 1-2424 brs. N. 74° W. 8.6 ft.  
 Whence cor to secs. 26, 27, 34, 35 T. 14 N. R. 3 W. brs. S. 75° 56' 32" E. 250.48

2501.6

Thence N. 62° 20' W.

1500 To cor. No. 2 at the intersection of line 1-2 Iron Mask Lode, identical with location, a cedar stake in mon. of stones.



Feet Set a porphyry stone 20x10x6 ins., 12 ins. in ground  
 Stone marked D. 3, 2-2424.  
 Whence a cross on a pine 8 ins. diam. marked B. T.  
 D. 3, 2-2424 brs N. 21° 50' W. 65.5 ft.  
 A cross on a porphyry rock in place marked B. R. D. 3  
 2-2424 brs. N. 72° 40' W. 15.7 ft.

Thence S. 19° 40' E. W.

300 To W. center end, identical with location, an oak  
 stake in mon. of stones.  
 Set a granite stone 20x10x8 ins., 12 ins. in ground.  
 Stone marked W. C. E. D. 3, 2424.

600 To corner No. 3, which is also cor. No. 2 Huguenot  
 Lode of this survey. Cor. described above.

Thence S. 62° 20' E.

1500 To cor. No. 4, which is also cor. No. 3 Madizell  
 and cor. No. 1 Huguenot lodes of this survey. Cor.  
 described above.

Thence N. 19° 40' E.

300 To E. center end. Also W. center end Madizell, this  
 survey.  
 Set a porphyry stone 20x10x6 ins., 12 ins. in ground.  
 Stone marked E. C. E. D. No. 3, 2424 and W. C. E.  
 M. 2424.

600 To cor. No. 1, the place of beginning survey of  
 exterior boundaries.

"DERBY NO. 2 LODE"

Beginning at cor. No. 1, which is also cor. No. 2  
 "Derby Lode" of this survey, identical with cor. of  
 location, a pine stake in mon. of stones.  
 Set a granite stone 24x8x6 ins., 12 ins. in ground.  
 Stone marked D. 2, 1-2424 and D. 2-2424.  
 Whence an oak 5 ins. diam. marked B. T. D. 2, 1-2424  
 brs. N. 13° 15' E. 31.3 ft.  
 An oak 5 ins. diam. marked B. T. D. 2-2424 brs. N.

|        |  |
|--------|--|
| Feet   | 610 15' E. 53 ft.<br>Cor. to secs. 26, 27, 34 & 35, T. 14 N. R. 3 W. brs.<br>S. 62° 7' E. 2733.1 ft.   |
|        | Thence N. 62° 20' W.   |
| 156    | To intersect line 1-4 Sunny Side Lode at N. 19° 40' E.<br>200.6 ft. from cor. No. 1 Sunny Side.  |
| 1458   | To cor. No. 2, identical with cor. of location, a<br>pine stake in mon. of stones.<br>Set a porphyry stone 18x10x5 ins. 12 ins. in ground.<br>Stone marked D. 2, 2-2424.<br>Whence a cross on a pine 8 ins. diam. marked B. T.<br>D. 2, 2-2424 brs. S. 41° E. 30 ft.<br>A cross on an oak 6 ins. diam. marked B. T. D. 2, 2,<br>2424 brs. S. 65° 45' E. 46.6 ft. |
|        | Thence S. 28° W.   |
| 185.06 | To intersect line 1-2 Sunny Side Lode at N. 62° 20' W.<br>1329.07 ft. from cor. No. 1  |
| 300    | To W. center end, identical with location, a pine<br>stake in monument of stones.<br>Set a porphyry stone 18x10x4 ins., 12 ins. in ground,<br>Stone marked W. C. E. D. 2-2424  |
| 600    | To cor. No. 3, identical with cor. location, a cedar<br>stake in mon. of stones.<br>Set a granite stone 20x8x6 ins., 12 ins. in ground.<br>Stone marked D. 2, 3-2424.<br>Whence a cross on a juniper 10 ins. diam. marked B. T.<br>D. 2, 3-2424 brs. N. 18° 20' W. 55.6 ft. No other<br>bearings available.  |
|        | Thence S. 62° 20' E.   |
| 258    | To intersect line 1-2 Iron Mask Lode at S. 19° 40' W<br>335 ft. from cor. No. 2 "Iron Mask".   |
| 1458   | To cor. No. 4, which is also cor. No. 3 Derby Lode of<br>this survey.  |



|      |   |
|------|---|
| Feet | <p>Identical with location, a pine stake in a monument of stone.</p> <p>Set a granite stone 24x10x6 ins., 12 ins. in ground. Stone marked D. 2 , 4-2424 and D. 3-2424.</p> <p>Whence a cross on an oak 4 ins. diam. marked B. T. D. 2,4-2424, brs. N. 59° W. 10 ft.</p> <p>A cross on an oak 4 ins. diam. marked B. T. D. 3-2424 brs. S. 68° E. 9.8 ft.</p> <p style="text-align: center;">Thence N. 28° E.</p>   |
| 300  | <p>To E. center end, which is also the W. center end "Derby Lode" of this survey, identical with location, a pine stake in mound of stone.</p> <p>Set a granite stone 18x12x8 ins., 12 ins. in ground. Stone marked E. C. E. D. 2,2424 and W. C. E. D. 2424.</p>  |
| 600  | <p>To cor. No. 1, the place of beginning survey of exterior boundaries.</p> <p style="text-align: center;">.....</p> <p style="text-align: center;">"DERBY LODGE"</p> <p>Beginning at cor. No. 1, which is also cor. No. 2 "Ellen No. 1 Lode" of this survey, identical with cor of location, an oak stake in mon. of stone.</p> <p>Set a granite stone 24x12x12 ins., 12 ins. in ground. Stone marked D. 1-2424 and E. 1, 2-2424.</p> <p>Whence a cross on a pine 6 ins. diam. marked B. T. E. 1, 2-2424 brs. S. 21° 45' W. 3.2 ft.</p> <p>A cross on a pine 6 ins. diam. marked B. T. D. 1-2424 brs. N. 72° 15' W. 30.3 ft.</p> <p>Cor. secs. 26, 27, 34, &amp; 35, T. 14 N. R. 3 W. brs. S. 61° 52' E. 1233. 3 ft.</p> <p style="text-align: center;">Thence N. 62° 20' W.</p> |
| 750  | <p>To cor. No. 2 "Patsy Lode" of this survey</p>  |
| 1500 | <p>To cor. no. 2, which is also cor. No. 1 Derby No. 2 Lode this survey. Cor. described above.</p>  |

Feet

Thence S. 28° W.

300 To W. center end, which is also the E. center end "Derby No. 2 Lode" of this survey. Mon. described above.

600 To cor. No. 3, which is also cor. No. 4, Derby No. 2 Lode of this survey. Cor. described above.

300 To cor. No 1-2 Derby No 3 and Madgeee Lodes of this survey, <sup>Not</sup> 1500 To cor. No. 4, which is also cor. No. 3 "Ellen Lode" <sup>Not</sup> And Cor. No 4. Ellen No 2 Lode of this survey, identical with location, an oak stake in mon. of stone.

Set a granite stone 16x10x8 ins. 12 ins. in ground.

Stone marked D. 4-2424 and E. 1, 3-2424 and E. 2, 4-2424.

Whence a cross on an oak 8 ins. diam. marked B. T.

E. 1,3-2424 brs. S. 57° E. 3.7 ft.

A cross on an oak 8 ins. in diam. marked B. T. E 2,4-2424 brs. S. 18° 45' E. 30.2 ft.

A cross on an oak 5 ins. diam. marked B. T. D. 4-2424 brs. S. 66° 15' W. 19.6 ft.

Thence N. 28° E.

300 To E. center end, which is also the W. center end of No. 1 Ellen Lode of this survey, identical with location, an oak stake in a mon. of stones.

Set a granite stone 20x8x6 ins., 12 ins. in ground.

Stone marked E. C. E. D. 2424 and W. C. E. E. 1, 2424.

600 To cor. No. 1, the place of begining of survey of exterior boundaries.

.....



Feet

## "PATSY LODGE"

Beginning at corner No. 1, identical with corner location, a pine stake in mon. of stone.

Set a granite stone 24x10x6 ins., 12 ins. in ground.

Stone marked P. 1-2424

Whence a cross on a granite rock in place marked B. R.

T. 1-2424 brs. S.  $59^{\circ} 30'$  E 16.4 ft.

A cross on a granite rock in place marked B. R. P. 1-2424 brs. N.  $15^{\circ} 45'$  W. 10.9 ft.

Cor. to secs. 26, 27, 34, & 35, T. 14, N. R. 3 W.

brs. S.  $61^{\circ} 8'$  E. 483.2 ft.

Thence N.  $62^{\circ} 20'$  W.

No. 1"

750 To cor. No. 2 "Ellen" and cor No. 1 "Derby" lodes of this survey

1500 To cor. No. 2, identical with location, an oak stake in a mon. of stones. Cut a cross on a granite rock in place marked P. 2-2424.

Whence a cross on an oak 8 ins. diam. marked B. T.

P. 2-2424 brs. N.  $42^{\circ} 20'$  W. 11.1 ft.

No other brs. available.

Thence N.  $28^{\circ}$  E.

300 To W. center end, identical with location, a pine stake in mon. of stones.

Set a granite stone 24x12x4 ins., 12 ins. in ground.

Stone marked W. C. E. P. 2424.

600 To cor. No. 3, identical with location, a pine stake in mon. of stones.

Set a granite stone 18x8x6 ins., 12 ins. in ground,

marked P. 3-2424. No brs. available.

Thence S.  $62^{\circ} 20'$  E.

1500 To cor. No. 4, identical with location, a pine stake in mon. of stones.

Feet

21

set a granite stone 18x12x4 ins., 12 ins. in ground, marked P. 4-2424.

Whence a pine 6 ins. diam. marked B. T. P. 4-2424 brs. S. 45° E. 9.8 ft. No other brs. available.

Thence S. 28° W.

300 To E. center end, identical with location, a pine stake in mon. of stones.

Set a granite stone 20x10x5 ins., 12 ins. in ground. Stone marked E. C. E. P. 2424.

600 To cor. No. 1, the place of beginning survey of exterior boundaries.

.....

"ELLEN NO. 1"

Beginning at cor. No. 1, identical with location, a pine stake in a mon. of stones.

Set a granite stone 24x12x5 ins., 12 ins. in ground. Stone marked E. 1,1-2424.

Whence a cross on an oak 6 ins. diam. marked B. T. E. 1, 1-2424 brs. N. 20° 30' W. 2.4 ft.

A cross on a granite rock in place marked B. R. E 1,1-2424, brs. S. 45° 40' W. 15.3 ft.

Cor. to secs. 26, 27, 34 & 35 T. 14 N. R. 3 W. brs. N. 64° 38' W. 267 ft.

Thence N. ~~60°~~<sup>62°</sup> 20' W.

246.37 To intersect line between secs. 26 and 35 at E. 23.06 ft. from sec. cor. and West 2617 from 1/4 sec. cor bet secs. 26 & 35 T. 14 N. R. 3 W.

272.4 To intersect line between secs. 26 and 27 at No. <sup>34 W</sup> 12.00 ft. from sec. cor. and S. 0° 34' E. 2627.9 from 1/4 sec. cor bet secs. 26 & 27 T. 14 N. R. 3 W.

750 To cor. No. 1 "Patsy Lode" of this survey

1500 To cor. No. 2, which is also cor. No. 1 Derby lode of this survey. Cor described above.



Feet

Thence S. 28° W.

300 To W. center end, which is also the E. center end of the Derby Lode of this survey. Mon. described above.

600 To cor. No. 3, which is also cor. No. 4 of "Derby Lode" and Cor. No. 4, Ellen No. 2 Lode. of this survey. Cor. described above.

Thence S. 62° 20' E.

62.9 To cor. No. 1 Madizell Lode of this survey  
107.2 *To intersect line bet. Secs. 27 & 34 at N 89° 53' W 1273.5' from cor. Secs. 26, 27, 34 & 35 and S 49° 53' E 1369.4' from 1/4 Sec. C. bet. Secs. 27 & 34. T. 14 N. R. 3 W.*

300 To North center end Ellen No. 2 Lode of this survey.

600 To cor. No. 1, Ellen No. 2 of this survey.

1500 To cor. No. 4, identical with location, a pine stake in mon. of stones.

Set a granite stone 18x12x4 ins., 12 ins. in ground.

Stone marked E. 1, 4-2424.

Whence a pine 10 ins. diam. marked B. T. E. 1, 4-2424

brs. S. 20° E. 2.3 ft. No other brs. available.

Thence N. 28° E

86.12 To intersect line between secs. 34 and 35 at S.

568.1 ft. from sec. cor. and North 2071.9' from 1/4 sec. cor bet. Secs. 34 & 35 T. 14 N. R. 3 W.

300 To E. center end, identical with location, a pine stake in mon. of stones.

Set a granite stone 20x10x4 ins., 12 ins. in ground.

Stone marked E. C. E. E. 1, 2424.

600 To cor. No. 1, the place of beginning survey of exterior boundaries.

"MADIZELL LODGE"

Beginning at cor. No. 1, whence original cor. of location brs. S. 62° 20' E. 237.1 ft. a pine stake in mon. of stones.

Set a granite stone 16x8x6 ins., 10 ins. in ground.

Stone marked M 1-2424

Whence an oak 5 ins. diam. marked B. T. M. 1-2424

brs N. 48° 15' E. 9.8 ft. Cor. to secs. 26, 27, 34 & 35

Feet brs. S. 89° 1' E. 1314.6 ft. No other brs. available.

Thence N. 62° 20' W.

~~62.9~~  
69.3  
To cor. No. 3 Ellen No. 1 and cor. No. 4 Derby Lodes of this survey, and cor. No. 4 Ellen No. 2 Lode of this survey.

1262.9 To cor. No. 2, identical with location, which is also cor. No. 1, Derby No. 3, Lode of this survey.

Cor. described above.

Thence S. 19° 40' W.

300 To <sup>W</sup> center end, which is also ~~W~~<sup>E</sup> center end of Derby No. 3 Lode of this survey

600 To cor. No. 3, which is also cor. No. 4, Derby No 3, and cor' No 1 <sup>u</sup>Hugenot Lodes of this survey. Cor. described above.

Thence S. 62° 20' E.

85.1  
1262.9 To cor. No. 4, To intersect line bet. Secs. 27 & 34 at N 89° 53' W 255.81' from Cor. Secs. 26, 27, 34 & 35 and S 89° 53' E 94.8' from 1/4 Sec. Cor bet. Secs. 27 & 34 T 14 N R 3 15. whence original cor. of location

brs. S. 62° 20' E. 237.1 ft., a pine stake in mon. of stone.

Cut a cross on a granite rock in place for cor. point. Marked M. 4-2424. Alongside set an oak stake in a mon. of stone. No brs. available.

Thence N. 19° 40' E.

<sup>E.C.E.</sup>  
300 To <sub>A</sub> intersect line 3-4 Ellen No. 2 Lode of this survey at S. 8° 15' W., 314.9 ft. from cor. No. 4, Ellen No. 2.

Original mon. of location brs. S. 62° 20' E. 237.1

576.1 A pine post in mon. of stone

Set a granite stone 24x12x10 ins., 12 ins. in ground.

Stone marked E. C. E. M. 2424. Alongside set a juniper

stake in mon. of stones.

576.1  
600 To cor. No. 1, To intersect line bet. Secs. 27 & 34 at N 89° 53' W 1320.4' from Cor. Secs. 26, 27, 34 & 35 and S 89° 53' E 1322.5' from 1/4 Sec. Cor bet. Secs. 27 & 34 T 14 N R 3 15. the place of beginning, survey of

exterior boundaries.



feet

## "ELLEN NO. 2 LODE"

Beginning at cor. No. 1, identical with cor. of location,  
an oak stake in a mon. of stones.

Set a porphyry stone 20x10x6 ins., 12 ins. in ground.

Stone marked E. 2,1-2424.

Whence a cross on an oak 10 ins. diam. marked B. T. E.

2,1-2424 brs. N. 36° W. 9 ft

A cross on a pine 8 ins. diam. marked B. T. E. 2, 1-

2424 brs. N. 74° E. 40.4 ft.

Cor. to secs. 26, 27, 34, 35 T. 14 N. R. 3 W. brs.

N. 74° 51' E. 867.8 ft .

Thence S. 8° 15' W.

1500

To cor. No. 2, identical with cor. location, an oak  
stake in mon. of stone.

Set a granite stone 20x12x6 ins., 12 ins. in ground.

Stone marked E. 2, 2-2424.

Whence a cross on an oak 6 ins. diameter marked B. T. E. 2,

2-2424 brs. S. 10° 5' E. 14.4 ft.

A cross on an oak 6 ins. diam. marked B. T. E. 2,2-

2424 brs. N. 13° 25' E. 33.3 ft.

Thence N. 82° 20' W.

300

To S. center end, identical with location, an oak  
stake in mon. of stone.

Set a granite stone 20x12x5 ins., 12 ins. in ground.

Stone marked S. C. E. E. 2,2424.

600

To cor. No. 3 identical with cor. location, an oak  
stake in mon. of stones.

Set a granite stone 20x12x8 ins. 12 ins. in ground.

Stone marked E. 2, 3-2424

Whence a cross on an oak 10 ins. diam. marked B. T. E/ 2,

3-2424 brs. N. 20° 15' W. 6.6 ft.

Feet A cross on an oak 12 ins. diam. marked B. T. E. 2,  
3-2424 brs. S. 42° 45' W. 15.2 ft.

Thence N. 8° 15' E.

1185.1 To intersect E. end line Madizell lode at S. 19° 40' W.

300 ft from cor. No. 1 Madizell.  
*To intersect line bet secs. 27 & 34 at N 89° 53' 11" 1375.4 from Cor. Secs. 26, 27, 34 & 35 and  
S 89° 53' E 1267' from 1/4 sec. Cor bet secs. 27 & 34, T. 14 N. R. 3 W.*

1444.5

1500 To cor. No. 4, which is also cor. No. 3 Ellen No. 1  
and cor. No. 4 Derby Lodes of this survey. Cor  
described above.

Thence S. 62° 20' E.

62.9 To cor. no. 1 Madizell Lode of this survey,  
*To intersect line bet secs. 27 & 34 at N 89° 53' 11" 1273.5 from Secs. 26, 27, 34 & 35 T.  
S 89° 53' E 1267' from 1/4 sec. Cor bet secs. 27 & 34, T. 14 N. R. 3 W.*

107.6

300 To N. center end, identical with N. center end of

location, a pine stake in mon. of stones.

Set a granite stone 18x10x6 ins., 12 ins. in ground.

Stone marked N. C. E. E. 2, 2424.

600

To cor. No. 1, the place of beginning survey of  
exterior boundaries.

.....  
"ITALIAN LODE"

Beginning at cor. No. 1, identical with cor. of lo-  
cation, which is also cor. No. 4 "Humbert Lode" of this  
survey, an oak stake in mon. of stones.

Set a porphyry stone 24x8x6 ins., 12 ins. in ground

Stone marked I. 1-2424, and H. 4-2424.

Whence a cross on an oak 12 ins. diam. marked B. T.

I. 1-2424 brs. North 20.4 ft.

A cross on an oak 5 ins. diam. marked B. T. H. 4-

2424 brs. S. 80° 35' E. 19.3 ft.

Cor. to secs. 26, 27, 34 & 35 T. 14, N. R. 3W .

brs. S. 79° 53' 33" E., 4634.2 ft.

Thence N. 70° W.

771.3

*To nearest line bet secs. 27 & 28 at North 1066.2' from Cor. Secs. 27, 28, 33 & 34 and  
South 1573.8' from 1/4 sec. Cor bet Secs 27 & 28 T. 14 N. R. 3 W.*

1276

To cor. No. 2, identical with location, a pine post in  
mon. of stones, which is also cor. no. 1 Protection \* 2



Feet cor. No. 4, Protection ~~3~~ 3, and cor. No. 3 Humbert lodes of this survey.

Set a porphyry stone 24x8x8 ins., 12 ins. in ground. Stone marked I 2-2424 P. 2, 1-2424, P. 3, 4-2424, and H. 3-2424.

Whence a cedar 5 ins. diam. marked B. T. P. 2, 1-2424 brs. S. 56° 30' W. 36.6 ft.

A cross on an oak 4 ins. diam. marked B. T. H. 3-2424 brs. N. 37° 20' E. 53.6 ft.

Thence S. 19° 40' W.

300 To W. center end, which is also the E. center end Protection ~~2~~ 2 Lode of this survey., identical with location, a cedar stake in monument of stone.

Set a porphyry stone 18x8x6 ins., 12 ins. in ground, marked W. C. E. I, 2424, and E. C. E. P 2 2424.

533.6 To cor. No. 4 Protection ~~2~~ 2, at intersection of line 4-5 Puritan Lode of this survey at N. 54° 55' W. <sup>255.36</sup> 256.36 ft from cor. No. 5,

600 To cor. No. 3, identical with cor. of location, an oak stake in mon. of stones.

Set a granite stone 22x12x10 ins., 12 ins. in ground. Stone marked I. 3-2424. No brs. available.

Thence S. 70° E.

246.18 To cor. no. 5 Puritan Lode of this survey  
*To intersect line bet Secs. 27 & 28 of North 42.77 from cor. Secs. 27, 28, 33 & 34 and South 22 & 23 from 1/4 sec. Cor. bet Secs 27 & 28. T 14 N R 3 W.*

719.58 To cor. no. 6 Puritan and cor. No. 3 Puritan No. 2 lodes of this survey

981.18 To cor. No. 4, identical with cor. location, an oak stake in mon. of stones. Cut a cross on a granite rock in place for cor. point, marked I 4-2424. No brs. available.

Thence N. 19° 40' E.

57.2 To intersect line 3-4 Puritan No. 2 Lode at S. 81° E. 300 ft. from cor. no. 3, Puritan No. 2 Lode.

Feet

300 To E. center end, identical with location, a pine stake in mon. of stones.  
 Set a porphyry stone 24x18x12 ins., 12 ins. in ground.  
 Stone marked E. C. E. I, 2424.

600 To cor. no. 1, place of beginning survey of exterior boundaries.

.....

"HUMBERT LODE"

Beginning at cor. no. 1, identical with cor. of location, an oak stake in mon. of stones. Cut a cross on a granite rock in place for cor. point, makked H. 1-2424.

Whence a cross on a juniper 36 ins. diam. marked H. 1-2424 brs. S. 11° E. 65 ft.

A cross on a pine 20 ins. diam. marked B. T. H. 1-2424 brs. N. 50° 45' W. 26.5 ft.

Cor. to secs. 26, 27, 34 & 35, T. 14 N. R. 3 W. brs S. 72° 27' 32" E. 4573.1 ft.

Thence N. 70° W.

986.2  
1276

To intersect line bet. secs. 27 & 28 at North 1704.7 from the Secs. 27, 28, 33 & 34 and South 935.3 from the cor. bet. secs. 27 & 28. T. 14 N. R. 3 W.

To cor. No. 2, which is also cor. No. 1 Protection ~~No.~~ 3 and cor. No. 3 Sunny Side No. 1 lodes of this survey, identical with cor. of loation, an oak stake in mon. of stones.

Set a porphyry stone 20x8x8 ins., 12 ins. in ground.  
 Stone marked H. 2-2424, P 3, 1-2424 and S. S. No. 1, 3-2424.

Whence a pine 15 ins. diam. marked B. T. P. 3, 1-2424 brs. S. 29° W. 24.8 ft.

A cross on a pine 18 ins. diam. marked B. T. S. S. 1, 3-2424 brs. N. 57° W. 11.3 ft.

Thence S. 19° 40' W.

300 To W. center end, which is also E/ center end of Protection ~~No.~~ 3 Lode of this survey, identical with



Feet location, an oak stake in mon. of stones.  
 Set a porphyry stone 20x10x3 ins., 12 ins. in ground.  
 Stone marked W. C. E. H. 2424 and E. C. E. P. 3,2424.  
 600 To cor. No. 3, which is also cor. No. 4 Protection  
~~No.~~ 3, cor. No. 1 Protection ~~No.~~ 2, and cor. No. 2  
 Italian lodes of this survey. Cor described above.

504.7 Thence S. 70° E.  
*To intersect line bet. secs. 27+28 at North 1066.2' from cor. secs. 27, 28, 33+34 and South*  
*1573.8' from 1/4 sec. cor. bet. secs. 27+28. T. 14 N. R. 3 W.*  
 1276 To cor. No. 4, which is also cor. No. 1 Italian lode  
 of this survey. Cor. described above.

Thence N. 19° 40' E.

300 To E center end, identical with location, an oak  
 stake in mon. of stone.  
 Set a granite stone 24x8x6 ins., 12 ins. in ground.  
 Stone marked E. C. E. H. 2424.

600 To cor. No. 1, place of beginning survey of exterior  
 boundaries.

"SUNNY SIDE NO. 1"

Beginning at cor. No. 1, which is also cor. No. 2,  
 Sunny Side and cor. No. 4 Knocker Doom lodes of this  
 survey, identical with location, a cedar stake in mon.  
 of stones.  
 Set a porphyry stone 18x10x8 ins., 12 ins. in ground.  
 Stone marked S. S. 1, 1-2424 K. D. 4-2424, and S. S. 2,  
 2424. No hrs available.  
 Whence cor. to sec. 26, 27, 34 & 35 T. 14, N. R. 3 W.  
 hrs. S. 64° 48' <sup>32"</sup> 41" E. 4367 <sup>5.3</sup> ft.

1425.2 Thence N. 70° W.  
*To intersect line bet. secs. 27+28 at North 2343.2' from cor. sec. 27, 28, 33+34*  
*and South 296.8' from 1/4 sec. cor. bet. secs. 27+28 T. 14 N. R. 3 W.*  
 1500 To cor. No. 2, which is also cor. No. 3 Knocker Doom  
 Lode of this survey, identical with location, an oak  
 stake in mon. of stones.  
 Set a porphyry stone 18x12x6 ins., 12 ins. in ground.

- Feet Stone marked S. S. 1, 2-2424 and K. D. 3-2424
- Whence a pine 6 ins. diam. marked B. T. K. D. 3-2424 brs  
N.  $00^{\circ} 45'$  W. 50.5 ft.
- A cross on a juniper 24 ins. diam. marked B. T. S. S.  
1, 2-2424 brs. S.  $21^{\circ} 45'$  E. 70.4 ft.
- Thence S.  $19^{\circ} 40'$  W.
- 300 To W. center end, identical with location, a pine  
stake in mon. of stones.  
Set a porphyry stone 20x20x10 ins., 12 ins. in ground.  
Stonemarked W. C. E. S. S. 1, 2424.
- 600 To cor. No. 3, which is also cor. No. 1 Protection  
No. 3, and cor. No. 2 Humbert Lodes of this survey.  
Cor. described above.
- Thence S.  $70^{\circ} E.$
- 289.8 *To intersect line bet. Secs. 27 & 28 at North 1704.7' from Cor. Secs. 27, 28, 32 & 34 and*  
1276 *South 935.3' from Sec. Cor. bet. Secs. 27 & 28 T. 14 N. R. 3 W.*  
To cor. No. 1 Humbert Lode of this survey at  
intersection of line 3-4 Iron Mask Lode of this  
survey at S.  $19^{\circ} 40'$  W. 357.2 from cor. No. 3  
Iron Mask Lode of this survey.
- 1500 To cor. No. 4, identical with cor. location, a  
pine stake in mon. of stones.  
Set a granite stone 24x12x6 ins., 12 ins. in ground.  
Stone marked S. S. 1, 4-2424. No brs. available.
- Thence N.  $19^{\circ} 40'$  E.
- 300 To E. center end, identical with location, an oak  
stake in mon. of stones.  
Set a granite stone 30x18x4 ins., 12 ins. in ground.  
Stone marked E. C. E. S. S. 1, 2424.
- 400.66 To intersect line 2-3 Iron Mask Lode at S.  $81^{\circ} E.$   
227.93 ft from cor. No. 3 Iron Mask Lode.
- 600 To cor. No. 1, the place of beginning survey of  
exterior boundaries.
- .....



Feet

## "SUNNY SIDE LODGE"

Beginning at cor. No. 1, identical with location, an oak stake in mon. of stones, alongside of an oak tree 10 ins. diam. blazed and marked S. S. 1-2424  
No bearings.

Whence cor. to secs. 26, 27, 34 & 35 T. 14 N. R. 3 W.  
brs. S.  $66^{\circ} 6' 16''$  E. 2867.5 ft.

Thence N  $62^{\circ} 20'$  W.

1329.07 To intersect line 2-3 Derby No. 2 Lode at S.  $28^{\circ}$  W.  
185.06 ft from cor. No. 2 Derby No. 2.

1500 To cor. No. 2, which is also cor. No. 1 Sunny Side  
No. 1, cor. No. 4 Knocker Doom lodes of this survey.  
Cor. described above.

Thence N.  $19^{\circ} 40'$  E.

300 To W. center end, which is also the E: center end of  
the Knocker Doom lode of this survey, identical  
with location, an oak stake in mon. of stones.  
Set a porphyry stone 24x8x6 ins., 12 ins. in ground.  
Marked W. C. E. S. S. 2424. Also E. C. E. K. D. 2424.

600 To cor. No. 3, which is also cor. no. 1 Knocker Doom  
Lode of this survey, identical with location, a cedar  
stake in mon. of stones.

set a granite stone 20x8x6 ins., 12 ins. in ground.  
Stone marked S. S. 3-2424 and K. D. 1-2424.

Whence a cross on a pine 12 ins. diam. marked B. T.  
K. D. 1-2424 brs. S.  $44^{\circ} 45'$  W. 66.5 ft.

No other brs.

Thence S.  $62^{\circ} 20'$  E.

1500 To cor. No. 4, identical with cor. location, an oak  
stake in mon. of stones.  
Set a porphyry stone 24x8x6 ins., 12 ins. in ground.  
Stone marked S. S. 4-2424.

Feet Whence a cross on a juniper 12 ins. diam. marked B. T. S. S. 4-2424 brs. N. 79° W. 38.2 ft. No other brs. available.

Thence S. 19° 40' W.

300 To E. center end, identical with location, a pine stake in mon. of stones. Set a granite stone 24x8x6 ins. 12 ins. in ground. Stone marked E. C. E. S. S. 2424.

399.4 To intersect line 1-2 Derby No. 2 Lode of this survey at <sup>S</sup> N. 62° 20' <sup>E 1802</sup> W. 156 ft. from cor. No. 1 Derby No. 2.

600 To cor. No.1; the place of beginning, survey of exterior boundaries.

.....

"KNOCKER DOOM"

Beginning at cor. No. 1, which is also cor. No. 3 Sunny Side Lode of this survey. Cor. described above. Whence cor to secs. 26, 27, 34 & 35 T. 14 N. R. 3 W. brs. S. 57° 00' 09" <sup>4463.1</sup> E. 4463.1 ft.

Thence N. 70° W.

538/ 1006.6 To intersect line 1-4 Sure Enough Lode of this survey at N. 17° W. 202.42 ft. from cor. No. 1 Sure Enough

1500 To cor. No. 2, identical with cor. location, an oak stake in mon. of stones.

Set a porphyry stone 18x10x5 ins., 12 ins. in ground. Stonemarked K. D. 2-2424

Whence a cross on an oak 18 ins. diam. marked B. T. K. D. 2-2424 brs. S. 15° 45' W. 78 ft. No other brs. available.

Thence S. 19° 40' W.

229.45 To point whence point of intersection of line 1-2 intersects line 1-4 of Sure Enough Lode of this survey, brs. N. 85° E. 542.94 ft. This portion of Knocker Doom is to be excluded as the Sure enough lode passes through this excluded ground.



Feet+

300 To W. center end, identical with location, an oak stake in mon. of stones.  
Set a porphyry stone 18x8x6 ins., 12 ins. in ground.

391.2 Stone marked W. C. E. K. D. 2424.  
*To intersect line bet. Secs. 27 & 28 at North 2565.4' from cor. Secs. 27, 28, 33 & 34 and South 74.6' from 1/4 sec. cor. bet. Secs. 27 & 28, T. 14 N., R. 3 W.*

447.32 To intersect line 1-2 Sure enough Lode of this survey at S. 85° W. 676.87 ft from cor. No. 1

600 To cor. No. 3, which is also cor. No. 2 of sunny Side No. 1 Lode of this survey. Cor described above.

✓ 74.8 *To intersect line bet. Secs. 27 & 28 at North 2343.2 ft. from Cor. Secs. 27, 28, 33 & 34 and South 296.8 ft. from 1/4 sec. cor. bet. Secs. 27 & 28, T. 14 N., R. 3 W.*  
1500 Thence S. 70° E.  
To cor. No. 4, which is also cor. No. 1 Sunny Side No. 1 and cor. No. 2 Sunny Side Lodes of this survey. Cor described above.

(74.8 *To intersect line between Secs. 27 & 28 at North 2343.2 ft. from cor. Secs. 27, 28, 33 & 34 and South 296.8 ft. from 1/4 sec. cor. bet. Secs. 27 & 28, T. 14 N., R. 3 W.*)  
300 Thence N. 19° 40' E.  
To E. center end which is also W. center end Sunny Side

Lode of this survey. Mon. described above.

600 To cor. No. 1, place of beginning of survey of exterior boundaries.

.....

"SURE ENOUGH LODE"

Beginning at cor. No. 1, identical with cor. of location which is also the S. W. cor. of Great Eastern Lode, J. Lowry, claimant, unsurveyed, an oak stake in mon. of stones.

Set a granite stone 20x10x6 ins., 12 ins. in ground.

Stone marked S. 1-2424.

Whence an oak 8 ins. in diam. marked B. T. S. 1-2424 brs. S. 65° W. 11.1 ft.

An oak 6 ins. diam. marked B. T. S. 1-2424 brs. S. 11° 15' W. 28 ft.

Cor. of secs. 26, 27, 34 & 35 T. 14 N. R. 3 W. brs.

60° 57' 24" 5301.6  
S. ~~60° 52'~~ E. ~~5304.4~~ ft.

## Feet

657 To intersect line bet. secs. 27 & 28 at North 2514.3' from Cor. Secs. 27, 28, 33 & 34  
 and South 125.7' from  $\frac{1}{4}$  Sec. Cor. bet. Secs. 27 and 28 T. 14 N. R. 3 W.

675.87  
 676.87

To intersect line 2-3 Klocker Doom Lode of this  
 survey at  $S 19^{\circ} 40' W$  447.32 ft from cor. No. 2.

- 730 To cor. No. 2 original cor. of location brs. S.  
 85° W. 770 ft, a pine stake in mon. of stones.  
 Set a porphyry stone 18x8x8 ins., 12 ins. in ground.  
 Stone marked S. 2-2424.  
 Whence a cross on an oak 8 ins. diam. marked B. T. S. 2-  
 2424 brs. N. 40° 55' E. 28.8 ft.  
 A cross on an oak 6 ins. diam. marked B. T. S.  
 2-2424 brs. S. 87° 15' E. 18.3 ft.

Thence N. 17° W.

- 250 To W. center end, original mon. of location brs. S. 85°  
 W. 770 ft., an oak stake in mon. of stone.  
 Set a porphyry stone 24x8x6 ins., 12 ins. in ground  
 Stone marked W. C. E. S. 2424, alongside set a cedar  
 stake in monument of stones.  
 550 To cor. No. 3, whence original cor. of location brs.  
 S. 85° W. 770 ft., an oak stake in mon. of stones.  
 Set a slate stone 16x8x4 ins., 10 ins. in ground.  
 Stone marked S. 3-2424. Alongside set a cedar stake  
 in mon. of stones. No brs. available.

234.3 To intersect line bet. secs. 27 & 28 at South 2226.8' from Cor. Secs. 27, 28, 29 & 30 and  
 North 414.2' from  $\frac{1}{4}$  Sec. Cor. bet. Secs. 27 & 28, T. 14 N. R. 3 W.

- 730 To cor. No. 4, identical with cor. of location,  
 which is also the N. W. cor. Great Eastern Lode, un-  
 surveyed.  
 Set a slate stone 24x10x4 ins., 12 ins. in ground.  
 Stone marked S. 4-2424. No brs. available.

Thence S. 17° E.

- 300 To E. center end, identical with location, a pine stake  
 in mon. of stone, which is also the W. center end of  
 Great Eastern Lode, unsurveyed.  
 Set a granite stone 24x12x8 ins., 12 ins. in ground.

Stone marked



Feet

Stone marked E. C. E. S. 2424

347.58 To intersect line 1-2 Klocker Doom Lode of this survey at S. 70° E. 493.4 ft. from cor. No. 2 Klocker Doom.

550 To cor. No. 1, the place of beginning survey of exterior boundaries.

.....

"PROTECTION ~~1~~ 2. LODE".

Beginning at cor. No. 1, which is also cor. No. 2 Italian, cor. No. 3 Humbert, cor. No. 4 Protection No. 3 lodes of this survey. Cor. described above. Whence cor. to secs. 26, 27, 34 & 35 T. 14 N. R. 3 W. brs. S. 77° 45' 42" E. 5895.5 ft.

Thence N. 54° 55' W.

950.8 To cor. No. 2, which is also cor. No. 3 Protection ~~No.~~ 3 Lode of this survey, original cor. location. brs. N. 54° 55' W. 550 ft., an oak stake in a monument of stones.

Set a slate stone 24x8x5 ins., 12 ins. in ground. Stone marked P. 2, 2-2424 and P. 3, 3-2424. Whence a cross on a juniper 12 ins. diam. marked B. T. P. 2, 2-2424 brs. N. 75° 45' E. 77.3 ft. No other brs. available.

Thence S. 19° 40' W.

300 To W. center end, original mon. location brs. N. 54° 55' W. 550 ft., an oak stake in amonument of stones.

Set a slate stone 24x9x6 ins., 12 ins. in ground. Stone marked W. C. E. P. 2, 2424. Alongside set a pine post in mon. of stone.

533.4 To cor. No. 3, original cor. of location brs. N. 54° 55' W., 550 ft. an oak stake in mon. of stones.

Feet. Cut a cross on a porphyry rock in place for cor.  
point. Marked P. 2, 3-2424. Alongside set a post  
in mon. of stones. No brs. available.

Thence S.  $54^{\circ} 55'$  E.

472 To cor. No. 4 Puritan No. 3, and cor. No. 4  
Puritan lodes of this survey

950.8 To cor. no. 4, identical with cor. location, a  
pine post in mon. of stones.  
Set a granite stone 24x9x6 ins., 12 ins. in ground.  
Stone marked P. 2, 4-2424. No brs. available.

Thence N.  $19^{\circ} 40'$  E.

233.4 To E. center end, which is also the W. center end  
Italian lode of this survey. Mon. described above.

533.4 To cor. No. 1, place of beginning survey of exterior  
boundaries.

.....

"PROTECTION ~~NO.~~ 3 LODE".

Beginning at cor. No. 1, which is also cor. No. 2 of  
Humbert and cor. No. 3 Sunny Side No. 1 lodes of this  
survey. Cor. described above,

Whence cor. to secs. 26, 27, 34 & 35 T. 14, N. R. 3 W.  
brs. S.  $71^{\circ} 55' 21''$  E., 5848.3 ft.

Thence N.  $54^{\circ} 55'$  W.

950.8 To cor. no. 2, original cor. location brs. N.  $54^{\circ} 55'$  W  
550 ft., an oak stake in a mon. of stones.

Set a slate stone 24x10x4 ins., 12 ins. in ground.

Stone marked P. 3, 2-2424.

Whence a cross on a pine 15 ins. diam. marked B. T. P.

3, 2-2424 brs. S.  $13^{\circ} 15'$  W. 11.8 ft.

A cross on a pine 6 ins. diam. marked B. T. P. 3, 2-2424  
brs. N.  $21^{\circ}$  W. 40 ft.



Feet

Thence S. 19° 40' W.

300 To west center end, original mon. of location brs.  
 N. 54° 55' W. 550 ft.  
 Set a porphyry stone 20x10x8 ins., 12 ins. in ground.  
 Stone marked W. C. E. P. 3, 2424  
 Alongside set a pine post in mon. of stones.

600 To cor. No. 3, which is also cor. No. 2, Protection  
~~No.~~ 2 Lode of this survey. Cor. described above.

Thence S. 54° 55' E.

950.8 To cor. No. 4, which is also cor. No. 1 Protection  
~~No.~~ 2, cor. No. 2 Italian and cor. No. 3 Humbert  
 lodes of this survey. Cor. described above.

Thence N. 19° 40' E.

300 To E. center end, which is also W. center end of  
 Humbert lode of this survey. Mon. described above.  
 600 To cor. No. 1, the place of beginning survey of  
 exterior boundaries.

.....

NOTE:  
 Cor. to secs. 26, 27, 34 & 35 T. 14 N. R. 3 W. and 1/4 Sec.  
*Corners at N. 34° 11' 26.40" and S. 54° 55' 26.40" from said sec. cor. being 1/4 sec. cor. at  
 Secs 26 and 27 and 34 and 35 respectively.*  
 being the only cor.s. of public surveys which I could  
 find after diligent search, I have shown no  
 intersections with section lines except on boundaries  
 of Ellen No. 1 Lode. <sup>except by calculation</sup> I ~~could not show any other~~  
~~intersections, not knowing whether there ever were any~~  
~~other Government corners established west of the~~  
~~above corner.~~ *I have calculated all intersections with sec. lines west*  
*of cor. & secs. 26, 27, 34 & 35 from said sec. cor. & sec. corners should be, as I*  
*was unable to find any corner of the public survey west of the*  
*said cor. to sec. 26, 27, 34 & 35.*  
 .....

Var. at all the corners 14° 30' E.

V E I N S .

PURITAN: Extends from discovery tunnel No. 1, S.  
70° E. 735 ft. and N. 54° 55' W. 735 ft.

PURITAN NO. 2: Extends N. 81° W. 700 ft and S. 81° E  
800 ft. from discovery shaft.

PURITAN NO. 3: Extends S. 54° 55' E. 200 ft. and N/  
54° 55' W. <sup>1253</sup>~~1300~~ ft from discovery shaft.

HAPPY STRIKE: Extends N. 29° E. 300 ft, and S.  
29° W. 1200 ft. from discovery shaft.

PENOSALTO NO. 1: Vein extends from <sup>West side of</sup> discovery shaft  
N. 82° 45' E. 554.4 ft. and S 82° 45' W 176 ft.

PENOSALTO NO. 2: Extends S. 77° E. 1500 ft from  
discovery shaft.

HIGHLAND: Extends S. 82° 45' W. 239 ft. and N.  
82° 45' E. 769 ft. from discovery shaft.

PENOSALTO NO. 3: Extends S. 82° 45' W. 1500 ft.  
from discovery shaft.

IRON MASK: Extends S. 19° 40' W. 100 ft. and N.  
19° 40' E. 1400 ft. from discovery shaft.

HUGENOT: Extends N. 62° 20' W. 750 ft. and S.  
62° 20' E. 750 ft. from discovery shaft.

DERBY NO. 3: Extends N. 62° 20' W. 750 ft. and S.  
62° 20' E. 750 ft. from the discovery shaft.

DERBY NO. 2: Extends N. 62° 20' W. 1058 ft and S/  
62° 20' E. 400 from the discovery shaft.



SUNNY SIDE: Extends N.  $62^{\circ} 20'$  W. 1500 ft. from the discovery shaft.

DERBY : Extends N.  $62^{\circ} 20'$  W. 750 ft., and S.  $62^{\circ} 20'$  E 750 ft. from discovery shaft.

MADIZELL: Extends N.  $62^{\circ} 20'$  W. 750 ft. S.  $62^{\circ} 20'$  E. 512.9 ft. from discovery shaft.

PATSY: Extends N.  $62^{\circ} 20'$  W. 750 ft. S.  $62^{\circ} 20'$  E. 750 ft. from discovery shaft.

ELLEN NO. 1: Extends N.  $62^{\circ} 20'$  W. 500 ft. and S.  $62^{\circ} 20'$  E. 1000 ft from discovery shaft.

ELLEN NO. 2: Extends N.  $8^{\circ} 15'$  E. 500 ft. and S.  $8^{\circ} 15'$  W. 1000 ft. from discovery shaft.

ITALIAN: Extends N.  $70^{\circ}$  W. 315 ft. and S.  $70^{\circ}$  E. 961 ft. from discovery shaft.

HUMBERT: Extends N.  $70^{\circ}$  W. 700 ft. and S.  $70^{\circ}$  E. 576 ft. from the discovery shaft.

SUNNY SIDE NO. 1: Extends S.  $70^{\circ}$  E. 1500 ft. from the discovery shaft.

KNOCKER DOOM: Extends N.  $70^{\circ}$  W. 1100 ft. and S.  $70^{\circ}$  E. 400 ft from the discovery shaft.

SURENOUGH: Extends S.  $85^{\circ}$  W. 710 ft. and N.  $85^{\circ}$  E. 20 ft from the discovery cut.

PROTECTION ~~XX~~ 2: Extends N.  $54^{\circ} 55'$  W. 900.8 ft. and S.  $54^{\circ} 55'$  E. 50 ft. from the discovery shaft.

PROTECTION ~~XX~~ 3: Extends N.  $54^{\circ} 55'$  W. 850.8 ft and S.  $54^{\circ} 55'$  E. 100 ft. from the discovery shaft.

A R E A

|                                     |                |                |                         |
|-------------------------------------|----------------|----------------|-------------------------|
| HAPPY STRIKE                        |                |                | 20.544 acres            |
| PURITAN NO. 3                       |                |                | 20.041 "                |
| PURITAN                             |                |                | 19.776 <sup>899</sup> " |
| PENO ALTO NO. 1                     |                |                | 5.159 <sup>141</sup> "  |
| ELLEN NO. 2 Gross area              | 19.486 acres   |                |                         |
| Less conflict with Madizell         | <u>.214</u> "  |                | 19.272 "                |
| PROTECTION NO. 2                    |                |                | 11.224 <sup>8</sup> "   |
| PROTECTION NO. 3                    |                |                | 12.625 "                |
| MADIZELL                            |                |                | 17.226 "                |
| HIGHLAND                            |                |                | 8.211 "                 |
| PENO ALTO NO. 2 Gross area          | 16.553 acres   |                |                         |
| Less conflict with Highland         | .682           |                |                         |
| Less conflict with Iona, unsurveyed | <u>1.573</u>   | <u>2.255</u> " | 14.298                  |
| PENO ALTO NO. 3                     |                |                | 20.661 "                |
| PURITAN NO. 2                       |                |                | 18.556 "                |
| ITALIAN Gross area                  | 17.575 "       |                |                         |
| Less conflict with Puritan          | .188           |                |                         |
| Less conflict with Puritan No. 2    | <u>.495</u>    | <u>.351</u>    | 17.129 <sup>194</sup> " |
|                                     | <u>.387</u>    | <u>.455</u>    |                         |
| HUMBERT                             |                |                | 17.575 "                |
| SUNNY SIDE NO. 1                    |                |                | 20.660 "                |
| KNOCKER DOOM Gross area             | 20.660 "       |                |                         |
| Less conflict with Surenough        | <u>1.299</u> " |                | 19.361 "                |
| SURENOUGH Gross area                | 9.015 "        |                |                         |
| Less conflict with Knocker Doom     | <u>2.769</u>   |                | 6.246 "                 |
|                                     | <u>2.496</u>   |                |                         |
| SUNNY SIDE Gross area               | 20.460 "       |                |                         |
| Less conflict with Derby No2        | <u>6.005</u>   |                | 14.455 "                |
| HUGENOT Gross area                  | 20.460 "       |                |                         |
| Less conflict with Puritan no. 2    | <u>1.627</u>   |                | 18.833 "                |
| DERBY NO. 3                         |                |                | 20.460 "                |
| DERBY NO. 2                         |                |                | 20.082 "                |
| IRON MASK Gross area                | 20.304 "       |                |                         |
| Less conflict with Sunny Side No. 1 | 1.948          |                |                         |
| Less conflict with Derby No. 2      | <u>1.609</u>   | <u>3.557</u> " | 16.747 <sup>747</sup> " |



|                        |  |
|------------------------|--|
| DERBY                  | 20.661 acres   |
| PATSY                  | 20.661 "   |
| ELLEN NO. 1            | <i>Gravel Area</i><br>20.661<br><i>Less area in conflict with patented land, sec 26 &amp; 35.</i><br>1.606 |
| Total area lode claims | 19.055 "   |
|                        | <del>419.494</del><br>417.892 "  |

EXPENDITURE OF FIVE HUNDRED DOLLARS.

I certify that the value of the improvements upon these claims placed thereon by the claimant and his grantors is not less than Five Hundred Dollars for each claim in group and that said improvements consist of:

PURITAN LODE: Discovery tunnel No. 1, which bears from *Said cor. nos. being on line 2-3 Puritan lode at N. 54° 55' W. 76 ft. from cor. No. 2 Puritan* cor. No. 1 Happy Strike Lode of this survey <sup>N. 49° 30' E.</sup>

308 ft. Tunnel 4x6 ft. 210 ft. long; course, S. 70° E.

Value \$2100

Cut No. 2, which brs. from cor. No. 1 Happy Strike Lode N. 64° E 364 ft.; cut 5x35 ft. 20-ft. face

Value \$ 200

Tunnel No. 3, which brs from cor. no. 1 Happy Strike N. 27° E. 304 ft.; tunnel 4x6 ft. 520 ft. long, *General* Course S. ~~67°~~ E.

Value \$5200

Shaft No. 4 which brs. from cor. no. 1 Happy Strike *lode of this survey, (said cor. #1 being on line 2-3 Puritan lode, at N. 54° 55' W. 76 ft. from cor. #2 Puritan lode)* N. 17° E. 315 ft.; shaft 4x6 ft. 200 ft deep

At 100 ft. a level is run S. ~~67° 30'~~ E. 900 ft. to intersection of a cross-vein, the general course of which

is N. E. and S. W. and which appears to be the mother lode of this entire group of claims. This vein is what is known to be a blind vein, not appearing on the surface at any point yet discovered. The intention of the Company is to develop this entire group by the development of this cross vein. Any work done toward this development develops the entire group, and the cost

and value of said improvements should be accredited equally to each of the claims in this group.

At the end of this level where it intersects the cross-vein a level is run N. 39° 30' E. 140 ft. and S. 39° 30' W. 80 ft. on said cross-vein.

|  |                 |
|--|-----------------|
| Value of shaft and level                                       | \$26,400        |
| Mill which brs. from cor. no. 1<br>N. 70° 30' W 298 ft.        |                 |
| Value  | 8,500           |
| Steam hoist at shaft No. 4<br>value                            | 4,800           |
| Total value of improvements<br>for the benefit of entire group | <u>\$39,700</u> |

This improvement being for the entire group of twenty-five claims, there is to be credited to each claim in group \$1588.

Total value of improvements upon this claim, \$47,200

of which \$9088 is to be credited to the Puritan lode.

.....

PURITAN NO. 2: Discovery shaft, which brs. from the W. center end mon. S. 81° E 700 ft. shaft 4x6ft., 10 ft. deep. Value \$100

Improvements in shaft No. 4 and level on Puritan lode for the benefit of Puritan No. 2, there is to be credited \$1588  
Total value \$1688

.....

PURITAN NO. 3: Discovery shaft, which brs. from the E. center end mon. N. 54° 55' W 200 ft; shaft 4x6ft, 10 ft. deep. Value \$100

There is to be credited to Puritan No. 3 \$1588 of the improvements of shaft No. 4 and level on Puritan lode. Total value improvements, \$1688

.....



HAPPY STRIKE LODE: Discovery shaft, which brs. from the  
N. center end mon. S. 29° W. 300 ft. shaft 4x6ft. 10  
ft. deep. Value \$100

There is to be credited to Happy Strike Lode \$1588  
of the improvements in shaft No. 4 and level on  
Puritan Lode. Total value improvements \$1688

PENOSALTO NO. 1: Discovery shaft <sup>the west side of</sup> which brs. from  
the E. center end mon. S. 82° 45' W. 554.4 ft.  
shaft 4x6 ft., 10 ft. deep. Value \$ 100

There is to be credited to the PenosAlto  
No. 1, \$1588 of the improvements in shaft  
No. 4 and level on Puritan lode.  
Total value of improvements \$1688.

PENO ALTO NO. 2: Discovery shaft which brs. from  
E. center end mon. N. 77° W 1500 ft.  
shaft 4x6ft., 10ft. deep. Value \$100

There is to be credited Peno Alto No. 2 Lode \$1588  
of improvements in shaft No. 4 and level on  
Puritan Lode. Total value \$1688.

HIGHLAND LODE: Discovery shaft and open cut  
which brs. from W. center end mon. N. 82° 45' E.  
239 ft.. Shaft 4x6ft., 17 ft. dep. Open cut 4x25 ft.,  
10ft . face Value \$370.

There is to be credited to the Highland \$1588  
of the improvements shaft No. 4 and level on Puritan  
lode. Total value \$1958.

PENO ALTO NO. 3: Discovery shaft at E. center end.  
Shaft 4x6 ft., 10 ft. deep. Value \$100.

There is to be credited to the Peno Alto No. 3 \$1588  
of the improvements shaft No. 4 and level on Puritan  
lode. Total value \$1688

IRON MASK: Discovery shaft which brs. from the S. center end mon. N. 19o 40' E. 100 ft. shaft 4x6 ft. 10 ft. deep

Value \$100

There sto be credited to the Iron Mask \$1588 of the improvements in shaft No: 4 and level on Puritan lode.

Total value \$1688

.....

HUGENOT: Discovery shaft which brs. from the W. center end mon. S. 62o 20' E. 750 ft. shaft 4x6 ft. 10 ft. deep.

Value \$100

There is to be credited to the Hug<sup>u</sup>enot \$1588 of the improvements shaft No. 4 and level on the Puritan lode.

Total value \$1688.

.....

DERBY NO. 3: Discovery shaft which brs. from the W. center end mon. S. 62o 20' E. 750 ft. shaft 4x6 ft., 10 ft. deep. Value \$100

There is to be credited to the Derby No. 3 lode \$1588 of the improvements in discovery shaft No. 4 and level on Puritan. Total value \$1688.

.....

DERBY NO. 2: Discovery shaft which brs. from the E. center end mon. N. 62o 20' W. 400 ft. Shaft 4x6 ft. 10 ft. deep. Value \$100

There is to be credited to the Derby No. 2 \$1588 of the improvements indiscovery shaft No. 4 and level on the Puritan lode. Total value \$1688.

.....

SUNNY SIDE: Discovery shaft at E. center end; shaft 4x6 ft., 10 ft. deep. Value \$100

There is to be credited to Sunny Side \$1588 of the improvements in shaft No. 4 and level of the Puritan lode. Total value \$1688.



DERBY: Discovery shaft which brs. from the E. center end mon. N. 62° 20' W. 750 ft. Shaft 4x6 ft. timbered, 130 ft. deep. Value \$2600.

There is to be credited to the Derby \$1588 worth of the improvements in shaft No. 4 and level of the Puritan lode. Total value \$4188.

.....

MADIZELL: Discovery shaft which brs. from the E. center end mon. N. 62° 20' W. 512.9 ft. Shaft 4x6 ft. 10 ft. deep. Value \$100.

There is to be credited to the Madizell \$1588 of the improvements in shaft No. 4 and level on Puritan lode. Total value \$1688.

.....

PATSY: Discovery shaft which brs. from the E. center end mon. N. 62° 20' W. 750 ft. Shaft 4x6 ft, 10 ft. deep. Value \$100.

There is to be credited to the Patsy Lode \$1588 of the improvements in shaft No. 4 and level on Puritan lode. Total value \$1688.

.....

ELLEN NO. 1: Discovery shaft which brs. from the W. center end mon. S. 62° 20' E. 500 ft. Shaft 4x6ft., 10 ft. deep. Value \$100.

There is to be credited to the Ellen No. 1 \$1588 of the improvements in shaft No. 4 and level on the Puritan lode. Total value \$1688.

.....

ELLEN NO.2: Discovery shaft which brs. from the N. center end mon. S. 8<sup>s</sup> 15' W. 500 ft. Shaft 4x6ft. 10 ft. deep. Value \$100.

There is to be credited to the Ellen No. 2 \$1588 of the improvements in shaft No. 4 and level on the Puritan lode. Value \$1688.

ITALIAN: Discovery shaft No. 1 which brs. from the W. center end mon. S. 70° E. 315 ft. Shaft 4x6 ft., 25 ft. deep. Value \$250

Shaft No. 2 which brs. from cor. No. 1 <sup>Italian</sup> Happy Strike lode of this survey N. ~~39° 30'~~ <sup>S. 86° 26' W. 1091.1 ft.</sup> E. 767.3 ft. Shaft 4x6ft., 100 ft. deep. Value \$2000

Gasoline hoist at shaft No. 2. Value \$1800.

Tunnel No. 3 which brs. from cor. No. 1 S. 85° <sup>5'</sup> W. 762 ft. Tunnel 4x6 ft., running south 70° W 215 ft. Thence N. 60° 40' W. 145 ft. intersecting shaft No. 2 at 50-ft. level. Value \$3600

There is to be credited to the Italian \$1588 of the improvements in shaft No. 4 and level on the Puritan lode. Total value \$9238.

.....

HUMBERT LODE: Discovery shaft which brs from the E. center end mon. N. 70° W. 576 ft. Shaft 4x6ft., 10 ft deep. Value \$100.

There is to be credited to the Humbert \$1588 of the improvements in shaft No. 4 and level on the Puritan lode. Total value \$1688

.....

SUNNY SIDE NO. 1: Discovery shaft at W. center end. Shaft 4x6ft., 10 ft. deep. Value \$100

There is to be credited to the Sunny Side No. 1 \$1588 of the improvements in shaft No. 4 and level on Puritan lode. Total value \$1688.

.....

KNOCKER DOOM: Discovery shaft which brs. from the E. center end. mon. N. 70° W. 400 ft. Shaft 4x6 ft. 10 ft. deep. Value \$100.

There is to be credited to the Knocker Doom \$1588 of the improvements in shaft No. 4 and level of Puritan lode. Total value \$1688.



SURENOUGH: Discovery cut which brs. from the E. center end mon. S. 85o W. 20 ft. Cut 4x20 ft., 12ft. face.

Value \$100.

There is to be credited to Surenough lode \$1588 of the improvements in shaft No. 4 and level of the Puritan lode. Total value \$1688.

.....

PROTECTION. ~~No.~~ 2: Discovery shaft which brs. from the E. center end mon. N. 54o 55' W. 50 ft. Shaft 4x6ft., 10 ft. deep. Value \$100.

There is to be credited to the Protection No. 2 \$1588 of the improvements in shaft No. 4 and level on the Puritan lode. Total value \$1688.

.....

PROTECTION ~~No.~~ 3: Discovery shaft which brs. from the E. center end mon. 54o 55' W. 100 ft. Shaft 4x6ft. 10 ft. deep. Value \$100

There is to be credited to Protection No. 3 \$1588 of the improvements in shaft No. 4 and level of the Puritan lode. Total value \$1688.

.....

Total value of improvements on entire group \$59,920.

.....

LOCATION.

This claim is located in T. 14 N. R. 3 W. Gila and Salt River Base and Meridian, in sections 26, 27, 28, 33, 34 and 35, Thumb Butte Mining District, Yavapai County, Arizona, and is bounded on the W. by a system of lode claims names of claims and claimant unknown; on the N. by <sup>Great Eastern</sup> lode claims, J. Lowery, claimant; on the ~~E.~~ and S. by Government land. and on the East by 1/2 of N.W. 1/4 Sec. 35 + South 1/2 of S.W. 1/4 Sec. 26 T14N R6W. Clark and Adams claimants.

## OTHER IMPROVEMENTS ON CLAIMS.

Which br. from cor. No. 6 Puritan lode: house brs.  
 N/ 83° W. 532 ft. Boarding house which brs. N. 72° W.  
 551 ft. Storehouse which brs. N. 68° W. 511 ft.  
 House which brs. N. 64° 30' W. 587 ft. House which brs.  
 N. 57° W. 611 ft. Barn which brs. N. 53° W. 478 ft.  
 Office brs. N. 43° 30' W. 640 ft.

.....

INSTRUMENT.

---

This survey was made with a Light Mountain Solar Transit. The courses were deflected from the true meridian as determined by solar observation.

The distances were measured with a 50-foot and 300-ft *steel* tapes.

Dated Prescott, Ariz., July 10, 1907.

*J. J. Fisher*

U. S. Dept. Min. Surveyor.



# FINAL OATHS FOR SURVEYS.

## LIST OF NAMES.

A list of the names of the individuals employed by J. J. Fisher

United States Deputy Mineral Surveyor, to assist in running, measuring, and marking the lines, corners, and

boundaries described in the foregoing field notes of the survey of the mining claim of George U. Young, known as Puritan, Puritan No 2, Puritan No 3, Italian, Iron Mask Madzelle, Derby, Derby No 2, Derby No 3, Ellen No 1, Ellen No 2, Penos Alto No 1, Penos Alto No 2, Penos Alto No 3, Happy Strike, Protection # 2, Protection # 3, Highland, Humout Hugnot, Palay known as the Sunny Side, Sunny Side No 1, Surenough, & Knuckes Dorn,

and showing the respective capacities in which they acted.

- E. H. Draper ..... Chainman.
- G. S. Beygs ..... Chainman.
- G. S. Beygs ..... Axman.
- E. H. Draper ..... Flagman.

## FINAL OATHS OF ASSISTANTS.

We, E. H. Draper

and G. S. Beygs, do solemnly swear that we assisted J. J. Fisher

....., United States Deputy Mineral Surveyor, in marking the corners and surveying

the boundaries of the mining claim of George U. Young, known as Puritan, Puritan No 2, Puritan No 3, Italian, Iron Mask, Madzelle, Derby, Derby No 2, Derby No 3, Ellen No 1, Ellen No 2, Penos Alto No 1, Penos Alto No 2, Penos Alto No 3, Happy Strike, Protection # 2, Protection # 3, Highland, Humout Hugnot, Palay, Sunny Side, Sunny Side No 1, Surenough, & Knuckes Dorn,

represented in the foregoing field notes as having been surveyed by said deputy mineral surveyor and under his direction; and that said survey has been in all respects, to the best of our knowledge and belief, faithfully and correctly executed, and the corner and boundary monuments established according to law and the instructions furnished by the United States Surveyor-General for Oregon

- E. H. Draper ..... Chainman.
- G. S. Beygs ..... Chainman.
- G. S. Beygs ..... Axman.
- E. H. Draper ..... Flagman.

Subscribed and sworn to by the above-named persons before me this 30<sup>th</sup>

day of June, 1907

My commission expires May 9, 1908,

J. J. Fisher  
Notary Public



FINAL OATH OF U. S. DEPUTY MINERAL SURVEYOR

I, J. J. Fisher, U. S. Deputy Mineral Surveyor, do solemnly swear that, in pursuance of instructions received from the United States Surveyor General for Arizona, dated June 17, 1907,

I have, in strict conformity to the laws of the United States, the official regulations and instructions thereunder, and the instructions of said Surveyor General, faithfully and correctly executed the survey of the Mining Claim of George W. Young, known as to, "Pinita, Pinita No. 2, Pinita No. 3, Stalium, Iron Mask, Madzite, Derby, Derby No. 2, Derby No. 3, Ellen No. 1, Ellen No. 2, Penno Alto No. 1, Penno Alto No. 2, Penno Alto No. 3, Happy Strike, known as the Protection # 2, Protection # 3, Highland, Humbert, Hugenot, Palsy, Sunny Side, Sunny Side No. 1, Surenough & Knocked Down,

situate in Summitville Mining District, Yavapai County, Arizona, in Section           , Township No. 14 N., Range No. 3 W.

and designated as Survey No. 2424, as represented in the foregoing field notes, which accurately show the boundaries of said mining claim as distinctly marked by monuments on the ground, and described in the attached copy of the location certificate, which was received by me from the Surveyor General with said instructions, and that all the corners of said survey have been established and perpetuated in strict accordance with the law, official regulations and instructions thereunder; and I do further solemnly swear that the foregoing are the true and original field notes of said survey and my report therein, and that the labor expended and improvements made upon said mining claim by claimant or his grantors are as therein fully stated, and that the character, extent, location and itemized value thereof are specified therein with particularity and full detail, and that no portion of said labor or improvements so credited to this claim has been included in the estimate of expenditures upon any other claim.

J. J. Fisher  
U. S. Deputy Mineral Surveyor.

Subscribed and sworn to by the said J. J. Fisher  
U. S. Deputy Mineral Surveyor, before me J. E. Faulkner  
a Notary Public this 15<sup>th</sup>  
day of July 1907

My commission expires November 29 - 1910  
J. E. Faulkner  
Notary Public



Affidavit of Five Hundred Dollars Improvements.

We, E. H. Draper, and G. S. Byggs

of lawful age, being first duly sworn according to law, depose and say: That we are Puritan, Puritan No 2, Puritan No 3, Italian, Iron Mask, Madigell, Derby, Derby no 2, Derby no 3, Ellen no 1, Ellen no 2, Penns Allo no 1, Penns Allo no 2, Penns Allo no 3, Happy Shine, Protection #2, Protection #3, Highland Humbach, Hugelock, Polisy, Sunny Side, Sunny Side No 1, Suremough, Knocke Down mining claim,

situate in Thumb Butte Mining district, Yavapai County,

Arizona Territory, for which George U. Young


have made application for survey prior to application for patent under the provisions of the act of Congress, approved May 10, 1872; and that the labor done and improvements made thereon by the applicant and his grantor exceed Five Hundred Dollars in value, for each location and further that we are not personally interested in said mine.

E. H. Draper  
G. S. Byggs

TERRITORY OF ARIZONA,  
County of Yavapai } ss:

Sworn to and subscribed before me, this 30<sup>th</sup>

day of June, 1907



J. J. Fisher  
Notary Public

14396b400-8-04

My Commission Expires  
May 9, 1908.



"Patsy"

# NOTICE OF MINING LOCATION.

## LODE CLAIM.

To All Whom it May Concern:

This Mining Claim, the name of which is the Patsy Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purposes of exploration and purchase by

Geo W. Young a citizen of the United States

(Locator must insert either "a citizen of the United States," or "who has declared his intention to become a citizen of the United States.")

the undersigned, on the 16th day of November, 1903

The length of this claim is fifteen hundred feet feet, and 750 claim 750 feet,

in an Easterly direction and 750 feet in a Westerly direction from

the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with three hundred feet in width of the surface grounds, on each side of the center of said claim. The general course of the lode deposit and premises is from the West

to the East. The claim is situated and located in the Thumb Butte Mining District, in Yavapai County, in the Territory of Arizona, about 3 1/2 miles in a Westerly direction from Thumb Butte

The surface boundaries of the claim are marked upon the ground as follows: Beginning at a post from which the N E. cor of the Derby Mining Claim bears S. 28° W 300 ft., thence S 62° 20' E 750 ft., distant at a point in a Westerly direction 750 feet from the discovery shaft (at which this notice is posted), being in the center of the " " " end line of said claim; thence S 28° W 300 feet to a post, being the S W corner of said claim; thence S. 62° 20' E 1500 feet to a post, being at the S. E. corner of said claim; thence N. 28° E 300 feet to a post at the center of the east end of said claim; thence N. 28° E. 300 feet to a post, being at the N. E. corner of said claim; thence N. 62° 20' W 1500 feet to a post at the N. W. corner of said claim; thence S 28° W 300 feet to the place of beginning.

All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of the United States, and of an Act of the General Assembly of Arizona, entitled "An Act to Revise and Codify the Laws of the Territory of Arizona," approved March 16, 1901.

Dated and posted on the ground this 16th day of November, 1903

Geo. W. Young

Filed and recorded at request of Geo W. Young Dec. 7<sup>th</sup> A.D. 1903 at 2:30 o'clock P.M., Book 69 of Miners, page 553 Records of Yavapai County, Arizona.

By P. J. Keohane Deputy Recorder.

(Seal) P. J. Farley County Recorder.



# NOTICE OF MINING LOCATION. LODE CLAIM.

**To All Whom it May Concern:**

This Mining Claim, the name of which is the Penos Alto No 1  
Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purposes of exploration and purchase by  
Thomas C. Hill

(Locator must insert either "a citizen of the United States," or, "who has declared his intention to become a citizen of the United States.")

the undersigned, on the 20 day of June, 1906

The length of this claim is 1500 feet,  
and I claim 750 feet,  
in a Easterly direction and  
750 feet in a Westerly direction from

the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with  
three hundred (300) feet in width of the surface grounds, on each side of the  
center of said <sup>vein</sup> ~~claim~~. The general course of the lode deposit and premises is from the

Easterly to the Westerly

The claim is situated and located in the Thumb Butte Mining District,  
in Yavapai County, in the Territory of Arizona, about 2000 feet  
in a Southern direction from Derby Stamp Mill and hoisting  
works

The surface boundaries of the claim are marked upon the ground as follows: Beginning at

A monument of stones  
at a point in a n Easterly direction 750 feet from  
the discovery shaft (at which this notice is posted), being in the center of the East  
end line of said claim; thence Northerly 300 feet to a monument of  
stones, being the Northeast corner of said claim; thence  
Westerly 1500 feet to a monument of stones, being at the  
Northwest corner of said claim; thence Southerly 300 feet  
to a monument of stones at the center of the West end of said claim;  
thence Southerly 300 feet to a monument of stones, being at the  
Southwest corner of said claim; thence Easterly 1500  
feet to a monument of stones being ~~at~~ the Southeast corner of said claim;  
thence Northerly 300 feet to the place of beginning.

All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of the United States,  
and of an Act of the General Assembly of Arizona, entitled "~~An Act to Revise and Codify the Laws of the Territory~~  
~~State of Arizona,~~ approved March 16, 1901. An Act Concerning Mines" approved March 20th  
1895, and amended March 2d, 1899, and March 16th, 1901  
Dated and posted on the ground this 20 day of June, 1906

Thomas C. Hill

Recorded at request of T.C.Hill Sept 4 A.D. 1906 at 9:00 o'clock A.M.,  
Book 76 of Mines, Page 514, Records of Yavapai County, Arizona.

(SEAL) Roland Mosher County Recorder.

By F.H. Baldwin  
Deputy







# NOTICE OF MINING LOCATION. LODE CLAIM.

**To All Whom it May Concern:**

This Mining Claim, the name of which is the Peno Alto No. 3  
Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purposes of exploration and purchase by

A. Mulvenon- T.C.Hill

(Locator must insert either "a citizen of the United States," or, "who has declared his intention to become a citizen of the United States.")

the undersigned, on the 5 day of November, 1905.

The length of this claim is 1500 feet,  
and We claim 1 500 feet,  
~~in a~~ direction and

feet in a Westerly direction from  
the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with  
three hundred (300) feet in width of the surface grounds, on each side of the  
center of said ~~claim~~ <sup>vein</sup> claim. The general course of the lode deposit and premises is from the

easterly to the Westerly

The claim is situated and located in the Thumb Butt Mining District,  
in Yavapai County, in the Territory of Arizona, about 1000 feet  
in a Southerly direction from the Shaft house and Hoist of  
Puritan Mine of the Derby Co's group of mines.

The surface boundaries of the claim are marked upon the ground as follows: Beginning at  
a monument of stones

at a point in a westerly direction 1500 feet from  
the discovery shaft (at which this notice is posted), being in the center of the east  
end line of said claim; thence northerly 300 feet to a monument of stones  
being the northeast corner of said claim; thence  
westerly 1500 feet to a monument of stones, being at the  
northwest corner of said claim; thence southerly 300 feet  
to a monument of stones at the center of the West end of said claim;  
thence southerly 300 feet to a monument of stones, being at the  
southwest corner of said claim; thence easterly 1500  
feet to a monument of stones being the south east corner of said claim;  
thence northerly 300 feet to the place of beginning.

All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of the United States,  
and of an Act of the General Assembly of Arizona, entitled "~~an Act to Revise and Codify the Laws of the Terr-~~  
~~itory of Arizona~~ approved March 16, 1901; "AN ACT Concerning Mines," approved March  
20th, 1895, and amended March 2d, 1899, and March 16th, 1901.  
Dated and posted on the ground this 5 day of November, 1905.

A. Mulvenon T.C.Hill

Recorded at request of A. Mulvenon, Jan. 6" A.D. 1906 at 11:55 o'clock  
A.M., Book 75 of Mines, Page 153, Records of Yavapai County, Arizona.

(SEAL) Roland Mosher County Recorder.

By E.C. Averyt  
Deputy  
COURIER PRINT



# NOTICE OF MINING LOCATION. LODE CLAIM.

**To All Whom it May Concern:**

This Mining Claim, the name of which is the Highland Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purposes of exploration and purchase by Thomas C Hill and E. Haney

(Locator must insert either "a citizen of the United States," or "who has declared his intention to become a citizen of the United States.")  
the undersigned, on the 1 day of January, 1906

The length of this claim is 1500 feet,  
and we claim 750 feet,  
in an Easterly direction and  
750 feet in a Westerly direction from

the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with three hundred (300) feet in width of the surface grounds, on each side of the center of said <sup>vein</sup> claim. The general course of the lode deposit and premises is from the Easterly to the Westerly

The claim is situated and located in the Thumb Butt Mining District, in Yavapai County, in the Territory of Arizona, about 1800 feet in a Southern direction from Derby Co Stamp Mill and Hoisting works

The surface boundaries of the claim are marked upon the ground as follows: Beginning at A monument of stones

at a point in a N Easterly direction 750 feet from the discovery shaft (at which this notice is posted), being in the center of the East end line of said claim; thence Northerly 300 feet to a Monument of stones, being the Northeast corner of said claim; thence Westerly 1500 feet to a monument of stones, being at the Northwest corner of said claim; thence Southerly 300 feet to a monument of stones at the center of the West end of said claim; thence Southerly 300 feet to a monument of stones, being at the Southwest corner of said claim; thence Easterly 1500 feet to a monument of stones being at the Southeast corner of said claim; thence Northerly 300 feet to the place of beginning.

All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of the United States, and of an Act of the General Assembly of Arizona, entitled ~~"An Act to Revise and Codify the Laws of the Territory of Arizona"~~ approved March 16, 1901. An Act Concerning Mines" approved March 20th, 1895, and amended March 2d, 1899, and March 16th 1901  
Dated and posted on the ground this 1 day of January 1906

Thomas C Hill E. Haney

Recorded at request of T.C.Hill Sept 4 A.D. 1906 at 9:00 o'clock A.M.,  
Book 76 of Mines, Page 513, Records of Yavapai County, Arizona.

(SEAL) Roland Mosher County Recorder.

By F.H. Baldwin  
Deputy  
COURIER PRINT



# NOTICE OF MINING LOCATION.

## LODE CLAIM.

**To All Whom it May Concern:**

This Mining Claim, the name of which is the Protection #2 Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purposes of exploration and purchase by George U. Young.

(Locator must insert either "a citizen of the United States," or, "who has declared his intention to become a citizen of the United States.")

the undersigned, on the 2 day of May, 1907.

The length of this claim is 1500 feet, and I claim 50 feet, in a n easterly direction and 1450 feet in a Westerly direction from the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with three hundred (300) feet in width of the surface grounds, on each side of the center of said <sup>vein</sup> claim. The general course of the lode deposit and premises is from the easterly to the Westerly.

The claim is situated and located in the T. Humb. Butte Mining District, in Yavapai County, in the Territory of Arizona, about 3.50 feet in a north westerly direction from the Derby Mining Camp.

The surface boundaries of the claim are marked upon the ground as follows: Beginning at a monument of stones

at a point in a n easterly direction feet from the discovery shaft (at which this notice is posted), being in the center of the east end line of said claim; thence north three hundred (300) feet to a monument of stones, being the north east corner of said claim; thence westerly fifteen hundred (1500) feet to a monument of stones, being at the north west corner of said claim; thence southerly three hundred (300) feet to monument of stones at the center of the West end of said claim; thence southerly three hundred (300) feet to a monument of stones, being at the south west corner of said claim; thence easterly fifteen hundred (1500) feet to monument of stones being the southeast corner of said claim; thence northerly three hundred (300) feet to the place of beginning.

All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of the United States, and of an Act of the General Assembly of Arizona, entitled "~~An Act to Revise and Codify the Laws of the Territory of Arizona~~" approved ~~March 16, 1897~~ "An Act Concerning Mines" approved March 20th, 1885, and amended March, 2d, 1899, and March, 16th, 1901.  
Dated and posted on the ground this 2 day of May, 1907

Witness, J.E. Kelly Geo. U. Young

Recorded at request of Geo U Young, May 4, A.D. 1907, at 8:08 o'clock A.M., Book 80 of Mines, Page 355, Records of Yavapai County, Arizona.

J. C. Bradbury County Recorder.

By.....Deputy



# NOTICE OF MINING LOCATION. LODE CLAIM.

**To All Whom it May Concern:**

This Mining Claim, the name of which is the Protection #13.  
Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purposes of exploration and purchase by  
George U. Young.

(Locator must insert either "a citizen of the United States," or, "who has declared his intention to become a citizen of the United States.")

the undersigned, on the 2 day of May, 1907.

The length of this claim is 1500 feet,  
and 1 claim 100 feet,  
in an easterly direction and  
1400 feet in a Westerly direction from  
the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with  
three hundred (300) feet in width of the surface grounds, on each side of the  
center of said ~~claim~~ <sup>vein</sup>. The general course of the lode deposit and premises is from the  
easterly to the Westerly.

The claim is situated and located in the Thumb Butte Mining District,  
in Yavapai County, in the Territory of Arizona, about 550  
in a northwesterly direction from the Derby Mining Camp.

The surface boundaries of the claim are marked upon the ground as follows: Beginning at  
monument of stones

at a point in an easterly direction ..... feet from  
the discovery shaft (at which this notice is posted), being in the center of the east  
end line of said claim; thence northerly three hundred (300) feet to a monument of stones  
....., being the north east corner of said claim; thence  
westerly fifteen hundred (1500) feet to a monument of stones, being at the  
north west corner of said claim; thence southerly three hundred (300) feet  
to a monument of stones at the center of the west end of said claim;  
thence southerly three hundred (300) feet to a monument of stones, being at the  
south west corner of said claim; thence easterly fifteen hundred (1500)  
feet to a monument of stones being at the south east corner of said claim;  
thence northerly three hundred (300) feet to the place of beginning.

All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of the United States,  
and of an Act of the General Assembly of Arizona, entitled ~~an Act to Revise and Codify the Laws of the Territory~~  
<sup>of Arizona, approved March 16, 1907.</sup> "An Act Concerning Mines," approved March  
20th, 1893, and amended March, 2d, 1899, and March, 16th, 1901

Dated and posted on the ground this 2d day of May, 1907.

Witness J.E.Kelly.

Geo. U. Young.

Recorded at request of Geo. U. Young, May 4, A.D. 1907. at 9:09 o'clock  
A.M., Book 80 of Mines, Page 356, Records of Yavapai County, Arizona.

(SEAL) J C Bradbury County Recorded.

By.....Deputy



"Happy Strike"

# NOTICE OF MINING LOCATION.

## LODE CLAIM.

To All Whom it May Concern:

This Mining Claim, the name of which is the "Happy Strike" Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purposes of exploration and purchase by George W. Young

(Locator must insert either "a citizen of the United States," or, "who has declared his intention to become a citizen of the United States.")

the undersigned, on the 9th day of September, 1904

The length of this claim is 1500 feet,

and 1200 claim feet,

in a Southerly direction and 300

feet in a Northerly direction from

the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with 300

feet in width of the surface grounds, on each side of the

center of said claim. The general course of the lode deposit and premises is from the Northerly

to the Southerly

The claim is situated and located in the Thumb Butte Mining District,

in Yavapai County, in the Territory of Arizona, about Running Parallel,

with its side line North direction from East Corner to South East Corner

with end line of Iowa Mining claim and End lining on

Puritan Mining Claim side line parallel from North East

Corner to North West Corner.

The surface boundaries of the claim are marked upon the ground as follows: Beginning at monu-

ment of stone

at a point in a Westerly direction 300 feet from

the discovery shaft (at which this notice is posted), being in the center of the West

end line of said claim; thence 300 feet to a Monument of Stone

, being the North West corner of said claim; thence

1500 feet to a Monument, being at the

South West corner of said claim; thence 300 feet

to a Monument of stone at the center of the South

end of said claim; thence 300 feet to a Monument, being at the

South East corner of said claim; thence 1500

feet to a Monument at the North East corner of said claim;

thence 300 feet to the place of beginning.

All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of the United States,

and of an Act of the General Assembly of Arizona, entitled "An Act to Revise and Codify the Laws of the Terri-

tory of Arizona," approved March 16, 1901.

Dated and posted on the ground this 9th day of September 1904

George W. Young

Filed and recorded at request of Geo. W. Young Nov. 2, A.D. 1904 at 11:05 o'clock, A.M.,

Book 72 of Mines, Page 336, Records of Yavapai County, Arizona.

By L. S. Colwell (Seal) P. J. Farley

Deputy Recorder, County Recorder.

COURIER-PRINT



# NOTICE OF MINING LOCATION.

## LODE CLAIM.

**To All Whom it May Concern:**

This Mining Claim, the name of which is the Italian Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purposes of exploration and purchase by

Geo. W. Young, a citizen of the United States

(Locator must insert either "a citizen of the United States," or "who has declared his intention to become a citizen of the United States.")

the undersigned, on the 8 day of January 1904.

The length of this claim is 1500 feet, and 1200 feet in a n. easterly direction, and 300 ft feet in a westerly direction from

the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with three hundred (300) feet in width of the surface grounds, on each side of the vein center of said ~~claim~~. The general course of the lode deposit and premises is from the

easterly to the westerly

The claim is situated and located in the Thumb Butte Mining District, in Yavapai County, in the Territory of Arizona, about 600 feet

in a northerly direction from the mouth of the upper tunnel on the pantan mine which it parallels on the north and is about 700 yards in a westerly direction from the Derby mine and is the old "Italian" ground.

The surface boundaries of the claim are marked upon the ground as follows: Beginning at

a monument of stones

at a point in a n. easterly direction 1200 feet from the discovery shaft (at which this notice is posted), being in the center of the east

end line of said claim; thence northerly 300 feet to a monument of stones, being the northeast corner of said claim; thence

westerly 1500 feet to a monument of stones, being at the northwest corner of said claim; thence southerly 300 feet

to a monument of stones at the center of the west end of said claim; thence southerly 300 feet to a monument of stones, being at the

southwest corner of said claim; thence easterly 1500 feet to a monument of stones <sup>being</sup> at the southeast corner of said claim;

thence northerly 300 feet to the place of beginning.

All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of the United States, <sup>Concerning Mines, approved</sup> and of an Act of the General Assembly of Arizona, entitled "An Act to Revise and Codify the Laws of the Territory of Arizona," approved March 20<sup>th</sup>, 1895, and amended March 2<sup>d</sup>, 1896, and approved March 16<sup>th</sup>, 1901.

Dated and posted on the ground this 8 day of January 1904

George W. Young

recorded at request of Geo. W. Young  
Jan 8 A. D. 1904 at 11:20 o'clock A. M. In Book 69 of Mines.  
Page 617 Records of Yavapai County, Arizona.

COURIER PRINT

By R. E. Butcher Deputy Recorder. P. J. Farley County Recorder.



*Stumbert*

# NOTICE OF MINING LOCATION. LODE CLAIM.

To All Whom it May Concern:

This Mining Claim, the name of which is the *Stumbert* Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purposes of exploration and purchase by

*George W. Young, a citizen of the United States*  
(Locator must insert either "a citizen of the United States," or "who has declared his intention to become a citizen of the United States.")

the undersigned, on the *eighth* day of *January* 1904

The length of this claim is *fifteen hundred* feet,  
and *1* claim *750* feet,  
in an *easterly* direction, and *750* feet in a *westerly* direction from

the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with *three hundred (300)* feet in width of the surface grounds, on each side of the center of said ~~shaft~~ <sup>vein</sup>. The general course of the lode deposit and premises is from the *easterly*

to the *westerly*. The claim is situated and located in the *Thumb Butte* Mining District, in *Yavapai* County, in the Territory of Arizona, about *two feet* in a *northwesterly* direction from *the Station Spring and parallels the Italian mine on the north line of the Italian mine.*

The surface boundaries of the claim are marked upon the ground as follows: Beginning at *a monument of stone*

at a point in an *easterly* direction *750* feet from the discovery shaft (at which this notice is posted), being in the center of the *east* end line of said claim; thence *northwesterly 300* feet to a *monument of stone*, being the *north east* corner of said claim; thence *westerly* feet to a *monument of stone*, being at the *northwest* corner of said claim; thence *southerly 300* feet to a *monument of stone* at the center of the *west* end of said claim; thence *southerly 300* feet to a *monument of stone*, being at the *southwest* corner of said claim; thence *easterly 1500* feet to a *monument of stone* <sup>being</sup> at the *southeast* corner of said claim; thence *northwesterly 300* feet to the place of beginning.

All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of the United States, and of an Act of the General Assembly of Arizona, entitled "An Act to Revise and Codify the Laws of the Territory of Arizona," approved March 16, 1901. Conceding Mines, approved March 20th, 1895, and amended March 24, 1899, and March 16th, 1901.

Dated and posted on the ground this *8* day of *January* 1904

*Geo. W. Young*

recorded at request of Geo. W. Young Jan 8<sup>th</sup> A.M. 1904 at 11<sup>20</sup> o'clock A.M. In Book 69 of Mines, page 616. Records of Yavapai County, Arizona.

By *R. E. Butler* Deputy Recorder. (Seal) *P. J. Farley* County Recorder.



# NOTICE OF MINING LOCATION.

## LODE CLAIM.

To All Whom it May Concern:

This Mining Claim, the name of which is the Sunny Side Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purposes of exploration and purchase by Al Mulmon, and S. P. Hill and J. C. Hill

(Locator must insert either "a citizen of the United States," or "who has declared his intention to become a citizen of the United States.")

the undersigned, on the 1 day of May, 1905

The length of this claim is Fifteen Hundred feet, and we claim 1500 feet in a weathery direction and

feet in a direction from

the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with three hundred (300) feet in width of the surface grounds, on each side of the center of said vein claim. The general course of the lode deposit and premises is from the easterly

to the westerly

The claim is situated and located in the Thumb Butte Mining District,

in Yavapai County, in the Territory of Arizona, about 1 3/4 miles

in a Southerly direction from Santa Fe P. P. R. R. and

joins the Berby mining Co. claims on the north and about 8 miles in a north westerly direction from Prescott

The surface boundaries of the claim are marked upon the ground as follows: Beginning at a monument of stones

direction feet from

~~the discovery shaft~~ (at which this notice is posted), being in the center of the east

end line of said claim; thence northerly 300 feet to a monument of stones

, being the northeast corner of said claim; thence

westerly 1500 feet to a monument of stones, being at the

northwest corner of said claim; thence southerly 300 feet

to a monument of stones at the center of the west end of said claim;

thence southerly 300 feet to a monument of stones, being at the

southwest corner of said claim; thence easterly 1500

feet to a monument of stones being southeast corner of said claim;

thence northerly 300 feet to the place of beginning.

All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of the United States, and of an Act of the General Assembly of Arizona, entitled "An Act to Revise and Codify the Laws of the Territory of Arizona," approved March 16, 1901. Concerning Mines approved March 20th 1895 and amended March 2d, 1899, and March 16th 1901.

Dated and posted on the ground this 1 day of May, 1905

Al Mulmon  
S. P. Hill  
J. C. Hill

Recorded at request of Al Mulmon July 26<sup>th</sup> A. D. 1905 at 3:30 o'clock P. M., Book 73 of Mines, Page 563, Records of Yavapai County, Arizona.

By J. A. Mosher  
Deputy

(Seal)

Roland Mosher  
County Recorder.



# NOTICE OF MINING LOCATION.

## LODE CLAIM.

**To All Whom it May Concern:**

This Mining Claim, the name of which is the Sunny Side No. 1 Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purposes of exploration and purchase by Al Mulvorn and S. P. Hill and T. C. Hill

(Locator must insert either "a citizen of the United States," or, "who has declared his intention to become a citizen of the United States.")

the undersigned, on the 1 day of May, 1905  
The length of this claim is 1500 feet,  
and 1000 claim 1500 feet,  
in a Easterly ~~direction and~~ direction from

~~feet in a~~ direction from the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with three hundred (300) feet in width of the surface grounds, on each side of the center of said ~~claim~~ <sup>vein</sup> claim. The general course of the lode deposit and premises is from the easterly to the westerly

The claim is situated and located in the Shoeb Butte Mining District, in Yavapai County, in the Territory of Arizona, about 1 3/4 miles in a southerly direction from S. F. P. R. R. and joins the Derby Mining Co. claim on the north and about 5 miles in a North westerly direction from Prescott

The surface boundaries of the claim are marked upon the ground as follows: Beginning at a monument of stones

~~the point in a~~ ~~direction~~ ~~feet from~~ ~~the discovery shaft~~ (at which this notice is posted), being in the center of the west end line of said claim; thence northerly 300 feet to a monument of stones, being the northeast corner of said claim; thence westerly 1500 feet to a monument of stones, being at the northwest corner of said claim; thence southerly 300 feet to a monument of stones at the center of the west end of said claim; thence southerly 300 feet to a monument of stones, being at the southwest corner of said claim; thence easterly 1500 feet to a monument of stones ~~being~~ <sup>being</sup> at the southeast corner of said claim; thence northerly 300 feet to the place of beginning.

All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of the United States, and of an Act of the General Assembly of Arizona, entitled "An Act to ~~Revise and Codify the Laws of the Territory of Arizona,~~ <sup>Concerning Miners</sup> approved March 20th, 1895, and amended March 2d, 1899 and March 16th 1901.

Dated and posted on the ground this 1 day of May, 1905

Al. Mulvorn  
S. P. Hill  
T. C. Hill

recorded at request of Al Mulvorn July 26<sup>th</sup> A.D. 1905 at 3:50 o'clock P.M., Book 73 of Miners, Page 561, Records of Yavapai County, Arizona.

By J. A. Mosher Deputy

(Seal) Roland Mosher County Recorder.



# NOTICE OF MINING LOCATION. LODE CLAIM.

To All Whom it May Concern:

This Mining Claim, the name of which is the Surenough Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purposes of exploration and purchase by Al Mulvornon S. P. Hill F. C. Hill

(Locator must insert either "a citizen of the United States," or "who has declared his intention to become a citizen of the United States.")

the undersigned, on the 10 day of May, 1905.

The length of this claim is 1500 feet, and 1000 claim 600 feet, in an easterly direction and 900 feet in a northerly direction from the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with three hundred (300) feet in width of the surface grounds, on each side of the center of said <sup>win</sup> claim. The general course of the lode deposit and premises is from the easterly

to the westerly. The claim is situated and located in the Thumb Butte Mining District, in Yavapai County, in the Territory of Arizona, about 1 1/2 miles in a southerly direction from S. F. P. R. and joins Jim Sowry "Great Eastern mine on west end and about 1/2 mile in a Northerly direction from Derby mill"

The surface boundaries of the claim are marked upon the ground as follows: Beginning at

at a point in a n easterly direction 600 feet from the discovery shaft (at which this notice is posted), being in the center of the east end line of said claim; thence northerly 300 feet to a monument of stones, being the northeast corner of said claim; thence westerly 1500 feet to a monument of stones, being at the northwest corner of said claim; thence southerly 300 feet to a monument of stones at the center of the west end of said claim; thence southerly 300 feet to a monument of stones, being at the southwest corner of said claim; thence easterly 1500 feet to a monument of stones being at the Southeast corner of said claim; thence northerly 300 feet to the place of beginning.

All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of the United States, and of an Act of the General Assembly of Arizona, entitled "An Act to Revise and Codify the Laws of the Territory of Arizona," approved March 16, 1901. Concerning Mines, approved March 20th 1895, and amended March 2d 1899, and March 16th, 1901.

Dated and posted on the ground this 10 day of May, 1905.

Al Mulvornon  
S. P. Hill  
F. C. Hill

recorded at request of Al. Mulvornon July 26<sup>th</sup> A. D. 1905 at 3:30 o'clock P.M., Book 73 of Mines, Page 562, Records of Yavapai County, Arizona. By J. A. Mosher (Seal) Roland Mosher County Recorder.



"Suguenot"

# NOTICE OF MINING LOCATION.

## LODE CLAIM.

To All Whom it May Concern:

This Mining Claim, the name of which is the Suguenot Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purposes of exploration and purchase by

Geo. W. Young

a citizen of the United States

(Locator must insert either "a citizen of the United States" or "who has declared his intention to become a citizen of the United States.")

the undersigned, on the 14th day of November 1903

The length of this claim is fifteen hundred feet, and 7.50 claim 7.50 feet,

in an Easterly direction and 7.50 feet in a Westerly direction from

the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with 300 feet in width of the surface grounds, on each side of the center of said claim. The general course of the lode deposit and premises is from the East

to the West  
The claim is situated and located in the Thumb Butte Mining District, in Yavapai County, in the Territory of Arizona, about 3 1/2 " " in a Westerly direction from Thumb Butte

The surface boundaries of the claim are marked upon the ground as follows: Beginning at at post, from which the S. W. cor. of the Madizell Mining Claim bears N. 19° 40' E. 300 ft. distant at a point in an easterly direction 7.50 feet from the discovery shaft (at which this notice is posted), being in the center of the East end line of said claim; thence N. 19° 40' E. 300 feet to a post, being the N. E. cor corner of said claim; thence N 63° 20' W 1500 feet to a post, being at the Northwest corner of said claim; thence S. 19° 40' W 300 feet to a post at the center of the West end of said claim; thence S 19° 40' W 300 feet to a post, being at the Southwest corner of said claim; thence S 63° 20' E 1500 feet to a post at the Southeast corner of said claim; thence N. 19° 40' E 300 feet to the place of beginning.

All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of the United States, and of an Act of the General Assembly of Arizona, entitled "An Act to Revise and Codify the Laws of the Territory of Arizona," approved March 16, 1901.

Dated and posted on the ground this 14th day of November 1903

Geo W. Young

Filed and recorded at request of Geo. W. Young Dec. 7<sup>th</sup> A.D. 1903 at 2:30 o'clock P.M., Book 69 of Mines, page 552, Records of Yavapai County, Arizona.

By P J Keohane Deputy Recorder.

(Seal) P J Farley County Recorder.



# NOTICE OF MINING LOCATION

## LODE CLAIM

To All Whom it May Concern:

This Mining Claim, the name of which is the Knocker Down Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purpose of exploration and purchase by

George W. Young

(Locator must insert either "a citizen of the United States" or "who has declared his intention to become a citizen of the United States.")

the undersigned, on the 7 day of September 1906

The length of this claim is 1500 feet, and 1 claim 400 feet, in a east direction and

1100 feet in a westerly direction from the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with three hundred (300) feet in width of the surface grounds, on each side of the center of said ~~claim~~ <sup>vein</sup>. The general course of the lode deposit and premises is from the east

to the westerly, The claim is situated and located in the Thumb Butte Mining District, in Yavapai County, in the Territory of Arizona, about 1 1/4 mile in a Southern direction from Duta Station on the S.F. & P.P.R. Road & is situated between the Sunny mine & the Great Eastern

The surface boundaries of the claim are marked upon the ground as follows: Beginning at a monument of stones

at a point in an east direction 400 feet from the discovery shaft (at which this notice is posted), being in the center of the east end line of said claim; thence north 300 feet to a monument of stones, being the north east corner of said claim; thence westerly 1500 feet to a monument of stones being at the north west corner of said claim; thence southerly 300 feet to a monument of stones at the center of the west end of said claim; thence southerly 300 feet to a monument of stone being at the south west corner of said claim; thence east 1500 feet to a monument of stones at the southeast corner of said claim; thence north 300 feet to the place of beginning.

All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of the United States, and of an Act of the General Assembly of Arizona, entitled "Concerning Mines An Act to ~~Revise and Codify~~ <sup>Revise and Codify</sup> the Laws of the Territory of Arizona," approved March ~~16, 1891~~ <sup>20, 1895</sup> and amended March 2d 1899 and March 16th 1901

Dated and posted on the ground this 7 day of September 1906

Witness  
J. C. Hill

George W. Young

recorded at request of Geo. W. Young, Nov 12 "A.D. 1906, at 11:00 o'clock P.M., in Book 78 of Mines, Page 147. Records of Yavapai County, Arizona.

By J. J. Mosher Deputy (Seal)


Roland Mosher County Recorder.



TERRITORY OF ARIZONA, }  
 COUNTY OF YAVAPAI, } ss.

I, J. C. Bradbury, County Recorder in and for the County of Yavapai, Territory of Arizona, and custodian of the records of such office, do hereby certify that I have compared the forgoing copy with, and that the same is a full, true and correct copy of *Notice of Mining Location of the Krocker Doom Mining Claim,* filed for record on *November 12, A. D., 1906,* and as the same appears of record in my office in Book *78* of *Mines*, at page *147,* and of the whole thereof.

IN WITNESS WHEREOF, I have hereunto set my hand and affixed my Official Seal this *15th* day of *June,* A. D., 1907.



*J. C. Bradbury*  
 County Recorder

"Puritan"

Amended Location Certificate

Law of 1899.

Territory of Arizona, County of Yavapai {ss.

Know all men by these presents: That Geo U. Young the undersigned, have this 19th day of October, 1903, amended, located and claimed, and by these presents do amend, locate and claim, by right of discovery and amended location, in compliance with the mining acts of Congress, approved May 10, 1872, and all subsequent acts, and with paragraph 3238 of the Revised Statutes of Arizona of 1901, and with local customs, laws and regulations fifteen hundred linear feet and horizontal measurement, on the Puritan lode, vein, ledge, or deposit, along the vein thereof, with all its dips, angles, and variations, as allowed by law, together with 300 feet on each side of the middle of said vein at the surface so far as can be determined from present developments, and all veins, lodes, ledges, or deposits and surface ground within the lines of said claim 750 feet, running N 54° 55' W. from center of discovery tunnel mouth and 750 feet running S. 70° 00' E from center of discovery tunnel mouth, said discovery tunnel being situate upon said lode, vein, ledge or deposit, and within the lines of said claim in Thumb Butte Mining District County of Yavapai and Territory of Arizona, described by metes and bounds as follows, to wit:

Beginning at the west center end and running thence S 35° 05' W 300 feet to the Southwest cor.; thence S 54° 55' E. 750 feet to the South side center cor; thence S 70° 00' E 750 feet to the Southeast cor.; thence N. 35° 05' E. 300 feet to the East end center cor.; thence N. 35° 05' E 300 feet to the Northeast cor.; thence N 70° 00' W 750 feet to the North side center cor.; thence N 54° 55' W 750 feet to the Northwest cor.; thence S. 35° 05' W 300 feet to place of beginning the place of beginning. This being the same lode originally located on the 1st day of January 1902 and recorded on the 26th day of March 1902 in Book 62 page 323 in the office of the Recorder of Yavapai County.

This further and amended Certificate of Location is made without waiver of any previously acquired rights, but for the purpose of correcting any errors in the original location description or record.

Geo U Young

Said lode was discovered 1st day of January A.D. 1902. Attest.....

Date of amended location Oct 19th A D. 1903.

Date of amended certificate..... ..A D. 1....

Recorded at request of Geo.U.Young Oct 24" A D 1903 at 3:45 0'clock P.M. in Book 64 of Mines Pages 523-524, Records of Yavapai County, Arizona.

(Seal)

P J Farley  
County Recorder

By P.J. Cochane  
Deputy



"Iron Mask"

Amended Location Certificate

Law of 1899

Territory of Arizona, County of Yavapai : {ss.

Know all men by these Presents: That Geo U.Young, the undersigned, have this 14 th day of November 1903, amended, located, and claimed, and by these presents do amend, locate and claim, by right of discovery and amended location, in compliance with the mining acts of Congress, approved May 10, 1872, and all subsequent acts, and with Paragraph 3238, of the Revised Statute of Arizona, of 1901, and with local customs, laws and regulations linear feet and horizontal measurement, on the Iron Mask lode, vein, ledge, or deposit, along the vein thereof with all its dips, angles and variations as allowed by law, together with 300 feet on each side of the middle of said vein at the surface, so far as can be determined from present developments, and all veins, lodes, ledges, or deposits and surface ground within the lines of said claim 1400 feet running N 19° 40' E: from center of discovery shaft, ~~at the~~ said discovery shaft being situate upon said lode, vein, ledge, or deposit, and within the lines of said claim in Thumb Butte Mining District, County of Yavapai and Territory of Arizona, described by metes and bounds, as follows, to wit:

Beginning at the N.E.C. cor. from which the W.E.C. cor. of the Derby No 2 Mining Claim bears N.55° 14' E. 77 ft. dist. and running thence N. 81° W 300 ft to the N.W. cor.; thence S 19° 40' W. 1500 ft to the S W. cor.; thence S 81° E. 300 ft. to the S.E.C. cor.; thence S. 81° E.300 ft. to the S E. cor.; thence N. 19° 40' E. 1500 ft to the N E. cor.; thence N. 81° W. 300 ft to N.E.C. cor. the place of beginning. This being the same lode originally located on the 1st day of January 1902, and recorded on the..... day of....., 1...in Book 62 page 389, in the office of the Recorder of Yavapai County. This further and amended Certificate of Location is made without waiver of any previously acquired rights, but for the purpose of correcting any errors in the original location description or record

Said lode was discovered the... day of ...A D. 1.... Geo U.Young

Attest.....

Date of amended location...A D....1

Date Of amended certificate.... A D 1...

Recorded at request of Geo W. Young Dec 7" A D 1903 at 2: 30 oclock P.M. in Book 64 Of Mines, pages 537- 539, Records of Yavapai County, Arizona.

(Seal)

P J.Farley  
County Recorder

By P.J.Keohane  
Deputy

# And 100 feet Running S. 19° 40' W. from center of discovery shaft,



"Ellen No 1"

Amended Location Certificate

Law of 1899

Territory of Arizona, County of Yavapai }ss

Know all men by these Presents: That Geo U. Young the undersigned, have this 16th day of November 1903, amended, located and claimed, and by these presents do amend, locate and claim by right of discovery and amended location, in compliance with the mining acts of Congress, approved May 10, 1872, and all subsequent acts, and with Paragraph 3238 of the Revised Statutes of Arizona, of 1901, and with local customs, laws and regulations fifteen hundred linear feet and horizontal measurement, on the Ellen No 1, lode, vein, ledge or deposit, along the vein thereof, with all its dips, angles and variations, as allowed by law, together with 300 feet on each side of the middle of said vein at the surface, so far as can be determined from present developments, and all veins, lodes, ledges, or deposits and surface ground within the lines of said claim 1000 feet running S 62° 20' E. from center of discovery shaft and 500 feet running N. 62° 20' W from center of discovery said discovery shaft being situate upon said lode, vein, ledge, or deposit, and within the lines of said claim in Thumb Butte Mining District, County of Yavapai and Territory of Arizona, described by metes and bounds, as follows, to wit:

Beginning at the N.E. cor. whence the cor of secs. 26, 27, 34 and 35 TP. 14 N. R. 3W bears N 66° 20' W 257 ft dist., and running thence N 62° 20' W 1500 ft to the N.W. cor.; thence S 28° W 300 ft to the W E.C. cor.; thence S. 28° W 300ft. to the S.W. cor.; thence S 62° 20' E. 1500 ft to the S.E. cor.; thence N. 28° E. 300 ft to the E.E.C. cor.; thence N 28° E. 300 ft to the N E. cor. the place of beginning. This being the same lode originally located on the 22nd day of January 1902 and recorded on the...day of... 1... in Book 62 page 222, in the office of the Recorder of Yavapai County.

This further and amended Certificate of Location is <sup>made</sup> ~~made~~ without waiver of any previously acquired rights, but for the purpose of correcting any errors in the original location description or record.

Geo. U. Young

Said lode was discovered the...day of ... A.D. 1...

Attest.....

Date of amended location..... A D. 1...

Date of amended certificate.....A.D. 1...

Recorded at request of Geo U. Young Dec 7" A D 1903, at 2:30 oclock P.M. in Book 64 of Mines, pages 544 -546. Records of Yavapai County, Arizona.

(Seal)

P.J Farley  
County Recorder

By P.J. Keohane  
Deputy



Puritan No 3

Amended Location Certificate

Law of 1899

Territory of Arizona, County of Yavapai {ss.

Know all men by these Presents:

That Geo . U.Young the undersigned, have this 14th day of November, 1903, amended, located and claimed, and by these presents do amend, locate, and claim, by right of discovery and amended location, in compliance with the mining acts of Congress, approved May 10, 1872, and all subsequent acts, and with Paragraph 3238, of the Revised Statutes of Arizona, of 1901, and with local customs, laws and regulations fifteen hundred ~~xxx~~ <sup>feet</sup> linear and horizontal measurement, on the Puritan No 3. lode, vein, ledge or deposit, along the vein thereof, with all its dips, angles and variations, as allowed by law, together with 300f feet on each side of the middle of said vein at the surface, so far as can be determined from present developments, and all veins, lodes, ledges, or deposits and surface ground within the lines of said claim 1300 feet running N 54° 55'W . from center of discovery shaft and 200 feet running S. 54° 55'E. from center of discovery shaft said discovery shaft being situate upon said lode, vein, ledge, or deposit, and within the lines of said claim in Thumb Butte Mining District, County of Yavapai and Territory of Arizona described by metes and bounds as follows to wit:

Beginning at the N.E. cor. which is identical with the N W. cor of the Puritan Mining Claim, and running thence N. 54° 55' W 1500 ft. to the N W. cor.; thence S 35° 05'W. 300 ft to the W.E.C. cor.; thence S 35° 05' W. 300 ft to the S.W. cor.; thence S 54° 55' W. 1500 ft to the S.E. cor.; thence N. 35° 05' E. 300 ft. to the E.E.C. cor.; thence N 35° 05' E. 300 ft. to the N E. cor. the place of beginning. this being the same lode originally located on the ...day of ....., and recorded on the ....., day of ..... in Book.... page...., in the office of the Recorder of..... County. This further and amended Certificate of location is made without waiver of any previously acquired rights but for the purpose of correcting any errors in the original location, description or record.

Geo U.Young

Said lode was discovered the... day of ....A.D.1... Attest.....  
Date of amended location A.D. 1....  
Date of amended certificate A.D. "1.....

Recorded at request of Geo U.Young Dec 7" A.D. 1903 at 2:30 oclock P.M . in Book 64 of Mines, pages 536-537, Records of Yavapai County, Arizona

(SEAL)

By P.J.Keohane  
Deputy

P.J Farley  
County Recorder



"Puritan No 2"

Amended Location Certificate

Law of 1899

Territory of Arizona, County of Yavapai {ss.

Know all men by these Presents. That Geo.U.Young the undersigned, have this 19th day of October 1903, amended, located and claimed, and by these presents do amend, locate and claim, in compliance with the mining acts of Congress, approved May 10<sup>th</sup>, 1872, and all subsequent acts, and with Paragraph 3238 of the Revised Statutes of Arizona, of 1901, and with local customs, laws and regulations 1500 linear feet and horizontal measurement on the Puritan No 2, lode vein, ledge or deposit, along the vein thereof, with all its dips, angles, and variations, as allowed by law, together with 300 feet on each side of the middle of said vein at the surface, so far as can be determined from present developments, and all veins, ledges, or deposits and surface ground within the lines of said claim..... feet running..... from center of discovery..... and..... feet running..... from the center of discovery..... said discovery..... being situate upon said lode, vein, ledge, or deposit, and within the lines of said claim in Thumb Butte Mining District, County of Yavapai, and Territory of Arizona, described by metes and bounds, as follows, to wit:

Beginning at the West center end cor. and running thence S 35° 05' W. 300 feet to the Southwest cor.; thence S 81° 00' E 1500 feet to the Southeast cor.; thence N. 35° 05' E. 300 feet to the east center end cor.; thence N 35° 05' E 300 feet to the North east cor.; thence N 81° 00' W. 1500 feet to the Northwest cor.; thence S 35° 05' W. 300 feet to the place of beginning the place of beginning. This being the same lode originally located on the 14 day of April 1902 and recorded on the 16th day of June 1902 in Book 63, page 199 in the office of the Recorder of Yavapai County. This further and amended Certificate of Location is made without waiver of any previously acquired rights, but for the purpose of correcting any errors in the original location, description or record.

Geo. U. Young

Said lode was discovered the 1st day of January A D. 1902. Attest.....  
Date of amended location Oct 19th A D. 1903.  
Date of amended certificate.....A D. 1.....

Recorded at request of Geo U. Young Oct 24 A.D. 1903, at 3:45 oclock P.M in Book 64 of Mines, Pages 524-526, Records of Yavapai County, Arizona.

(Seal)

P J. Farley  
County Recorder

By P.J. Keohane  
Deputy

\* by right of discovery and amended location



"Derby No 2"

Amended Location Certificate

Law of 1899

Territory of Arizona, County of Yavapai }ss

Know all men by these Presents: That Geo U. Young the undersigned, have this 14th day of November, 1903 amended, located and claimed, and by these presents do amend, locate and claim, by right of discovery and amended location, in compliance with the mining acts of Congress, approved May 10, 1872 and all subsequent acts, and with Paragraph 3238 of the Revised Statutes of Arizona, of 1901, and with local customs, laws and regulations 1500 linear feet and horizontal measurement, on the Derby No 2 lode, vein, ledge, or deposit, along the vein thereof, with all its dips, ~~###~~ angles, and variations, as allowed by law, together with 300 feet on each side of the middle of said vein, at the surface, so far as can be determined from present developments, and all veins, lodes, ledges or deposits and surface ground within the lines of said claim 400 feet running S. 62° 20' E' from center of discovery shaft and 1100 feet running N 62° 20' W from center of discovery ~~###~~ shaft, said discovery shaft being situate upon said lode, vein, ledge, or deposit, and within the lines of said claim in Thumb Butte Mining District, County of Yavapai and Territory of Arizona, described by metes and bounds, as follows, to wit:

Beginning at the N.E. cor. which is identical with the N.W. cor of the Derby Mining Claim, and running thence N 62° 20' W. 1500 ft. to the N.W. cor.; thence S 28° W. 300 ft. to the W.E.C. cor.; thence S. 28° W 300 ft to the S.W. cor.; thence S 62° 20' E. 1500 ft to the S.E cor.; thence N 28° E. 300 ft. to the E.E.C. cor.; thence N 28° E. 300 ft to the N.E. cor. the place of beginning. This being the same lode originally located on the 22nd day of January 1 1902, and recorded on the..... day of ..... in Book 62, page 224, in the office of the Recorder of Yavapai County. This further and amended Certificate of Location is made without waiver of any previously acquired rights, but for the purpose of correcting any errors in the original location, description or record.

Geo U. Young

Said lode was discovered on the .... day of ..... A.D. 1... Attest.....  
Date of amended location.....A.D. 1...  
Date of amended Certificate.....A.D. 1....

Recorded at request of Geo.U. Young Dec 7" A.D. 1903 at 2:30 o'clock P.M. in Book 64 of Mines page 535 536, Records of Yavapai County, Arizona.

By P.J. Keohane  
Deputy

(Seal)

P.J. Farley  
County Recorder



"Ellen No 2"

Amended Location Certificate

Law of 1899

Territory of Arizona, County of Yavapai {ss

Know all men by these Presents: That Geo.U.Young the undersigned, have this 16th day of November, 1903 amended, located, and claimed, and by these presents do amend, locate, and claim, by right of discovery and amended location, in compliance with the mining acts of Congress, approved May 10, 1872, and all subsequent acts, and with Paragraph 3238, of the Revised Statutes of Arizona 1901, and with local customs, laws and regulations fifteen hundred linear feet and horizontal measurement, on the Ellen No 2, lode, vein, ledge, or deposit, along the vein thereof, with all its dips, angles, and variations, as allowed by law, together with 300 feet on each side of the middle of said vein at the surface, so far as can be determined from present developments, and all veins, lodes, ledges or deposits and surface ground within the lines of said claim 1000 feet running S. 80° 15' W from center of discovery shaft and 500 feet running N 8° 15' E. from center of discovery shaft, said discovery shaft being situate upon said lode, vein, ledge or deposit, and within the lines of said claim in Thumb Butte Mining District County of Yavapai, and Territory of Arizona, described by metes and bounds, as follows, to wit.

Beginning at the N.W. cor. which is identical with the S.W cor of the Ellen No 1 Mining Claim, and running thence S 8° 15'W 1500 ft. to the S W cor.; thence S. 62° 20' E. 300ft. to the S E. cor.; thence S 62° 20' E 300 ft to the S E cor.; thence N. 8° 15' E 1500 ft to the N E. cor.; thence N. 62° 20' W. 300 ft to the N.E.S. cor; thence N. 62° 20' W 300 ft . to the N.W. cor. the place of beginning. This being the same lode originally located on the 22nd day of January 1 1902, and recorded on the ...day of ... 1... in Book 62 Page 223 in the office of the Recorder of Yavapai County.

This further and amended Certificate of Location is <sup>made</sup> ~~made~~ without waiver of any previously acquired rights, but for the purpose of correcting any errors in the original location description or record.

Geo.U.Young

Said lode was discovered the....day of ....A D 1....Attest.....  
Date of amended location..... .A.D. 1....  
Date of amended certificate.....A D 1....

Recorded at request of Geo U Young Dec 7 A D 1903 at 2:30 oclock P.M. in Book 64 of Mines, pages 542-543, Records of Yavapai County, Arizona.

(Seal)

P J Farley  
County Recorder

By P.J.Keohane  
Deputy



"Derby"

Amended Location Certificate

Law of 1899.

Territory of Arizona, County of Yavapai }ss

Know all men by these Presents: That Geo U. Young the undersigned; have this 14th day of November, 1903, amended, located and claimed, and by these presents do amend, locate and claim, by right of discovery and amended location, in compliance with the mining acts of Congress, approved May 10, 1872, and all subsequent acts and with Paragraph 3238 of the Revised Statutes of Arizona, of 1901, and with local customs, laws and regulations fifteen hundred linear feet and horizontal measurement on the Derby lode, vein, ledge or deposit, along the vein thereof, with all its dips, angles, and variations, as allowed by law, together with 300 feet on each side of the middle of said vein at the surface, so far as can be determined from present developments, and all veins, lodes, ledges or deposits and surface ground within the lines of said claim 750 feet running S. 62° 20' E. from center of discovery shaft and 750 feet running N 62° 20' W from center of discovery shaft, said discovery shaft being situate upon said lode, vein, ledge, or deposit, and within the lines of said claim in Thumb Butte Mining District, County of Yavapai and Territory of Arizona, described by metes and bounds, as follows to wit:

Beginning at the N.E. cor., which is identical with the N.W. cor. of the Ellen No. 1. Mining Claim, and running thence N. 62° 20' W 1500 ft. to the N.W. cor.; thence S. 28° W. 300 ft. to the W.E.C. cor.; thence S. 28° W 300 ft to the S.W. cor.; thence S. 62° 20' E. 1500 ft. to the S.E. cor.; thence N. 28° E. 300 ft. to the E.E.C. cor.; thence N. 28° E. 300 ft. to the N.E. cor. the place of beginning.

This being the same lode originally located on the 1st day of January, 1900 and recorded on the 5th day of February 1900 in Book 53, page 210 in the office of the Recorder of Yavapai County. This further and amended Certificate of Location is made with waiver of any previously acquired rights, but for the purpose of correcting any errors in the original location, description, or record.

Geo. U. Young

Said lode was discovered the...day of ...A.D.....Attest.....

Date of amended location.....A D. 1...

Date of amended certificate.....A D. 1...

Recorded at request of Geo. U. Young Dec 7" A.D. 1903, at 2:30 oclock P.M. in Book 64 of Mines, pages 540-541 Records of Yavapai County, Arizona.

(Seal)

P J Farley  
County Recorder

By P. J. Keohane  
Deputy



"Derby No 3"

Amended Location Certificate

Law of 1899

Territory of Arizona, County of Yavapai {ss

Know all men by these Presents: That Geo U. Young the undersigned, have this day of November 1903, amended, located, and claimed, and by these presents, do amend, locate and claim, by right of discovery and amended location, in compliance with the mining acts of Congress, approved May 10, 1872, and all subsequent acts, and with Paragraph 3238, of the Revised Statutes of Arizona, of 1901, and with local customs laws and regulations fifteen hundred linear feet and horizontal measurement, on the Derby No 3, lode, vein, ledge, or deposit, along the vein thereof, with all its dips, angles, and variations, as allowed by law, together with 300 feet on each side of the middle of said vein at the surface, so far as can be determined from present developments, and all veins, lodes, ledges, or deposits and surface ground within the lines of said claim 750 feet running S 62° 20'E. from center of discovery shaft and 750 feet running N 62° 20'W. from center of discovery shaft, said discovery shaft being situate upon said lode, vein, ledge, or deposit, and within the lines of said claim in Thumb Butte Mining District, County of Yavapai, and Territory of Arizona, described by metes and bounds, as follows, to wit:

Beginning at the N.E. cor., whence the S W. cor. of the Derby Mining Claim bears N 62° 20'E. 300 ft Dist. and running thence N 62° 20'E. 1500 ft. to the N W cor.; thence S. 19° 40' W 300 ft to the W E.C. cor.; thence S 19° 40'W 300 ft to the S.W. cor.; thence S 62° 20' E. 1500 ft to the S E. cor.; thence N 19° 40' E. 300 ft to the E.E C. cor.; thence N.19° 40' E. 300 ft to the N E. cor. the place of beginning. This being the same lode originally located on the 22nd. day of January 1902, and recorded on the ...day of ....l... Book 62 page 225 in the office of the Recorder of Yavapai County.

This further amended Certificate of Location is made without waiver of any previously acquired rights, but for the purpose of correcting any errors in the original location description or record.

Geo U. Young

Said lode was discovered the...day of.....A D.....Attest.....

Date of amended location.....A D. l...

Date of amended certificate.....A D. l...

Recorded at request of Geo.U.Young Dec 7" A D 1903 at 2:30 oclock P.M. Book 64 of Mines, pages 539-540, Records of Yavapai County, Arizona.

(Seal)

P J Farley  
County Recorder

By P.J.Keohane  
Deputy



"Madizell"

Amended Location Certificate

Law of 1899

Territory of Arizona, County of Yavapai }ss

Know all men by these Presents: That Geo U. Young the undersigned, have this 16th day of November, 1903, amended, located and claimed, and by these presents do amend, locate and claim, by right of discovery and amended location, in compliance with the mining acts of Congress, approved May 10, 1872, and all subsequent acts and with Paragraph 3238, of the Revised Statutes of Arizona of 1901, and with local customs, laws and regulations fifteen hundred linear feet and horizontal measurement, on the Madizell lode, vein, ledge or deposit, along the vein thereof, with all its dips, angles and variations, as allowed by law, together with 300 feet on each side of the middle of said vein at the surface, so far as can be determined from present developments, and all veins, lodes, ledges or deposits and surface ground within the lines of said claim 750 feet running S. 62° 20' E. from center of discovery shaft and 750 feet running N. 62° 20' W from center of discovery shaft said discovery shaft being situate upon said lode, vein, ledge, or deposit, and within the lines of said claim in Thumb Butte Mining District, County of Yavapai and Territory of Arizona, described by metes and bounds, as follows, to wit:

Beginning at the N.E. cor. which is identical with the N.E.C. cor. of the Ellen No 2. Mining Claim and running thence N. 62° 20' W. 1500 ft. to the N.W. cor.; thence S. 19° 40' W 300 ft to the W.E.C. cor., thence S. 19° 40' W. 300 ft. to the S W. cor.; thence S. 62° 20' E. 1500 ft. to the S.E. cor.; thence N 19° 40' E. 300 ft. to the E.E.C. cor.; thence N. 19° 40' E. 300 ft to the N E. cor. the place of beginning. This being the same lode originally located on the 24th day of March 1902, and recorded on the...day of.... 1... in Book 62 page 231 in the office of the Recorder of Yavapai County <sup>made</sup> This further and amended Certificate of Location is ~~made~~ without waiver of any previously acquired rights, but for the purpose of correcting any errors in the original location, description or record.

Geo U. Young

Said lode was discovered the...day of .... A.D. 1...

Attest.....

Date of amended location.....A D 1...

Date of amended Certificate.....A D 1...

Recorded at request of Geo.U.Young Dec.7<sup>th</sup> A D. 1903, at 2:30 oclock P.M. in Book 64 of Mines, pages 543-544 Records of Yavapai County, Arizona

(Seal)

P J Farley  
County Recorder

By P.J.Keohane  
Deputy



Territory of Arizona, )  
 : ss.  
 County of Yavapai. )

I, J. C. Bradbury, County Recorder in and for the County of Yavapai, Territory of Arizona, and custodian of the records and files of such office, do hereby certify that I have compared the foregoing copies with, and that the same are full, true and correct copies of the Notices of Locations of the following named lode mining claims, located in the Thumb Butte Mining District, Yavapai County, Arizona Territory, as the same appear of record in my said office at the books and pages as follows:-

- "Puritan" No 3" mining claim, notice of location whereof is of record in Book 34 of Mines, at pages 536-537;
- "Puritan" mining claim, notice of location whereof is of record in Book 34 of Mines, page 523;
- "Italian" mining claim, notice of location whereof is of record in Book 39 of Mines, page 617;
- "Derby" mining claim, notice of location whereof is of record in Book 34 of Mines, page 540;
- "Iron Mask" mining claim, notice of location whereof is of record in Book 34 of Mines, page 537;
- "Madizell" mining claim, notice of location whereof is of record in Book 34 of Mines, page 543;
- "Derby No 2" mining claim, notice of location whereof is of record in Book 34 of Mines, page 535;
- "Derby No 3" mining claim, notice of location whereof is of record in Book 34 of Mines, page 539;
- "Ellen No 1" mining claim, notice of location whereof is of record in Book 34 of Mines, page 544;
- "Ellen No 2" mining claim, notice of location whereof is of record in Book 34 of Mines, page 542;
- "Puritan No 2" mining claim, notice of location whereof is of record in Book 34 of Mines, page 524;
- "Peno Alto No 1" mining claim, notice of location whereof is of record in Book 76 of Mines, page 514;
- "Highland" mining claim, notice of location whereof is of record in Book 76 of Mines, page 513;
- "Humbert" mining claim, notice of location whereof is of record in Book 39 of Mines, page 616;
- "Huguenot" mining claim, notice of location whereof is of record in Book 39 of Mines, page 553;
- "Patsy" mining claim, notice of location whereof is of record in Book 39 of Mines, page 553;
- "Sunny Side" mining claim, notice of location whereof is of record in Book 73 of Mines, page 563;
- "Sunny Side No. 1" mining claim, notice of location whereof is of record in Book 73 of Mines, page 561;
- "Surenough" mining claim, notice of location whereof is of record in Book 73 of Mines, page 562;
- "Peno Alto No 2" mining claim, notice of location whereof is of record in Book 75 of Mines, page 152;
- "Peno Alto No 3" mining claim, notice of location whereof is of record in Book 75 of Mines, page 153;
- "Happy Strike" mining claim, notice of location whereof is of record in Book 72 of Mines, page 336;



"Protection #2" mining claim, notice of location whereof is of record in Book 80 of Mines, page 355;  
"Protection #3" mining claim, notice of location whereof is of record in Book 80 of Mines, page 356.

IN WITNESS WHEREOF, I have hereunto set my hand and affixed my official seal this twenty-seventh day of May, A.D. 1907.



*J. C. Broadway*  
County Recorder.

## U. S. Surveyor General's Final Certificate on Field Notes.

## DEPARTMENT OF THE INTERIOR

Office of U. S. Surveyor General,

Phoenix, Arizona, October 14, 1907.

I, U. S. Surveyor General for District of Arizona do hereby certify that the foregoing transcript of the Field Notes, return and approval of the survey of the mining claim of George U. Young, known as the Puritan, Puritan No. 2, Puritan No. 3, Italian, Iron Mask, Madizell, Derby, Derby No. 2, Derby No. 3, Ellen No. 1, Ellen No. 2, Penos Alto No. 1, Penos Alto No. 2, Penos Alto No. 3, Happy Strike, Protection #2, Protection #3, Highland, Humbert, Huguenot, Patsy, Sunny Side, Sunny Side No. 1, Surenough and Knocker Doom, situate in Thumb Butte Mining District, Yavapai County, Arizona, in Sections 26, 27, 28, 33, 35, Tp. No. 14 N., Range No. 3 W., and designated as Survey No. 2424, has been correctly copied from the originals on file in this office; that said Field Notes furnish such an accurate description of said mining claim as will, if incorporated into a patent, serve fully to identify the premises, and that such reference is made therein to natural objects or permanent monuments as will perpetuate and fix the locus thereof.

And I further certify that not less than five hundred dollars' worth of labor has been expended or improvements made upon or for the benefit of each claim in the survey, by claimant or his grantors, and that said improvements consist of twenty-five (25) shafts, three (3) tunnels, two (2) cuts and two (2) levels, total value \$46,620.00, the value of the mill and hoist not being included in this estimate. I further certify that shaft No. 4 on the Puritan lode, with its 900 feet of drifts, is a common im-



provement for the development of all the claims of this survey, and that a one-twenty-fifth ( $1/25$ ) interest therein, valued at \$1056.00, is properly credited to each claim of the survey. I further certify that no portion of said labor or improvements has been included in the estimate of expenditure upon any other claim.

I further certify that the plat thereof, filed in the U. S. Land Office, at Phoenix, Arizona, is correct and in conformity with the foregoing Field Notes.

Frank S. Ingalls  

---

United States Surveyor-General  
for Arizona.

(4-687.)

# Surveyor General's Certificate of Approval of Field Notes and Survey of Mining Claim.

**Department of the Interior,**

*Office of U. S. Surveyor General,*

Phoenix, Arizona,

October 14, 1907.

I, U. S. Surveyor General for District of Arizona,

do hereby certify that the foregoing and hereto attached Field Notes and Return of the Survey of the Mining Claim of George U. Young, known as the Puritan, Puritan No. 2, Puritan No. 3, Italian, Iron Mask, Madizell, Derby, Derby No. 2, Derby No. 3, Ellen No. 1, Ellen No. 2, Penos Alto No. 1, Penos Alto No. 2, Penos Alto No. 3, Happy Strike, Protection #2, Protection #3, Highland, Humbert, Huguenot, Patsy, Sunny Side, Sunny Side No. 1, Surenough, and Knocker Doom

situate in Thumb Butte mining district,

Yavapai County, Arizona,

in Sections 26, 27, 28, <sup>33, 35</sup> Township No. 14 N., Range No. 3 W.,

designated as Survey No. 2424

executed by J. J. Fisher, U. S. Deputy Mineral Surveyor, June 20 - 30, 1907, under my instructions dated June 17, 1907, have been critically examined and the necessary corrections and explanations made, and the said Field Notes and Return, and the Survey they describe, are hereby approved. A true copy of the copy of the location certificate filed by the applicant for survey is included in the field notes.

*Frank S. Ingalls*

U. S. Surveyor General for Arizona.



MAR