

M
S
-

0

2

4

4

3

Copied 9-18-07
E.T.

AUG 10 1907
AUG 22 1907

A

4-683.

Mineral Survey No. 2443

Lot No.

Arizona Land District.

FIELD NOTES

OF THE SURVEY OF THE MINING CLAIM OF

Lloyd C. Haynes

KNOWN AS THE

Fox Camp, Contention, Fairwell, Monarch Victor Exstention,
Devide, Mountain Side and Stonewall,
Verde, Mining District,

Yavapai County, Arizona

Section Approx, Township 16 N, Range 2 E, Unsur

Surveyed under instructions dated June 18th, 1907,

by Park W. Latimer,

U. S. Deputy Mineral Surveyor

Claims located See location notices, 1

Survey commenced June 22nd, 1907

Survey completed June 30th, 1907

o 6-169

Address of Claimant;

T. E. Campbell, Agent,

Prescott, Arizona.

feet

MINERAL SURVEY NO. 2443.

Contention Lode Claim.

Beginning at Cor. No.1, a pine post 5 ft. long, 4 in. square, set 2 ft. in ground, surrounded by mound of stone, marked Contention Cor. No.1--2443, on N.W. face, from which U.S.M.M. No.1 brs. S. 27° 07' E. 3603.2 ft.

Cor. No.2 of Rail Road Lode, Survey No. 1418, which is identical with Cor. No.1 of Warrior Lode, Sur. No. 1074, brs. N. 71° 41' E. 15.6 ft.

Thence N. 31° 35' W.

- 6.8 To Cor. No.4 Victor Lode, Sur. No. 1349
- 50 Cross trail brs. E. & W.
- 310 Cross bed of wash 20 ft. wide, Course E.
- 640 Cross bed of wash 15 ft. wide, Course S.E.
- Ascending
- 1500 To Cor. No.2, a pine post 5 ft. long, 4 in. square, set 2 ft. in ground, surrounded with mound of stone, marked Contention Cor. No.2---2443 on S.W. face, from which a limestone in place 2 x 4 x 6 feet exposed, marked B. + R. C. No.2---2443, brs. N. 32° 02' E. 6.5 ft.
- Cor. No.3 Victor Lode, Sur. No. 1349, brs. N. 31° 35' W. 5.7 ft.

Thence S. 71° 41' W.

- 6.7 Intersect line 1-2 of Devide Lode of this Survey, N. 25° 55' E. 514 ft. from Cor. No.1.
- 514 Center of shaft 4 x 6 x 12 ft.
- 547 Cross wagon road brs. S.E. & N.W.
- 587 Center of United Verde & Pac. R. R. track brs. S.E. & N.W.
- 616.4 To Cor. No.3, a pine post 5 ft. long, 4 in. square, set 2 ft. in the ground, surrounded by a mound of stone, marked Contention Cor. No.3--2443 on S.E. face.

No bearings available.

feet	
	Thence S. 32° 48' E.
186	Cor. No. 2 of Mountain Side Lode, which is identical with Cor. No. 3 of Fairwell Lode, and intersect line 1-4 of Devide Lode, all of this Survey, at N. 65° 40' W. 278 ft. from Cor. No. 1 of the Devide Lode.
	Begin descent
432	Cross U.V. & P. R. R. brs. N. & S.
896	Cross wagon road brs N. & S.
986	Cross bed of wash, course S.W. & N.E. Ascending
1031	Cross wagon road brs. S.E. & N.W.
1507.2	To Cor. No. 4, a pine post 5 ft. long, 4 in. square, set 2 ft. in ground, surrounded with mound of stone, marked Contention Cor. No. 4--2443 on N.E. face, from which a sandstone 4 x 6 x 10 ft. exposed, marked B. + R. C. No. 4--2443 brs. S. 79° 30' W. 7.8 ft.
	No other bearings available.
	Thence N. 71° 41' E.
	Descending
196	Cross trail brs. N. & S.
583.9	To Cor. No. 1, the place of beginning.
	All corners are identical with their respective locations.
	Mean magnetic declination 14° 55' E.

Fairwell Lode Claim.

Beginning at Cor. No. 1, identical with Cor. No. 2 of Stonewall^{lode} of this Survey, which is a pine post 5 ft. long, 4 in. square, set 2 ft. in the ground, surrounded by a mound of stone, marked Fairwell Cor. No. 1--2443 on N.E. face, and Stonewall Cor. No. 2--2443 on N.W. face, from which U.S.M.M. No. 1 brs. S. 45° 45' E. 3613.4 ft., from which a sandstone in place 3 x 10 x 20 ft. exposed, marked with X B. R. F. No. 1--2443, and S. No. 2--2443, brs. N. 16° 55' E. 11.6 ft.

No other bearings available.

feet

Thence N. $54^{\circ} 30'$ E.

482 Cross U.V. & P.R.R. brs. N. & S.

587.1 Intersect line 3-4 of Rail Road Lode, Sur. No. 1418,
S. $26^{\circ} 36'$ E., 178.8 ft. from Cor. No.3.600 To Cor. No.2, a pine post 5 ft. long. 4 in. square, set
2 ft. in the ground, surrounded by mound of stone,
marked Fairwell Cor. No.2--2443.

No bearings available.

Thence N. $32^{\circ} 48'$ W.1183 Intersect line 3-4 of Rail Road Lode, Survey No. 1418,
S. $26^{\circ} 36'$ E. 60.3 ft. from Cor. No.3.

178.8 Cor. No.4 of Contention Lode, this Survey.

655 Cross wagon road brs. N.W. & S.E.

700 Cross Gulch 30 ft. wide, course E.

790 Cross wagon road brs. N. & S.

1254 Cross U.V. & P.R.R. brs. N. & S.

1500 To Cor. No.3, identical with Cor. No.2 of Mountain Side
Lode of this Survey, a pine post 5 ft. long, 4 in. square,
set 2 ft. in the ground, surrounded by mound of stone,
marked Fairwell Cor. No.3 on South face, and Mountain
Side Cor. No.2 on West face.

No bearing available.

Thence S. $54^{\circ} 30'$ W.600 To Cor. No.4, identical with Cor. No.3 of Stonewall
Lode of this Survey, a pine post 5 ft. long, 4 in. square,
set 2 ft. in the ground, surrounded by mound of stone,
marked Fairwell Cor. No.4--2443 on East face, and Stone-
wall Cor. No.3--2443 on South face, from which
a lime rock in place 2 x 6x10ft. exposed, marked B.+ R.F.
No.4--2443, and S. No.3--2443 brs. S. $83^{\circ} 20'$ W. 38.6
ft.

No other bearings available.

Thence S. $32^{\circ} 48'$ E.

Descending

440 Cross bed canyon 30 ft. wide, course E.

feet
 900 Top mountain and descend
 1500 To Cor. No.1, identical with Cor. No.2 of Stonewall
 Lode of this survey, corner heretofore described.
 All corners are identical with their respective locations.
 Mean magnetic declination $14^{\circ} 40'$ E.

Stonewall Lode Claim.

Beginning at Cor. No.1, a pine post 5 ft. long, 4
 in. square, set 2 ft. in the ground, surrounded by a
 mound of stone; marked Stonewall, Cor. No.1--2443 on
 North face, from which U.S.M.M. No.1 brs. $S. 54^{\circ} 46'$ E.
 3764.7 feet.

A lime rock in place 3 x 3 x 4 ft. exposed, marked
 B.+ R. S. No.1--2443, brs. $S. 11^{\circ} 15'$ E. 15.2 ft.

No other nearings available.

Thence N. $54^{\circ} 30'$ E.

Descending

422 Cross Spring Creek 20 ft. wide, flows East
 600 To Cor. No.2, identical with Cor. No.1 of Fairwell Lode.
 Corner heretofore described.

Thence N. $32^{\circ} 48'$ W.

Ascending

600 Top of mountain and descend
 1060 Cross bed of canyon 30 ft. wide, course East.
 1500 To Cor. No.3, identical with Cor. No.4 of Fairwell Lode,
 heretofore described.

Thence S. $54^{\circ} 30'$ W.

84 Cor. No.1 of Mountain Side and Cor. No.2 of Fox Camp, *lodes*
 both of this survey

600 To Cor. No.4, a pine post 5 ft. long, 4 in. square, set
 2 ft. in the ground, surrounded by mound of stone,
 marked Stonewall Cor. No.4--2443, on East face.

No bearings available.

Thence S. $32^{\circ} 48'$ E.

feet

Descending

250 Cross bed of canyon 30 ft. wide, course N. 75° E.

930 Top of mountain and descend

1202 Cross Spring Creek 20 ft. wide, flows East,
and ascend

1500 To Cor. No.1, the place of beginning.

All corners are identical with their respective locations.
Mean magnetic declination 14° 00' E.

Fox Camp Lode.

Beginning at Cor. No.1, a pine post 5 ft. long,
4 in. square, set 2 ft. in the ground, surrounded by a
mound of stone, marked Fox Camp Cor. No.1--2443, on
North face, from which U.S.M.M. No.1 brs. S. 50° 21' E.
5228.8 ft.

A lime rock in place 4 x 10 x 12 ft. exposed, marked
B. + R. F.C. No.1--2443, brs. N. 50° 00' E. 6.6 ft.

No other bearings available.

Thence N. 54° 30' E.

168 Cor. No.4 of Stonewall Lode, this Survey,
684 To Cor. No.2, identical with Cor. No.1 of Mountain Side
Lode of this Survey, a pine post 5 ft. long, 4 in. square,
set 2 ft. in the ground, surrounded by a mound of stone,
marked Fox Camp Cor. No.2--2443, on West face, and
Mountain Side Cor. No.1--2443, on North face, from which
a limestone in place 3x6x8 ft. exposed, marked B.+ R.
F.C. No.2--2443, and M.S. No.1--2443, brs. S. 5° 20' W.
4.8 ft.

U.S. M.M. No.1 brs. S. 42° 54' E. 5096.3 ft.

No other bearings available.

Thence N. 65° 40' W.

Ascending

200 Top of mountain and descend,
510 Cross bed of canyon, course N.E., and ascend

feet	
1150	Top of mountain and descend
1475	Cross bed of canyon, course N.E., 30 ft. wide,
1500	To Cor. No.3, identical with Cor. No.4 of Mountain Side Lode, of this Survey, a pine post 5 ft. long, 4 in. square, set 2 ft. in ground, surrounded by mound of stone, marked Fox Camp Cor. No.3--2443, on South face, and Mountain Side Cor. No.4--2443, on East face, from which a lime stone in place, 6 x 8 x 20 ft. exposed, marked B.+ R. F.C. No.3--2443, and M.S. No.4--2443, brs. N. 14° 25' E. 64.1 ft.
	No other bearings available.
	Thence S. 54° 30' W.
62	Cross bed of canyon 25 ft. wide, course N.E., and ascend
600	Top of point
684	To Cor. No.4, a pine post 5 ft. long, 4 in. square, set 2 ft. in the ground, surrounded by a mound of stone, marked Fox Camp Cor. No.4--2443, on East face, from which a limestone in place, 3 x 6 x 8 ft. exposed, marked B.+ R. F.C. No.4--2443, brs. S. 25° 56' W. 22.3 ft.
	No other bearings available.
	Thence S. 65° 40' E.
	Ascending
680	Top of mountain and descend
1030	Cross bed of canyon 25 ft. wide, course N.E., and ascend
1500	To Cor. No.1, the place of beginning.
	All corners are identical with their respective locations.
	Mean magnetic declination 14° 50' E.

No. 7.

feet	<u>Mountain Side Lode.</u>
	Beginning at Cor. No.1, identical with Cor. No.2 of Fox Camp Lode, heretofore described, from which U.S.M.M. No.1 brs. S. $42^{\circ} 54' E.$ 5096.3 ft. Thence N. $54^{\circ} 30' E.$
84	Cor. No.3 of Stonewall Lode and Cor. No.4 of Fairwell Lode, both of this Survey.
684	To Cor. No.2, identical with Cor. No.3 of Fairwell Lode and line 1-4 of Devide Lode, both of this Survey, Corner heretofore described. Thence N. $65^{\circ} 40' W.$
627	Cross bed of canyon 30 ft. wide, course N.E.
1222	Cor. No.4 Devide Lode of this Survey
1312	Center U.V. & P.R.R. track, brs. N.E. & S.W.
1475	Cross bed of canyon 40 ft. wide, course N.E.
1500	To Cor. No.3, a pine post 5 ft. long, 4 in. square, set 2 ft. in the ground, surrounded by a mound of stone, marked Mountain Side Cor. No.3--2443, from which a Malapais boulder 2 x 4 x 4 ft. exposed, marked B.+ R. M.S. No.3--2443, brs. S. $75^{\circ} 20' W.$ 23.7 ft. No other bearings available. Thence S. $54^{\circ} 30' W.$
457	Gen. of U.V. & P.R.R. track brs. N. & S.
684	To Cor. No.4, identical with Cor. No.3 of Fox Camp Lode of this Survey, heretofore described. Thence S. $65^{\circ} 40' E.$
25	Cross bed of canyon 30 ft. wide, course N.E.
350	Top of mountain
990	Cross bed of canyon 40 ft. wide, course N.E.
1300	Top of mountain
1500	To Cor. No.1, identical with Cor. No.2 of Fox Camp Lode of this Survey, the place of beginning. All corners are identical with their respective locations. Mean magnetic declination $14^{\circ} 45' E.$

feet

Devide Lode.

Beginning at Cor. No.1, a pine post 5 ft. long, 4 in. square, set 2 ft. in the ground, surrounded by a mound of stone, marked Devide Cor. No.1--2443, on North face, from which U.S. M.M. No.1 brs. S. 33° 31' E. 4815.6 feet.

A Limestone in place 3 x 3 x 5 feet exposed, marked B. + R. D. No.1--2443, brs. N. 32° 30' W. 14.5 ft.

No other bearings available.

Thence N. 25° 55' E.

290 Cross bed of canyon 25 ft. wide, course East.

514 Intersect line 2-3 of Contention Lode, this Survey, S. 71° 41' W. 6.7 ft. from Cor, No.2.

521.74 Cor. No.3 of Victor Lode, Survey No. 1349

600 To Cor. No.2, identical with Cor. No.1 of the Victor Exstention Lode of this Survey, a pine post 5 ft. long, 4 in. square, set 2 ft. in the ground, surrounded with a mound of stone, marked Devide Cor. No.2--2443, on West face, and Victor Exstention Cor. No.1--2443, on North face, from which U.S. M.M. No.1 brs. S. 27° 45' E. 5147.7 ft.

A Limestone in place 1 x 5 x 6 ft. exposed, marked B. + R. D. No.2--2443, and V.E. 1.--2443; brs. S.20° 42' E. 18.7 ft.

No other bearings available.

Thence N. 65° 40' W.

Ascending

510 Top of ascent

910 Cross bed of canyon 30 ft. wide, course N.E.

1100 Top of ridge brs. N.E. & S.W.

1500 To Cor. No.3, identical with Cor. No.4 of Victor Exstention Lode, this Survey, a pine post 5 ft. long, 4 in. square, set 2 ft. in the ground, surrounded with a mound of stone, marked Devide Cor. No.3--2443, on South face, and Victor Exstention Cor. No.4--2443, on N.E. face,

No. 9.

feet

from which a Malapais boulder 6 x 6 x 8 ft. exposed, marked B. + R. D. No.3--2443, and V.E. No.4--2443 brs. S. 58° 30' W. 24.5 ft.

No other bearing available.

Thence S. 25° 55' W.

543 Center U.V. & P. R.R. track brs. E. & W.

600 To Cor. No.4, on line 2-3 of Mountain Side Lode of this Survey, S. 65° 40' E. 278 ft. from Cor. No.3, a pine post 5 ft. long, 4 in. square, set 2 ft. in the ground, surrounded with mound of stone, marked Devide Cor. No.4--2443, on East, from which a limestone in place 4 x 6 x 10 ft. exposed, marked D. No. 4--2443, brs. S. 56° W. 12.3 ft.

No other bearings available.

Thence S. 65° 40' E.

595 Cross bed of canyon 30 ft. wide, course N.E.

1222 Cor. No.2 of Mountain Side and Cor. No.3 of Fairwell and on line 3-4 of Contention Lode, all of this Survey, S. 32° 48' E. 186 ft. from Cor. No.3.

1332 Center U.V. & P. R.R. track brs. N.W. & S.E.

1380 Cross wagon road brs. N.W. & S.E.

1500 To Cor. No.1, the place of beginning.

All corners are identical with their respective locations.

Mean magnetic declination 14° 50' E.

Victor Exstention Lode.

Beginning at Cor. No.1, corner heretofore described, from which U.S. M.M. No.1 brs. S. 27° 45' E. 5147.7 ft.

Thence N. 24° 40' E.

600 To Cor. No.2, identical with Cor. No.1 of Monarch Lode of this Survey, a pine post 5 ft. long, 4 in. square, set 2 ft. in the ground, surrounded by a mound of stone, marked Victor Exstention Cor. No.2--2443, on West face, and Monarch Cor. No.1--2443 on North face, from which

feet

U.S. M.M. No.1 brs. S. 22° 49' E. 5535.2 ft.

.No other bearings available.

Thence N. 65° 40' W.

- 220 Top of ridge brs. N.E. & S.W.
- 490 Cross bed of canyon 35 ft. wide, course N.E.
- 620 Top of ridge brs. N.E. & S.W.
- 995 Cross bed of canyon 40 ft. wide, course N.E.
- 1500 To Cor. No.3, identical with Cor. No.4 of Monarch Lode, this Survey, a pine post 5 ft. long, 4 in. square, set 2 ft. in the ground, surrounded by a mound of stone, marked Victor Exstention Cor. No.3--2443, on South face, and Monarch Cor. No.4--2443, on East face, from which a sandstone boulder 2 x 4 x 5 ft. exposed, marked B.+ R. V.E. No.3--2443, and M. No.4 2443, brs, S. 34° 05' E. 22.5 ft.

. No other bearings available.

Thence S. 24° 40' W.

- 540 Cross bed of canyon 40 ft. wide, course N.E.
- 600 To Cor. No.4, identical with Cor. No.3 of Devide Lode of this Survey, Corner heretofore described.

. Thence S. 65° 40' E.

- 400 Top of ridge brs. N.E. & S.W.
- 590 Cross bed of canyon 30 ft. wide, Course N.E.
- 990 Top of ridge brs. N.E. & S.W.
- 1500 To Cor. No.1, identical with Cor. No.2 of Devide Lode of this Survey, the place of beginning.

All corners are identical with their respective locations.

Mean magnetic declination, 14° 45' E.

feet

Monarch Lode.

Beginning at Cor. No. 1, Corner heretofore described,
from which U. S. M. M. No. 1 brs. S. 22° 49' E. 5535.2 ft.

Thence N. 24° 40' E.

260 Top of ridge brs. N.E. & S.W.

600 To Cor. No. 2, a pine post 5 ft. long, 4 in. square, set
2 ft. in the ground, surrounded by a mound of stone,
marked Monarch Cor. No. 2--2443, from which a limestone
in place 6 x 10 x 20 ft., marked M. No. 2--2443, brs.
S. 56° 25' E. 34 ft.

No other bearings available.

Thence N. 65° 40' W.

665 Cross bed of canyon 45 ft. wide, course N.E.

820 Cross ridge brs. N.E. & S.W.

1065 Cross bed of canyon 50 ft. wide, course N.E.

1500 To Cor. No. 3, a pine post 5 ft. long, 4 in. square, set
2 ft. in the ground, surrounded by a mound of stone,
marked Monarch Cor. No. 3--2443, on South face, from
which a limestone in place 2 x 4 x 7 ft. exposed, marked
B. + R. M. No. 3--2443, brs. N. 28° 20' W., 20.1 feet.

No other bearings available.

Thence S. 24° 40' W.

290 Cross bed of canyon 45 ft. wide, course N.E.

340 Top of point brs. N.E. & S.W.

395 Cross bed of canyon 25 ft. wide, course N.E.

600 To Cor. No. 4, identical with Cor. No. 3 of the Victor
Exstention of this Survey, Corner heretofore described.

Thence S. 65° 40' E.

505 Cross bed of canyon 40 ft. wide, course N.E.

880 Top of ridge brs. N.E. & S.W.

1010 Cross bed of canyon 35 ft. wide, course N.E.

1280 Top of ridge brs, N.E. & S.W.

1500 To Cor. No. 1, identical with Cor. No. 2 of Victor Exsten-
tion Lode of this Survey, the place of beginning.
All corners are identical with their respective locations.
Mean magnetic declination 14° 50' E.

LEDGES.

The presumed courses of the several ledges, as near as can be traced upon the ground, are as follows:

Contention Lode: Course of Ledge is from a point on line 1-4 300 ft. S. $71^{\circ} 41'$ W. from Cor. No. 1, N. $31^{\circ} 35'$ W. 1500 feet to intersection of line 2-3.

Fairwell Lode: Course of Ledge is from a point on line 1-2 300 ft. N. $54^{\circ} 30'$ E. from Cor. No. 1, N. $32^{\circ} 48'$ W. 1500 feet to an intersection of line 3-4.

Stonewall Lode: Course of Ledge is from a point on line 1-2 300 ft. N. $54^{\circ} 30'$ E. from Cor, No. 1, N. $32^{\circ} 48'$ W. 1500 feet to an intersection of line 3-4.

Fox Camp Lode: Course of Ledge is from a point on line 1-2 342 ft. N. $54^{\circ} 30'$ E. from Cor. No. 1, N. $65^{\circ} 40'$ W. 1500 feet to an intersection of line 3-4.

Mountain Side Lode: Course of Ledge is from a point on line 1-2 342 ft. N. $54^{\circ} 30'$ E. from Cor. No. 1, N. $65^{\circ} 40'$ W. 1500 feet to an intersection of line 3-4.

Devide Lode: Course of Ledge is from a point on line 1-2 300 ft. N. $25^{\circ} 55'$ E. from Cor. No. 1, N. $65^{\circ} 40'$ W. 1500 feet to an intersection of line 3-4.

Victor Exstention Lode: Course of Ledge is from a point on line 1-2 300 feet N. $24^{\circ} 40'$ E. from Cor, No. 1, N. $65^{\circ} 40'$ W. 1500 feet to an intersection of line 3-4.

Monarch Lode: Course of Ledge is from a point on line 1-2 300 ft. N. 24° 40' E. from Cor. No.1, N. 65° 40' W. 1500 feet to an intersection of line 3-4.

IMPROVEMENTS.

I certify that the value of the labor and improvements upon these claims, placed thereon by the claimants and their grantors, is not less than Five Hundred Dollars (\$500.00) for each claim, and that said improvements consist of:

Contention Lode

- No.1 Discovery cut 4 x 6 x 12 ft. which bears from Cor. No.1, N. 69° 57' W. 470 ft.
Value - - - - - \$120.00
 - No.2 Diamond drill hole 760 ft. deep which bears from Cor. No.1 N. 33° 30' W. 325 ft.
Value - - - - - \$3040.00
 - No.3 A shaft 4 x 6 x 10 ft. which bears from Cor. No.1, N. 55° 30' W. 262 ft.
Value - - - - - \$100.00
 - No.4 Diamond drill hole 725 ft. deep which bears from Cor. No.1, N. 71° 30' W. 610 ft.
Value - - - - - \$3000.00
 - No.5 Tunnel 4 x 7 x 220 ft. which bears S. 17° 45' W., which bears from Cor. No.1, N. 72° 45' W. 760 feet.
Value - - - - - \$2600.00
 - No.6 Diamond drill hole 130 ft. deep which bears from Cor. No.1 N. 59° 30' W. 665 feet
Value - - - - - \$520.00
- To be accredited to this claim, an undivided 1/8 interest in shaft No.2 on Devide Lode. Value - - - - - \$3125.00

Fairwell Lode:

No.1 Discovery cut 4 x 6 x 12 ft. which bears
from Cor. No.1, N. 14° 40' W. 962 ft.
Value - - - - - \$ 120.00

No.2 Shaft 4 x 6 x 60 ft. with 100 ft.
Diamond drill hole in bottom, bears from
Cor. No.1, N. 6° 10' W. 990 ft.
Value - - - - - \$1000.00

No.3 Tunnel 4 x 7 x 60 ft. mouth of which
bears from Cor. No.1 N. 9° 30' W. 1010 feet
Value - - - - - \$ 600.00
2,000 lineal ft. of road on this claim
Value - - - - - \$2800.00

To be accredited to this claim an un-
divided 1/8 interest in Shaft No.2 on
Devide Lode.
Value - - - - - \$3125.00

No.

Stonewall Lode:

No.1 Discovery cut 4 x 6 x 15 ft. which bears
from Cor. No.1 ^{N.} 16° 20' W. 1057 feet
Value - - - - - \$ 150.00

To be accredited to this claim an un-
divided 1/8 interest in Shaft No.2 on
Devide Lode.
Value - - - - - \$3125.00

Fox Camp Lode:

No.1 Discovery cut 4 x 6 x 10 feet, which
bears from Cor. No.1 N. 13° 20' W. 370 ft.
Value - - - - - \$ 100.00

No.2 An open cut 4 x 6 x 35 ft. which bears
from Cor. No.1, N. 10° 10' W. 593 ft.
Value - - - - - \$ 300.00

No.15.

To be accredited to this claim an un-
divided 1/8 interest in Shaft No.2 on
Devide Lode.

Value - - - - - \$3125.00

Mountain Side Lode:

No.1 Discovery cut 4 x 6 x 10 ft. which bears
from Cor. No.1, N. 13° 19' W. 370.7 ft.

Value - - - - - \$ 100.00

No.2 An open cut 4 x 6 x 12 ft. which bears
from Cor. No.1, N. 39° 10' W. 618 ft.

Value - - - - - -\$120.00

No.3 A shaft 4 x 6 x 12 ft. which bears
from Cor. No.1, N. 23° 20' E. 420 ft.

Value - - - - - \$ 120.00

To be accredited to this claim an un-
divided 1/8 interest in Shaft No.2 on
Devide Lode.

Value - - - - - \$3125.00

Devide Lode:

No.1 Discovery cut 4 x 6 x 10 ft. which bears
from Cor. No.1, N. 43° 39' W. 800 ft.

Value - - - - - \$ 100.00

No.2 A shaft 4 x 8 x 500 feet deep which
bears from Cor. No.1, N. 38° 20' W. 638 ft.

Value - - - - - \$25000.00

No.3 A shaft 4 x 6 x 12 ft. deep which
bears from Cor. No.1, N. 41° 10' W. 399 ft.

Value - - - - - \$ 120.00

No.4 A tunnel 4 x 6 x 170 ft. which bears
from Cor. No.1, N. 41° 30' W. 900 ft.

Course of tunnel S. 3° 30' E.

Value - - - - - \$3400.00

To be accredited to this claim and undivided 1/8 interest value \$3125.00

No.16.

400 lineal feet of road on this claim

Value - - - - - \$ 200.00

An undivided 1/8 interest in shaft No.2 of this claim is to be credited to each of the eight claims in this group.

Victor Exstention Lode:

No.1 Discovery cut 4 x 6 x 12 ft. which bears from Cor. No.1, N. 34° 37' W. 581.5 ft.

Value - - - - - \$ 120.00

No.2 A shaft 4 x 6 x 6 ft. deep, which bears from Cor. No.1, N. 63° W. 473 ft.

Value - - - - - \$ 40.00

To be accredited to this claim an undivided 1/8 interest in Shaft No.2 on Devide Lode.

Value - - - - - \$3125.00

Monarch Lode:

No.1 Discovery cut 4 x 6 x 10 ft. which bears from Cor. No.1, N. 34° 37' W. 581.5 ft.

Value - - - - - \$ 100.00

To be accredited to this claim an undivided 1/8 interest in Shaft No.2 on Devide Lode.

Value - - - - - \$3125.00

OTHER IMPROVEMENTS.

No.1 Bunk House 10 x 12 ft. which bears from of Contention Lode Cor. No.1, N. 89° W. 196 ft.

Value - - - - - \$ 100.00

No.17.

- No.2 Dwelling house 12 x 24 ft, which bears
of Contention Lode
from Cor. No.1, N. 78° 30' W. 240 ft.
Value - - - - - ÷ - - - - - - - - - - - - - - - \$300.00
- No.3 Blacksmith Shop 12 x 12 ft. which bears
from Cor. No.1 of Contention Lode N. 75° "W.
290 ft., Lloyd C. Haynes, Claimant.
Value - - - - - ÷ - - - - - - - - - - - - - - - \$100.00
- No.4 The United Verde and Pacific R. R. which
runs over the Mountain Side, Devide, Contention,
and Fairwell claims, United Verde Copper Co.,
Claimant.

I find the course of line 2-3 of the Rail Road claim,
Sur. No. 1418, to be S. 71° 41' W. instead of S. 72° 00'
W., and 592.9 ft. in distance instead of 600 ft. as shown
on plat.

Cor. No.3 of said claim is within 30 ft. of the
United Verde & Pacific R. R.; said R. R. being built
since survey was made, it is probable that this Cor. has
been moved.

AREA

	<u>Acres</u>	<u>Acres</u>
Total area of Contention	20.110	
Less conflict with Devide	2.899	
Net area of Contention - - - - -		17.211
Total area of Fairwell	20.638	
Less conflict with Rail Road, Sur. No.1418	0.017	
Net area of Fairwell - - - - -		20.621
Total and net area of Stonewall - - - - -		20.638

Total and net area of Fox Camp - - - - -	20.363
Total and net area of Mountain Side - - - - -	20.363
Total and net area of Devide - - - - -	20.653
Total and net area of Victor Exstention - - - - -	20.660
Total and net area of Monarch - - - - -	<u>20.660</u>
Net area of Lode Claims	161.169

LOCATION

These claims are located on unsurveyed land, approximately in Section 14, Township 16, N. R. 2 E., Verde Mining District, Yavapai County, Arizona.

INSTRUMENT

This survey was made with a Leitz Light Mountain Transit. The courses were deflected from the true Meridian as determined by direct solar observations checked on Polaris. The distances were measured with a 100 and 300 ft. steel tape.

Park W. Latimer

U. S. Deputy Mineral Surveyor.

FINAL OATHS FOR SURVEYS.

LIST OF NAMES.

A list of the names of the individuals employed by Park W. Latimer.

United States Deputy Mineral Surveyor, to assist in running, measuring, and marking the lines, corners, and boundaries described in the foregoing field notes of the survey of the mining claims of

Lloyd C. Haynes
Fox Camp, Contention, Fairwell, Monarch Victor Exstention
known as the Devide Mountain Side and Stonewall.

and showing the respective capacities in which they acted.

F. R. Goodman, Chairman.
Neal C. Clark, Chairman.
_____, Axman.
_____, Flagman.

FINAL OATHS OF ASSISTANTS.

We, F. R. Goodman
and Neal C. Clark, do solemnly swear that we assisted Park W. Latimer, United States Deputy Mineral Surveyor, in marking the corners and surveying the boundaries of the mining claim of Lloyd C. Haynes

Fox Camp, Contention, Fairwell, Monarch Victor Exstention
known as the Devide, Mountain Side, and Stone Wall.

represented in the foregoing field notes as having been surveyed by said deputy mineral surveyor and under his direction; and that said survey has been in all respects, to the best of our knowledge and belief, faithfully and correctly executed, and the corner and boundary monuments established according to law and the instructions furnished by the United States Surveyor-General for ARIZONA

F. R. Goodman, Chairman.
Neil C. Clark, Chairman.
_____, Axman.
_____, Flagman.

Subscribed and sworn to by the above-named persons before me this 3rd day of August, 1907

A. M. Thomas
Notary Public

My commission expires July 20, 1909.

FINAL OATH OF U. S. DEPUTY MINERAL SURVEYOR

I, Park W. Latimer, U. S. Deputy Mineral Surveyor, do solemnly swear that, in pursuance of instructions received from the United States Surveyor General for Arizona, dated June 18th 1907, I have, in strict conformity to the laws of the United States, the official regulations and instructions thereunder, and the instructions of said Surveyor General, faithfully and correctly executed the survey of the Mining Claim of Lloyd C. Haynes known as the Fox Camp, Contention, Fairwell, Monarch, Victor Exstention, Devide, Mountain Side and Stone Wall, situate in Verde Mining District, Yavapai County, Arizona, in Section Approx., Township No. 16 N., Range No. 2 E. U7 Sur, and designated as Survey No. 2443, as represented in the foregoing field notes, which accurately show the boundaries of said mining claim as distinctly marked by monuments on the ground, and described in the attached copy of the location certificate, which was received by me from the Surveyor General with said instructions, and that all the corners of said survey have been established and perpetuated in strict accordance with the law, official regulations and instructions thereunder; and I do further solemnly swear that the foregoing are the true and original field notes of said survey and my report therein, and that the labor expended and improvements made upon said mining claim by claimant or his grantors are as therein fully stated, and that the character, extent, location and itemized value thereof are specified therein with particularity and full detail, and that no portion of said labor or improvements so credited to this claim has been included in the estimate of expenditures upon any other claim.

Park W. Latimer
U. S. Deputy Mineral Surveyor.

Subscribed and sworn to by the said Park W. Latimer
U. S. Deputy Mineral Surveyor, before me a Clerk of the District Court for Yavapai County this 3rd
day of August 1907.

J. M. Watts
Clerk Dist Court

"CONTENTION"

NOTICE OF MINING LOCATION
Lode Claim

To all whom it may concern:

This mining claim, the name of which is the Contention Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purpose of exploration and purchase by Chris Haryhousen, a citizen of the United States the undersigned on the first day of Jan 1904.

The length of this claim is 1500 feet and I claim 300 feet in a Southerly direction and 1200 feet in a Northerly direction from the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with 300 feet in width of the surface grounds, on each side of the center of said claim. The general course of the lode deposit and premises is from the South to the Nord

The claim is situated and located in the Verde Mining District, in Yavapai County, in the Territory of Arizona, about 700 yards in a Northerly direction from U. Verde Works. It is an abandoned claim and use to be known as the Greek, and lays in between the Victor on the East, and Farewell on the West.

The surface boundaries of the claim are marked upon the ground as follows: Beginning at a monument of stones at a point in a South-erly direction 300 feet from the discovery shaft (at which this notice is posted), being in the center of the Southerly end line of said claim; thence 300 feet to a monument of stone, being the S. W. corner of said claim; thence 750 feet to a monument of stone at the center of the West side line of said claim; thence 750 feet to a monument of stone being at the N. W. corner of said claim; thence 300 feet to a monu-ment of stone at the center of the North end of said claim; thence 300 feet to a monument of stone being at the N. East corner of said claim; thence 750 feet to a monument of stone being at the center of the East side line of said claim; thence 750 feet to a monument of stone at the S. E. corner of said claim; thence 300 feet to the place of beginning.

All done under the provisions of Chapter Six of Title XXXII., of the Revised Statutes of the United States, and of an Act of the Gen-eral Assembly of Arizona, entitled "An Act Concerning Mines," ap-proved March 30th, 1895, and amended March 2d, 1899.

Dated and posted on the ground this first day of Jan. 1904

Chris Haryhousen

Filed and recorded at request of Chris Haryhousen Jan 6th A.D. 1904, at 9²² oclock A.M. in Book 64 of Mines, pages 563-565, Records of Yavapai County, Arizona

(Seal)

By P. J. Kechane
Deputy Recorder

P. J. Farley
County Recorder

Devide.

Notice of Location

Know all men by these Presents:

That I the undersigned have this day located 1500 feet of this vein or lode, bearing Precious metals, with all dips, spurs, angles and variations, with surface ground 300 feet on each side of vein, with all mineral deposits contained therein, and all Timber and Water thereon or appurtenant thereto, according to the Provision of the United States Mining Laws

This Monument and Notice is the center of the claim, and running 750 feet in an easterly direction to the east end center Monument, and South east Cor. Monument 300 feet apart on each side of Center Monument east boundary line. also it extends 750 feet in a westerly direction to the west end center Monument Nord west cor. monument, and South west cor. Monument 300 feet on each side of centre Monument as a mark of the west end boudery line.

Situated about 1-1/4 Mile in a Nord westerly direcktion from the Jerome Smelter on a Devide, in Verde Mining District Yavapai County, Arizona, and shall be known as the Devide Mining Claim.

Dated on the ground this (first)1 day of January 1893.

Witness)
C.Hatch :
H N.Thompson)

C. Haryhousen.

Recorded at request of C.Haryhousen Jany 7th A.D. 1893 at 10:40 Oclock A.M. in Book 35 of Mines Pages 281 Records of yavapai County Arizona

By F.A.Tritle Jr.
Deputy.

(L.S.)

Alex O. Brodie
County Recorder

Mountain Side

Notice of Mining Location.

Lode Claim.

To All Whom it May Concern:

This Mining Claim, the name of which is the Mountain Side Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purpose of exploration and purchase by Chris Haryhousen a citizen of the United States the undersigned, on the 15th day of Jan, 1903

The length of this claim is 1500 feet, and I claim 400 feet, in a Southerly direction and 1100 feet in a Northerly direction from the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with 300 feet in width of the surface grounds, on each side of the center of said claim. The general course of the lode deposit and premises is from the Northerly to the Southerly

The claim is situated and located in the Verde Mining District in Yavapai County, in the Territory of Arizona, about 1 mile in a Northerly direction from U.V. Smelter it is an abandoned claim and use, to be known as the Saturn and runs along the Westerly side line of the Divide claim

The surface boundaries of the claim are marked upon the ground as follows: Beginning at The northerly end of the Farewell at a monument of stone at a point in a Southerly direction 400 feet from the discovery shaft (at which this notice is posted), being in the center of the Southerly end line of said claim; thence 300 feet to a monument of stone being the S.westerly corner of said claim; thence 750 feet to a monument of stone at the center of the Westerly side line of said claim; thence 750 feet to a Mo of stone being at the N Westerly corner of said claim; thence 300 feet to a Mo of stone at the center of the Northerly end of said claim; thence 300 feet to a Mo of stone being at the N easterly corner of said claim; thence 750 feet to a Mo of stone being at the center of the Easterly side line of said claim; thence 750 feet to a Mo of stone at the S.easterly corner of said claim; thence 300 feet to the place of beginning.

All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of the United States and of an Act of the General Assembly of Arizona, entitled "An Act Concerning Mines," approved March 20th, 1895, and amended March 2d, 1899.

Dated and posted on the ground, this 15th day of January 1903

Chris Haryhousen

Filed and recorded at request of C Haryhousen Feb 9 A.D. 1903, at 9 o'clock A M., Book 66 of Mines, Page 583, Records of Yavapai County, Arizona.

(Seal)

P.J.Farley

County Recorder.

By P.J.Keohane

Deputy Recorder.

Fox Camp

Notice of Mining Location.

Lode Claim.

To All Whom it May Concern:

This Mining Claim, the name of which is the Fox Camp Mining Claim, Situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purpose of explration and purchase by C.Haryhousen a citizen of the United States the undersigned, on the 15 day of Jan , 1903

The length of this claim is 1500 feet, and I claim 400 feet, in a Southerly direction and 1100 feet in a Northerly direction from the center of the discovery shaft, at which this notice is posted; lengthwise of the claim, together with 300 feet in width of the surface grounds, on each side of the Center of said claim. The general course of the lode deposit and premises is from the Northerly to the Southerly

The claim is situated and located in the Verde Mining District in Yavapai County, in the Territory of Arizona, about 1 mile in a Northerly direction from U V.Smelter it is an abandoned claim and use to be known as the Delaware and runs along the mountain side side line on the west

The surface boundaries of the claim are marked upon the ground as follows: Beginning at monument of stone at a point in a Southerly direction 400 feet from the discovery shaft (at which this notice is posted), being in the center of the South end line of said claim; thence 300 feet to a M-stone being the S.Westerly corner of said claim; thence 750 to a M stone at the center of the Westerly side line of said claim; thence 750 feet to a M.Stone being at the N Westerly corner of said claim; thence 300 feet to a M stone at the center of the North end of said claim; thence 300 feet to a M stone being at the N Easterly corner of said claim; thence 750 feet to a M stone being in the center of the Easterly side line of said claim; thence 750 feet to a M stone at the N.West corner of said claim; thence 300 feet to the place of beginning.

All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of the United States and of an Act of the General Assembly of Arizona, entitled "AN Act Concerning Mines," approved March 20th, 1895, and amended March 2d, 1899.

Dated and posted on the ground, this 15 day of January 1903

C.Haryhousen

Filed and recorded at request of C Haryhousen Feb 9 A.D. 1903, at 9 o'clock A M., Book 66 of Mines, Page 581, Records of Yavapai County, Arizona.

(Seal)

P.J.Farley

By P.J.Keohane

Deputy Recorder.

County Recorder.

"Fairwell"

Amended Notice of Mining Location,
Quartz Claim.

To all whom it may concern:-

This mining claim, the name of which is the Fairwell Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was originally entered upon and located for the purpose of exploration and purchase by Chris Haryhousen the undersigned on the 24th day of February 1893; that thereafter, to-wit: on the 14th day of May 1895 said original location and the notice thereof was amended and said amended notice of location was duly posted on said claim and a true copy thereof recorded in the office of the County Recorder of the County of Yavapai Territory of Arizona after all the requirements of law had been fully complied with in respect to marking the surface boundaries of said claim as corrected and doing the discovery work thereon; that being desirous at this time of changing the South end surface boundaries of the said claim the undersigned makes and posts this his second amended notice of location of said mining claim as follows to-wit: The length of this claim is 1500 feet and I claim 600 feet in a northerly direction and 900 feet in a southerly direction from the center of the discovery shaft at which this notice is posted, lengthwise of the claim, together with 300 feet in width of the surface grounds, on each side of the center of the said claim.

The general course of the lode deposit and premises is from north to south. The claim is situated in the Verde Mining District in Yavapai County Territory of Arizona about one mile in a northerly direction from the United Verde Copper Co's smelter at the town of Jerome. Said claim is further described as being bounded by the north-easterly corner of the Divide Mining claim. The surface boundaries of the claim are marked upon the ground as follows:- Beginning at a rock monument at a point in a northerly direction 600 feet from the discovery shaft at which this notice is posted, being in the center of the north end line of said claim; thence westerly 300 feet to a stone monument being the north-west corner; thence southerly 750 feet to a stone monument being the center of the west side line; thence southerly 750 feet to a stone monument, being the south-west corner of said claim; thence easterly 300 feet to a stone monument being the center of the south end line of said claim; thence easterly 300 feet to a stone monument being the south-east corner of said claim; thence northerly 750 feet to a stone monument being the center of the east side line of said claim; thence northerly 750 feet to a stone monument being the north-east corner of said claim; thence westerly 300 feet to a stone monument the place of beginning.

All done under the provisions of chapter six, of title XXXII, of the Revised Statutes of the United States, and of an act of the General Assembly of Arizona entitled "An act concerning mines" approved March 20th 1895 and all amendments thereto.

Dated and posted on the ground this 12 day of August 1899.

Chris Haryhousen.

Recorded at request of C. Haryhousen Aug 15 A.D. 1899. At 9 O'clock A.M. In Book 51 of Mines. Pages 372 to 374, Records of Yavapai County Arizona.

W. I. Johnson
County Recorder

(Seal)

By F. E. Walker.
Deputy

Victor Exstention

Notice of Mining Location.

Lode Claim.

To All Whom it May Concern:

This Mining Claim, the name of which is the Victor Exstention Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purpose of exploration and purchase by Chris Haryhousen a citizen of the United States the undersigned, on the 15 day of January, 1903

The length of this claim is 1500 feet, and I claim 500 feet, in a Southerly direction and 1000 feet in a Northerly direction from the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with 300 feet in width of the surface grounds, on each side of the center of said claim. The general course of the lode deposit and premises is from the Northerly to the Southerly

The claim is situated and located in the Verde Mining District in Yavapai County, in the Territory of Arizona, about 1 mile in a Northerly direction from U.V.Smelter and it is the northerly exstention of the Victor and use to be known as the Mars and it is an abandoned claim

The surface boundaries of the claim are marked upon the ground as follows: Beginning at a stone monument at a point in a Northerly direction 1000 feet from the discovery shaft (at which this notice is posted), being in the center of the Northerly end line of said claim; thence 300 feet to a monument of stone being the N Easterly corner of said claim; thence 750 feet to a M. stone at the center of the Easterly side line of said claim; thence 750 feet to a Mo of stone being at the S. Easterly corner of said claim; thence 300 feet to a Mo stone at the center of the Southerly end of said claim; thence 300 feet to a Mo of stone being at the S. Westerly corner of said claim; thence 750 feet to a Mo of stone being at the center of the Westerly side line of said claim; thence 700 feet to a Mo of stone at the N. Westerly corner of said claim; thence 300 feet to the place of beginning.

All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of the United States and of an Act of the General Assembly of Arizona, entitled "An Act Concerning Mines," approved March 20th 1895, and amended March 2d, 1899.

Dated and posted on the ground, this 15 day of January 1903

C.Haryhousen

Filed and recorded at request of C.Haryhousen Feb 9 A.D. 1903, at 9 o'clock A.M., Book 66 of Mines, Page 578, Records of Yavapai County, Arizona.

(Seal)

P.J.Farley

County Recorder.

By P.J.Keohane

Deputy Recorder.

Monarch

Notice of Mining Location.

Lode Claim.

To All Whom it May Concern:

This Mining Claim, the name of which is the Monarch Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purpose of exploration and purchase by C Haryhousen a citizen of the United States the undersigned, on the 15 day of January, 1903

The length of this claim is 1500 feet, and I claim 500 feet, in a Southerly direction and 1000 feet in a Northerly direction from the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with 300 feet in width of the surface grounds, on each side of the center of said claim. The general course of the lode deposit and premises is from the Northerly to the Southerly

The claim is situated and located in the Verde Mining District in Yavapai County, in the Territory of Arizona, about 1 mile in a Northerly direction from Jerome Smelter and runs along the easterly side line of the Victor exstention and use to be known as the Sunflower for it is an abandoned claim

The surface boundaries of the claim are marked upon the ground as follows: Beginning at a monument of stone at a point in a Southerly direction 500 feet from the discovery shaft (at which this notice is posted), being in the center of the South end line of said claim; thence 300 feet to a M.Stone being the S.Westerly corner of said claim; thence 750 feet to a M stone at the center of the Westerly side line of said claim; thence 750 feet to a M stone being at the N West corner of said claim; thence 300 feet to a M stone at the center of the North end of said claim; thence 300 feet to a Mo stone being at the N East corner of said claim; thence 750 feet to a M stone being at the center of the East side line of said claim; thence 750 feet to a M stone at the S East corner of said claim; thence 300 feet to the place of beginning.

All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of the United States and of an Act of the General Assembly of Arizona, entitled "An Act Concerning Mines," approved March 20, th 1895, and amended March 2d, 1899.

Dated and posted on the ground, this 15 day of January 1903

C Haryhousen

Filed and recorded at request of C Haryhousen Feb 9 A.D. 1903, at 9 o'clock A.M., Book 66 of Mines, Page 582, Records of Yavapai County, Arizona.

(Seal)

P.J.Farley

County Reorder.

By P.J. Keohane

Deputy Recorder.

"STONEWALL"

NOTICE OF MINING LOCATION

Lode Claim

To all whom it may concern:

This mining claim, the name of which is the Stonewall Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purpose of exploration and purchase by Chris Haryhousen, a citizen of the United States the undersigned, on the first day of Jan. 1904.

The length of this claim is 1500 feet and I claim 1000 feet in a Southerly direction, and 500 feet in a Northerly direction from the center of the discovery tunnel, at which this notice is posted, lengthwise of the claim, together with 300 feet in width of the surface grounds, on each side of the center of said claim. The general course of the lode deposit and premises is from the Nord to the South.

The claim is situated and located in the Verde Mining District, in Yavapai County, in the Territory of Arizona about 800 yards in a N. Westerly direction from the U. Verde Workings. It is an abandoned claim, and use to be known as the Road Iland Claim and runs along the West side of the Farewell.

The surface boundaries of the claim are marked upon the ground as follows: Beginning at a monument of stone at a point in a north-erly direction 500 feet from the discovery tunnel (at which this notice is posted), being in the center of the Northerly end line of said claim; thence 300 feet to a monument of stone being the N. E. corner of said claim; thence 750 feet to a monument of stone at the center of the East side line of said claim; thence 750 feet to a monument of stone, at the S. E. corner of said claim; thence 300 feet to a monument of stone at the center of the South end of said claim; thence 300 feet to a monument of stone being at the S. W. corner of said claim; thence 750 feet to a monument of stone being at the center of the West side line of said claim; thence 750 feet to a monument of stone at the N. W. corner of said claim; thence 300 feet to the place of beginning.

All done under the provisions of Chapter Six of Title XXXII of the Revised Statutes of the United States and of an Act of the General Assembly of Arizona, entitled "An Act Concerning Mines," approved March 20th, 1895, and amended March 2d, 1899.

Dated and posted on the ground this first day of Jan. 1904

Chris Haryhousen

Filed and recorded at request of Chris Haryhousen Jan 6th A. D. 1904, at 9.22 oclock A. M. Book 64 of Mines pages 565-566, Records of Yavapai County, Arizona.

(Seal)

By P. J. Keohane
Deputy Recorder

P. J. Farley
County Recorder

Territory of Arizona,)
County of Yavapai.) ss.

I, J.C. Bradbury, County Recorder in and for the County of Yavapai, Territory of Arizona, and custodian of the records and files of such office, do hereby certify that I have compared the foregoing copies with, and that the same are full, true and correct copies of the Notices of Locations of the following named lode Mining Claims, located in the Verde Mining District, Yavapai County, Arizona Territory, and as the same appear of record in my said office at the books and pages as follows:-

- "CONTENTION" Mining Claim, notice of location whereof is of record in Book 64 of Mines, at page 563,
- "FAREWELL" Mining Claim, notice of location whereof is of record in Book 51 of Mines, page 372,
- "STONEWALL" Mining Claim, notice of location whereof is of record in Book 64 of Mines, page 565,
- "MONARCH" Mining Claim, notice of location whereof is of record in Book 66 of Mines, page 582,
- "VICTOR EXSTENTION" Mining claim, notice of location whereof is of record in Book 66 of Mines, page 578,
- "DEVIDE" Mining Claim, notice of location whereof is of record in Book 35 of Mines, page 281,
- "MOUNTAIN SIDE" Mining Claim, notice of location whereof is of record in Book 66 of Mines, page 583,
- "FOX CAMP" Mining Claim, notice of location whereof is of record in Book 66 of Mines, page 581.

IN WITNESS WHEREOF, I have hereunto set my hand and affixed my official seal, this 8th day of May, A.D. 1907.

J.C. Bradbury
County Recorder.



4-688.

U. S. SURVEYOR-GENERAL'S FINAL CERTIFICATE ON FIELD NOTES.

Department of the Interior,

OFFICE OF U. S. SURVEYOR-GENERAL,

Phoenix, Arizona,

October 9, 1907

I, U. S. Surveyor-General for District of Arizona

do hereby certify that the foregoing transcript of the Field Notes, return and approval of the survey of the mining claim of

Lloyd C. Haynes

known as the Fox Camp, Contention, Fairwell, Monarch, Victor Exstention, Devide, Mountain Side and Stonewall situate in Verde

Mining District, Yavapai County, Arizona

in Section Approx., Township No. 16 N., Range No. 2 E., Unsur., and

designated as Survey No. 2443, has been correctly copied from the originals on file in

this office; that said Field Notes furnish such an accurate description of said mining claim as will, if incorporated into a patent, serve fully to identify the premises, and that such reference is made therein to natural objects or permanent monuments as will perpetuate and fix the locus thereof.

And I further certify that five hundred dollars' worth of labor has been expended or improvements made upon said mining claim by claimant or his grantors, and that said improvements consist of 6 shafts, 8 cuts, 3 tunnels, 2 open cuts and 3 diamond drill holes, total value \$41,870.00, shaft No. 2 on the Devide lode being a common improvement and an undivided one-eighth interest therein, valued at \$3125 being credited to each claim of the survey.

and that no portion of said labor or improvements has been included in the estimate of expenditures upon any other claim.

I further certify that the plat thereof, filed in the U. S. Land Office at Phoenix, Arizona

is correct and in conformity with the foregoing Field Notes.

Frank S. Ingalls

United States Surveyor-General for Arizona

(4-687.)

Surveyor General's Certificate of Approval of Field Notes and Survey of Mining Claim.

Department of the Interior,

Office of U. S. Surveyor General,

Phoenix, Arizona,

October 9, 1907.

I, U. S. Surveyor General for District of Arizona,

do hereby certify that the foregoing and hereto attached Field Notes and Return of the Survey of the Mining Claim of

Lloyd C. Haynes

, known as the

Fox Camp, Contention, Fairwell, Monarch, Victor Exstention, Devide, Mountain Side and Stonewall

situate in Verde mining district,

Yavapai County, Arizona,

in Section Approx., Township No. 16 N., Range No. 2 E., Unsur.

, designated as Survey No. 2443

executed by Park W. Latimer, U. S. Deputy Mineral

Surveyor, June 22 - June 30, 1907, under my instructions dated

June 18, 1907, have been critically examined and the

necessary corrections and explanations made, and the said Field Notes and Return, and

the Survey they describe, are hereby approved. A true copy of the copy of the location

certificate filed by the applicant for survey is included in the field notes.



U. S. Surveyor General for Arizona.

M A P