

MS
-

0

2

4

7

2

JUN 21 1909
SEP 8 1909
OCT 11 1909

(4-683.)

Mineral Survey No. 2472

Lot No. _____

Arizona Land District.

FIELD NOTES

OF THE SURVEY OF THE MINING CLAIM OF

R. R. Richardson

KNOWN AS THE

Rupert

Wrightson

Mining District.

Santa Cruz County, Arizona

Section ^{approx} 10 and 11, Township 21 S, Range 15 E Unsurveyed
within the Coronado National Forest

Surveyed under instructions dated Sept 17th, 1907
Aug 8, 1908.

by Homer Dantee

U. S. ~~Deputy~~ Mineral Surveyor

Claim located See location notice 1907
Survey commenced Oct 18th 1907
Survey completed Oct 20th 1907

6-133

Address:

R. R. Richardson,

Patagonia, Ariz.

91
421

Field Notes of the Rupert Lode, Survey No 2472

Commencing at corner No 1, a Porphyry stone 6" x 10" x 25" set 17" in the ground with mound of stones 3' base 3 ft. high on SE, chiseled with a + cross and R-1-2472 on SE face, from which a walnut tree 7" diam. blazed and scribed R-1-2472+B.T. Bears S 83° 20' E. 31.0

An ash tree 10" diam. blazed and scribed R-1-2472+B.T. Bears S 25° 13' W. 57.6

The SE cor. ^{cor. No 3} of the Hornet claim Sur No. 2408 bears N 19° 14' E. 44.3

old cor. of Location, a mound of stone 3' base 3 ft. high bears S 76° 45' W. 28.2

U.S.L.M. No 2397 Bears S 86° 31' W. 7918.62

Thence N 72° 44' E

Var. 12° 45' E

46' old road, bears Northerly and Southerly

715' old cor. of Location, a mound of stone 3 ft. base 3 ft. high, bears North, 3.0

1057.2 To Cor. No 2.

A Malapai rock in place showing 4' x 6' x 2' above ground, marked with a cross + and R-2-2472, with a mound of stones 3 ft. base - 3 ft. high on S. from which; - a Malapai rock in place showing 3' x 5' x 2' above ground, chiseled with a cross + and R-2-2472 + B.R. Bears N 56° 32' W. 11.7

A Malapai rock in place showing 5' x 6' x 2' above ground, chiseled with a cross + and R-2-2472 - B+R, bears S 44° 30' E 19.7

2

3

Field Notes of the Rupert Lode, Survey No 2472

Thence $N 66^{\circ} 56' E$

Var. $12^{\circ} 45' E$

391' Small gulch, course South Easterly
400' To Corner No 3.

Identical with cor. of location a mound
of stones 3 ft. base, 3 ft. high.

A porphyry stone in place showing $2' \times 3' \times 3'$
above bottom of small gulch, chiseled with
a cross + and R-3-2472

from which,

a porphyry rock in place, showing $2' \times 3' \times 3'$
above ground, chiseled with a cross + and

R-3-2472-B+R, bears $S. 80^{\circ} 00' E$ 53.4

A Black Oak Tree 12" diam. Blazed and
scribed R-3-2472-B+T Bears $S. 23^{\circ} 00' W$ 42.1

Thence $S. 23^{\circ} 04' E$

Var. $12^{\circ} 45' E$

5' Small gulch, course South Easterly
160' cross same gulch, course Southerly
300' Identical with East end center of location
a mound of stone 3 ft. base, 3 ft. high
401' old road to Patagonia, Bears South Easterly
476' cross same gulch, course South Easterly
580' cross same gulch, course South Westerly
600' To Corner No 4.

Identical with a cor. of the location a mound
of stones 3 ft. base, 3 ft. high.

A malapa stone $5" \times 14" \times 30"$ set 20" in the ground,
chiseled with a cross + and R-4-2472 on

NW face, from which,

a Black Oak tree 6" diam, blazed and

Filed notes of the Rupert Lode, Survey M^o 2472

scribed R-4-2472-B+T. Bears N 60° 00' E 11.1
A. Quartzite rock in place showing 18" x 3'
on side of small gulch, chiseled with a
cross + and R-4-2472-B+R. Bears N 28° 15' W
32.0

Thence S 66° 56' W
Var 12° 45' E

20' cross same gulch, course South Westerly
400' To Corner M^o 5

on top of low ridge sloping South.
A Malapai stone 6" x 10" x 30" set 20" in
the ground, chiseled with a cross + and
R-5-2472 on N. face, with a mound of
stone 3 ft. base, 3 ft. high on N. from which
a white oak tree 14" diam. blazed and
scribed R-5-2472-B+T. Bears S 37° 15' W. 77.5
A Black Oak tree 8" diam. blazed and scribed
R-5-2472-B+T. Bears S 18° 45' E. 52.0

Thence S 73° 32' W
Var 12° 45' E

345' old cor of Location bears S 20° E 41.0 a mound
of stones 3 ft base, 3 ft high.
445' Road to Patagonia bears South Easterly
555' Summit of low saddle.
1025' Road to Patagonia, Bears Southerly
1032.17 To Corner M^o 6

Identical with a cor. of the location a mound
of stones 4' base, 3 ft high,
A Porphyry stone 6" x 8" x 25" set 17" in the
ground, chiseled with a cross + and
R-6-2472 on NE face.

Field Notes of the Rupert Lode, Survey No 2472

from which:-

A Sycamore tree 12" diam. blazed and scribed R-6-2472-13+T. Bears $S 60^{\circ} 20' W$. 57.95

A Sycamore Tree 12" diam. blazed and scribed R-6-2472-13+T. Bears $S 72^{\circ} 30' W$ 57.9

This corner is on the East bank of the Temporal creek, course Southeastly.

Thence $N 27^{\circ} 03' W$

Var. $12^{\circ} 45' E$

156' Road, bears South Easterly and North Westerly

296' To Corner No 7.

Identical with the West end center of the location a mound of stones 4 ft. base, 3 ft. high,

A Porphyry stone 5" x 8" x 24" set 18" in the ground chiseled with a cross + and R-7-2472 on East face. from which:-

A Sycamore tree 14" diam. blazed and scribed R-7-2472-13+T. Bears $N 5^{\circ} 55' W$. 10.65

A Black Oak Tree 9" diam. blazed and scribed R-7-2472-13+T. Bears $S 89^{\circ} 45' E$. 40.7

Thence $N 23^{\circ} 04' W$

Var $12^{\circ} 45' E$

292.9 To Corner No 1. the place of beginning.

Field Notes of the Rupert Lode, Survey N° 2472

Area

Total area	19.683	Acres
Rupert lode	—	19.683

Instrument

This survey was made with a Young and Sons Transit, the courses were deflected from the true meridian as determined by direct Polaris observations.

The distances were measured with 100 ft. steel tapes.

Homer Dantee

U. S. Mineral Surveyor

June 16th 1909.

6

7

Location

Rupert Lode, Survey N^o 2472.

This claim is situate in Wrightson Mining District, Santa Cruz County, Arizona, approximately in section 10 or 11, T 21 S. R 15 E. (Unsurveyed) within the Coronado National Forest.

Adjoining Claims

The Dapho claim, ^{unsurveyed} owned by H. W. Barnett, adjoins this claim on the south.

The Acme claim, ^{unsurveyed} owned by R. R. Richardson, adjoins this claim on the west.

The Rupert N^o 2, ^{unsurveyed} owned by R. R. Richardson adjoins this claim on the east.

On the north is a strip of vacant ground.

Ledge

The presumed course of this ledge from shaft N^o 1 is N 66° 56' E 400 ft. and S 73° 08' W 1052 ft. as shown by development work along the vein.

Homer Dantee

U. S. Min. Sur.

Expenditure of Five Hundred Dollars

I certify that the value of the labor and improvements on this claim, placed thereon by the claimant and his grantors, is not less than five hundred dollars, and that said improvements consist of:-

The discovery shaft No 1 which bears from Cor. No 2. $S 23^{\circ} 04' E$ 300. $4 \times 6' - 60'$ deep
Value \$ 600.00

Shaft No 2 which bears from Cor. No 2
 $S 33^{\circ} 30' E$ 306' $4 \times 6' \times 10$ ft deep
Value \$ 100.00

Shaft No 3 which bears from Cor No 2
 $S 18^{\circ} 10' E$ 352' - $5' \times 7'$ 24 ft. deep
Value \$ 240.00

Shaft No 4 which bears from Cor No 2
 $S 17^{\circ} 05' W$ 362 ft. $4 \times 6' - 10$ ft deep.
Value \$ 100.00

Shaft No 5 which bears from Cor. No 2.
 $S 22^{\circ} 40' W$ 388 ft. $4 \times 6' - 10$ ft. deep
Value \$ 100.00

Shaft No 6 which bears from Cor. No 2
 $S 26^{\circ} W$ 409 ft. $4 \times 6' - 16$ ft deep.
Value \$ 160.00

Shaft No 7 which bears from Cor No 2
 $S 5^{\circ} 35' W$ 324 ft. $4 \times 6' - 10$ ft deep
Value \$ 100.00

Shaft No 8 which bears from Cor. No 6
 $N 70^{\circ} 23' E$ 469 ft. $4 \times 6' - 100$ ft. deep.
Value \$ 1000.00

Shaft No 9 which bears from Cor. No 6
 $N 30^{\circ} 25' E$ 375 ft. $4 \times 6' - 26$ ft deep.
Value \$ 260.00

Expenditure of Five Hundred Dollars

Shaft No 10 which bears from Cor. No 3
 $S 2^{\circ} 15' E$ 319 ft. 4' x 6' - 10 ft deep.
 Value \$ 100.00

Tunnel No 11 which bears from Cor No 6
 $N 48^{\circ} 10' E$ 581 ft. 4' x 6' - running $N 73^{\circ} E$ 52 ft.
 Value \$ 520.00

Cut No 12, ^{-the face of} which bears from Cor No 6
 $N 46^{\circ} 40' E$ 552 ft. 4 ft wide, 12' face running
 $N 73^{\circ} E$ 32 ft. Value \$ 150.00

Cut No 13, the face of which bears from
 cor. No 6. $N 40^{\circ} 05' E$ 458 ft. 4 ft wide, 12' face
 running $S 23^{\circ} E$ 24 ft. Value \$ 100.00

Cut No 14, the face of which bears from
 cor. No 6. $N 53^{\circ} 30' E$ 55 ft. 4' wide, 12' face,
 running N , 32 ft. Value \$ 150.00

Cut No 15, the face of which bears from Cor.
 No 6. $N 41^{\circ} 15' E$ 579 ft. 4' wide, 10 ft. face,
 running $S 57^{\circ} E$ 20 ft. Value \$ 100.00

Cut No 16, the center of which bears from
 Cor. No 3, $S 5^{\circ} 12' W$. 339 ft. 4' wide, 10 ft. deep.
 20 ft. long, running $N 67^{\circ} E$ & $S 67^{\circ} W$ Value \$ 150.00

Homer Dauter

U. S. ~~Geology~~ Min. Sur.

FINAL OATHS FOR SURVEYS.

LIST OF NAMES.

A list of the names of the individuals employed by Homer Dauter

United States Deputy Mineral Surveyor, to assist in running, measuring, and marking the lines, corners, and boundaries described in the foregoing field notes of the survey of the mining claim of R. R. Richardson

known as the Rupert, Rupert No 2, Acme, Emma, ~~How Era, How Era No 2~~
and Rupert Mill site
and showing the respective capacities in which they acted.

- John Cady , Chainman.
- Joe Scrauton , Chainman.
- Ramon Ochoa , Axman.
- Ramon Ochoa , Flagman.

FINAL OATHS OF ASSISTANTS.

We, John Cady, Joe Scrauton, Ramon Ochoa
and , do solemnly swear that we assisted Homer Dauter
..... , United States Deputy Mineral Surveyor, in marking the corners and surveying
the boundaries of the mining claim of R. R. Richardson

known as the Rupert, Rupert No 2, Acme, Emma, ~~How Era, How Era No 2~~
and Rupert Mill site
represented in the foregoing field notes as having been surveyed by said deputy mineral surveyor and under his direction; and that said survey has been in all respects, to the best of our knowledge and belief, faithfully and correctly executed, and the corner and boundary monuments established according to law and the instructions furnished by the United States Surveyor-General for Arizona

- John N. Cady , Chainman.
- Joe Scrauton , Chainman.
- Ramon Ochoa , Axman.
- Ramon Ochoa , Flagman.

Subscribed and sworn to by the above-named persons before me this 27th

day of October , 1907

Homer Dauter

U. S. Dep. Min. Surveyor

17287b5m3-05

There being no Notary Public here at that time I took
the acknowledgement, Homer Dauter

FINAL OATH OF U. S. MINERAL SURVEYOR.

I, Homer Dantee, U. S. Mineral Surveyor, do solemnly swear that, in pursuance of instructions received from the United States Surveyor General for Arizona, dated Sept 17th 1907 & Aug 8, 1908, I have, in strict conformity to the laws of the United States, the official regulations and instructions thereunder, and the instructions of said Surveyor General, faithfully and correctly executed the survey of the Mining Claim of R. R. Richardson, known as the Rupert, situate in Wrightson Mining District, Santa Cruz County, Arizona, in Section approx 10 & 11, Township No. 21 S, Range No. 15 E (unsurveyed), and designated as Survey No. 2472 within the Coronado National Forest, as represented in the foregoing field notes, which accurately show the boundaries of said mining claim as distinctly marked by monuments on the ground, and described in the attached copy of the location certificate, which was received by me from the Surveyor General with said instructions, and that all the corners of said survey have been established and perpetuated in strict accordance with the law, official regulations and instructions thereunder; and I do further solemnly swear that the foregoing are the true and original field notes of said survey and my report therein, and that the labor expended and improvements made upon said mining claim by claimant or his grantors are as therein fully stated, and that the character, extent, location, and itemized value thereof are specified therein with particularity and full detail, and that no portion of said labor or improvements so credited to this claim has been included in the estimate of expenditures upon any other claim.

Homer Dantee
U. S. Mineral Surveyor.

Subscribed and sworn to by the said
U. S. Mineral Surveyor, before me
Notary Public
day of Sept, 1909

Homer Dantee
R. J. Curtis a
this 7th

R. J. Curtis
Notary Public
my Commission expires July 3, 1913.

Affidavit of Five Hundred Dollars Improvements.

We, A. E. Crepin and Ramon Ochoa

of lawful age, being first duly sworn according to law, depose and say: That we are acquainted with the Rufert mining claim, situate in Wrightson Mining district, Santa Cruz County, Arizona Territory, for which R. A. Richardson

has made application for survey prior to application for patent under the provisions of the act of Congress, approved May 10, 1872; and that the labor done and improvements made thereon by the applicant and his grantors exceed Five Hundred Dollars in value, and further that we are not personally interested in said mine.

A. E. Crepin
Ramon Ochoa

TERRITORY OF ARIZONA, }
County of Santa Cruz } ss:

Sworn to and subscribed before me, this 7th

day of Sept, 1909

R. J. Quintus



27689b1m2-07

My Commission expires Jan'y 23. 1913 Notary Public

NOTICE OF MINING LOCATION

Quartz Claim

TO ALL WHOM IT MAY CONCERN:-

This mining claim, the name of which is the RUPERT mining claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purpose of exploration and purchase by W. H. Barnett, the undersigned, on the 12th day of January, 1900.

The length of this claim is 1500 feet, and I claim 400 feet in an Easterly direction and 1100 feet in a westerly direction from the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with 300 feet in width of the surface grounds, on each side of the center of said claim. The general course of the lode deposit and premises is from the Easterly to the Westerly.

The claim is situated and located in the Wrightson Mining District, in Santa Cruz County, in the Territory of Arizona, about six miles in a north westerly direction from Crittenden. And is on Temporal Gulch and adjoins the "Acme" on the west.

The surface boundaries of the claim are marked upon the ground as follows: Beginning at a monument of stone at a point in an Easterly direction 400 feet from the discovery shaft (at which this notice is posted), being in the center of the easterly end line of said claim; thence 300 feet to a monument, being the north easterly corner of said claim; thence 750 feet to a monument at the center of the north side line of said claim; thence 750 feet to a monument being at the north westerly corner of said claim; thence 300 feet to a monument at the center of the westerly end of said claim; thence 300 feet to a monument, being at the south westerly corner of said claim; thence 750 feet to a monument being at the

center of the south side line of said claim; thence 750 feet to a monument at the S. Easterly corner of said claim; thence 300 feet to the place of beginning.

All done under the provisions of Chapter Six of Title XXXII of the Revised Statutes of the United States, and of an Act of the General Assembly of Arizona, entitled "An Act Concerning Mines", approved March 20th, 1895.

Dated and posted on the ground this 12 day of January, 1900.

W. H. BARNETT.

Amended Location Notice.

Filed and recorded at request of W. H. Barnett, June 11th, A. D. 1900, at 9 A. M.


W. N. Cummings, County Recorder.

By Louis Hudgin,, Deputy.

Territory of Arizona,)
) ss.
County of Santa Cruz.)

I, Phil Herold County Recorder in and for the County and Territory aforesaid, do hereby certify that the foregoing is a full, true and correct copy of ^{amended} location notice of the RUPERT mining claim, situate in the Wrightson Mining District, Santa Cruz County, Arizona, as the same appears of record in my office in Book 1 of Mining Locations at pages 544 and 545.

IN WITNESS WHEREOF, I have hereunto set my hand and affixed my official seal this 26th day of August, A. D. 1907.



County Recorder.

U. S. SURVEYOR GENERAL'S FINAL CERTIFICATE ON
FIELD NOTES.

DEPARTMENT OF THE INTERIOR,
OFFICE OF U. S. SURVEYOR GENERAL,

Phoenix, Arizona,

October 25, 1909.

I, U. S. Surveyor General for District of Arizona,
do hereby certify that the foregoing transcript of the Field Notes, return and approval
of the Survey of the mining claim of

R. R. Richardson

, known as the RUPERT

, situate in Wrightson

Mining District, Santa Cruz County,

Arizona, in Section Approx. 10 & 11, Township No. 21 S.,

Range No. 15 E., Unsur., Coronado Nat'l Forest, and designated as Survey

No. 2492, has been correctly copied from the originals on

file in this office; that said Field Notes furnish such an accurate description of said
mining claim as will, if incorporated into a patent, serve fully to identify the premises,
and that such reference is made therein to natural objects or permanent monuments as
will perpetuate and fix the locus thereof.

And I further certify that five hundred dollars' worth of labor has been expended
or improvements made upon said mining claim by claimant or his grantors, and
that said improvements consist of 10 shafts, 1 tunnel and 5 cuts, total
value \$3930.00

and that no portion of said labor or improvements has been included in the estimate of
expenditures upon any other claim.

I further certify that the plat thereof, filed in the U. S. Land Office at Phoenix,
Arizona, is correct and in conformity with the foregoing Field Notes.

Frank S. Ingalls,

United States Surveyor General for Arizona.

4-687.

SURVEYOR-GENERAL'S CERTIFICATE OF APPROVAL OF FIELD
NOTES AND SURVEY OF MINING CLAIM.

Department of the Interior,

Office of U. S. Surveyor-General,

Phoenix, Arizona,

October 25, 1909

I, U. S. Surveyor-General for District of Arizona,

do hereby certify that the foregoing and hereto attached Field Notes and Return of the Survey of the
Mining Claim of

R. R. Richardson,

, known as the

RUPERT

situate in Wrightson Mining District,

Santa Cruz County, Arizona,

in Section Approx. ¹⁰ & ₁₁, Township No. 21 S., Range No. 15 E., Unsur.,
within Coronado National Forest,
designated as Survey No. 2472

executed by Homer Santee, U. S. Deputy Mineral

Surveyor, Oct. 18-20, 1909, under my instructions dated

Sept. 17, 1907 & Aug. 8, 1908, have been critically examined and the necessary

corrections and explanations made, and the said Field Notes and Return, and the Survey they describe,

are hereby approved. A true copy of the copy of the location certificate filed by the applicant for

survey is included in the field notes.

Frank S. Ingalls

U. S. Surveyor-General for Arizona.

