

**M
S
-**

0

2

4

7

7

Copied by @ @
Oct. 19/07

(4-683.)

Mineral Survey No. 2477

Lot No.

Arizona Land District.

FIELD NOTES

OF THE SURVEY OF THE MINING CLAIM OF

J. M. Swetnam

KNOWN AS THE

Minnie Lee, Hillside, Sonia Ray and Deland

Moor Mining District,

Approximately in Maricopa County, Arizona

Section Township 8 N., Range 3 E.

Surveyed under instructions dated October 1, 1907.

by H. G. Schader
U. S. Deputy Mineral Surveyor

- Claim located See notices 1
- Survey commenced Oct. 3, 1907. 1
- Survey completed Oct. 8, 1907. 1

6-170

Address of Claimant,

J. M. Swetnam,

8 N. Second Ave.

Phoenix, Arizona.

OK

- Feet. Mineral Survey No. 2477.
Minnie Lee Lode claim.
- Beginning at Cor. No. 1, identical with N. E. cor. of amended location, a porphyry stone 8 X 8 X 24 ins. set 12 ins. in ground, chiseled M-1-2477-X, with mound of stone alongside; whence U. S. L. M. No. 2355 bears S. 46° 05' E., 2037 ft. distant.
- No bearings available.
- Thence N. 70° 54' W.
Va. 13° 38' E.
- 358.5 The N. end center, identical with the N. end center of amended location, a mound of stone.
717. Cor. No. 2, identical with the N. W. cor. of amended location, a porphyry stone 6 X 6 X 24 ins., set 12 ins. in ground, chiseled M-2-2477-X, with mound of stone alongside.
- No bearings available.
- Thence S. 52° 19' W.
1500. Cor. No. 3, identical with the S. W. cor. of amended location, a porphyry rock in place, dimensions above ground 12 X 8 X 16 ins., chiseled M-3-2477-X, with mound of stone alongside.
- No bearings available.
- Thence S. 70° 54' E.
- ~~358~~.5 South end center, identical with S. end center of amended location, a mound of stone.
717. Cor. No. 4, identical with the S. E. cor. of amended location, a porphyry stone 6 X 6 X 24 ins., set 12 ins. in the ground, chiseled M-4-2477-X, with mound of stone alongside.
- No bearings available.
- Thence N. 52° 19' E.
1500. Cor. No. 1, place of beginning.
- The presumed course of the ledge is from S. end center N. 52° 19' E., 1500 ft. to N. end center.

Feet

Hillside Lode Claim.

Beginning at cor. No. 1, identical with the S. E. cor. of amended location, and in the N. end line of Minnie Lee lode, this survey, a porphyry rock 8 X 8 X 24 ins. set 12 ins. in ground, chiseled H-1-2477-X, with mound of stone alongside; whence U. S. L. M. No. 2355 bears S. 46° 45' E., 2090.3 ft. distant.

Cor. No. 1 Minnie Lee lode claim, this survey, bears S. 70° 54' E. 58.5 ft. distant.

Thence N. 70° 54' W.

300 S. end center, identical with the S. end center of amended location and N. end center of Minnie Lee lode, this survey, a mound of stone.

600. Cor. No. 2, identical with the S. W. cor. of amended location, and in N. end line of Minnie Lee lode claim of this survey, a porphyry stone 6 X 6 X 24 ins., set 12 ins. in ground, chiseled H-2-2477-X, with mound of stone alongside.

Cor. No. 2 Minnie Lee lode bears N. 70° 54' W. 58.5 ft. distant.

Thence N. 19° 06' E.

1500 Cor. No. 3, identical with the N. W. cor. of amended location and S. W. cor. of Scenia Reay lode this survey, a porphyry stone 8 X 8 X 24 ins., set 12 ins. in ground chiseled H-3-S-2-2477-X, with mound of stone alongside. No bearings available.

Thence S. 70° 54' E.

300. N. end center, identical with N. end center of amended location and S. end center of Scenia Reay lode, this survey, a mound of stone.

600 Cor. No. 4, identical with N. E. cor. of amended location and cor. No. 1 Scenia Reay lode this survey, a porphyry stone 8 X 8 X 24 ins., set 12 ins. in ground, chiseled H-4-S-1-2477-X, with mound of stone alongside. No bearings available.

| | |
|---------|--|
| Feet. | Thence S. 19° 06' W. |
| 1500 | Cor. No. 1, place of beginning. The presumed course of the ledge is from S. end center N. 19° 06' E. 1500 ft. to N. end center. ----- Scenia Reay Lode Claim. Beginning at cor. No. 1, identical with the S. E. cor. of amended location and cor. No. 4 Hillside lode, this survey, corner previously described; whence U. S. L. M. No. 2355 bears S. 19° 54' 20" E. 3030.5 ft. distant. No bearings available. |
| 300 | <i>Thence N. 70° 54' W</i> S. end center, identical with S. end center of amended location and N. end center of Hillside lode, this survey, a mound of stone. |
| 600 | Cor. No. 2, identical with S. W. cor. of amended location and cor. No. 3 Hillside lode this survey, corner previously described. |
| | Thence N. 19° 06' E. |
| 1024.72 | Cor. No. 3, identical with cor. 9 of the amended location, a porphyry stone 6 X 6 X 24 ins., set 12 ins. in ground chiseled S-3-2477-X, with mound of stone alongside. No bearings available. |
| | Thence N. 4° 06' E. |
| 475.28 | Cor. No. 4, identical with the N. W. cor. of amended location and cor. No. 2 Leland lode, this survey, a porphyry stone 8 X 8 X 24 ins., set 12 ins. in the ground chiseled S-4-L-2-2477-X, with mound of stone alongside. No bearings available. |
| | Thence S. 70° 54' E. |
| 300 | N. end center, identical with N. end center of amended location and S. end center of Leland lode this survey, a mound of stone. |
| 600 | Cor. No. 5, identical with the N. E. cor. of amended location and cor. No. 1 of Leland lode this survey, |

Feet a porphyry stone 7 X 7 X 24 ins., set 12 ins. in the ground, chiseled S-5-L-1-2477-X, with mound of stone alongside.

No bearings available.

Thence S. 4° 06' W.

475.28 Cor. No. 6, identical with cor. No. 10 of amended location, a porphyry stone, 6 X 6 X 24 ins., set 12 ins. in ground, chiseled S-6-2477-X, with mound of stone alongside.

No bearings available.

Thence S. 19° 06' W.

1024.72 Cor. No. 1, place of beginning.

The presumed course of the lodge is from the S. end center N. 19° 06' E., 1024.72 ft. to discovery point thence N. 4° 06' E. 475.28 ft. to N. end center.

Leland Lode Claim.

Beginning at cor. No. 1, identical with the S. E. cor. of amended location and cor. No. 5 of Scenia Reay lode, this survey, corner previously described; whence U. S. L. M. No. 2355 bears S. 8° 46' 32" E., 4542.3 ft. distant.

No bearings available.

Thence N. 70° 54' W.

300 S. end center, identical with S. end center of amended location, and N. end center of Scenia Reay lode, this survey, a mound of stone.

300 Cor. No. 2, identical with the S. W. cor. of amended location, cor. No. 4 of Scenia Reay lode, this survey, corner previously described.

No bearings available.

Thence N. 4° 06' E.

1500 Cor. No. 3, identical with N. W. cor. of amended location, a porphyry stone 9 X 9 X 24 ins. set 12 ins. in the ground, chiseled L-3-2477-X, with mound of stone alongside.

Feet No bearings available.

Thence S. 70° 54' E.

300 N. end center, identical with N. end center of amended location, a mound of stone.

600 Cor. No. 4, identical with the N. E. cor. of amended location, a porphyry stone 6 X 6 X 24 ins., set 12 ins. in the ground, chiseled L-4-2477-X, with mound of stone alongside.

No bearings available.

Thence S. 4° 06' W.

1500 Cor. No. 1, the place of beginning.

Presumed course of ledge is from S. end center N. 4° 06' E. 1500 ft. to N. end center.

Area.

| | | |
|--------------------|--------------------|-----------------|
| Total and net area | Minnie Lee lode is | 20.655 acres. |
| " " " " | Hillside " " | 20.661 " |
| " " " " | Scenia Roay " " | 20.438 " |
| " " " " | Leland " " | <u>19.957</u> " |
| Net area | Survey No. 2477 is | 61.711 " |

Variation at all corners is N. 13° 38' E.

Location.

This survey is located in Moor Mining District, Maricopa County, Arizona, on unsurveyed land, in what will approximately be, when the lines of the public survey are extended, T. 8 N., R. 3 E., G. & S. R. B. & M.

Adjoining Claims.

There are no known adjoining claims. The property is surrounded by unsurveyed land of the U. S.

Expenditure of Five Hundred Dollars.

I certify that the value of labor and improvements upon these claims, placed thereon by the claimant and his grantors, is not less than Five Hundred Dollars for each location, and said improvements consist of:

On the Minnie Lee Lode.

No. 1 Discovery shaft, which bears from the S. end center N. $52^{\circ} 19'$ E. 195 ft.

4 X 6 ft. X 16 ft. deep
Value \$160.00

No. 2 Tunnel 4 X 6 X 83 ft. long, the portal of which bears from S. end center N. $52^{\circ} 19'$ E. 117 ft.

Value 830.00

No. 3 Tunnel 4 X 6 X 40 ft. long the dump of which bears from N. end center S. $52^{\circ} 19'$ W. 130 ft.

Value 400.00

On Hillside Lode.

No. 1 Discovery point which bears from S. end center N. $19^{\circ} 06'$ E. 20 ft., a mound of stone.

No. 2 Underhand stope 4 ft. wide, 31 ft. long and 12 ft. deep, the entrance of which is at S. end center of claim.

Value \$400.00

No. 3 Open cut 4 X 16 X 10 ft. face the entrance to which bears from cor. No. 1 N. $3^{\circ} 32'$ W. 120 ft.

Value 150.00

On Scenia Reay Lode.

No. 1 Discovery point, which bears from N. end center S. $4^{\circ} 06'$ W. 475.28 ft., a mound of stone.

No. 2 Shaft 4 X 6 X 36 ft. deep which bears from cor. No. 3 S. $20^{\circ} 20'$ E. 400 ft.

Value 360.00
2300.00

No. 3 Shaft 4 X 6 X 50 ft. deep which bears from S. end center N. 19° 06' E. 600 ft.

Value \$500.00

No. 4 Shaft 4 X 6 X 75 ft. deep timbered which bears from cor. No. 1 N. 1° 30' W. 680 ft.

Value 300.00

On Leland Lode.

No. 1 Discovery point which bears from S. end center N. 4° 06' E. 100 ft., a mound of stone.

No. 2 Shaft 4 X 6 X 10 ft. deep which bears from S. end center N. 4° 06' E. 30 ft.

Value 100.00

No. 3 Shaft 4 X 6 X 36 ft. deep which bears from cor. No. 1 N. 70° 54' W 230 ft.

Value 360.00

No. 4 Underhand stope 4 ft. wide, 15 ft. long and 6 ft. deep which bears from S. end center N. 33° 00' W. 180 ft.

Value 150.00

Instrument.

1410.00
23.00
1433.00

This survey was made with a Gurley complete engineers transit. The courses were deflected from the true meridian as determined by observation on Polaris.

The distances were measured with a 100 ft. and 300 ft. steel tapes.

The discrepancies between the courses and distances of this survey and the location notices are due to errors in the latter.

H. G. Schader
U. S. Deputy Mineral Surveyor.

FINAL OATHS FOR SURVEYS.

LIST OF NAMES.

A list of the names of the individuals employed by A. G. Schader

United States Deputy Mineral Surveyor, to assist in running, measuring, and marking the lines, corners, and boundaries described in the foregoing field notes of the survey of the mining claim of

J. M. Sweetnam
known as the Minnie Lee, Hillside, Scenia Peay and Leland
and showing the respective capacities in which they acted.

....., Chainman.
Francis Cotton....., Chainman.
....., Axman.
....., Flagman.

FINAL OATHS OF ASSISTANTS.

We, A. G. Schader &
and Francis Cotton....., do solemnly swear that we assisted

A. G. Schader, United States Deputy Mineral Surveyor, in marking the corners and surveying the boundaries of the mining claim of J. M. Sweetnam

known as the Minnie Lee, Hillside, Scenia Peay and Leland
represented in the foregoing field notes as having been surveyed by said deputy mineral surveyor and under his direction; and that said survey has been in all respects, to the best of our knowledge and belief, faithfully and correctly executed, and the corner and boundary monuments established according to law and the instructions furnished by the United States Surveyor-General for

A. G. Schader....., Chainman.
Francis Cotton....., Chainman.
....., Axman.
....., Flagman.

Subscribed and sworn to by the above-named persons before me this 8th
day of October, 1907.

H. M. Fickas
Notary Public
(My commission expires 12/23/07)

FINAL OATH OF U. S. DEPUTY MINERAL SURVEYOR

I, H. G. Schader, U. S. Deputy Mineral Surveyor, do solemnly swear that, in pursuance of instructions received from the United States Surveyor General for Arizona, dated Oct. 1. 1907, I have, in strict conformity to the laws of the United States, the official regulations and instructions thereunder, and the instructions of said Surveyor General, faithfully and correctly executed the survey of the Mining Claim of J. M. Sweetnam, known as the Minnie Lee, Hillside, Scenia Peay and Leland, situate in Moore Mining District, Maricopa County, Arizona, in Section _____, Township No. _____, Range No. _____, and designated as Survey No. 2477, as represented in the foregoing field notes, which accurately show the boundaries of said mining claim as distinctly marked by monuments on the ground, and described in the attached copy of the location certificate, which was received by me from the Surveyor General with said instructions, and that all the corners of said survey have been established and perpetuated in strict accordance with the law, official regulations and instructions thereunder; and I do further solemnly swear that the foregoing are the true and original field notes of said survey and my report therein, and that the labor expended and improvements made upon said mining claim by claimant or his grantors are as therein fully stated, and that the character, extent, location and itemized value thereof are specified therein with particularity and full detail, and that no portion of said labor or improvements so credited to this claim has been included in the estimate of expenditures upon any other claim.

H. G. Schader
U. S. Deputy Mineral Surveyor.

Subscribed and sworn to by the said H. G. Schader
U. S. Deputy Mineral Surveyor, before me H. M. Fickas, A
Notary Public in and for Maricopa Co. this 8th
day of October, 1907,

H. M. Fickas
Notary Public

(My commission expires 12/23/07)

Affidavit of Five Hundred Dollars Improvements.

We, John W. Osborn, and J. C. Robbins

of lawful age, being first duly sworn according to law, depose and say: That we are acquainted with the Minnie Lee, Heicide, Scenia Peay and Leland mining claim, situate in moon Mining district, Maricopa County, Arizona Territory, for which

J. M. Sweetnam

has made application for survey prior to application for patent under the provisions of the act of Congress, approved May 10, 1872; and that the labor done and improvements made thereon by the applicant and grantor exceed Five Hundred Dollars in value ^{for each claim} and further that we are not personally interested in said mine.

John W. Osborn
J. C. Robbins

TERRITORY OF ARIZONA,
County of Maricopa } ss:

Sworn to and subscribed before me, this 8th

day of October, 1907



H. M. Fiskas
Notary Public.

14396b100-8-04

(My commission expires 12/23/07)

MINNIE LEE

LODE CLAIM

Amended Location.

KNOW ALL MEN BY THESE PRESENTS, that J. M. Swetnam, a citizen of the United States, claims by right of re-location and this amended location certificate, fifteen hundred (1500) feet, linear and horizontal measurement, on the Minnie Lee lode, along the vein thereof, with all its dips, variations and angles; together with three hundred (300) feet in width on each side of the middle of said vein at the surface; and all veins, lodes, ledges and surface ground within the lines of said claim.

195 feet on said lode running S. $52^{\circ} 19'$ W. from the center of the discovery monument where this notice is posted, and 1505 feet running N. $52^{\circ} 19'$ E. from the center of said discovery monument.

Said discovery monument being situated upon said lode within the lines of said claim.

Said claim is situated in Moor Mining District, Maricopa County, Arizona, about $\frac{1}{2}$ a mile in a north-westerly direction from U. S. L. M. No. 2355 and about $1\frac{1}{2}$ miles in a north-easterly direction from U. S. L. M. No. 1446.

Bounded and described as follows, to-wit:-

Beginning at the S. end center, a mound of stone, whence, the discovery monument bears N. $52^{\circ} 19'$ E. 195 feet distant.

Thence S. $70^{\circ} 54'$ E. 358.6 feet, a porphyry stone 6 X 6 X 24 ins. set 12 ins. in ground, chiseled P. V. 2, with mound of stone alongside, the S. E. cor.

Thence N. $52^{\circ} 19'$ E. 1500 ft., a porphyry stone 8 X 8 X 24 ins., set 12 ins. in ground, chiseled P. V. 4, with mound of stone alongside, the N. E. cor.

Thence N. $70^{\circ} 54'$ W. 58.6 ft., a porphyry stone 8 X 8 X 24 ins., set 12 ins. in ground, chiseled P. V. 6, with mound of stone alongside, the S. E. cor. of Hillside lode claim.

Thence N. $70^{\circ} 54'$ W. 300 ft. along the S. end line of Hillside lode claim, a mound of stone, the N. end center, being identical with the S. end center of Hillside lode claim.

Thence N. $70^{\circ} 54'$ W. 300 ft., a porphyry stone, 6 X 6 X 24 ins., set 12 ins. in ground, chiseled P. V. 5, with mound of stone alongside, the S. W. cor. of Hillside lode claim.

Thence N. $70^{\circ} 54'$ W. 58.6 ft., a porphyry stone, 6 X 6 X 24 ins., set 12 ins. in the ground, chiseled P. V. 5, with mound of stone alongside, the N. W. cor.

Thence S. $52^{\circ} 19'$ E. 1500 ft., a porphyry rock in place, standing 3 ft. above the ground, chiseled P. V. 1, with mound of stone alongside, the S. W. cor.

Thence S. $70^{\circ} 54'$ E. 358.6 ft. to place of beginning.

Being the same claim originally located as the Minnie Lee lode claim, on the 24th day of February, 1896 by B. S. Barrett, J. R. Nicholson and Ed Bremer, and recorded in Book 7 of Mines, Page 307, of the Records of Maricopa County, Arizona.

This further certificate of location is made without the waiver of any previous rights, but to correct any error in prior location or record.

Monumented and relocated May 28, 1907.

Witness to posting

J. M. Swetnam
Locator.

L E L A N D

LODE CLAIM

Amended Location.

KNOW ALL MEN BY THESE PRESENTS, that J. M. Swetnam, a citizen of the United States, claims by right of re-location and this amended location certificate, fifteen hundred (1500) feet, linear and horizontal measurement, on the Leland lode, along the vein thereof, with all its dips, variations and angles; together with three hundred (300) feet in width on each side of the middle of said vein at the surface; and all veins, lodes, ledges and surface ground within the lines of said claim.

100 ft. on said lode running S. 4° 06' W. from the center of the discovery monument where this notice is posted, and 1400 ft. running N. 4° 06' E. from the center of the discovery monument.

Said discovery monument being situated upon said lode, within the lines of said claim.

Said claim is situated in Moor Mining District, Maricopa County, Arizona, about 1 mile in a northerly direction from U. S. L. M. No. 2355 and about 2-1/3 miles in a north-easterly direction from U. S. L. M. No. 1446.

Bounded and described as follows, to-wit:-

Beginning at the S. end center, a mound of stone, identical with the N. end center of Scenia Reay lode claim, whence the discovery monument bears N. 4° 06' E. 100 ft. distant.

Thence S. 70° 54' E. 300 ft., a porphyry rock 7 X 7 X 24 ins., set 12 ins. in ground, chiseled P-V-12, with mound of stone alongside, the S. E. cor., identical with the N. E. cor. of Scenia Reay lode claim.

Thence N. 4° 06' E. 1500 ft., a porphyry rock 6 X 6 X 24 ins., set 12 ins. in ground, chiseled P-V-14, with mound of stone alongside, the N. E. cor.

Thence N. $70^{\circ} 54'$ W. 300 ft., a mound of stone, the N. end center; 600 ft., a porphyry rock 9 X 9 X 24 ins., set 12 ins. in ground, chiseled P-V-13, with mound of stone alongside, the N. W. cor.

Thence S. $4^{\circ} 06'$ W. 1500 ft., a porphyry rock 8 X 8 X 24 ins., set 12 ins. in ground, chiseled P-V-11, with mound of stone alongside, the S. W. cor., identical with the N. W. cor. of Scenia Reay lode claim.

Thence S. $70^{\circ} 54'$ E. 300 ft., place of beginning.

Being the same claim originally located as the Leland lode claim, on the 24th day of February, 1896, by B. S. Barrett, J. R. Nicholson and Ed Bremer, and recorded in Book 7 of Mines, Page 336, of the Records of Maricopa County, Arizona.

This further certificate of location is made without the waiver of any previous rights, but to correct any error in prior location or record.

Monumented and relocated May 28th, 1907.

Witness to posting


Locator.

H I L L S I D E

LODE CLAIM

Amended Location.

KNOW ALL MEN BY THESE PRESENTS, that Mae E. Swetnam, a citizen of the United States, claims by right of re-location and this amended location certificate, fifteen hundred (1500) feet, linear and horizontal measurement, on the Hillside lode, along the vein thereof, with all its dips, variations and angles; together with three hundred (300) feet in width on each side of the middle of said vein at the surface; and all veins, lodes, ledges and surface ground within the lines of said claim.

20 feet on said lode running S. 19° 06' W. from the center of the discovery monument where this notice is posted, and 1480 ft. running N. 19° 06' E. from the center of said discovery monument.

Said discovery monument being situated upon said lode, within the lines of said claim.

Said claim is situated in Moor Mining District, Maricopa County, Arizona, about $\frac{1}{2}$ a mile in a north-westerly direction from U. S. L. M. No. 2355 and about $1\frac{1}{2}$ miles in a north-easterly direction from U. S. L. M. No. 1446.

Bounded and described as follows, to-wit:-

Beginning at the S. end center, a mound of stone, whence, the discovery monument bears N. 19° 06' E. 20 ft. distant, identical with the N. end center of Minnie Lee lode claim.

Thence S. 70° 54' E. 300 ft., a porphyry rock 8 X 8 X 24 ins., set 12 ins. in ground, chiseled P. V. 6 with mound of stone alongside, the S. E. cor., identical with end line of Minnie Lee lode claim.

Thence N. 19° 06' E. 1500 ft., a porphyry rock 8 X 8 X 24 ins. set 12 ins. in ground, chiseled P. V. 8 the N. E. cor., identical with the S. E. cor. of Scenia Reay lode claim.

Thence N. 70° 54' W. 300 ft., a mound of stone, the N. end center, identical with the S. end center of Scenia Reay lode claim.

Thence N. 70° 54' W. 300 ft., a porphyry stone 8 X 8 X 24 ins.,

set 12 ins. in ground, chiseled P. V. 7, with mound of stone alongside, the N. W. cor., identical with the S. W. cor. of Scenia-Reay lode claim.

Thence S. 19° 06' W. 1500 ft., a porphyry rock 6 X 6 X 24 ins., set 12 ins. in ground, chiseled P. V. 5, with mound of stone alongside, the S. W. cor., lying in N. end line of Minnie Lee lode claim.

Thence S. 70° 54' E. along N. end line of Minnie Lee lode claim, to place of beginning .

Being the same claim originally located as the Hillside lode claim, on the 2nd day of January, 1905 by Mae E. Swetnam, and recorded in Book 15 of Mines, pages 93 and 94 of the Records of Maricopa County, Arizona.

This further certificate of location is made without the waiver of any previous rights, but to correct any error in prior location or record.

Monumented and re-located May 28th, 1907

Mae E. Swetnam
by *J. M. Swetnam*
Locator.

Witness to posting

S C E N I A R E A Y

LODE CLAIM

Amended Location.

KNOW ALL MEN BY THESE PRESENTS, that J. M. Swetnam, a citizen of the United States, claims by right of re-location and this amended location certificate, fifteen hundred (1500) feet, linear and horizontal measurement, on the Scenia Reay lode, along the vein thereof, with all its dips, variations and angles; together with three hundred (300) feet in width on each side of the middle of said vein at the surface; and all veins, lodes, ledges and surface ground within the lines of said claim.

475.28 feet on said lode running N. $4^{\circ} 06'$ E. from the center of the discovery monument where this notice is posted, and 1024.72 feet running S. $19^{\circ} 06'$ W. from the center of said discovery monument.

Said discovery monument being situated upon said lode, within the lines of said claim.

Said claim is situated in Moor Mining District, Maricopa County, Arizona, about $\frac{1}{2}$ a mile in a north-westerly direction from U. S. L. M. No. 2355 and about 2 miles in a north-easterly direction from U. S. L. M. No. 1446.

Bounded and described as follows, to-wit:-

Beginning at the N. end center, a mound of stone, identical with the S. end center of Leland lode claim, whence the discovery monument bears S. $4^{\circ} 06'$ W. 475.28 feet distant.

Thence N. $70^{\circ} 54'$ W. 300 ft., a porphyry rock 8 X 8 X 24 ins., set 12 ins. in ground, chiseled P-V-11, with mound of stone alongside, the N. W. cor., identical with the S. W. cor. of Leland lode claim.

Thence S. $4^{\circ} 06'$ W. 475.28 feet, a porphyry rock 6 X 6 X 24 ins. set 12 ins. in ground, chiseled P-V-9, with mound of stone alongside.

Thence S. $19^{\circ} 06'$ W. 1024.72 feet, a porphyry rock 8 X 8 X 24 ins. set 12 ins. in ground, chiseled P-V-7, with mound of stone alongside, the S. W. cor., identical with the N. W. cor. of Hillside lode claim.

Thence S. $70^{\circ} 54'$ E. 300 ft., a mound of stone, the S. end center, identical with the N. end center of Hillside lode claim; 600 ft., a porphyry rock 8 X 8 X 24 ins., set 12 ins. in ground, chiseled P-V-8, with mound of stone alongside, the S. E. cor., identical with the N. E. corner of Hillside lode claim.

Thence N. $19^{\circ} 06'$ E. 1024.72 ft., a porphyry rock 6 X 6 X 24 ins., set 12 ins. in ground, chiseled P-V-10, with mound of stone alongside,

Thence N. $4^{\circ} 06'$ E. 475.28 feet, a porphyry rock 7 X 7 X 24 ins., set 12 ins. in ground, chiseled P-V-12, with mound of stone alongside, the N. E. cor., identical with the S. E. cor. of Leland lode claim.


Thence N. $70^{\circ} 54'$ W. 300 ft., place of beginning.

Being the same claim originally located as the Scenia Reay lode claim on the 24th day of February, 1896 by B. S. Barrett, J. R. Nicholson and Ed Bremer, and Recorded in Book 7 of Mines, Page 335 of the Records of Maricopa County, Arizona.

This further certificate of location is made without the waiver of any previous rights, but to correct any error in prior location of record.

Monumented and re-located May 28th, 1907.

Witness to posting


Locator.

U. S. SURVEYOR GENERAL'S FINAL CERTIFICATE ON FIELD NOTES.

DEPARTMENT OF THE INTERIOR,
OFFICE OF U. S. SURVEYOR GENERAL,

Phoenix, Arizona,

October 23, 1907.

I, U. S. Surveyor General for the District of Arizona,
do hereby certify that the foregoing transcript of the Field Notes, return and approval
of the Survey of the mining claim of J. M. Swetnam

, known as the Minnie Lee, Hillside, Scania Reay, and
Leland,

situate in Moor

Mining District, Maricopa County,

Arizona, in Section approx., Township No. 8 N.,

Range No. 3 E., G. & S. R. B. & M., and designated as Survey

No. 2477, has been correctly copied from the originals on
file in this office; that said Field Notes furnish such an accurate description of said
mining claim as will, if incorporated into a patent, serve fully to identify the premises,
and that such reference is made therein to natural objects or permanent monuments as
will perpetuate and fix the locus thereof.

And I further certify that five hundred dollars' worth of labor has been expended
or improvements made upon ^{each of} said mining claim ^s by claimant or his grantors, and
that said improvements consist of 6 shafts, 2 tunnels, 2 stopes and
1 cut, total value \$4210.00

and that no portion of said labor or improvements has been included in the estimate of
expenditures upon any other claim.

I further certify that the plat thereof, filed in the U. S. Land Office at Phoenix,
Arizona is correct and in conformity with the foregoing Field Notes.

Frank S. Ingalls,

United States Surveyor General for District of Arizona.

4-687.

SURVEYOR-GENERAL'S CERTIFICATE OF APPROVAL OF FIELD
NOTES AND SURVEY OF MINING CLAIM.

Department of the Interior,

Office of U. S. Surveyor-General,

Phoenix, Arizona,

October 23., 1907.

I, U. S. Surveyor-General for the District of Arizona

do hereby certify that the foregoing and hereto attached Field Notes and Return of the Survey of the Mining Claim of J. M. Swetnam

....., known as the Minnie Lee, Hillside, Scenia Reay, and Leland,

situate in Moor Mining District,

Maricopa County, Arizona

in Section approx., Township No. 8 N., Range No. 3 E., unsur.

....., designated as Survey No. 2477

executed by H. G. Schader, U. S. Deputy Mineral Surveyor,

October 3-8, 1907, under my instructions dated October 1, 1907, have been critically examined and the necessary corrections and explanations made, and the said Field Notes and Return, and the Survey they describe, are hereby approved. A true copy of the copy of the location certificate filed by the applicant for survey is included in the field notes.

Frank S. Ingalls

U. S. Surveyor-General for Arizona.

MAR 19