

**M
S
-**

0

2

4

7

8

MISSING

PAGE(S)

4-683.

MINERAL SURVEY No. 2478

LOT No.

ARIZONA Land District.

FIELD NOTES

OF THE SURVEY OF THE MINING CLAIM OF

Geo. J. Cansler

KNOWN AS THE

Doubly Site

Pioneer Mining District,

Pinal County, Arizona

Section Approx. 35, Township 1 South, Range 12 E. Unsur.

Surveyed under instructions dated August 24, 1907.

by Edwin T. Stewart U. S. Mineral Surveyor.

Claim located See location notice, 1907.

Survey commenced February 1, 1908.

Survey completed February 3, 1908.

6-822

Address of claimant;

Geo. J. Cansler,
Box 89, Globe, Arizona.

Mineral Survey No. 2478.

Feet.

Doubly Site lode.

Beginning at Cor. No.1, identical with S.E.Cor. of the location and Cor. No. 2, Sur. 2479, Security lode.

A pine post 4 ft. long, 4 ins. sq., set 18 ins. in the ground, with mound of stone, scribed 2-2479 SEC and 1-2478-DS, whence

The S.W.Cor. of Township 1 S., R. 13 E., G. & S. R. R. & M., the same being also a common corner for Townships 1 S., R. 12 E., 2 S., R. 12 E. and 2 S., R. 13 E., bears S. 84°-57' E. 6283.1 ft.

U.S.M.M.No.1, bears S 08°-30' W. 1235.2 ft.

No other bearings available.

Thence N. 23°-20' W.

Along line 2-3, Sur. 2479, Security lode

29.80 Intersect line 2-3, Sur. 2452, Superior lode at N. 80°-45' E. 560.92 ft. from Cor. 3.

300.0 To East End Center, identical with monument of the location.

600.0 To Cor. No. 2, identical with N.E.Cor.of the location.

A pine post 4 ft. long, 4 ins. sq., set 18 ins. in the ground with mound of stone, scribed 2-2478-DS, whence

No bearings available.

Thence S. 68°-00' W.

1500.0 To Cor. No. 3, identical with the N.W.Cor. of the location.

A pine post 4 ft. long, 4 ins. sq., set 18 ins. in the ground, with mound of stone, scribed 3-2478-DS, whence

No bearings available.

Thence S. 23°-20' E.

300.0 To West End Center, identical with the monument of location.

453.3 To Witness Cor. for Cor. No. 4, a pine post 4 ft. long, 4 ins. sq., set 18 ins. in the ground, with mound of

4

stone, scribed W.C.-4-2478-D.S., whence

No bearings available.

600.0 To Cor. No. 4, identical with the S.W. Cor. of the location, a pine post 4 ft. long, 4 ins. sq., set 18 ins. in the ground, with mound of stone, scribed 4-2478- D.S., whence

A dacite boulder showing 2 X 2.5 X 5 ft. above the surface of the ground, chiseled cross (X) B.R. - 2478, bears N. 79°-29' E. 63.4 ft.

A dacite boulder showing 1 X 3 X 5 ft. above the surface of the ground, chiseled cross (X) B.R. -2478, bears S. 44°-30' W. 8.9 ft.

No other bearings available.

Thence N. 68°-00' E.

879.08 Intersect line 3-4, Sur. No. 2452, Superior lode at S. 03°-28' W. 170.10 ft. from Cor. No.3.

1500.0 To Cor. No.1, the place of beginning.

Mean magnetic variation at all corner 13°-45' E.

oooooooooooooooooooooooooooo
Ledge.

The presumed course of the vein of this claim is N. 68°-00' E. 515.5 ft. and S. 68°-00' W. 984.5 ft. from the center of the discovery shaft.

oooooooooooooooooooooooooooo

Area.

Total Area Doubly Site Lode 20.656 Acres.

Less Conflict with Sur. No.		
2452, Superior lode	1.281	1.281
Net area Doubly Site Lode	19.375

oooooooooooooooooooooooooooo

Adjoining and Conflicting Claims.

On the North, unknown claims; on the East Security lode, Sur. 2479, J.B.Newman and Geo.J.Cansler owners; on the South, Superior lode, Sur. 2452, W.D.Fisk, owner; Virginia Mill-site, unsurveyed, C. Byrne owner and an unknown claim; on the West, unknown claim.

oooooooooooooooooooooooooooo
Location

This claim is located on unsurveyed land, in what

will be Sec. 35, T. 1 S., R. 12 E., Gila and Salt River Base and Meridian, when surveyed.

oooooooooooooooooooooooooooooooo
Improvements.

I certify that the value of the labor and improvements on this claim, placed thereon by the claimant and his grantors, is not less than five hundred dollars, and that said improvements consist of:

No.1, the discovery shaft, 4 X 6 X 10' ft., on the lode line S. 68°-00' W. 515.5 ft. from the East End Center. Value \$75.00

No.2, shaft, 4 X 5 X 17', the S.W. Cor. of which bears N. 62°-44' E. 795.3 ft. from Cor. No.4. Value \$150.00

No.3, tunnel, 5 X 6 X 39' ft. the portal of which bears N. 54° 05' E. 361.1 ft. from Cor. No.4 and extends thence N. 22°-00' W. Value \$300.00

No.4, cut and tunnel, 5 X 6 X 20 ft., the N.W. end of which bears S. 66°-00' E. 310.0 ft. from a point on line 2-3, 1274.0 ft. from Cor. 2, and extends thence S. 45°-02' E. Value \$150.00

No.5, shaft, 5 X 6 X 16 ft., the N.W. Cor. of which bears S. 29°-27' E. 141.4 ft. from a point on line 2-3 929.3 ft. from Cor. 2. Value \$160.00

Total value of all improvements \$835.00

oooooooooooooooooooooooooooooooo
Instrument.

This survey was made with a "Gurley Light Mountain Transit. The courses were deflected from the true meridian as determined by direct Solar and Polaris observations. The distances were measured with 300 and 25 foot steel tapes.

oooooooooooooooooooooooooooooooo

David V. Stewart
U.S.D.M.S.

Globe, Arizona, March 2nd. 1908.

FINAL OATHS FOR SURVEYS.

LIST OF NAMES.

A list of the names of the individuals employed by Edwin T. Stewart
 United States Deputy Mineral Surveyor, to assist in running, measuring, and marking the lines, corners, and
 boundaries described in the foregoing field notes of the survey of the mining claim of
Geo. J. Cansler
 known as the Doubly Site
 and showing the respective capacities in which they acted.

H. H. Richardson, Chairman.
 _____, Chairman.
 _____, Axman.
 _____, Flagman.

FINAL OATHS OF ASSISTANTS.

We, I, H. H. Richardson
 and _____, do solemnly swear that ~~we~~ ^I assisted Edwin T.
Stewart, United States Deputy Mineral Surveyor, in marking the corners and surveying
 the boundaries of the mining claim of Geo. J. Cansler
 known as the Doubly Site
 represented in the foregoing field notes as having been surveyed by said deputy mineral surveyor and under his
 direction; and that said survey has been in all respects, to the best of ~~our~~ ^{my} knowledge and belief, faithfully and
 correctly executed, and the corner and boundary monuments established according to law and the instructions
 furnished by the United States Surveyor-General for Arizona.

H. H. Richardson, Chairman.
 _____, Chairman.
 _____, Axman.
 _____, Flagman.

Subscribed and sworn to by the above-named persons before me this seventh
 day of February, 1908

David W. Worcester
 Notary Public

My commission expires May 20, 1911.

FINAL OATH OF U. S. DEPUTY MINERAL SURVEYOR

I, Edwin T. Stewart, U. S. Deputy Mineral Surveyor, do solemnly swear that, in pursuance of instructions received from the United States Surveyor General for Arizona, dated October 3, 1907, I have, in strict conformity to the laws of the United States, the official regulations and instructions thereunder, and the instructions of said Surveyor General, faithfully and correctly executed the survey of the Mining Claim of Geo. J. Cansler, known as the Doubly Site, situate in Pioneer Mining District, Pinal County, Arizona, in Section 35, Township No. 1 S., Range No. 12 E. 2nd Mer., and designated as Survey No. 2478, as represented in the foregoing field notes, which accurately show the boundaries of said mining claim as distinctly marked by monuments on the ground, and described in the attached copy of the location certificate, which was received by me from the Surveyor General with said instructions, and that all the corners of said survey have been established and perpetuated in strict accordance with the law, official regulations and instructions thereunder; and I do further solemnly swear that the foregoing are the true and original field notes of said survey and my report therein, and that the labor expended and improvements made upon said mining claim by claimant or his grantors are as therein fully stated, and that the character, extent, location and itemized value thereof are specified therein with particularity and full detail, and that no portion of said labor or improvements so credited to this claim has been included in the estimate of expenditures upon any other claim.

Edwin T. Stewart
U. S. Deputy Mineral Surveyor.

Subscribed and sworn to by the said Edwin T. Stewart, U. S. Deputy Mineral Surveyor, before me J. M. Eutworth a Notary Public this second day of March 1908.

J. M. Eutworth
Notary Public

Com Ed 2/9-1910

Affidavit of Five Hundred Dollars Improvements.

We,.....H. H. Richardson....., and.....

of lawful age, being first duly sworn according to law, depose and say: That we are acquainted with the.....Doubly Site.....mining claim, situate in.....Pioneer.....Mining district,.....Pinal.....County, Arizona Territory, for which.....Geo. J. Cansler.....

.....
has made application for survey prior to application for patent under the provisions of the act of Congress, approved May 10, 1872; and that the labor done and improvements made thereon by the applicant and his grantors exceed Five Hundred Dollars in value, and further that we are not personally interested in said mine.

H. H. Richardson

TERRITORY OF ARIZONA,

County of.....Pinal.....

} ss:

Sworn to and subscribed before me, this seventh

day of February, 1908



My commission expires May 20, 1911.

14396b400-8-04

David S. Worcester
Notary Public

2478 9

AMENDED
Notice of Mining Location

LODE CLAIM

To All Whom It May Concern:

This Mining Claim, the name of which is the Doubly Site
Mining Claim, situate on lands belonging to the United States of America, and in which there
are valuable mineral deposits, was entered upon and located for the purposes of exploration and
purchase by Geo J. Cansler, a citizen of the United States

(Locator must insert either "a citizen of the United States," or, "who has declared his intention to become a citizen of the United States.")

the undersigned, on the 13th day of August 1907

The length of this claim is 1500.0 feet,
and I claim 515. feet,

in a N 68° 00' E. direction and 985.0
feet in a S 68° 00' W direction from

the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together
with 299.9 feet in width of the surface grounds, on each

side of the center of said claim. The general course of the lode deposit and premises is from the
N. E. to the S. W.

The claim is situated and located in the Pioneer Mining District, in
Pinal County, in the Territory of Arizona, about 3 miles
in a N. E. direction from Picket Post Mountain

The S. E. corner of this claim is about 150 feet from
Superior Post Office.

The surface boundaries of the claim are marked upon the ground as follows: Beginning at
a monument of stones.

at a point in a N 68° 00' E direction 515.0 feet from
the discovery shaft (at which this notice is posted,) being in the center of the N. E.
end line of said claim; thence N 23° 20' W 300.0 feet to a post in a
monument, being the N. E. corner of said claim; thence
S 68° 00' W. 1500.0 feet to a post in a mon., being at the
N. W. corner of said claim; thence S-23° 20' E 300.0 feet
to a Monument of stone at the center of the S. W. end of said claim;
thence S 23° 20' E 300.0 feet to a post in a mon., being at the
S. W. corner of said claim; thence N 68° 00' E 1500.0
feet to a post in a mon. at the S. E. corner of said claim;
thence N, 23° 20' W 300.0 feet to the place of beginning.

All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of
the United States, and of an Act of the General Assembly of Arizona, entitled "An Act to Revise
and Codify the Laws of the Territory of Arizona," approved March 16, 1901.

This is an Amended Location Notice of the Doubly Site
Mining Claim, located by Geo J. Cansler

on the 14th day of
June 1905, and recorded in Book --23 of Records of Mines, at
page 72, in the office of the County Recorder of the aforesaid County of --Pinal
to which reference is hereby made, and this Amended Location Notice is made and posted to
correct errors in the description in the said original Location Notice.

Dated and posted on the ground this --13th day of -August 1907

E. T. Stewart
Witness-

Geo. J. Cansler

I,.....G. F. Watson....., County Recorder in and for the County and Territory aforesaid, do hereby certify that the within instrument was filed for record at.....9.....o'clock,.....A.....M., on this.....-- 20th.....day of.....August.....1907, and duly recorded in Book No.....-1-.....of Mines-Amended.....Records of.....--Pinal.....County, Arizona, at pages.....46.....

WITNESS my hand and official seal the day and year first above written.

G. F. Watson-

County Recorder.

By Deputy- N. N. Wells

AMENDED
Notice of Location.
 LODE CLAIM.

Doubly Site

Dated August- 13th 1907-

Filed and Recorded at request of

J. B. Newman

August- 20th A. D. 1907

at --9- 0'Clock- A. M.

Book -1- of Mines Amended


Pages -- 46--

G. F. Watson

County Recorder.

By N. N. Wells-

Deputy Recorder.



This diagram is to give locator a general idea of plan of location under the new law. The Discovery Shaft can be in the center of claim or any distance from either end desired. In the diagram it is placed 500 feet from one end and 1000 feet from the other. Commence description of claim at a center end monument, giving its distance and direction from center of Discovery Shaft; thence bound the claim in either direction. In description be careful to state locality of claim with reference to some natural object, or permanent monument, as will identify the claim.

Territory of Arizona

County of Pinal

SS

I, G. F. Watson, County Recorder
 in and for the County of Pinal, Territory of Arizona do
 hereby certify that the foregoing copy of the location
 notice of "DOUBLY SITE" lode claim, is a full, true, and
 correct copy of the " AMENDED" notice of said
 location notice, as the same appears of record in the
 office of Pinal County Recorder, in Book- "1" of
 AMENDED LOCATION NOTICES at page ----- 46-----
 thereof.

Witness my hand and seal of office this 21st day
 of August- A. D. 1907.

Recorder..... *G. F. Watson*

U. S. SURVEYOR GENERAL'S FINAL CERTIFICATE ON
FIELD NOTES.

DEPARTMENT OF THE INTERIOR,
OFFICE OF U. S. SURVEYOR GENERAL,

Phoenix, Arizona,

April 16, 1908.

I, U. S. Surveyor General for District of Arizona,
do hereby certify that the foregoing transcript of the Field Notes, return and approval
of the Survey of the mining claim of

Geo. J. Cansler

, known as the DOUBLY SITE

, situate in Pioneer

Mining District, Pinal County,

Arizona, in Section Approx. 35, Township No. 1 S.,

Range No. 12 E., Unsur., and designated as Survey

No. 2478, has been correctly copied from the originals on

file in this office; that said Field Notes furnish such an accurate description of said
mining claim as will, if incorporated into a patent, serve fully to identify the premises,
and that such reference is made therein to natural objects or permanent monuments as
will perpetuate and fix the *locus* thereof.

And I further certify that five hundred dollars' worth of labor has been expended
or improvements made upon said mining claim by claimant or his grantors, and
that said improvements consist of 3 shafts, 1 cut and 2 tunnels, total
value \$835.00

and that no portion of said labor or improvements has been included in the estimate of
expenditures upon any other claim.

I further certify that the plat thereof, filed in the U. S. Land Office at Phoenix,
Arizona, is correct and in conformity with the foregoing Field Notes.

Frank S. Ingalls,

United States Surveyor General for Arizona.

4-687.

**SURVEYOR-GENERAL'S CERTIFICATE OF APPROVAL OF FIELD
NOTES AND SURVEY OF MINING CLAIM.**

Department of the Interior,

Office of U. S. Surveyor-General,

Phoenix, Arizona,

April 16, 1908.

I, U. S. Surveyor-General for District of Arizona,

do hereby certify that the foregoing and hereto attached Field Notes and Return of the Survey of the

Mining Claim of

Geo. J. Cansler

, known as the

DOUBLY SITE

situate in Pioneer Mining District,

Pinal County, Arizona,

in Section Approx. 35, Township No. 1 S., Range No. 12 E., Unsur.

, designated as Survey No. 2478

executed by Edwin T. Stewart, U. S. Deputy Mineral

Surveyor, February 1 - 3, 1908, under my instructions dated

August 24, 1907, have been critically examined and the necessary

corrections and explanations made, and the said Field Notes and Return, and the Survey they describe,

are hereby approved. A true copy of the copy of the location certificate filed by the applicant for

survey is included in the field notes.

Frank S. Dwyer

U. S. Surveyor-General for Arizona.

MAP



United States Department of the Interior

BUREAU OF LAND MANAGEMENT
Arizona State Office
3022 Federal Building
Phoenix, Arizona 85025

1 IN REPLY REFER TO
9183.1 (942)
M.S. #2478

August 2, 1971

Memorandum

To : Chief, Division of Management Services, ASO
(Att'n. Branch of Records & Data Management)

From : ^{ASSOCIATE} State Director, Arizona

Subject: Mineral Survey No. 2478

This memorandum cancels the survey of the DOUBLY SITE lode claim of Mineral Survey No. 2478.

The following notation should be made on the plat of Mineral Survey No. 2478:

"Survey of DOUBLY SITE lode claim canceled by State Director's memorandum dated August 2, 1971."

The plat and field notes should remain in the files. This memorandum should be made a part of the original field notes of Mineral Survey No. 2478.

By Relinquishment of Mining Claims, dated April 25, 1971, the claimant, Magma Copper Company, relinquished all their right, title and interest in the Doubly Site lode claim.

A portion of the land embraced by the Doubly Site lode claim is scheduled for disposal under Forest Exchange Application A 4338.

cc: Director



J →

120

REMOVED FROM MD SHEET?

Yes 7/28/71

IN REPLY REFER TO



United States Department of the Interior

9183.1 (942)
M.S. #2478

BUREAU OF LAND MANAGEMENT
Arizona State Office
3022 Federal Building
Phoenix, Arizona 85025

August 2, 1971

Memorandum

To : Chief, Division of Management Services, ASO
(Att'n. Branch of Records & Data Management)

From : ^{ASSOCIATE} State Director, Arizona

Subject: Mineral Survey No. 2478

This memorandum cancels the survey of the DOUBLY SITE lode claim of Mineral Survey No. 2478.

The following notation should be made on the plat of Mineral Survey No. 2478:

"Survey of DOUBLY SITE lode claim canceled by State Director's memorandum dated August 2, 1971."

The plat and field notes should remain in the files. This memorandum should be made a part of the original field notes of Mineral Survey No. 2478.

By Relinquishment of Mining Claims, dated April 25, 1971, the claimant, Magma Copper Company, relinquished all their right, title and interest in the Doubly Site lode claim.

A portion of the land embraced by the Doubly Site lode claim is scheduled for disposal under Forest Exchange Application A 4338.

cc: Director

