

**M
S
-**

0

2

4

8

9

Filed 11-14-07
H.S.J.

1 NOV 22 1907
DEC 7 1907

(4-683.)

Mineral Survey No. 2489

Lot No. _____

Arizona

Land District.

FIELD NOTES

OF THE SURVEY OF THE MINING CLAIM OF

Unida Gold Mining Company

Lincoln Starlight Rocky Mountain Sitting Bull
KNOWN AS THE
Unida Lama and Jonina
Black Rock

Mining District,

Yavapai County, Arizona

Section Approximately, Township 8 N., Range 3 W. 2 Unsur.

Surveyed under instructions dated Oct 28, 1907

by J. J. Fisher
U. S. Deputy Mineral Surveyor

Claim located see loc notices, 1

Survey commenced Nov 5th, 1907

Survey completed Nov 8th, 1907

Address.

George Palda, Agent.
Wickenburg
Arizona.

see report on 10

SURVEY NO. 2489

Feet

UNIDA LODE

Beginning at W. C. E. identical with W. C. E. of loc. A mon. of stones 2 ft. base 2½ ft. high.

Set a granite stone 28 x 10 x 6 ins. 12 ins. in ground, alongside raised a mound of stones 3 x 3 ft. Stone marked W. C. E., U. 2489.

Thence S. 38° W.

300 To cor. No. 1, which is also cor. No. 4 Rocky Mountain lode of this survey, identical with cor. of loc. A mon. of stones 2 ft. base 2½ ft. high.

Set a granite stone 20 x 10 x 6 ins. 12 ins. in ground, alongside raised a mound of stones 3 x 3 ft. Stone marked U. 1-2489 and R. M. 4-2489.

Whence a X on a granite rock in place marked B. R. U. 1-2489 hrs. N. 60° W. 3.2 ft.

No other bearings available.

U. S. L. M. No. 2489 B. R. M. D. hrs. S. 26° 8' 5" W. 1149.3 ft.

Thence S. 60° E.

1500 To cor. No. 2, which is also cor. No. 3 Rocky Mountain, cor. No. 4 Lincoln, and cor. No. 1 Laura lodes of this survey, identical with cor. of loc. A mon. of stones 2 ft. base 2½ ft. high.

Set a granite stone 24 x 10 x 8 ins. 12 ins. in ground, alongside raised a mound of stones 3 x 3 ft. Stone marked U. 2-2489, R. M. 3-2489, L. 4-2489, and L. 1-2489.

SURVEY NO. 2489

Feet

Whence a X on a granite rock in place marked B. R.
L. 1-2489 brs. N. 41° 45' E. 28 ft.

A X on a granite rock in place marked B. R.
R. M. 3-2489 brs. S. 3° W. 19.6 ft.

Thence N. 38° E.

300 To E. C. E. which is also the W. C. E. Laura lode
of this survey, identical with loc. A mon. of stones
2 ft. base 2½ ft. high.

Set a granite stone 20 x 14 x 4 ins. 12 ins. in
ground, alongside raised a mound of stones 3 x 3 ft.
Stone marked E. C. E. U. 2489 and W. C. E. L. 2489.

800 To cor. No. 3, which is also cor. No. 4 Laura
lode of this survey, identical with cor. of loc. A
mon. of stones 2 ft. base 2½ ft. high.

Set a granite stone 30 x 12 x 6 ins. 15 ins. in
ground, alongside raised a mound of stones 3 x 3 ft.
Stone marked U: 3-2489 and L. 4-2489.

Whence a X on a granite rock in place marked B. R.
U. 3-2489 brs. S. 52° 15' W. 13.9 ft.

A X on a granite rock in place marked B. R.
L. 4-2489 brs. S. 27° 35' W. 8.3 ft.

Thence N. 60° W.

1332 To cor. No. 1 Bloo Neley and cor. No. 2 Home lodes
Survey 2490.

1500 To cor. No. 4 identical with cor. of loc. A mon.
of stones 2 ft. base 2½ ft. high.

SURVEY NO. 2489

Feet

Set a granite stone 24 x 10 x 8 ins. 12 ins. in ground, alongside raised a mound of stones 3 x 3 ft. Stone marked U. 4-2489.

Whence of X on a granite rock in place marked B. R. U. 4-2489 hrs. S. 10° 45' E. 7.7 ft.

A X on a granite rock in place marked B. R. U. 4-2489 hrs. N. 63° 25' W. 21.3 ft.

Thence S. 38° W.

300 To W. C. E. the place of beginning survey of exterior boundaries.

ROCKEY MOUNTAIN

Beginning at W. C. E. identical with loc.

A mon. of stones 2 ft. base 1½ ft. high.

Set a granite stone 30 x 12 x 8 ins. 15 ins. in ground, alongside raised a mound of stones 3 x 3 ft.

Stone marked W. C. E. R. M. 2489.

Thence S. 38° W.

300 To cor. No. 1 which is also cor. No. 4 Sitting Bull lode of this survey, identical with cor. of loc.

A mon. of stones 2 ft. base 2½ ft. high.

Set a granite stone 24 x 10 x 6 ins. 12 ins. in ground, alongside raised a mound of stones 3 x 3 ft.

Stone marked R. M. 1-2489 and S. B. 4-2489

SURVEY NO. 2489

Feet

Whence a X on a granite rock in place marked B. R.
R. M. 1-2489 brs. N. 63° 10' E. 25.8 ft.

A X on a granite rock in place marked B. R.
S. B. 4-2489 brs. S. 76° 45' W. 27.4 ft.

U. S. L. M. No. 2489 brs. S. 13° 45' 23" W.
575.5 ft.

Thence S. 60° E.

1500

To cor. No. 2, which is also cor. No. 3 Sitting
Bull and cor. No. 1 Lincoln lodes of this survey, iden-
tical with cor. of loc. A mon. of stones 2 ft. base
2½ ft. high.

Cut a X on a granite rock in place for cor. point
marked L. 1-2489, R. M. 2-2489, and S. B. 3-2489.

No bearings available. Alongside raised a mound
of stones 3 x 3 ft.

Thence N. 38° E.

300

To E. C. E., which is also the W. C. E. Lincoln
lode of this survey, identical with loc. A mon. of
stones 2 ft. base 2½ ft. high.

Set a granite stone 18 x 10 x 6 ins. 12 ins. in
ground, alongside raised a mound of stones 3 x 3 ft.
Stone marked E. C. E., R. M. 2489 and W. C. E., L. 2489.

600

To cor. No. 3, which is also cor. No. 2 Unida,
cor. No: 1 Laura, and cor. No. 4 Lincoln lodes of this
survey. Cor. described above.

SURVEY NO. 2489

Feet

Thence N. 60° W.

1500

To cor. No. 4, which is also cor. No. 1 Unida lode of this survey. Cor. described above.

Thence S. 38° W.

300

To W. C. E. the place of beginning survey of exterior boundaries.

SITTING BULL

Beginning at W. C. E. identical with loc. A mon. of stones 2 ft. base 2½ ft. high

Set a granite stone 28 x 10 x 6 ins. 14 ins. in ground, alongside raised a mound of stones 3 x 3 ft. Stone marked W. C. E., S. B. 2489.

Thence S. 38° W.

300

To cor. No. 1, identical with cor. of loc. A mon. of stones 2 ft. base 2½ ft. high.

Cut a X on a granite rock in place for cor. point, alongside raised a mound of stones 3 x 3 ft. Rock marked S. B. 1-2489.

Whence U. S. L. M. No. 2489 hrs. S. 69° 40' E. 248 ft.

SURVEY NO. 2489

Feet

Thence S. 60° E.

1500

To cor. No. 2, identical with cor. of loc.
A mon. of stones 2 ft. base 2½ ft. high.

Set a granite stone 24 x 10 x 8 ins. 12 ins. in
ground, alongside raised a mound of stones 3 x 3 ft.
Stone marked S. B. 2-2489.

Whence a X on a granite rock in place marked B. R.
S. B. 2-2489 hrs. N. 76° E. 155 ft.

No other bearings available.

Thence N. 38° E.

300

To E. C. E., identical with loc. A mon. of
stones 2 ft. base 1½ ft. high.

Cut a X on a granite rock in place, alongside
raised a mound of stones 3 x 3 ft. Rock marked E. C. E.
S. B. 2489.

600

To cor. No. 3, which is also cor. No. 2 Rocky
Mountain and cor. No. 1 Lincoln lodes of this survey.
Cor. described above.

Thence N. 60° W.

1500

To cor. No. 4, which is also cor. No. 1 Rocky
Mountain lode of this survey. Cor. described above.

Thence S. 38° W.

300

To W. C. E. , the place of beginning survey of exte-
rior boundaries.

SURVEY NO. 2489

Feet

LAURA LODE

Beginning at W. C. E. which is also the E. C. E. Unida lode of this survey. Mon. described above.

Thence S. 38° W.

300 To cor. No. 1, which is also cor. No. 2 Unida, cor. No. 3 Rocky Mountain, and cor. No. 4 Lincoln lodes of this survey. Cor. described above.

Whence U. S. L. M. No. 2489 brs. S. 81° 7' 41" W. 1827.1 ft.

Thence S. 60° E.

1500 To cor. No. 2, which is also cor. No. 3 Lincoln, cor. No. 4 Star Light, and cor. No. 1 Torina lodes of this survey, identical with loc. A mon. of stones 2 ft. base 2 1/2 ft. high.

Set a granite stone 24 x 10 x 10 ins. 12 ins. in ground. Stone marked L. 2-2489, L. 3-2489, S. 4-2489 and T. 1-2489; Alongside raised a mound of stones 3 x 3 ft.

A X on a granite rock in place marked B. R. S. L. 4-2489 brs. S. 78° 25' E. 45.8 ft.

A X on a granite rock in place marked B. R. T. 1-2489 brs. N. 39° E. 32.4 ft.

SURVEY NO. 2489

Feet

Thence N. 38° E.

300

To E. C. E., which is also the W. C. E. Torina lode of this survey, identical with loc. A mon. of stones 2 ft. base 2½ ft. high.

Set a granite stone 24 x 12 x 12 ins. 12 ins. in ground, alongside raised a mound of stones 3 x 3 ft. Stone marked E. C. E., L. 2489 and W. C. E. T. 2489.

600

To cor. No. 3, which is also cor. No. 4 Torina lode of this survey, identical with cor. of loc. A mon. of stones 2 ft. base 2½ ft. high.

Set a granite stone 30 x 12 x 10 ins. 15 ins. in ground, alongside raised a mound of stones 3 x 3 ft. Stone marked L. 3-2489 and T. 4-2489.

Whence a X on a granite rock in place marked B. R. L. 3-2489 hrs. N. 56° 20' E. 30.8 ft.

A X on a granite rock in place marked B. R. T. 4-2489 hrs. S. 2° 55' E. 25.2 ft.

Thence N. 60° W.

192

To cor. No. 2 Gray Eagle lode of Survey No. 2490.

1332

To cor. No. 1 Gray Eagle and cor. No. 2 Bloo Neley lodes Survey No. 2490.

1500

To cor. No. 4, which is also cor. No. 3 Unida lode of this survey. Cor. described above.

Thence S. 38° W.

300

To W. C. E., the place of beginning survey of exterior boundaries.

SURVEY NO. 2489

Feet

LINCOLN LODE

Beginning at W. C. E., which is also the E. C. E. of Rocky Mountain lode of this survey. Mon. described above.

Thence S. 38° W.

300 To cor. No. 1, which is also cor. No. 2 Rocky Mountain and cor. No. 3, Sitting Bull lodes of this survey. Cor. described above.

Whence U. S. L. M. No. 2489 brs. N. 82° 25' 39" W. 1449.5 ft.

Thence S. 60° E.

1500 To cor. No. 2, which is also cor. No. 1 Star light lode of this survey, identical with cor. of loc. A mon. of stones 2 ft. base 2½ ft. high.

Set a granite stone 20 x 8 x 5 ins. 12 ins. in ground, alongside raised a mound of stones 3 x 3 ft. Stone marked L. 2-2489 and S. . . 1-2489.

Whence a X on a granite rock in place marked B. R. L. 2-2489 brs. N. 24° W. 9.7 ft.

A X on a granite rock in place marked B. R. S. . . 1-2489 brs. N. 76° E. 20.7 ft.

Thence N. 38° E.

300 To E. C. E., which is also the W. C. E. Star light lode of this survey, identical with loc.

SURVEY NO. 2489

Feet

A mon. of stones 2 ft. base 1½ ft. high.

Set a granite stone 20 x 10 x 4 ins. 12 ins. in ground, alongside raised a mound of stones 3 x 3 ft. Stone marked E. C. E. L. 2489 and W. C. E. S. 2489.

600

To cor. No. 3, which is also cor. No. 4 Star light, cor. No. 1 Torina, and cor. No. 2 Laura lodes of this survey. Cor. described above.

Thence N. 60° W.

1500

To cor. No. 4, which is also cor. No. 1 Laura, cor. No. 2 Unida, and cor. No. 3 Rocky Mountain lodes of this survey. Cor. described above.

Thence S. 38° W.

300

To W. C. E., the place of beginning survey of exterior boundaries.

TORINA LODE

Beginning at W. C. E., identical with loc., being also the E. C. E. of Laura lode of this survey. Mon. described above.

Thence S. 38° W.

300

To cor. No. 1, which is also cor. No. 2 Laura, cor. No. 3 Lincoln, and cor. No. 4 Star light lodes of this survey. Cor. described above.

SURVEY NO. 2489

Feet.

Whence U. S. L. M. No. 2489 brs. N. 81° 25' 33" W.
3139.4 ft.

Thence S. 26° 32' E.

1431.1 To cor. No. 2, which is also the E. C. E. of Star-
light lode of this survey, identical with loc. A mon.
of stones 2 ft. base 2½ ft. high.

Set a granite stone 30 x 10 x 6 ins. 15 ins. in
ground, alongside raised a mound of stones 3 x 3 ft.
Stone marked T. 2-2489, also E. C. E., S. 2-2489.

No bearings available.

Thence N. 38° E.

300 To E. C. E., which is also cor. No. 3 Star light
lode of this survey, identical with cor. of loc. A mon.
of stones 2 ft. base 2½ ft. high.

Set a granite stone 24 x 8 x 6 ins. 12 ins. in
ground, alongside raised a mound of stones 3 x 3 ft.
Stone marked E. C. E., T. 2489, also S. 3-2489.

Whence a X on a granite rock in place marked B. R.
S. 3-2489 brs. N. 35° W. 6 ft.

No other bearings available.

600 To cor. No. 3, identical with cor. of loc. A mon.
of stones 2 ft. base 2½ ft. high.

Set a granite stone 24 x 20 x 5 ins. 12 ins. in
ground, alongside raised a mound of stones 3 x 3 ft.
Stone marked T. 3-2489.

Whence a X on a granite rock in place marked B. R.
T. 3-2489 brs. N. 40° 20' W. 16.7 ft.

SURVEY NO. 2489

Feet

A X on a granite rock in place marked B. R.
T. 3-2489 hrs. N. 24° E. 18.3 ft.

Thence N. 26° 32' W.

1431.1 To cor. No. 4, which is also cor. No. 3 Laura
lode of this survey. Cor. described above.

Thence S. 38° W.

300 To W. C. E., the place of beginning survey of
exterior boundaries.

STARLIGHT LODE

Beginning at the W. C. E., which is also the
E. C. E. of Lincoln lode of this survey. Mon. de-
scribed above.

Thence S. 38° W.

300 To cor. No. 1, which is also cor. No. 2 Lincoln
lode of this survey. Cor. described above.

Whence U. S. L. M. No. 2489 hrs. N. 71° 0' 46" W.
2892.2 ft.

SURVEY NO. 2489

Feet Thence S. 38° 17' E.

1330 To cor. No. 2, identical with cor. of loc.
 A mon. of stones 2 ft. base 1½ ft. high.
 Cut a X on a granite rock in place for cor. point.
 Alongside raised a mound of stones 3 x 3 ft. Rock
 marked S. N. 2-2489.
 No bearings available.

Thence N. 38° E.

300 To E. C. E., which is also cor. No. 2 Torina lode
 of this survey. Mon. and cor. described above.

600 To cor. No. 3, which is also E. C. E. Torina lode
 of this survey. Cor. and mon. described above.

Thence N. 38° 17' W.

1330 To cor. No. 4, which is also cor. No. 1 Torina,
 cor. No. 2 Laura, and cor. No. 3 Lincoln lodes of this
 survey. Cor. described above.

Thence S. 38° W.

300 To W. C. E., the place of beginning survey of ex-
 terior boundaries.

The conflict between the Starlight and Torina lodes
 is to be excluded from the Torina lode.

Variation at all cors. 14° 15' E.

SURVEY NO. 2489

V E I N S

UNIDA extends N. 60° W. 750 ft. and S. 60° E. 750 ft. from the discovery shaft.

ROCKEY MOUNTAIN extends N. 60° W. 1475 ft. and S. 60° E. 25 ft. from discovery shaft.

SITTING BULL extends N. 60° W. 1150 ft. and S. 60° E. 350 ft. from discovery shaft.

LAURA extends S. 60° E. 1500 ft. from the W. side of discovery shaft.

LINCOLN extends N. 60° W. 1425 ft. and S. 60° E. 75 ft. from discovery shaft.

TORINA extends N. 26° 32' W. 731.1 ft. and S. 26° 32' E. 700 ft. from the discovery cut and shaft.

STARLIGHT
STAR LIGHT extends N. 38° 17' W. 125 ft. and S. 38° 17' E. 1205 ft. from the discovery shaft.

L O C A T I O N

This claim is located on unsurveyed land approximately in Tp. 8 N., R. 3 W., when surveyed, in Black Rock mining district, Yavapai County, Arizona, and is bounded on the north by Home, Bloo Neley, and Gray Eagle lodes, Survey No. 2490; on the south by Burlin Mt. lode, unsurveyed, Stefano Licon, claimant; on the west by Licon lode, S. Mandarick, claimant, unsurveyed; and lode claim name unknown, unsurveyed.

SURVEY NO. 2489

A R E A

UNIDA LODE	20.460 acres
ROCKEY MOUNTAIN LODE	20.460 acres
SITTING BULL LODE	20.460 acres
LAURA LODE	20.460 acres
LINCOLN LODE	20.460 acres
STARLIGHT STAR LIGHT LODE	17.798 acres
TORINA LODE	
Gross area	17.798 acres
Less conflict with Star Light lode	<u>4.449 acres</u>
Net area	<u>13.347 acres</u>
Total area	133.445 acres.

EXPENDITURE OF FIVE HUNDRED DOLLARS

I certify that the improvements upon this claim placed thereon by the claimant and its grantors is not less than Five Hundred Dollars for each location in said claim, and said improvements consist of:

UNIDA LODE:

Discovery shaft No. 1, which brs. from the E. C. E. mon. N. 60° W. 750 ft. Shaft 4 x 6 ft., 40 ft. deep.

VALUE \$ 400.00

Note: There is to be credited to the Unida lode \$914.30 of the improvements in the main working shaft No. 2 Rocky Mountain lode.

ROCKEY MOUNTAIN LODE:

Discovery shaft No. 1, which brs. from the E. C. E. mon. N. 60° W. 25 ft. Shaft 4 x 6 ft. 285 ft. deep. At 120 ft. a level is run N. 4 x 6 ft. 130 ft. long and S. 4 x 6 ft. 50 ft. long. At 160 ft. a level is run

SURVEY NO. 2489

S. 4 x 6 ft. 50 ft. long. At 200 ft. a level is run
E. 4 x 6 ft. 180 ft. long.

VALUE \$8375.00

155 ft. of the lower level valued at \$1550.00 is to be credited to the Lincoln lode, as it extends that distance on the Lincoln vein.

Main shaft No. 2, which brs. from cor. No. 1 S. 68° 20' E. 1100 ft. Shaft 5 x 8 in the clear, double compartment, timbered. 320 ft. in depth.

VALUE \$6400.00

Note: This shaft is intended for the main working shaft for the entire group, and is to be credited equally among the seven claims, which will make \$914.30 for each claim.

Shaft No. 3, which brs. from cor. No. 1 N. 83° 40' E. 740 ft. Shaft 4 x 6 ft. 40 ft. deep.

VALUE \$ 400.00

SITTING BULL LODE:

Discovery shaft No. 1, which brs. from the E. C. E. mon. N. 60° W. 350 ft. Shaft 4 x 6 ft. 10 ft. deep.

VALUE \$ 100.00

Note: There is to be credited to the Sitting Bull lode \$914.30 of the value of the main working shaft No. 2 on Rocky Mountain lode.

LAURA LODE:

Discovery shaft No. 1, at W. C. E. of claim. Shaft 4 x 6 ft. 70 ft. deep.

VALUE \$ 700.00

Note: There is to be credited to the Laura lode \$914.30 of the value of the main working shaft No. 2 on Rocky Mountain lode.

SURVEY NO. 2489

LINCOLN LODE:

Discovery shaft No. 1, which hrs. from the E. C. E. mon. N. 60° W. 75 ft. Shaft 4 x 6 ft. 10 ft. deep.

VALUE \$ 100.00

155 ft. of the lower level of discovery shaft No. 1 Rocky Mountain lode is to be credited to the Lincoln lode.

Note: There is to be credited to the Lincoln Lode \$914.30 of the value of the main working shaft No. 2 on Rocky Mountain lode. VALUE \$1550.00

TORINA LODE:

Discovery cut and shaft No. 1, which hrs. from the E. C. E. mon. N. 26° 32' W. 700 ft. Cut 8 x 12 ft. 8 ft. face, and shaft 4 x 6 ft. 10 ft. deep.

VALUE \$ 200.00

Note: There is to be credited to the Torina lode \$914.30 of the value of the main working shaft No. 2 on Rocky Mountain lode.

~~STARLIGHT~~
STAR-LIGHT LODE:

Discovery shaft No. 1, which hrs. from the W. C. E. mon. S. 38° 17' E. 125 ft. Shaft 4 x 6 ft. 10 ft. deep.

VALUE \$ 100.00

Shaft No. 2, which hrs. from the W. C. E. S. 38° 17' E. 1130 ft. Shaft 4 x 6 ft. 100 ft. deep.

VALUE \$1000.00

Tunnel No. 3, which hrs. from the W. C. E. S. 38° 17' E. 1150 ft. Tunnel 4 x 6 ft. 180 ft. long.

Course S. E. VALUE \$1800.00
Note: This is to be credited to the Starlight lode \$914.30 of the value of the main working shaft No. 2 on Rocky Mountain lode.

Total value of improvements \$19575.00

I N S T R U M E N T

This survey was made with a Light Mountain Gurley Solar Transit. The courses were deflected from the true meridian as determined by solar observation. The distances were measured with a 50 ft. and 300 ft. steel tape. Prescott, Arizona, November 20, 1907

J. J. Fisher
U.S. Dep. Min. Surveyor

While U. S. L. M. No. 1623 is probably within the two mile limit of Survey No. 2489 and Survey No. 2490, the character of the country intervening is such, being very rough and mountainous, as to be very susceptible of error in tying to said monument, and if tied to U. S. L. M. No. 1477 a portion of the claims would be out of limits, and a U. S. L. M. in this portion of the district being very desirable, as there are numerous claims lying to the south-west of this Survey which when surveyed will be tied thereto, I considered it best to erect a U. S. L. M. on a high point visible in all directions for long distances, and so situated as to be indestructible.

I cut a X on a granite rock in place for center point, alongside raised a mound of stones 4 ft. base $4\frac{1}{2}$ ft. high. Rock marked U. S. L. M. No. 2489 B.R.M.D.

Whence a X on a granite rock in place marked B.R. U. S. L. M. No. 2489 B. R. M. D. hrs. N. $72^{\circ} 15'$ W. 22.6 ft.

A X on a granite rock in place marked B. R. U. S. L. M. No. 2489 B. R. M. D. hrs. N. $11^{\circ} E.$ 11.7 ft.

U. S. L. M. No. 1477 B. R. M. D. hrs. S. $59^{\circ} 10' 38'' E.$ 11,678.8 ft.

Vulture Peak hrs. S. $42^{\circ} 45' W.$ about 20 miles.

Wickenburg hrs. S. $50^{\circ} W.$ about 12 miles.

Oro Grande Peak hrs. S. $73^{\circ} 45' W.$ about 5 miles.

This mon. is situated approximately in Tp. 8 N., R. 3 W., G. & S. R. B. & M., in Black Rock Mining District, Yavapai County, Arizona.

Prescott, November 20, 1907.

J. J. Fisher
U.S. Dep. Min. Surveyor

FINAL OATHS FOR SURVEYS.

LIST OF NAMES.

A list of the names of the individuals employed by

J. J. Fisher

United States Deputy Mineral Surveyor, to assist in running, measuring, and marking the lines, corners, and boundaries described in the foregoing field notes of the survey of the mining claim of

Unida Gold Mining Company

known as the

*Lincoln Mine
Starlight
Rocky Mountain
Sitting Bull*

Unida, Laura and Jonina

and showing the respective capacities in which they acted.

E. H. Draper, Chairman.

Stefano Loncar, Chairman.

Stefano Loncar, Axman.

E. H. Draper, Flagman.

FINAL OATHS OF ASSISTANTS.

We,

E. H. Draper

and

Stefano Loncar

J. J. Fisher

do solemnly swear that we assisted

the boundaries of the mining claim of

Unida Gold Mining Company

known as the

*Lincoln Mine
Starlight
Rocky Mountain
Sitting Bull*

Unida, Laura and Jonina

represented in the foregoing field notes as having been surveyed by said deputy mineral surveyor and under his direction; and that said survey has been in all respects, to the best of our knowledge and belief, faithfully and correctly executed, and the corner and boundary monuments established according to law and the instructions furnished by the United States Surveyor-General for

Arizona

E. H. Draper, Chairman.

Stefano Loncar, Chairman.

Stefano Loncar, Axman.

E. H. Draper, Flagman.

Subscribed and sworn to by the above-named persons before me this

8th

day of

November

190

*J. J. Fisher
Notary Public*

9, 1908

(4-686.)

FINAL OATH OF U. S. DEPUTY MINERAL SURVEYOR.

I, J. J. Fisher, U. S. Deputy Mineral Surveyor, do solemnly swear that, in pursuance of instructions received from the United States Surveyor General for Arizona, dated Oct 28th, 1907, I have, in strict conformity to the laws of the United States, the official regulations and instructions thereunder, and the instructions of said Surveyor General, faithfully and correctly executed the survey of the Mining Claim of United Gold Mining Company

Lincoln Mine, Situated Right Rocky Mountain, Sitting Base United Lanna & Toring, known as the Blue Rock Mining District, Yavapai County, Arizona, in Section Approx, Township No. 8 N., Range No. 34 W., Unsur and designated as Survey No. 2489, as represented

in the foregoing field notes, which accurately show the boundaries of said mining claim as distinctly marked by monuments on the ground, and described in the attached copy of the location certificate, which was received by me from the Surveyor General with said instructions, and that all the corners of said survey have been established and perpetuated in strict accordance with the law, official regulations and instructions thereunder; and I do further solemnly swear that the foregoing are the true and original field notes of said survey and my report therein, and that the labor expended and improvements made upon said mining claim by claimant or its grantors are as therein fully stated, and that the character, extent, location and itemized value thereof are specified therein with particularity and full detail, and that no portion of said labor or improvements so credited to this claim has been included in the estimate of expenditures upon any other claim.

J. J. Fisher
U. S. Deputy Mineral Surveyor.

Subscribed and sworn to by the said J. J. Fisher
U. S. Deputy Mineral Surveyor, before me A. Beckett Hill
this 21st

day of November 1907, 18 My Commission
expires June 23. 1911.

A. Beckett Hill
Notary Public

6-8-154

Affidavit of Five Hundred Dollars Improvements.

We, E. H. Draper and Stefano Loncar

of lawful age, being first duly sworn, according to law, depose and say: That we are acquainted with the Lincoln Mine "Starlight, Lama, Rocky Mountain, Sitting Bull, United & Louisa" mining claim, situate in Black Rock

mining district, Yavapai County, Arizona Territory, for which United Gold Mining Company

has made application for survey prior to application for patent under the provisions of the Act of Congress approved May 10, 1872; and that the labor done and improvements made thereon by the applicant and its grantor exceed five hundred dollars in value, and further that we are not personally interested in said mine.

E. H. Draper
Stefano Loncar

TERRITORY OF ARIZONA,
COUNTY OF Yavapai } ss:

Sworn to and subscribed before me this 8th day

[SEAL.]

of November, 1907

J. J. Fisher
Notary Public

"Rockey Mountain"

Notice of Mining Location.

Lode Claim.

To All Whom it May Concern:

This Mining Claim, the name of which is the Rocky Mountain Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purpose of exploration and purchase by Sam Franklin George Margaritch citizens of the United States the undersigned, on the ^{1st} first day of January, 1901.

The length of this claim is 1500 fifteen hundred feet, and we claim 1500 fifteen hundred feet, in a Northwesterly direction from the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with 300 three hundred feet in width of the surface grounds, on each side of the center of said claim. The general course of the lode deposit and premises is from the Northwesterly to the Southeasterly

The claim is situated and located in the Black Rock Mining District, in Yavapai County, in the Territory of Arizona, about 3000 feet in a Southeasterly direction from Franklins Spring and is the Northwesterly extension of the Rich Hill Mine this is an abandon property formerly known as the Clipper No. Two

The surface boundaries of the claim are marked upon the ground as follows: Beginning at a monument of stone at a point in a Northwesterly direction 1500 feet from the discovery shaft (at which this notice is posted), being in the center of the Northerly end line of said claim; thence Northeasterly 300 feet to a monument of stone being the N.W. corner of said claim; thence Southeasterly 750 feet to a monument at the center of the Easterly side line of said claim; thence Southeasterly 750 feet to a monument being at the S.E. corner of said claim; thence Southwesterly 300 feet to a monument at the center of the South end of said claim; thence Southwesterly 300 feet to a monument, being at the S.W. corner of said claim; thence Northwesterly 750 feet to a monument being at the center of the Westerly side line of said claim; thence Northwesterly 750 feet to a monument at the N.W. corner of said claim; thence Northeasterly 300 feet to the place of beginning.

All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of the United States, and of an Act of the General Assembly

of Arizona, entitled "An Act Concerning Mines," approved March 20th, 1895,
and amended March 2d, 1899.

Dated and ~~posted~~ on the ground this 1th first day of January 1901.

Witness

Sam Franklin

Thomas Casidy

Georg. Margaritch
Locator.

Filed and recorded at request of Sam Franklin February 19th A.D. 1901,
at 9/ o'clock, A.M., Book 57 of Mines, Page 175, Records of Yavapai County,
Arizona.

(SEAL)

P.J.Farley

By F.J.Gibbons

County Recorder.

Deputy Recorder.

"Unida"-----

Notice of Mining Location.

Lode Claim.

To All Whom it May Concern:

This Mining Claim, the name of which is the Unida Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purpose of exploration and purchase by Goe Margaritch a citizen of the United States the undersigned, on the 8th day of August, 1902

The length of this claim is 1500 fifteen hundred feet, and I claim 750 seven hundred and fifty feet, in a northwesterly direction and 750 Seven hundred fifty feet in a southeasterly direction from the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with 300 three hundred feet in width of the surface grounds, on each side of the center of said claim. The general course of the lode deposit and premises is from the northwest to the southeast

The claim is situated and located in the Black Rock Mining District in Yavapai County, in the Territory of Arizona, about 3000 feet in a easterly direction from Franklin Spring joining the Electra mine on the north

The surface boundaries of the claim are marked upon the ground as follows: Beginning at monument in center of claim at a point in a northerly direction 750 feet from the discovery shaft (at which this notice is posted), being in the center of the north end line of said claim; thence 300 feet to a monument being the northwest corner of said claim; thence southeasterly 750 feet to a monument at the center of the west side line of said claim; thence 750 feet to a monument being at the southwest corner of said claim; thence 300 feet to a monument at the center of the south end of said claim; thence 300 three hundred feet to a monument being at the southeast corner of said claim; thence 750 feet to a monument being at the center of the east side line of said claim; thence 750 feet to a monument at the northeast corner of said claim; thence southeast 750 feet to the place of beginning.

All done under the provisions of Chapter Six, of Title XXXII, of the revised Statutes of the United States and of an Act of the General Assembly of Arizona, entitled " An Act Concerning Mines," approved March 20,

1895, and amended March 2d, 1899.

Dated and posted on the ground, this 8th day of August 1902

Goe Margaritch.

Witness

Elmer Clem.

Filed and recorded at request of W.J Gilbert Sept 9" A.D. 1902, at 12 ~~30~~ o'clock P M., Book 63 of Mines, Page 594, Records of Yavapai County, Arizona.

(SEAL)

P.J.Farley

By G.M.Dotson _

County Recorder.

Dpeuty Recorder .

"Laura"

Notice of Mining Location.

Lode Claim.

To All Whom it May Concern:

This Mining Claim, the name of which is the "Laura" Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purpose of exploration and purchase by Elmer Clem, a citizen of the United States the undersigned, on the 26th day of August, 1902

The length of this claim is fifteen hundred feet, and I claim fifteen hundred feet, in a south easterly direction from the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with three hundred feet in width of the surface grounds, on each side of the center of said claim. The general course of the lode deposit and premises is from the North West to the South East

The claim is situated and located in the Black Rock Mining District in Yavapai County, in the Territory of Arizona, about 3000... in a Easterly direction from Franklin Spring and about one mile west from Gilbert store

The surface boundaries of the claim are marked upon the ground as follows: Beginning at a monument at a point in a westerly direction fifteen hundred feet from the discovery shaft (at which this notice is posted), being in the center of the West end line of said claim; thence 300 three hundred feet to a monument being the North East corner of said claim; thence 750 feet to a monument at the center of the North side line of said claim; thence 750 feet to a monument being at the south east corner of said claim; thence 300 feet to a monument at the center of the East end of said claim; thence 300 three hundred feet to a monument being at the South West corner of said claim; thence 750 feet to a monument being at the center of the South side line of said claim; thence 750 feet to a monument at the North West corner of said claim; thence north three hundred feet to the place of beginning.

All done under the provisions of Chapter Six, of Title XXII, of the revised Statutes of the United States and of an Act of the General Assembly of Arizona, entitled "An Act Concerning Mines," approved March 20, 1895, and amended March 2d, 1899.

Dated and posted on the ground, this 26th day of August 1902

Witness

Elmer Clem

Stefano Loncar.

Filed and recorded at request of Elmer Clem Nov 25th. A.D. 1902,
at 2³⁰ o'clock P.M., Book 66 of Mines, Page 259, Records of Yavapai County,
Arizona.

(SEAL)

P.J. Farley

By G.M. Dotson

County Recorder.

Deputy Recorder.

"Torina"

Amended Notice of Mining Location

--Lode Claim--

To all whom it may concern:-

This Mining Claim, the name of which is the "Torina" Mining Claim, situate on lands belonging to the United States of America, and in which there are mineral deposits, was entered upon and located for the purposes of exploration and purchase by Stefano Loncar a citizen of the United States. the undersigned, on the 14th day of February 1905.

The length of this claim is 1500 feet and I claim 730 feet in a northerly direction and 770 feet in a southerly direction from the center of the discovery cut, at which this notice is posted, lengthwise of the claim, together with 300 feet in width of the surface grounds, on each side of the center of said claim. The general course of the lode deposit and premises is from the Southerly to the Northerly

The claim is situated and located in the Black Rock Mining District, in Yavapai County in the Territory of Arizona, about one mile in a westerly direction from Gilbert's Store, joining the Japan claim on the north and is a Southerly Extension of the Laura claim.

The surface boundaries of the claim are marked upon the ground as follows: Beginning at a monument of stones at a point in a northerly direction 730 feet from the discovery cut, (at which this notice is posted), being in the center of the Northerly end line of said claim; thence easterly 300 feet to a mon of stones, being the northeast corner of said claim; thence southerly 1500 feet to a mon of stones, being at the southeast corner of said claim, thence westerly 300 feet to a mon of stones at the center of the Southerly end of said claim; thence westerly 300 feet to a mon. of stones being at the southwest corner of said claim, thence northerly 1500 feet to a mon. of stones at the northwest corner of said claim; thence easterly 300 feet to the place of beginning.

All done under the provisions of Chapter Six, of title XXII, of the Revised Statutes of the United States, and of an Act of the General Assem-

bly of Arizona, entitled "An Act to Revise and Codify the laws of the Territory of Arizona" Approved March 16, 1901,

This is an Amend Location Notice of the "Torina" Mining Claim, located by Stefano Loncar, a citizen of the United States on the 1st day of January 1903, and recorded in Book 66 of Record of Mines, at page 563, in the office of the County Recorder of the aforesaid County of Yavapai to which reference is hereby made, and this amended Location Notice is made and posted to correct errors in the description in the said original Location Notice.

Dated and posted on the ground this 14th day of February 1905.

Witness	Claimants	(George Margaritch (L.C. Nickerson
A.B. Mader		

Filed and recorded at request of Geo Margaritch Feb 24 A.D. 1905 at 9:00 o'clock A.M. Book 70 of Mines Pages 490-492, Records of Yavapai County, Arizona.

(Seal) Roland Mosher

By G.M. Dotson	County Recorder
Deputy Recorder	

Sitting Bull

Notice of Mining Location.

Lode Claim.

To All Whom it May Concern:

This Mining Claim, the name of which is the Sitting Bull Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purposes of exploration and purchase by George Margaritch and L.C. Nickerson citizens of the United States the undersigned, on the 16th, day of February, 1905

The length of this claim is 1500 feet, and we claim 1500 feet, in a northerly direction from the discovery monument, at which this notice is posted, lengthwise of the claim, together with 300 feet in width of the surface grounds, on each side of the center of said claim. The general course of the lode deposit and premises is from the Southerly to the Northerly

The claim is situated and located in the Black Rock Mining District in Yavapai County, in the Territory of Arizona, about 1500 feet in a North-easterly direction from Wade Station on the Wickenburg-Constellation stage road and adjoins the Rocky Mountain claim on the West side line of the latter

The surface boundaries of the claim are marked upon the ground as follows: Beginning at a monument of stones at the discovery monument (at which this notice is posted), being in the center of the Southerly end line of said claim; thence easterly 300 feet to a mon. of stones being the Southeast corner of said claim; thence Northerly 1500 feet to a mon. of stones being at the Northeast corner of said claim; thence westerly 300 feet to a mon of stones at the center of the Northerly end of said claim; thence westerly 300 feet to a mon. of stones being at the Northwest corner of said claim; thence Southerly 1500 feet to a mon of stones at the Southwest corner of said claim; thence easterly 300 feet to the place of beginning.

All done under the provisions of Chapter Six, of Title XXXII, of the revised Statutes of the United States and of an Act of the General Assembly of Arizona, entitled An Act to Revise and Codify the Laws of the

Territory of Arizona," approved March 16, 1901.

Dated and posted on the ground, this 16th day of February 1905

George Margaritch

L.C. Nickerson

Filed and recorded at request of Geo. Margaritch Feb 24 A.D. 1905 at 9:00 o'clock, A.M., Book 70 of Mines, Page 606, Records of Yavapai County, Arizona.

(SEAL)

Roland Mosher

County Recorder.

By G.M. Dotson

Deputy Recorder.

Certificate of Mining Location

Quartz Claim

This Certifies, That the Lincoln Mine Mining Claim was located by the undersigned formerly known as Rich Hill, Tripo Kurelick on the 1st day of January 1906

That said mining claim is fifteen hundred feet in length three hundred feet on each side of the discovery shaft lengthwise of the claim, is claimed by the locators; that the general course of the lode and premises is from the South East to the North West that said claim is situated and located in Black Rock Mining District Yavapai County, in the Territory of Arizona, about three quarters miles in a Easterly direction from Franklin Spring

That the undersigned discoverer of said mining claim located the same on the 1st day of January 1906 by posting at the point of discovery on the surface a plain notice of which the following is a copy

To All Whom It May Concern.

This mining claim, the name of which is the Lincoln Mine Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purpose of exploration and purchase by Tripo Kurelick a citizen of the United States the undersigned, on the 1st day of January 1906.

The length of this claim is fifteen hundred feet and I claim fifteen hundred feet in a North West direction direction from the center of the discovery shaft at which this notice is posted, lengthwise of the claim, together with three hundred feet in width of the surface grounds, on each side of the center of said claim.

The general course of the lode deposit and premises is from the South East to the North West.

The claim is situated and located in Black Rock Mining District in Yavapai County, in the Territory of Arizona, about three quarters miles in an Easterly direction from Franklin Spring.

The surface boundaries of the claim are marked upon the ground as follows: Beginning at a monument in the center of the South East end line

from the discovery shaft, (at which this notice is posted), being in the center of the East end line of said claim; thence three hundred feet to a stone monument being the North East corner of said claim thence fifteen hundred feet to a stone monument being at the North West corner of said claim; thence three hundred feet to a stone monument at the center of the West end of said claim: thence three hundred feet to a monument being at the South West corner of said claim thence fifteen hundred feet to a stone monument at the South East corner of said claim; thence three hundred feet to the place of beginning. This is a relocation of abandoned claim.

All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of the United States, and of an Act of the General Assembly of Arizona, entitled "An Act Concerning Mines" approved March 20th, 1895, and amended March 2d, 1899.

Dated and posted on the ground this 1st day of January 1906.

Witness

Tripo Kurilick

Paul Loncar

Filed and recorded at request of P.S. Wren Feb'y 19" A.D. 1906 At 9:00
O'clock A.M. Book 74 of Mines Pages 268-270 Records of Yavapai County
Arizona

(SEAL)

Roland Mosher

By F.H. Baldwin

County Recorder

Deputy Recorder

Certificate of Mining Location

Quartz Claim

This Certifies, That the Starlight Mine Mining Claim was located by the undersigned, formerly known as the Japan By Tripo Kurelick on the 1st day of January 1906.

That said mining claim is fifteen hundred feet in length, and three hundred feet on each side of the center of the discovery shaft, lengthwise of the claim, is claimed by the locators; that the general course of the lode and premises is from the South East to the North West: That said claim is situated and located in Black Rock Mining District in Yavapai County, in the Territory of Arizona about one mile in an Easterly direction from Franklin Spring being an extension of the Rich Hill Mine.

That the undersigned discoverer of said mining claim located the same on the 1st day of January 1906, by posting at the point of discovery on the surface a plain notice of which the following is a copy

To All Whom It May Concern:

This mining claim, the name of which is the Starlight Mine Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits was entered upon and located for the purpose of exploration and purchase by Tripo Kurelich a citizen of the United States the undersigned, on the 1st day of January 1906.

The length of this claim is fifteen hundred feet and I claim three hundred feet in a North West direction and twelve hundred feet in a South Easterly direction from the center of the discovery shaft at which this notice is posted, lengthwise of the claim, together with three hundred feet in width of the surface grounds on each side of the center of said claim.

The general course of the lode deposit and premises is from the South East to the North West.

The claim is situated and located in the Black Rock Mining District in Yavapai County, in the Territory of Arizona about one mile in an Easterly direction from Franklin Spring.

The surface boundaries of the claim are marked upon the ground as follows: Beginning at stone monument three hundred feet from the discovery shaft (at which this notice is posted) being in the center of the North West

end line of said claim three hundred feet to a stone monument being the South West corner of said claim thence fifteen hundred feet to a stone monument being at the South East corner of said claim; thence three hundred feet to a stone monument at the center of the East end of said claim thence three hundred feet to a monument being at the North East corner of said claim: thence fifteen hundred feet to a stone monument at the North West corner of said claim; thence three hundred feet to the place of beginning. This is a relocation of abandoned claim.

All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of the United States and of an Act of the General Assembly of Arizona, entitled "An Act Concerning Mines" approved March 20th 1895 and amended March 2d, 1899.

Dated and posted on the ground this 1st day of January 1906

Witness

Tripo Kurilick

Paul Loncar

Filed and recorded at request of P.S. Wren Feby 19 A.D. 1906 at 9:00 O'clock A.M. Book 74 of Mines Pages 270-272 Records of Yavapai County Arizona

(SEAL)

Roland Mosher

By F.H. Baldwin

County Recorder

Deputy Recorder

MISSING

PAGE(S)

U. S. SURVEYOR GENERAL'S FINAL CERTIFICATE ON
FIELD NOTES.

DEPARTMENT OF THE INTERIOR,
OFFICE OF U. S. SURVEYOR GENERAL,

Phoenix, Arizona

January 30, 1908.

I, U. S. Surveyor General for District of Arizona,
do hereby certify that the foregoing transcript of the Field Notes, return and approval
of the Survey of the mining claim of

UNIDA Gold Mining Company
known as the LINCOLN, STARLIGHT, ROCKEY MOUNTAIN,
SITTING BULL, UNIDA,
LAURA AND TORINA, situate in Black Rock
Mining District, Yavapai County,
Arizona, in Section Approx., Township No. 8 N.,
Range No. 3 W. Unsur., and designated as Survey

No. 2489, has been correctly copied from the originals on
file in this office; that said Field Notes furnish such an accurate description of said
mining claim as will, if incorporated into a patent, serve fully to identify the premises,
and that such reference is made therein to natural objects or permanent monuments as
will perpetuate and fix the *locus* thereof.

And I further certify that five hundred dollars' worth of labor has been expended
or improvements made upon said mining claim by claimant or its grantors, and
that said improvements consist of 8 shafts, 1 shaft & levels,
1 cut & shaft, and 1 tunnel, total value \$19,575.00.
Shaft No. 2 on the Rockey Mountain lode being the main working
shaft and for the development of all the claims in this survey,
an undivided 1/7 interest, or \$914.30 of the value thereof,
is properly credited to each claim in the survey.

and that no portion of said labor or improvements has been included in the estimate of
expenditures upon any other claim.

I further certify that the plat thereof, filed in the U. S. Land Office at Phoenix
Arizona is correct and in conformity with the foregoing Field Notes.

Frank S. Ingalls

United States Surveyor General for Arizona.

4-687.

SURVEYOR-GENERAL'S CERTIFICATE OF APPROVAL OF FIELD
NOTES¹⁵ AND SURVEY OF MINING CLAIM.

Department of the Interior,

Office of U. S. Surveyor-General,

Phoenix, Arizona

January 30, 1908.

I, U. S. Surveyor-General for District of Arizona

do hereby certify that the foregoing and hereto attached Field Notes and Return of the Survey of the
Mining Claim of Unida Gold Mining Company

LINCOLN, STAPLIGHT, ROCKEY MOUNTAIN, SITTING BULL,
UNIDA, LAURA AND TORINA, known as the

situate in Black Rock Mining District,

Yavapai County, Arizona

in Section Approx., Township No. 8 N., Range No. 7 W. Unsur.

, designated as Survey No. 2489

executed by J. J. Fisher, U. S. Deputy Mineral


Surveyor, November 5, - 8, 1907, under my instructions dated

October 28, 1907, have been critically examined and the necessary

corrections and explanations made, and the said Field Notes and Return, and the Survey they describe,

are hereby approved. A true copy of the copy of the location certificate filed by the applicant for

survey is included in the field notes.


U. S. Surveyor-General for Arizona

Large
Map