

**M
S
-**

0

2

4

9

1

Copied 2-20-08.

H.S.I.

1

(4-683.)

Mineral Survey No. 2421

Lot No.

ARIZONA

Land District.

FIELD NOTES

OF THE SURVEY OF THE MINING CLAIM OF

CLARA KINNEY

KNOWN AS THE

ROSALINE No.1, ROSALINE No.3, and ROSALINE No.8.

GLOBE

Mining District.

GILA

County, ARIZONA

Section 5, Township 1 N., Range R.15 E., G. & S. R. MERIDIAN

Surveyed under instructions dated Nov. 5, 1907.

by H.C. Hopkins.

U. S. Deputy Mineral Surveyor

Claim located Jan. 2, 1896 and Oct. 25 1907. 1

Survey commenced Nov. 19 1907.

Survey completed Nov. 25 1907.

Address of claimant,

Clara Kinney,

Globe, Arizona.

No.
SURVEY 2491
ROSALINE No.1 LODE.

feet

Beginning at Cor.No.1.

Identical with the S.E.Cor.of the location and
with Cor.No.4 of Rosaline No.2 Lode, Sur.2492.

A pink quartzite rock 10x12x28 ins., set 14 ins. in
the ground, chiselled i-2491-R1 iv-2492-R2, with
monument of stones 1-1/2 ft. high, 2 ft. base alongside.

Ramboz Peak bears N.87° 58' E.
Cor. of Sec. 7, 5, 8 & 9, Sp. 1 & 2, R. 15 E. Twp. S. 9° 38' E. 1259.3 ft.

Thence S.84° 20' W.

Mag.Var. 13° 30' E.

1500.00 To Cor.No.2.

Identical with the S.W.Cor.of the location and
with Cor.No.1 of Rosaline No.8 Lode of this Survey
and Cor.No.3 of Rosaline No.2 Lode, Sur.2492.

A quartzite rock, 12x18x24 ins., set 12 ins. in the
ground, chiselled 2491-ii-R1-i-R3 iii-2492-R2, with
monument of stones 1-1/2 ft. high, 2 ft. base alongside.

Sombrero Butte bears N.10° 5' E., Pinal Peak bears
S.13° 53' E.

Thence N.11° 40' W.

Mag.Var. 13° 25' E.

301.50 To the W.End Cen.monument of the location.

480.00 Intersect stone fence, 1-1/2 ft. wide, 3-1/2 ft. high,
course N.72° E., S.72° W.

603.00 To Cor.No.3.

Identical with the N.W.Cor.of the location and
with Cor.No.2 of Rosaline No.3 Lode and Cor.No.4 of
Rosaline No.8 Lode, both of this survey.

A quartzite rock, 7x12x27 ins., set 14 ins. in the
ground, chiselled 2491-iii-R1-ii-R3-iv-R8, with
monument of stones 1-1/2 ft. high, 2 ft. base alongside.

The highest peak of the Apache mountains bears
N.48° 41' E., Sleeping Beauty Mountain bears S.88° 5' W.

Thence N.84° 20' E.

Mag.Var. 13° 25' E.

1500.00 To Cor.No.4.

Identical with the N.E.Cor.of the location and
with Cor.No.1 of Rosaline No.3 Lode of this survey.

A diorite rock, 12x15x24 ins., set 12 ins. in the
ground, chiselled i-2491-R3-iv-R1, with monument of
stones 1-1/2 ft. high, 2 ft. base alongside.

A diorite rock, projecting 3x3-1/2x4 ft. high above
the ground, chiselled BR x 2491-i-iv, bears S.72° 5' W.
1 1/2 ft., Sombrero Butte bears N.8° 46' E., Ramboz Peak
bears N.83° 26' E.

Thence S.11° 40' E.

Mag.Var. 13° 30' E.

250.00 To the bank of Pinal creek, course N.11° W.

201.50 To the E.End Cen.monument of the location.

580.00 Intersect the bank of small gulch, course S.78° E.

603.00 To Cor.No.1, the place of beginning.

Embracing 1500.00 ft. along the ledge, S.84° 20' W.
1485.0 ft., and N.84° 20' E. 15.0 ft. from the discovery.

SURVEY 2491.
ROSALINE No. 3 LODE.

feet

Beginning at Cor.No.1.

Identical with the S.E. Cor. of the location and
with Cor.No.4 of Rosaline No.1 Lode of this survey. *Cor. described above.*
Cor. Secs. 4, 5, 8, 9, Twp. 10 N. R. 15 E. base S. 10° 18' E. 1862 ft.

Thence S. 84° 20' W.

Mag. Var. 13° 30' E.

1500.00 To Cor.No.2.

Identical with Cor No.2 of Rosaline No.1 Lode and
Cor.No.4 of Rosaline No.8 Lode, both of this survey. *Cor.*
described above.

Thence N. 11° 40' W.

Mag. Var. 13° 25' E.

301.50 To The V. End Cen. monument of the location.

603.00 To Cor.No.3.

Identical with the N.W. Cor. of the location.

A quartzite rock, 8x8x24 ins., set 12 ins. in the
ground, chiseled iii-2491-R2, with monument of stones
1-1/2 ft. high, 2 ft. base alongside.

Sombrero Butte bears N. 10° 30' E.

No other bearings available.

Thence N. 84° 20' E.

Mag. Var. 13° 25' E.

1417.90 To Witness Corner to Cor.No.4.

A quartzite rock, 6x8x24 ins., set 12 ins. in the
ground, chiseled VC-iv-2491-R3, with monument of stones
alongside.

Ramboz Peak bears N. 85° 54' E; a dacite rock 2x2x2 ft.
high above the ground, bears N. 44° 22' W. 18.8 ft., chiseled
BR x VC-iv-2491-R2.

1420.00 Bank of Pinal Creek, course N. 36° W.

1500.00 To Cor.No.4.

A point in Pinal Creek. A monument at this point
would have a foundation of loose and shifting sand
and in every high water would be subjected to the force
of the current, which would, in a very short time, move
it from its position and render it valueless and
perhaps misleading.

Thence S. 11° 40' E.

Mag. Var. 13° 30' E.

301.50 To a point in Pinal Creek ^{*E. E. C. of location*} ~~from which the witness mon. of~~
~~the E. E. Cen. of location~~ bears S. 84° 20' W. 5.5 ft.

390.00 Intersect the bank of Pinal Creek, course N. 18° W.

603.00 To Cor.No.1, the place of beginning.

Embracing 1500.00 ft. along the ledge, -S. 84° 20' W.
1105.0 ft. and N. 84° 20' E. 395.0 ft. from the
discovery.

SURVEY 2491.
ROSALINE No.8 LODE.

feet

Beginning at Cor.No.1.

Identical with the S.E.Cor.of the location and with Cor.No.2 of Rosaline No.1 Lode of this survey and Cor.No.3 of Sur.2492, Rosaline No.2 Lode. Cor. described above.

From which $1/4$ Cor.between Sec. 5 and 8, T.1 N., R.15 E., G. & S.R.B. & M. bears $S.29^{\circ}50'30''W.$ 1421.3 ft.

Thence $N.80^{\circ}10'W.$ Mag.Var. $13^{\circ}25'E.$

~~985.20 Intersect the north and south quarter section line through Sec.5, $N.0^{\circ}34'W.$ 1251.1 ft from the quarter corner between Secs.5 and 8 and $S.0^{\circ}34'E.$ 4940.9 ft. from the N. quarter corner of Sec.5.~~

1250.00 Intersect small gulch, course $N.20^{\circ}E.$

1500.00 To Cor.No.2.

Identical with the S.W.Cor.of the location and with Cor.No.1 of Sur.2493, Ben Hur No.3 Lode.

A quartzite rock, $7x12x24$ ins., set 12 ins in the ground, chiseled, ii-2491-R8 1-2493-BH3, with monument of stones alongside.

A red quartzite rock, projecting $12x15x12$ ins. high above the ground, chiseled BR x 1-2493-BH3 ii-2491-R8, bears $S.81^{\circ}5'W.$ 20.2 ft.; Sombrero Butte bears $N.11^{\circ}41'E.$; Ramboz Peak bears $N.33^{\circ}5'E.$

Thence $N.11^{\circ}40'W.$ Mag.Var. $13^{\circ}17'E.$

301.50 To the W.End Cen.monument of the location.

431.00 Intersect small gulch, course $N.87^{\circ}E.$

602.00 To Cor No.3.

Identical with the N.W.Cor.of the location and with Cor.No.4 of Sur.2493, Ben Hur No.3 Lode.

A quartzite rock, $7x9x24$ ins. set 12 ins. in the ground, chiseled iii-2491-R8 iv 2493-BH3, with monument of stones alongside.

A mesquite tree, 14 ins. dia., scribed BT x iii-2491-R8 iv-2493-BH3, bears $S.6^{\circ}57'E.$ 29.2 ft.

Thence $S.80^{\circ}10'E.$ Mag.Var. $13^{\circ}20'E.$ 520.00 Intersect small gulch, course $N.15^{\circ}E.$

~~683.20 Intersect the north and south $1/4$ Sec. line through Sec.5, $N.0^{\circ}34'W.$ 1621.4 ft. from $1/4$ Cor.5-8 and $S.0^{\circ}34'E.$ 3479.6 ft. from the N. $1/4$ Cor. of Sec.5.~~

1500.00 To Cor.No.4.

Identical with the N.E.Cor.of the location and with Cor.No.3 of Rosaline No.1 Lode and Cor.No.2 of Rosaline No.3 Lode, both of this survey. Cor. described above.

Thence $S.11^{\circ}40'E.$ Mag.Var. $13^{\circ}25'E.$

201.50 To the E.End Cen.monument of the location.

602.00 To Cor.No.1, the place of beginning.

Embracing 1500 ft. along the ledge, $-N.80^{\circ}10'W.$ 451.0 ft. and $S.80^{\circ}10'E.$ 1049.0 ft. from the discovery.

AREA.

Total area Rosaline No.1 Lode	20.651 acres.
" " Rosaline No.2 Lode	20.651 . "
" " Rosaline No.8 Lode.	<u>19.519</u> "
Total area Sur.2491	60.821 acres.
No conflicts.	

IMPROVEMENTS.

I certify that the value of labor and improvements upon this claim, placed thereon by the claimant or her grantors, is not less than five hundred dollars for each location, and that such improvements consist of:

ROSALINE No.1 LODGE.

No.1 The discovery cut, the mouth of which bears from Cor.No.1 N.12°30'W. 302.0ft., 4-1/2x10x11 ft. face, course S.84°20'W. Value \$100.00

No.2 A tunnel, 4x6 ft., the mouth of which bears from Cor.No.1 N.74°W. 560 ft., course N.51°49'E. 47 ft., thence N.37°50'E. 34 ft. to drift running N.40°W. 11 ft., - 48 ft. to face; timbered at mouth; cut at mouth, S.51°49'W. 17 ft. This tunnel is in very hard diorite, which it is very laborious and expensive to work. Value \$1500.00

Note: These claims are situated on a ridge which rises very rapidly to the west from Pinal Creek. The ground contains numerous mineral bearing veins and deposits which increase in richness as greater depth is reached and the ore is less leached. It is much more economical to mine the ore through a tunnel than it would be to operate through a shaft as would be necessary if the mine were opened high up on the hill. A tunnel from near the base of the hill would deliver the ore more convenient for transportation.

Since the site of this tunnel is favorable to economical operation and a tunnel driven here will open the ore bodies at great depth the owner has driven this tunnel for the development of the three claims of this survey and I credit the value of this tunnel in equal portions to each of the three claims.

No.3 A shaft, 3x6x6 ft., which bears from Cor.No.1 N.76°15'W. 650 ft. Value \$50.00

No.4 A cut, the mouth of which bears from Cor.No.2 S.81°30'E. 695 ft., 4 ft. wide, 8 ft. face, course N.25°W. 15 ft. Value \$100.00

No.5 A shaft, 4x6 ft., filled, bears from Cor.No.3 S.89°30'W. 665 ft.

No.6 A cut, mouth bears from Cor.No.2 N.86°30'E. 645 ft., 4 ft. wide, 10 ft. face, course S.20°W. 13 ft. Value \$100.00

Rosaline No.8 Lode.

No.1 Dis. cut, mouth bears from Cor.No.2 N.59°5'E. 429.7 ft. 4 ft. wide, 10 ft. face, course S.80°E. 17 ft. Value \$100.00

NOTE: A 1/3 interest, in the value of tunnel No. 2 on the Rosaline No. 1 lode, is credited to this lode.

Value \$500.00

Rosaline No. 8 Lode.

No. 1	The dis. Shaft, 3-1/2x6x4-1/2 ft. deep, bears from Cor. No. 1 N. 60° 29' W. 521 ft.	Value	\$50.00
No. 2	A shaft, 4x6x6 ft. deep, bears from Cor. No. 1 N. 81° 20' W. 540 ft.	Value	\$50.00
No. 3	A cut, mouth bears from Cor. No. 1 N. 85° W. 745 ft. 5 ft. wide, 4 ft. face, course N. 23° W. 18 ft.	Value	\$50.00
No. 4	A cut, mouth bears from Cor. No. 1 N. 54° 15' W. 695 ft. 4-1/2 ft. wide, 12 ft. face, course S. 80° W. 10 ft.	Value	\$100.00
No. 5	A tunnel, mouth bears from W. C. No. 4 S. 6° W. 38 ft., 4x5 ft., runs S. 75° W. 5 ft.	Value	\$50.00
No. 6	A tunnel, mouth bears from W. Cor. No. 4 S. 6° W. 30 ft., 4x6 ft., runs N. 88° 20' W. 91 ft.; 48 ft. from the mouth a shaft on the south side of tunnel, 4x6 ft., rises 20 ft. to the surface and extends downward 10 ft. below the tunnel. A cut, 10x27 ft., at the mouth of this tunnel and tunnel No. 5. The cut and the first 40 ft. of tunnel belong to the claimant herein.	Value	\$500.00
	The remaining 51 ft. of tunnel and the shaft were dug by other locators.		
	Note: A 1/3 interest in the value of tunnel No. 2 on the Rosaline No. 1 lode is credited to this lode, Value, \$500.00		
	Total value of improvements credited		
	to Rosaline No. 1 Lode.	\$850.00	
	to Rosaline No. 3 Lode	\$1200.00	
	to Rosaline No. 8 Lode.	\$600.00	
	Total value of improvements		\$2750 00
	Sur. 2491		

Location.

These claims are located in Sec. 5, T. 1 N., R. 15 E., G. & S. R Mer., about 5 miles northwesterly from Globe, on a ridge lying parallel to Pinal Creek and rising rapidly to the west from the creek. The west end of Rosaline No. 8 Lode is on unsurveyed land, the remainder of the survey is on surveyed land, in Globe Mining District, in Gila County, in the Territory of Arizona.

Note: Disagreements between these notes and the location notices are due to errors in the latter.

Adjoining ground; on the north, unknown claims, on the east, vacant ground, on the south Rosaline No. 2 Lode, Sur. 2492, and, vacant ground, on the west Ben Hur No. 3 Lode, Sur. 2493, and an unknown claim.

The 1/4 Cor. between Secs. 5 and 8 I found to bear N. 89° 58' W. 2614.0 ft. from Cor. Secs. 4-5-8-9.

I examined the ground very carefully but was unable to find the 1/4 Cor. between Secs. 4 and 5.

At a point N. 0° 34' W. 5292.0 ft. from 1/4 Cor. 5-8 I found a white quartzite rock, projecting 8x10x9 ins. high above the ground, chiseled x on the N. face, a cottonwood tree 20 ins. dia. bears N. 18° 42' W. 24.1 ft., stone, chiseled MC and iiiiii on the S. face bears N. 89° 20' E. 506.5 ft. The tree is blazed and scribed but I was unable to read the scribing.

I examined the ground carefully but could find no other monument which could be the 1/4 Cor. A rancher living nearby stated that this monument was in its present position when the survey was made for T. 2 N. but he did not know if it was there before or not.

I have referred to this monument as the N. 1/4 Cor. of Sec. 5 in these field notes.

Note:

In referring to the Rosaline No.2 and Ben Hur No.3 Lodes I have given the survey number through these notes; for, although their orders are numbered later than this survey, being 2492 and 2493 respectively, the orders were issued on the same date and the survey was actually made by me and the monuments established on the ground and marked at the same time as this survey was made, as the dates of survey will show, and all the facts pertaining to them was known to me at the time of making this survey.

Instrument.

This survey was made with a Gurley Light Mountain Transit. The courses were deflected from the true meridian as determined by direct solar observations. The distances were measured with a 200-ft. steel tape.

FINAL OATHS FOR SURVEYS.

LIST OF NAMES.

A list of the names of the individuals employed by H. C. Hopkins

United States Deputy Mineral Surveyor, to assist in running, measuring, and marking the lines, corners, and boundaries described in the foregoing field notes of the survey of the mining claim of.....

Clara Kinney

known as the Rosaline N^o 1, Rosaline N^o 3, and Rosaline N^o 8

and showing the respective capacities in which they acted.

W. R. Bayless, Chairman.

W. R. Evans, Chairman.

....., Assman.

....., Flagman.

FINAL OATHS OF ASSISTANTS.

We, W. R. Bayless

and W. R. Evans, do solemnly swear that we assisted

H. C. Hopkins, United States Deputy Mineral Surveyor, in marking the corners and surveying

the boundaries of the mining claim of Clara Kinney

known as the Rosaline N^o 1, Rosaline N^o 3, Rosaline N^o 8

represented in the foregoing field notes as having been surveyed by said deputy mineral surveyor and under his

direction; and that said survey has been in all respects, to the best of our knowledge and belief, faithfully and

correctly executed, and the corner and boundary monuments established according to law and the instructions

furnished by the United States Surveyor-General for Arizona

Witness to mark:

H. C. Hopkins
P. C. Little

W. R. Bayless, Chairman.

W. R. Evans, Chairman.

....., Assman.

....., Flagman.

Subscribed and sworn to by the above-named persons before me this 8th

day of January, 1908.

Cullen A. Little
Notary Public.

My commission expires February 11, 1911.

FINAL OATH OF U. S. DEPUTY MINERAL SURVEYOR

I, H.C.Hopkins, U. S. Deputy Mineral Surveyor, do solemnly swear that, in pursuance of instructions received from the United States Surveyor General for Arizona, dated November 5, 1907, I have, in strict conformity to the laws of the United States, the official regulations and instructions thereunder, and the instructions of said Surveyor General, faithfully and correctly executed the survey of the Mining Claim of Clara Kinney, known as the Rosaline No.1, Rosaline No. 3, and Rosaline No.8 Lodes, situate in Globe Mining District, Gila County, Arizona, in Section 5, Township No. 1 N., Range No. 15 E., G. & S.R. Mer., and designated as Survey No. 2491, as represented in the foregoing field notes, which accurately show the boundaries of said mining claim as distinctly marked by monuments on the ground, and described in the attached copy of the location certificate, which was received by me from the Surveyor General with said instructions, and that all the corners of said survey have been established and perpetuated in strict accordance with the law, official regulations and instructions thereunder; and I do further solemnly swear that the foregoing are the true and original field notes of said survey and my report therein, and that the labor expended and improvements made upon said mining claim by claimant or HER grantors are as therein fully stated, and that the character, extent, location and itemized value thereof are specified therein with particularity and full detail, and that no portion of said labor or improvements so credited to this claim has been included in the estimate of expenditures upon any other claim.

H.C.Hopkins
U.S. Deputy Mineral Surveyor.

Subscribed and sworn to by the said H.C.Hopkins
U. S. Deputy Mineral Surveyor, before me C.J.McElroy, a Notary Public
in and for Gila Co. Arizona Ter. this 16th
day of January, 1908.
My commission expires
Sep T. 4th, 1911.

C.J.McElroy
Notary Public.

Affidavit of Five Hundred Dollars Improvements.

We, Chas. Williams and Ed. Cull

of lawful age, being first duly sworn according to law, depose and say: That we are acquainted with the Rosaline No 1.
Rosaline No 3 and Rosaline No 5 mining claims situate in Globe

mining district, Gila County, Arizona Territory, for which

Clara Kinney

has ~~s~~ made application for survey prior to application for patent under the provisions of the Act of Congress

approved May 10, 1872; and that the labor done and improvements made thereon by the applicant... and

her grantor... exceed five hundred dollars in value, and further that we are not personally interested in said mine.

Chas Williams
Ed Cull

TERRITORY OF ARIZONA,
COUNTY OF Gila } ss:

Sworn to and subscribed before me this 28th day

[SEAL.]

of December, 1907.

my commission expires February 11th 1911
Cullen A. Little
Notary Public.

NOTICE OF MINING LOCATION
LODE CLAIM.

TO ALL WHOM IT MAY CONCERN:

This Mining Claim, the name of which is the Rosaline No. 8 Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purposes of exploration and purchase by Mrs Clara Kinney, a citizen of the United States the undersigned, on the 25 day of October 1907.

The length of this claim is 1500 feet, and I claim 500 feet, in a westerly direction and 1000 feet in an easterly direction from the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with 300 feet in width of the surface grounds, on each side of the center of said claim. The general course of the lode deposit and premises is from the east to the west.

The claim is situated and located in the Globe Mining District, in Gila County, in the Territory of Arizona, about five miles in a north, westerly direction from Globe and in Sec. 5, T. 1 N., R 15 E.

The surface boundaries of the claim are marked upon the ground as follows: Beginning at a stone monument at a point in a westerly direction 500 feet from the discovery shaft (at which this notice is posted), being in the center of the west end line of said claim; thence northerly 300 feet to a stone monument, being the north west corner of said claim; thence easterly 1500 feet to a stone monument, being at the north east corner of said claim; thence southerly 300 feet to a stone monument at the center of the east end of said claim; thence southerly 300 feet to a stone monument, being at the south east corner of said claim; thence westerly 1500 feet to a stone monument at the south west corner of said claim; thence northerly 300 feet to the place of beginning.

All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of the United States, and of an Act of the General Assembly of Arizona, entitled "An Act to Revise and Codify the Laws of the Territory of Arizona," approved March 16, 1901.

Dated and posted on the ground this 25 day of October 1907.

Clara Kinney.

Filed and recorded at the request of Clara Kinney on the 28 day of October A. D. 1907 at 4 o'clock P. M.

E. T. Stewart County Recorder.

TERRITORY OF ARIZONA, }
COUNTY OF GILA } SS

I, E. T. STEWART, County Recorder in and for the County of Gila, Territory of Arizona, do hereby certify that the above and foregoing contain and constitute a full, true and correct copy of Location Notice of the ROSALINE NO. 8, Mining Claim, as the same appears of record in my office in Book 14, Records of Mines at page 516; that I have compared the same with the original record, and that the same is a true transcript and of the whole thereof.

Given under my hand and seal of office this 29th day of October, A. D. 1907.

By E. T. Stewart
L. M. D... Deputy Recorder, Gila County, A. T.

LOCATION NOTICE.

NOTICE IS HEREBY GIVEN that the Rosaline No. 3 Mining Claim, containing mineral-bearing quartz, earth or rock in place, located by Alfred Kinney on this 2nd day of January, 1896, has been located for mining purposes. Said claim is 1500 feet in length, and we claim 300 feet on each side of the center of discovery shaft, for full length of claim. The general course of this lode, deposit, or premises, is Westerly. This claim is situated in Globe Mining District, Gila County, Territory of Arizona, about 6 Miles in a Westerly direction from Globe about 1 1/2 Miles in a South westerly direction from the Old Dominion Mine and about 1/2 Mile in a Northeasterly_ from Horrell Spring and joins Rosaline No. 1 on the North.

This claim is bounded and marked as follows, to wit: Beginning at the Easterly center end post or monument, being about 400 feet in an Easterly direction from of the center of discovery shaft upon which the notice is posted; thence 300 feet in a Northerly direction to a post or monument; thence 750 feet in a Westerly direction to a post or monument at the center of the Northerly side line of claim; thence 750 feet in a Westerly direction to a post or monument; thence 300 feet in a Southerly direction to a post or monument, being the center end post or monument of Westerly end of said claim and about 1100 feet Westerly from the center of discovery shaft; thence 300 feet in a Southerly direction to a post or monument; thence 750 feet in an Easterly direction to a post or monument, being the center of the Southerly side line of claim; thence 750 feet in an Easterly direction to a post or monument; thence 300 feet in a

TERRITORY OF ARIZONA, }
COUNTY OF GILA } SS

I, E. T. STEWART, County Recorder in and for the County of Gila, Territory of Arizona, do hereby certify that the above and foregoing contain and constitute a full, true and correct copy of..... Location Notice of the
..... ROSALINE NO. 3 Mining Claim,
as the same appears of record in my office in Book..... 6, Records of Mines,
at page..... 42; that I have compared the same with the original record, and that the same is a true transcript and of the whole thereof.

Given under my hand and seal of office this..... 29th day of

..... October , A. D. 1907..

By *E. T. Stewart* E. T. Stewart
County Recorder, Gila County, A. T.
Deputy Recorder.

LOCATION NOTICE.

NOTICE IS HEREBY GIVEN that the Rosaline No. 1 Mining Claim, containing mineral-bearing quartz, earth or rock in place, located by Alfred Kinney on this 2nd day of January 1896, has been located for mining purposes. Said claim is 1500 feet in length, and we claim 300 feet on each side of the center of discovery shaft, for full length of claim. The general course of this lode, deposit or premises, is Westerly. This claim is situated in Globe Mining District, Gila County, Territory of Arizona, about 6 Miles in a Westerly direction from Globe about 1 1/2 Miles in a westerly direction from the Old Dominion Mine and about 1/2 Mile in a northeasterly direction from Horrell Spring.

This claim is bounded and marked as follows to wit: Beginning at the Easterly center end post or monument; being 700 feet in an direction from ~~of~~ the center of discovery shaft upon which the notice is posted; thence 300 feet in a Northerly direction to a post or monument; thence 750 feet in a Westerly direction to a post or monument at the center of the Northerly side line of claim; thence 750 feet in a Westerly direction to a post or monument; thence 300 feet in a Southerly direction to a post or monument, being the center end post or monument of Westerly end of said claim and about 800 feet in a Westerly direction from the center of discovery shaft; thence 300 feet in a Southerly direction to a post or monument; thence 750 feet in an Easterly direction to a post or monument, being the center of the Southerly side line of claim; thence 750 feet in an Easterly direction to a post or monument; thence 300 feet in a Northerly direction to the place of beginning.

The general course of this lode, deposit or premises, is Westerly. This claim is situated in Globe Mining District, Gila County, Territory of Arizona about 6 Miles in a Westerly direction from Globe about 1 1/2 Miles in a westerly direction from the Old Dominion Mine and about 1/2 Mile in a northeasterly direction from Horrell Spring.

This claim is bounded and marked as follows to wit: Beginning at the Easterly center end post or monument; being 700 feet in an direction from ~~of~~ the center of discovery shaft upon which the notice is posted; thence 300 feet in a Northerly direction to a post or monument; thence 750 feet in a Westerly direction to a post or monument at the center of the Northerly side line of claim; thence 750 feet in a Westerly direction to a post or monument; thence 300 feet in a Southerly direction to a post or monument, being the center end post or monument of Westerly end of said claim and about 800 feet in a Westerly direction from the center of discovery shaft; thence 300 feet in a Southerly direction to a post or monument; thence 750 feet in an Easterly direction to a post or monument, being the center of the Southerly side line of claim; thence 750 feet in an Easterly direction to a post or monument; thence 300 feet in a Northerly direction to the place of beginning.

Done under and by virtue of the laws of the United States, and the laws of the Territory of Arizona.

Alfred Kinney
Locators.

Witness
James McCarthy

Filed and recorded at the request of A. Kinney at ~~minutes-past~~ 9 o'clock A. M., Mar. 23 A. D., 1896.

G. M. Allison County Recorder.

TERRITORY OF ARIZONA, }
COUNTY OF GILA } ss

I, E. T. STEWART, County Recorder in and for the County of Gila, Territory of Arizona, do hereby certify that the above and foregoing contain and constitute a full, true and correct copy of..... Location Notice of the
..... ROSALINE NO. 1, Mining Claim,
..... as the same appears of record in my office in Book..... 6, Records of Mines,
..... at page..... 39.....; that I have compared the same with the original record, and that the same is a true transcript and of the whole thereof.

Given under my hand and seal of office this..... 29th..... day of
..... October....., A. D. 190..... 7.

By *E. T. Stewart*
County Recorder, Gila County, A. T.
Deputy Recorder.

U. S. SURVEYOR GENERAL'S FINAL CERTIFICATE ON FIELD NOTES.

DEPARTMENT OF THE INTERIOR,
OFFICE OF U. S. SURVEYOR GENERAL,

Phoenix, Arizona

March 20, 1908.

I, U. S. Surveyor General for District of Arizona, do hereby certify that the foregoing transcript of the Field Notes, return and approval of the Survey of the mining claim of

Clara Kinney

, known as the ROSALINE NO. 1, ROSALINE NO. 3, AND ROSALINE

NO. 8, situate in Globe

Mining District, Gila County,

Arizona, in Section 5, Township No. 1 N.,

Range No. 15 E., G. & S. R. Mer., and designated as Survey

No. 2491, has been correctly copied from the originals on file in this office; that said Field Notes furnish such an accurate description of said mining claim as will, if incorporated into a patent, serve fully to identify the premises, and that such reference is made therein to natural objects or permanent monuments as will perpetuate and fix the locus thereof.

And I further certify that five hundred dollars' worth of labor has been expended or improvements made upon ^{or for each of} said mining claims by claimant or her grantors, and that said improvements consist of 8 cuts, 3 tunnels, 1 drift and 4 shafts, total value \$2750.00. Tunnel No. 2 on the Rosaline No. 1 lode being a common improvement for the benefit of all the claims in this survey, one-third of the value thereof is properly credited to each claim in this survey.

and that no portion of said labor or improvements has been included in the estimate of expenditures upon any other claim.

I further certify that the plat thereof, filed in the U. S. Land Office at Phoenix, Arizona is correct and in conformity with the foregoing Field Notes.

Frank S. Ingalls

United States Surveyor General for Phoenix.

4-687.

**SURVEYOR-GENERAL'S CERTIFICATE OF APPROVAL OF FIELD
NOTES AND SURVEY OF MINING CLAIM.**

Department of the Interior,

Office of U. S. Surveyor-General,

Phoenix, Arizona

March 20, 1908.

I, U. S. Surveyor-General for District of Arizona

do hereby certify that the foregoing and hereto attached Field Notes and Return of the Survey of the
Mining Claim of

Clara Kinney

, known as the

ROSALINE NO. 1, ROSALINE NO. 3, AND ROSALINE NO. 8

situate in Globe Mining District,

Gila County, Arizona

in Section 5, Township No. 1 N., Range No. 15 E., G. & S. R. Mer.

, designated as Survey No. 2491

executed by H. C. Hopkins, U. S. Deputy Mineral

Surveyor, November 19, - 25, 1907, under my instructions dated

November 5, 1907, have been critically examined and the necessary

corrections and explanations made, and the said Field Notes and Return, and the Survey they describe,

are hereby approved. A true copy of the copy of the location certificate filed by the applicant for

survey is included in the field notes.

Frank S. Angell

U. S. Surveyor-General for Arizona.

Mineral Survey No. 249I.
Supplemental Report of Improvements.

In making the original returns for Mineral Survey No. 249I, Rosaline No. I, Rosaline No. 2, and Rosaline No. 8 Lode claims, I credited a one third interest in tunnel No. 2, on Rosaline No. I Lode to each of the three claims in the survey. I find that this tunnel No. 2 was driven before the location of Rosaline No. 8 Lode, and therefore can not be applied as improvement on this Rosaline No. 8.

I make this supplemental report of improvements for this Sur. 249I to correct the error in the original returns.

Improvements.

I certify that the value of labor performed and improvements made upon these claims, placed thereon by the claimant or her grantors, is not less than five hundred dollars for each location, and that such improvements consist of:

Rosaline No. I Lode.

- | | | |
|--------|---|-----------------|
| No. 1. | The discovery cut, mouth bears from Cor. No. I, N. 12° 30' W. 302 ft., 4-1/2 x 10x11 ft. face, course S. 84° 20' W. | Value \$100.00 |
| No. 2. | A tunnel, 4x6 ft., mouth bears from Cor. No. I, N. 74° W. 560 ft., course N. 51° 49' E. 47 ft., thence N. 37° 50' E. 24 ft. to drift running N. 40° W. 11 ft., -46 ft. to face; timbered at mouth; cut at mouth 17 ft. long. This tunnel is in very hard diorite. | Value \$2080.00 |
| No. 3. | A shaft, 3x6x6 ft. deep, bears from Cor. No. I, N. 76° 15' W. 650 ft. | Value \$50.00 |
| No. 4. | Cut, bears from Cor. No. 3, S. 81° 30' E. 695 ft., 4x8x15 ft. course, N. 25° W. | Value \$100.00 |
| No. 5. | Shaft, 4x6 ft., filled, bears from Cor. No. 3 S. 89° 30' W. 665 ft. | |
| No. 6. | Cut, bears from Cor. No. 3, N. 86° 30' E. 645 ft., 4x10x12 ft. course, S. 20° W. | Value \$100.00 |

Rosaline No. 3 Lode.

- | | | |
|--------|---|----------------|
| No. 1. | Shaft, 3-1/2x6x4-1/2 ft. deep, bears from Cor. No. 1, N. 60° 29' W. 521 ft. The discovery. | Value \$50.00 |
| No. 2. | Shaft, 4x6x6 ft. deep, bears from Cor. No. 1, N. 81° 30' W. 540 ft. | Value \$50.00 |
| No. 3. | Cut, bears from Cor. No. 1, N. 85° W. 745 ft., 5x4x18 ft. long, course, N. 33° W. | Value \$50.00 |
| No. 4. | Cut, bears from Cor. No. 1, N. 54° 15' W. 695 ft., 4-1/2x12x10 ft. long, Course S. 80° W. | Value \$100.00 |
| No. 5. | Tunnel, bears from Cor. No. 4 S. 6° W. 38 ft., 4x5x5 ft. long, course S. 75° W. | Value \$50.00 |
| No. 6. | Tunnel, mouth bears from W. Cor. No. 4 S. 6° W. 30 ft., 4x6 ft., course N. 88° 20' W. 91 ft.; 48 ft. from mouth a shaft on the south of tunnel, 4x6 ft., rises 30 ft. to surface, and extends 10 ft. below the tunnel. A cut, 10x27 ft. at mouth. The cut and first 40 ft. of tunnel belong to the claimant herein. | Value \$500.00 |
- The remaining 51 ft. of tunnel and the shaft were made by others.

Rosaline No. 8 Lode.

- | | | |
|--------|---|----------------|
| No. 1. | Discovery cut, mouth bears from Cor. No. 3 N. 59° 5' E. 429.7 ft., 4x10x17 ft. long, course S. 80° E. | Value \$100.00 |
|--------|---|----------------|

(2-S.R.2491)

No.2.	Shaft, in mouth of Cut No.1, 4x6x40 ft. deep.	Valur	\$600.00
-------	---	-------	----------

Total value of improvements on			
Rosaline No.1 Lode		\$2430.00	
Rosaline No.3 Lode		\$ 800.00	
Rosaline No.8 Lode		\$ 700.00	
Total value of improvements			
Sur.2491.			\$3930.00

A. C. Hopkins

U.S. Deputy Mineral Surveyor.

Glode, Arizona, June 24, 1908.

(4-691.)

Certificate of U. S. Surveyor General

AS TO

EXPENDITURES REPORTED AFTER RETURN OF SURVEY OF MINING CLAIM.

I, U. S. Surveyor General for District of Arizona,
do hereby certify that Five Hundred Dollars' worth of labor has been expended or
improvements made by claimant or her grantors, upon ^{each of} the mining claims of

Clara Kinney

known as the Rosaline No. 1, Rosaline No. 3 and Rosaline No. 8,
situate in Globe mining district,
Gila County, Arizona

in Section 5, Township No. 1 N., Range No. 15 E.;

that said improvements consist of 8 cuts, 3 tunnels, 1 drift and
4 shafts, total value \$3930.00

and that no portion of said labor or improvements has been
included in the estimate of expenditures upon any other claim. A copy of the report of
H. C. Hopkins, U. S. Deputy Mineral Surveyor, dated
June 24, 1908, is hereto attached.

Frank S. Ingalls

U. S. Surveyor General for Arizona.

Office of U. S. Surveyor General,

Phoenix, Arizona,

July 7, 1908.

Large
Map