

MS
-

0

2

5

1

0

Copied 3-4-08.

H.S.I.

4-683.

1
FEB 5 1908
APR 22 1908

MINERAL SURVEY No. 2510

LOT No. _____

Arizona Land District.

FIELD NOTES

OF THE SURVEY OF THE MINING CLAIM OF

F. B. Newman and P. Costa

KNOWN AS THE

Agent
Globe

Mining District,

Yuma County, Arizona
Section Approx. 25 30, Township 1N, Range 14 E. Unsur. 8 15 E.

Surveyed under instructions dated Dec. 31, 1907

by Howard P. Payne
U. S. Mineral Surveyor.

Claim located See Location Notice, 19

Survey commenced Jan 9, 1908

Survey completed Jan 10, 1908

6-322

Address:

F. J. Elliott, - Attorney,
Globe, Arizona.

AGENT LODE MINING CLAIM.

Beginning at corner No.1, the N.W.corner, identical with location, a pine post 4 ft. long and 4 in. square and set 18 in. in the ground in a mound of stone and scribed 1-2510 Agent; whence the S. W.corner of Section 19 and the N.W.corner of Section 30, Tp.1 N., R 15 E., G.& S. R. B. & M. bears N. 81° 28' E., 187.8 ft. and from Cor.1 rock croppings, chiseled X B R 2510, bears S. 89° 33' E., 37.84 ft.

Thence S. 69° 02' E.

- 40.05 to line 1-2 Red Spring Lode, Survey No. 2506; whence corner No.1 of Red Spring Lode bears S. 80° 26' E. 278.05 ft.
- 198.8 to intersection with R. line 15 E. at 98.98 ft. south from Cor.Sec. 19-24-25-30 and ^{north} 2534.02 ft. from Quarter Cor. Sec. 25-30.
- 300.0 same course to N.E.E.C.,
- 370.0 same course to wagon road,
- 600.0 same course to corner No.2, the N.E.corner, identical with location, a pine post 4 ft. long and 4 in. square and set 18 in. in the ground in a mound of stone and scribed 2-2510 Agent, whence rock croppings, chiseled X.B R 2510, bears S. 78° 28' E., 37.6 ft..

Thence S. 22° 34' W.

- 664.3 to intersect with line 1-4 Red Rock Lode, Survey No. 2507, whence corner No.1 of Red Rock Lode bears S. 56° 02' E. 19.24 ft., and Cor.2 of Red Rock lode brs. S. 30° 33' E. 464.2 ft.
- 802.6 same course to line 1-2 Red Rock Lode, Survey No. 2507, whence corner No.1 of Red Rock Lode bears N. 30° 33' E. 135.8 ft.,
- 976.2 same course to intersection with R.line 15 E. at south 1144.3 ft. from Cor.Sec. 19-24+25-30 and north 1488.7 ft. from Quarter Cor. Sec. 25-30;
- 1391.8 to corner No.3, the S.E.corner, identical with location, a pine post 4 ft. long and 4 in. square and set 18 in. in the ground in a mound of stone and scribed 3-2510 Agent. No available witnesses.

Thence N. 69° 02' W..

- 275.8 to SW.E.C.,
- 457.23 same course to intersection with line 1-4, Captain Lode, Survey No. 2373, whence corner No. 4 of the Captain Lode bears N. 2° 58' E. 248.2 ft.,
- 551.6 same course to corner No. 4, identical with location, a pine post 4 ft. long and 4 in. square and set 18 in. in the ground in a mound of stone and scribed 4-2510 Agent. No available witnesses.

Thence N.20° 34' E.

- 240.5 to intersection with line 3-4, Captain Lode, Survey No. 2373 and line 2-3 Red Rock Lode, Survey No. 2507, whence corner No. 4 of the Captain Lode bears S. 56° 02' E. 19.87 ft..and corner No.2 of the Red Rock Lode bears S. 56° 02' E. 504.2 ft.,
- 668.0 to wagon road, (leading from mine to Globe.)
- 856.2 same course to line 4-1, Red Rock Lode, Survey No. 2507, whence Cor. No.1 bears S. 56° 02' E. 611.3 ft.
- 1383.71 to line 1-2 Red Spring Lode, Survey No. 2506, whence corner No.2 of the Red Spring Lode bears N.80° 26' W. 294.2 ft., and Cor.1 Red Spring lode brs. S.80° 26' E. 318.8 ft.
- 1391.8 same course to corner No.1, the point of beginning.

FEET

Variation 12° 45' E. to 13° 15' E. at all corners

LEDGE.

The presumed course of the vein on this claim is from the S.W.E.C. of location N. 21° 34'E., 1391.6 ft.

LOCATION.

This claim is situated in the Globe Mining District, Gila County, Arizona, in Sections 30 and 25, Tp, 1 N., Rs. 14 and 15 East.

ADJOINING CLAIMS.

- N. Red Spring Lode, Survey No.2506, A Patterson and John Wog, owners.
St.John's Fraction Lode, unsurveyed, Miami Copper Co. owner.
- E. St.John's Lode, Nos. 1 and 3, unsurveyed, J.B.Newman owner.
Red Rock Lode, Survey No.2507, J.B.Newman and P.Oates, owners.
- S. Eureka Lode, unsurveyed, D.D.Sullivan, owner.
Captain Lode, Survey No. 2373, P.Oates, owner.
- W. Red Rock Lode, Survey No.2507, J.B.Newman and P. Oates, owners.
St.John's Fraction Lode, unsurveyed, Miami Copper Co. owner.

A R E A.

AGENT LODE MINING CLAIM.

| | Acres. |
|--|--------|
| Total area | 18,393 |
| area in conflict with Red Spring Lode, Survey No.2506, not excluded, | .004 |
| area in conflict with Captain Lode, Survey No.2373, excluded, | .309 |
| area in conflict with Red Rock Lode, Survey No.2507, not excluded, | 7.639 |
| Net area of Agent Lode | 18.084 |

IMPROVEMENTS.

I hereby certify that the value of labor ^{and} improvements on this claim, placed thereon by the claimants or their grantors, is not less than Five Hundred Dollars, (\$500.00).

The chief improvement on this claim consists of a shaft bearing N. 72° 30' W., 538 ft. from corner No.2, line 2-3 of this survey and 719.3 ft. from corner No.2, Agent Lode. This shaft has a total depth of 500 ft., is 5 x 10 in the clear and timbered from top to bottom. From the 170 ft., 270 and 470 ft. levels, drifts and cross-cuts have been run aggregating more than 2600 linear feet. The general courses of the drifts are S. 34°W. and N.34°E. from shaft and the cross-cuts are run at right angles from the drifts. This shaft with drifts and cross-cuts is to be considered a common improvement in the development of fifteen contiguous claims. The mineralization on this property is not in lode form, but consists of a metamorphosed shist near a granite contact which has been impregnated with a copper ore (chalcocite). Up to the present time all drifts and

FEET

cross-cuts are still in this low-grade ore. This ore does not crop at the surface and the underground workings from this shaft are tending to prove the property as a whole. The company now owning these claims are going ahead with extensive improvements, and with drifts and cross-cuts in the direction of all these claims considered. These claims that will share pro rata in this common improvement are the Agent, Red Spring, Red Rock, St. John's Fraction, Climax, Flat Top, Clumsy John, Hot Center, Oversight and St. John's Nos. 1, 2, 3, 4, 5 and 6.

WORKINGS.

| | | |
|------|--|-----------|
| No.1 | Discovery shaft, 4 x 6 - 10 ft., at N. 21° 34' E., 666 ft. from S.W.E.C. | \$ 30.00 |
| No.2 | Main shaft as described above, at N. 72° 30' W., 538 ft from a point on line 2-3, 7193 ft. from corner No.2. 500 ft. of depth at \$40.00 per foot. 20,000.00 2600 ft. of cross-cuts and drifts at \$8.00 20,800.00 | 40,800.00 |
| | 1/15 of value of shaft and cross-cuts to Agent lode. | 2720.00 |
| No.3 | Tunnel, 3 x 6 - 10 ft., at N. 59° 37' W., 310 ft. from point as given above. | 25.00 |
| No.4 | Tunnel 3 x 6 - 40 ft., at N. 55° 20' W., 337 ft. from point as given above. | 200.00 |
| | Total | \$2975.00 |

 INSTRUMENT

This survey was made with a W. & L. E. Gurley mountain transit, fitted with a Burt Solar attachment, by which the true meridian was obtained and checked upon determined courses. Measurements were made with a five hundred foot steel tape.

Howard T. Payne
 U. S. Deputy Mineral Surveyor.

Globe, Arizona, January 25th, 1908.

FINAL OATHS FOR SURVEYS.

LIST OF NAMES.

A list of the names of the individuals employed by Howard T. Hayne

United States Deputy Mineral Surveyor, to assist in running, measuring, and marking the lines, corners, and boundaries described in the foregoing field notes of the survey of the mining claim of J. B. Auzman

and P. Oates

known as the Agent

and showing the respective capacities in which they acted.

David Torrey, Chainman.

R. P. Pflaum, Chainman.

_____, Azman.

_____, Flagman.

FINAL OATHS OF ASSISTANTS.

We, David Torrey

and R. P. Pflaum, do solemnly swear that we assisted Howard T. Hayne

United States Deputy Mineral Surveyor, in marking the corners and surveying

the boundaries of the mining claim of J. B. Auzman and P. Oates

known as the Agent

represented in the foregoing field notes as having been surveyed by said deputy mineral surveyor and under his

direction; and that said survey has been in all respects, to the best of our knowledge and belief, faithfully and

correctly executed, and the corner and boundary monuments established according to law and the instructions

furnished by the United States Surveyor-General for Arizona

David Torrey, Chainman.

R. P. Pflaum, Chainman.

_____, Azman.

_____, Flagman.

Subscribed and sworn to by the above-named persons before me this 27

day of January, 1908.

J. E. McCoy
Notary Public
Tulsa Co. Ariz.

FINAL OATH OF U. S. DEPUTY MINERAL SURVEYOR

I, Howard T. Wayne, U. S. Deputy Mineral Surveyor, do solemnly swear that, in pursuance of instructions received from the United States Surveyor General for Arizona, dated Dec. 31, '07, I have, in strict conformity to the laws of the United States, the official regulations and instructions thereunder, and the instructions of said Surveyor General, faithfully and correctly executed the survey of the Mining Claim of J. B. Furman and P. State, known as the Agent Globe, situate in Gila County, Arizona, in Section 25, Township No. 1N, Range No. 15 E. and designated as Survey No. 2510, as represented in the foregoing field notes, which accurately show the boundaries of said mining claim as distinctly marked by monuments on the ground, and described in the attached copy of the location certificate, which was received by me from the Surveyor General with said instructions, and that all the corners of said survey have been established and perpetuated in strict accordance with the law, official regulations and instructions thereunder; and I do further solemnly swear that the foregoing are the true and original field notes of said survey and my report therein, and that the labor expended and improvements made upon said mining claim by claimant or their grantors are as therein fully stated, and that the character, extent, location and itemized value thereof are specified therein with particularity and full detail, and that no portion of said labor or improvements so credited to this claim has been included in the estimate of expenditures upon any other claim.

Howard T. Wayne
U. S. Deputy Mineral Surveyor.

Subscribed and sworn to by the said Howard T. Wayne
U. S. Deputy Mineral Surveyor, before me F. J. Elliott, a Notary
Public in and for Gila County, Ariz. this 25th
day of January, 1908.

F. J. Elliott
Notary Public in and for the
County of Gila, Arizona,

Affidavit of Five Hundred Dollars Improvements.

We, W.S. Sultan, and A.G. Smith

of lawful age, being first duly sworn according to law, depose and say: That we are acquainted with the Agnes I mining claim, situate in Globe Mining district, Gila County, Arizona Territory, for which S. B. Swuman & P. Carter


have made application for survey prior to application for patent under the provisions of the act of Congress, approved May 10, 1872; and that the labor done and improvements made thereon by the applicants and their grantors exceed Five Hundred Dollars in value, and further that we are not personally interested in said mine.

W.S. Sultan
A.G. Smith

TERRITORY OF ARIZONA, }
County of Gila } ss:

Sworn to and subscribed before me, this --25th--

day of January, 1908.



J. Healy
Notary Public in and for the
County of Gila, Arizona,

AMENDED

NOTICE OF MINING LOCATION. Lode Claim.

TO ALL WHOM IT MAY CONCERN:

This Mining Claim, the name of which is the AGENT Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purposes of exploration and purchase by J.B. Newman, and P. Oates, whose full name is Philip Oates, citizens of the United States of America, the undersigned, on the 18th day of December, 1907.

The length of this claim is 1391.5 feet, and we claim 661 feet in a S. 21°34'W. direction and 730.5 feet in a N. 21°34'E. direction from the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with 275.85 feet in width of the surface grounds, on the N.W. side of the lode line, and 275.85 feet in width of the surface grounds on the S.E. side of the lode line at the S.W. end of said claim, and 300 feet in width of the surface grounds on the N.W. side of the lode line, and 300 feet in width of the surface grounds on the S.E. side of the lode line at the N.E. end of said claim. The general course of the lode deposit and premises is from the S.W. to the N.E.

The claim is situated and located in the Globe Mining District, in Gila County, in the Territory of Arizona, about 5½ miles in a westerly direction from Globe, Arizona, and is bounded on the North by the Red Spring claim, and on the East by the St. Johns Nos. 1, 2 and 3 claims. From the N.W. corner of the Agent claim the N.W. Cor. Sec. 30, T. 1 N., R. 15 E., G. & S.R. B. & M. bears N. 81°30' E. 185 feet.

The surface boundaries of the claim are marked upon the ground as follows: Beginning at a post monument at a point

in a S. 21° 34' W. direction 661 feet from the discovery shaft
(at which this notice is posted), being ⁱⁿ the center of the
S.W. end line of said claim; thence N. 69° 02' W. 275.85 feet
to a post monument, being the S.W. corner of said claim; thence
N. 20° 34' E. 1391.65 feet to a post monument, being at the
N.W. corner of said claim; thence S. 69° 02' E. 300 feet to a
post monument at the center of the N.E. end of said claim;
thence S. 69° 02' E. 300 feet to a post monument, being at the
N.E. corner of said claim; thence S. 22° 34' W. 1391.65 feet
to a post monument at the S.E. corner of said claim; thence
N. 69° 02' W. 275.85 feet to the place of beginning.

All done under the provisions of Chapter Six, of Title
XXXII, of the Revised Statutes of the United States, and of
an Act of the General Assembly of Arizona, entitled "An Act
to Revise and Codify the Laws of the Territory of Arizona,"
approved March 16, 1901, and all acts of said Assembly
amendatory thereof.

This is an Amended Location Notice of the Agent Mining
Claim, located by W.D. Fisk on the first day of January, 1902,
and recorded in Book 7 of Records of Mines, at page 464, in
the office of the County Recorder of said Gila County, and to
which record reference is hereby made, and, also, to the
Amended Location Notice recorded in Book 8 of Records of Mines,
said Gila County, page 274 to correct errors in original notice
and to explain the ambiguity as to proper name of this claim.

This Amended Location Notice is made and posted to correct
errors in the description in the said original and all subse-
quent Location Notices amended.

Dated and posted on the ground this 18th day of December,
1907.

Witnesses:

J. B. Newman
P. Oates

Filed and recorded at the request of F. J. Elliott on the 19 day of
December A. D. 1907 at 5 minutes past 9 o'clock A. M.
E. T. Stewart County Recorder.

TERRITORY OF ARIZONA, }
COUNTY OF GILA } SS

I, E. T. STEWART, County Recorder in and for the County of Gila, Territory of Arizona, do hereby certify that the above
and foregoing contain and constitute a full, true and correct copy of..... Amended Location Notice of the
AGENT Mining Claim,.....

as the same appears of record in my office in Book..... 8, Records of Mines,.....

at page..... 533.....; that I have compared the same with the original record, and that the same is a true transcript
and of the whole thereof.

(4-688.)

U. S. SURVEYOR GENERAL'S FINAL CERTIFICATE ON FIELD NOTES.

DEPARTMENT OF THE INTERIOR,
OFFICE OF U. S. SURVEYOR GENERAL,

Phoenix, Arizona

June 26, 1908.

I, U. S. Surveyor General for District of Arizona,
do hereby certify that the foregoing transcript of the Field Notes, return and approval
of the Survey of the mining claim of
J. B. Newman and P. Oates
, known as the AGENT
, situate in Globe
Mining District, Gila County,
Arizona, in Section Approx. 25
14 E., Unsur. & Township No. 1 N.,
Range No. 15 E., and designated as Survey
No. 2510, has been correctly copied from the originals on
file in this office; that said Field Notes furnish such an accurate description of said
mining claim as will, if incorporated into a patent, serve fully to identify the premises,
and that such reference is made therein to natural objects or permanent monuments as
will perpetuate and fix the *locus* thereof.

And I further certify that five hundred dollars' worth of labor has been expended
or improvements made upon said mining claim by claimant or their grantors, and
that said improvements consist of 1 shaft and 2 tunnels, and a 1/15
interest in Shaft No. 2 and its underground workings, total
value, \$40800, being a common improvement for the development
of the Agent and fourteen other lode claims, 14/15 of the
value thereof is reserved to be credited to the other fourteen
claims receiving the benefit.

and that no portion of said labor or improvements has been included in the estimate of
expenditures upon any other claim.

I further certify that the plat thereof, filed in the U. S. Land Office at Phoenix,
Arizona is correct and in conformity with the foregoing Field Notes.

Frank S. Ingalls

United States Surveyor General for Arizona.

4-687.

SURVEYOR-GENERAL'S CERTIFICATE OF APPROVAL OF FIELD NOTES AND SURVEY OF MINING CLAIM.

Department of the Interior,

Office of U. S. Surveyor-General,

Phoenix, Arizona

June 26, 1908.

I, U. S. Surveyor-General for District of Arizona

do hereby certify that the foregoing and hereto attached Field Notes and Return of the Survey of the Mining Claim of

J. B. Newman and P. Oates

, known as the

AGENT

situate in Globe Mining District,

Gila County, Arizona

Approx. 25 in Section 30, Township No. 1 N., Range No. 15 E., Unsur. &

, designated as Survey No. 2510

executed by Howard T. Wayne, U. S. Deputy Mineral

Surveyor, January 9, - 10, 1908, under my instructions dated

December 31, 1907, have been critically examined and the necessary

corrections and explanations made, and the said Field Notes and Return, and the Survey they describe,

are hereby approved. A true copy of the copy of the location certificate filed by the applicant for

survey is included in the field notes.

Handwritten signature of Frank S. Dyer

U. S. Surveyor-General for Arizona.

