

**MS**

**0**

**2**

**5**

**5**

**9**



SEP 1 1908  
OCT 15 1908

4-683.

MINERAL SURVEY No. 2559

LOT No.

ARIZONA Land District.

FIELD NOTES

OF THE SURVEY OF THE MINING CLAIM OF

Miami Copper Co.

KNOWN AS THE

ST JOHNS NO. 1, ST JOHNS No. 2, ST JOHNS NO. 3, ST JOHNS NO. 4  
ST. JOHNS No. 5, ST. JOHNS No. 6.

GLOBE Mining District,

Gila County, Arizona

Section 19 & 30, Township 1 N, Range 15 E  
Approx. 25 1 N. 14 E. Quarter.

Surveyed under instructions dated June 27, 1908

by Howard G. Wayne  
U. S. Mineral Surveyor.

Claim located See Location Notice, 19

Survey commenced July 21, 19 08

Survey completed July 29, 19 08

6-822

Address of Claimant's attorney;  
P. J. Elliott,  
Globe, Arizona

FEET

SURVEY NO. 2559.

ST. JOHNS NO. 1 LODE MINING CLAIM.

Beginning at corner No. 1, the N.W. corner, identical with location, a pine post 4 ft. long, 4 inches square, set 18 inches in the ground in a mound of stone and scribed 1-2559-St. J. No. 1., whence the S.W. corner of sec. 19 and the N.W. corner of sec. 30, Tp. 1 N, R 15 E. G & S R B & M bears N 36° 29' W 511.8.. No available witnesses.

THENCE S 78° 25' E

1500.0 to corner No. 2, the N.E. corner, identical with location, a pine post 4 ft. long 4 inches square set 18 inches in the ground in a mound of stone and scribed 2-2559-St. J. No. 1., whence rock croppings chiseled X 2559 B R bears S 22° 43' E. 28.0 feet.

THENCE S 22° 34' W

305.0 to the F.E.C., a monument of stones, identical with location  
610.0 same course to corner No. 3 the S.E. corner, identical with location, a pine post 4 ft. long 4 inches square, set 18 inches in the ground in a mound of stone and scribed 3-2559-St. J. No. 1, whence rock croppings chiseled X 2559 B R bears N. 17' E 161.1 feet.

THENCE N 78° 25' W

1498.6 to intersection with line 1-2 Red Rock Lode Survey No. 2507, whence cor. No. 1 Red Rock Lode bears N 30 33 E 125.94ft  
1500.0 same course to corner No. 4, the S.W. corner, on line 2-3 Agent Lode Survey No. 2510, identical with location, a pine post 4 feet long, 4 inches square, set 18 inches in the ground in a mound of stone and scribed 4-2559-st. J. No. 1 No. available witnesses.

THENCE N 22° 34' E

along line 2-3 Agent lode Survey No. 2510  
128.8 to intersection with line 4-1 Red Rock Lode Survey No. 2507, whence corner No. 1 Red Rock Lode, bears S 56 02 E 19.24  
305.0 same course to W.E.C. a mon. of stones, identical with location  
610.0 same course to corner No. 1, the point of beginning.

Variation 13° 15' to 13° 45' E at all corners.

## Ledge

The presumed course of the vein on this claim is from the W.E.C. of location S 78° 25' E., 1500.0 feet.

## ST. JOHNS NO. 2 LOPE MINING CLAIM.

Beginning at corner No. 1, the N.W. corner, identical with location and with corner No. 4 St. JOHNS No. 1 Lode, a pine post 4 feet long, 4 inches square set 18 inches in the ground in a mound of stone and scribed 1-2559-St. J. No. 2., whence the S.W. corner of sec. 19 and the N.W. cor. of sec. 30, Tp. 1 N, R. 15 E. G & S R B & M bears N 4 10' W 977.3 feet. No available witnesses.

## THENCE S 78° 25' E

coincident with line 4-3 St. Johns No. 1 Lode, this survey <sup>intersect</sup> to line 1-2 Red Rock Lode, Survey No. 2507, whence corner No. 1 Red Rock Lode bears N 30° 33' E 125.94 feet.

1500.0 same course to corner No. 2, identical with location and with corner No. 3 St. Johns No. 1 Lode this survey, a pine post 4 ft. long 4 in. square, set 18 in. in the ground in a mound of stone and scribed 2-2559-St. J. No. 2., whence rock cropping chiseled X 2559 B. R., bears N 17' E 161.1 feet.

## THENCE S 22° 34' W

305.0 to E.E.C., a mon. of stones identical with location

610.0 same course to corner No. 3 the S.E. corner, identical with location, a pine post 4 feet long, 4 inches square, set 18 inches in the ground, in a mound of stone and scribed 3-2559-St. J. No. 2. No available witnesses.

## THENCE N 78° 25' W

810.1 to N. E. Cor. Switchback lode, <sup>uns., a pine post.</sup>  
1332.8 to Range line 15 E at south 1571.8 feet from sec. cor.

119-34-25-30 and north 1061.2 from quarter cor. 25-30.

1409.5 to the east side line of the Eureka Lode unsurveyed, from which the N.E. corner of the Eureka Lode bears

N 1° 06' W 159.6 feet. Also N.W. Cor. Switchback lode, <sup>uns., a pine post.</sup>

1500.0 same course to corner No. 4, the S.W. corner, identical with location, a pine post 4 feet long, 4 inches square set 18 inches in the ground in a mound of stone and scribed 4-2559-St. J. No. 2. No available witnesses.

## THENCE N 22° 34' E



FEET

- 11.13 to corner No.3 Agent Lode Survey No. 2510.
- same course along line 2-3 Agent lode Survey No.2510
- 156.26 to intersection with the the north end line of the
- Eureka Lode unsurveyed, whence the N.E. corner of the
- Eureka Lode bears S.83° 40'E 25.74 feet.
- 305.0 same course to W.E.C., a mon. of stones identical with location
- 426.73 same course to Range line 15 E at south 1144.3 ff from
- sec. cor. 19-24-25-30 and north 1428.7 ff from 1/4 cor. 25-30
- 600.5 same course to line 1-2 Red Rock Lode Survey No.2507,
- whence Cor.No.1 Red Rock Lode bears N 30° 33'E 135.8 ff
- 610.0 same course to corner No.1, the point of beginning.

Variation 13 15' to 13 45'E at all corners.

LEDGE

The presumed course of the vein on this claim is from the west end center of location S 78° 25'E., 1500.0 ft.  
=====

ST. JOHNS NO. 3 LODE MINING CLAIM.

Beginning at corner No.1, the S.W. corner, identical with location and with corner No.1 St. Johns No.1 lode this survey, a pine post 4 feet long, 4 inches square set 18 inches in the ground in a mound of stone and scribed 1-2559-St. J. No.3., whence the S.W. corner of sec 19 and the N.W. corner of sec. 30, T. 1 N, R 15 E. G & S R B & M bears N 36 29' W 511.8 ft. No available witnesses.

THENCE N 22° 34' E

- along line 2-3 Agent Lode Survey No.2510
- 182.9 to corner No.2 Agent Lode Survey No.2510.
- 305.0 same course to W.F.C. a mon. of stone, identical with location
- 445.9 same course to section line at east 475.5 ft. from sec. corner 19-24-25-30 and west 2164.5 ff from quarter cor. sec. 19-30.
- 519. to intersect W. side line Keystone lode, Uns., at N. 5° 21' E. 213.9 ft. from S.W. Cor.
- 610.0 same course to corner No.2, identical with location, a pine post 4 feet long, 4 inches square, set 18 inches in the ground in a mound of stone and scribed 2-2559 -St. J. No.3. No available witnesses.

THENCE S 78° 25' E

FEET

572.7 to east side line of Keystone Lode unsurveyed at  
 at N 5 19' <sup>246.6 F</sup> E from S.E. cor. of Keystone Lode.

754.7 same course to intersection with sec. line at, West  
 1362.2 feet from quarter corner of sec. 19-30 and East  
 1277.8 feet from cor. sec. 19-24-25-30.

870.0 same course to wagon road from Globe to mine.

1500.0 same course to corner No. 3, the N.E. corner, identical  
 with location and with corner No. 2 St. Johns No. 6 lode  
 this survey, a pine post 4 feet long, 4 inches square  
 set 18 inches in the ground in a mound of stone and  
 scribed 3-2559-St. J. No. 3. No available witnesses.

THENCE S 22° 34' W

305.0 to E.E.C., amon. of stones identical with location

510.0 same course to wagon road from Globe to mine.

610.0 to corner No. 4, identical with location and with  
 corner No. 2 St. Johns No. 1 lode this survey, a pine post  
 4 feet long, 4 inches square, set 18 inches in the ground  
 in a mound of stone and scribed, 4-2559-St. J. No. 3 whence,  
 rock croppings chiseled X 2559 B R bears S 22° 43' E.

THENCE N 78° 25' W

Coincident with line 1-2 St. Johns No. 1 Lode, this survey  
 1500.0 to corner No. 1 the point of beginning.

Variation 13° 15' to 13 45' E at all corners.

LEDGE

The presumed course of the vein on this claim is from  
 the W.E.C. of location S 78° 25' E. 1500.0 feet.

ST. JOHNS NO. 4 LODE MINING CLAIM.

Beginning at corner No. 1 the N.W. corner identical  
 with location and with corner No. 2 St. Johns No. 1 lode  
 and corner No. 4 St. Johns No. 3 lode, a pine post 4 feet long  
 4 inches square set 18 inches in the ground in a mound  
 of stone and scribed 1-2559-St. J. No. 4, whence the  
 S.W. corner of sec. 19 and the N.W. corner of sec.  
 30, Tp. 1 N., R. 15 E., G & S R B & M. bears N 68° 07' W  
 1912.0 feet. Also rock croppings chiseled X 2559 B R



FEET

bears S 22° 34' E. 28.0 feet.

Thence S 78° 25' E .

. 370.0 to wagon road from Globe to mine.

1500.0 same course to corner No.2, the N.E.Corner, identical with location, a pine post 4 feet long, 4 inches square set 18 inches in the ground in a mound of stone and scribed 2-2559-St.J.No.4 No available witnesses.

Thence S 22° 34' W

305.0 to the E.E.C. a mon of stones identical with location

365.0 same course to wagon road from Globe to mine.

610.0 same course to corner No.3, identical with location, a pine post 4 feet long, 4 inches square, set 18 inches in the ground in amount of stone and scribed 3-2559-St. J.No.4 No available witnesses.

Thence N 78° 25' W

1500.0 to corner No.4, the S.W.corner, identical with location and with corner No.3 St.Johns No.1 lode and with corner No.2 St.Johns No.2 lode, this survey, a pine post 4 feet long, 4 inches square, set 18 inches in the ground in a mound of stone and scribed 4-2559-St.J.No.4., whence rock croppings chiseled X 2559 B R bears N 17' E 161.1 ft

Thence N 22° 34' E

coincident with line 2-3 St.Johns lode No.1, this survey

305.0 to the W.E.C. a mon. of stones identical with location

610.0 to corner No.1 the point of beginning.

-----  
Variation 13° 15' to 13° 45' E. at all corners

#### LEDGE

The presumed course of the vein on this claim is from the W.E.C. of location S 78° 25' E 1500.0 feet.

=====

#### ST.JOHN'S NO.5 LODE MINING CLAIM.

Beginning at corner No1, the N.W. corner, identical with location and with corner No.3 St.Johns No.1 lode, with corner No.2 St.Johns No.2 lode and with corner





FEET

ST. JOHNS NO. 6 LODE MINING CLAIM.

Beginning at corner No. 1, the S.W. corner, identical with location and with corner No. 2 St. Johns No. 1 lode, with corner No. 4 St. Johns No. 3 lode and with corner No. 1 St. Johns No. 4 lode, all of this survey; - a pine post 4 feet long, 4 inches square, set 18 inches in the ground in a mound of stone and scribed 1-2559-St. J. No. 6. whence, the S.W. corner Sec. 19 and the N.W. corner of Sec. 30, Tp. 1 N, R 14. E, G & S R B & M, bears N 68° 07' W 1912.0 feet. No available witnesses.

THENCE N 22° 34' E

coincident with line 3-4 St. Johns No. 3. lode.

- 100.0 to wagon road from Globe to mine.
- 305.0 same course to W.E.C. mon. of stones identical with location
- 610.0 same course to corner No. 2, identical with location and with corner No. 3 St. Johns No. 3 lode, this survey, a pine post 4 feet long, 4 inches square set 18 inches in the ground in amount of stone and scribed 2-2559-St. J. No. 6 whence, rock croppings chiseled X 2559 B R, bears S 22° 34' E 92.2 feet.

THENCE S 78° 25' E

- 1500.0 to corner No. 3 the N.E. corner, identical with location, a pine post 4 feet long, 4 inches square, set 18 inches in the ground in a mound of stone and scribed 3-2559-St. J. No. 6., whence rock croppings chiseled X 2559 B R bears S 47 30' W 24.1 feet.

THENCE S 22° 34' W

- 305.0 to the E.E.C. a mon of stones identical with location.
- 610.0 to corner No. 4, the S.E. corner, identical with location and with corner No. 2 St. Johns No. 4 lode, this survey, a pine post, 4 feet long, 4 inches square, set 18 inches in the ground in a mound of stone and scribed 4 2559 St. J. No. 6. No available witness.

THENCE N 78° 25' W

coincident with line 2-1 St. Johns No. 4 lode, this survey

1130.0 to wagon road from Globe to mine.  
 1500.0 same course to corner No.1 the point of beginning.

Variation 13° 15' to 15° 45' E at all corners

LEDGE

The presumed course of the vein on this claim is from the W.E.C. of location S 78° 25' E 1500.0 feet.

LOCATION.

These claims are located in the Globe Mining District, Gila County, Arizona, in the N.W. quarter of Sec. 30 Tp. 1 N., R.15 E. G & S-R B & M., and the S.W. 1/4 of Sec. 19, T. 1 N., R.15 E., and Approx. in Sec. 25, Tp. 1 N., R. 14 E., Unsurveyed, in Crook National Forest Reserve.

ADJOINING CLAIMS.

- N Keystone Lode, unsurveyed, T.A.Pascoe, owner
- Inglis, unsurveyed, Miami Copper Co., owner
- Yuma, unsurveyed, Miami Copper Co., owner
- E - St. Johns Nos. 7, 8, and 9, <sup>lodes, Uns,</sup> Miami Copper Co. owner.
- S Eureka, unsurveyed, D.D.Sullivan, owner.
- Switchback, unsurveyed D.D.Sullivan, owner.
- Unknown claims.
- W Agent, Survey No.2510, Miami Copper Co., owner
- Eureka, unsurveyed, D. D. Sullivan, owner.

Red Rock Survey No. 2507, Miami Copper Co., owner.

AREA.

ST. JOHNS NO.1 LODE		
Total area	20.621	
Less Area in conflict with Red Rock Lode, Survey No.2507	.059	
Net Area		20.562
ST. JOHNS NO.2 LODE		
Total area	20.621	
Less Area in conflict with Eureka lode, unsurveyed	.206	
Area in conflict with Red Rock Lode Sur. No. 2507 - nominal	.000	
Net Area		20.415
ST. JOHNS NO.3 LODE		
Total and net area		20.621
ST. JOHNS NO.4 LODE		
Total and net area		20.621



ST. JOHNS NO. 5 LODE	Acres
Total and net area	20.621
ST. JOHNS NO. 6 LODE	
Total and net area	20.621
Total area of Group (net.)	123.461

=====

IMPROVEMENTS.

I do hereby certify that the value of labor and improvements upon or for the benefit of these claims, placed thereon by the claimants or their grantors, is not less than five hundred dollars ( \$500.00 ) for each claim.

Note 1:- Shaft No. 2 on the Agent Lode, survey No. 2510 which bears from a point, 888.7 ft. from corner No. 4, on line 4-1 of the Red Rock Lode, survey No. 2507, - is a common improvement for the Red Rock, Agent, Red Spring, Climax, Flat Top, Hot Center, Clumsy John, Oversight Fraction, St. Johns Fraction, and St. Johns Nos. 1, 2, 3, 4, 5, 6 Lodes, and an undivided 1/15 interest each was reserved for the benefit of the St. Johns Nos. 1, 2, 3, 4, 5, 6 Lodes, this survey. Since the survey of the Agent Lode, No. 2510, when this designation as a common improvement was made, this Shaft has been sunk to a depth of over 700.0 feet with drifting and crosscutting aggregating more than 4000.0 feet, making this common improvement at this time worth no less than \$64,950, making an undivided 1/15 interest worth \$4330.00

Note 2:- As has already been explained in a note in Survey No. 2510, the mineralization on this group consists of a blanket of country rock impregnated with copper ore (chalcocite). The top of this blanket was reached in the shaft designated as a common improvement at a depth of about 270.0 ft. The majority of the cross cutting and drifting has been done on the 470.0 ft. level. Crosscuts to the east have at this time reached the western boundary of this group, proving the ore body to lie under and extend east. The surface on this group is Gila Conglomerate, but development at the present time has shown this to be a shallow capping as crosscuts at the 470.0 ft. level some 200 feet beyond the conglomerate contact on the surface are still in the altered schist the ore bearing matrix. The crosscuts and drifts included in this common improvement have already blocked out some 7,000,000 tons of commercial ore.

-----

WORKINGS

ST. JOHNS NO. I LODE	Value
No. 1 - Discovery shaft 4 x 6 - 10 ft. bears from the W.E.C., S 78° 25' E 160.0 feet.	\$ 25.0
Note - A 1/15 interest accredited from Shaft No. 2 Agent lode Survey No. 2510	4330.0

Total value of improvements upon or for  
the benefit of St. Johns No. 1 lode \$ 4355.0

## ST. JOHNS NO. 2 LODE

No. 1 - A discovery shaft 4 x 6 - 10 feet  
bears from W.E.C. S 78° 25' W 140.0 feet 25.0

Note - A 1/15 interest credited from  
Shaft No. 2 Agent Lode Survey No. 2510 4330.0

Total value of improvements upon or  
for the benefit of St. Johns No. 2 lode 4355.0

## St. JOHNS NO. 3 LODE

No. 1 - A discovery shaft 4 x 6 - 10 feet  
bears from the W.E.C. S 78° 25' E 530 ft. 25.0

No. 2 - A cut 4 x 12 x 10 bears from  
W.E.C. S. 81° 10' E 325.0 25.0

Note - A 1/15 interest credited from  
~~shaft No. 2~~ Agent Lode Survey No. 2510 4330.0

Total value of improvements upon or  
for the benefit of St. Johns No. 3 lode 4380.0

## ST. JOHNS NO. 4 LODE

No. 1 - A discovery cut 4 x 8 x 16 feet  
bears from W.E.C. S 78° 25' E 210.0 feet 25.0

No. 2 - A shaft 6 x 15 - 11 feet bears  
from Cor. No. 1 S. 16° 24' W 184.0 ft 80.0

Note - A 1/15 interest credited from  
shaft No. 2 Agent Lode Survey No. 2510 4330.0

Total value of improvements on or for the  
benefit of St. Johns No. 4 lode 4435.0

## ST JOHNS NO. 5 LODE

No. 1 - A discovery shaft 4 x 6 x 10  
bears from W.E.C. S 78° 25' E 100.0 ft. 25.0

Note - A 1/15 interest credited from  
shaft No. 2 Agent lode Survey No. 2510 4330.0

Total value of improvements on or for the  
benefit of St. Johns No. 5 lode 4355.0



ST. JOHNS NO. 6 LODGE	Value
No. 1 - A discovery cut 12 x 11 x 4 bears from W.E.C.S 78° 25' E 350.0 ft.	25.0
<del>No. 2</del> - A 1/15 interest credited from Shaft No. 2 Agent Lode Survey No. 2510.	<u>4330.0</u>
Total value of improvements on or for the benefit of St. Johns No. 6 lode	4355.0

-----

This survey was made with a W. & L. E. Gurley Mountain Transit, fitted with a Burt solar, by which the true meridian was obtained, and checked on previously determined courses. Measurements were made with a 500.0 foot steel tape.

*Howard T. Payne*  
U.S. Deputy Min. Surveyor.

Globe, Arizona

Aug. 30, 1908.

NOTE:- A 14 x 18 foot shaft bearing S 54° 01' E 611.0 feet from Cor. No.1 St. Johns No.1 Lode, this survey, has just been started with the intent that it shall act as a common improvement and that the following claims belonging to the Miami Copper Co., shall share equally in the benefit thereof. The claims are the Mohave, Yavapai, Navajo, Pinal, Apache, Gila, Pima and Yuma all lode claims. A location plat accompanies the field notes of this survey.

*Survey of St. Johns*



# FINAL OATHS FOR SURVEYS.

## LIST OF NAMES.

A list of the names of the individuals employed by Howard T. Wayne  
 United States Mineral Surveyor, to assist in running, measuring, and marking the lines, corners, and  
 boundaries described in the foregoing field notes of the survey of the mining claim of \_\_\_\_\_  
 \_\_\_\_\_  
MIAMI COPPER CO.  
 known as the ST. JOHNS No. 1, ST. JOHNS No. 2, ST. JOHNS No. 3, ST. JOHNS No. 4  
ST. JOHNS No. 5, ST. JOHNS No. 6  
 and showing the respective capacities in which they acted.

\_\_\_\_\_ Robert Goodwin \_\_\_\_\_, *Chainman.*  
 \_\_\_\_\_, *Chainman.*  
 \_\_\_\_\_, *Arman.*  
 \_\_\_\_\_, *Flagman.*

## FINAL OATHS OF ASSISTANTS.

~~WA~~ Robert Goodwin  
 and \_\_\_\_\_, do solemnly swear that we assisted \_\_\_\_\_  
Howard T. Wayne, United States Mineral Surveyor, in marking the corners and surveying  
 the boundaries of the mining claim of \_\_\_\_\_  
 \_\_\_\_\_  
MIAMI COPPER CO.  
 known as the ST. JOHNS No. 1, ST. JOHNS No. 2, ST. JOHNS No. 3, ST. JOHNS No. 4  
ST. JOHNS No. 5, ST. JOHNS No. 6  
 represented in the foregoing field notes as having been surveyed by said mineral surveyor and under his  
 direction; and that said survey has been in all respects, to the best of our knowledge and belief, faithfully  
 and correctly executed, and the corner and boundary monuments established according to law and the instruc-  
 tions furnished by the United States Surveyor-General for \_\_\_\_\_

\_\_\_\_\_ *Arizona*  
 \_\_\_\_\_ Robert Goodwin \_\_\_\_\_, *Chainman.*  
 \_\_\_\_\_, *Chainman.*  
 \_\_\_\_\_, *Arman.*  
 \_\_\_\_\_, *Flagman.*

Subscribed and sworn to by the above-named persons before me this 27<sup>th</sup>  
 day of August, 1908

My Commission expires July 20, 1911.

\_\_\_\_\_  
*L.H. Brown*  
 NOTARY PUBLIC  
 GILA COUNTY, ARIZONA. 6-1043

FINAL OATH OF U. S. MINERAL SURVEYOR.

I, Howard T. Wayne, U. S. Mineral Surveyor, do solemnly swear that, in pursuance of instructions received from the United States Surveyor General for ARIZONA, dated June 27 1908., I have, in strict conformity to the laws of the United States, the official regulations and instructions thereunder, and the instructions of said Surveyor General, faithfully and correctly executed the survey of the Mining Claim of MIAMI COPPER CO., known as the ST. JOHNS No. 1, ST. JOHNS No. 2, ST. JOHNS No. 3, ST. JOHNS No. 4, situate in Globe ST. JOHNS No. 5, ST. JOHNS No. 6 Mining District, GILA County, ARIZONA, in Section 19 & 30, Township No. 1 N., Range No. 15 E, and designated as Survey No. 17 2559 14 E unsur., as represented in the foregoing field notes, which accurately show the boundaries of said mining claim as distinctly marked by monuments on the ground, and described in the attached copy of the location certificate, which was received by me from the Surveyor General with said instructions, and that all the corners of said survey have been established and perpetuated in strict accordance with the law, official regulations and instructions thereunder; and I do further solemnly swear that the foregoing are the true and original field notes of said survey and my report therein, and that the labor expended and improvements made upon said mining claim by claimant or its grantors are as therein fully stated, and that the character, extent, location, and itemized value thereof are specified therein with particularity and full detail, and that no portion of said labor or improvements so credited to this claim has been included in the estimate of expenditures upon any other claim.

*Howard T. Wayne*  
U. S. Mineral Surveyor.

Subscribed and sworn to by the said *Howard T. Wayne*  
U. S. Mineral Surveyor, before me *LT Brown*  
*Notary Public Gila Co. Arizona* this 27<sup>th</sup>  
day of August, 1908

*LT Brown*  
NOTARY PUBLIC  
GILA COUNTY, ARIZONA.



Affidavit of Five Hundred Dollars Improvements.

We, *Robert Goodwin* and *Norman J. Johnson*.

of lawful age, being first duly sworn according to law, depose and say: That we are

acquainted with the ST. JOHNS No. 1, ST. JOHNS No. 2, ST. JOHNS No. 3, ST. JOHNS No. 4, ST. JOHNS No. 5, ST. JOHNS No. 6 mining claim,

situate in GLOBE Mining district, GILA County,

Arizona Territory, for which MIAMI COPPER CO.

has made application for survey prior to application for patent under the provisions of the act of Congress, approved May 10, 1872; and that the labor done and improvements made thereon by the applicant and its grantor exceed Five Hundred Dollars in value, and further that we are not personally interested in said mine.

*Robert Goodwin*  
*Norman J. Johnson*

TERRITORY OF ARIZONA,  
County of *Gila* } ss:

Sworn to and subscribed before me, this 27<sup>th</sup>

day of *August*, 1908

*L. H. Brown*

NOTARY PUBLIC  
GILA COUNTY, ARIZONA.



27689b1m2-07

NOTICE OF MINING LOCATION

LODE CLAIM

TO ALL WHOM IT MAY CONCERN:

This Mining Claim, the name of which is the St. Johns No. 1 Mining Claim, situate on lands belonging to the United States of America and in which there are valuable mineral deposits, was entered upon and located for the purposes of exploration and purchase by J. B. Newman a citizen of the United States, the undersigned, on the 6th day of January 1906.

The length of this claim is 1500 feet, and I claim 80 feet, in a Westerly direction and 1420 feet, in an Easterly direction from the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with 300 feet in width of the surface grounds, on each side of the center of said claim. The general course of the lode deposit and premises is ~~from the~~ Westerly to ~~the~~ Easterly.

The claim is situated and located in the Globe Mining District in Gila County, in the Territory of Arizona, about 6 miles in a Westerly direction from Globe, and is bounded on the Westerly end by the Red Rock and Agent Mining claims, and is about 1000 feet southerly of the Red Spring.

The surface boundaries of the claim are marked upon the ground as follows: Beginning at the Westerly End Center Monument at a point in a Westerly direction, 80 feet from the discovery shaft (at which this notice is posted,) being <sup>the</sup> the center of the Westerly end line of said claim; thence 300 feet to a Monument, being the North Westerly corner of said claim; thence 1500 feet to a Monument, being at the North Easterly corner of said claim thence 300 feet to a Monument at the center of the Easterly end of said claim; thence 300 feet to a Monument, being at the South Easterly corner of said claim; thence 1500 feet to a Monument at the South Westerly corner of said claim; thence 300 feet to the place of beginning.

All done under the provisions of Chapter Six, of Title XXXII of the Revised Statutes of the United States and of an Act of the General Assembly of Arizona, entitled "An Act to Revise and Codify the Laws of the Territory of Arizona" approved March 16, 1901.

Dated and posted on the ground this 6th day of January 1906.

Witness

W. J. Rollins

J. B. Newman

Locator.

Filed and recorded at the request of J. B. Newman, on the 23rd day of February, A. D. 1906, at - - minutes-past 3 o'clock P. M.

W. D. Fisk County Recorder

By Richard Fleming

Deputy Recorder.

TERRITORY OF ARIZONA, }  
COUNTY OF GILA } SS

I, E. T. STEWART, County Recorder in and for the County of Gila, Territory of Arizona, do hereby certify that the above and foregoing contain and constitute a full, true and correct copy of.....the Location Notice of the..... "ST. JOHNS NO. 1" Lode Mining Claim,

as the same appears of record in my office in Book..... 11, records of Mines, at page..... 23.....; that I have compared the same with the original record, and that the same is a true transcript and of the whole thereof.

Given under my hand and seal of office this..... 15th..... day of

April....., A. D. 1908.

  
County Recorder, Gila County, A. T.



NOTICE OF MINING LOCATION

LODE CLAIM.

TO ALL WHOM IT MAY CONCERN:

This Mining Claim, the name of which is the St. Johns No. 2. Mining Claim, situate on lands belonging to the United States of America and in which there are valuable mineral deposits, was entered upon and located for the purposes of exploration and purchase by J.B. Newman, a citizen of the United States, the undersigned, on the 20th day of January, 1906.

The length of this claim is 1500 feet, and I claim 140 feet, in a westerly direction and 1360 feet, in an Easterly direction from the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with 300 feet in width of the surface grounds, on each side of the center of said claim. The general course of the lode deposit and premises is from the Westerly to the Easterly.

The claim is situated and located in the Globe Mining District, in Gila County, in the Territory of Arizona, about 6 miles in a Westerly direction from Globe and is bounded on the Westerly End by the Red Rock Mining Claim and on the Northerly Side line by the St. Johns No. 1 and on the Easterly End by the St. Johns No. 5

The surface boundaries of the claim are marked upon the ground as follows: Beginning at the Westerly Center End Monument at a point in a Westerly direction 140 feet from the discovery shaft, (at which this notice is posted,) being in the center of the Westerly end line of said claim; thence 300 feet to a Monument, being the North Westerly corner of said claim; thence 1500 feet to a Monument, being at the North Easterly corner of said claim; thence 300 feet to a Monument at the center of the Easterly end of said claim; thence 300 feet to a Monument, being at the South Easterly corner of said claim; thence 1500 feet to a Monument at the South Westerly corner of said claim; thence 300 feet to the place of beginning.

All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of the United States and of an Act of the General Assembly of Arizona, entitled, "An Act to Revise and Codify the Laws of the Territory of Arizona," approved March 16, 1901.

Dated and posted on the ground this 20th day of January 1906.

Witness

W. J. Rollins

J. B. Newman

Locator.

Filed and recorded at the request of J. B. Newman, on the 23rd day of February, A. D. 1906, at - - minutes past 3 o'clock P. M.

W. D. Fisk County Recorder

By Richard Fleming

Deputy Recorder.

TERRITORY OF ARIZONA, }  
COUNTY OF GILA } ss

I, E. T. STEWART, County Recorder in and for the County of Gila, Territory of Arizona, do hereby certify that the above and foregoing contain and constitute a full, true and correct copy of the Location Notice of the "ST. JOHNS NO. 2" Lode Mining Claim,

as the same appears of record in my office in Book 11, Records of Mines

at page 99, that I have compared the same with the original record, and that the same is a true transcript and of the whole thereof.

Given under my hand and seal of office this 15th day of

April, A. D. 1908.

*E. T. Stewart*  
County Recorder

Amended  
NOTICE OF MINING LOCATION  
LODE CLAIM

TO ALL WHOM IT MAY CONCERN:

This Mining Claim, the name of which is the St. Johns No. 3, Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purposes of exploration and purchase by J. B. Newman a citizen of the United States, the undersigned, on the 20th day of January 1906.

The length of this claim is 1500 feet, and I claim 530 feet, in a Westerly direction and 970 feet, in an Easterly direction from the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with 300 feet in width of the surface grounds, on each side of the center of said claim. The general course of the lode deposit and premises is from the Westerly to the Easterly.

The claim is situated and located in the Globe Mining District in Gila County, in the Territory of Arizona, about 6 miles in a Westerly direction from Globe, and is bounded on the Southerly Side Line by the St. Johns No. 1 and on the Easterly End by the St. Johns No. 6,

The surface boundaries of the claim are marked upon the ground as follows: Beginning at the Westerly Center End Monument at a point in a Westerly direction 530 feet from the discovery shaft (at which this notice is posted) being in the center of the Westerly end line of said claim; thence 300 feet to a Monument, being the North Westerly, corner of said claim; thence 1500 feet to a Monument, being at the North Easterly corner of said claim; thence 300 feet to a Monument at the center of the Easterly end of said claim; thence 300 feet to a Monument, being at the South Easterly corner of said claim, thence 1500 feet to a Monument at the South Westerly corner of said claim; thence 300 feet to the place of beginning.

All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of the United States and of an Act of the General Assembly of Arizona, entitled "An Act to Revise and Codify the Laws of the Territory of Arizona," approved March 16, 1901.

Dated and posted on the ground this 20th day of January 1906.

Witness  
W. J. Rollins

J. B. Newman  
Locator.

Filed and recorded at the request of J. Newman, on the 3rd day of April, A. D. 1906, at 30 minutes past 4 o'clock P. M.

W. D. Fisk County Recorder  
By Richard Fleming  
Deputy Recorder.

TERRITORY OF ARIZONA, }  
COUNTY OF GILA } ss

I, E. T. STEWART, County Recorder in and for the County of Gila, Territory of Arizona, do hereby certify that the above and foregoing contain and constitute a full, true and correct copy of the Amended Location Notice of the "ST. JOHNS NO. 3" Lode Mining Claim, as the same appears of record in my office in Book 11, Records of Mines, at page 396; that I have compared the same with the original record, and that the same is a true transcript and of the whole thereof.

Given under my hand and seal of office this 15th day of

April, A. D. 1908.

*E. T. Stewart*  
County Recorder, Gila County, A. T.



NOTICE OF MINING LOCATION

LODE CLAIM.

TO ALL WHOM IT MAY CONCERN:

This Mining Claim, the name of which is the St. Johns No. 4. Mining claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purposes of exploration and purchase by J.B. Newman, a citizen of the United States, the undersigned, on the 20th day of January 1906.

The length of this claim is 1500 feet, and I claim 100 feet, in a Westerly direction and 1400 feet, in an Easterly direction from the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with 300 feet in width of the surface grounds, on each side of the center of said claim. The general course of the lode deposit and premises is from the Westerly to the Easterly.

The claim is situated and located in the Globe Mining District, in Gila County, in the Territory of Arizona, about 6 miles in a Westerly direction from Globe, and is bounded on the Westerly End by the St. Johns No. 1 and on the North by the St. Johns No. 6 and on the South by the St. Johns No. 5 and on the Easterly End by the St. Johns No. 7.

The surface boundaries of the claim are marked upon the ground as follows: Beginning at the Westerly Center End Monument at a point in a Westerly direction 100 feet from the discovery shaft (at which this notice is posted,) being in the center of the Westerly end line of said claim; thence 300 feet to a Monument, being the North Westerly corner of said claim; thence 1500 feet to a Monument being at the North Easterly corner of said claim; thence 300 feet to a Monument at the center of the Easterly end of said claim; thence 300 feet to a Monument, being at the South Easterly corner of said claim; thence 1500 feet to a Monument at the South Westerly corner of said claim; thence 300 feet to the place of beginning.

All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of the United States and of an Act of the Genral Assembly of Arizona, entitled, "An Act to revise and Codify the Laws of the Territory of Arizona," approved March 16, 1901.

Dated and posted on the ground this 20th day of January 1906.

Witness W. J. Rollins

J. B. Newman,  
Locator

Filed and recorded at the request of J. B. Newman, on the 23rd day of February, A. D. 1906, at - - minutes past 3 o'clock P. M.

W. D. Fisk County Recorder  
By Richard Fleming  
Deputy Recorder.

TERRITORY OF ARIZONA, }  
COUNTY OF GILA } SS

I, E. T. STEWART, County Recorder in and for the County of Gila, Territory of Arizona, do hereby certify that the above and foregoing contain and constitute a full, true and correct copy of the Location Notice of the "ST. JOHNS NO. 4" Lode Mining Claim, as the same appears of record in my office in Book 11, Records of Mines, at page 102; that I have compared the same with the original record, and that the same is a true transcript and of the whole thereof.

Given under my hand and seal of office this 15th day of

April, A. D. 1908

E. T. Stewart



NOTICE OF MINING LOCATION

LODE CLAIM.

TO ALL WHOM IT MAY CONCERN:

This Mining Claim, the name of which is the St. Johns No. 5, Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purposes of exploration and purchase by J.B. Newman, a citizen of the United States, the undersigned, on the 20th day of January 1906.

The length of this claim is 1500 feet, and I claim 100 feet, in a Westerly direction and 1400 feet, in an Easterly direction from the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with 300 feet in width of the surface grounds, on each side of the center of said claim. The general course of the lode deposit and premises is from the Westerly to the Easterly.

The claim is situated and located in the Globe Mining District in Gila County, in the Territory of Arizona, about 6 miles in a Westerly direction from Globe, and is bounded on the Westerly End by St Johns No. 2 and on the North by St. Johns No. 4 and on the Easterly End by the St. Johns No. 8.

The surface boundaries of the claim are marked upon the ground as follows: Beginning at the Westerly Center End Monument at a point in a Westerly direction 100 feet from the discovery shaft (at which this notice is posted,) being in the center of the Westerly end line of said claim; thence 300 feet to a Monument, being the North Westerly, corner of said claim; thence 1500 feet to a Monument, being at the North Easterly corner of said claim; thence 300 feet to a Monument at the center of the Easterly end of said claim; thence 300 feet to a Monument, being at the South Easterly corner of said claim; thence 1500 feet to a Monument at the South Westerly corner of said claim; thence 300 feet to the place of beginning.

All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of the United States and of an Act of the General Assembly of Arizona, entitled "An Act to Revise and Codify the Laws of the Territory of Arizona," approved March 16, 1901.

Dated and posted on the ground this 20th day of January 1906.

Witness

W. J. Rollins.

J. B. Newman

Locator.

Filed and recorded at the request of J. B. Newman, on the 23rd day of February, A. D. 1906 at - - minutes past 3 o'clock P. M.

W. D. Fisk County Recorder  
By Richard Fleming  
Deputy Recorder.

TERRITORY OF ARIZONA, }  
COUNTY OF GILA } SS

I, E. T. STEWART, County Recorder in and for the County of Gila, Territory of Arizona, do hereby certify that the above and foregoing contain and constitute a full, true and correct copy of the Location Notice of the "ST. JOHNS NO. 5" Lode Mining Claim,

as the same appears of record in my office in Book 11, Records of Mines,

at page 102; that I have compared the same with the original record, and that the same is a true transcript and of the whole thereof.

Given under my hand and seal of office this 15th day of April

April, A. D. 1906.

E. T. Stewart

County Recorder, Gila County, A. T.



NOTICE OF MINING LOCATION

LODE CLAIM.

TO ALL WHOM IT MAY CONCERN:

This Mining Claim, the name of which is the St. Johns No. 6 Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purposes of exploration and purchase by J. B. Newman a citizen of the United States, the undersigned, on the 21st day of January 1906.

The length of this claim is 1500 feet, and I claim 100 feet, in a Westerly direction and 1400 feet, in an Easterly direction from the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with 300 feet in width of the surface grounds, on each side of the center of said claim. The general course of the lode deposit and premises is from the Westerly to the Easterly.

The claim is situated and located in the Globe Mining District, in Gila County, in the Territory of Arizona, about 6 miles in a Westerly direction from Globe and is bounded on the Westerly End by the St. Johns No. 3 and on the Southerly Side line by the St. Johns No. 4 and on the Easterly End line by the St. Johns No. 9

The surface boundaries of the claim are marked upon the ground as follows: Beginning at the Westerly Center End Monument at a point in a Westerly direction 100 feet from the discovery shaft (at which this notice is posted,) being in the center of the Westerly end line of said claim; thence 300 feet to a Monument, being the North Westerly, corner of said claim; thence 1500 feet to a Monument, being at the North Easterly corner of said claim; thence 300 feet to a Monument at the center of the Easterly end of said claim; thence 300 feet to a Monument, being at the South Easterly corner of said claim; thence 1500 feet to a Monument at the South Westerly corner of said claim; thence 300 feet to the place of beginning.

All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of the United States and of an Act of the General Assembly of Arizona, entitled, "An Act to Revise and Codify the Laws of the Territory of Arizona," approved March 16, 1901.

Dated and posted on the ground this 21st day of January 1906.

Witness  
W. J. Rollins.

J. B. Newman  
Locator.

Filed and recorded at the request of J. B. Newman, on the 23rd day of February, A. D. 1906, at - - minutes past 3 o'clock P. M.

W. D. Fisk County Recorder  
By Richard Fleming  
Deputy Recorder.

TERRITORY OF ARIZONA, }  
COUNTY OF GILA } ss

I, E. T. STEWART, County Recorder in and for the County of Gila, Territory of Arizona, do hereby certify that the above and foregoing contain and constitute a full, true and correct copy of..... the Location Notice of the... "ST. JOHNS NO. 6" Lode Mining Claim,

as the same appears of record in my office in Book... 11, Records of Mines,..... at page..... 108.....; that I have compared the same with the original record, and that the same is a true transcript and of the whole thereof.

Given under my hand and seal of office this..... 15th..... day of

April,....., A. D. 1908.

*E. T. Stewart*  
County Recorder, Gila County, A. T.

U. S. SURVEYOR GENERAL'S FINAL CERTIFICATE ON  
FIELD NOTES.

DEPARTMENT OF THE INTERIOR,

OFFICE OF U. S. SURVEYOR GENERAL,

Phoenix, Arizona,

October 28, 1908.

I, U. S. Surveyor General for District of Arizona,  
do hereby certify that the foregoing transcript of the Field Notes, return and approval  
of the Survey of the mining claim of Miami Copper Co.

St. Johns No. 1, St. Johns No. 2, St. Johns No. 3,  
known as the St. Johns No. 4, St. Johns No. 5, St. Johns No. 6

, situate in Globe

Mining District, Gila County,

Arizona, in Section 19 & 30, Township No. 1 N.,

Range No. 15 E., 14 E., unsur., and designated as Survey

No. 2559, has been correctly copied from the originals on  
file in this office; that said Field Notes furnish such an accurate description of said  
mining claim as will, if incorporated into a patent, serve fully to identify the premises,  
and that such reference is made therein to natural objects or permanent monuments as  
will perpetuate and fix the *locus* thereof.

And I further certify that five hundred dollars' worth of labor has been expended  
or improvements made upon <sup>or for each of</sup> said mining claim<sup>s</sup> by claimant or its grantors, and  
that said improvements consist of 5 shafts, 3 cuts, value \$255. A 1/15  
interest in shaft No. 2 on the Agent lode, Sur. No. 2510,  
value \$4330, is credited to each claim of this survey.

and that no portion of said labor or improvements has been included in the estimate of  
expenditures upon any other claim.

I further certify that the plat thereof, filed in the U. S. Land Office at Phoenix,  
Arizona is correct and in conformity with the foregoing Field Notes.

Frank S. Ingalls

United States Surveyor General for Arizona.



SURVEYOR-GENERAL'S CERTIFICATE OF APPROVAL OF FIELD NOTES AND SURVEY OF MINING CLAIM.

Department of the Interior,

OFFICE OF U. S. SURVEYOR-GENERAL,

Phoenix, Arizona,

October 28, 1908.

I, U. S. Surveyor-General for District of Arizona,

do hereby certify that the foregoing and hereto attached Field Notes and Return of the Survey of the Mining Claim of Miami Copper Co.

known as the St. Johns No. 1, St. Johns No. 2, St. Johns No. 3, St. Johns No. 4, St. Johns No. 5, St. Johns No. 6

situate in Globe mining district,

Gila County, Arizona

19 & 30, 1 N., 15 E., in Section Approx 25, Township No. 1 N., Range No. 14 E., unsur.

designated as Survey No. 2552

executed by Howard T. Wayne, U. S. Deputy Mineral

Surveyor, July 21 - 29, 1908, under my instructions dated

June 27, 1908, have been critically examined and the necessary cor-

rections and explanations made, and the said Field Notes and Return, and the Survey they describe,

are hereby approved. A true copy of the copy of the location certificate filed by the applicant for

survey is included in the field notes.

Frank S. DeGala

U. S. Surveyor-General for Arizona,

UNITED STATES DEPARTMENT OF THE INTERIOR 9605 (952)  
BUREAU OF LAND MANAGEMENT M.S. 2559  
ARIZONA STATE OFFICE

---

NOTICE OF CANCELLATION OF MINERAL SURVEY

The St. Johns No.4, No.5 and No.6 lodes, Mineral Survey No. 2559, located in section 30, Township 1 North, Range 15 East, Gila and Salt River Meridian, Arizona, are hereby canceled.


These claims have not been filed with the Arizona State Office, Bureau of Land Management, in accordance with Section 314, 90 STAT. 2769, (43 U.S.C. 1744).

This cancellation was necessitated to clear the record.

The Mineral Survey Plat should be noted as follows:

"St. Johns No.4, No.5 and No.6 lodes, Mineral Survey No. 2559, were canceled March 30, 1999, by memo 9605 (952) M.S. 2559, which is now a part of the original field notes."

March 30, 1999  
Date

  
Chief Cadastral Surveyor of Arizona