

MS -

0

2

5

6

3

MINERAL SURVEY NO. 2563

Claims	M & E Desc.	Improvements	Loc. Notices
Pittsburgh No. 1	Pg. 8	Pg. 17	3
Pittsburgh No. 2	10	17	4
Siamese No. 1	1	16	1
No. 2	3	16	2
No. 3	5	17	5
No. 4	6	17	6
No. 5	7	17	7
Side Line	11	18	8
Side Line No. 1	13	19	9

POOR QUALITY

The following pages are scanned at the best possible quality setting. The original pages are of poor quality and this is the best possible reproduction.

Check 05.

Copied 9-17-08-L.K.

1

P. 10 -
14
15

AUG 17 1908
SEP 2 1908
SEP 26 1908

4-683.

MINERAL SURVEY No. 2563

LOT No.

Arizona Land District.

FIELD NOTES

OF THE SURVEY OF THE MINING CLAIM OF

The Arizona Southwestern Copper Co.

KNOWN AS THE

Siamese No.1, Siamese No.2, Siamese No.3, Siamese No.4, Siamese No.5,
Pittsburgh No.1, Pittsburgh No.2, Side Line and Side Line No.1.

In Cedar Valley Mining District,

Mohave County, Arizona

Approximately ~~Section~~ in Township 17 N., Range 15 W. Unsur.

Surveyed under instructions dated July 17th., 1908

by Peter Mc Cardell
U. S. Mineral Surveyor.

Claim located See location notices, 19

Survey commenced July 22nd., 19 08

Survey completed August 1st., 19 08

6-822

Address;
Leonard Hoffman, Kingman, Ariz.

SURVEY No. 2563.

SIAMESE No. 1 LODE.

Beginning at Cor. No. 1.

A granite stone, 4 X 20 X 34 ins., set 12 ins. in the

ground, with mound of stone, chiseled 1-1-2563 cross at

corner point, whence

A cross (X) and B. R. 1-1-2563 chiseled 4 ft. above the

ground on a granite rock, bears S. 69° 10' W. 9.17 ft.,

and a cross (X) and B. R. 1-1-2563 chiseled on a granite

rock 4 ft. above the ground, bears N. 17° 09' E. 20

ft., the dam of a reservoir bears N. 27° 44' W. 919 ft.,

U. S. L. M. No. 2563, Cedar Valley Mining District, bears

N. 24° 24' W. 139.13 ft.

Thence N. 31° 27' W.

Va. 15° 04' E.

290 Spring creek, 10 ins. wide, flows S. 40° E.

770 Spring creek, 12 ins. wide, flows S. 15° E.

1205 Spring creek, 10 ins. wide, flows S. 60° E.

1375 Spring creek, 10 ins. wide, flows South.

1500 To Cor. No. 2.

A cross (X) at corner point and 2-1-2563 chiseled on

the north side of a granite rock in place showing 3 X 3

X 2 ft. above the ground, whence

A cross (X) and B. R. 2-1-2563 chiseled on a granite rock

1 ft. above the ground, bears S. 63° W. 12.4 ft., and

a cross (X) and B. R. 2-1-2563 chiseled on a granite

rock 1 ft. above the ground, bears S. 33° 41' E. 40.6

ft.

Thence N. 64° 55' E.

Va. 15° 21' E.

118.2 Spring creek, 6 ins. wide, flows South.

N.W. end center a granite stone 10 X 16 X 22 ins. set in a mound of stone, chiseled X-E.C-2563 on S.E. face, identical with loc., whence discovery bears S. 31° 27' E.

1489 ft.

600 To Cor. No. 3.

(S)

A granite stone, 8 X 12 X 26 ins., set 12 ins. in the ground, with mound of stone, chiseled 3-4-2563, cross (X) at corner point, whence

A cross (X) and B. R. 3-4-2563 chiseled on a granite rock 2-ft. above the ground, bears S. 48° 11' E. 10.1 ft.

, and a cross (X) and B. R. 3-4-2563, chiseled on a granite rock 1 ft. above the ground, bears S. 46° 48' W.

14.4 ft.

Thence S. 31° 27' E.

Va. 14° 56' E.

1500 To Cor. No.4.

A granite stone, 12 X 12 X 24 ins., set 12 ins. in the ground, with mound of stone, chiseled 1-2-4-2563, cross (X) at corner point, whence

A cross (X) and B. R. 1-2-4-2563 chiseled on a granite rock 5 ft. above the ground, bears 1° 26' W. 132.8 ft.,

and a cross (X) and B. O. 1-2-4-2563 scribed on the N. W. corner of a barn, bears S. 85° 40' E. 75.5 ft.,

Diamond Joe Peak bears S. 64° 03' E.

Thence S. 64° 55' W.

Va. 15° 16' E.

S.E. end center, a granite stone 12 X 18 X 24 ins. set 12 ins. in the ground with mound of stone, chiseled E.C. 2563 on N.W. face, whence discovery bears N. 31° 27' W. identical with location,

11 ft.

346 Spring creek, 10 ins. wide, flows S. 50° E.

600 To Cor. No.1 the place of beginning.

SIAMESE No. 2 LODE.

Beginning at Cor. No. 1.

Identical with Cor. No. 1 Siamese No. 1 lode of this survey and heretofore described, whence

U. S. L. M. No. 2563, Cedar Valley Mining District, bears N. 24° 24' W. 139.25 ft.

Thence N. 64° 55' E.
Va. 15° 04' E.

Along line 1-4 Siamese No. 1 lode of this survey.

300 N.W. end center, a granite stone 12x18x24 ins., set 12 ins. in the ground in mound of stone, chiseled E.C. 2563 on S.E. face, identical with loc., whence discovery bears S. 44° 02' E. 1292.6 ft.

600 To Cor. No. 2.

Identical with Cor. No. 4 Siamese No. 1 lode of this survey and heretofore described.

Thence S. 44° 02' E.

Va. 15° 16' E.

1020.5 Crow creek, 20 ins. wide, flows East.

1500 To Cor. No. 3.

A granite stone 8 X 14 X 27 ins., set 12 ins. in the ground, with mound of stone, chiseled 2-3-2563, cross (X) at corner point, whence

A cross (X) and B. R. 2-3-2563 chiseled on a granite rock 5 ft. above the ground, bears S. 71° 30' W. 5.5 ft., and a cross (X) and B. R. 2-3-2563 chiseled on a granite rock 3 ft. above the ground, bears S. 65° 29' E. 25.1 ft.

Thence S. 64° 55' W.

Va. 14° 30' E.

300 S.E. end center, a granite stone 10x14x24 ins., set 12 ins. in the ground with mound of stone, chiseled X E.C. 2563 on N.W. face, whence discovery bears N. 44° 02' W. 207.4 ft.

600 To Cor. No. 4.

A granite stone, 9 X 10 X 24 ins., set 12 ins. in the ground, with mound of stone, chiseled 1-4-2563, cross (X)

at corner point, whence

A cross (X) and B. R. 1-4-2563 chiseled on a granite rock 3 ft. above the ground, bears S. 43° 17' E. 75.8 ft. No other bearing objects available.

Thence N. 44° 02' W.

Va. 14° 40' E.

1128 Crow creek, 20 ins. wide, flows N. 65° E.

1500 To Cor. No. 1 the place of beginning.

SIAMESE No.3 LODE.

Beginning at Cor. No.1.

Identical with Cor. No.4 Siamese No.2 lode of this survey and heretofore described, whence

U. S. L. M. No.2563, Cedar Valley Mining District, bears N. 42° 23' 29" W. 1631.63 ft.

o

Thence N. 64° 55' E.

Va.14° 40' E.

Along line 4-3 Siamese No.2 lode of this survey.

N.W. end center a granite stone 10 X 14 X 24 ins., set 12 ins. in the ground with mound of stone, chiseled

300 X E.C. on S. E. face, identical with location, whence discovery bears S. 30° 48' E. 1066.3 ft.

600 To Cor. No.2.

Identical with Cor. No.3 Siamese No.2 lode of this survey and hereto^{fore} described.

o

Thence S. 30° 48' E.

Va. 14° 30' E.

1125.3 To Cor. No.3.

A granite stone, 5 X 12 X 24 ins., set 12 ins. in the ground, with mound of stone alongside, chiseled 2-3-2563 cross (X) at corner point. No bearing objects available.

o

Thence S. 64° 55' W.

Va. 15° 15' E.

300 S.E. end center, a cross (X) and E.C. 2563 chiseled on a quartz rock in place, with mound of stone around, v. identical with location, whence discovery bears N. 30° 48' W. 59 ft.

600 To Cor. No.4.

A granite stone, 6 X 12 X 24 ins., set 12 ins. in the ground, with mound of stone, chiseled 1-4-2563, cross (X) at corner point, whence

A cross (X) and B. R. 1-4-2563 chiseled on a granite rock 4 ft. above the ground, bears S. 33° 05' W. 109.7

No other bearing objects available.

Thence N. 30° 48' W.

Va. 14° 21' E.

1125.3 To Cor. No.1 the place of beginning.

SIAMESE No.4 LODE.

Beginning at Cor. No.1.

Identical with Cor. No.4 Siamese No.3 lode of this survey,
and heretofore described, whence

U. S. L. M. No.2563, Cedar Valley Mining District, bears
N. 37° 39' 51" W. 2743.44 ft.

Thence N. 64° 55' E.

Va. 14° 21' E.

300 Along line 4-3, Siamese No.3 lode of this survey.
N.W. end center, a cross (X) and E.C. 2563 chiseled on a quartz rock in place, with mound of
stone around, identical with location whence discovery bears S. 46° 35' E.
10 ft.

600 To Cor. No.2.

Identical with Cor. No.3 Siamese No.3 lode of this survey,
and heretofore described.

Thence S. 46° 35' E.

Va. 15° 15' E.

1500 To Cor. No.3.

A granite stone, 5 X 14 X 24 ins., set 12 ins. in the
ground, with mound of stone, chiseled 2-3-2563, cross
(X) at corner point, whence

A cross (X) and B. R. 2-3-2563 chiseled on a granite
rock 3 ft. above the ground, bears S. 18° 02' E. 46.2 ft.

No other bearing objects available.

Thence S. 64° 55' W.

Va. 14° 35' E.

300 SE. end center, a granite stone 10X16X18 ins. set 10 ins. in the ground, mound of stones around, chiseled X E.C. 2563 on ^{W. face}, whence discovery bears N. 46° 35' identical with location, W. 1490 ft.

600 To Cor. No.4.

A granite stone, 8 X 12 X 24 ins., set 12 ins. in the ground, with mound of stone, chiseled 1-4-2563, cross (X) at corner point. No bearing objects available.



Thence N. 46° 35' W.

Va. 14° 30' E.

1500 To Cor. No.1 the place of beginning.



SIAMESE No.5-LODE.

Beginning at Cor. No.1.

Identical with Cor. No.4 Siamese No.4 lode, of this survey and heretofore described, whence

U. S. L. M. No.2563. Cedar Valley Mining District, bears N. 40° 48' 52" W. 4231.67 ft.



Thence N. 64° 55' E.


Va. 14° 30' E.

Along line 4-3 Siamese No.4 lode of this survey.

300 NW. end center, a granite stone 10X16X18 ins. set 10 ins. in the ground, mound of stones around, chiseled X E.C. 2563 on S.E. face, whence discovery ²⁰⁷⁵ S. 47° 05' E. identical with location 153 ft.

600 To Cor. No.2.

Identical with Cor. No.3 Siamese No.4, of this survey, heretofore described.



Thence S. 47° 05' E.

Va. 14° 35' E.

1500 To Cor. No.3.

A granite stone, 6 X 12 X 25 ins., set 12 ins. in the ground, with mound of stone, chiseled 3-2563, cross (X) at corner point, whence

A cross (X) and B. R. 3-2563 chiseled on a granite

rock 1 ft. above the ground, bears N. 50° 05' W. 9.2 ft.

No other bearing objects available.

Thence S. 64° 55' W.

Va. 15° 25' E.

300 5.E. end center, a granite stone 12x16x24 ins., set 12 ins. in the ground with mound of stone, chiseled E.C. 2563 on N.W. face, whence discovery bears N. 47° 05' W. identical with location.
1347. ft.

600 To Cor. No.4.

A granite stone, 8 X 12 X 24 ins., set 12 ins. in the ground, with mound of stone, chiseled 4-2563, cross (X) at corner point. No bearing objects available.

Thence N. 47° 05' W.

Va. 15° 05' E.

1500 To Cor. No.1 the place of beginning.

PITTSBURG No.1 LODE.

Beginning at Cor. No.1.

Identical with Cor. No.2 Siamese No.1 lode of this survey, and heretofore described, whence

U. S. L. M. No.2563, Cedar Valley Mining District, bears S. 32° 10' 06" E. 1362 ft.

Thence N. 28° 33' W.

Va. 15° 21' E.

293 Spring creek gulch, drains S. 40° E.

1500 To Cor. No.2.

A granite stone, 8 X 12 X 30 ins., set 12 ins. in the ground, with mound of stone, chiseled 1-2-2563, cross (X) at corner point, whence

A cross (X) and B. R. 1-2-2563 chiseled on a granite rock 4 ft. above the ground, bears S. 9° 42' E. 118.5 ft.

No other bearing objects available.

Thence N. 64° 55' E.

Va. 15° 05' E.

300 N.W. end center, a granite stone 7 X 10 X 20 ins., set 10 ins. in the ground, mound of stone, chiseled X-E.C. 2563 on S.E. face, whence discovery bears S. 28° 33' E. identical with location, 248 ft.

600 To Cor. No. 3.

A granite stone, 8 X 12 X 34 ins., set 12 ins. in the ground, with mound of stone, chiseled 3-4-2563, cross (X) at corner point, whence

A cross (X) and B. R. 2-3-2563 chiseled on a granite rock 7 ft. above the ground, bears N. 64° 22' W. 13.6 ft., and a cross (X) and B. R. 2-3-2563, chiseled on a granite rock 2 1/2 ft. above the ground, bears N. 21° 25' E. 12.65 ft.

Thence S. 28° 33' E.

Va. 14° 40' E.

1500 To Cor. No. 4.

Identical with Cor. No. 3 Siamese No. 1 lode of this survey, and heretofore described.

Thence S. 64° 55' W.

Va. 14° 56' E.

Along line 3-2 Siamese No. 1 lode of this survey.

300 S.E. end center, a granite stone 10 X 16 X 22 ins., set in mound of stones, chiseled X-E.C. 2563 on N.W. face, identical with location, whence discovery bears N. 28° 33' W. 1252 ft.

600 To Cor No. 1 the place of beginning.

PITTSBURG No.2 LODE.

Beginning at Cor. No.1.

Identical with Cor. No.2 Pittsburg No.1 lode of this survey, and heretofore described, whence

U. S. L. M. No.2563, Cedar Valley Mining District, bears S. 30° 16' 19" E. 2860.6 ft.

Thence N. 27° 09' W.

Va. 15° 05' E.

1500 To Cor. No.2.

A granite stone, 8 X 8 X 32 ins., set 12 ins. in the ground, with mound of stone alongside, chiseled 2-2563, cross at corner point. No bearing objects available.

Thence N. 64° 55' E.

Va. 15° 05' E.

300 N.W. end center, a granite stone 8x12x18 ins., set 10 ins. in the ground, mound of stone around, chiseled X-E.C.2563, identical with location, whence discovery bears S. 27° 09'

E. 1394.5 ft.

600 To Cor. No.3.

A granite stone, 14 X 14 X 33 ins., set 12 ins. in the ground, with mound of stone, chiseled 3-2563, cross at corner point, whence

A cross (X) and B. R. 3-2563, chiseled on a granite rock 2 ft. above the ground, bears N. 3° 25' E. 10.4 ft. and a Cross (X) and B. R. 3-2563, chiseled on a granite rock 2 ft. above the general surface, bears N. 89° 34' E. 16.65 ft.

Thence S. 27° 09' E.

Va. 18° 10' E.

1500 To Cor. No.4.

Identical with Cor. No.3 Pittsburg No.1 lode of this survey, and heretofore described.

Thence S. 64° 55' W.

Va. 14° 40' E.

Along line 2-3 Pittsburg No.1 ^{LODE} of this survey,

300 S.E. end center, a granite stone 7 X 10 X 20 ins., set 10 ins. in ground, mound of stone, chiseled X-E.C. 2563 on N.W. face, whence discovery bears N. 27° 09' W. 105.5 ft. identical with location

600 to Cor. No.1 the place of beginning.

SIDE LINE LODE.

Beginning at Cor. No.1.

A schist stone, 6 X 10 X 22 ins., set 10 ins. in the ground, with mound of stone, chiseled 1-2563, cross (X) at corner point, whence

A cross (X) and B. R. 1-2563, chiseled on a granite rock 5 ft. above the ground, bears S. 3° 13' W. 117 ft., and a cross and B. O. 1-2563 scribed on the N. W. corner of a barn, bears N. 82° 43' E. 72.5 ft., Cor. No.4 Siamese No.1 lode of this survey, bears N.11° 20' W. 16.6 ft., U. S. L. M. No.2563, Cedar Valley Mining District, bears S. 79° 33' 13" W. 614.43 ft.

Thence N. 39° 50' E.

Va. 15° 16' E.

9.2 Intersect line 2-3 Siamese No.2 lode of this survey, at S. 44° 02' E. 13 ft. from Cor. No.2 and N. 44° 02' W.

1487 ft. from Cor.No.3.

300 N.W. end center, a granite stone 8 X 12 X 20 ins., set 10 ins. in the ground, mound of stone, chiseled X-E.C.-2563 on S.E. face whence discovery bears S. 50° 10' E. 743 ft. identical with location

600 To Cor. No.2.

A granite stone, 8 X 10 X 25 ins., set 12 ins in the ground, with mound of stone, chiseled 2-2563, cross (X) at corner point, whence

A cross (X) and B. R. 2-2563, chiseled on a granite rock 2 ft. above the ground, bears N. 38° 51' W. 65.2 ft.,

and a cross (X) and B. R. 2-2563, chiseled on a granite rock 1 1/2 ft. above the ground, bears S. 21° 26' W. 49.5 ft.

Thence S. 50° 10' E.

Va. 14° 46' E.

1409 Crow creek, 20 ins. wide, flows N. 40° E.

1500 To Cor. No.3.

A granite stone, 10 X 12 X 24 ins., set 12 ins. in the ground, with mound of stone, chiseled 3-2563, cross (X) at corner point, whence

A cross (X) and B. R. 3-2563 chiseled on a granite rock 3 ft. above the ground, bears S. 24° 44' E. 26.5 ft.

(X) No other bearing objects available.

Thence S. 39° 50' W.

Va. 14° 30' E.

300 S.E. end center, a granite stone 12 X 18 X 24 ins. set 12 ins. in the ground, mound of stone, chiseled X E.C. 2563 on N.W. face, whence discovery bears N. 50° 10' W. 757 ft.
identical with location

400 Crow creek, 20 ins. wide, flows N. 50° W.

550 Crow creek, 20 ins. wide, flows East.

600 To Cor. No.4.

A granite stone, 8 X 9 X 24 ins., set 12 ins. in the ground, with mound of stone, chiseled 4-2563, cross (X) at corner point, whence

A cross (X) and B. R. 4-2563 chiseled on a granite rock 5 ft. above the ground, bears N. 28° 10' W. 60.8 ft.,

and a cross (X) and B. R. 4-2563 chiseled on a granite

rock 4 ft. above the ground, bears N. 70° 25' E. 27.3 ft.

Cor.3 Siamese No.2 lode of this survey, bears S. 42° W. 151.4 ft.

Thence N. 50° 10' W.

Va. 14° 30' E.

24 Crow creek, 20 ins. wide, flows East.

1416.06 Intersect line 2-3 Siamese No.2 lode of this survey, at S. 44° 02' E. 97.42 ft. from Cor. No.2, and N. 44° 02' W.

1402.58 ft. from Cor. No.3.

1500 To Cor. No.1 the place of beginning.

SIDE LINE No.1 LODE.

Beginning at Cor. No.1.

A granite stone, 6 X 12 X 25 ins., set 12 ins. in the ground, with mound of stone, chiseled 1-2563 cross (X) at corner point, whence

A cross (X) and B. R. 1-2563 chiseled on a granite rock 2 ft. above the ground, bears S. $48^{\circ} 56'$ E. 11.9 ft., and a cross (X) and B. R. 1-2563 chiseled on a granite rock 4 ft. above the ground, bears N. $73^{\circ} 02'$ W. 20.8 ft., U. S. L. M. No.2563, Cedar Valley Mining District, bears S. $29^{\circ} 20'$ E. 476.4 ft.

Thence S. $11^{\circ} 01'$ W.

Va. $15^{\circ} 15'$ E.

51.42 Intersect line 1-2 Siamese No.1 lode of this survey, at N. $31^{\circ} 27'$ W. 576.67 ft. from Cor. No.1, and S. $31^{\circ} 27'$ E. 923.33 ft. from Cor. No.2.

105 Spring creek, 10 ins. wide, flows S. 30° E.

1500 To Cor. No.2.

A granite stone, 7 X 10 X 27 ins., set 12 ins. in the ground, with mound of stone, chiseled 2-2563 cross (X) at corner point, whence

A cross (X) and B. R. 2-2563 chiseled on a granite rock 1 ft. above the ground, bears N. $22^{\circ} 18'$ W. 24.3 ft.,

No other bearing objects available.

Thence N. $78^{\circ} 59'$ W.

Va. $15^{\circ} 24'$ E.

S.W. end center, a granite stone 8 X 10 X 20 ins., set 10 ins. in the ground, mound of stone, 300' chiseled E.C. 2563 on N.E. face, whence discovery bears N. $11^{\circ} 01'$ E. identical with location,

657 ft.

600 To Cor. No.3.

A granite stone, 8 X 12 X 24 ins., set 12 ins. in the ground, with mound of stone, chiseled 3-2563 cross (X)

at corner point, whence

A cross (X) and B. R. 3-2563 chiseled on a granite rock 4 ft. above the ground, bears N. $59^{\circ} 13'$ E. 43.3 ft.

No other bearing objects available.

Thence N. 11° 01' E.

Va. 15° 05' E.

1500 To Cor. No.4.

A granite stone, 6 X 9 X 24 ins., set 12 ins. in the ground, with mound of stone, chiseled 4-2563 cross (X) at corner point, whence

A cross (X) and B. R. 4-2563 chiseled on a granite rock 1 1/2 ft. above the ground, bears S. 27° 41' E. 28.22 ft., and a cross (X) and B. R. 4-2563 chiseled on a granite rock 5 ft. above the ground, bears N. 87° 16' E. 78.35 ft., Diamond Joe Peak bears S. 64° 46' E.

Thence S. 78° 59' E.

Va. 15° 04' E.

N.E. end center, a granite stone 8x14x24 ins., set 12 ins. in the ground, mound of stone, chiseled X-EC-2563 on S.W. face, whence discovery bears S. 11° 01'

W. 843 ft.

530 Spring Creek, 10 ins. wide, flows S. 20° E.

552.94 Intersect line 1-2 Siamese No.1 lode of this survey, at

N. 31° 27' W. 646.37 ft. from Cor. No.1, and S. 31° 27'

E. 853.63 ft. from Cor. No.2.

600 To Cor. No.1 the place of beginning.

AREA.

Total area Side Line lode *..... 20.661 Acres

Less area in conflict with Siamese No.2

lode of this survey008 "

Net area Side Line lode 20.653 Acres

Total area Side Line No.1 lode 20.661 Acres

Less area in conflict with Siamese No.1

lode of this survey028 "

Net area Side Line No.1 lode 20.633 Acres

Total and net area Siamese No.1 lode.....	20.533 Acres
Total and net area Siamese No.2 lode.....	19.541 " "
Total and net area Siamese No.3 lode.....	15.423 " "
Total and net area Siamese No.4 lode.....	19.224 " "
Total and net area Siamese No.5 lode.....	19.157 " "
Total and net area Pittsburgh No.1 lode....	20.623 " "
Total and net area Pittsburgh No.2 lode....	20.648 " "
Net area Side Line lode.....	20.653 " "
Net area Side Line No.1 lode.....	20.633 " "
Total area lode claim.....	176.435 " "

This survey is identical with the respective locations.

LOCATION.

This claim is located in Cedar Valley Mining District, Mohave County, Arizona, approximately in T. 17 N. R. 15 W. G & S. R. B. & M. Unsurveyed.

LEDGES.

The course of the ledge of the Siamese No.1 lode from the S. E. end of the claim, at S. 64° 55' W. 300 ft. from Cor. No.3, N. 31° 27' W. 1500 ft.

The course of the ledge of the Siamese No.2 lode from the S. E. end of the claim, at S. 64° 55' W. 300 ft. from Cor. No.3, N. 44° 02' W. 1500 ft.

The course of the ledge of the Siamese No.3 lode from the S. E. end of the claim, at S. 64° 55' W. 300 ft. from Cor. No.3, N. 30° 48' W. 1125.3 ft.

The course of the ledge of the Siamese No.4 lode from the S. E. end of the claim, at S. 64° 55' W. 300 ft. from Cor. No.3, N. 46° 35' W. 1500 ft.

The course of the ledge of the Siamese No.5 lode from the S. E. end of the claim, at S. 64° 55' W. 300 ft. from Cor. No.3, N. 47° 05' W. 1500 ft.

The course of the ledge of the Pittsburgh No.1 lode from
 " " the S. E. end of the claim, at S. 64° 55' W. 300 ft. from
 " " Cor. No.4, N. 28° 33' W. 1500 ft.
 " " The course of the ledge of the Pittsburgh No.2 lode from
 " " the S. E. end of the claim, at S. 64° 55' W. 300 ft. from
 " " Cor. No.4, N. 27° 09' W. 1500 ft.
 " " The course of the ledge of the Side Line lode from the
 " " S. E. end of the claim, at S. 39° 50' W. 300 ft. from
 " " Cor. No.3, N. 50° 10' W. 1500 ft.
 " " The course of the ledge of the Side Line No.1 lode
 from the S. W. end of the claim, at N. 78° 59' W. 300
 ft. from Cor. No.2, N. 11° 01' E. 1500 ft.

o

EXPENDITURE OF FIVE HUNDRED DOLLARS.

I certify that the value of the labor and improvements upon this claim, placed thereon by the claimant and its grantors, is not less than five hundred dollars for each location, and that said improvements consist of:

SIAMESE No.1

Shaft No.1, the discovery shaft of the Siamese No.1 lode, which bears from Cor. No.1, N. 62° 49' E. 298.97 ft., 4 X 6 X 30 ft. deep, in rock.

Value \$240

Tunnel No.2, the mouth of which bears from Cor. No.1, N. 59° 02' E. 289.1 ft., 5 X 7 ft., running N. 31° 30' W. 510 ft., in rock.

Value \$4200

Shaft No.3, the center of which bears from Cor. No.1, N. 27° 33' E. 380.9 ft., 4 1/2 X 9 X 260 ft. deep, in rock.

Value \$5805.

A 1/4 interest in this shaft is credited to this lode.

SIAMESE NO.2

Value, \$ 645.00

Shaft No.1, the discovery shaft, the center of which bears from Cor. No.4, Siamese No.2 lode, N. 24° 28' E. 297.55 ft., 4 X 6 X 10 feet deep, in rock.

Value \$35

An open cut No.2, the face of which bears from Cor. No. 4 Siamese No.2 lode, N. 10° 53' E. 328 ft., running S. 40° E. 16 ft., 10 ft. face, in rock.

Value \$35

An open cut No.3, the face of which bears from Cor. No. 2 Siamese No.2 lode, S. 11° 52' E. 610.3 ft., 10 ft. face, running S. 16° E. 16 ft., in rock.

A 1/4 interest in shaft No.3, on the Siamese No.1 lode is credited to this lode, SIAMESE No.3. Value \$35 Value \$645

Shaft No.1, the discovery shaft, the center of which bears from Cor. No.4 Siamese No.3 lode, N. 53° 57' 30" E. 299.93 ft., 4 X 6 X 10 ft. deep, in rock.

A 1/4 interest in shaft No.3, on the Siamese No.1 lode is credited to this lode, SIAMESE No.4. Value \$35 Value \$645

An open cut No.1, the discovery cut, the face of which bears from Cor. No.2 Siamese No.4 lode, S. 63° 07' W. 296.48 ft., 10 ft. face, running S. 46° E. 16 ft., in rock.

Value \$35

An open cut No.2, the face of which bears from Cor. No.2 Siamese No.4 lode, S. 11° 02' E. 555 ft., 10 ft. face, running North 16 ft., in rock.

A 1/4 interest in shaft No.3 on the Siamese No.1 lode is credited to this lode, SIAMESE No.5. Value \$35 Value \$645

Shaft No.1, the discovery shaft, the center of which bears from Cor. No.2 Siamese No.5 lode, S. 34° 36' 30" W. 287.65 ft., 4 X 6 X 10 ft. deep, in rock.

A 1/4 interest in shaft No.3 on the Siamese No.1 lode is credited to this lode, PITTSBURGH No.1. Value \$35 Value \$645

An open cut No.1, the discovery cut, the face of which bears from Cor. No.3 Pittsburg No.1 lode, S. 23° 56' W. 377.53 ft., 10 ft. face, running N. 28° 30' W. 16 ft., in rock.

A 1/4 interest in shaft No.3 on the Siamese No.1 lode is credited to this lode, PITTSBURGH No.2. Value \$35 Value \$645

Shaft No.1, the discovery shaft, the center of which bears from Cor. No.1 Pittsburg No.2 lode, N. 45° 19' E. 314.41 ft., 4 X 6 X 11 ft. deep, in rock.

Value \$45

Shaft No.2, the center of which bears from Cor. No.4 Pittsburg No.2 lode, S. 81° 10' W. 301 ft., 4 X 6 X 10 ft. deep, in rock.

Value \$40

Shaft No.3, the center of which bears from Cor. No. 1 Pittsburg No.2 lode, N. 43° E. 319.5 ft., 4 1/2 X

9 X 50 ft. deep, in rock.

A $\frac{1}{4}$ interest in shaft No. 3 on the Siamese No. 1 lode is credited to this lode, Value \$1000
 SIDE LINE. Value, \$ 645.

Shaft No. 1, the discovery shaft, the center of which bears from Cor. No. 2 Side Line lode, S. 28° 10' 30" E.

801.28 ft., 4 X 6 X 12 ft. deep, in rock.

A $\frac{1}{4}$ interest in shaft No. 3 on the Siamese No. 1 lode is credited to this lode, Value \$60
 SIDE LINE No. 1. Value \$ 645.

Shaft No. 1, the discovery shaft, the center of which bears from Cor. No. 2 Side Line No. 1 lode, N. 13° 31'

30" W. 722.25 ft., 4 X 6 X 11 ft. deep, in rock.

A $\frac{1}{4}$ interest in shaft No. 3 on the Siamese No. 1 lode is credited to this lode, Value \$40
 Value, \$ 645.

OTHER IMPROVEMENTS.

A reservoir, the center of the dam of which bears from Cor. No. 1 Siamese No. 1 lode, N. 27° 44' W. 919 ft., reservoir 8 X 25 X 4 ft. deep, connected by 1 inch pipe line to shaft No. 3 Siamese No. 1 lode.

An engine house, the S. E. corner of which bears from Cor. No. 4 Siamese No. 1 lode, N. 75° 02' W. 352 ft.

A barn, the N. W. corner of which bears from corner No. 4 Siamese No. 1 lode, S. 85° 45' E. 75.5 ft.

DISTRIBUTION OF LABOR AND IMPROVEMENTS.

Shaft No. 3 of the Siamese No. 1 lode is a common improvement for the development and drainage of all the locations in this survey. On account of its desirable location and accessibility as a main working shaft it can rightly be termed a common improvement, and the management of the Arizona Southwestern Copper Co. are at the present time sinking this shaft to a greater depth, and with the intention of sinking to the 1000 ft. level, and from thence to run drifts and cross-cuts to drain and explore the different ledges which traverse the whole group of lode claims. Therefore the value of the labor and improvements of said shaft is divided equally amongst the nine lode claims, which

will equal \$645 for each location.

— o —

ADJOINING CLAIMS.

The adjoining claim is the Side Line No.2, ^{Unsur.} on the N. E. side of Siamese No.1 lode, The Arizona Southwestern Copper Co* claimants. There are no other adjoining claims.

— o —

This survey was made with a ^{Instrument} Buff and Berger No.2 Transit. The courses were deflected from the true meridian as determined by direct solar observations. The distances were measured with 50-ft. and 500-ft. steel tapes.

DESCRIPTION OF U.S.L.M.No.2563.
Cedar Valley Mining District,
Mohave County, Ariz.

This monument is a granite rock, 10 X 12 X 12 ft. high, located on top of a mountain overlooking the surrounding country, chiseled on top U. S. L. M. No.2563, cross (X) for point of connection, whence Cor. to sec's 19-30-24-25 T. 17 N. Rs. 14 & 15 W. G. & S. R. B. & M., bears S. 82° 14' E. 16368 ft., junction of spring creek with crow creek bears S. 18° 07' E. 647.4 ft., no other bearing objects available.

The monument is located approximately in Tp. 17 N. R..15 W. G. & S. R. B. & M., in Lat. 34° 49' N.

Peter M. Cardell

U. S. Dep. Mineral Surveyor.

FINAL OATHS FOR SURVEYS.

LIST OF NAMES.

A list of the names of the individuals employed by Peter Mc Cardell

United States Mineral Surveyor, to assist in running, measuring, and marking the lines, corners, and boundaries described in the foregoing field notes of the survey of the mining claim of

The Arizona Southwestern Copper Co.

known as the Siamese No.1, Siamese No.2, Siamese No.3, Siamese No.4, Siamese No.5, Pittsburg No.1, Pittsburg No.2, Side Line and Side Line No.1, and showing the respective capacities in which they acted.

Roy West, Chainman.

Chainman.

Walter Boyd, Axman.

Flagman.

FINAL OATHS OF ASSISTANTS.

We, Roy West

and Walter Boyd, do solemnly swear that we assisted Peter Mc

Cardell, United States Mineral Surveyor, in marking the corners and surveying

the boundaries of the mining claim of The Arizona Southwestern Copper Co.

Siamese No.1, Siamese No.2, siamese No.3, Siamese No.4, Siamese No.5, Pittsburg No.1, Pittsburg No.2, Side Line and Side Line No.1,

represented in the foregoing field notes as having been surveyed by said mineral surveyor and under his direction; and that said survey has been in all respects, to the best of our knowledge and belief, faithfully and correctly executed, and the corner and boundary monuments established according to law and the instructions furnished by the United States Surveyor-General for Arizona

Roy West, Chainman.

Chainman.

Walter Boyd, Axman.

Flagman.

Subscribed and sworn to by the above-named persons before me this fourth

day of August, 1908

P. Mc Cardell

Notary Public.

My commission expires August 9th 1911

FINAL OATH OF U. S. MINERAL SURVEYOR.

I, Peter Mc Cardell, U. S. Mineral Surveyor, do solemnly swear that, in pursuance of instructions received from the United States Surveyor General for Arizona, dated July 17th. 1908., I have, in strict conformity to the laws of the United States, the official regulations and instructions thereunder, and the instructions of said Surveyor General, faithfully and correctly executed the survey of the Mining Claim of The Arizona Southwestern Copper Co.

known as the Siamese No.1, Siamese No.2, Siamese No.3, Siamese No.4, Siamese No.5, Pittsburgh No.1, Pittsburgh No.2, Side Line and Side Line No.1. situate in Cedar Valley Mining District,

Mohave County, Arizona, approx, in Section Township No. 17 N., Range No. 15 W. Unsur, and designated as Survey No. 2563

as represented in the foregoing field notes, which accurately show the boundaries of said mining claim as distinctly marked by monuments on the ground, and described in the attached copy of the location certificate, which was received by me from the Surveyor General with said instructions, and that all the corners of said survey have been established and perpetuated in strict accordance with the law, official regulations and instructions thereunder; and I do further solemnly swear that the foregoing are the true and original field notes of said survey and my report therein, and that the labor expended and improvements made upon said mining claim by claimant or its grantors are as therein fully stated, and that the character, extent, location, and itemized value thereof are specified therein with particularity and full detail, and that no portion of said labor or improvements so credited to this claim has been included in the estimate of expenditures upon any other claim.

Peter Mc Cardell U. S. Mineral Surveyor.

Subscribed and sworn to by the said Peter Mc Cardell U. S. Mineral Surveyor, before me Charles Miceles a Notary Public this fiftenth day of August, 1908

Charles Miceles Notary Public.

My commission expires Aug 5, 1909.

Affidavit of Five Hundred Dollars Improvements.

We, Roy West and Walter Boyd

of lawful age, being first duly sworn according to law, depose and say: That we are acquainted with the Siamese No.1, Siamese No.2, Siamese No.3, Siamese No.4, Siamese No.5, Pittsburgh No.1, Pittsburgh No.2, mining claims, Side Line and Side Line No.1, situate in Cedar Valley Mining district, Mohave County, Arizona Territory, for which The Arizona Southwestern Copper Co.

have made application for survey prior to application for patent under the provisions of the act of Congress, approved May 10, 1872; and that the labor done and improvements made thereon by the applicant and its grantor exceed Five Hundred Dollars in value, for each location and further that we are not personally interested in said mines.

Roy West
Walter Boyd

TERRITORY OF ARIZONA,
County of Mohave } ss:

Sworn to and subscribed before me, this fourth day of August, 1908



McCardell
Notary Public.

My commission expires August 9th. 1911

N O T I C E O F M I N I N G L O C A T I O N .
L O D E C L A I M .

#####

TO ALL WHOM IT MAY CONCERN:

This Mining Claim the name of which is the "SIAMESE No. I." Mining Claim, situated on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purpose of exploration and purchase by J. H. Pittman, the undersigned citizen of the United States, on the 5th day of January 1906.

The length of this claim is 1500 feet and I claim 1500 feet, in a Northwesterly direction from the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with three hundred feet in width of the surface grounds, on each side of the center of said claim. The general course of the lode deposit and premises is from the South-east to the North-west.

The claim is situated and located in the Cedar Valley Mining District in Mohave County, in the Territory of Arizona, about 3 miles in a North west direction from the Diamond Joe Mine and is in Crow Canyon, This is a relocation of the Alice No. I. formerly owned by Ed. G. Williams and abandoned by him on Jan 4th, 1906.

The surface boundaries of the claim are marked upon the ground as follows: Beginning at a monument of stone at the discovery shaft (at which this notice is posted), being in the center of the South east end line of said claim thence 300 feet to a monument of stone, being the South east corner of said claim thence 1500 feet to a monument of stone being at the North east corner of said claim; thence 300 feet to a monument of stone at the center of the North-west end of said claim; thence 300 feet to a monument of stone, being at the North-west corner of said claim; thence 1500 feet to a monument of stone at the South west corner of said claim; thence 300 feet to the place of beginning.

All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of the United States, and an act of the General Assembly of Arizona, entitled "An Act to Revise and Codify the Laws of the Territory of Arizona," Approved March 16th, 1901.

Dated and posted on the ground this 5th day of January, 1906.

Witness Ed. G. Williams

J. H. Pittman

Locator.

Crow Canyon, Jan 5th, 1906.

That I Ed. Williams have this 5th day of Jan 1906, Relinquished all my right title and interest in the ALICE Mine No. I. located in Crow Canyon Nov 12th 1905 6 miles North of Cedar and 3 miles East of Diamond Joe mine in Cedar Valley Mng. Dist.

Witness J. H. Pittman

Ed. Williams

X

Filed and recorded at request of Ed. G. Williams March, 27th A.D. 1906, at 11:50 o'clock A.M. in Book "V" at page 463.

Thos McNeely,
County Recorder.

N O T I C E O F M I N I N G L O C A T I O N .
L O D E C L A I M .

#####

TO ALL WHOM IT MAY CONCERN:

This Mining Claim the name of which is the "SIAMESE No.2." Mining Claim, situated on lands belonging to the United States of America and in which there are valuable mineral deposits was entered upon and located for the purpose of exploration and purchase by J.H.Pittman, the undersigned citizen of the U.S. on the 5th day of January 1906.

The length of this claim is 1500 feet and I claim 1500 feet in a North westerly direction from the center of the discovery shaft, at which ~~##~~ this notice is posted, lengthwise of the claim, together with three hundred feet in width of the surface grounds, on each side of the center of said claim. The general course of the lode deposit and premises is from the North-west to the South east.

The claim is situated and located in the Cedar Valley Mining District in Mohave County, in the Territory of Arizona, about 3 miles in a North-west direction from the Diamond Joe mine, and is in Crow Canyon. This is a relocation of the Alice No.2. formerly owned by Ed. G. Williams and abandoned by him on January 4th, 1906.

The surface boundaries of the claim are marked upon the ground as follows: Beginning at a monument of stone at the discovery shaft (at which this notice is posted), being in the center of the North-west end line of said claim; thence 300 feet to a monument of stone, being the North-east corner of said claim; thence 1500 feet to a monument of stone being at the South-east corner of said claim; thence 300 feet to a monument of stone at the center of the South-east end of said claim; thence 300 feet to a monument of stone, being at the South-west corner of said claim; thence 1500 feet to a monument of stone at the North-west corner of said claim; thence 300 feet to the place of beginning.

All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of the United States, and an Act of the General Assembly of Arizona, entitled " An Act to Revise and Codify the Laws of the Territory of Arizona," Approved March 16th, 1901.

Dated and posted on the ground this 5 day of January 1906.

Witness

Ed. G. Williams

J. H. Pittman

Locator.

Crow Canyon Jan 5th 1906.

That I Ed Williams have this 5th day of Jan, 1906. Relinquished all my right title and interest in the Alice Mine No.2. located in Crow Canyon Nov 12-1905. 6 miles North of Cedar an 3 miles East of Diamond Joe Mine in Cedar Valley Mng. Dist .

Witness

J.H.Pittman.

Ed. Williams

Filed and recorded at request of Ed. G. Williams March 27th, A.D. 1906, at 11:50 o'clock A.M. Book "V" at page 464.

Thos McNeely,

County Recorder.

NOTICE OF MINING LOCATION

MINERAL CLAIM

To All To Whom It May Concern:

This mining claim, the name of which is the "PITTSBURGH No. I"
 Mining Claim, situate on the lands belonging to the United States of America, and in which there are valuable
 mining deposits, was entered upon and located for the purpose of exploration and purchase by
J. H. Pittman

the undersigned citizen, on the 9 day of April 1906.

The length of this claim is Fifteen Hundred (1500) feet and 1
 claim 1500 feet in a South westerly direction and
 ----- feet in a ----- direction
 from the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with Three
 Hundred (300) feet in width of the surface grounds, on each side of the center of said claim. The general course
 of the lode deposit and premises is North westerly by South easterly

The claim is situated and located in the Cedar Valley Mining District,
 in Mohave County, in the Territory of Arizona, about 6 mi.
 in a Northerly direction from Cedar and about
3 1/2 mi. North west of Diamond Joe, The South east end line of
this claim lies contiguous to the N.W. end line of Siamese No. I.

The surface boundaries of the claim are marked upon the ground as follows: Beginning at a monument
 of stone at a point (at which this notice is posted), being in the center of the North --
west end line of said claim; thence South west Three Hundred (300) feet
 to a monument of stone, being the N.W. Corner corner of said claim; thence
South easterly Fifteen Hundred (1500) feet to a monument of stone, being at
 the South west corner of said claim; thence North easterly Three
 Hundred (300) feet to a monument of stone at the center of the South east end of
 said claim; thence North east Three Hundred (300) feet to a monument of stone, being
 at the South east corner of said claim; thence North westerly Fifteen
 Hundred (1500) feet to a monument of stone, at the N.E. corner of said claim;
 thence South east Three Hundred (300) feet to the place of beginning.

All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of the United States,
 and of an Act of the General Assembly of Arizona, entitled, "An Act Concerning Mines," approved March 2, 1899,
 and March 16, 1901, and all acts and parts of acts enacted up to and including the date of this location.

Dated and posted on the ground, this 9 day of April 1906.
J. H. Pittman

Filed and Recorded at request of J. H. Pittman this 11th day
June A. D. 1906, at 10 o'clock 30 minutes A M.
 Book "W" page 430. Thos McNeely,
 County Recorder.

NOTICE OF MINING LOCATION

MINERAL CLAIM

To All To Whom It May Concern:

This mining claim, the name of which is the "PITTSBURGH No. 2." Mining Claim, situate on the lands belonging to the United States of America, and in which there are valuable mining deposits, was entered upon and located for the purpose of exploration and purchase by J.H. Pittman

the undersigned citizen, on the 9 day of April 1906

The length of this claim is Fifteen Hundred (1500) feet and 1 claim 1475 feet in a North westerly direction and 25 feet in a South easterly direction from the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with Three Hundred (300) feet in width of the surface grounds, on each side of the center of said claim. The general course of the lode deposit and premises is North westerly by South easterly

The claim is situated and located in the Cedar Valley Mining District, in Mohav County, in the Territory of Arizona, about 3 1/2 miles in a North west direction from Diamond Joe mine and about six mi. northerly direction from Cedar. The South east end line of this claim lies contiguous to the N.W. end line of Pittsburgh.

The surface boundaries of the claim are marked upon the ground as follows: Beginning at a monument of stone at a point in a South easterly direction 25 feet from the discovery shaft (at which this notice is posted), being in the center of the S.E. end line of said claim; thence North westerly Three Hundred (300) feet to a monument of stone, being the S.E. corner of said claim; thence North westerly Fifteen Hundred (1500) feet to a monument of stone, being at the N.E. corner of said claim; thence South westerly Three Hundred (300) feet to a monument of stone at the center of the North west end of said claim; thence S.W. Three Hundred (300) feet to a monument of stone, being at the N.W. corner of said claim; thence South easterly Fifteen Hundred (1500) feet to a monument of stone, at the South west corner of said claim; thence North easterly Three Hundred (300) feet to the place of beginning.

All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of the United States, and of an Act of the General Assembly of Arizona, entitled, "An Act Concerning Mines," approved March 2, 1899, and March 16, 1901, and all acts and parts of acts enacted up to and including the date of this location.

Dated and posted on the ground, this 9 day of April 1906 J.H. Pittman

Filed and Recorded at request of J.H. Pittman this 11th day of June A. D. 1906, at 10 o'clock 30 minutes A. M. Book "W" page 431. Thos McNeely County Recorder.

NOTICE OF MINING LOCATION

LODE CLAIM

To All Whom It May Concern:

This Mining Claim, the name of which is the "SIAMESE No.3." Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purposes of exploration and purchase by J.H.Hoffman, Leonard Hoffman, and M.S.Cook.

(Locator must insert either "a citizen of the United States," or, "who has declared his intention to become a citizen of the United States.")

the undersigned, on the 2nd day of May 1907.

The length of this claim is 1500 feet, and we claim 1500 feet

in a North westerly direction 300 feet

from the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with 300 feet in width of the surface grounds,

on each side of the center of said claim. The general course of the lode deposit and premises is from the North west to the South east.

The claim is situated and located in the Cedar Valley Mining District, in Mohave County, in the Territory of Arizona, about Three miles in a North westerly direction from The Diamond Joe Mine In Crow Canyon and about six miles North from Cedar.

Relocation of abandoned Mine.

The surface boundaries of the claim are marked upon the ground as follows: Beginning at

at a point marked by a monument

the discovery shaft (at which this notice is posted), being in the center of the S.E. end line of said claim; thence S.W. 300 feet to a Monument

being the S.W. corner of said claim; thence N.W. 1500 feet to a Monument being at the N.W. corner of said claim;

thence N.E. 300 feet to a Monument at the center of the N.W. end of said claim, thence N.E. 300 feet

to a Monument being at the N.E. corner of said claim; thence S.E. 1500 feet to a Monument at the S.E.

corner of said claim; thence S.W. 300 feet to the place of beginning.

All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of the United States, and of an Act of the General Assembly of Arizona, entitled, "An Act to Revise and Codify the Laws of the Territory of Arizona," approved March 16, 1901.

Dated and posted on the ground, this 2nd day of May 1907.

J.H.Hoffman

Leonard Hoffman

M.S.Cook

Filed and recorded at request of L. Hoffman this 24th day of June A. D. 1907, at 1 o'clock P. M. Book "Y" page 275.

Thos McNeely

By Marie Carrow, Deputy.

County Recorder.

NOTICE OF MINING LOCATION

LODE CLAIM

To All Whom It May Concern:

This Mining Claim, the name of which is the "STAMBEE No. 4." Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purposes of exploration and purchase by J.H.Hoffman, Leonard Hoffman, and M.S.Cook

(Locator must insert either "a citizen of the United States," or, "who has declared his intention to become a citizen of the United States.")

the undersigned, on the 2nd day of May 1907.

The length of this claim is 1500 feet, and we claim 1500 feet in a South easterly direction

from the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with 300 feet in width of the surface grounds, on each side of the center of said claim. The general course of the lode deposit and premises is from the North west to the South east

The claim is situated and located in the Cedar Valley Mining District, in Mohave County, in the Territory of Arizona, about three miles in a North westerly direction from the Diamond Joe Mine In Crow Canyon and about six miles North from Cedar Relocation of Abandoned Mine.

The surface boundaries of the claim are marked upon the ground as follows: Beginning at

the discovery shaft (at which this notice is posted), being in the center of the N.W. end line of said claim; thence N.E. 300 feet to a Monument being the N.E. corner of said claim; thence S.E. 1500 feet to a Monument being at the S.E. corner of said claim; thence S.W. 300 feet to a Monument at the center of the S.E. end of said claim, thence S.W. 300 feet to a Monument being at the S.W. corner of said claim; thence N.W. 1500 feet to a Monument at the N.W. corner of said claim; thence N.E. 300 feet to the place of beginning.

All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of the United States, and of an Act of the General Assembly of Arizona, entitled, "An Act to Revise and Codify the Laws of the Territory of Arizona," approved March 16, 1901.

Dated and posted on the ground, this 2nd day of May 1907. J.H.Hoffman Leonard Hoffman M.S.Cook

Filed and recorded at request of L. Hoffman this 24th day June A. D. 1907, at 1 o'clock P. M. Book "Y" page 276 Thos McNeely

By Marie Carrow, Deputy. County Recorder.

NOTICE OF MINING LOCATION

LODE CLAIM

To All Whom It May Concern:

This Mining Claim, the name of which is the "STAMBESE No. 5." Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purposes of exploration and purchase by J. H. Hoffman, Leonard Hoffman and M. A. Cook

(Locator must insert either "a citizen of the United States," or, "who has declared his intention to become a citizen of the United States.")

the undersigned, on the 2nd day of May 1907.

The length of this claim is 1500 feet, and we claim 1500 feet in a South easterly direction and 300 feet in a direction

from the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with 300 feet in width of the surface grounds, on each side of the center of said claim. The general course of the lode deposit and premises is from the North west to the South east

The claim is situated and located in the Cedar Valley Mining District, in Mohave County, in the Territory of Arizona, about Three miles in a North westerly direction from The Diamond Joe Mine, In Crow Canyon and about six miles North from Cedar. Relocation of Abandoned Mine.

The surface boundaries of the claim are marked upon the ground as follows: Beginning at

the discovery shaft (at which this notice is posted), being in the center of the N.W. end line of said claim; thence N.E. 300 feet to a Monument being the N.E. corner of said claim; thence S.E. 1500 feet to a Monument being at the S.E. corner of said claim; thence S.W. 300 feet to a Monument at the center of the S.E. end of said claim, thence S.W. 300 feet to a Monument being at the S.W. corner of said claim; thence N.W. 1500 feet to a Monument at the corner of said claim; thence N.E. 300 feet to the place of beginning. N.W.

All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of the United States, and of an Act of the General Assembly of Arizona, entitled, "An Act to Revise and Codify the Laws of the Territory of Arizona," approved March 16, 1901.

Dated and posted on the ground, this 2nd day of May 1907.

J. H. Hoffman
Leonard Hoffman
M. A. Cook

Filed and recorded at request of J. Hoffman this 24th day

June A. D. 1907, at 1 o'clock P. M. Book "Y" page 277.

Thos McNeely

By Marie Carrow, Deputy. County Recorder.

NOTICE OF MINING LOCATION

LODE CLAIM

To All Whom It May Concern:

This Mining Claim, the name of which is the "SIDE LINE" Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purposes of exploration and purchase by J.H.Hoffman, Leonard Hoffman and M.S.Cook

(Locator must insert either "a citizen of the United States," or, "who has declared his intention to become a citizen of the United States.")

the undersigned, on the 2nd day of May 1907.

The length of this claim is 1500 feet, and we claim 750 feet in a North westerly direction and 750 feet in a South easterly direction

from the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with 300 feet in width of the surface grounds, on each side of the center of said claim. The general course of the lode deposit and premises is from the North west to the South east

The claim is situated and located in the Cedar Valley Mining District, in Mohave County, in the Territory of Arizona, about three miles in a North westerly direction from The Diamond Joe Mine In Crow Canyon and about six miles North from Cedar.

Relocation of abandoned mine.

The surface boundaries of the claim are marked upon the ground as follows: Beginning at Monument

at a point in a S.E. direction 750 feet from the discovery shaft (at which this notice is posted), being in the center of the S.E. end line of said claim; thence S.W. 300 feet to a Monument being the S.W. corner of said claim; thence N.W. 1500 feet to a Monument being at the N.W. corner of said claim; thence N.E. 300 feet to a Monument at the center of the N.W. end of said claim, thence N.E. 300 feet to a Monument being at the N.E. corner of said claim; thence S.E. 1500 feet to a Monument at the S.E. corner of said claim; thence S.W. 300 feet to the place of beginning.

All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of the United States, and of an Act of the General Assembly of Arizona, entitled, "An Act to Revise and Codify the Laws of the Territory of Arizona," approved March 16, 1901.

Dated and posted on the ground, this 2nd day of May 1907.

J.H.Hoffman

Leonard Hoffman

M.S.Cook

Filed and recorded at request of L. Hoffman this 24th day June A. D. 1907, at I o'clock P. M. Book "Y" page 278.

Thos McNeely,

By Marie Carrow, Deputy

County Recorder.

NOTICE OF MINING LOCATION

LODE CLAIM

To All Whom It May Concern:

This Mining Claim, the name of which is the "SIDE LINE NO. 1." Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purposes of exploration and purchase by L. Hoffman.

(Locator must insert either "a citizen of the United States," or, "who has declared his intention to become a citizen of the United States.")

the undersigned, on the 8th day of July 1907

The length of this claim is 1500 feet, and 1 claim 750 feet in a Northerly direction and 750 feet in a Southerly direction from the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with 300 feet in width of the surface grounds, on each side of the center of said claim. The general course of the lode deposit and premises is from the South to the North

The claim is situated and located in the Cedar Valley Mining District, in Mohave County, in the Territory of Arizona, about 3 1/2 miles in a Northwesterly direction from The Diamond Joe Mine In Crow Canyon

The surface boundaries of the claim are marked upon the ground as follows: Beginning at The North end center a monument of stone 750 feet north of discovery shaft.

at a point in the direction feet from the discovery shaft (at which this notice is posted), being in the center of the North end line of said claim; thence West 300 feet to a Monument of stone being the North west corner of said claim; thence South 1500 feet to a Monument of stone being at the South west corner of said claim; thence East 300 feet to a monument of stone at the center of the South end of said claim, thence East 300 feet to a Monument of stone being at the South east corner of said claim; thence North 1500 feet to a Monument of stone at the North east corner of said claim; thence West 300 feet to the place of beginning.

All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of the United States, and of an Act of the General Assembly of Arizona, entitled, "An Act to Revise and Codify the Laws of the Territory of Arizona," approved March 16, 1901.

Dated and posted on the ground, this 8th day of July 1907. L. Hoffman

Filed and recorded at request of L. Hoffman this 10th day July A. D. 1907, at 11 o'clock A. M. Book "Y" page "319" Thos McNeely, By Marie Carrow, Deputy. County Recorder.

Territory of Arizona, ÷
 ÷SS.
County of Mohave. ÷

I, Thos McNeely, Recorder of the County of Mohave, Territory of Arizona, do hereby certify that I have compared the foregoing copy of locations of the "SIDE LINE" & "SIDE LINE NO.1." "SIMESE No.1." "SIMESE No.2." "SIMESE No.3." "SIMESE No.4." and "SIMESE No.5.", "PITTSBURGH No.1." and "PITTSBURGH No.2." Lode Mining Claims, and of the endorsement thereupon with the original records of the same on file in this office, and that the same are correct transcripts therefrom and of the whole of said original records.

WITNESS, my hand and the seal of said office,
this 16th day of July, 1908.

Thos. McNeely
Recorder of Mohave County.



(4-688.)

U. S. SURVEYOR GENERAL'S FINAL CERTIFICATE ON
FIELD NOTES.

DEPARTMENT OF THE INTERIOR,

OFFICE OF U. S. SURVEYOR GENERAL,

Phoenix, Arizona,

October 20, 1908.

I, U. S. Surveyor General for Arizona,
do hereby certify that the foregoing transcript of the Field Notes, return and approval
of the Survey of the mining claim of The Arizona Southwestern Copper Co.

(SIAMESE NO. 1, SIAMESE NO. 2, SIAMESE NO. 3,
known as the SIAMESE NO. 4, SIAMESE NO. 5, PITTSBURGH NO. 1,
and SIDE LINE NO. 1,
PITTSBURGH NO. 2, SIDE LINE A, situate in Cedar Valley

Mining District, Mohave County,
Arizona, approximately in
in Section _____, Township No. 17 N.,
Range No. 15 W., Unsur. _____, and designated as Survey

No. 2563, has been correctly copied from the originals on
file in this office; that said Field Notes furnish such an accurate description of said
mining claim as will, if incorporated into a patent, serve fully to identify the premises,
and that such reference is made therein to natural objects or permanent monuments as
will perpetuate and fix the *locus* thereof.

And I further certify that five hundred dollars' worth of labor has been expended
or improvements made upon ^{or for each of} said mining claim^s by claimant or its grantors, and
that said improvements consist of 1 tunnel, 5 open cuts and 10 shafts,
total value \$\$1710. Shaft No. 3 on the Siamese No. 1 lode,
value \$5805, being a common improvement for the development and
benefit of all the claims in this survey, a one-ninth interest
therein, value \$645, is properly credited to each claim in
this group.

and that no portion of said labor or improvements has been included in the estimate of
expenditures upon any other claim.

I further certify that the plat thereof, filed in the U. S. Land Office at Phoenix,
Arizona, is correct and in conformity with the foregoing Field Notes.

Frank S. Ingalls,

United States Surveyor General for Arizona.

4-687.

SURVEYOR-GENERAL'S CERTIFICATE OF APPROVAL OF FIELD NOTES AND SURVEY OF MINING CLAIM.

Department of the Interior,

OFFICE OF U. S. SURVEYOR-GENERAL,

Phoenix, Arizona,

October 20, 1908

I, U. S. Surveyor-General for Arizona,

do hereby certify that the foregoing and hereto attached Field Notes and Return of the Survey of the Mining Claim of The Arizona Southwestern Copper Co.

known as the SIAMESE NO. 1, SIAMESE NO. 2, SIAMESE NO. 3, SIAMESE NO. 4, SIAMESE NO. 5, PITTSBURGH NO. 1, PITTSBURGH NO. 2, SIDE LINE, and SIDE LINE NO. 1.

situate in Cedar Valley mining district,

Mohave County, Arizona,

approximately in in Section Township No. 17 N., Range No. 15 W., Unsur.

designated as Survey No. 2563

executed by Peter McCardell, U. S. Deputy Mineral

Surveyor, July 22- August 1- 1908, under my instructions dated

July 17, 1908, have been critically examined and the necessary cor-

rections and explanations made, and the said Field Notes and Return, and the Survey they describe,

are hereby approved. A true copy of the copy of the location certificate filed by the applicant for

survey is included in the field notes.

Handwritten signature of Frank S. Ingalls

U. S. Surveyor-General for Arizona.

Large
Map