

M
S

0

2

5

7

5

4-683.

MINERAL SURVEY No. 2575 A. & B.

LOT No.

ARIZONA Land District.

FIELD NOTES

OF THE SURVEY OF THE MINING CLAIM OF

RAY CONSOLIDATED COPPER COMPANY

KNOWN AS THE

Consuelo Lode and Consuelo Millsite

Mineral Creek Mining District,

Pinal County, Arizona Territory

Section Approx. , Township 3 & 4 S. , Range 13 E. G. & S.R.B. & M. Unsur.

Surveyed under instructions dated Aug. 5, 1908

by Harry V. Wheeler,
U. S. Mineral Surveyor.

Claim located See location notices , 19

Survey commenced Sept. 10, 1908 , 19

Survey completed Sept. 12, 1908. , 19

6-822

Address of claimant's Attorney;

Frank Thompson,

Fleming Block, Phoenix, Arizona.

POOR QUALITY

The following pages are scanned at the best possible quality setting. The original pages are of poor quality and this is the best possible reproduction.

Feet

Survey No. 2575 A -- Consuelo Lode.

: Beginning at Cor. No. 1, a pine post, 4 ft long, 4 ins. square, set 18 ins. in the ground, with mound of stone, scribed 1-2575A-C, whence a cross(x) and B. R. 1-2575A chiseled on a granite rock showing 24 x 16 x 4 ins above the ground bears N. 67°30' W. 5.8 ft; Cor. No. 2, Sur. No. 2574 A, Talus lode bears N. 27°12'6" E. 470.93 ft. and is a pine post 4 ins. square 3 ft. above the ground, in mound of earth and stone scribed 2-2574A-T; U. S. Location Monument No. 1 bears S. 43°56.4' E. 5690.47 ft. Thence S. 45°21' W.

Over rolling ground
1492. To Cor. No. 2 a pine post 4 ft. long, 4 ins. square, set 18 ins. in the ground, with mound of earth and stone, scribed 2-2575A-C, whence a cross (x) and B. R. 2-2575A chiseled on a granite rock showing 14 x 8 x 8 ins. above the ground bears S. 24°15' E. 2.8 ft.

Thence N. 44°28' W.
300. To S. W. Center end of the location, a pine post 4 ins. square, 3 ft. above the ground, in mound of stone, scribed S.W.C.E.-C.

600. To Cor. No. 3, a pine post 4 ft. long 4 ins. square, set 18 ins. in the ground, with mound of stone, scribed 3-2575A-C, whence a cross (x) and B. R. 3-2575A, chiseled on a diorite rock showing 30 x 20 x 8 ins. above the ground bears S. 83°40' W. 4.3 ft; Cor. No. 1, Sur. No. 1467A, Wedge and Humboldt Lodes, bears N. 33°45.5' E. 606.6 ft. and is a pine post 4 ins. square, 3 ft. above the ground, in mound of earth and stone, scribed 1-1-1467A. Thence N. 45°21' E.

Over rolling and broken ground
1492. To Cor. No. 4 a pine post 4 ft. long, 4 ins. square, set 18 ins. in the ground, with mound of earth and stone, scribed 4-2575A-C. whence a cross (x) and B. R. 4-2575A chiseled on a granite rock showing 22 x 18 x 14 ins above the ground bears S. 71°15' W. 3.7 ft. Thence S. 44°28' E.

300. To N. E. center end of the location, a pine post, 4 ins. square, 3 ft. above the ground, in mound of stone scribed N.E.C.E.-C.

600. To Cor. No. 1, the place of beginning.

L E D G E .

The presumed course of the vein on this location is from the S. W. C. E. of location, N. 45°21' E. 1492 ft.

Survey No. 2575B -- Consuelo Millsite.

: Beginning at Cor. No. 1, a pine post 4 ft. long 4 ins. square, set 18 ins. in the ground, with mound of earth and stone scribed 1-2575B-C, whence Cor. No. 1, Sur. No. 2575A, Consuelo lode bears N. 21°04' W. 27279.18 ft. The W. 1/4 Cor. to Sec. 6, T. 4-S., R. 14 E. G. & S. R. B. & M. bears N. 21°30.5' E. 1724.91 ft. Thence S. 8°55' W.

over broken ground
466.5 To Cor. No. 2 identical with Cor. No. 1; Sur. No. 2572B, Sweepstake Millsite, a pine post 4 ins square, 3 ft. above the ground, in mound of earth scribed 1-2572B-S. and 2-2575B-C

Thence N. $81^{\circ}05'$ W.
 466.5 To Cor. No. 3, identical with Cor. No. 4; Sur. No. 2572B; Sweepstake Millsite, Cor. No. 1, Sur. No. 2574B, Talus Millsite, and S. E. Cor.; Tucson Queen Millsite, unsurveyed, a pine post 4 ins. square, 3 ft. above the ground in mound of earth and stone, scribed 4-2572B-S; 1-2574B-T, and 3-2575B-C.

Thence N. $8^{\circ}55'$ E.
 466.5 To Cor. No. 4, identical with ~~NE Cor.~~, Tucson Queen Millsite, unsurveyed, a pine post 4 ft. long 4 ins. square set 18 ins, in the ground, with mound of earth and stone, scribed 4-2575B-C.

Thence S. $81^{\circ}05'$ E.
 466.5 To Cor. No. 1, the place of beginning.

A R E A .

| | |
|----------------------------|---------------|
| Total and net area of lode | 20.551 acres |
| Do. millsite | 4.996 |
| Do. survey | <u>25.547</u> |

I M P R O V E M E N T S .

I certify that the value of the labor and improvements upon this lode claim, placed thereon by the claimant and its grantors is not less than \$500.00 and that said improvements consist of:

| | Value |
|---|----------------|
| No. 1, Discovery Shaft, 6 x 6 ft, 6 ft deep the mouth of which bears S. $45^{\circ}21'$ W. 246 ft. from the N. E. center end of lode line | \$40. |
| No. 2, Shaft, 4 x 6 ft. 66 ft. deep the mouth of which bears S. $45^{\circ}21'$ W. 504 ft. from the N. E. center end of lode line | 640. |
| No. 3, Shaft, 10 x 10 ft. 4 ft. deep the mouth of which bears S. $56^{\circ}0'$ W. 140 ft. from the N. E. center end of lode line | 30. |
| No. 4, Shaft, 6 x 8 ft. 30 ft. deep the mouth of which bears N. $87^{\circ}40'$ W. 387 ft. from Cor. No. 1 | 280. |
| No. 5, Shaft, 4 x 6 ft. 7 ft. deep the mouth of which bears N. $27^{\circ}52'$ E. 857 ft. from Cor. No. 2 | 50. |
| No. 6, Tunnel, 4 x 6 ft. 15 ft. long, course N. $16^{\circ}0'$ W. the mouth of which bears S. $20^{\circ}50'$ W. 402 ft. from Cor. No. 4 | 130. |
| No. 7, Cut, 4 x 6 ft. 15 ft. long, course S. $16^{\circ}0'$ E. the N. end of which bears S. $20^{\circ}50'$ W. 402 ft. from Cor. No. 4 | 100. |
| Total value of improvements | <u>\$1270.</u> |

Adjoining Claims

To the lode claim:
 North: General Grant and Harvey lodes, unsurveyed.
 East: Harvey and Hecla lodes, unsurveyed.
 South: Sun and Dividend lodes, unsurveyed.
 West: McIntee lode, unsurveyed, the Gila Copper Company owner of all the adjoining claims.

To the Millsite:
 North and East, unsurveyed land, owner unknown.
 South: Sur. No. 2572B - Sweepstake Millsite.
 West: Tucson Queen Millsite, unsurveyed, the Ray Consolidated Copper Company owner of the adjoining Millsites.

LOCATION.

This survey is situated in Mineral Creek unorganized Mining District, Pinal County, Arizona Territory. The lode claim is located in the N. E. part of unsurveyed township 3 S., Range 13 E. G. & S. R. B. & M. The millsite is located in the N. E. part of unsurveyed township 4 S. Range 13 E. G. & S. R. B. & M. Note: All corners of this survey are identical with their respective location corners. Reference given to bearing objects when available. Magnetic variation 14° E. at all corners.

INSTRUMENT.

This survey was made with a W. & L. E. Gurley mining transit with solar attachment. The courses were deflected from the true meridian as determined by direct solar observations. Distances were measured with a 300 ft. steel tape.

NOTE.

The disagreements between these field notes and the location certificates, and of the field notes of Sur. No. 1467 A. & B. are due to errors in the latter.

FINAL OATHS FOR SURVEYS.

LIST OF NAMES.

A list of the names of the individuals employed by Harry V. Wheeler
 United States Mineral Surveyor, to assist in running, measuring, and marking the lines, corners, and
 boundaries described in the foregoing field notes of the survey of the mining claim of _____
Ray Consolidated Copper Company
 known as the Councils Lode and the Councils
Mill Site,
 and showing the respective capacities in which they acted.

Ray M. Hickey, Chainman.
John M. MacIntyre, Chainman.
 _____, Axman.
 _____, Flagman.

FINAL OATHS OF ASSISTANTS.

We, Ray M. Hickey
 and John M. MacIntyre, do solemnly swear that we assisted Harry V. Wheeler
 _____, United States Mineral Surveyor, in marking the corners and surveying
 the boundaries of the mining claim of _____
Ray Consolidated Copper Company
 known as the Councils Lode and the Councils
Mill Site,
 represented in the foregoing field notes as having been surveyed by said mineral surveyor and under his
 direction; and that said survey has been in all respects, to the best of our knowledge and belief, faithfully
 and correctly executed, and the corner and boundary monuments established according to law and the instruc-
 tions furnished by the United States Surveyor-General for Arizona

Ray M. Hickey, Chainman.
John M. MacIntyre, Chainman.
 _____, Axman.
 _____, Flagman

Subscribed and sworn to by the above-named persons before me this 19th
 day of September, 1908

Earl W. Funch
Notary Public

My commission expires
July 20th 1910

FINAL OATH OF U. S. MINERAL SURVEYOR.

I, Harry V. Wheeler, U. S. Mineral Surveyor,
do solemnly swear that, in pursuance of instructions received from the United States
Surveyor General for the Territory of Arizona, dated
August 5th 1890, I have, in strict conformity to the laws of the
United States, the official regulations and instructions thereunder, and the instructions
of said Surveyor General, faithfully and correctly executed the survey of the Mining
Claim of George W. Beach
George W. Beach, known as the
situate in Yuma Mining District,
Yuma County, Arizona, in Section
Approx., Township No. 34 N., Range No. 13 E. Unsur.
and designated as Survey No. 2575 A & B, as represented
in the foregoing field notes, which accurately show the boundaries of said mining claim
as distinctly marked by monuments on the ground, and described in the attached copy
of the location certificate, which was received by me from the Surveyor General with
said instructions, and that all the corners of said survey have been established and per-
petuated in strict accordance with the law, official regulations and instructions there-
under; and I do further solemnly swear that the foregoing are the true and original
field notes of said survey and my report therein, and that the labor expended and
improvements made upon said mining claim by claimant or its grantors
are as therein fully stated, and that the character, extent, location, and itemized value
thereof are specified therein with particularity and full detail, and that no portion of
said labor or improvements so credited to this claim has been included in the estimate
of expenditures upon any other claim.

Harry V. Wheeler
U. S. Mineral Surveyor.

Subscribed and sworn to by the said Harry V. Wheeler
U. S. Mineral Surveyor, before me a Notary Public
this 17th
day of September, 1908

George W. Beach
Notary Public

My Commission expires
July 24th 1910

Affidavit of Five Hundred Dollars Improvements.

We, John A. Smith, and Edgar M. Stewart


of lawful age, being first duly sworn according to law, depose and say: That we are acquainted with the Benjamin's Lode mining claim, situate in Kingman Mining district, Yavapai County, Arizona Territory, for which Edgar M. Stewart

has made application for survey prior to application for patent under the provisions of the Act of Congress, approved May 10, 1872; and that the labor done and improvements made thereon by the applicant and its grantors exceed Five Hundred Dollars in value, and further that we are not personally interested in said mine.

John A. Smith
Edgar M. Stewart

TERRITORY OF ARIZONA, }
County of Yavapai } ss:

Sworn to and subscribed before me, this 10th day of September, 1908



Charles A. Smith
Notary Public

69861500-2-03

My Commission expires
July 24th 1908

4575

LOCATION NOTICE.

Quartz Claim.

TO ALL WHOM IT MAY CONCERN:

This mining claim, the name of which is the "Consuelo" mining claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purpose of exploration and purchase by Albert Steinfeld, the undersigned on the 1st day of January, 1897.

The length of this claim is 1500 feet, and I claim 300 feet on each side of the discovery shaft (at which this notice is posted) lengthwise of the claim.

The general course of the lode deposit and premises is from the North east to the South west.

The claim is situated and located in Mineral Creek Mining District, in Pinal County, in the Territory of Arizona, about 4500 feet in a North west direction from the Reed United States Mineral Monument Number 1.

The surface boundaries of the claim are marked upon the ground as follows .:

Beginning at the North east end center at a point in a north east direction 200 feet from the discovery shaft, at which this notice is posted, being in the center of the end lines of said claim: thence north west 300 feet to a monument, being the north west corner of said claim; thence south west 750 feet to a monument, at the center of the west side line of said claim; thence south west 750 feet to a monument, being the south west corner of said claim; thence south east 300 feet to a monument, being the center of the south end of said claim; thence south east 300 feet to a monument, being the south east corner of said claim; thence North east 750 feet to a monument, being at the center of the east side line of said claim; thence north east 750 feet to a monument, at the north east corner of said claim; thence north west 300 feet to the place of beginning.

All done under the provisions of Chapter Six, of Title XXXII of the Revised Statutes of the United States, and of an Act of the General Assembly of Arizona, entitled "An Act Concerning Mines" approved March. 20th, 1895.

Dated and posted on the ground this 1st day of January, 1897.

Albert Steinfeld

Locator.

Filed and recorded at request of L. Beckendorf & Co. February 20th, 1897. at 2 P. M.

F. A. Chamberlin

Recorder.

Records of Mines. Book. ^{No 14} at pages. 522...523...
A

LOCATION NOTICE OF THE
CONSUELO MILL-SITE CLAIM.

Know all Men By These Presents, That I, Selim/^{M.}Franklin, the under-
signed, have this day located a Mill-site for the purpose of erect-
ing suitable works for reducing the ores of the Consuelo Mining
Claim, situated in the Mineral Creek Mining District, Pinal County
Arizona Territory, The exterior boundaries of said Consuelo Mill-
site Claim are as follows: viz:

Commenceing at a monument of stones surrounding a stake at the
North East corner of claim, and running thence in a Westerly direc-
tion, Four hundred and sixty six and five tenths (466.5) feet to
a stake surrounded by a mound of stones at the North West corner of
claim; thence in a Southerly direction four hundred and sixty six
and five tenths (466.5) feet to a stake surrounded by ^{a mound of} stones at the
South west corner of claim; thence in an Easterly direction four
hundred and sixty six and five tenths (466.5) feet to a stake sur-
rounded by ~~stones~~ a mound of stones at the South east corner of claim;
thence in a Northerly direction four hundred and sixty six and five
tenths (466.5) feet to a stake surrounded by a mound of stones at
the North east corner of claim and place of beginning.

This location may be more generally described as being situated
about five (5) miles Southerly from the Ray Mine, and about two (2)
miles in a North westerly direction from Riverside.

Dated on the ground this 15th day of December, 1899.

Selim M. Franklin.

Filed and recorded at request of S. M. Franklin on the 9th day of
February A. D. 1900, at 9, A. M.

F. A. Chamberlin, Recorder.

By Thos. G. Peyton, Deputy.

Miscellaneous Records, Book No. 6, pages ~~276 & 277~~ ^{276 & 277} ~~278 & 279~~.

Territory of Arizona, }
County of Pinal. } ss.

I, G. F. Watson, County Recorder in and for the County of Pinal, Territory of Arizona, do hereby certify that the foregoing Location Notice of the Consuelo Lode and Mill-site claims are full, true and correct copies of the same as they appear of record in this office in Book No 14 of Records of Mines at page 522, and in Book No. 6 of Miscellaneous Records at page 276.

Witness my hand and seal of office, this 28th day of July A. D. 1908.

... *G. F. Watson* ...
Recorder.

U. S. SURVEYOR GENERAL'S FINAL CERTIFICATE ON
FIELD NOTES.

DEPARTMENT OF THE INTERIOR,

OFFICE OF U. S. SURVEYOR GENERAL,

Phoenix, Arizona,

December 4, 1908.

I, U. S. Surveyor General for District of Arizona,
do hereby certify that the foregoing transcript of the Field Notes, return and approval
of the Survey of the mining claim of

Ray Consolidated Copper Company

, known as the Consuelo lode and Consuelo Mill-site

, situate in Mineral Creek

Mining District, Pinal County,

Arizona, in Section Approx., Township No. 3 & 4 S.,

Range No. 13 E., Unsur., and designated as Survey

No. 2575 A & B, has been correctly copied from the originals on

file in this office; that said Field Notes furnish such an accurate description of said
mining claim as will, if incorporated into a patent, serve fully to identify the premises,
and that such reference is made therein to natural objects or permanent monuments as
will perpetuate and fix the locus thereof.

And I further certify that five hundred dollars' worth of labor has been expended
or improvements made upon said mining claim by claimant or its grantors, and
that said improvements consist of 5 shafts, 1 tunnel and 1 cut, total
value, \$1270.00.

and that no portion of said labor or improvements has been included in the estimate of
expenditures upon any other claim.

I further certify that the plat thereof, filed in the U. S. Land Office at Phoenix,
Arizona, is correct and in conformity with the foregoing Field Notes.

Frank S. Ingalls,

United States Surveyor General for Arizona.

Department of the Interior,
OFFICE OF U. S. SURVEYOR-GENERAL,

Phoenix, Arizona,

December 4, 1908.

I, U. S. Surveyor-General for District of Arizona,

do hereby certify that the foregoing and hereto attached Field Notes and Return of the Survey of the Mining Claim of

Ray Consolidated Copper Company

, known as the

Consuelo lode and Consuelo Mill-site

situate in Mineral Creek mining district,

Pinal County, Arizona

in Section Approx., Township No. 3 & 4 S., Range No. 13 E., Unsur.

, designated as Survey No. 2575 A & B

executed by Harry V. Wheeler, U. S. Deputy Mineral

Surveyor, Sept. 10 - 12, 1908, under my instructions dated

August 5, 1908, have been critically examined and the necessary cor-

rections and explanations made, and the said Field Notes and Return, and the Survey they describe,

are hereby approved. A true copy of the copy of the location certificate filed by the applicant for

survey is included in the field notes.



U. S. Surveyor-General for Arizona.

34
↓

Large
Map