

M  
S

0

2

5

8

0

Copied 10-26-09

June 21, 1909.

R. L. W.

1

SEP 3-1909  
OCT 11 1909

4-683.

MINERAL SURVEY No. 2580

LOT No.

Arizona Land District.

# FIELD NOTES

OF THE SURVEY OF THE MINING CLAIM OF

R. R. Richardson

KNOWN AS THE

NEW ERA and NEW ERA NO. 2

Wrightson Mining District,

Santa Cruz County, Arizona

Sections Approx 10 & 11, Township 21 S., Range 15 E. Unsur.

Surveyed under instructions dated August 19, 1908.

by Homer Santee  
U. S. Mineral Surveyor.

Claim located See location notices, 19

Survey commenced Oct. 23, 1907.

Survey completed June 6, 1909.

6-822

Address;

R. R. Richardson,

Patagonia, Arizona.

# POOR QUALITY

**The following pages are scanned at the best possible quality setting. The original pages are of poor quality and this is the best possible reproduction.**

## FIELD NOTES.

2

SURVEY No 2580

NEW ERA LODE.

Beginning at Corner No 1, identical with the SW corner of the location, a granite stone 7" x 10" x 24", set 18 inches in the ground, chiselled with a cross (x) NE-1-2580, on NE face, and a mound of stone, 3 foot base, 3 ft. high on NW. from which:-

A pine tree 8" in diameter, blazed and scribed NE-1-2580, x BT bears N 13°45'E. 3.85 feet

A pine tree 10" diameter blazed and scribed NE-1-2580 x BT bears S 68° 36'E. 31.05 feet.

U.S.L.M. No 2397 bears S. 87°19'W. 5767.1 feet

A corner stone 8"x10" - 6 inches above ground marked GC-1, ST-4, N & S-1, S-5-2397, bears N 87° 46'W. 1 foot.

Corner also identical with Cors. 5, 1, respectively, of the Skidoo No. 23 and North & South lodes, Sur. No. 2397.

Thence N 3°25'W. Variation 13°45'E.

150 feet Creek 10 feet wide, course Easterly

195 " " Road Easterly & Westerly

297.300 " " West End Corner, identical with corner of location & mound of stone 3' base, 3' high.

303 feet Cut 4°5'

461 " " Piper Gulch, Course South-Easterly

527.65 " " To corner No 2

A granite rock in place, showing 13" x 5' x 18" above ground, chiselled with a cross (x) NE-2-2580, and a mound of stone 3' base, 3 ft. high on the S.E. from which:-

A white-oak tree 8" diam. blazed and scribed NE-2-2580 x BT bears N 71°55'E 27.1 feet

A rock in place, showing 3' x 5', 3 feet above ground, chiselled NE-2-2580 Ex R, bears S 27°04'E. 26.65 feet.

Old Corner of location, bears N 3°23'W 2.7'

Thence N 84°23'E. Variation 13°45' East.

485 feet Top of ridge, bearing southerly

745. " " Old Cor. of location, bears N. 17 feet, mon. of stones 3' base 3' high.

868. " " Gulch. Course South-Easterly

1010 " " Top of ridge, bears southerly

1461.2 " " To corner No 3 (3)

A granite stone 7"x9" x 25", set 10 " in the ground, chiselled with a cross (x) NE-3-2530, and a mound of stone 3ft base 3 ft. high on the South-west. from which:-

A white-oak tree, 6" diam. blazed and scribed NE-3-2530 X BE bears N 63°W 20.5 feet.

A rock in place, showing 2 ft. x 5 ft. 3 feet above ground, chiselled with a cross (x) NE-3-2530-B X R, bears S 63°40'E. 11.05 feet ( 11.05 ft.)

The NW. corner of Oversight claim bears N 8°23'W, 36.8 feet Old corner of the location bears N 13°15'E. 65 feet.

Thence S 8°23'E. Variation 13°45'E.

- 165 feet Road. Bears Easterly
- 500 ,, a mound of stones 3 ft. base, 3 ft. high, East End Centre, identical with corner of location
- 343 ,, Creek Course Easterly.
- 455 ,, Road to Sweet Shaft, bears South-easterly
- 560.2 ,, To corner N°4, identical with corner of location

A granite stone, 10" x 13" x 36", set 18 " in the ground, chiselled with a cross (x) NE-4-2530 and a mound of stone 3 ft. base 3 ft. high on the N.W.

from which:-

A white-oak tree, 8" in diam. blazed & scribed NE-4-2530, X BE, bears S 14°15' W. 73.4 feet.

A black-oak tree 9" diam. blazed & scribed NE-4-2530 X BT. bears N 61°45'W. 74.6 feet.

A corner stone 3" x 9" x 6" above ground, marked GG-4, N & S-5-2397, bears S 8° 23'E. 1 foot.

A corner stone 8"x10" , 6" above ground, marked O-1, N & S-4-2397, bears S 8°23'E. 3 feet.

Cor. also identical with Cor. No. 5 of the North & South lode, Sur. No. 2397, and the S.W. Cor. of Oversight lode, unsur.

- 550 feet. Crack 20 ft. wide course North-easterly
- 754. " Identical with old Cor. of location, a mound of stones 3' base, 3' high.
- 1080 ,, Top of bluff
- 1480.2 , To corner N°1 the place of beginning

3

4

AREA. NEW EPA LODGE CLAIM.

19.660 acres.

This survey was made with a Young & Sons Transit, the courses were deflected into the true meridian as determined by direct Polaris observations. The distances were measured with a 100 foot steel tape.

*Howie Carter*

U.S. Deputy Mineral Surveyor.

June 6th 1909

FIELD NOTES

SURVEY N° 2580 NEW BRA N° 2 LOBE.

Beginning at Corner N°1.

Identical with a corner of the location, a mon. of stones <sup>3 ft.</sup> base, 3 ft. high.

A Granite stone 7" x 10"-25" long, set 18" in the ground, chiselled with a cross (x) NE N° 2-1-2580, and a mound of stone 3 ft base, 3 ft. high on East, from which:-

A white-oak tree, 12" in diam. blazed & scribed NE N° 2-1-2580 X B T, bears N 17° 28' E. 34.55 feet.

A white-oak tree, 6" in diam. blazed & scribed NE N° 2-1-2580 X B T bears N 33° 48' W 47 feet.

U.S.L.M. N° 2397 Bears S 34° 10' W. 3276.69 feet.

A stone 8"x9"x7" above ground marked OH-4, S-T-1, T-6, 2397, bears N 37° 46' W. 1 foot. Cor. also identical with Cor. 4 Old Nick lode, Cor. 6 Trinidad lode and Cor. No. 1 Skidoo No. 23 lode, all of Thence N 8° 23' W. Variation 13° 45' E. Sur.No. 2397

- 184 feet Creek 10 ft. wide course Easterly
- 205 , , Road, bears Easterly & Westerly
- 270.5 , West end centre, old corner of location bears N 39° W 3 feet, a mound of stones 3' base, 3' high.

570.5 , Corner N° 2. Identical with a corner of the location  
 A porphyry stone 7"x9" x 24" long, set 18" in the ground, chiselled with a cross (x) NE N° 2-2-2580, and a mound of stone 3 ft. base, 3 ft. high on SW. from which  
 A white-oak tree, 6" in diam. blazed & scribed NE N° 2-2-2580 X B T .bears N 50° 30' E. 71.3 feet.

A white-oak tree 12 " in diam. blazed & scribed, NE N° 2-2-2580 X BT. bears S 11° 27' E. 53.6 feet.

A corner stone, 7" x9" x 6" above ground marked OH-3 ST-2, 2397. Bears N 9° 15' W. 30.6 feet.

Thence S 33° 48' E. Variation 13° 45' E,

- 859 feet. Top of ridge
- 1496 feet To corner N° 3. Identical with Corner N° 2 New Bra. This survey, corner heretofore described, chiselled NE N° 2-3 on SW face.

Loc. Cor. bears N. 8° 23' W. 2.5 ft.

Thence S 8° 23'E. Variation 12°45'E.

- 164.00 feet Piper Gulch. Course South-East only
- 294.00 ,, Cut N°4. Bears S. 84°W. 18 feet long
- 300.00 ,, East end centre. Identical with corner of location  
a mound of stones 3' base; 3' high.
- 402.00 ,, Road. Bears Easterly & Westerly
- 447.00 ,, Creek. 10 feet wide. Course Easterly
- 597.35 ,, Corner N°4. Identical with Cor. of N°1 New Era, this  
survey, corner heretofore described. Chiselled in  
N° 2-4 on N.W. face. Identical with Cor. of  
location, and Cors. 5, 1 of the Skidoo No. 23 and North  
and South lodes, Sur. No. 2397.  
Thence N 87°46'W. Variation 12°45 East.

- 358.00 feet. Creek 15 ft. wide course North-easterly
- 410.00 , Road. Bears NE & SW.
- 730.00 , Top of ridge bears Southerly.
- 900.00 , Creek. 15 ft. wide course south-easterly
- 931.00 , Road. Bears SE & NW.
- 1500.00 , Corner N°1. The place of beginning.

AREA.

NEW ERA N° 2 LODE

19.788 Acres

This survey was made with a Young & Sons transit, the courses were deflected from the true meridian as determined by direct Polaris observations. The distances were measured with 100 ft steel tapes.

*Harold Doster*

Surveyor



EXPENDITURE OF FIVE HUNDRED DOLLARS

I certify that the value of the labor and improvements on these claims placed thereon by the claimant and his grantors is not less than one thousand dollars, and that said improvements consist of:-

The discovery shaft N°1 of the New Era, which bears from Corner N°4. N 87°33' W. 587 feet. 4' x 6'-30 ft deep value \$300.

Shaft N°2 of the New Era, which bears from Corner N°4 N 63°08' W. 510 feet. 4' x 6'-10 feet deep-- value \$75.00

Shaft N°3 of the New Era, which bears from Corner N°4. N 61°43' W. 475 feet. 4'x6' -60 feet deep. Value \$600.00.

Open Cut N°4. of the New Era, the East end of which bears from Corner N°4 S. 67° 33' W. -567 feet. 4'x5'-48 ft long, running S83° W. value \$350.00

Open Cut N°5. of the New Era, the East end of which bears from Corner N°4. N 63° 08' W. - 510 feet. 4'x6' 20 feet long, running S. 84° W. Value \$135.00

Open Cut N°6. of the New Era, the East end of which bears from Corner N° 4. N. 59° 33' W. -475 feet. 4'x9'-47 feet, running S. 84° W. Value \$375.00

Open Cut N°7. of the New Era, the East end of which bears from Corner N°1 N 46° E. -473 feet. 4' wide x 12 ft face, 25 feet long running N 84° E. Value \$100.00

Tunnel N°8. of the New Era, mouth of which bears from Corner N°1 N 43° 30' E. -503 feet. 4'x6'-60 feet long, running N 84° E. Value \$600.00

Discovery Shaft N°1 of the New Era N°2, which bears from Cor. N°1, N 29°45' E. -310 feet, with cut 6'x8' face, 4x6-10 feet deep. value \$100.00

Shaft N°2 of the New Era N°2, which bears from Corner N°1, N 50° 50' E. -306 feet. 4'x6'-10 feet deep. with open cut 6 ft. face value \$100.00

Open cut N°3 of the New Era N°2, which bears from Corner N°1 N 2°15' W. -275 feet. 4'x12' face-20 ft. long running N. 80° W. Value \$100.00

Expenditure of Five Hundred Dollars

Open cut No 4 of the New Era No 2. The face  
of which is at a point 294 ft <sup>from Cor. 3</sup> on line 3-4  
4' wide average, 6' deep, running west 18 ft.  
Value \$100.00

Open cut No 5 of the New Era No 2.  
The face of which bears from Cor. No 4 N 29° 30' W  
196 ft. 5' wide, 10 ft. face, running N 30° W 21 ft.  
Value \$100.00

Homer Dauter  
U. S. Dep. Min. Sur.

### Location

New Era and New Era N° 2 Lodes, Qur N° 2580  
These claims are situate in Wrightson  
Mining District, Santa Cruz County,  
Arizona, in Sections 10 and 11, T 21 S, R 15 E.  
(Unsurveyed) <sup>Coronado National Forest</sup> ~~Santa Rita Forest Reserve.~~

### Adjoining Claims.

The North & South claims, owned by the Mansfield  
Mining Co. adjoins the New Era on the South Sur. 2397.

The oversight, claim, <sup>unsurveyed.</sup> claimed by the Mansfield M. Co  
adjoins the New Era on the East.

A vacant strip of ground on the North.

The Skidoo N° 23 adjoins the New Era N° 2 on the South  
Sur. N° 2397, owned by the Mansfield M. Co.

The Old Nick claim, adjoins the New Era N° 2 on the West  
Sur. N° 2397, owned by the Mansfield M. Co.

There is a narrow strip of vacant ground on the north

### Ledges

The presumed course of the New Era ledge from ~~Cut N° 5~~  
at the West end center is N 84° 30' E 1480 ft. as shown by  
develapement work along the vein.

The presumed course of the New Era N° 2 ledge from  
~~Cut No 4~~ at the East end center, is N 88° 55' W 1498 ft.  
as shown by develapement work along the vein.

Homer Santee  
U. S. Deputy Min. Sur.

## Final oaths for Survey

### List of names

a list of the names of the individuals employed by Homer Dauter, United States Mineral Surveyor, to assist in running, measuring, and marking the lines, corners and boundaries described in the foregoing field notes of the ~~surveyed~~ survey of the mining claims of R. R. Richardson known as the New Era and New Era No. 2 and showing the <sup>respective</sup> capacity in which they acted.

C. D. Harrison Chainman and Flagman

### Final oaths of assistants

J. C. Harrison do solemnly swear that I assisted Homer Dauter, United States Deputy Mineral Surveyor in marking the corners and surveying the boundaries of the mining claims of R. R. Richardson known as the New Era and New Era No. 2 ~~surveyed~~ survey, represented in the foregoing field notes as having been surveyed by said deputy mineral surveyor and under his direction, and that said survey has been in all respects, to the best of my knowledge and belief, faithfully and correctly executed, and the corner and boundary monuments established according to law and the instructions furnished by the United States Surveyor General, Arizona

J. C. Harrison, Chainman and Flagman

Subscribed and sworn to by the above named person before me this 19<sup>th</sup> day of June, 1909.

Homer Dauter  
U. S. Deputy Min. Surveyor

There being no Notary Public here at that time I took the acknowledgement.

Homer Dauter

# FINAL OATH OF U. S. MINERAL SURVEYOR.

I, Homer Santee, U. S. Mineral Surveyor,  
do solemnly swear that, in pursuance of instructions received from the United States  
Surveyor General for Arizona, dated  
~~Sept 17<sup>th</sup> 1907~~ Aug. 19, 1908, I have, in strict conformity to the laws of the  
United States, the official regulations and instructions thereunder, and the instructions  
of said Surveyor General, faithfully and correctly executed the survey of the Mining  
Claim of R. P. Richardson,  
known as the  
New Era and New Era No 2,  
situate in Wrightson Mining District,  
Santa Cruz County, Arizona, in Section  
Apprx 10 & 11, Township No. 21 S, Range No. 15 E (Unsurveyed),  
and designated as Survey No. 2580, as represented  
in the foregoing field notes, which accurately show the boundaries of said mining claim  
as distinctly marked by monuments on the ground, and described in the attached copy  
of the location certificate, which was received by me from the Surveyor General with  
said instructions, and that all the corners of said survey have been established and per-  
petuated in strict accordance with the law, official regulations and instructions there-  
under; and I do further solemnly swear that the foregoing are the true and original  
field notes of said survey and my report therein, and that the labor expended and  
improvements made upon said mining claim by claimant or his grantors  
are as therein fully stated, and that the character, extent, location, and itemized value  
thereof are specified therein with particularity and full detail, and that no portion of  
said labor or improvements so credited to this claim has been included in the estimate  
of expenditures upon any other claim.

Homer Santee  
U. S. Mineral Surveyor.

Subscribed and sworn to by the said  
U. S. Mineral Surveyor, before me  
Notary Public  
day of Sept, 1909.

Homer Santee  
R. J. Curtin  
this 7<sup>th</sup>

R. J. Curtin  
Notary Public

my Commission expires July 23, 1913.

Affidavit of Five Hundred Dollars Improvements.

We, A. E. Crepin and Ramon Ochoa

of lawful age, being first duly sworn according to law, depose and say: That we are acquainted with the New Era and New Era N° 2 mining claim, situate in Wrightson Mining district, Santa Cruz County, Arizona Territory, for which R. R. Richardson

has made application for survey prior to application for patent under the provisions of the act of Congress, approved May 10, 1872; and that the labor done and improvements made thereon by the applicant and his grantors exceed One Thousand Five Hundred Dollars in value, and further that we are not personally interested in said mine.

A. E. Crepin  
Ramon Ochoa

TERRITORY OF ARIZONA, }  
County of Santa Cruz } ss:

Sworn to and subscribed before me, this 7

day of Sept, 1909



R. J. Custer  
Notary Public

27669b1m2-07  
My Commission expires Jan'y 23. 1913.

New Era Mining Claim.

Location Notice, Quartz Claim. To all whom it may concern: This mining claim the name of which is the New Era Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purpose of exploration and purchase by A. J. Stockton and R. R. Richardson the undersigned on the 6<sup>th</sup> day of Sept 1897.

The length of the claim is 1500 feet and width of claim 300 feet on each side of the discovery shaft (at which this notice is posted) lengthwise of the claim. The general course of the lode deposit and premises is from the East to the West. The claim is situated and located in Wrightson Mining District, Pima County, in the Territory of Arizona about  $\frac{1}{2}$  mile in a westerly direction from Temporal Gulch being a relocation of the old Jack Mansfield Mine. The surface boundaries of the claim are marked upon the ground as follows: Beginning at a monument of stones at a point in an easterly direction 500 feet from the discovery shaft, at which this notice is posted, being in the center of the East end line of said claim: thence northerly 300 feet to a monument of stones, being the

TERRITORY OF ARIZONA,

County of Pima,

ss. Chas. A. Shibell

I, ..... County Recorder in and

for the County of Pima, do hereby certify that the above and foregoing is a full, true and correct copy of the New Era Mining claim, situated in the Wrighton Mining District, in Pima Co. A. T. located by A. J. Stockton & R. R. Richardson, on Sept. 6th 1894

as appears of record now in my office in Book F. F. Record of Mines Pages 627

IN WITNESS WHEREOF, I have hereunto set my hand and affixed my

official seal, at my office in Tucson, this 27th day

of Aug. A. D. 1907

Chas. A. Shibell

County Recorder of Pima County, Arizona.

By R. M. Shibell, deputy



N.E. corner of said claim; thence westerly 750 feet to a monument of stones at the center of the North side line of said claim; thence westerly 750 feet to a monument of stones being at the N.W. corner of said claim; thence southerly 300 feet to a monument of stones at the center of the west end of said claim; thence southerly 300 feet to a monument of stones, being at the corner of said claim; thence easterly 750 feet to a monument of stones being at the center of the South side line of said claim; thence easterly 750 feet to a monument of stones at the S.E. corner of said claim; thence Northerly 300 feet to the place of beginning. All done under the provisions of Chapter Six, of Title "XXX" of the Revised Statutes of the United States, and of an Act of the General Assembly of Arizona Entitled "An Act Concerning Mines", approved March 20<sup>th</sup> 1895. Dated and posted on the ground this 6<sup>th</sup> day of Sept. 1897.

A. J. Stockton.

R. R. Richardson.

Filed and Recorded at request of R. R. Richardson  
Nov. 6/97 at 9 a.m.

Chas. A. Ghibell  
County Recorder.

**MISSING**

**PAGE(S)**

NOTICE OF MINING LOCATION

Lode Claim

TO ALL WHOM IT MAY CONCERN:-

This mining claim, the name of which is the NEW ERA NO. 2 mining claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purpose of exploration and purchase by R. R. Richardson, the undersigned, on the 8th day of May, 1905.

The length of this claim is 1500 feet and I claim 1200 feet in an easterly direction and 300 feet in a westerly direction from the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with 300 feet in width of the surface grounds on each side of the center of said claim. The general course of the lode deposit and premises is from the East to the West.

The claim is situated and located in the Wrightson Mining District, in Santa Cruz County, in the Territory of Arizona, about 8 miles in a north westerly direction from Patagonia, about one mile west of Temporal Creek at Little iron house and adjoins the New Era mining claim on the west. Is an abandoned mining claim.

The surface boundaries of the claim are marked upon the ground as follows: Beginning at a monument of stones at a point in a westerly direction 300 feet from the discovery shaft (at which this notice is posted), being in the center of the west end line of said claim; thence northerly 300 feet to a monument of stones being the N. W. corner of said claim; thence easterly 1500 feet to a monument of stones, being at the N. E. corner of said claim; thence southerly 300 feet to a monument of stones at the center of the east end of said claim; thence southerly 300 feet to a monument of stones being at the S. E. corner of said claim; thence westerly 1500 feet to a monument of stones at the S. W. corner of said claim;

RS

thence northerly 200 feet to the place of beginning.

All done under the provisions of Chapter Six of Title XXXII of the Revised Statutes of the United States, and of an Act of the General Assembly of Arizona, entitled "An Act to Revise and Codify the Laws of the Territory of Arizona", approved March 16, 1901.

Dated and posted on the ground this 8th day of May, 1905.

R. R. RICHARDSON.

Witness:

Homer Santee.

Filed and recorded at request of R. R. Richardson, Aug. 1 A. D. 1905 at 9 A. M.

Phil Herold, County Recorder.

Territory of Arizona,)
County of Santa Cruz.) ss.

I, Phil Herold County Recorder in and for the County and Territory aforesaid, do hereby certify that the foregoing is a full, true and correct copy of location notice of the NEW ERA NO. 2 mining claim, situate in the Wrightson Mining district, Santa Cruz County, Arizona, as the same appears of record in my office in Book 5 of Mining Locations at pages 523, 524 and 525.

IN WITNESS WHEREOF, I have hereunto set my hand and affixed my official seal this 26th day of August, A. D. 1907.

Handwritten signature of Phil Herold over a horizontal line, with "County Recorder." printed below.

U. S. SURVEYOR GENERAL'S FINAL CERTIFICATE ON  
FIELD NOTES.

DEPARTMENT OF THE INTERIOR,  
OFFICE OF U. S. SURVEYOR GENERAL,

Phoenix, Arizona,

October 26, 1909.

I, U. S. Surveyor General for District of Arizona,  
do hereby certify that the foregoing transcript of the Field Notes, return and approval  
of the Survey of the mining claim of

R. R. Richardson,

, known as the NEW ERA and NEW ERA NO. 2

, situate in Wrightson

Mining District, Santa Cruz County,

Arizona, in Section Approx. 10&11, Township No. 23 S.,

Range No. 15 E., Unsur., and designated as Survey

No. 2580, has been correctly copied from the originals on

file in this office; that said Field Notes furnish such an accurate description of said  
mining claim as will, if incorporated into a patent, serve fully to identify the premises,  
and that such reference is made therein to natural objects or permanent monuments as  
will perpetuate and fix the locus thereof.

And I further certify that five hundred dollars' worth of labor has been expended  
or improvements made upon <sup>each of</sup> said mining claim<sup>s</sup> by claimant or his grantors, and  
that said improvements consist of 5 shafts, 7 cuts and 1 tunnel, total  
value \$2925.00

and that no portion of said labor or improvements has been included in the estimate of  
expenditures upon any other claim.

I further certify that the plat thereof, filed in the U. S. Land Office at Phoenix,  
Arizona, is correct and in conformity with the foregoing Field Notes.

Frank S. Ingalls,

United States Surveyor General for Arizona.

4-687.

**SURVEYOR-GENERAL'S CERTIFICATE OF APPROVAL OF FIELD  
NOTES AND SURVEY OF MINING CLAIM.**

**Department of the Interior,**

*Office of U. S. Surveyor-General,*

Phoenix, Arizona, .....

October 26, 1909.

I, U. S. Surveyor-General for ..... District of Arizona, .....

do hereby certify that the foregoing and hereto attached Field Notes and Return of the Survey of the  
Mining Claim of .....

R. R. Richardson,

....., known as the

NEW ERA and NEW ERA NO. 2,

situate in ..... Wrightson ..... Mining District,

..... Santa Cruz ..... County, ..... Arizona .....

in Section Approx. 10&11, Township No. 23 S., Range No. 15 E., Unsur.,

....., designated as Survey No. 2580 .....

executed by ..... Homer Santee ....., U. S. Deputy Mineral

Surveyor, ..... Oct. 23, 1907-June 6 ....., 1909, under my instructions dated

..... Aug. 19 ....., 1908, have been critically examined and the necessary cor-

rections and explanations made, and the said Field Notes and Return, and the Survey they describe,

are hereby approved. A true copy of the copy of the location certificate filed by the applicant for

survey is included in the field notes.

*Frank S. Ingalls*

U. S. Surveyor-General for ..... Arizona .....



Hobo  
Mansfield Mining Co.  
Sur 2397

Mescal  
Anaconda Mining Co.  
(unsurveyed)

unknown

NEW ERA N<sup>o</sup> 2 LODE  
SUR. N<sup>o</sup> 2580

NEW ERA LODE  
SUR. N<sup>o</sup> 2580

OLD NICK  
Mansfield Mining Co.  
Sur 2397

OVERSIGHT

SKIDOO N<sup>o</sup> 23  
Mansfield Mining Co.  
Sur 2397

NORTH & SOUTH  
Mansfield Mining Co.  
Sur 2397

A.C. SWEET  
Mansfield Mining Co.

U.S.L.M. N<sup>o</sup> 2397 S84°10'W 2276.69

S88°48'E 1496'

N84°28'E 1481.2

N87°46'W 1500'

S83°02'W 1480.2

N88°55'W Presumed Course of Vein 1498

N84°30'E 1480.0

U.S.L.M. N<sup>o</sup> 2397 S87°19'W 3767.1

C.N.4  
C.N.5  
C.N.6  
C.N.7

T.N.8

S.N.1  
S.N.2  
S.N.3

C.N.8

470'  
302'

N46°00'E  
N48°20'E

750.00  
750.00

700.00

560.2

560.2

560.2

560.2

560.2

560.2

560.2