

**MS**

**0**

**2**

**6**

**0**

**0**



MINERAL SURVEY NO. 2600

	M & B Desc.	Improvements	Loc. Notices
Claims			
Bull of the Woods	Pg. 4	Pg. 15	Pg. 7
D.L.V.B.	8	17	14
Flux	5	15	8
Garnash	2	13	2
Good Enough	8	17	13
Hercules	2	14	3
Kearsage	9	17	16
Last Turn	7	16	11
Man Tiger No. 2	4	14	6
Mineral Zone Notice 14	10	18	18
Mineral Zone Notice 15	11	18	19
Mineral Zone No. 16	11	18	20
New Year No. 1	6	16	9
New Year No. 2	6	16	10
Owl	3	14	5
Panama	9	17	15
Sandow	2	14	4
Tea Pot	7	16	12
Tick	1	13	1
Venus	10	17	17

Post →



Copied 12-12-1908, and  
2-20-1909.  
A. I. H.

1  
NOV 6-1908  
NOV 20 1908

4-683.

MINERAL SURVEY No. 2600

LOT No. \_\_\_\_\_

Arizona - - - - - Land District.

### FIELD NOTES

OF THE SURVEY OF THE MINING CLAIM OF

GILA COPPER COMPANY

KNOWN AS THE

~~Tick, Garnash, Hercules, Sandow, Owl, Man Tiger No. 2, Bull of the Woods, Flux, New Year No. 1, New Year No. 2, Last Turn, Tea Pot, Good Enough, D.L.V.B., Panama, Keersa ge, Venus, Mineral Zone Notice 14, Mineral Zone Notice 15, and Mineral Zone No. 16 Leades~~ Mineral Zone Notice 14,  
Mineral Creek Mining District  
Pinal County, Arizona.

Section Approx. , Township 3 South , Range 13 East G. & S. R  
B. & M.

Surveyed under instructions dated October 7 , 1908  
Unsur.

by Harry V. Wheeler  
U. S. Mineral Surveyor.

Claim located See location notices , 19

Survey commenced October 7. , 1908

Survey completed October 9. , 19 08

6-822

Address;

Frank Thompson, Atty.,  
Fleming Block, Phoenix, Arizona.



Feet

TICK LODE

Beginning at Cor. No. 1, identical with Cor. No. 1, New Year No. 1, Cor. No. 2, Hercules and Cor. No. 4 Garnash lodes of this survey, a pine post, 4 ft. long, 4 in. square, set 18 in. in the ground, with mound of earth, scribed 1-1-2-4-2600, T.-N.Y.1.-H-G, whence U. S. Location Monument No. 1 bears S. 73° 55' 38" E. 9712.07 ft.

- 298.6 Thence S. 22° 30' W. ascending hill slope to N. E. To E. Center end of lode line of original location, a pine post, 2 x 4 ins. 3 ft. above the ground, in mound of earth and stone scribed E. C. E.-T.
- 598.6 To Cor. No. 2, identical with Cor. No. 3 Garnash lode of this survey, a pine post 4 ft. long, 4 ins. square, set 18 ins. in the ground, with mound of earth, scribed 2-3-2600-T-G

- 1500. Thence N. 46° 17' W. over broken ground To Cor. No. 3, a pine post 4 ft. long, 4 ins. square, set 18 ins. in the ground, with mound of stone, scribed 3-2600-T, whence a cross (x) and B. R. 3-2600 chiseled on a porphyry rock showing 22 x 14 x 7 inches above the ground bears S. 84° 10' E. 4.5 ft.

- 300. Descending To W. Center end of lode line of original location, a pine post 4 in. square, 3 ft. above the ground, in mound of earth and stone scribed W.C.E.-T
- 419. To center of Copper Canyon, 50 ft. wide, course East,
- 598.6 To Cor. No. 4, identical with Cor. No. 2, New Year No. 1 lode of this survey, a pine post 4 ft. long, 4 in. square, set 18 ins. in the ground, with mound of earth, scribed 4-2-2600 - T-N.Y.1.

- 200. Thence S. 46° 17' E. Descending To center of Copper Canyon, 50 ft. wide course N. 62° E. Thence over rolling ground
- 1500. To Cor. No. 1, the place of beginning.

GARNASH LODE .

Beginning at Cor. No. 1, on line 2-3, Sur. No. 1467A, Deputy Lode, identical with Cor. No. 1, Hercules lode of this survey, a pine post 4 ft. long, 4 ins. square, set 18 ins. in the ground with mound of earth, scribed 1-1-2600 - G-H, whence U. S. Location Monument No. 1 bears S. 75° 12' 04" E. 8262.49 ft.

- 94.9 Thence S. 22° 30' W. To Cor. No. 3, Sur. No. 1467 A, Deputy Lode, a pine post 4 ins. square, 3 ft. above the ground in mound of earth and stone, scribed 3-1467 A
- 298.6 To E. center end of lode line of original location, a pine posts 2 x 4 ins. 3 ft. above the ground in mound of earth and stone, scribed E.C.E.-G
- 598.6 To Cor. No. 2, a pine post, 4 ft. long 4 ins. square, set 18 ins. in the ground, with mound of stone, scribed 2-2600 - G.

- 1463.2 Thence N. 66° 43' W. Over rolling ground To Cor. No. 3, identical with Cor. No. 2, Tick lode of this survey, corner heretofore described.
- 300. Thence N. 22° 30' E. To W. center end of lode line of original location,



- a pine post, 2 x 4 ins. 3 ft. above the ground, in mound of earth and stone, scribed W.C.E. - G
- 598.6 To Cor. No. 4, identical with Cor. No. 1 of Tick and New Year No. 1 lodes and Cor. No. 2 Hercules lode, all of this survey, *corner heretofore described.*  
Thence S.  $66^{\circ}45'$  E.
- 1463.2 Along slope to N. E. towards Copper Canyon  
To Cor. No. 1, the place of beginning.

## HERCULES LODE.

Beginning at Cor. No. 1 on line 2-3, Sur. No. 1467 A Deputy Lode, identical with Cor. No. 1, Garnash lode of this survey, whence U. S. Location monument No. 1 bears S.  $75^{\circ}12'04''$  E. 8262.49 ft, *corner heretofore described.*  
Thence N.  $66^{\circ}43'$  W.

- 1463.2 Along slope to N. E.  
To Cor. No. 2, identical with Cor. No. 1 Tick and New Year No. 1, and Cor. No. 4 Garnash lodes of this survey, *corner heretofore described.*  
Thence N.  $22^{\circ}30'$  E.
250. To center of Copper Canyon, 90 ft. wide, course S.  $50^{\circ}$  E.
300. To W. center end of lode line of original location, a pine post 2 x 4 ins. 3 ft. above the ground in mound of earth and stone, scribed W.C.E. - H.
600. To Cor. No. 3, identical with Cor. No. 4, New Year No. 1, Cor. No. 2, New Year No. 2, and Cor. No. 2 Sandow lodes of this survey, a pine post 4 ft. long, 4 ins. square, set 18 ins, in the ground with mound of stone, scribed 3-4-2-2-2600 - H-N.Y.1-N.Y.2-S, whence a cross (x) and B. R. 3-4-2-2-2600 chiseled on a porphyry rock showing 5 x 4 x 4 ft. above the ground bears S.  $73^{\circ}20'$  W. 8.3 ft.  
a cedar 12 ins. diameter blazed and scribed B. T. 3-4-2-2-2600 bears N.  $53^{\circ}45'$  W. 40.9 ft.  
Thence S.  $66^{\circ}43'$  E.  
over broken ground
- 1463.2 ft To Cor. No. 4 on line 2-3, Sur. No. 1467 A, Tribunal lode, a pine post 4 ft. long, 4 ins. square, set 18 ins. in the ground with mound of stone, scribed 4-2600-H, whence Cor. No. 1, Sandow lode of this survey bears S.  $66^{\circ}43'$  E. 9.92 ft.  
Thence S.  $22^{\circ}30'$  W.
- 94.9 Descend steep rocky slope to S. W.  
To Cor. No. 2, Sur. No. 1467 A. Tribunal and Deputy lodes, a pine post 4 ins. square, 3 ft. above the ground in mound of stone scribed 2-2-1467 A
300. To E. center end of lode line of original location, a pine post 2 x 4 ins. 3 ft. above the ground in mound of earth and stone, scribed E.C.E.-H.
390. To center of Copper Canyon, 90 ft. wide course S.  $66^{\circ}$  E.
600. To Cor. No. 1, the place of beginning.

## SANDOW LODE.

Beginning at Cor. No. 1, a pine post 4 ft. long, 4 ins. square, set 18 ins. in the ground, with mound of stone scribed 1-2600-S, whence U. S. Location Monument No. 1 bears S.  $71^{\circ}03'$  E. 8194.87 ft.

- Thence N.  $66^{\circ}43'$  W.
- 9.92 Along steep rocky slope to S. W.  
To Cor. No. 4 Hercules lode of this survey; intersect line 2-3, Sur. No. 1467 A, Tribunal lode at S.  $22^{\circ}30'$  W 504.97 ft. from Cor. No. 3
- 1473.12 To Cor. No. 2, identical with Cor. No. 3 Hercules, Cor. No. 4, New Year No. 1, and Cor. No. 2, New Year No. 2 lodes of this survey., *corner heretofore described.*  
Thence N.  $22^{\circ}30'$  E.



Feet

- 300. Ascend rocky slope to S. W.
- 300. To W. center end of lode line of original location, a pine post, 2 x 4 ins. 3 ft. above the ground in mound of earth and stone, scribed W.C.E.-S.
- 600. To Cor. No. 3, identical with Cor. No. 1, New Year No. 2 and Last Turn lodes, and Cor. No. 2 Owl Lode of this survey, a pine post 4 ft. long, 4 ins. square, set 18 ins. in the ground with mound of stone, scribed 3-1-1-2-2600, S-N.Y.2-L.T.-0, whence a cross (x) and B. R. 3-1-1-2-2600 chiseled on a porphyry rock showing 5 x 3 x 2 ft. above the ground bears N. 27°20' E. 16.8 ft. Thence S. 66°43' E.
- 1473.12 Descend over rocky ground
- 1473.12 To Cor. No. 4 on line 2-3 Sur. No. 1467 A. Man Tiger lode, a pine post 4 ft. long 4 ins. square, set 18 ins. in the ground with mound of stone, scribed 4-2600-S whence Cor. No. 1 Owl lode of this survey bears S. 66°43' E. 26.88 ft. Cor. No. 2 Sur. No. 1467 A. Man Tiger lode, identical with Cor. No. 3, Sur. No. 1467 A, Tribunal Lode, bears S. 28°28' W. 95.42 ft. Thence S. 22°30' W.
- 94.9 Intersect line 1-2, Sur. No. 1467 A, Man Tiger lode, which is line 3-4 Sur. No. 1467 A Tribunal Lode, at S. 67°30' E. 9.92 ft. from Cor. No. 2, Sur. No. 1467 A Man Tiger lode, and is identical with Cor. No. 3, Sur. No. 1467 A Tribunal lode, a pine post 4 ins. square, 3 ft. above the ground in mound of stone scribed 2-3-1467 A.
- 300. Ascend steep rocky slope
- 300. To E. center end of lode line of original location, a pine post 2 x 4 ins. 3 ft. above the ground in mound of earth and stone scribed E.C.E. - S.
- 490. To summit, descend steep rocky slope to S. W.
- 600. To Cor. No. 1, the place of beginning.

O W L L O D E .

- Beginning at Cor. No. 1, a pine post, 4 ft. long, 4 ins. square, set 18 ins. in the ground, with mound of stone, scribed 1-2600-0, whence U. S. Location Monument No. 1 bears S. 66°51'04" E. 8151.65 ft. Thence N. 66°43' W.
- 26.88 Ascend rocky slope to S. E.
- 26.88 Intersect line 2-3, Sur. No. 1467 A, Man Tiger lode, at S. 28°28' W. 258.75 ft. from Cor. No. 3
- 1500. To Cor. No. 2, identical with Cor. No. 3, Sandow, Cor. No. 1, New Year No. 2, and Cor. No. 1, Last Turn Lodes of this survey, *corner heretofore described.* Thence N. 22°30' E.
- 300. To W. center end of lode line of original location, a pine post, 2 x 4 ins. 3 ft. above the ground, in mound of earth and stone, scribed W.C.E.-0.
- 600. To Cor. No. 3, identical with Cor. No. 4 Last Turn, Cor. No. 2 Tea Pot, and Cor. No. 2, Man Tiger No. 2 lodes of this survey, a pine post 4 ft. long, 4 ins. square, set 18 ins. in the ground, with mound of stone, scribed 3-4-2-2-2600, O-L.T.- T.P.-M.T.2. Thence S. 66°43' E.
- Along slope to N. E.
- 1272.35 To Cor. No. 1, Man Tiger No. 2 lode of this survey, on line 2-3 Bull of the Woods lode of this survey at N. 40°58.3' W. 254.41 ft. from Cor. No. 2.
- 1500. To Cor. No. 4 on line 3-4 Sur. No. 1467 A, Mathias & Hall lode, a pine post 4 ft. long, 4 ins. square, set 18 ins. in the ground with mound of stone, scribed 4-2600-0. Thence S. 22°30' W.



- 5
- 110.52 To Cor. No. 2, Bull of the Woods lode of this survey, on line 3-4 Sur. No. 1467 A, Mathias & Hall lode
300. To E. center end of lode line of original location, a pine post 2 x 4 ins. 3 ft. above the ground in mound of earth and stone, scribed E.C.E.-O.
- 342.28 To Cor. No. 3, Sur. No. 1467 A, Mathias & Hall lode and Man Tiger lode, a pine post 4 ins. square, 3 ft. above the ground in mound of stone scribed 3-3-1467 A
600. To Cor. No. 1, the place of beginning.

M A N T I G E R N O . 2 L O D E .

Beginning at Cor. No. 1, a pine post 4 ft. long, 4 ins. square, set 18 ins. in the ground with mound of stone, scribed 1-2600-M.T.2; on line 3-4, Owl lode of this survey, whence Cor. No. 4, Owl lode of this survey bears S.  $66^{\circ}43'$  E. 227.65 ft. the S. E. Location Cor. bears S.  $40^{\circ}58.3'$  E. 254.41 ft; and is a pine post, 4 ins. square 3 ft. above the ground, Cor. No. 3 Bull of the Woods lode of this survey bears N.  $40^{\circ}58.3'$  W. 1243.53 ft. U. S. Location Monument No. 1 bears S.  $62^{\circ}45'35''$  E. 8407.38 ft.

Thence N.  $66^{\circ}43'$  W.

- 1272.35 To Cor. No. 2, identical with Cor. No. 2 Tea Pot, Cor. No. 3 Owl and Cor. No. 4 Last Turn lodes of this survey, *corner heretofore described.*

Thence N.  $22^{\circ}30'$  E.

300. To W. center end of lode line of original location, a pine post, 2 x 4 ins. 3 ft. above the ground in mound of earth and stone, scribed W.C.E.- M.T.2, lode of this survey
600. To Cor. No. 3, identical with Cor. No. 1 Tea Pot, and on line 2-3, Good Enough lode of this survey, a pine post 4 ft. long, 4 ins. square, set 18 ins. in the ground with mound of stone, scribed 3-1-2600, M.T.2 - T.P.

Thence S.  $46^{\circ}17'$  E.

over nearly level ground

- 171.24 To Cor. No. 2 Good Enough, and Cor. No. 3 Bull of the Woods lodes of this survey

- 1364.75 To Cor. No. 4, a pine post 4 ft. long, 4 ins. square, set 18 ins. in the ground with mound of stone scribed 4-2600-M.T.2, whence N. E. Location Cor. bears N.  $56^{\circ}$  E. 415 ft. and is a mound of stones 2 ft. high,

Thence S.  $22^{\circ}30'$  W.

- 60.50 To E. center end of lode line, *whence E.C.E. of location bears N.  $82^{\circ}$  E. 263 ft. and is a mound of stone 3 ft. high.* *C.E. of lode line is a* pine post 2 x 4 ins. 3 ft. above the ground in mound of earth and stones scribed E. C. E. - M.T.2.

- 123.50 To Cor. No. 1, the place of beginning.

B U L L O F T H E W O O D S L O D E .

Beginning with Cor. No. 1, identical with Cor. No. 1 Flux lode of this survey, on line 3-4 Sur. No. 1467 A Sharkey lode, a pine post 4 ft. long, 4 ins. square, set 18 ins. in the ground with mound of stone scribed, 1-1-2600, B.W.-F, whence U. S. Location Monument No. 1 bears S.  $59^{\circ}37'40''$  E. 7969.33 ft.

Thence S.  $49^{\circ}15'$  W.

- 184.0 To Cor. No. 3, Sur. No. 1467 A, Sharkey Lode, a pine post 4 ins. square, 3 ft. above the ground, in mound of stones, scribed 3-1467 A; at this corner intersect line 4-1-Sur. No. 1467 A Mathias & Hall lode at S.  $40^{\circ}45'$  E. 195 ft. from Cor. No. 4 a pine post 4 ins. square, 3 ft. above the ground in mound of stone, scribed 4-1467 A
- 300.0 To E. Center end of lode line of original location, a pine post 2 x 4 ins. 3 ft. above the ground, in mound of earth and stone scribed E.C.E.-B.W.
- 570.87 To Cor. No. 2 on line 3-4 Sur. No. 1467 A, Mathias & Hall lode and on line 4-1, Owl lode of this survey, a pine post 4 ft. long, 4 ins. square, set 18 ins. in the ground with mound of stone scribed 2-2600 B. W. whence Cor. No. 4

*Mathias and Hall lode, Sur. No. 1467 A, bears N.  $22^{\circ}30'$  E. 433.24 ft., and Cor. No. 4*



Feet

- Owl lode of this survey bears N. 22°30' E. 110.52 ft.  
Thence N. 40°58.3' W.
- 254.41 To Cor. No. 1, Man Tiger No. 2 lode of this survey, whence Cor. No. 4 of said lode bears N. 22°30' E. 123.5 ft, at Cor. No. 1, Man Tiger No. 2 Lode, intersect line 3-4 Owl lode of this survey at N. 66°43' W. 227.65 ft. from Cor. No. 4.
- 1497.94 To Cor. No. 3, identical with Cor. No. 2, Good Enough lode of this survey, on line 3-4, Man Tiger No. 2 lode of this survey, a pine post 4 ft. long, 4 ins. square, set 18 ins. in the ground, with mound of stone, scribed 3-2-2600, B.W.-G.E. whence Cor. No. 4 Man Tiger No. 2 lode of this survey bears S. 46°17' E. 1193.51 ft; location Cor. No. 3 bears S. 49°15' W. 101.9 ft. and is a mound of stone 2 ft. high.  
Thence N. 49°15' E.  
over gently rolling ground
- 198.14 To W. center end of lode line of original location, a pine post 2 x 4 ins., 3 ft. above the ground, in mound of earth and stone, scribed W.C.E. - B. W.
- 498.14 To Cor. No. 4, identical with Cor. No. 2, Flux lode of this survey, on line 1-2, Good Enough lode of this survey, a pine post 4 ft. long, 4 ins. square, set 18 ins. in the ground with mound of earth and stone, scribed, 4-2-2600, B.W.-F.  
Thence S. 43°45' E.
1500. To Cor. No. 1, the place of beginning.

## FLUX LODE.

- Beginning at Cor. No. 1, <sup>heretofore described,</sup> identical with Cor. No. 1 Bull of the Woods lode of this survey, on line 3-4 Sur. No. 1467 A, Sharkey lode, whence U. S. Location Monument No. 1 bears S. 59°37' 40" E. 7969.33 ft.  
Thence N. 43°45' W.  
over rolling ground
1500. To Cor. No. 2, identical with Cor. No. 4, Bull of the Woods lode of this survey, on line 1-2, Good Enough lode of this survey, corner heretofore described.  
Thence N. 49°15' E.
- 101.86 To Cor. No. 1, Good Enough, and Cor. No. 1 D.L.V.B. lodes of this survey, corner heretofore described.
300. To W. center end of lode line of original location, a pine post 2 x 4 ins. 3 ft. above the ground, set in mound of earth and stone, scribed .C.E.- F.
600. To Cor. No. 3, identical with W. center end of Panama lode of this survey, (on line 4-1, D.L.V.B. lode of this survey, a pine post 4 ft. long, 4 ins. square, set 18 ins. in the ground with mound of earth and stone, scribed 3-2600-F.  
Thence S. 43°45' E.  
over rolling ground.
300. To Cor. No. 2 Panama and Cor. No. 3 Kearsarge lodes of this survey.
900. To Cor. No. 2 Kearsarge lode of this survey and Cor. No. 3 Sur. No. 1467 A, J. G. lode
1500. To Cor. No. 4, identical with Cor. No. 4, Sur. No. 1467A J. G. lode, on line 3-4, Sur. No. 1467 A Sharkey lode a pine post 4 ins. square, 3 ft. above ground with mound of earth and stone, scribed 4-1467 A and 4-2600 - F.  
Thence S. 49°15' W.  
Descending
300. To E. center end of lode line of original location, a pine post 2 x 4 ins. 3 ft. above the ground, in mound of earth and stone, scribed E.C.E. - F.
600. To Cor. No. 1, the place of beginning.



Feet

NEW YEAR NO. 1 LODE.

*heretofore described,*

Beginning with Cor. No. 1, identical with Cor. No. 1, Tick, Cor. No. 2 Hercules, and Cor. No. 4, Garnash, lodes of this survey, whence U. S. Location Monument No. 1 bears S. 73°55' 38" E. 9712.07 ft.

Thence N. 46°17' W.

over rolling ground

1300. To center of Copper Canyon 50 ft. wide, course N. 62° E.

1500. To Cor. No. 2, identical with Cor. No. 4 Tick lode of this survey, *corner heretofore described.*

Thence N. 22°30' E.

300. To W. center end of lode line of original location, a pine post, 4 ins. square, 3 ft. above the ground in mound of earth and stone scribed W.C.E. - N.Y.1.

600. To Cor. No. 3, identical with Cor. No. 3, New Year No. 2 lode of this survey, a pine post 4 ft. long, 4 ins. square, set 18 ins. in the ground with mound of stones, scribed 3-3-2600, - N.Y.1-N.Y.2, whence a cross (x) and B. R. 3-3-2600 chiseled on a porphyry rock showing 4 x 4 x 2 ft. above the ground bears N. 79°10' E. 16.6 ft.

Thence S. 46°17' E.

along slope to S. W.

1500. To Cor. No. 4, identical with Cor. No. 2 New Year No. 2, Cor. No. 2 Sandow, and Cor. No. 3 Hercules lodes of this survey, *corner heretofore described.*

Thence S. 22°30' W.

Descending steep slope to S. W.

300. To E. center end of lode line of original location, a pine post 4 ins. square, 3 ft. above the ground, in mound of earth and stone, scribed E. C. E. - N.Y.1.

350. To center of Copper Canyon, 90 ft. wide, course S. 50° E.

600. To Cor. No. 1, the place of beginning.

NEW YEAR NO. 2 LODE.

*heretofore described.*

Beginning at Cor. No. 1, identical with Cor. No. 1 Last Turn, Cor. No. 2 Owl, and Cor. No. 3 Sandow lodes of this survey, whence U. S. Location Monument No. 1 bears S. 66°49' 57" E. 9652.60 ft.

Thence S. 22°30' W.

300. To E. center end of lode line of original location, a pine post 4 ins. square, 3 ft. above the ground, in mound of earth and stone, scribed E. C. E. - N.Y.2.

600. To Cor. No. 2, identical with Cor. No. 2 Sandow, Cor. No. 3 Hercules and Cor. No. 4, New Year No. 1 lodes of this survey, *corner heretofore described.*

Thence N. 46°17' W.

along slope to S. W.

1500. To Cor. No. 3, identical with Cor. No. 3 New Year No. 1 lode of this survey, *corner heretofore described.*

Thence N. 22°30' E.

ascend hill slope to S. W.

300. To W. center end of lode line of original location, a pine post 4 in. square, 3 ft. above the ground, in mound of earth and stones, scribed W.C.E. - N.Y.2.

600. To Cor. No. 4, identical with Cor. No. 2 Last Turn lode of this survey, a pine post 4 ft. long, 4 ins. square set 18 ins. in the ground, with mound of stone, scribed 4-2-2600, N.Y.2 - L.T. whence a cross (x) and B. R. 4-2-2600 chiseled on a granite rock showing 8 x 4 x 4 ft above the ground bears N. 66°30' W., 40 ft.

Thence S. 46°17' E.

1500. To Cor. No. 1, the place of beginning.



## LAST TURN LODE.

- Beginning at Cor. No. 1; <sup>heretofore described.</sup> identical with Cor. No. 1 New Year No. 2, Cor. No. 2 Owl, and Cor. No. 3 Sandow lodes of this survey, whence U. S. Location Monument No. 1 bears S.  $66^{\circ}49'57''$  E. 9652.60 ft.
- Thence N.  $46^{\circ}17'$  W.
1500. To Cor. No. 2, identical with Cor. No. 4, New Year No. 2 lode of this survey, <sup>corner heretofore described.</sup>
- Thence N.  $22^{\circ}30'$  E.
300. To W. center end of lode line of original location, a pine post 4 ins. square, 3 ft. above the ground in mound of earth and stone scribed W.C.E. - L.T.
600. To Cor. No. 3, identical with Cor. No. 3, Tea Pot lode of this survey, a pine post, 4 ft. long, 4 ins. square, set 18 ins. in the ground, with mound of earth and stone, scribed 3-3-2600, - L.T. - T.P. whence a cross (x) and B. R. 3-3-2600, chiseled on a granite rock showing 2 x 2 x 2 ft. above the ground, bears N.  $33^{\circ}30'$  W. 15.8 ft.
- Thence S.  $46^{\circ}17'$  E.
- along hill slope to North
1500. To Cor. No. 4 identical with Cor. No. 2 Tea Pot, Cor. No. 2, Man Tiger No. 2, and Cor. No. 3 Owl lodes of this survey, <sup>corner heretofore described.</sup>
- Thence S.  $22^{\circ}30'$  W.
300. To E. center end of lode line of original location, a pine post, 2 x 4 ins, 3 ft. above the ground, in mound of earth and stone, scribed E.C.E. - L.T.
600. To Cor. No. 1, the place of beginning.

## TEA POT LODE.

- Beginning with Cor. No. 1, identical with Cor. No. 3, Man Tiger No. 2 Lode of this survey, <sup>corner heretofore described,</sup> on line 2-3 Good Enough lode of this survey, whence U. S. Location Monument No. 1 bears S.  $59^{\circ}45'13''$  E. 9739.89 ft
- Thence S.  $22^{\circ}30'$  W.
- ascending hill slope to East
300. To E. Center end of lode line of original location; a pine post, 2 x 4 ins. 3 ft. above the ground, in mound of earth and stone, scribed E.C.E. - T.P.
600. To Cor. No. 2, identical with Cor. No. 2, Man Tiger No. 2, Cor. No. 3 Owl and Cor. No. 4 Last Turn lodes of this survey, <sup>corner heretofore described.</sup>
- Thence N.  $46^{\circ}17'$  W.
- along hill slope to North
1500. To Cor. No. 3, identical with Cor. No. 3 Last Turn lode of this survey, <sup>corner heretofore described.</sup>
- Thence N.  $22^{\circ}30'$  E.
- descending slope to North
300. To W. center end of lode line of original location, a pine post 4 ins. square, 3 ft. above the ground in mound of earth and stone scribed W.C.E. - T.P.
600. To Cor. No. 4, a pine post 4 ft. long, 4 ins. square, set 18 ins. in the ground with mound of earth and stone scribed 4-2600-T.P. whence a cross (x) and B. R. 4-2600 chiseled on a granite rock showing 4 x 4 x 3 ft. above the ground bears S.  $31^{\circ}10'$  E. 21.4 ft.
- Thence S.  $46^{\circ}17'$  E.
- over rolling ground
- 171.24 To Cor. No. 3 Good Enough lode of this survey.
1500. To Cor. No. 1, the place of beginning.



Feet

## G O O D E N O U G H L O D E .

- Beginning at Cor. No. 1, identical with Cor. No. 1 D.L.V.B. lode of this survey, on line 2-3 Flux lode of this survey, a pine post 4 ft. long, 4 ins. square set 18 ins, in the ground with mound of earth and stone scribed 1-1-2600 - G.E. - D.L.V.B., whence U. S. Location Monument No. 1 bears S.  $56^{\circ}32' 06''$  E. 9392.83 ft  
Thence S.  $49^{\circ}15'$  W.  
over rolling ground
- 101.86 To Cor. No. 2 Flux and Cor. No. 4 Bull of the Woods lodes of this survey
300. To E. center end of lode line of original location, a pine post 2 x 4 ins, 3 ft. above the ground, in mound of earth and stone, scribed E.C.E. - G.E.
600. To Cor. No. 2 identical with Cor. No. 3 Bull of the Woods lode of this survey and on line 3-4 Man Tiger No. 2 lode of this survey, *corner heretofore described.*  
Thence N.  $46^{\circ}17'$  W.
- 171.24 To Cor. No. 1 Tea Pot and Cor. No. 3 Man Tiger No. 2 lodes of this survey,
1500. To Cor. No. 3, on line 4-1 Tea Pot lode of this survey, a pine post 4 ft. long, 4 ins. square, set 18 ins, in the ground with mound of earth, scribed 3-2600 - G.E.  
Thence N.  $49^{\circ}15'$  E.  
over nearly level ground
300. To W. Center end of lode line of original location; a pine post, 2 x 4 ins, 3 ft. above the ground, with mound of earth and stone, scribed W.C.E. - G.E.
600. To Cor. No. 4 a pine post 4 ft. long 4 ins. square, set 18 ins, in the ground, with mound of earth, scribed 4-2600-G.E.  
Thence S.  $46^{\circ}17'$  E.  
over rolling ground
900. To Cor. No. 2, D.L.V.B. lode of this survey
1500. To Cor. No. 1, the place of beginning.

10-19-08

## D . L . V . B . L O D E :

*heretofore described,*

- Beginning at Cor. No. 1, identical with Cor. No. 1 Good Enough lode of this survey, on line 2-3 Flux lode of this survey, whence U. S. Location Monument No. 1 bears S.  $56^{\circ}32' 06''$  E. 9392.83 ft.  
Thence N.  $46^{\circ}17'$  W.
300. To S. center end of lode line of original location, a pine post 2 x 4 ins, 3 ft. above the ground, in mound of earth and stone, scribed S.C.E. - D.L.V.B.
600. To Cor. No. 2 on line 4-1 Good Enough lode of this survey, a pine post 4 ft. long 4 ins, square set 18 ins, in the ground with mound of earth scribed 2-2600 - D.L.V.B.  
Thence N.  $49^{\circ}15'$  E.
- 1384.73 Intersect line 2-3 Venus lode of this survey at N.  $71^{\circ}17'$  W. 345.52 ft. from Cor. No. 2
1500. To Cor. No. 3, a pine post 4 ft. long, 4 ins square, set 18 ins, in the ground with mound of earth scribed 3-2600 - D.L.V.B.  
Thence S.  $46^{\circ}17'$  E.
- 234.95 Intersect line 2-3 Venus lode of this survey at N.  $71^{\circ}17'$  W. 74.02 ft. from Cor. No. 2
- 299.01 Intersect line 3-4 Panama lode of this survey at N.  $49^{\circ}15'$  E. 988.54 ft. from Cor. No. 3
300. To N. center end of lode line of original location, a pine post 2 x 4 ins. 3 ft. above the ground, in mound of earth and stone, scribed N.C.E. - D.L.V.B.
600. To Cor. No. 4, a pine post 4 ft. long, 4 ins, square, set 18 ins, in the ground with mound of stone, scribed 4-2600 - D.L.V.B.



Feet

- Thence S. 49°15' W.
- 1001.86 Intersect line 2-3 Panama lode of this survey at S. 43° 45' E. 300 ft. from Cor. No. 3.
1500. To Cor. No. 1, the place of beginning.

## P A N A M A L O D E .

Beginning at Cor. No. 1, identical with Cor. No. 1 Mineral Zone Notice 14 Cor. No. 2 Mineral Zone Notice 15 and Cor. No. 4 Kearsage lodes of this survey, a pine post 4 ft. long, 4 ins. square, set 18 ins. in the ground, with mound of earth and stone scribed 1-1-2-4-2600 - P-M.Z.14-M.Z.15-K. whence U. S. Location Monument No. 1 bears S. 44°21' 35" E. 8756.44 ft.

- Thence S. 49°15' W.
- over rolling ground
1490. To Cor. No. 2, identical with Cor. No. 3 Kearsage lode of this survey and on line 3-4 Flux lode of this survey, a pine post 4 ft. long, 4 ins. square, set 18 ins. in the ground with mound of stone, scribed 2-3-2600 -P-K
- Thence N. 43°45' W.
300. To S. center end of lode line of original location, a pine post 2 x 4 ins, 3 ft. above the ground, with mound of earth and stone scribed S.C.E. - P., identical with Cor. No. 3 Flux lode of this survey; at same point intersect line 4-1, D.L.V.B. lode of this survey at S. 49° 15' W. 1001.86 ft. from Cor. No. 4.
600. To Cor. No. 3 a pine post 4 ft. long 4 ins, square set 18 ins, in the ground with mound of stone, scribed 3-2600 - P.
- Thence N. 49°15' E.
- over rolling ground
- 988.54 Intersect line 3-4 D.L.V.B. lode of this survey at N. 46°17' W. 300.99 ft. from Cor. No. 4.
- 1019.97 To Cor. No. 2, Venus lode of this survey
1490. To Cor. No. 4, identical with Cor. No. 2 Mineral Zone Notice 14 lode of this survey on line 1-2 Venus lode of this survey, a pine post 4 ft. long 4 ins. square, set 18 ins. in the ground, with mound of stone, scribed 4-2-2600 - P - M.Z.14.
- Thence S. 43°45' E.
300. To N. center end of lode line of original location, a pine post 2 x 4 ins. 3 ft. above the ground, with mound of earth and stone scribed N.C.E. - P.
600. To Cor. No. 1, the place of beginning.

## K E A R S A G E L O D E .

Beginning at Cor. No. 1, identical with Cor. No. 2 Sur. No. 1467 A., J. G. lode, and with Cor. No. 1, Mineral Zone Notice 15, and Cor. No. 2 Mineral Zone No. 16, lodes of this survey, a pine post 4 ins. square, 3 ft. above the ground, in mound of earth and stone, scribed 2-1467.A and 1-1-2-2600-K-M.Z.15-M.Z.16. U. S. Location Monument bears S. 44°24' 16" E. 8156.41 ft.

- Thence S. 49°15' W.
1490. To Cor. No. 2 identical with Cor. No. 3, Sur. No. 1467A, J. G. lode, on line 3-4 Flux lode of this survey, a pine post 4 ins. square, 3 ft. above the ground in mound of earth and stone scribed 3-1467A and 2-2600-K.
- Thence N. 43°45' W.
300. To S. center end of lode line of original location, a pine post, 2 x 4 ins. 3 ft. above the ground, in mound of earth and stone, scribed S.C.E.-K.



600. To Cor. No. 3, identical with Cor. No. 2 Panama lode of this survey and on line 3-4 Flux lode of this survey, *Corner heretofore described.* Thence N. 49°15' E:  
over rolling ground
1490. To Cor. No. 4, identical with Cor. No. 1, Panama, Cor. No. 1, Mineral Zone Notice 14, and Cor. No. 2 Mineral Zone Notice 15 lodes of this survey, *Corner heretofore described.* Thence S. 43°45' E.  
over rolling ground
300. To N. center end of lode line of original location, a pine post, 2 x 4 ins. 3 ft. above the ground, in mound of earth and stone, scribed N.C.E.-K.
600. To Cor. No. 1, the place of beginning.

#### V E N U S L O D E .

- Beginning at Cor. No. 1, on line 2-3, Mineral Zone Notice 14 of this survey, a pine post 4 ft. long, 4 ins. square, set 18 ins. in the ground with mound of earth and stone, scribed 1-2600-V, whence U. S. Location Monument No. 1 bears S. 38°00'28"E. 9348.92 ft.  
Thence S. 49°15' W.  
over rolling ground
- 1029.97 To Cor. No. 2, Mineral Zone Notice 14 and Cor. No. 4 Panama lodes of this survey
1500. To Cor. No. 2 on line 3-4, Panama lode of this survey, a pine post 4 ft. long, 4 ins. square, set 18 ins. in the ground, with mound of earth, scribed 2-2600-V.  
Thence N. 71°17' W.
- 74.02 Intersect line 3-4, D.L.V.B. lode of this survey at S. 46°17' E. 234.95 ft. from Cor. No. 3.
- 345.52 Intersect line 2-3, D.L.V.B. lode of this survey at S. 49°15' W. 115.27 ft. from Cor. No. 3. This point of intersection is the S. center end of lode line of original location, a pine post 2 x 4 ins, 3 ft. above the ground, with mound of earth and stone scribed S.C.E.-V.
- 673.25 To Cor. No. 3 a pine post 4 ft. long, 4 ins, square, set 18 ins, in the ground with mound of earth and stone, scribed 3-2600-V.  
Thence N. 49°15' E.  
over rolling ground
1500. To Cor. No. 4, a pine post, 4 ft. long, 4 ins, square, set 18 ins, in the ground with mound of earth, scribed 4-2600-V.  
Thence S. 71°17' E.
- 327.73 To N. center end of lode line of original location, a pine post 2 x 4 ins, 3 ft. above the ground, in mound of earth and stone, scribed N.C.E.-V.
- 673.25 To Cor. No. 1, the place of beginning.

#### M I N E R A L Z O N E N O T I C E 1 4 L O D E .

- Beginning with Cor. No. 1, *heretofore described,* identical with Cor. No. 1 Panama, Cor. No. 2 Mineral Zone Notice 15, and Cor. No. 4 Kearsarge lodes of this survey, whence U. S. Location Monument No. 1 bears S. 44°21'35" E. 8756.44 ft.  
Thence N. 43°45' W.
- 300; To S. center end of lode line of original location, a pine post, 2 x 4 ins, 3 ft. above the ground, with mound of earth and stone, scribed S.C.E.-M.Z.14.
600. To Cor. No. 2 identical with Cor. No. 4 Panama lode of this survey on line 1-2 Venus lode of this survey,  
Thence N. 49°15' E.
- 1029.97 To Cor. No. 1 Venus lode of this survey
- 1351.98 To Cor. No. 3 a pine post 4 ft. long, 4 ins. square,



Feet

set 18 ins, in the ground, with mound of stone, scribed 3-2600-M.Z.14.

Thence S. 43°45' E.

300. To N. center end of lode line of original location, a pine post 2 x 4 ins, 3 ft. above the ground with mound of earth and stone, scribed N.C.E.-M.Z.14.

600. To Cor. No. 4 on line 2-3, Mineral Zone Notice 15 lode of this survey, a pine post 4 ft. long, 4 ins. square set 18 ins, in the ground with mound of stone scribed 4-2600-M.Z.14.

Thence S. 49°15' W.

over broken ground

1351.98 To Cor. No. 1, the place of beginning.

#### M I N E R A L Z O N E N O T I C E 1 5 L O D E .

Beginning at Cor. No. 1, identical with Cor. No. 1 Kearsarge and Cor. No. 2 Mineral Zone No. 16, lodes of this survey, and Cor. No. 2, Sur. No. 1467A, J. G. lode, *corner heretofore described,* whence U. S. Location Monument No. 1 bears S. 44°24'16" E. 8156.41 ft.

Thence N. 43°45' W.

over rolling ground

300. To S. center end of lode line of original location, a pine post 2 x 4 ins. 3 ft. above the ground, with mound of earth and stone, scribed S.C.E.-M.Z.15.

600. To Cor. No. 2 identical with Cor. No. 1 Mineral Zone Notice 14, Cor. No. 1, Panama, and Cor. No. 4 Kearsarge lodes of this survey, *corner heretofore described.*

Thence N. 49°15' E.

over broken ground

1351.98 To Cor. No. 4 Mineral Zone Notice 14 lode of this survey

1500. To Cor. No. 3, a pine post, 4 ft. long, 4 ins. square, set 18 ins, in the ground, with mound of stone, scribed 3-2600-M.Z.15.

Thence S. 43°45' E.

300. To N. center end of lode line of original location, a pine post 2 x 4 ins, 3 ft. above the ground, with mound of earth and stone, scribed N.C.E.-M.Z.15.

600. To Cor. No. 4, identical with Cor. No. 3 Mineral Zone No. 16 lode of this survey, a pine post, 4 ft. long, 4 ins. square, set 18 ins, in the ground, with mound of stone, scribed 4-3-2600-M.Z.15-M.Z.16.

Thence S. 49°15' W.

over rolling ground

1500. To Cor. No. 1, the place of beginning.

#### M I N E R A L Z O N E N O . 1 6 L O D E .

Beginning at Cor. No. 1, identical with Cor. No. 1 Sur. No. 1467A, J. G. lode on line 3-4 Sur. No. 1467 A, Weighel lode, a pine post 4 ins. square, 3 ft. above the ground, in mound of earth and stone scribed 1-1467A and 1-2600-M.Z.16, whence U. S. Location Monument No. 1 bears S. 44°27'25" E. 7556.36 ft.

Thence N. 43°45' W.

300. To S. center end of lode line of original location, a pine post 2 x 4 ins. 3 ft. above the ground, in mound of earth and stone, scribed S.C.E.-M.Z.16.

600. To Cor. No. 2, identical with Cor. No. 2 Sur. No. 1467A J. G. lode and with Cor. No. 1, Kearsarge and Mineral Zone Notice 15 lodes of this survey, *Corner heretofore described.*

Thence N. 49°15' E.



Feet.

over rolling ground

1500. To Cor. No. 3, identical with Cor. No. 4 Mineral Zone

Notice 15 lode of this survey,

Thence S. 43°45' E.

300. To N. center end of lode line of original location, a pine post, 2 x 4 ins. 3 ft. above the ground, in mound of earth and stone, scribed N.C.E.-M.Z.16.

600. To Cor. No. 4, a pine post, 4 ft. long, 4 ins. square, set 18 ins. in the ground, with mound of stone, scribed 4-2600-M.Z.16.

Thence S. 49°15' W.

774. To Cor. No. 3, Sur. No. 1467 A, Weighel lode, a pine post 4 ins. square, 3 ft. above the ground in mound of earth and stone, scribed 3-1467A.

1500. To Cor. No. 1, the place of beginning.

## LEDGES

The presumed course of the vein or lode lines on the Tick, New Year No. 1, New Year No. 2, Last Turn, Tea Pot and Good Enough lodes is from the W. center end of lode line S. 46°17' E. 1500 ft. are

On the Garnash and Hercules lodes they are S. 66°43' E. 1463.2 ft.

On the Sandow it is S. 66°43' E. 1473.12 ft;

On the Owl lode it is S. 66°43' E. 1500 ft;

On the Man Tiger No. 2 lode it is S. 56°19' E. 1296.86 ft;

On the Bull of the Woods and Flux lodes they are S. 43°45' E. 1500 ft;

On the Venus, D.L.V.B., Mineral Zone Notice 15 and Mineral Zone No. 16 the vein extends N. 49°15' E. 1500 ft. from the S. center end of lode line

On the Panama and Kearsarge lodes the vein is N. 49°15' E. 1490 ft, from S. center end, and on the Mineral Zone Notice 14 the vein is N. 49°15' E. 1351.98 ft. from the S. center end of lode line

## AREAS

Total and net area of Tick lode		19.216 acres
Ditto Garnash		20.105
Ditto Hercules		20.152
Total area of Sandow lode	20.289 acres	
Less area in conflict with Sur. No. 1467A, Man Tiger Lode	0.011A	
Less area in conflict with Sur. No. 1467A. Tribunal lode	0.115 0.126	
Net area of Sandow lode	20.163	20.163
Total area of Owl lode	20.659 acres	
Less area in conflict with Sur. No. 1467A ; Man Tiger lode	0.080	
Less area in conflict with Bull of the Woods lode, this survey	0.289 0.369	
Net area of Owl lode	20.290	20.290
Total and net area of Man Tiger No. 2 lode including 1.577 acres in conflict with Bull of the Woods lode, claimed.		10.565
Total and net area of Flux lode		20.633
		<u>131.124</u>



	<u>ACRES</u>
Amount brought forward	131.124
Total area of Bull of the Woods Lode	18,380
Less Area in conflict with Sur No. 1467 A, Mathias & Hall lode	0,866
Less area in conflict with Man Tiger No.2 lode, this survey	<u>1.577 2.443</u>
Net area of Bull of the Woods lode; including 0.289 acres in conflict with Owl lode, claimed,	15.937
Total and net area of New Year No. 1 lode	19.261
ditto New Year No. 2 lode	19.261
ditto East Turn	19.261
ditto Tea Pot	19.261
ditto Good Enough	20.565
Total Area of D.L.V.B. Lode	20.565
Less area in conflict with Panama Lode, this survey	<u>6.845</u>
Net area of D.L.V.B. lode including 0.309 acres in conflict with Venus lode, claimed,	13.720
Total and net area of Panama lode including 6.845 acres in conflict with D.L.V.B. lode, claimed	20.495
Total and net area of Kearsage lode	20.495
Total area of Venus lode	19.969
Less area in conflict with D.L.V.B. lode, this survey	<u>0.309</u>
Net area of Venus lode	19.660
Total and net area of Mineral Zone Notice 14 lode	18.597
ditto Mineral Zone Notice 15 Lode	20.633
ditto Mineral Zone No. 16 Lode	20.633
Net area of survey claimed	<u>378.903</u>

I M P R O V E M E N T S.

I certify that the value of the labor and improvements upon this claim, placed thereon by the claimant and its grantors, is not less than \$10,000.00, and that said improvements consist of:-

	<u>VALUE</u>
<u>On the Tick Lode</u>	
No. 1. Discovery Shaft 4 x 6 ft. 5 ft. deep the center of which bears N. 46° 17' W. 6 ft. from E center end of lode line.	\$30.00
No. 2. Shaft, 4 x 6 ft. 10 ft. deep the center of which bears N. 9° 30' W. 25 ft. from the E. center <sup>end</sup> of lode line.	70.00
A 1/20 interest in all common improvements valued at \$16,060.00	803.00
Total value improvements claimed for Tick Lode	<u>\$903.00</u>

	<u>value</u>
<u>On the Garnash Lode.</u>	
No. 1. Discovery Shaft, 4 x 6 ft 5 ft deep, the center of which bears S. 66° 43' E. 750 ft. from the W. center end of lode line	30.00
No. 2. Shaft, 4 x 6 ft. 26 ft deep, the center of which bears N. 22° W. 800 ft. from Cor. No. 2.	240.00
No. 3. Shaft, 4 x 6 ft. 12 ft. deep, the center of which bears N. 33° 30' W. 1010 feet from Cor No. 2.	100.00
No. 4. Cut, 3 x 4 ft. 12 ft. long, course West, the East end of which bears N. 35° W. 830 ft. from Cor No. 2.	70.00
A 1/20 interest in all common improvements, valued at \$16,060.00	803.00
Total value of improvements claimed for Garnash lode	<u>\$1243.00</u>
Amount carried forward	<u>\$2146.00</u>



Amount brought forward,

\$2146.00

On the Hercules Lode.

No. 1. Discovery Cut, 4 x 6 ft. 9 ft. long, 40.00  
course N. 67°W., the East end of which bears  
S. 66°43' E. 300 ft. from the West end of lode  
line.

No. 2. Inclined Shaft, 4x6 ft. 50 ft. deep, 500.00  
dip 35° N. 12° E., the mouth of which bears N.  
30° W. 770 ft. from Cor. No. 1

No. 3. Hercules Tunnel, 4 x 6 ft. 225.4 ft. 2400.00  
long, course N. 11°30' E. This tunnel is exten-  
ed 53.6 feet into the ground of the Sandow lode  
of this survey; the mouth of which bears N. 25°W.  
570 ft. from Cor. No. 1.

No. 4. Tunnel 4 x 6 ft. 10 ft. long, 80.00  
course N. 12°E., the mouth of which bears N. 20°  
W. 550 ft. from Cor. No. 1.

No. 5. Tunnel, 4 x 6 ft. 25 ft. long, 240.00  
course N. 12°E. the mouth of which bears N.  
10°E. 470 feet from Cor No. 1.

No. 6. Tunnel 4 x 6 ft. 50 ft. long 500.00  
course S. 22°W. the mouth of which bears N.  
60°W. 1410 feet from Cor. No. 1.

A 1/20 interest in all Common Improvements,  
valued at \$16,060.00 803.00

value of No. 3 tunnel Total 4563.00

Less amount distributed as a common improvement 2400.00

Total value improvements claimed for Hercules Lode \$2163.00

On the Sandow Lode.

No. 1. Discovery Shaft, 4 x 6 ft. 6 ft. deep, 40.00  
the mouth of which bears S. 66°43' E. 300 feet  
from W. center end of lode line.

No. 2. Shaft, 4 x 6 ft. 50 ft. deep, the 500.00  
mouth of which bears N. 41°40' W. 655 ft. from  
the E. center end of lode line.

No. 3. Tunnel, 4 x 6 ft. 53.6 ft. long, 600.00  
course N. 11°30' E. at S. 11°30' W. 51 ft. from  
face of tunnel is a Winze 5 x 5 ft. 30 ft. deep, 300.00  
This tunnel is an extension of No. 3 tunnel on  
the Hercules lode.

A 1/20 interest in all Common Improvements,  
valued at \$16,060.00 803.00

value of No. 3 tunnel & winze Total 2243.00

Less amount distributed as a Common Improvement 900.00

Total value improvements claimed for Sandow lode 1343.00

On the Owl Lode.

No. 1. Shaft, 4 x 6 ft. 6 ft. deep; the mouth 30.00  
of which bears S. 66°43' E. 300 ft. from the W.  
center end of lode line.

No. 2. Shaft, 4 x 6 ft. 25 ft. deep, the 230.00  
mouth of which bears N. 73°30' E. 435 ft. from  
Cor. No. 2.

No. 3. Cut 5 x 8 ft. 12 ft. long, course 100.00  
N. 76°E. the West end of which bears S. 78°30' E.  
260 ft. from Cor. No. 2.

No. 4. Cut, 5 x 8 ft. 9 ft. long, course 80.00  
N. 76°E. the West end of which bears S. 75°E.  
270 ft. from Cor. No. 2.

No. 5. Cut, 4 x 6 ft. 16 ft. long, course 110.00  
N. 40°W. the S. E. end of which bears N. 63°13' W,  
490 ft. from Cor. No. 1.

A 1/20 interest in all Common Improvements,  
valued at \$16,060.00 803.00

Total value improvements claimed for Owl lode 1353.00

On the Man Tiger No. 2 Lode.

No. 1. Discovery shaft, 4 x 6 ft. 5 ft. deep 30.00

Amounts carried forward 30.00 7005.00



Amounts brt. forward. 30.00 7005.00  
 the mouth of which bears S. 56°19' E. 300 ft.  
 from the W. center end of lode line.  
 No. 2. Shaft, 4 x 6 ft. 24 ft. deep, the  
 mouth of which bears S. 12°45' W. 240 ft. from 220.00  
 a point on line 3-4 at S. 46°17' E. 171.24 ft.  
 from Cor. No. 3.  
 No. 3. Shaft 4 x 6 ft. 25 ft. deep, 230.00  
 the mouth of which bears S. 28°W. 320 ft. from  
 a point on line 3-4 at S. 46°17' E. 171.24 ft.  
 from Cor. No. 3.  
 No. 4. Tunnel, 4 x 6 ft. 60 ft. long, 600.00  
 course S. 32°E. the mouth of which bears S.  
 32°15'W. 410 ft. from a point on line 3-4 at  
 S. 46°17' E. 171.24 ft. from Cor. No. 3.  
 A 1/20 interest in all Common improve-  
 ments, valued at \$16,060.00 803.00  
 Total value improvements claimed for Man Tiger No. 2 lode 1883.00

On the Bull of the Woods Lode.  
 No. 1. Discovery Shaft, 4 x 6 ft. 5 30.00  
 ft. deep, the center of which bears N.43°45'  
 W. 195 ft. from the E. center end of lode line  
 No. 2. Shaft, 4 x 6 ft. 50 ft. deep, 500.00  
 the mouth of which bears N.82°15' W. 360 ft. from Cor.No.1.  
 No. 3. Tunnel 4 x 6 ft. 15 ft. long, 130.00  
 course S. 50° W. the mouth of which bears N.  
 71° W. 470 ft. from Cor. No. 1.  
 No. 4. Cut 4 x 6 ft. 15 ft. long, course  
 N.50° E. the S.W. end of which bears N.71° W. 100.00  
 470 ft. from Cor. No. 1.  
 No. 5. Tunnel, 4 x 5 ft. 10 ft. long, 90.00  
 course S. 50°W. the mouth of which bears S.  
 30°30' E. 650 ft. from Cor. No. 4.  
 No. 6. Cut, 4 x 5 ft. 10 ft. long, course 70.00  
 N. 50° E. the S.W. end of which bears S.30°30'E.  
 650 ft. from Cor. No. 4.  
 A 1/20 interest in all Common Improve-  
 ments, valued at \$16,060.00 803.00  
 Total value improvements claimed for Bull of the Woods Lode 1723.00

On the Flux Lode.  
 No.1. Discovery Shaft 4 x 6 ft. 8 ft. 50.00  
 deep, the mouth of which bears N. 43°45' W. 500  
 ft. from the E. center end of lode line.  
 No.2. Shaft, two compartment, timbered  
 in hard rock, 4 x 8 ft. 270 ft. deep, the 8100.00  
 mouth of which bears S.70°E.720 ft. from Cor.  
 No.2.  
 No.3. Drift, 4 x 6 ft. 134 ft. long 1340.00  
 course N.E. the mouth of which is at No.2  
 shaft,260 ft. from top of shaft.  
 No.4. Tunnel 4 x 6 ft. 60 ft. long 600.00  
 course S. 81°W. and connects with No. 2 shaft  
 at a point 40 ft. from top of shaft.  
 No. 5. Drill hole, 8 inches diameter,  
 480 ft. deep, which bears S. 71°45' W. 305 ft. 1200.00  
 from Cor. No. 4.  
 No. 6. Drill hole, 8 inches diameter, 590.00  
 295 ft. deep which bears N. 27°30' W. 470 ft.  
 from Cor. No. 1.  
 No. 7. Drill hole, 8 inches diameter, 680.00  
 342 ft. deep, which bears N. 7° E. 655 ft. from  
 Cor. No. 1.  
 No. 8. Drill hole, 8 inches diameter, 910.00  
 365 ft. deep, which bears N.6°15' W. 810 ft.  
 from Cor. No. 1.  
 Amounts carried forward \$13470.00 \$ 10611.00



Amounts Brought Forward	\$13470.00	10611.00
No. 9. Drill hole, 8 inches diameter, 335 ft. deep, which bears S. 63° E. 1005 ft. from Cor.No.2.	670.00	
No.10. Drill Hole, 8 inches diameter, 250 ft. deep, which bears S. 58°30' E. 785 ft. from Cor.No.2.	620.00	
No.11. Drill hole, 8 inches diameter, 297 ft. deep, which bears N. 15°30' W. 900 ft. from Cor.No. 1.	590.00	
No.12. Drill hole, 8 inches diameter, 400 ft. deep, which bears N. 60°45' W. 245 ft. from Cor.No.4.	900.00	
A 1/20 interest in all Common Improvements, valued at \$16,060.00,	803.00	
value of No. 2 shaft & No. 3 Drift & No.4 tunnel	\$17053.00	
Less amount distributed as a Common Improvement	10040.00	
Total value improvements claimed for Flux lode		7013.00
<u>On the New Year No. 1 Lode.</u>		
No. 1: Discovery Cut, 4 x 6 ft. 9 ft. long, course N. 44° E. the center of which bears S. 46°17' E. 750 ft. from the W. center end of the lode line.	30.00	
No. 2. Shaft 4 x 6 ft. 59 ft. deep, the mouth of which bears N.24°15' W. 890 ft. from Cor. No. 1.	590.00	
No. 3. Tunnel 4 x 6 ft. 48 ft. long, course N. 88°30' E., the mouth of which bears S. 74°30' E.710 ft. from Cor. No. 2.	470.00	
No. 4. Tunnel, 4 x 6 ft. 11 ft. long, course N.22°E. the mouth of which bears S.77°15' E. 670 ft. from Cor. No. 2.	80.00	
No. 5. Tunnel, 4 x 6 ft. 45 ft. long, course N.22° E., the mouth of which bears N. 6°30' W. 480 ft. from Cor. No. 1.	430.00	
A 1/20 interest in all Common Improvements, valued at \$16,060.00,	803.00	
Total value improvements claimed for New Year No. 1 lode		2403.00
<u>On the New Year No.2 Lode.</u>		
No. 1. Discovery Cut, 4 x 6 ft. 8 ft. long, course N.44°E. the center of which bears S.46°17' E. 750 ft. from the W. center end of lode line.	40.00	
No. 2. Shaft 4 x 6 ft. 33 ft. deep, the mouth of which bears S. 6°15' W. 460 ft. from Cor. No. 4.	300.00	
No. 3. Cut, 4 x 6 ft. 10 ft. long, course S.70° W. the E. end of which bears S.61°W.85 ft. from Cor. No. 1.	60.00	
No. 4. Cut, 5 x 6 ft. 10 ft. long, course S.70°W. the E. end of which bears S.54° W. 107 ft. from Cor. No. 1.	60.00	
A 1/20 interest in all Common Improvements, valued at \$16,060.00	803.00	
Total value improvements claimed for New Year No.2 lode		1263.00
<u>On the Last Turn Lode.</u>		
No. 1. Discovery Shaft, 4 x 6 ft. 5 ft. deep the mouth of which bears S. 46°17' E. 750 ft. from the W. center end of lode line.	30.00	
No. 2. Shaft, 4 x 6 ft. 47 ft. deep, the mouth of which bears N.36°30' W. 800 ft. from Cor. No. 1.	440.00	
A 1/20 interest in all COMMON Improvements, valued at \$16,060.00	803.00	
Total value improvements claimed for Last Turn lode.		1273.00
<u>On the Tea Pot Lode.</u>		
No. 1. Discovery Shaft, 4 x 6 ft. 5 ft. deep, the mouth of which bears S.46°17' E. 750 ft. from the W. center end of lode line.	30.00	
No. 2. Shaft, 4 x 6 ft. 50 ft. deep, the mouth of which bears N.40°W. 535 ft. from Cor. No. 2.	260.00	
Amounts carried forward	290.00	22563.00



Amounts brought forward	290.00	22563.00
(Tea Pot Lode Cont'd).		
A 1/20 interest in all Common Improvements, valued at \$16,060.00	803.00	-
Total value improvements claimed for Tea Pot Lode		1093.00
On the Good Enough Lode.		
No. 1. Discovery Shaft, 4 x 6 ft. 6 ft. deep the mouth of which bears N.46°17' W. 50 ft. from the East center end of lode line.	35.00	
No. 2. Cut, 3 x 6 ft. 8 ft. long, course S. 1°W. the North end of which bears S. 1°W. 220 ft. from the W. center end of lode line.	35.00	
A 1/20 interest in all Common Improvements, valued at \$16,060.00	803.00	
Total value improvements claimed for Good Enough Lode		873.00
On the D.L.V.B. Lode:		
No. 1. Discovery Shaft, 4 x 6 ft. 6 ft. deep, the mouth of which bears N. 49°15' E. 50 ft. from the South center end of lode line.	40.00	
No. 2. Shaft 4 x 6 ft. 20 ft. deep, the mouth of which bears N. 19°15' W. 120 feet from the S. center end of lode line.	170.00	
No. 3. Shaft, 4 x 6 ft. 5 ft. deep, the mouth of which bears N. 29°15' E. 200 ft. from Cor. No. 1.	30.00	
A 1/20 interest in all Common Improvements, valued at \$16,060.00	803.00	
Total value improvements claimed for D.L.V.B. Lode		1043.00
On the Panama Lode.		
No. 1. Discovery Shaft, 4 x 6 ft. 9 ft. deep the mouth of which bears S.49°15' W. 600 ft. from the N. Center end of lode line.	50.00	
No. 2. Tunnel, 4 x 6 ft. 11 ft. long, course N.62°W. the mouth of which bears S. 72°15' W. 645 ft. from Cor. No. 1.	90.00	
No. 3. Cut, 5 x 9 ft. 20 ft. long, course S. 62°E. the West end of which bears S. 72°15' W. 645 ft. from Cor. No. 1.	110.00	
A 1/20 interest in all Common Improvements, valued at \$16,060.00,	803.00	
Total value improvements claimed for Panama lode		1053.00
On the Kearsage lode:		
No. 1. Discovery Shaft 4 x 6 ft. 10 ft. deep, the mouth of which bears N.49°15' E. 100 ft. from the S. center end of lode line.	60.00	
No. 2. Shaft, 4 x 6 ft. 32 ft. deep, the mouth of which bears N.33° E. 69 ft. from Cor. No.2.	290.00	
A 1/20 interest in all Common Improvements, valued at \$16,060.00	803.00	
Total value improvements claimed for Kearsage Lode.		1153.00
On the Venus Lode.		
No. 1. Discovery Cut, 4 x 7 ft. 11 ft. long, course N.49°15' E. the center of which bears N.49° 15' E. 750 ft. from the S. center end of lode line.	30.00	
A 1/20 interest in all Common Improvements, valued at \$16,060.00	803.00	
Total value improvements claimed for Venus Lode		833.00
Amounts carried forward		28611.00



Amount Brought forward

\$28611.00

On the Mineral Zone Notice 14 Lode.

No. 1. Discovery Shaft, 4 x 6 ft. 7 ft. deep 30.00  
the mouth of which bears N. 49°15' E. 200 ft. from  
the S. center end of lode line.

A 1/20 interest in all Common Improvements,  
valued at \$16,060.00 803.00

Total value improvements claimed for Mineral Zone  
Notice 14 lode, 833.00

On the Mineral Zone Notice 15 Lode.

No. 1. Discovery Shaft, 4 x 6 ft. 7 ft. deep 25.00  
the mouth of which bears S. 49°15' W. 400 ft. from  
the N. end of lode line.

No. 2. Tunnel, 4 x 6 ft. 12 ft. long course 100.00  
S. 16°E. the mouth of which bears S. 24°45' W. 850.  
ft. from Cor. No. 3.

No. 3. Cut 5 x 8 ft. 11 ft. long, course N. 65° 70.00  
E. the W. end of which bears S. 18°W., 670 ft. from  
Cor. No. 3.

No. 4. Tunnel, 4 x 6 ft. 217.4 ft. long, course 2180.00 (Lode  
N. 61°20' W. and is an extension of No. 2 Tunnel on the Mineral Zone No. 1

A 1/20 interest in all Common Improvements,  
valued at \$16,060.00 803.00

value of No. 4 tunnel Total 3178.00

Less amount distributed as a Common Improvem't. 2180.00

Total Value improvements claimed for Mineral  
Zone Notice No. 16 lode, 998.00

On the Mineral Zone No. 16 Lode.

No. 1. Discovery Cut, 8 x 8 ft. 12 ft. long, 35.00  
course S.W. the N. end of which bears S. 49°15' W.  
83 ft. from the N. end of lode line.

No. 2. Tunnel, 4 x 6 ft. 54.6 ft. long 540.00  
course N. 61°20' W. the mouth of which bears S.  
25°05' E. 53.1 ft. from Cor. No. 3.

No. 3. Cut 4 x 7 ft. 25 ft. long 120.00  
course S. 61°20' E. the W. end of which bears S  
25°05' E. 53.1 ft. from Corner No. 3.

A 1/20 interest in all Common Improvements,  
valued at \$16,060.00 803.00

value of No 2 tunnel Total \$1,498.00

Less amount distributed as a Common Improvement 540.00

Total value improvements claimed for Mineral Zone No. 16 lode 958.00

Total value improvements on Sur. No. 2600, \$31,400.00

Of the foregoing described improvements the following  
named developments can be classed as a Common Improvement, viz:

No. 3. Tunnel on the Hercules lode, value 2400.00

No. 3. Tunnel on the Sandow lode, which tunnel is an  
extension of No. 3 Tunnel on the Hercules lode, with Winze 600.00  
from No. 3 Tunnel on Sandow lode, 300.00

No. 2. Shaft on the Flux Lode 8100.00

No. 3. Drift from said Shaft No. 2. 1340.00

No. 4. Tunnel connecting with said Shaft No. 2. 600.00

No. 2. Tunnel on Mineral Zone No. 16 lode 540.00

No. 4. Tunnel on Mineral Zone Notice 15 lode 2180.00

the latter being an extension of No. 2 Tunnel on Mineral  
Zone No. 16 lode,

Total value of Common Improvements \$16,060.00

Therefore \$803.00 from it can be properly credited to each claim in  
the group.

Reference to the map of this group, accompanying these field  
notes will show that the claimant has inaugurated a systematic develop-  
ment of the group as a whole, from three different points, viz: the



Hercules lode, the Flux lode and the Mineral Zone No. 16 lode. The ground embraced in the group rises to the North and West so that it is possible, by means of the tunnels on the Hercules and Mineral Zone No. 16 lodes, and drifts which may be run therefrom, to develop the adjacent lodes, while the shaft on the Flux lode and the workings therefrom will develop the central portion of the group and if desired, drifts may be run to connect with Mineral Zone workings on the North and the Hercules workings on the South, while tunnels and drifts to the West from all three points will undercut large areas inasmuch as the ground rises in that direction. It will thus be possible to continue the work along the lines indicated until the whole group has been thoroughly explored and the existing ore-bodies accurately located by means of such a plan of improvement.

The development of these low-grade ore-bodies over such an area and the handling of the ore therefrom, calls for the most economical method of operation. The purpose of the management has been to first determine the position and area of the ore-bodies and then proceed with such a plan of underground development as will permit the extraction and handling of the ore in the most practical and profitable way. The bed of Mineral Creek is the lowest point on the surface in this district, and the bottom of the ore-bodies, as a rule, is considerably below the level of the creek. The general plan of operations which has been outlined for the survey in question, and for the other property held by the claimant in this district, is the sinking of shafts which will be located centrally with reference to particular ore areas, to a point below the bottom horizon of the ore-bodies. Drifts may then be run long distances in the direction of the different ore-bodies, and thus undercut the ore areas. An extensive system of underground haulage will be required, as there is naturally an advantage in operating as few shafts as possible. Surface railroads are to be run from the different shafts to some central loading station from which the ore will be transported to the reduction works. In some instances, the ore will not be hoisted to the collar of the shaft, but to some tunnel level connecting with the shaft, as is now being done at the Ray shaft of the Ray Consolidated Copper Company, which is operated by the same interests, so that the railroad can have the ore delivered to it at the lowest possible elevation. The more or less hilly condition of the ground will require a very extensive system of underground haulage, but with these central tunnels with shafts and winzes extending below the level of Mineral Creek, it will be possible and feasible for such an underground system to reach to any portion of the company's property. This is the general scheme of operations planned for the claims in this survey. Such methods are in vogue elsewhere on similar types of ore deposits and the work which has been done, or is now being done, is for the purpose of providing such means for the development of the ore-bodies and the handling of the ore therefrom.

#### A D J O I N I N G C L A I M S.

North, Unsurveyed land, Mineral Zone No. 12 and Mineral Zone No. 13 lodes, unsurveyed, the Gila Copper Company, owner.

East, Sur. No. 1467A, the J. G. Weighel, Sharkey, Mathias & Hall, Men Tiger, Tribunal and Deputy lodes, the Ray Consolidated Copper Company, owner, and unsurveyed land, claimants unknown.

South and West, unsurveyed land, claimants unknown.

#### L O C A T I O N.

This survey is situated in Mineral Creek, Mining District, Pinal County, Arizona, in the <sup>approx.</sup> N.E. Part of unsurveyed T.3 S., R 13 E., G. & S. R. B. & M. All corners of this survey are identical with their respective location corners, except as noted. Reference given to bearing objects when available.



Magnetic variation  $14^{\circ}$  East at all corners.

The disagreements between these field notes and the location certificates, and also between these field notes and Sur No. 1467 A, are due to errors in the latter.

I N S T R U M E N T.

This survey was made with a W. & L. E. Gurley mining transit with solar attachment. The courses were deflected from the true meridian as determined by direct solar observations.

Distances were measured with a 300 ft. steel tape.

*Harry V. Wheeler*  
United States Mineral Surveyor.



# FINAL OATHS FOR SURVEYS.

## LIST OF NAMES.

A list of the names of the individuals employed by Harry V. Wheeler

United States Mineral Surveyor, to assist in running, measuring, and marking the lines, corners, and

boundaries described in the foregoing field notes of the survey of the mining claim of Gila

Copper Company, known as the Tick, Garnash, Hercules, Sandow, Owl, Man Tiger No. 2, Bull of the Woods, Flux, New Year No. 1, New Year No. 2, Last Turn, Tea Pot, Good Enough, D.L.V.B., Panama, Kearsage, Venus, Mineral Zone No. 14, Mineral Zone No. 15 and Mineral Zone No. 16 lodes,  
and showing the respective capacities in which they acted.

- Ray M. Hickey ..... Chainman.
- John M. Mac Intyre ..... Chainman.
- ..... Arman.
- ..... Flagman.

## FINAL OATHS OF ASSISTANTS.

We, Ray M. Hickey

and John Mac Intyre ..... do solemnly swear that we assisted Harry V. Wheeler ..... United States Mineral Surveyor, in marking the corners and surveying

the boundaries of the mining claim of Gila Copper Company, known as the Tick, Garnash, Hercules, Sandow, Owl, Man Tiger No. 2, Bull of the Woods, Flux, New Year No. 1, New Year No. 2, Last Turn, Tea Pot, Good Enough, D.L.V.B., Panama, Kearsage, Venus, Mineral Zone No. 14, Mineral Zone No. 15 and Mineral Zone No. 16 lodes,

represented in the foregoing field notes as having been surveyed by said mineral surveyor and under his direction; and that said survey has been in all respects, to the best of our knowledge and belief, faithfully and correctly executed, and the corner and boundary monuments established according to law and the instructions furnished by the United States Surveyor-General for Arizona.

- Ray M. Hickey ..... Chainman.
- John Mac Intyre ..... Chainman.
- ..... Arman.
- ..... Flagman.

Subscribed and sworn to by the above-named persons before me this 9<sup>th</sup>

day of October, 1908.

My Commission expires Feb'y 24<sup>th</sup> 1910

Ernest W. Fennell  
Notary Public



FINAL OATH OF U. S. MINERAL SURVEYOR.

I, Harry V. Wheeler, U. S. Mineral Surveyor,  
do solemnly swear that, in pursuance of instructions received from the United States  
Surveyor General for Arizona, dated  
October 7<sup>th</sup> 1908, I have, in strict conformity to the laws of the  
United States, the official regulations and instructions thereunder, and the instructions  
of said Surveyor General, faithfully and correctly executed the survey of the Mining  
Claim of Gila Copper Company, known as the Tick, Garnash,  
Hercules, Sandow, Owl, Man Tiger No. 2, Bull of the Woods, Flux, New Year No. 1, New  
Year No. 2, Last Turn, Tea Pot, Good Enough, D. S. V. B., Panama, Kearsage, Venus, Mineral  
Zone No. 14, Mineral Zone No. 15 and Mineral Zone No. 16 lodes,  
situate in Mineral Creek Mining District,  
Pinal County, Arizona, in Section  
Approx., Township No. 3 S., Range No. 13 E. G. & S. R. 10 & M., Unsur.  
and designated as Survey No. 2600, as represented  
in the foregoing field notes, which accurately show the boundaries of said mining claim  
as distinctly marked by monuments on the ground, and described in the attached copy  
of the location certificate, which was received by me from the Surveyor General with  
said instructions, and that all the corners of said survey have been established and per-  
petuated in strict accordance with the law, official regulations and instructions there-  
under; and I do further solemnly swear that the foregoing are the true and original  
field notes of said survey and my report therein, and that the labor expended and  
improvements made upon said mining claim by claimant or its grantors  
are as therein fully stated, and that the character, extent, location, and itemized value  
thereof are specified therein with particularity and full detail, and that no portion of  
said labor or improvements so credited to this claim has been included in the estimate  
of expenditures upon any other claim.

Harry V. Wheeler  
U. S. Mineral Surveyor.

Subscribed and sworn to by the said Harry V. Wheeler  
U. S. Mineral Surveyor, before me a Notary Public  
this 9<sup>th</sup>  
day of October, 1908,

Euseb W French  
Notary Public

my commission expires  
July 24<sup>th</sup> 1910



Affidavit of Five Hundred Dollars Improvements.

We, John P. Benue and Edgar M. Stewart

of lawful age, being first duly sworn according to law, depose and say: That we are acquainted with the { Tick, Garnash, Hercules, Sandow, Owl, Man Tiger No. 2, Bull of the Woods, Flux, New Year No. 1, New Year No. 2, Last Sworn, Tea St, Good Enough, D.L.V.B., Panama, Kearsage, Venus, Mineral Zone Notice 14, Mineral Zone No. 15 and Mineral Zone No. 16 Lodes: situate in Mineral Creek Mining district, Pinal County,

Arizona Territory, for which Gila Copper Company

has made application for survey prior to application for patent under the provisions of the act of Congress, approved May 10, 1872; and that the labor done and improvements made thereon by the applicant and its grantors exceed Ten Thousand ~~Five Hundred~~ Dollars in value, and further that we are not personally interested in said mine.

John C. Drine  
Edgar M. Stewart

TERRITORY OF ARIZONA, }  
County of Pinal } ss:

Sworn to and subscribed before me, this 9<sup>th</sup>

day of October, 1908.



Esch W French  
Notary Public

27669b1m2-07

My commission expires  
July 24<sup>th</sup> - 1910



## NOTICE OF MINING LOCATION. LODE CLAIM.

TO ALL WHOM IT MAY CONCERN:

This mining claim, the name of which is the TICK Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purpose of exploration and purchased by Ralph C. <sup>W</sup>Holand, a citizen of the United States the undersigned, on the 22nd day of November 1906.

The length of this claim is 1500 feet, and I claim 1500 feet in a Westerly direction, and <sup>Feet</sup> No. 1 in a Easterly direction from the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with 300 feet in width of the surface grounds, on each side of the center of said claim. The general course of the lode deposit and premises is from the East to the West.

The claim is situated and located in the Mineral Creek Mining District, in Pinal County, in the Territory of Arizona, about one mile in a Westerly direction from Ray Shaft and joins the Giant on the North, the South side line of the Giant being identical with the North side line of Garnash. This ~~claim~~ is a relocation of abandoned ground.

The surface boundaries of the claim are marked upon the ground as follows: Beginning at Stone Mound at a point in a Westerly direction 1500 feet from the discovery shaft (at which this notice is posted), being in the center of the West end line of said claim; thence North 300 feet to a stone mound, being the N. West corner of said claim; thence 1500 ft Easterly to a stone mound at the center of the .... side line of said claim; thence .... feet to a .... being at the North East corner of said claim; thence South 300 feet to a stone mound at the center of the East end of said claim; thence South 300 feet to a stone mound, being at the South East corner of said claim; thence Westerly 1500 feet to a stone mound being at the center of the ..... side line of said claim; thence .... feet to a ..... at the S. West corner of said claim; thence



300 feet to the place of beginning.

All done under the provisions of Chapter Six, of Title XXXII., of the Revised Statutes of the United States, and of an Act of the General Assembly of Arizona, entitled "An Act Concerning Mines," approved March 20th, 1895, and amended March 2d, 1899.

Dated and posted on the ground this 22nd day of November 1906.

Ralph C. Nowland

W. B. Collom, Witness.

---

Filed and recorded at request of E. H. Barton, February 12th, 1907, at 1.05 o'clock P. M.

G. F. Watson, Recorder.

Records of Mines, Book "A " page 255 .



## NOTICE OF MINING LOCATION. LODE CLAIM.

TO ALL WHOM IT MAY CONCERN:

This mining claim, the name of which is the GARNASH Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purpose of exploration and purchased by Ralph C. Howland, a citizen of the United States the undersigned, on the 22nd, day of November 1906. The length of this claim is 1500 feet, and I claim 750 feet in a Easterly direction, and 750 feet in a Westerly direction from the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with 300 feet in width of the surface grounds, on each side of the center of said claim. The general course of the lode deposit and premises is from the Easterly to the Westerly.

The claim is situated and located in the Mineral Creek Mining District, in Pinal County, in the Territory of Arizona, about One Mile in a Westerly direction from the Ray Shaft. This is a relocation of the Manhattan Lode Claim adjoining the Hercules on its ~~the~~ South side line and parallels with same.

The surface boundaries of the claim are marked upon the ground as follows: Beginning at Stone Mound at a point in a Easterly direction 750 feet from the discovery shaft (at which this notice is posted), being in the center of the East end line of said claim; thence South 300 ft feet to a stone mound, being the South East corner of said claim; thence Westerly 1500 feet to a stone mound at the center of the ... side line of said claim; thence ..... feet to a .... being at the South West corner of said claim; thence North ~~300~~ /300 feet to a stone mound at the center of the West end ~~line~~ of said claim; thence North 300 feet to a stone mound, being at the North West corner of said claim; thence East 1500 feet to a stone mound being at the center of the .... side line of said claim; thence .... feet to a .... at the North East corner of said claim; thence 300 feet to the place of beginning.



All done under the provisions of Chapter Six, of Title XXXII., of the Revised Statutes of the United States, and of an Act of the General Assembly of Arizona, entitled "An Act Concerning Mines," approved March 20th, 1895, and amended March 2d, 1899.

Dated and posted on the ground this 22nd day of November, 1906.

Ralph C. Howland.

W. B. Collom, Witness.

---

Filed and recorded at request of E. H. Barton, February 12th 1907, at 1.05 P. M.

G. F. Watson, Recorder.

---

Records of Mines, Book " <sup>A</sup> " Page 258.



## LOCATION NOTICE.

Notice is Hereby Given, that the Hercules Mining Claim, containing mineral-bearing quartz, earth or rock in place located by Issac Opie, citizen of the United States, on this 1st day of Jan. 1903, has been located for mining purposes. Said claim is 1500 feet in length, and we claim 300 feet on each side of the center of discovery shaft, for full length of claim. The general course of this lode, deposit or premises is ~~from the~~ Easterly and Westerly

This claim is situated in Mineral Creek Mining District, Pinal County, Territory of Arizona, about 1 mile in a N. W. direction from Ray Mine and is the West extention of Tribunal Mining Claim owned by Ray Mining Company. This claim was known last year as Yavanaugh claim and shall now be known as the Hercules.

This claim is bounded and marked as follows, to-wit: Beginning at the center end post or monument, being 300 feet West of the center of discovery shaft, upon which ~~this~~ <sup>the</sup> notice is posted; thence 300 feet in a North direction to a post or monument; thence 750 feet in a East direction to a post or monument, at the center of the North side line of ~~said~~ claim; thence 750 feet in a East direction to a post or monument; thence 300 feet in a Southerly direction to a post or monument, being the center end post or monument of East end of said claim and 1200 feet East from the center of ~~the~~ discovery shaft; thence 300 feet in a South direction to a post or monument; thence 750 feet in a West~~erly~~ direction to a post or monument, being the center of the South side line of claim; thence 750 feet in a West direction to a post or monument; thence 300 feet in a North direction to the place of beginning.

Done under and by virtue of the laws of the United States and the laws of the Territory of Arizona.

Frank Gill

Issac Opie,

John McIntee.

Locator.

Filed and recorded at request of John McIntee, on the 7th day of April, A. D. 1903, at 1 P. M.

Thos. G. Peyton, Recorder.  
By E. A. Lonergan, Deputy.

Records of Mines, Book No. 20, pages 324 & 325.



## LOCATION NOTICE.

Notice is Hereby Given, that the Sandow Mining Claim, containing mineral-bearing quartz, earth or rock in place located by Issac Opie, citizen of the United States, on this 1st day of Jan. 1903, has been located for mining purposes. Said claim is 1500 feet in length, and we claim 300 feet on each side of the center of discovery shaft for full length of claim. The general course of this lode, deposit or premises, is Easterly and Westerly. This claim is situated in Mineral Creek Mining District, Pinal County, Territory of Arizona, about 1 mile in a N. Westerly direction from Ray Mine and is West extension of Man Tiger Mine owned by C. A. Heberlein, this claim was known last year as the Innes.

This claim is bounded and marked as follows, to-wit: Beginning at the West center end post or monument, being 300 feet West of the center of discovery shaft upon which the notice is posted; thence 300 feet in a Northerly direction to a post or monument; thence 750 feet in a Easterly direction to a post or monument at the center of the North side line of claim; thence 750 feet in a Easterly direction to a post or monument; thence 300 feet in a Southerly direction to a post or monument, being the center end post or monument of East end of said claim and 1300 feet East from the center of discovery shaft; thence 300 feet in a Southerly direction to a post or monument; thence 750 feet in a Westerly direction to a post or monument, being the center of the South side line of claim; thence 750 feet in a Westerly direction to a post or monument; thence 300 feet in a Northerly direction to the place of beginning. Done under and by virtue of the laws of the United States, and the laws of the Territory of Arizona.

Frank Gill

Issac Opie,

John McIntee.

Locator.

Filed and recorded at request of John McIntee, on the 7th day of April, A. D. 1903, at 1 P. M.

Thos. G. Peyton, Recorder.

By T. A. Lonergan, Deputy.



## LOCATION NOTICE.

Notice is Hereby Given, that the Owl Mining Claim, containing mineral-bearing quartz, earth or rock in place located by Issac Opie, citizen of the United States, on this 1st day of Jan. 1903, has been located for mining purposes. Said claim is 1500 feet in length, and we claim 300 feet on each side of the center of the discovery shaft for full length of claim.

The general course of this lode, deposit or premises is Easterly and Westerly. This claim is situated in Mineral Creek Mining District, Pinal County, Territory of Arizona, about 1 1/2 miles in a N. W. direction from Ray Mine, lays North and parallel with to Sandow. This claim was known last year as Defiance.

This claim is bounded and marked as follows, to-wit: Beginning at the South center end post or monument, being 1200 feet Southeast of the center of the discovery shaft upon which ~~this~~<sup>the</sup> notice is posted; thence 300 feet in a Southerly direction to a post or monument; thence 750 feet in a Westerly direction to a post or monument at the center of the South side line of ~~said~~ claim; thence 750 feet in a Westerly direction to a post or monument; thence 300 feet in a Northerly direction to a post or monument, being the center end post or monument of West end of said claim and 300 feet West from the center of discovery shaft; thence 500 feet in a Northerly direction to a post or monument; thence 750 feet in a Easterly direction to a post or monument, being the center of the North side line of ~~said~~ claim; thence 750 feet in a Easterly direction to a post or monument; thence 300 feet in a Southerly direction to the place of beginning. .

Done under and by virtue of the laws of the United States, and the laws of the Territory of Arizona.

Frank Gill

Issac Opie

John Mc Intee. \_\_\_\_\_

Locator.

Filed and recorded at request of John McIntee, on the 7th day of April, A. D. 1903, at 1, P. M.

Thos. G. Peyton, Recorder.

By T. A. Lonergan, Deputy.

Records of Mines, Book No. 20, pages 323 & 324.



## NOTICE OF MINING LOCATION. LODE CLAIM.

TO ALL WHOM IT MAY CONCERN:

This Mining Claim, the name of which is the MAN TIGER NO.2 Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purpose of exploration and purchased by A. E. Bruce, a citizen of the United States the undersigned, on the 17th day of March 1907. The length of this claim is 1500 feet, and I claim 1200 feet in a S. Easterly direction, and 300 feet in a N. Westerly direction from the center of the discovery shaft, ~~xxxxxx feet~~ at which this notice is posted, lengthwise of the claim, together with 300 feet in width of the surface grounds, on each side of the center of said claim. The general course of the lode deposit and premises is from the S.E. to the N. W.

The claim is situated and located in the Mineral Creek Mining District, in Pinal County, in the Territory of Arizona, about 1 1/2 miles in a N. Westerly direction from Ray Mill. This is a relocation of abandoned property.

The surface boundaries of the claim are marked upon the ground as follows: Beginning at a Stone Mound at a point in a N. Westerly direction 300 feet from the discovery shaft (at which this notice is posted), being in the center of the N. W. end line of said claim; thence 300 feet to a stone Mound, being the N. Westerly corner of said claim; thence 1500 feet to a Stone Mound at the center of the .... side line of said claim; thence .... feet to a ...., being at the S. Westerly corner of said claim; thence 300 feet to a Stone Mound at the center of the S. E. end of said claim; thence 300 feet to a Stone Mound, being at the S. East corner of said claim; thence 1500 feet to a Stone Mound being at the center of the .... side line of said claim; thence .... feet to a .... at the N. East corner of said claim; thence 300 feet to the place of beginning.



All done under the provisions of Chapter Six, of Title XXXII., of the Revised Statutes of the United States, and of an Act of the General Assembly of the Arizona, entitled "An Act Concerning Mines," approved March 20th, 1895,<sup>and</sup> amended March 2d, 1899.

Dated and posted on the ground this 17th day of March 1907.

A. E. Bruce

H. H. Barton, Witness.

---

Filed and recorded at request of Lloyd W. Bassett, April 4th, 1907, at 9 o'clock, A. M.

G. F. Watson, Recorder.

---

Records of Mines, Book " A " Page 416.



## AMENDED

## NOTICE OF MINING LOCATION. LODE CLAIM.

TO ALL WHOM IT MAY CONCERN:

This Mining Claim, the name of which is the "Bull of the Woods" Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purposes of exploration and purchased by the Gila Copper Company, the undersigned, on the 4th day of August, 1908.

The length of this claim is 1500. feet, and we claim 175. feet in a South-east direction and 1325. feet in a North-west direction from the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with 300 feet in width of the surface grounds, on each side of the center of said claim. The general course of the lode deposit and premises is from the South-east to the North-west.

The claim is situated and located in the Mineral Creek Mining District, in Pinal County, in the Territory of Arizona, about 1 1/4 miles in a North-west direction from old Ray Mill, and joins the Flux lode on the N. E. and the Man Tiger No. 2 lode on the S. W. and is a relocation of abandoned property.

The surface boundaries of the claim are marked upon the ground as follows: Beginning at a post in mound of stones at a point in a South-easterly direction 175. feet from the discovery shaft (at which this notice is posted), being in the center of the S. E. end line of said claim; thence N. 49° 15' E. 300 feet to a post at the S. W. Cor. of Flux lode, being the South-east corner of said claim; thence N. 43° 45' W. 1500 feet to a post, being at the North-east corner of said claim; thence S. 49° 15' W. 300. feet to a post at the center of the N. W. end of said claim; thence S. 49° 15' W. 300. feet to a post, being at the North-west corner of said claim; thence S. 43° 45' E. 1500. feet to a post at the South-west corner of said claim; thence N. 49° 15' East 300. feet to the place of beginning.



All done under the provisions of Chapter Six, of Title XXXII., of the Revised Statutes of the United States, and of an Act of the General Assembly of Arizona, entitled "An Act to Revise and Codify the Laws of the Territory of Arizona," approved March 16, 1901.

This is an Amended Location Notice of the Bull of the Woods Mining Claim, located by W. B. Collom, on the 1st day of January 1904, and recorded in Book 23 of Records of Mines, at page 486, in the office of the County Recorder of the aforesaid County of Pinal to which reference is hereby made, and this Amended Location Notice is made and posted to correct errors in the description in the said original Location Notice.

Dated and posted on the ground this 4th day of August, 1908.

Gila Copper Company

By Philip Wiseman, General Manager.

---

Filed and recorded at request of Philip Wiseman, August 6th A. D. 1908, at 9, o'clock, A. M.

G. F. Watson, Recorder.

---

Records of Mines, Book No.1, Amended. page ~~126~~<sup>124</sup>.



## AMENDED

## NOTICE OF MINING LOCATION. LODE CLAIM.

TO ALL WHOM IT MAY CONCERN:

This Mining Claim, the name of which is the "Flux" Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purposes of exploration and purchased by the Gila Copper Company, the undersigned, on the 4th day of August, 1908. The length of this claim is 1500. feet, and we claim 500. feet, in a South-easterly direction and 1000. feet in a North-westerly direction from the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with 300. feet in width of the surface grounds, on each side of the center of said claim. The general course of the lode deposit and premises is from the South-east to the North-west.

The claim is situated and located in the Mineral Creek Mining District, in ~~the~~ Pinal County, in the Territory of Arizona, about 1 1/4 miles in a North-westerly direction from the old Ray Mill and joins the Sharkey lode on the S. E. and the J. G. lode ~~on~~ Sur. No. 1467 A. on the N. E. and is a relocation of abandoned property.

The surface boundaries of the claim are marked upon the ground as follows: Beginning at post on line 3-4, Sharkey lode Sur. No. 1467 A. at a point in a South-easterly direction 500. feet from the discovery shaft (at which this notice is posted), being in the center of the S. E. end line of said claim; thence N.  $49^{\circ} 15'$  E. 300. feet to a post at Cor. 4 of J. G. lode, being the South-east corner of said claim; thence N.  $43^{\circ} 45'$  W. 1500. feet to a post, being at the North-east corner of said claim; thence S.  $49^{\circ} 15'$  W. 300. feet to a post at the center of the North-west end of said claim; thence S.  $49^{\circ} 15'$  W. 300. feet to a post, being at the North-west corner of said claim; thence S.  $43^{\circ} 45'$  E. 1500. feet to a post at the South-west corner of said claim; thence N.  $49^{\circ} 15'$  E. 300. feet to the place of beginning.



All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of the United States, and of an Act of the General Assembly of Arizona, entitled "An Act to Revise and Codify the Laws of the Territory of Arizona, approved March, 16, 1901.

This is an Amended Location Notice of the Flux Mining Claim, located by Thomas Haley on the 1st day of January 1890, and recorded in Book 12 of Records of Mines, at page 135, in the office of the County Recorder of the aforesaid County of Pinal, to which reference is hereby made, and this Amended Location Notice is made and posted to correct errors in the description in the said original Location Notice.

Dated and posted on the ground this 4th day of August 1908.

Gila Copper Company

By Philip Wiseman, General Manager.

---

Filed and recorded at request of Philip Wiseman, August 6th, A. D. 1908, at 9 o'clock, A. M.

G. F. Watson, Recorder.

---

Records of Mines, Book No.1 AMENDED. page 128.



## AMENDED NOTICE OF MINING LOCATION.

TO ALL WHOM IT MAY CONCERN:

This mining claim the name of which is the New Year No 1. Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purposes of exploration and purchase by C. R. Marquand and T. F. Marquand, citizens of the United States, the undersigned, on the 21st day of March 1907.

The length of this claim is 1500 feet and we claim 750 feet in a south easterly direction and 750 feet in a north-westerly direction from the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with 300 feet in width of the surface grounds, on each side of the center of said claim. The general course of the lode deposit and premises is from the north-west to the south-east. The claim is situated and located in the Mineral Creek Mining District, in Pinal County, in the Territory of Arizona, about 2 miles in a easterly direction from Walnut Springs and is a relocation of abandoned property.

The surface boundaries of the claim are marked upon the ground as follows; Beginning at the northwesterly end of claim at a point in a north-west direction 750 feet from the discovery shaft (at which this notice is posted) being in the center of the northwest end line of said claim; thence 300 feet to a monument, being the northeast corner of said claim; thence 1500 feet to a monument being at the south east corner of said claim; thence 300 feet to a monument at the center of the south east end of said claim; thence 300 feet to a monument being at the south east end of said claim; thence 1500 feet to a monument at the north west corner of said claim; thence 300 feet to the place of beginning.

All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of the United States, and of an Act of the General Assembly of Arizona, entitled "An Act to Revise and Codify the Laws of the Territory of Arizona", approved March 16, 1901.

This is an Amended Location Notice and of the New Year No. 1 Mining Claim, located by C. R. Marquand and T. F. Marquand on the 1st day of January, 1903, and Recorded in Book of Records of Mines, at page.....in



the office of the County Recorder of the aforesaid County of Pinal, to which reference is hereby made, and this Amended Location Notice is made and posted to correct errors in the description in the original Location Notice.

Dated and posted on the ground this 21st day of March, 1907.

C. R. MARQUAND

T. F. MARQUAND

Filed and recorded at request of J. E. O'Connor on the 25th day of March 1907, at minutes past 3 o'clock P. M.

G. F. Watson

Recorder.

---

Book 25 Records of Mines; Page 127.



## NOTICE OF LOCATION.

Notice is hereby given that the (New Year No. 2) Mining claim was located by C. R. Marquand and T. F. Marquand on this first day of January 1903 for mining purposes. Said claim is 1500 feet in length along this vein or deposit of mineral bearing rock in place and 300 feet in width on each side of the center of said vein or deposit from end to end of said claim. The general course of this claim is Southeasterly-Northwesterly, and is situated in the Mineral Creek Mining district, Pinal Co. Arizona about three miles Northwest of the Ray Mining Camp and is on what is known as Copper Canyon and is about two miles East of Walnut Spring.

This claim runs from this discovery monument or stake upon which this notice is posted 750 feet in a Southeasterly direction to the east center end monument or stake and 750 feet in a Northwesterly direction from the aforesaid location monument or stake to the West center end monument or stake and is also marked by two corner monuments or stakes at each end of said claim one on each side of and 300 feet from the center end monuments or stakes making the claim in the form of a parallelogram.

C. R. Marquand.

T. F. Marquand.

Locators.

This claim was known as the Gill claim.

Filed and recorded at request of C. R. Marquand on the 28th day of March A. D. 1903 at 1 o'clock P. M.

Thos. G. Peyton,  
Recorder.

By T. A. Lonergan  
Deputy.



## LOCATION NOTICE.

Notice is Hereby Given, that the Last Turn Mining Claim containing mineral-bearing quartz, earth or rock in place located by Issac Opie, citizen of the United States, on this 1st day of Jan. 1903, has been located for mining purposes. Said claim is 1500 feet in length, and we claim 300 feet on each side of the center of discovery shaft, for full length of claim. The general course of ~~the~~<sup>this</sup> lode, deposit or premises is Easterly and Westerly.

This claim is situated in Mineral Creek Mining District, Pinal County, Territory of Arizona, about 1 3/4 miles in a N. W. direction from Ray Mine and is West extension of Owl Mine, lays North and is parallel to <sup>e</sup> ~~Haka~~ Mine and was known last year as the Oriental. This claim is bounded and marked as follows, to-wit:

Beginning at the center end post or monument, being center end feet 750 S. Easterly of the center of ~~the~~ discovery shaft upon which ~~the~~<sup>the</sup> notice is posted; thence 300 feet in a North Easterly direction to a post or monument; thence 750 feet in a N. W. direction to a post or monument at the center of the N. Easterly side line of claim; thence 750 feet in a North-westerly direction to a post or monument; thence 300 feet in a South westerly direction to a post or monument, being the center end post or monument of N. West end of said claim and 750 feet Southwesterly from the center of discovery shaft; thence 300 feet in a Southerly direction to a post or monument; thence 750 feet in a S. Easterly direction to a post or monument, being the center of South side line of claim; thence 750 feet in a ~~Southerly~~<sup>easterly</sup> direction to a post or monument; thence 300 feet in a N. Easterly direction to the place of beginning. ~~It~~ Done under and by virtue of the laws of the United States, and the laws of the Territory of Arizona.

Frank Gill

Issac Opie,

John McIntee.

Locator.

Filed and recorded at request of J. McIntee, on the 7th day of April, A. D. 1903, at 1 P. M.

Thos. G. Peyton, Recorder.

By T. A. Lonergan, Deputy.



12  
42

AMENDED NOTICE OF MINING LOCATION

LODE CLAIM.

TO ALL WHOM IT MAY CONCERN:

This mining claim, the name of which is the Tea Pot Mining Claim situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purpose of exploration and purchase by Frank Gill, Thos Kavanaugh and D. D. Sullivan, citizens of the United States, the undersigned, on the 12th day of March, 1907,. The length of this claim is 1500 feet, and we claim 750 feet in an easterly direction, and 750 feet in a westerly direction from the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with 300 feet in width of the surface grounds on each side of the center of said claim. The general course of the lode, deposit and premises is from the easterly to the westerly. The claim is situated and located in the Mineral Creek Mining District, in Pinal County, in the Territory of Arizona, about one mile in a northerly direction from the Ray Mill and is a re-location of abandoned property. The surface boundaries of the claim are marked upon the ground as follows:

Beginning at the west center end, at a point in a westerly direction 750 feet from the discovery shaft (at which this notice is posted) being in the center of the west end line of said claim, thence 300 feet to a monument, being the north west corner of said claim; thence 1500 feet to a monument, being at the North-east corner of said claim; thence 300 feet to a monument at the center of the east end of said claim; thence 300 feet to a monument: being at the south west corner of said claim: thence 1500 feet to a monument at the south east corner of said claim: thence 300 feet to the place of beginning.

All done under the provisions of Chapter Six of Title XXXII of the Revised Statutes of the United States, and of an Act of the General Assembly of Arizona, entitled "An Act to Revise and Codify the Laws of the Territory of Arizona, approved March 16, 1901.

This is an Amended Location Notice of the Tea Pot mining claim located by Frank Gill, Thos Kavanaugh and D. D. Sullivan, on the ~~1st day of January, 1905 and recorded in Book 22 of~~

→



1st day of January 1905 and recorded in Book 22 of Records of Mines, at page. 354, in the office of the County Recorder of the aforesaid County Of Pinal, to which reference is hereby made, and this amended Location Notice is made and posted to correct errors in the description in the said original Location Notice.

Dated and posted on the ground this 12th day of March, 1907.

Frank Gill

Thos, Kavanaugh

D. D. Sullivan.

Filed and recorded at request of Charles H. Cutting March 13th 1907 at 1 O'Clock P. M.

G. F. Watson , Recorder.

Records of Mines. Book.. 25 at Pages. 70 and 71.

73



AMENDED

NOTICE OF MINING LOCATION. LODE CLAIM.

TO ALL WHOM IT MAY CONCERN:

This Mining Claim, the name of which is the "Good Enough" Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purposes of exploration and purchased by the Gila Copper Company, the undersigned, on the 4th day of August 1908. The length of this claim is 1500. feet, and we claim 50.feet in a South-east direction and 1450.feet in a North-west direction from the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with 300 feet in width of the surface grounds, on each side of the center of said claim. The general course of the lode deposit and premises is from the South-east to the North-west.

The claim is situated and located in the Mineral Creek Mining District, in Pinal County, in the Territory of Arizona, about 1 1/2 miles in a North-west direction from the Ray Mill and joins the Bull of the Woods lode on the S. E. and the Tea Pot lode on the S. W. and is a relocation of abandoned property.

The surface boundaries of the claim are marked upon the ground as follows: Beginning at a post at a point in a South-east direction 50. feet from the discovery shaft (at which this notice is posted), being in the center of the S. E. end line of said claim; thence N. 49° 15' E. 300. feet to a post, being the South-east corner of said claim; thence N. 46° 17' W. 1500. feet to a post, being at the North-east corner of said claim; thence S. 49° 15' W. 300. feet to a post at the center of the N. W. end of said claim; thence S. 49° 15' W. 300. feet to a post, being at the North-west corner of said claim; thence S. 46° 17' E. 1500. feet to a post at the South-west corner of said claim; thence N. 49° 15' E. 300 feet to the place of beginning.

J →



All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of the United States, and of an Act of the General Assembly of Arizona, entitled "An Act to Revise and Codify the Laws of the Territory of Arizona," approved March, 16, 1901.

This is an Amended Location Notice of the Good Enough Mining Claim, located by Thomas Kavanaugh and W. B. Collom on the 5th day of January 1904, and Recorded in Book 21 of Records of Mines, at page 232, in the office of the County Recorder of the aforesaid County of Pinal, to which reference is hereby made, and this Amended Location Notice is made and posted to correct errors in the description in the said original Location Notice.

Dated and posted on the ground this 4th day of August 1908.

Gila Copper Company

By Philip Wiseman, General Manager.

---

Filed and recorded at request of Philip Wiseman, August 6th, A. D. 1908, at 9 o'clock, A. M.

G. F. Watson, Recorder.

---

Records of Mines, Book No. 1 AMENDED. Page 129.



AMENDED

NOTICE OF MINING LOCATION. LODE CLAIM.

TO ALL WHOM IT MAY CONCERN:

This Mining Claim, the name of which is the "D.L.V.B." Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purposes of exploration and purchased by the Gila Copper Company, the undersigned, on the 4th day of August, 1908. The length of this claim is 1500 feet, and we claim 50 feet in a South-westerly direction and 1450 feet in a North-easterly direction from the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with 300 feet in width of the surface grounds, on each side of the center of said claim. The general course of the lode deposit and premises is from the South-west to the North-east.

The claim is situated and located in the Mineral Creek Mining District, in Pinal County, in the Territory of Arizona, about 1 1/2 miles in a North-west direction from the Ray Mill and joins the Flux lode on the S. E. and the Good Enough lode on the S. W. and is a relocation of abandoned property.

The surface boundaries of the claim are marked upon the ground as follows: Beginning at a post at a point in a South-west direction 50 feet from the discovery shaft (at which this notice is posted), being in the center of the S. W. end line of said claim; thence S. 46° 17' E. 300 feet to a post, being the South-east corner of said claim; thence N. 49° 15' E. 1500 feet to a post, being at the North-east corner of said claim; thence N. 46° 17' W. 300 feet to a post at the center of the N. E. end of said claim; thence N. 46° 17' W. 300 feet to a post, being at the North-west corner of said claim; thence S. 49° 15' W. 1500 feet to a post at the South-west corner of said claim; thence S. 46° 17' E. 300 feet to the place of beginning.

Handwritten initials or mark in the bottom left corner.



All done under the provisions of Chapter Six, of Title XXXIII, of the Revised Statutes of the United States, and of an Act of the General Assembly of Arizona, entitled "An Act to Revise and Codify the Laws of the Territory of Arizona," approved March 16, 1901.

This is an Amended Location Notice of the D. L. V. B. Mining Claim, located by Thomas Kavanaugh and W? B. Collom on the 1st day of January 1904, and recorded in Book 21 of Records of Mines, at page 212, in the office of the County Recorder of the aforesaid County of Pinal, to which reference is hereby made, and this Amended Location Notice is made and posted to correct errors in the description in the said original Location Notice.

Dated and posted on the ground this 4th day of August, 1908.

Gila Copper Company

By Philip Wiseman, General Manager.

---

Filed and recorded at request of Philip Wiseman, August 6th, A? D. 1908, at 9 o'clock, A. M.

G. F. Watson, Recorder.

---

Records of Mines, Book No.1, AMENDED. Page ~~127~~<sup>125</sup>.



AMENDED NOTICE OF MINING LOCATION.

LODE CLAIM.

TO ALL WHOM IT MAY CONCERN:

This Mining Claim the name of which is the Panama, Mining Claim situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purposes of exploration and purchase, by Thos. Kavanaugh, and W. B. Colloem, citizens of the United States, the undersigned, on the 12th day of March, 1907.

The length of this claim is fifteen hundred feet and we claim 600 feet in a N. E. direction and 900 feet in a S. W. direction from the center of the discovery shaft at which this notice is posted, lengthwise of the claim together with three hundred feet in width of the surface grounds, on each side of the center of said claim; The general course of the lode deposit and premises is from the North east to South west. The claim is situated and located in the Mineral Creek Mining District, in Pinal County, in the Territory of Arizona, about 2 miles in a northerly direction from Ray Mill and is bounded on the south by the Kearsage, and on the west by the Flux mining claims, and is a re-locati on of abandoned property.

The surface boundaries of the claim are marked upon the ground as follows: Beginning at the South West center end monuments at a point in a S. W. direction 900 feet from the discovery shaft, ( at which this notice is posted ) being in the center of the S.W. end line of said claim; thence 300 feet to a monument, being the N. W. corner of said claim; thence 1500 feet to a monument, being at the N. E. corner of said claim; thence 300 feet to a monument at the center of the N. E. end of said claim; thence 300 feet to a monument, being at the S. E. corner of said claim; thence 1500 feet to a monument, at the S. W. corner of said claim; thence 300 feet to the place of beginning.

All done under the provisions of Chapter Six of Title XXXII of the Revised Statutes of the United States, and of an Act of the General Assembly of Arizona, entitled " An Act to Revise and Codify the Laws of the Territory of Arizona". approved March 16, 1901 This is an amended location Notice of the Panama Mining Claim, located by Thos. Kavanaugh, and W. B. Colloem on the seventh day of January, 1904. and recorded in Book 21 of records of mines, at page 230, in the office of the County Recorder of Pinal, *State of Arizona* to which reference is hereby made, and this amended Location Notice is made and posted to correct errors in the description in the said original Locati on Notice.

Dated and posted on the ground this 12th day of March, 1907.

Thos. Kavanaugh

W. B. Colloem.

Filed and recorded at request of Charles H. Cutting, March 13th 1907 at 1 O'Clock P. M.

G. F. Watson, Recorder.

Records of Mines. Book. 25 at page. 67 and 68

*State of Arizona*  
*Pinal*



P

## AMENDED NOTICE OF MINING LOCATION.      LODE CLAIM.

P

TO ALL WHOM IT MAY CONCERN:

This mining claim the name of which is the Kearsage mining Claim, situate on lands belonging to the United States, of America, and in which thereare valuable mineral deposits was entered upon and located for the purposes of exploration by Dan Sullivan, Thos Kavanaugh, W. B. Collom, and Frank Gill citizens of the United States, the undersigned on the 12th day of March, 1907. The length of this claim is 1500 feet and we claim 100 feet in a South west direction and 1400 feet in a north east direction from the center of the discovery shaft, at which this notice is posted lengthwise of the claim, together with 300 feet in width of the surface grounds, on each side of the center of said claim;. The general course of the lode deposit and premises is from the North east to the South west. The claim is situated and located in the Mineral Creek Mining District, in Pinal County, in the Territory of Arizona, about two miles in a northerly direction from the Ray Mill and is a re- location of abandoned property. The surface boindaries of the claim are marked upon the ground as follows;

Beginning at the South west center end post at a point in a south west direction 100 feet from the discovery shaft, ( at which this notice is posted ) being in the center of the south west end line of said claim; thence 300 feet to a monument , being the North west corner of said claim ; thence 1500 feet to a monument , being at the north east corner of said claim; thence 300 feet to a monument at the center of the North east end of said claim; thence 300 feet to a monument , being at the South east corner of said claim ; thence 1500 feet to a monument at the South west corner of said claim, thence 300 feet to the place of beginning.

All done under the provisions of Chapter Six of Title XXXII of the Revised Statutes of the United States, and of an Act of the General Assembly of Arizona, entitled " An Act to Revise and Codify the Laws of the Territory of Arizona," approved March 16, 1901.

This is an amended Location Notice of the Kearsage Mining claim located by Dan Sullivan , Thos Kavanaugh, W. B. Collom, and Frank Gill, on the 1st day of January, 1904, and recorded in Book 21 of Records of Mines, at Page, 229, in the office of the County Recorder of the aforesaid County, of Pinal, to which reference is hereby made, and this amended Location Notice is made and posted to correct errors in the description in the said original Location Notice.

Dated and posted on the ground this 12th day of March, 1907.

Dan Sullivan,

Thos. Kavanaugh.

W. B. Collom.

Frank Gill.

Filed and recorded at request of Charles H. Cutting, March 13th, 1907 at 1 O'Clock P. M.

G. F. Watson, Recorder.

Records of Mines. Book 25 at pages. 66 and 67.



## NOTICE OF MINING LOCATION. LODGE CLAIM.

TO ALL WHOM IT MAY CONCERN:

This Mining Claim, the name of which is the VENUS Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purpose of exploration and purchased by Ralph C. Nowland, a citizen of the U. S. the undersigned, on the 21st day of Nov. 1906.

The length of this claim is 1500 feet, and I claim 750 feet in a N. Easterly direction, and 750 feet in a S. Westerly direction from the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with 300 feet in width of the surface grounds, on each side of the center of said claim. The general course of the lode deposit and premises is from the N. E. to the S. W.

This claim is situated and located in the Mineral Creek Mining District, in Pinal County, in the Territory of Arizona, about One Mile in a N. W. direction from Ray Shaft and about one mile S. E. from top of Tea Pot Mt. and adjoins the Pino Claim. This is a relocation of abandoned ground.

The surface boundaries of the claim are marked upon the ground as follows: Beginning at a stone Monument at a point in a N. E. direction 750 feet from the discovery shaft (at which this notice is posted), being in the center of the N. E. end line of said claim; thence 300 feet to a stone Monument, being the N. East corner of said claim; thence S. Westerly 1500 feet to a Stone Monument at the center of the .... side line of said claim; thence .... feet to a ....., being at the S. E. corner of said claim; thence E. W. 300 feet to a stone Monument at the center of the S. W. end of said claim; thence E. W. 300 feet to a stone Monument, being at the S. West corner of said claim; thence N. Easterly 1500 feet to a stone Monument being at the center of the ... side line of said claim; thence ... feet to a ... at the E. W. corner of said claim; thence S. E. 300 feet to the place of beginning.



**MISSING**

**PAGE(S)**



## AMENDED NOTICE OF MINING LOCATION.      LODE CLAIM.

TO ALL WHOM IT MAY CONCERN:

This mining claim, the name of which is the Mineral Zone Notice 14 mining claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purposes of exploration and purchase by Frank Gill and D. D. Sullivan, citizens of the United States. the undersigned on the 12th day of March, 1907.

The length of this claim is 1500 feet. and we claim 1300 feet in a north easterly direction and 200 feet in a south westerly direction from the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with 300 feet in width of the surface grounds, on each side of the center of said claim; The general course of the lode deposit and premises is from the north east to the south west.

The claim is situated and located in the Mineral Creek Mining District, in Pinal County, in the Territory of Arizona, about 2 miles in a northerly direction from the Ray Mill and is a relocation of abandoned property.

The surface boundaries of the claim are marked upon the ground as follows :

Beginning at south west end of claim, at a point in a south west direction 200 feet from the discovery shaft, at which this notice is posted ) being in the center of the south west end line of said claim ; thence 300 feet to a monument, being the south east corner of said claim, thence 1500 feet to a monument being at the north east corner of said claim; thence 300 feet to a monument at the center of the north east end of said claim, thence 300 feet to a monument , being at the north west corner of said claim thence 1500 feet to a monument at the south west corner of said claim; thence 300 feet to the place of beginning.

All done under the provisions of Chapter Six, of Title XXXII of the Revised Statutes of the United States and of an Act of the General Assembly of Arizona, entitled " An Act to Revise and Codify the Laws of the Territory of Arizona, approved March, 16, 1901.

This is an amended Location Notice of the Mineral Zone No. 14, mining claim; located by Frank Gill, and D. D. Sullivan, on the 3rd day of Feb, 1906. and recorded in Book 24 of Records of Mines, at page 129, in the office of the County Recorder of the aforesaid County of Pinal to which reference is hereby made, and this amended Location Notice is made and posted to correct errors in the description in the said original location notice.

Dated and posted on the ground this 12th day of March, 1907.

Frank Gill

D. D. Sullivan.

Filed and recorded at request of Charles H. Cutting, March 13th 1907 at 1 O'Clock P. M.

G. F. Watson. Recorder.

Records of Mines Book 25 at page. 88 and 89.

27



AMENDED NOTICE OF MINING LOCATION. LODE CLAIM.

TO ALL WHOM IT MAY CONCERN:

is

This mining claim the name of which is the MINERAL ZONE NOTICE 15 mining claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purposes of exploration and purchase by Frank Gill and D.D.Sullivan citizens of the United States, the undersigned, on the 12th day of March 1907.

The length of this claim is 1500 feet, and we claim 1100 feet in a southwesterly direction and 100 feet in a northeasterly direction from the center of the discovery shaft, at which this notice is posted, length wise of the claim, together with 300 feet in width of the surface grounds on each side of the center of said claim. The general course of the lode deposit and premises is from the southwest to the northeast. The claim is situated and located in the Mineral Creek Mining District, in Pinal County, in the Territory of Arizona, about 2 miles in a northerly direction from the Ray Mill and is a relocation of abandoned property.

The surface boundaries of the claim are marked upon the ground as follows; Beginning at the northeast end of claim, at a point in a north-east direction 100 feet from the discovery shaft (at which this notice is posted) being in the center of the northeast end line of said claim; thence 300 feet to a monument, being at northeast corner of said claim; thence 1500 feet to a monument, being at the southeast corner of said claim; thence 300 feet to a monument at the center of the southwest end of said claim; thence 300 feet to a monument, being at the southwest corner of said claim; thence 1500 feet to a monument at the northwest corner of said claim; thence 300 feet to the place of beginning.

All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of the United States, and of an Act of the General Assembly of Arizona, entitled "An Act to Revise and Codify the Laws of the Territory of Arizona", approved March 16, 1901.

This is Amended Location Notice of the Mineral Zone No. 15 Mining Claim located by Frank Gill and D. D. Sullivan on the 3rd day of Feb. 1906 and recorded in Book 24 of Records of Mines, at page 141, in the office of the County Recorder of the aforesaid County of Pinal to which reference is hereby made, and this Amended Location Notice is made and posted to correct errors in the description of the said original Location Notice.

Dated and posted on the ground this 12th day of March 1907.

Frank Gill  
D.D.Sullivan

Filed and recorded at request of Charles H. Cutting March 13th 1907 at 1 o'clock P.M.

G.F.Watson  
Recorder.

Handwritten marks at the bottom left corner.



## AMENDED NOTICE OF MINING LOCATION. LODE CLAIM.

TO ALL WHOM IT MAY CONCERN:

This mining claim the name of which is the MINERAL ZONE NO. 16 Mining Claim, situated on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purposes of exploration and purchase by Frank Gill and D.D. Sullivan citizens of the United States the undersigned, on the 12th day of March 1907.

The length of this claim is 1500 feet and we claim 1460 feet in a southwest direction and 40 feet in a northeast direction from the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with 300 feet in width of the surface grounds, on each side of the center of said claim. The general course of the lode deposit and premises is from the southwest to the northeast. The claim is situated and located in the Mineral Creek Mining District, in Pinal County, in the Territory of Arizona, about 2 miles in a northerly direction from the Ray Mill and is a relocation of abandoned property.

The surface boundaries of the claim are marked upon the ground as follows; Beginning at the northeast end of claim at a point in a northeast direction 40 feet from the discovery shaft (at which this notice is posted) being in the center of the northeast end line of said claim; thence 300 feet to a monument, being the northeast corner of said claim; thence 1500 feet to a monument, being at the southeast corner of said claim; thence 300 feet to a monument at the center of the south-west end of said claim; thence 300 feet to a monument, being at the southwest corner of said claim; thence 1500 feet to a monument at the northwest corner of said claim; thence 300 feet to the place of beginning.

All done under the provisions of Chapter Six, Of Title XXXII, of the Revised Statutes of the United States, and of an Act of the General Assembly of Arizona, entitled "An Act to Revise and Codify the Laws of the Territory of Arizona", approved March 16, 1901.

This is an Amended location notice of Mineral Zone No. 16 Mining Claim, located by Frank Gill and D.D. Sullivan on the 3rd day of Feb. 1906; and recorded of the aforesaid County of Pinal to which reference is hereby made, and this Amended Location Notice is made and posted to correct errors in the description in the said original Location Notice.

Dated and posted on the ground this 12th day of March 1907.

Frank Gill  
D.D. Sullivan

Filed and recorded at request of Charles Cutting March 13th 1907, at 1 o'clock P. M.

G. F. Watson  
Recorder.



Territory of Arizona.

County of Pinal 88

I, G. F. Watson, County Recorder,

In and for the County of Pinal, Territory of Arizona

do hereby certify that the above and foregoing Location

Notices, with their amendments, are full, true, and correct

copies of the originals as the same appear of record, in

this office, as follows: to-wit:

- ✓ Tick, Book A, at page 255.
- ✓ Garnash- Book A, at page 258.
- ✓ Hercules Book 20 at page. 324.
- ~~Hercules. Book B at page. 39~~
- ✓ Sandow Book 10 at page 327.
- ~~Sandow Book B. at page 43~~
- ✓ Owl Book 20 at page 323.
- ~~Owl Book B. at page 45~~
- ✓ Van Tiger Co. 2. Book A, at page 416.
- ~~Bull of the Woods Book 23 at page 4 86.~~
- ~~Bull of the Woods Book 25 at page 63~~
- ✓ Bull of the Woods - Book 1 Amended - at page. 124.
- ~~Bull of the Woods Book B, at page 42~~
- Flux. Book 12 at page. 135
- Flux - Book 1 amended at page 22.
- ✓ Flux. Book 1 amended at page 128.
- ~~New Year No. 1 Book 20 at page 297.~~
- ✓ New Year No. 1 Book 25 at page 127
- ✓ New Year No. 2 Book 20 at page 297.
- ✓ East Turn Book 20 at page 325.
- ~~East Turn Book B. at page. 44.~~
- ~~See Pat Book 22 at page 354.~~
- ✓ Tee Pat Book 25 at page 70
- ~~See Pat Book B. at page. 40~~
- ~~Good Enough-Book 21 at page 231.~~
- ~~Good Enough - Book 25 at page 71~~
- ✓ Good Enough- Book-1 Amended page 129
- ~~D. L. V. B. - Book 21 at page. 212.~~
- ~~D. L. V. B. Book 25 at page. 65.~~
- ~~D. L. V. B. Book 25 at page. 65.~~
- ✓ D. L. V. B. Book 1 amended at page. 125
- ~~Panama Book 21 at page 236~~
- ✓ Panama Book 25 at page 67
- ~~Hearage - Book 21 at page 229~~
- ✓ Hearage Book 25 at page 66.
- ✓ Venus. Book A. at page. 257.
- ~~Mineral Zone Book 24 at page 139 ( mineral zone No. 14)~~
- ✓ Mineral Zone No. 14 Book-- 25 at page. 88 and 89
- ~~Mineral Zone No. 15 - Book 24 at page. 141~~
- ✓ Mineral Zone- No. 15 Book- 25 at page. 90
- ~~Mineral Zone No. 16 - Book 24 at page. 142.~~
- ✓ Mineral Zone- No. 16- Book 25 at page. 91.

Witness my hand and seal of office this the Fourth day of  
September, A. D. 1908.

Recorder..... *G. F. Watson* .....



4-688.

## U. S. SURVEYOR-GENERAL'S FINAL CERTIFICATE ON FIELD NOTES.

**Department of the Interior,**

OFFICE OF U. S. SURVEYOR-GENERAL,

Phoenix, Arizona,

February 26, 1909.

I, U. S. Surveyor-General for District of Arizona

do hereby certify that the foregoing transcript of the Field Notes, return and approval of the survey of the mining claim of Gila Copper Company, known as the Tick, Garnash, Hercules, Sandow, Owl, Man Tiger No. 2, Bull of the Woods, Flux, New Year No. 1, New Year No. 2, Last Turn, Tea Pot, Good Enough, D.L.V.B., Panama, Kearsage,, Venus, Mineral Zone Notice 14, Mineral Zone known as the Notice 15 and Mineral Zone No. 16 situate in Mineral Creek

Mining District, Pinal County, Arizona (Unsur. in Section APPROX., Township No. 3 S., Range No. 13 E. G. & S. R. B. & M. designated as Survey No. 2600, has been correctly copied from the originals on file in

this office; that said Field Notes furnish such an accurate description of said mining claim as will, if incorporated into a patent, serve fully to identify the premises, and that such reference is made therein to natural objects or permanent monuments as will perpetuate and fix the *locus* thereof.

And I further certify that <sup>not less than</sup> five hundred dollars' worth of labor has been expended or improvements made upon <sup>or for each of</sup> said mining claims <sup>by claimant or its</sup> grantors, and that said improvements consist of 32 shafts, 17 cuts, 14 tunnels, 8 drill holes, 1 winze, and 1 drift, total value \$31,400.00. No. 3 tunnel on the Hercules lode, value \$2400, No. 3 tunnel and winze on the Sandow lode, value \$900, No. 2 shaft, No. 3 drift, and No. 4 tunnel on the Flux lode, value \$10040, No. 2 tunnel on the Mineral Zone No. 16 lode, value \$540, and No. 4 tunnel on Mineral Zone Notice 15 lode, value \$2180, total value \$16060, form the basis of a system of underground development for this entire group of twenty claims, and a 1/20 interest in the value thereof, or \$803, is therefore properly credited to each lode claim in this survey.

and that no portion of said labor or improvements has been included in the estimate of expenditures upon any other claim.

I further certify that the plat thereof, filed in the U. S. Land Office at Phoenix,

Arizona is correct and in conformity with the foregoing Field Notes.

Frank S. Ingalls,

United States Surveyor-General for Arizona.



4-687.

SURVEYOR-GENERAL'S CERTIFICATE OF APPROVAL OF FIELD NOTES AND SURVEY OF MINING CLAIM.

Department of the Interior,

OFFICE OF U. S. SURVEYOR-GENERAL,

Phoenix, Arizona

February 26, 1902.

I, U. S. Surveyor-General for District of Arizona

do hereby certify that the foregoing and hereto attached Field Notes and Return of the Survey of the

Mining Claim of Gila Copper Company, known as the Tick, Garnash, Hercules, Sandow, Owl, Man Tiger No. 2, Bull of the Woods, Flux, New Year No. 1, New Year No. 2, Last Turn, Tea Pot, Good Enough, D.L.V.B., Panama, Kearsage, Venus, Mineral Zone Notice 14, Mineral Zone Notice 15, and Mineral Zone No. 16.

known as the

situate in Mineral Creek mining district,

Pinal County, Arizona

in Section Approx, Township No. 3 S., Range No. 13 E., G. & S. S.R.B. & M., Unsur. 2600, designated as Survey No.

executed by Harry V. Wheeler, U. S. Deputy Mineral

Surveyor, October 7-9, 1902, under my instructions dated

October 7, 1902, have been critically examined and the necessary cor-

rections and explanations made, and the said Field Notes and Return, and the Survey they describe,

are hereby approved. A true copy of the copy of the location certificate filed by the applicant for

survey is included in the field notes.

Frank A. Ingalls

U. S. Surveyor-General for Arizona