

M
S
.

0

2

6

0

7

UNITED STATES DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT
ARIZONA STATE OFFICE

9605 (942)
M.S. 2607

NOTICE OF CANCELLATION OF MINERAL SURVEY

The Winchester lode, Mineral Survey 2607, located in section 17, T. 19 S., R. 25 E., Gila and Salt River Meridian, Arizona, is hereby cancelled.

This claim has not been filed with the Arizona State Office, Bureau of Land Management, in accordance with Section 314 of 43 U.S.C. 1744.

This cancellation was necessitated by a need to prepare a supplemental plat requested by the Branch of Lands and Minerals Operations.

January 21, 1988



Chief Cadastral Surveyor of Arizona

102
v

MAR 2

platted

4-683.

MINERAL SURVEY No. 2607

LOT No.

Arizona Land District.

FIELD NOTES

OF THE SURVEY OF THE MINING CLAIM OF

Leadville Mining Company
and Wm Holmes

KNOWN AS THE

Winchester

Turquoise Mining District,

Cochise County, Arizona

Section Apprx, Township 19S, Range 25E unmon

Surveyed under instructions dated March, 1909

by John A. Powell
U. S. Mineral Surveyor.

Claim located See location notice, 1909

Survey commenced March 17, 1909

Survey completed March 18, 1909

Address; 6-822

Pickett & Bowman
Attorneys for Claimants
Tombstone
Ariz.

Handwritten mark

WINCHESTER LODE

FEET

Beginning at corner No. 1, the N. E. Cor. of location, originally a post in a mound of stone set by me. At present date the Mexico & Colorado R.R. is grading for a new road at this point and has removed corner of location. The point falls in rock cut at northerly side of cut. Reestablished said Cor. temporarily.

Whence:

U.S.L.M. No. 1319 brs. N 73° 40' E. 865.8

As cut is not completed and no permanent Cor. can be maintained, established a witness Cor.

S. 63° 57' 30" W. 16.75 ft. Set a lime stone 24x12 x10 ins 12 ins. in ground. Chisel a cross (x) for the exact point and W. C. 1-2607 W.

Thence: (from true Cor.) S. 34° 26' E. Va. 13' 10' E.

145.0 Center of road brs. N.N. W.&S. S. E.

640.0 Center of road brs. N.W.&S.E.

945.0 Witness Cor. to Cor. No. 2, a pine post 4 ins. square, 3 ft. above the ground, in a mound of stone, scribed W. C.-2- 2607 W.

980.2 To true Cor. ^{for Cor No 2} identical with location which falls in center of gulch 16 ft. wide, course E. S. E., once a mound of stone. Said Cor. also identical with S. W. Cor. CYCLONE LODE unsurveyed

Whence:

Witness Cor. to Cor. No. 4 TINHORN LODE
Sur. No. 1610 brs. S. 46° 10' W. 6.4 ft.

A cross (x) and B. R. 2-2607 chiselled on limestone face south bank of gulch brs. N. 79° 23' W. 48.15
No other bearings available.

Thence N. 46° 10' E. Va. 13' 10' E

9.4 To Cor. No. 3 identical with location and with true Cor. No. 4 TINHORN LODE Sur. No. 1610, once a mound of stone; the point falls in center of gulch

Whence:

Witness Cor. brs. S. $32^{\circ} 47'$ E. 30.0 ft., a pine post 4 ins. square, 3 ft. above ground, in mound of stone scribed W. C. 3-2607 W.

A cross (x) and B. R. (no space for more) chiselled on a quartzite rock exposing $16 \times 6 \times 2$ ins. brs. S. $6^{\circ} 01'$ E. 29.6

Thence: (from true Cor.)

S. $32^{\circ} 47'$ E. Va. 13' 10" E.

30.0 Witness Cor.

146.2 To Cor. No. 4 identical with location, also with Cor. ^{N.} Sur. No. 2608 Western Belle Lode, pine post 4 ins. square 3 ft. above ground, in mound of stone scribed 4- 2607 W.

Whence:

U.S.L.M. 1319 brs. N. $9^{\circ} 16'$ E.

^{nearby}
No bearings available.

Thence: S. $63^{\circ} 57' 30''$ W. Va. 12' 35" E.

32.1 S. Center End, a pine post 4 ins. square $3\text{-}1/2$ ft. above ground in mound of stone scribed S. C. E.-W. 2607

94.8 Post in mound of stone, scribed N. C. E. -W. B.

154.8 To Cor. No. 5, identical with location, and with Cor. Nos. 1-2-5 Sur. No. 2608, LEADVILLE, NORTHERN LIGHT & WESTERN BELLE LODS, a pine post 4 ins. square $3\text{-}1/2$ ft. above ground in mound of stone, scribed 1-2-5 2608 NL on W. face, NEC-L on S. face, NWC-WB on E. face 5-2607 W on N face.

Whence:

U.S.L.M. ^{N^o} 1319 brs. N. ^{N 14 56 E} ~~OR~~ 56 E.

No nearby bearings available.

Thence N. $27^{\circ} 49'$ W Va. 12' 35" E. within the

A

Cochise ^{County} Arizona. The presumed course of the lode is ~~north~~
N. 53° 06' W. 1120.5 ft. from the south center end to the
north center end.

ADJOINING CLAIMS

On the east CYCLONE LODE, unsurveyed, Paul B Warnekros claimant, and TINHORN LODE Sur. No. 1610, Martin Costello claimant. On the south, the WESTERN BELLE LODE, SUR. No. 2608, and on the west, the NORTHERN LIGHT LODE, Sur. No. 2608, both claimed by LEADVILLE MINING CO.

EXPENDITURE OF FIVE HUNDRED DOLLARS.

I certify that the value of the labor and improvements on this claim, placed thereon by the claimant or his grantors, is not less than five hundred dollars and that said improvement consist of:-

From the south center end,

N^o 1. Discovery shaft, the center of which bear N. 34° 30' W. 70 ft., 5x7 ft., 5 ft. deep (caved, formerly deeper).

Value at \$8.00 per ft. 40.00

N^o 2. An open working the center of the west end of which bears N. 35° 30' W. 94 ft., 21.5 ft. long by 5 ft. wide, 8 ft. deep at west end, 5 ft. deep at east end, course N. 65° E.

Value at \$24 per ft. 156.00

N^o 3. A cut and tunnel, the mouth of the cut bears N. 29° 50' W 141 ft., 7 ft. wide, 24 ft. to portal of tunnel, 3 ft. tunnel, course S.W. Value of cut 100.00

Value of tunnel \$10 per ft. 30.00

N^o 4. An open cut the center of the mouth of which bears N. 37° 40' W. 423 ft., 13 ft wide, 25 ft. long, course N. 55° E.

Value total 150.00

From Cor. No. 5

N^o 5. A shaft the center of which bears N. 2° W. 27.5 ft,

4 x6 ft., 12 ft. deep.

Value at \$8.00 per ft. 96.00

From Cor. No. 3

N^o 6. A shaft the center of which bears S.28° E. 56 ft.

Shaft now 8 ft. deep, formerly deeper (caved).

6 x 4 ft

Value 50.00

622.00

-OTHER IMPROVEMENTS-

A frame building the S.E. Cor. of which bears from the S. Center End N. 32° 20' W. 373ft. Building 12 x16 ft. course of long side approximately N. 20° W.

-INSTRUMENT-

This survey was made with a Young & Sons Mountain transit provided with a Smith Solar attachment. The angles were turned from true meridian as determined by direct solar observation. The distances were measured with 500 ft. and 50 ft. steel tapes.

Courtland, Arizona,

March 19, 1909.

John A. Rockwell
U. S. Mineral Surveyor.

FINAL OATHS FOR SURVEYS.

LIST OF NAMES.

A list of the names of the individuals employed by John A. Ross
 United States Mineral Surveyor, to assist in running, measuring, and marking the lines, corners, and
 boundaries described in the foregoing field notes of the survey of the mining claim of _____
Leadville Mining Co and Wm Holmes
 known as the Winchester
 and showing the respective capacities in which they acted.

John T. Ritchie, Chainman.
 _____, Chainman.
 _____, Axman.
 _____, Flagman.

FINAL OATHS OF ASSISTANTS.

John T. Ritchie
 and _____, do solemnly swear that we assisted John A. Ross
 _____, United States Mineral Surveyor, in marking the corners and surveying
 the boundaries of the mining claim of Leadville Mining Co
and Wm Holmes
 known as the Winchester
 represented in the foregoing field notes as having been surveyed by said mineral surveyor and under his
 direction; and that said survey has been in all respects, to the best of our knowledge and belief, faithfully
 and correctly executed, and the corner and boundary monuments established according to law and the instruc-
 tions furnished by the United States Surveyor-General for Arizona

John T. Ritchie, Chainman.
 _____, Chainman.
 _____, Axman.
 _____, Flagman.

Subscribed and sworn to by the above-named persons before me this 19
 day of March, 1909

John A. Ross
 Notary Public
 My Commission expires Mar 14 1911

4-686.

FINAL OATH OF U. S. MINERAL SURVEYOR.

I, John A Rockfellow, U. S. Mineral Surveyor, do solemnly swear that, in pursuance of instructions received from the United States Surveyor General for Arizona, dated Mar 6 1909, I have, in strict conformity to the laws of the United States, the official regulations and instructions thereunder, and the instructions of said Surveyor General, faithfully and correctly executed the survey of the Mining Claim of Leadville Mining Co and New Holmes, known as the Winchester, situate in Tuquoise Mining District, Cochise County, Ariz, in ~~Section~~ Approx, Township No. 19S, Range No. 25E unsurveyed and designated as Survey No. 2607, as represented in the foregoing field notes, which accurately show the boundaries of said mining claim as distinctly marked by monuments on the ground, and described in the attached copy of the location certificate, which was received by me from the Surveyor General with said instructions, and that all the corners of said survey have been established and perpetuated in strict accordance with the law, official regulations and instructions thereunder; and I do further solemnly swear that the foregoing are the true and original field notes of said survey and my report therein, and that the labor expended and improvements made upon said mining claim by claimant or their grantors are as therein fully stated, and that the character, extent, location, and itemized value thereof are specified therein with particularity and full detail, and that no portion of said labor or improvements so credited to this claim has been included in the estimate of expenditures upon any other claim.

John A Rockfellow
U. S. Mineral Surveyor.

Subscribed and sworn to by the said John A Rockfellow
U. S. Mineral Surveyor, before me J W Cahell
this 1909
day of March, 1909

J W Cahell
Notary Public

6-1044
my commission expires
Sept 10 1912.

Affidavit of Five Hundred Dollars Improvements.

We, J. W. Dougherty, and P. B. Karnes
of lawful age, being first duly sworn according to law, depose and say: That we
are acquainted with the Winchester mining claim,
situate in Turquoise Mining district, Cochise County,
Arizona Territory, for which Leadville Mining
Company William Holmes
have made application for survey prior to application for patent under the provisions
of the Act of Congress, approved May 10, 1872; and that the labor done and improve-
ments made thereon by the applicant... and this grantor... exceed Five Hundred
Dollars in value, and further that we are not personally interested in said mine.

J. W. Dougherty
P. B. Karnes

TERRITORY OF ARIZONA,
County of Cochise } ss:

Sworn to and subscribed before me, this 1st

day of Feb, 1909



69861500-2-03

John A. Peoples
Notary Public
My Commission expires Mar 14 1911

AMENDED

Notice of Mining Location

10

LODE CLAIM

To All Whom It May Concern:

This Mining Claim, the name of which is the Winchester Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purposes of exploration and purchase by The Leadville Mining Company and William Holmes, Citizens of the U. S.

(Locator must insert either "a citizen of the United States," or, "who has declared his intention to become a citizen of the United States.")

the undersigned, on the 22 day of April 1901.

The length of this claim is 1120 feet, and we claim 70 feet, in a southeasterly direction and 1050 feet in a northwesterly direction from the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with 300 feet in width of the surface grounds, on each side of the center of said claim. The general course of the lode deposit and premises is from the S. E. to the N. W.

The claim is situated and located in the Surquoise Mining District, in Cochise County, in the Territory of Arizona, about in the Leadville Camp direction from From the N.E. Corner U. S. Location Monument No. 1319 bears N. 73° 40' E. - 365.8 ft. It is bounded on the east by the cyclone lode surveyed and the Linholm lode survey No.

The surface boundaries of the claim are marked upon the ground as follows: Beginning at a post in a mound of stone

at a point in a South easterly direction 700 feet from the discovery shaft (at which this notice is posted), being in the center of the South end line of said claim; thence S 63° 57' 30" W. 1227 feet to a post in a mound of stone, being the S. W. corner of said claim; thence N. 27° 49' - 1112.55 feet to a stone and monument being at the N. W. corner of said claim; thence N. 63° 57' 30" E. 194 feet to a mound of stone at the center of the North end of said claim; thence same course 0.7 feet to a mound of stone, being at the N. E. corner of said claim; thence S. 34° 26' E. 980.2 feet to a mound of stone, at the Quale corner of said claim; thence N. 46° 10' E. 194 feet to a mound of stone thence S 32° 47' E 146.2 ft. to a post in a mound of stone - thence S 63° 57' 30" W. 32.1 ft. to place of

All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of the United States, and of an Act of the General Assembly of Arizona, entitled "An Act to Revise and Codify the Laws of the Territory of Arizona," approved March 16, 1901.

This is an Amended Location Notice of the Winchester Mining Claim, located by Wm Holmes & C. H. Brandon

on the 22 day of April 1901, and recorded in Book 15 of Records of Mines, at

page 329 in the office of the County Recorder of the aforesaid County of Cochise to which reference is hereby made, and this Amended Location Notice is made and posted to correct errors in the description in the said original Location Notice.

Dated and posted on the ground this 22 day of February 1909

J. A. Pook
Witness

Leadville Mining Co.
ad Wm Holmes
President

TERRITORY OF ARIZONA,
County of.....COCHISE.....} ss.

I,.....*Edmond*.....

....., County Recorder in and for the County and Territory aforesaid, do hereby certify that the within instrument was filed for record at.....11:20.....o'clock,.....*A*.....M., on this.....day of.....**FEB 26 1909**.....190..., and duly recorded in Book No.....*43* of.....**MINING**.....Records of.....**COCHISE**.....County, Arizona, at pages.....*289*.....

WITNESS my hand and official seal the day and year first above written.

.....*Edmond*.....
County Recorder.

Edmond
1837

AMENDED
Notice of Location.
LODE CLAIM.

Dated.....190.....

Filed and Recorded at request of

J.A. Rockefeller

FEB 26 1909 A. D. 190.....


at.....11:20.....*A*.....M.

Book *43* Record of *Mining*

Pages *289*

.....*Edmond*.....
County Recorder.

By.....
Deputy Recorder.



This diagram is to give locator a general idea of plan of location under the new law. The Discovery Shaft can be in the center of claim or any distance from either end desired. In the diagram it is placed 500 feet from one end and 1000 feet from the other. Commence description of claim at a center end monument, giving its distance and direction from center of Discovery Shaft; thence bound the claim in either direction. In description be careful to state locality of claim with reference to some natural object, or permanent monument, as will identify the claim.

U. S. SURVEYOR-GENERAL'S FINAL CERTIFICATE ON FIELD NOTES.

Department of the Interior,

OFFICE OF U. S. SURVEYOR-GENERAL,

Phoenix, Arizona,

May 26, 1909.

I, U. S. Surveyor-General for District of Arizona

do hereby certify that the foregoing transcript of the Field Notes, return and approval of the survey of the mining claim of

LEADVILLE MINING COMPANY & WM. HOLMES

known as the WINCHESTER

situate in TURQUOISE

Mining District, COCHISE County, ARIZONA

in Section APPROX., Township No. 19 S., Range No. 25 E.; Unsur., and

designated as Survey No. 2607, has been correctly copied from the originals on file in this office; that said Field Notes furnish such an accurate description of said mining claim as will, if incorporated into a patent, serve fully to identify the premises, and that such reference is made therein to natural objects or permanent monuments as will perpetuate and fix the locus thereof.

And I further certify that five hundred dollars' worth of labor has been expended or improvements made upon said mining claim by claimant or their grantors, and that said improvements consist of 3 shafts, 2 cuts and 1 cut and tunnel, total value, \$622.00

and that no portion of said labor or improvements has been included in the estimate of expenditures upon any other claim.

I further certify that the plat thereof, filed in the U. S. Land Office at Phoenix,

Arizona is correct and in conformity with the foregoing Field Notes.

Frank S. Ingalls,

United States Surveyor-General for Arizona.

SURVEYOR-GENERAL'S CERTIFICATE OF APPROVAL OF FIELD NOTES AND SURVEY OF MINING CLAIM.

Department of the Interior,

Office of U. S. Surveyor-General,

Phoenix, Arizona,

May 26, 1909.

I, U. S. Surveyor-General for District of Arizona.

do hereby certify that the foregoing and hereto attached Field Notes and Return of the Survey of the Mining Claim of

LEADVILLE MINING COMPANY AND WM. HOLMES

, known as the

WINCHESTER

situate in TURQUOISE Mining District,

COCHISE

County,

ARIZONA

in Section APPROX., Township No. 19 S., Range No. 25 E., Unsur.

, designated as Survey No. 2607

executed by John A. Rockfellow, U. S. Deputy Mineral

Surveyor, March 17-18, 1909, under my instructions dated

March 6, 1909, have been critically examined and the necessary

corrections and explanations made, and the said Field Notes and Return, and the Survey they describe,

are hereby approved. A true copy of the copy of the location certificate filed by the applicant for

survey is included in the field notes.

Handwritten signature of Mark S. Lyman

U. S. Surveyor-General for Arizona.

hange
Map