

M
S

0

2

6

1

3

MAY 19 1909

JUL 5 1909

*Plotted
1/20/09*

4-683.

MINERAL SURVEY No. 2613

LOT No.

Arizona Land District.

FIELD NOTES

OF THE SURVEY OF THE MINING CLAIM OF

Mrs Annie York

KNOWN AS THE

McKibby ^{Mine} and Great Carbonate ^{Mine}
Tombstone Mining District,

Cochise County, Arizona

Section 13, Township 20 N, Range 22 E

Surveyed under instructions dated Dec 11, 1908

by John A. Rockwell
U. S. Mineral Surveyor.

Claim located See Notes, 19

Survey commenced March 2, 1909

Survey completed March 8, 1909

6-822

Attorneys for Claimant,
Cummingham & Riggs
Tombstone
Ariz.

Beginning at Cor. No. 1. the N.E. Cor. of location, A monument of stone ;Set a pine Post, 4 ins. sq. $3\frac{1}{2}$ ft. long 8 ins. in ground ~~To~~ bed rock in a mound of stone, scribed N E C-M 1- 2613

Whence:

The $\frac{1}{4}$ sec. cor. on the East boundary of sec. 13 Tp. 20 S R 22 E, G & S R M., a rock chiseled $\frac{1}{4}$ on W side and witnessed by a mound of stone, bears N $40^{\circ}36'$ E 1312.9 ft.

A cross (x) and B R 1-2613 chiseled on a limestone 18x14x4 ins. brs. N $64^{\circ}31'$ E 22.3 ft.

A cross(x) and B R 1-2613 chiseled on a limestone 36x20x6 ins. brs. S $25^{\circ}22'$ E 17.35 ft.

Thence: S $18^{\circ}50'$ W Va. $12^{\circ}50'$ E.

290.0 East center end ;Set a pine post 4 ins. sq. $3\frac{1}{2}$ ft. long 8 ins. in ground to bedrock, in a mound of stone scribed, E C E-M.

Whence: center end of location a monument of stone brs. N $80^{\circ}03'$ E 2.9 ft.

574.7 To Cor. No. 2. Set a pine post 4 ins. sq. $3\frac{1}{2}$ ft. long 6 ins. in the ground to bedrock, in a mound of stone, scribed S E C- M 2-2613.

Whence: Cor. of location a mound of stone brs. N $79^{\circ}30'$ E 5.5 ft. A cross(x) and BR. 2-2613 chiseled on a limestone 14x10x3 ins. brs. N $24^{\circ}25'$ E 10.05 ft.

A cross(x) and B. R. 2-2613 chiseled on a limestone 10x10x4 ins. brs. N $21^{\circ}00'$ W 27.1 ft.

Thence: S $79^{\circ}30'$ W Va. $12^{\circ}50'$ E.

1483 center of gulch 6 ft. wide. course Northerly

1508.05 To Cor. No. 3. identical with location also with Cor. No. 2 Great ^{Mine} Carbonate lode of this survey, a mound of stone. Set a pine post 4 ins. sq. $3\frac{1}{2}$ ft. long 6 ins. in ground to bedrock in a mound of stone, scribed S W C-M S E C-GC 3-2-2613

Whence: A cross(x) and B.R. 3-2-2613 chiseled on a limestone reef bears N $68^{\circ}48'$ E 43.85 ft. No other rock or tree bearings available

A post (old) Scribed PMC No 8 brs N $9^{\circ}11'$ W 6.9 ft.

Thence: N 18°50' E, Va. 12°50' E,

to

301.3 West center end identical with location also with E center end Great Carbonate ^{Mine} lode of this survey, a mound of stone 4 ft. base 3 ft. high,

340.0 center of gulch 6 ft. wide course northerly,

567.9 To Cor. No. 4. identical with location and with Cor. NO. 1.

Great Carbonate ^{Mine} lode of this survey,

a monument of stone; set a pine post 4 ins. sq. 3½ ft. long 7 ins. in ground to bedrock in a mound of stone, scribed N W C - M, E C - G C 4-1-2613,

Whence: A cross (x) and B.R. 4-1-2613 chiseled on a lime stone 36x24x4 ins. brs. S 13°32' W 26.7 ft.

A cross (x) and B.R. 4-1-2613 chiseled on a limestone 48x24x8 ins. brs. S 25°53' E 43.2 ft. A 2x4 post in a mound of stone brs. N 9°30' W 4.0 ft.

U.S. Mineral monument No. 1 of Tombstone dist. brs. N 54°44' 30" W 5509.7 ft.

Thence N 79°16'30" E Va. 12°50' E

1511.4 To Cor. NO. 1. the place of beginning,

Great Carbonate ^{Mine} lode, Beginning at Cor. No. 1. the NE Cor. of location and identical with Cor. No. 4. McKinly ^{Mine} lode of this survey here to fore described

Whence: the 1/2 sec. Cor. on the East boundary of Sec. 13 Tp. 20 S, R. 22 E, G & SRM brs. N 61°21' E 2665.8 ft.

Thence S 18°50' W, Va. 12°50' E, along line 3-4 McKinly ^{Mine} lode

266.6 East center end monument identical with location and with West center end McKinly ^{Mine} lode of this survey and here to fore described ;

567.9 To Cor. No. 2. identical with location and with Cor. No. 3.

McKinly ^{Mine} lode and here to fore described ,

Thence: N 83°24' W Va. 12°50' E,

458.3 To Cor. No. 3. identical with location

Q mound of stone; Set a pine post 4 ins. sq. $3\frac{1}{2}$ ft. long
4 ins. in ground to bed rock in a mound of stone,
scribed S.W.C.-GC 3-2613,

Whence:

A cross (x) and B.R. 3-2613 chiseled on limestone bed
rock brs. S $50^{\circ}13'$ W 10.05 ft.

A cross (x) B.R. 3-2613 chiseled on limestone bedrock,
brs. N $1^{\circ}24'$ W 6.1 ft. W 1/100

A 2x4 post in a mound of stone brs. S $89^{\circ}47'$ E 28.0 ft.

A post in a mound of stone scribed R.B.E.C. No. 3.

brs. N $49^{\circ}00'$ W 3.4 ft. for Rainbow lode Sur No 817

Thence: N $12^{\circ}45'$ E Va $12^{\circ}50'$ E,

284.4 To Cor. No. 4. identical with location a mound of stone,

Set a pine post 4 ins. sq. $3\frac{1}{2}$ ft. ^{long} in the ground to bed
rock in a mound of stone, Scribed W.C.E.-G.C. 4-2613

Whence a cross (x) and B.R. 4-2613 chiseled on limestone
bedrock brs. S $76^{\circ}21'$ W 9.7 ft.

A cross (x) and B.R. 4-2613 chiseled on lime stone
bedrock brs. N $2^{\circ}47'$ E 32.8 ft.

Thence: N $18^{\circ}50'$ E Va. $12^{\circ}50'$ E.

306.9 To Cor. No. 5. Set pine post 4 ins. sq. $3\frac{1}{2}$ ft. long
6 ins. in the ground to bed rock in a mound of stone
scribed N.W.C.-C.C. 5-2613.

Whence:

Location Cor. a mound of stone, brs. N $82^{\circ}20'$ W 53.3 ft.
U.S.M.M. No. 1 Tombstone District, brs. N $45^{\circ}26'$ W. 4250.9 ft.
No stone or tree bearings available,

Thence: S $82^{\circ}20'$ E Va. $12^{\circ}50'$ E

1460 center of gulch 6 ft. wide, course northerly,

1483.6 TO Cor. No. 1. the place of beginning.

area:	Mine	Acres
McKinly	lode	17.243
Great Carbonate	lode	19.348
Total area lode claims		36.591

LOCATION

This survey is located in Sec. 13 Tp. 20 S.R. 22/E
G & S, R. M., in Tombstone mining district Cochise County
Arizona.

The presumed course of the lode is as follows

On the McKinly ^{Mine} $N 80^{\circ} 03' E$ 1500 ft. from west center end
to east center end,

On the Great Carbonate ^{Mine} $N 85^{\circ} 51' W$ 1491.9 ft. from east
center end to west center end,

adjoining claims unknown,

Expenditure of five hundred dollars,

I certify that the value of the labor and improvements made
upon, or for the benefit of, each of the location embraced in
said mining claim by the claimant or his grantors is not
less than five hundred dollars,

and that said improvements consist of:

On the McKinly Mine

From West Center End.

No. 1. Discovery shaft the center of which bears $N 85^{\circ} 20' E$
46.5 ft. shaft incline dip southerly, 6x4 ft. 100
ft. deep (more or less) from which are run drifts and
cross cuts, shafts not now safe for exploration.

Value of work performed by claimant (See affidavit
of James Young attached) more than

\$3000.00

No. 2. A shaft the center of which bears $S 85^{\circ} 30' E$ 178 ft.
shaft 6x4 ft. 8 ft. deep (Caved) Value

\$65.00

No. 3. A shaft the center of which bears $S 74^{\circ} 50' E$ 197
ft. shaft 6x5 ft. 10 ft. deep. Value

\$100.00

No. 4. A shaft the center of which bears $S 73^{\circ} 00' E$ 237
ft. shaft 6x4 ft. 10 ft. deep. Value

\$100.00

On the Great Carbonate Mine

From the West Center End.

No.1. Discovery. Shaft the center of which the North side of which brs. S $83^{\circ}05'E$. 18 ft. Shaft 6x4 ft 5 ft. deep (Caved) Value	\$30.00
No.2. A Shaft the North side of which brs. $72^{\circ}00'E$ 47.5 ft. Shaft 6x4 ft. 8 ft. deep (Caved) Value	\$70.00
No.3. A cut the center of face of which brs. $74^{\circ}07'E$ 387 ft. cut 20 ft. long 4 ft. wide 8 ft. face/course of cut westerly. Value	\$30.00
No.4. From East Center End	
No.4. An open cut the mouth of which brs. $N 18^{\circ}00'E$ 27 ft. Course of cut westerly. Cut 12x4 ft. 10 ft. face, Value	\$70.00
No.5. A Shaft the center of which brs. $68^{\circ}45' W$ 138 ft. Shaft 6x6x10 ft. Value	\$110.00
No.6. A Shaft the center of which brs. $S 89^{\circ}45'W$ 274 ft. Shaft 6x4 ft. 8 ft. deep (Caved) Value	\$75.00
No.7. A Shaft the center of which brs. $89^{\circ}15'W$ 249 ft. Shaft 6x4 ft. 10 ft. deep. Value	\$100.00

Each surface stripping along ledge, difficult to distinguish from work ^{of} same character done by former locators.

Others Improvements

Mine
On the McKinly lode

An old shaft brs. from West center end $89^{\circ}59'E$ 126 ft. Shaft 6x4 ft. of ~~considerable~~ considerable depth not in condition to be explored. Claimant unknown

Mine

On The Great Carbonate ^{Mine} lode

From East Center End.

A Shaft the center of which brs. S 80° 03' W 118 ft. Shaft 6x4 ft. 24 ft. deep.

✓ A Shaft the cenetr of which brs. N 81° 13' W ~~422~~ ft. 493 ft. Shaft 6x4 ft. 40 ft. deep

✓ A Shaft the center of which brs. N 83° 24' W 609 ft Shaft 6x4 ft. 35 ft. deep

From West Center End .

A Shaft the center of which brs. S 78° 20' E 716 ft. Shaft 6x4 ft. 10 ft. deep

Much stripping along ledge.

All of the above work is old having been done by former locators . Claimants unknown.

INSTRUMENT

This survey was made with a Young & Sons Mountain Transit No. 6855. Provided with Smith Solar attachment , The courses were deflected from the true meridian as determined by direct Solar observations , The distances were measured with 500 ft. and 50 ft. steel tapes.

The disagreement between these field notes and the location notice of the Great Carbonate ^{Mine} is explained by the fact that the claim was originally staked off too long and when measured was cut off at west end.

The McKinley ^{Mine} lode is said to cover a portion of the ground once claimed as the Omega lode Surt No 827 not patented. No posts are now standing belonging to Surt. No 827. Tombstone Arizona .

May, 17, 1909.

*John A. Rockefeller
U.S. Mineral Survey*

Territory of Arizona,)
 :S.S.

County of Cochise))

James Young first being duly sworn desposes and says that he resides in Tombstone ,Arizona, is a miner, and prospector by occupation, that he knew the late James York, whose widow has made application for survey of the McKinly and Great Carbonate lode claim^m that he is familiar with these claims; that the discovery shaft on the McKinly lode was sunk to a considerable depth by former owners whose location was abandoned; that the said James York continued to work in the shaft extending the shaft and drifts; working himself several months and that the value of the labor performed by him in the shaft alone exceeds three hundred dollars.

James Young

Sworn and subscribed to before me this 17 day of May 1909.

My commission expires March 14, 1911

John A. Roosevelt

Notary Public

FINAL OATHS FOR SURVEYS.

LIST OF NAMES.

A list of the names of the individuals employed by John A. Rockfellow
United States Mineral Surveyor, to assist in running, measuring, and marking the lines, corners, and
boundaries described in the foregoing field notes of the survey of the mining claim of _____

known as the Mrs Annie York Mine
McKinley and Great Carbonate Mine
and showing the respective capacities in which they acted.

J. N. Slack , Chainman.
..... , Chainman.
..... , Axman.
..... , Flagman.

FINAL OATHS OF ASSISTANTS.

~~We~~, I, J. N. Slack
....., do solemnly swear that I assisted John A. Rockfellow
....., United States Mineral Surveyor, in marking the corners and surveying
the boundaries of the mining claim of Mrs Annie York

known as the McKinley Mine and Great Carbonate Mine
represented in the foregoing field notes as having been surveyed by said mineral surveyor and under his
direction; and that said survey has been in all respects, to the best of our knowledge and belief, faithfully
and correctly executed, and the corner and boundary monuments established according to law and the instruc-
tions furnished by the United States Surveyor-General for Arizona

J. N. Slack , Chainman.
..... , Chainman.
..... , Axman.
..... , Flagman.

Subscribed and sworn to by the above-named persons before me this 29

day of May, 1909

My Commission
expires Mar 14 1911

John A. Rockfellow
Notary Public

FINAL OATH OF U. S. MINERAL SURVEYOR.


I, John A. Rockefeller, U. S. Mineral Surveyor,
do solemnly swear that, in pursuance of instructions received from the United States
Surveyor General for Arizona, dated
Dec 11 1908, I have, in strict conformity to the laws of the
United States, the official regulations and instructions thereunder, and the instructions
of said Surveyor General, faithfully and correctly executed the survey of the Mining
Claim of Mrs Annie York
, known as the
McKinley^{Mine} and Great Carbonate^{Mine},
situate in Tombstone Mining District,
Cochise County, Arizona, in Section
13, Township No. 20 N, Range No. 2 R E,
and designated as Survey No. 2613, as represented
in the foregoing field notes, which accurately show the boundaries of said mining claim
as distinctly marked by monuments on the ground, and described in the attached copy
of the location certificate, which was received by me from the Surveyor General with
said instructions, and that all the corners of said survey have been established and per-
petuated in strict accordance with the law, official regulations and instructions there-
under; and I do further solemnly swear that the foregoing are the true and original
field notes of said survey and my report therein, and that the labor expended and
improvements made upon said mining claim by claimant or her grantors
are as therein fully stated, and that the character, extent, location, and itemized value
thereof are specified therein with particularity and full detail, and that no portion of
said labor or improvements so credited to this claim has been included in the estimate
of expenditures upon any other claim.

John A. Rockefeller
U. S. Mineral Surveyor.

Subscribed and sworn to by the said John A. Rockefeller
U. S. Mineral Surveyor, before me S. L. Rockefeller
this seventeenth
day of May, 1909

S. L. Rockefeller
Notary Public

My commission
expire Oct 15 1912



Affidavit of Five Hundred Dollars Improvements.

We, James Young and Wm Tomlinson

of lawful age, being first duly sworn according to law, depose and say: That we are

acquainted with the Mc Ainley ^{Mine} & Great Carbonate ^{Mine} mining claim,

situate in Tombstone Mining district, Cochise County,

Arizona Territory, for which Mrs Annie York

has made application for survey prior to application for patent under the provisions of the act of Congress, approved May 10, 1872; and that the labor done and improvements made thereon by the applicant and his grantors exceed Five Hundred Dollars in value, ~~for each location~~ and further that we are not personally interested in said mine.

Wm Tomlinson

James Young

TERRITORY OF ARIZONA,

County of Cochise } ss:

Sworn to and subscribed before me, this 17

day of May, 1909



John A. Rappaport

Notary Public

27689b1m2-07

My Commission expires Mar 14 1911

NOTICE OF MINING LOCATION.

Quartz Claim.

TO ALL WHOM IT MAY CONCERN:

This mining claim, the name of which is the McKinly Mine mining claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purpose of exploration and purchase by Gams York and Luiss lombardi the undersigned, on the 6 day of April 1901.

The length of this claim is 1500 feet, and we claim 1450 feet in a East direction and 50 feet in a westn direction from the center of the discovery shaft, at which this notice is posted, lengthwise of the claim together with 300 feet in width of the surface grounds, on each side of the center of said claim. The general course of the lode deposit and premises is from the East to the West.

The claim is situtated and located in the Tombstone Mining District, in Cochise County, in the Territory of Arizona, about 2 mile in a South East direction from Tombstone Scoll House.

The surface boundaries of the claim are marked upon the ground as follows: Beginning at at a point in a West direction 50 feet from the discovery shaft(at which this notice is posted), being in the center of the west end line of said claim; thence 300 feet to a monument of stone, being the south west corner of said claim; thence 1500 feet to a monument of stone, being at the South East corner of said claim; thence 300 feet to a monument of stone at the center of the Eastn end of claim; thence 300 feet to a monument of stone, being at the North East corner of said claim; thence 1500 feet to a monument of stone at the North West corner of said claim; thence 300 feet to the place of beginning.

All done under the provisions of Chapter Six(6) of Title XXXII, of the Revised Statutes of the United States, and of an Act of the General Assembly of Arizona, entitled "An Act to Codify and Revise the laws of the Territory of Arizona" approved March 16th 1901.

Witness by Frank Payla

James York
Luiss lombardi

Filed and recorded at request of Luiss Lombardi, July 5th A D 1901, at 3:30 P. M. Book 19 Record of Mines at page 155.

NOTICE OF MINING LOCATION.

Quartz Claim.

TO ALL WHOM IT MAY CONCERN.

This mining claim, the name of which is the Great Carbonate Mine, Mining Claim, situate on lands belonging to the United States of America and in which there are valuable mineral deposits, was entered upon and located for the purpose of exploration and purchase by James York and Luis Lombardi the undersigned, on the 6 day of ---1901.

The length of this claim is 1500 feet, and we claim 100 feet in a westn direction and 1400 feet in a East direction from the center of the discovery shaft, at which this notice is posted, lengthwise of the claim together with 300 feet in width of the surface grounds, on each side of the center of said claim. The general course of the lode deposit and premises is from the Eastn to the West.

The claim is situated and located in the Tombstone Mining District, in Cochise County, in the Territory of Arizona, about 2 mile in a South direction from Tombstone Scoll House.

The surface boundaries of the claim are marked upon the ground as follows: Beginning at at a point in a West direction 100 feet from the discovery shaft (at which this notice is posted), being in the center of the westn end line of said claim; thence 300 feet to a monument of stone, being the Southwest corner of said claim; thence 1500 feet to a monument of stone, being at the South Eastn corner of said claim; thence 300 feet to a monument of stone at the center of the East end of said claim; thence 300 feet to a monument of stone, being at the North East corner of said claim; thence 1500 feet to a monument of stone at the North West corner of said claim; thence 300 feet to the place of beginning.

All done under the provisions of Chapter Six (6) of Title XXXII, of the Revised Statutes of the United States, and of an Act of the General Assembly of Arizona, entitled "An Act to Codify and Revise the Laws of the Territory of Arizona", approved March 16th, 1901.

Dated and Posted on the ground this 6th day of April, 1901.

Witness by Frank Payla

Jam York
Luis Lombardi

Filed and recorded at request of Luis Lombardi, July 5th A. D. 1901, at 3:30 P. M. Book 19 Record of Mines at page 154.

TERRITORY OF ARIZONA)
)ss.
 County of Cochise)

I, G. A. McDonald, County Recorder, in and for the County and Territory aforesaid, do hereby certify that I have compared the annexed and foregoing copies ^{with} of the original location notices of the Great Carbonate Mine and McKinley Mine, filed for record in my office on the Fifth day of July A D 1901, and recorded at pages 154 and 155 respectively of Book 19 Record of Mines, and that the same are full, true and correct copies of the same and of the whole thereof.

Given under my hand and seal of office this 28th day of November A. D 1908.

G. A. McDonald
 --- County Recorder. ---

154
 ↓

4-688.

U. S. SURVEYOR-GENERAL'S FINAL CERTIFICATE ON FIELD NOTES.

Department of the Interior,

OFFICE OF U. S. SURVEYOR-GENERAL,

Phoenix, Arizona,

July 28, 1909.

I, U. S. Surveyor-General for District of Arizona

do hereby certify that the foregoing transcript of the Field Notes, return and approval of the survey of the mining claim of

Mrs. Annie York

known as the McKinly Mine and Great Carbonate Mine.

situate in Tombstone

Mining District, Cochise County, Arizona.

in Section 13, Township No. 20 S., Range No. 22 E, and

designated as Survey No. 2613, has been correctly copied from the originals on file in

this office; that said Field Notes furnish such an accurate description of said mining claim as will, if incorporated into a patent, serve fully to identify the premises, and that such reference is made therein to natural objects or permanent monuments as will perpetuate and fix the locus thereof.

And I further certify that five hundred dollars' worth of labor has been expended or improvements made upon each of said mining claims by claimant or her grantors, and that said improvements consist of 9 shafts, 2 cuts, and workings, total value \$1100.00

and that no portion of said labor or improvements has been included in the estimate of expenditures upon any other claim.

I further certify that the plat thereof, filed in the U. S. Land Office at Phoenix, Arizona is correct and in conformity with the foregoing Field Notes.

Frank S. Ingalls,

United States Surveyor-General for Arizona.

4-687.

SURVEYOR-GENERAL'S CERTIFICATE OF APPROVAL OF FIELD
NOTES AND SURVEY OF MINING CLAIM.

Department of the Interior,

OFFICE OF U. S. SURVEYOR-GENERAL,

Phoenix, Arizona.

July 28, 1909.

I, U. S. Surveyor-General for District of Arizona,

do hereby certify that the foregoing and hereto attached Field Notes and Return of the Survey of the
Mining Claim of

Mrs. Annie York

, known as the

McKinly Mine and Great Carbonate Mine.

situate in Tombstone mining district,

Cochise County, Arizona.

in Section 13, Township No. 20 S., Range No. 22 E.

, designated as Survey No. 2613.

executed by John A. Rockfellow, U. S. Deputy Mineral


Surveyor, March 2-8, 1909, under my instructions dated

Dec. 11, 1908, have been critically examined and the necessary cor-

rections and explanations made, and the said Field Notes and Return, and the Survey they describe,

are hereby approved. A true copy of the copy of the location certificate filed by the applicant for

survey is included in the field notes.



U. S. Surveyor-General for Arizona.

Large
Map