

*Plotted
m. s. d.*

MAY 15 1909

5061-6 IMP

4-683.

MINERAL SURVEY No. 2623

LOT No. _____

Arizona Land District.

FIELD NOTES

OF THE SURVEY OF THE MINING CLAIM OF

John Taylor and O. L. Lewis

KNOWN AS THE

Silver Peak, Tom Boy, ^{Dike} Smelter and ^{Dike} Dixie Queen
Turquoise Mining District,

Cochise County, Arizona

Section Approx., Township 19 S, Range 25 E unsurveyed

Surveyed under instructions dated Feb 8, 1909

by John A. Roeschman
U. S. Mineral Surveyor.

Claim located See Notices, 19

Survey commenced April 27, 1909

Survey completed April 30, 1909

6-822

Address of Claimants Attorneys
Hedreth and Thompson
Phoenix Ariz.

SURVEY NO. 2623
SILVER PEAK LODGE.

Feet

Beginning at Cor. No. 1, the N. W. corner of location, a pine post 4 ins. sq., 3 1/2 feet above ground, in a mound of stone, marked in paint N W C S P, scribe 1-2623 S P.

Whence: U. S. Location Monument No. 1319 bears S. 80° 43' W. 3006.0 ft.

A cross (X) and B R 1-2623 chiselled on a limestone 24 X 18 X 6 ins. bears S. 72° 28' E. 17.1 ft.

A cross (X) and B. R. 1-2623 chiselled on a limestone 60 X 50 X 24 ins. brs. S. 21° 01' E. 10.95 ft.

Thence N. 76° 43' E. Var. 13° 15' E.

300 N. center end, ^{identical with location} a pine post 4 ins. sq., 3 1/2 ft. above ground; in a mound of stone, marked N. C. E. S. P.; scribe 2623 S. P.

425 Wagon road bears S. W. & N. E.

600 To Cor. No. 2, identical with location; a pine post 4 ins. sq., 4 ft. long, in a mound of stone marked N. E. C. S. P.. Post not firm, reverse ends and set 8 ins. in ground to bed rock, in a mound of stone; scribe N.E.C. S.P., and as this corner is identical with Cor. No. 1, Tom Boy lode of this survey N.W.C. T. B. ~~2~~-2623

Whence A cross (X) and B. R. 2-1-2623 chiselled on a limestone 20 X 15 X 2 ins. brs. S. 83° 26' W. 34.4 ft.

A cross (X) and B. R. 2-1-2623 chiselled on a limestone 48 X 24 X 2 ins. brs. S. 7° 33' E. 33.45 ft.

On the N. in same monument are two posts (2 X 4) marked in pencil respectively "S.E.C. of Scorpion" and "S.W.C. of Montez."

Thence S. 9° 45' E. Var. 13° 10' E.

(2)

Feet	
696	Center of wagon road brs. W. S. W. and E. N. E.
1498.6	<p>To Cor. No. 3, identical with location, a pine post 4 ins. sq.; 4 ft. long, in a mound of stone marked S.E.C. S. P. Not firm; reverse ends, set 4 ins. in ground to bed rock in a mound of stone; scribe S.E.C.- S.P., and as this corner is identical with Cor. No. 4, Tom Boy lode of this survey S.W.C. - T.B. 3-4-2623</p> <p>Whence: A cross (X) and B.R. 3-4-2623, chiseled on a limestone reef brs. N. 54° 55' W. 35.95 ft.</p> <p>A cross (X) and B. R. 3-4-2623 chiseled on a limestone reef brs. S. 35° 00' W. 23.45 ft.</p> <p>Thence S 76° 43' W. Var. 13° 10' E.</p>
101	N. center end Smugler lode of this survey
300	<p>S. center end, identical with location, a pine post 4 ins./sq., 3 1/2 ft. above ground, marked in paint S.C.E. S. P.; scribe 2623 S.P.</p>
401	N. W. Cor. (No. 1) Smugler lode of this survey
528	Center of wagon road brs: N. W. & S. E.
600	<p>To Cor. No. 4, identical with location, a pine post 4 ins. sq, 3 1/2 ft. above ground, in a mound of stone, marked in paint S.W.C. S.P., scribe 4-2623 S.P.</p> <p>Whence, Cor. No. 5 Elgin Lode Sur. No. 546 brs. S. 26° 25' W. 73.85 ft.</p> <p>Cor. No. 3 Maid of Sunshine lode Sur. No. 2587 brs. S. 47° 33' W. 240.7 ft.</p> <p>East center end April Fool lode, unsurveyed, brs. N. 57° 17' E. 60.0 ft.</p> <p>Center of a shaft 6 X 4 X 9.5 ft. brs. S. 43° E. 15.5 ft.</p> <p>A cross (X) and B.R. 4-2623 chiseled on a limestone 30 X 30 X, 6 ins. brs. S. 4° 48' W. 131.55 ft.</p> <p>No other rock or tree bearings available.</p>

	Thence N. 9° 45' W. Var. 13° 10' E.
183	Center of wagon road bears N. N. W. and S. S. E.
402.8	S. E. Cor. of Two Jays lode, unsurveyed, a post in a mound of stone, scribed S.E.C. T. J.
420.8	Cor. No. 4 Comet lode, Sur. No. 2631 A cross (X) and 4-2631 C. chiseled on limestone bed rock.
491.4	S. E. Cor. Triangle No. 2 lode, unsurveyed, a post in a mound of stone, scribed S.E.C. - T. No. 2.
545.5	Center of wagon road brs. S. S. W. and N. N. E.
609.5	Center of wagon road brs. southerly and northerly
940.5	Center of wagon road brs. southerly and northerly
1015.6	Cor. No. 3 Comet lode Survey No. 2631, a post in a mound of stone, scribed [△] Cor C 3-2631
1332.9	Pt. whence N. 80° 15' E. 1.1 ft. S. center end Little Tom lode, unsurveyed, a post in a mound of stone, scribed S.N.C.E. - L. T. From this post S. 32° 52' W. ^{ft.} 0.4 / is post scribed S.W.C. - L.T.; and N. 32° 52' E. ^{ft.} 0.4 / is ^{post scribed S.E.C. - L.T.}
1393	Pt. whence N. 80° 15' E. ^{ft.} 0.3 post scribed S.W.C. - T.
1498.6	To Cor. No. 1, the place of beginning.
	TOM BOY LODE.
	Beginning at Cor. No. 1, identical with location, and with Cor. No. 2 Silver Peak Lode of this Survey, heretofore described,
	Whence U. S. Loc. Monument No. 1319 brs. S. 80° 03' W. 3604.8 ft.
	Thence N. 80° 06' E. Var. 13° 10' E.
300	N. center end, identical with location, a pine post 4 ins. sq., 4 ft. long. Not firm; set 8 ins. in ground to bed rock, in a mound of stone, scribe N.C.E. - T.B. 2623.
599.8	To Cor. No. 2, a pine post 4 ins. sq., 3 1/2 ft. above

(4)

ground, in a mound of stone, scribe N.E.C. - T.B. 2-2623

Whence A cross (X) and B.R. 2-2623 chiseled on a quartzite rock, 14 X 10 X 8 ins., bears S. 0° 21' W. 13.2 ft.

A cross (X) and B.R. 2-2623 chiseled on a quartzite rock, 15 X 4 X 4 ins., brs. N. 74° 51' W. 17.9 ft.

N. W. Cor. Falls lode (unsurveyed), a pine post in mound of stone, scribed N.W.C. - F., bears N. 71° E. 1.85 ft.

On the north in same monument is post 2 X 4, marked in pencil "N.E.C. of Montez."

Thence S. 9° 42' 30" E. Var. 13° 10' E.

414.0 Center of wagon road bears W. S. W. and E. N. E.
1488.96 Line 1-2, Dixie Queen lode of this survey.

1498.5 To Cor. No. 3, set a pine post 4 ins. sq., 6 ins. in ground to bed rock, in a mound of stone, scribed S.E.C.-T.B. 3-2623.

Whence, Cor. of location, a post in a mound of stone bears S. 9° 42' 30" E., 2.7 ft.

A cross (X) and B.R. 3-2623 chiseled on a limestone 48 X 36 X 6 ins. bears S. 3° 10' E. 42.2 ft.

A cross (X) and B. R. 3-2623 chiseled on a limestone 18 X 15 X 12 ins. bears S. 72° 56' W. 31.25 ft.

S. W. Cor. Falls lode, unsurveyed, a post in a mound of stone, scribed S. W. C. - F. bears S. 45° E. 3.2 ft.

Thence; S. 80° 06' W. Var. 13° 10' E.

298.6 S. center end, set a pine post 4 ins. sq., 4 ft. long, 6 ins. in ground, to bed rock, in a mound of stone, scribed S.C.E. - T.B. 2623

Whence S.C.E. of location ^{a post in a mound of stone} brs. S. 9° 45' E. 1.1 ft.

598.6 To Cor. No. 4, identical with location, and with Cor.

No. 3 Silver Peak lode of this Survey, heretofore described

(5)

Feet

10.0 Thence N. 9° 45' W. Var. 13° 10' E.
 Along line 3-2 Silver Peak lode of this survey.
 1498.6 To Cor. No. 1, the place of beginning.

THE SMUGLER LODE.

Beginning at Cor. No. 1, identical with location,
 a pine post 4 ins. sq., 3 1/2 ft. above ground, in a
 mound of stone, scribe N.W.C. - S. 1-2623

Whence; Cor. No. 4 Silver Peak lode of this sur-
 vey bears S. 76° 43' W. 199.0 ft.

Cor. No. 6 Elgin lode Survey No. 546 bears S.
 17° W. 0.4 ft., a pine post 4 ins. sq, 4 ft. above
 ground, in a mound of stone, scribed No. 6 Elgin-M.C.

S. E. Cor. Red Jack lode, unsurveyed, a pole in a
 mound of stone, bears S. 67° E. 2.0 ft.

A cross (X) and B. R. 1-2623, ^{chiseled} on limestone bed
 rock bears N. 65° 27' E. 103.8 ft.

U.S. Loc. Mt No 1319 bears N 74° 31' W 3542.8 ft.
 No other rock or tree bearings available.

~~101.0~~ Thence N. 76° 43' E. Var. 13 10' E.

101.0 S. center end Silver Peak lode of this survey

300.0 N. center end, identical with location, a pine post
 4 ins. sq., 3 1/2 ft. above ground, in a mound of stone,
 scribe N.C.E. - S. 2623.

401.0 Cor. No. 3-4 Silver Peak and Tom Boy lodes respec-
 tively of this survey.

600.0 To Cor. No. 2, identical ^{Location and with} with Cor. No. 1 Dixie Queen
 lode of this survey, a pine post 4 ins. sq., in mound
 of stone. Post not firm; set 6 ins. in ground to bed
 rock, in mound of stone, scribe N.E.C. - S. N.W.C. -
 D.Q. 2-1-2623.

Whence A cross (X) and B. R. 2-1-2623 chiseled
 on limestone bed rock bears N. 65° 24' W. 13.0 ft.

A cross (X) and B. R. 2-1-2623 chiseled on limestone

	bedrock bears S. 31' 34' W. 21.7 ft.
	Thence S. 15° 33' E. Var. 13° 10' E.
14.8	Intersect line 4-3 Tom Boy lode of this survey at N. 80° 06' E. 199.80 ft.. from Cor. No. 4.
1075.0	Center of wagon road in sand wash 30 ft. wide; course S. Easterly.
1465.9	To Cor. No. 3, set a pine post 4 ins. sq., 4 ft. long, 3 ins. in ground to bed rock, in a mound of stone, scribed S.E.C. - S.3-2623. Whence Cor. of location, a post in a mound of stone, identical with <i>SW</i> corner location Dixie Queen lode of this survey, bears S. 15° 33' E. 29.9 ft. A cross (X) and B. R. 3-2623, chiseled on a limestone, 14 X 12 X 8 ins., brs. S. 69° 13' W. 8.4 ft. A cross (X) and B. R. 3-2623, chiseled on a limestone face, 28 X 16 ins., bears S. 13° 20' E., 8.35 ft. Thence S. 76° 43' W. Var. 13° 10' E.
300	To Cor. No. 4, chisel a cross (X) on limestone bedrock; set thereon a pine post 4 ins. sq., 4 ft. long, in a mound of stone, scribed 4-2623 S. Whence <i>S</i> Center end of location, a mound of stone, bears S. 15 33' E. 5.0 ft. A cross (X) and B. R. 4-2623 chiseled on limestone bedrock bears S. 4° 15' W. 6.9 ft. A cross (X) and B. R. 4-2623 chiseled on a limestone reef bears S. 49° 46' W. 27.65 ft.; a post in a mound of stone, scribed W.C.E.M. bears S. 13° 15' E. 13.4 ft. A stone monument bears S. 30° 15' W. 18.0 ft. Thence S. 84° 22' W. Var. 13° 10' E.
10.0	Center of large mound of stone.
304.4	To Cor. No. 5, identical with location, a pine post 4 ins. sq., 4 ft. above ground, in a mound of stone; scribe S.W.C. - S. 5-2623

Whence A cross (X) and B.R. 5-2623 chiseled on limestone bed rock, bears S. 6° 20' W. 6.25 ft.

A cross (X) and B. R. 5-2623, chiseled on limestone bed rock, bears S. 61° 30' W. 7.35 ft.

Cor No. 7 Elgin Lode Survey No. 546, a pine post 4 ins. sq., 4 ft. above ground in a mound of stone, scribed No. 7 Elgin M.C., bears N. 53° W. 0.45 ft.

Cor. No. 2 Emmet lode Sur. No. 547, a pine post 4 ins. sq. 4 ft. above ground, in a mound of stone, scribed No. 2 EMMET M.C. bears N. 80° W. 0.35 ft.

A post 2 X 4 in a mound of stone bears S. 83° E. 3 ft.

Thence N. 15° 33' W. Var. 13° 10' E.

910 Center of wagon road in sand wash, 30 ft. wide; course Easterly.

1425.4 To Cor. No. 1, the place of beginning.

THE DIXIE QUEEN LODGE.

Beginning at Co. No. 1, identical with Cor. No. 2 Smugler lode of this survey, heretofore described, ^{Location and with}

Whence U. S. Location Monument No.1319 bears N. 78° 34' W. 4078.9 ft.

Thence N. 80° 25' E. Var. 13° 10' E.

300 N. center end, identical with location,, a pine post 4 ins. sq., 3 1/2 ft. above ground, in a mound of stone, scribed N.C.E. - D.Q. 2623.

400.0 Intersect line 2-3 Tom Boy lode of this survey at N. 9° 42' 30" W. 9.54 ft. from Cor. No. 3

598.9

To Cor. No. 2, identical with location, a pine post 4 ins. sq., 3 1/2 ft. above ground, in a mound of stone, scribe N.E.C. - D.Q. 2-2623

Whence

A cross (X) and B.R. 2-2623 chiseled on a limestone, 15 X 10 X 5 ins., bears N. 3° 59' E. 9.55 ft.

A cross (X) and B. R. 2-2623 chiseled on a quartzite rock, 30 X 30 X 12 ins., bears N. 70° 41' W. 67.0 ft. A post in a mound of stone, scribed N.W.C.- C.J. bears S. 63° 37' E. 24.5 ft.

A post in a mound of stone, marked in pencil S.W.C. Copper King, ^{unsurveyed} bears S. 69° 33' E. 23.3 ft.

Thence S. 15° 35' E. Var. 13° 00' E.

575

Center of rock-cut, for grade of Mexico and Colorado R. R., bears N. E. and S. W. (Cut in course of construction; at intersection further west work not begun).

814.0

Center of wagon road in sand wash 20 ft. wide; course N. E.

1494.8

To Cor. No. 3, identical with location, a pine post 4 ins. sq., 3 1/2 ft. above ground, in a mound of stone, scribe S.E.C.- D.Q. 3-2623.

Whence

A cross (X) and B. R. 3-2623, chiseled on limestone reef, bears S. 68° 45' E. 31.5 ft.

A cross (X) and B. R. 3-2623, chiseled on limestone reef, bears N. 49° 56' E. 25.2 ft.

A post in a mound of stone scribed S.C.E. B.B., bears S. 31° 45' E. 36.1 ft.

A post in a mound of stone, scribed S.W.C. -C.J. bears S. 28° 50' E. 51.2 ft.

Thence S. 80° 12' W. Var. 13° 10' E.

299.7

To Cor. No. 4, identical with location, a pine post

4 ins. sq., 4 ft. long, in a mound of stone. Post not firm; set 8 ins. in ground to bed rock in a mound of stone, scribe S.C.E. - D.Q. 4-2623

Whence

A cross (X) and B. R. 4-2623, chiseled on a limestone 56 X 14 X 12 ins., bears S. 48° 57' E. 27.4 ft.

A cross (X) and B. R. 4-2623 chiseled on a limestone, 14 X 14 X 3 ins. bears S. 70° 20' W. 5.8 ft.

Thence S. 80° 25' W. Var. 13° 10' E.

300 To Cor. No. 5, identical with location, a pine post 4 ins. sq., 4 ft. long in a mound of stone. Post not firm; chisel a cross (X) at exact point on limestone bedrock; set thereon post in a mound of stone, scribe S.W.C. - D.Q. 5-2623.

Whence

A cross (X) and B.R. 5-2623, chiselled on limestone bedrock, bears N. 72° 45' E. 3.25 ft.

A cross (X) and B. R. 5-2623, chiseled on limestone bed rock, bears S. 44° 22' W. 17.15 ft.

A post in a mound of stone. scribed N.W.C. S., bears S. 71° 58' W., 89.95 ft.

Thence N. 15° 33' W. Var. 13° 10' E.

29.9 Cor. No. 3 ^{The} Smugler lode of this survey

420.8 Center of wagon road in wash 30 ft. wide; course Easterly

1484.0 Intersect line 3-4 Tom Boy lode ^{of this survey} at S. 80° 06' W. 398.8 ft. from Cor. No. 3

1495.8 To Cor. No. 1, the place of beginning.

(10)

<u>AREA.</u>	Acres
Total area Silver Peak lode	20.602 ✓
Total area Tom Boy lode	20.613 ✓
Total area ^{The} Smugler lode	20.037
Less area in conflict Tom Boy lode of this survey	<u>0.027</u> ✓
Total net area ^{The} Smugler lode	20.010 ✓
Total area ^{The} Dixie Queen lode	20.466 ✓
Less area in conflict Tom Boy lode of this survey.	<u>0.088</u> ✓
Total net area ^{The} Dixie Queen lode	<u>20.378</u> ✓
Total net area lode claims	81.603

LOCATION.

This claim is located in approximately Tp. 19 S. R. 25 E., unsurveyed, in Turquoise Mining District, Cochise County, Arizona, probably without the boundaries of the Coronado National Forest, unsurveyed.

The presumed courses of the lodes are -
Silver Peak - N. 9° 45' W., 1498.6 ft. from S. center end to N. Center end.

Tom Boy lode - N. 9° 45' W., 1498.6 ft. from S. Center end to N. Center end.

The Smugler lode - N. 15° 33' W., 1465.9 ft. from Cor. No. 4 to N. Center end.

The Dixie Queen lode - N. 15° 33' W., 1495.8 ft. from Cor. No. 4 to N. Center end.

ADJOINING CLAIMS.

On the North

Scorpion and Montez lodes, unsurveyed.

Claimants unknown.

On the East.

Falls lode, unsurveyed.

Claimant - B. McKinney.

Colonel John lode, unsurveyed.

Claimants - Swatling & Smith.

On the South.

Rabbit ~~lode~~ unsurveyed.

Claimants - Smith & Snedden.

Other claim or claims - name unknown.

Claimants - unknown

Also south of Silver Peak lode, small fractional claim, unsurveyed. Name *Red Jack lode*

Claimant - J. Tanner.

On the West

Elgin lode, Sur. No. 546.

Claimant - W. W. Kendall

~~Red Jack lode, unsurveyed.~~~~Claimant - J. Tanner.~~

April Fool lode, unsurveyed.

Claimant - Calumet & Arizona Mining Co.

Two Jays and Triangle No. 2 lodes, unsurveyed.

Claimants - Towner and Jones.

Comet lode, Sur. No. 2631.

Claimant - J. Smith

Little Tom lode, unsurveyed.

Claimant unknown.

(12)

Expenditure of Five Hundred Dollars.

I certify that the value of the labor and improvements made upon, or for the benefit of each of the locations embraced in said mining claim, by the claimants or their grantors, is not less than five hundred dollars, and that said improvements consist of:

ON THE SIMVER PEAK

From South Center End

- | | | | |
|-------|--|--------------------------------|--------|
| No. 1 | Discovery shaft, the center of which bears N. 9° 45' W. 300 ft., shaft 6 X 4 ft. 10 ft. deep | Value | \$100. |
| No. 2 | Open stope, irregular, equivalent to shaft 6 X 6 ft., 12 ft. deep, the center of which bears N. 25° W. 43 ft. | Value | 125. |
| No. 3 | Irregular work: Southerly cut bears N. 13° E. 41 ft., thence open cut N. Westerly 15 ft.; average width 4 ft., average depth 3 ft. | Value | 50. |
| No. 4 | Incline shaft, the center of foot wall of which bears N. 4° 20' W., 164 ft., dip northerly; shaft 6 X 4 ft., 35 ft. deep | Value at \$10 dollars per foot | 350. |
| | From point on line 3-4 at S. 76° 43' W. 401 ft. | | |
| No. 5 | A shaft, the center of which bears N. 66° 10' W., 835 ft., shaft 6 X 4 ft., 9 ft. deep (caved); first three feet in earth | Value | 75. |
| | From point on line 4-1 at N. 9° 45' W. 412.8 ft. | | |

No. 6 A shaft, which bears S. 82° 55' E., 152
ft. Shaft 6 X 5 ft., 8.5 ft. deep

Value 80.00

From point on line 4-1 at N. 9° 45' W. 491.4 ft.
equivalent to shaft

No. 7 An open stope, the center of which bears N.
70° 50' E., 206 ft. 11 ft. northerly and south-
erly X 8 ft., 4.5 ft. deep

Value 75.00

ON THE TOM BOY LODE.

From South Center End

No. 1 Discovery shaft, the center of which bears
N. 9° 45' W., 400 ft.; shaft 6 X 4 ft., 10 ft. deep

Value 100.00

From Cor. No. 3.

No. 2 Shaft, the center of which bears N. 52° 25' W.
556.5 ft.; shaft 6 X 4 ft., 21 ft. deep

Value at ten dollars per foot 210.00

From Cor. No. 1

No. 3 A shaft, the center of which bears S. 19° E.
125 ft.; shaft 6 X 4 ft., 6 ft. deep (caved).

Value 40.00

No. 4 A shaft, the center of which bears S. 38° 45'
E., 150 ft.; shaft 6 X 4 ft., 9 ft. deep (caved)

Value 80.00

No. 5 A shaft, the center of which bears S. 40° E.,
119 ft.; shaft 6 X 4 ft., 9 ft. deep (caved).

Value 80.00

From a point on line 2-3 at S. 9° 42' 30" E., 762.2
ft. from Cor. No. 2

No. 6, A shaft, the center of which bears S. 68° 10' W.

(14)

370.5 ft.; shaft 6 X 6 ft., 28 ft. deep.

Value at \$12.00 per foot, 336.00

ON THE ~~SMUGLER~~ LODE.

From N. Center End.

No. 1 Discovery shaft, the center of which bears S. 15° 33' E., 499 ft.; shaft 6 X 4 ft., 10 ft. deep, partly in cement, partly in rock.

Value 50.00

From point on lode line (over discovery shaft) at S. 15° 33' E., 499 ft.

No. 2 An incline shaft, the center of the foot wall of which bears S. 71° 50' E., 248 ft. Dip E. S. E. Shaft 6 X 4 ft. 47 ft. deep

Value at \$10.00 per foot 470.00

No. 3 A shaft, the center of which bears S. 74° 15' E., 112 ft.; shaft 8 X 8 ft., 5 ft. deep (caved).

Value 50.00

From Cor. No. 4

No. 4 A shaft, the center of which bears N. 21° 15' W., 145 ft.; shaft 6 X 4 ft., 24 ft. deep

Value at \$10.00 per foot 240.00

ON THE DIXIE QUEEN LODE.

From N. Center End.

No. 1 Discovery shaft, the center of which bears S. 15° 33' E., 500 ft.; shaft 6 X 4 ft., 10 ft. deep.

Value 100.00

No. 2 A shaft. the center of which bears S. 18°
15' E., 447 ft.; shaft 6 X 4 ft., 50 ft. deep

Value at \$10.00 per foot

\$500.00

INSTRUMENT.


This survey was made with a Young & Sons Mountain transit, No. 6855, provided with Smith Solar Attachment.

The courses were deflected from true meridian, as determined by direct solar observations. The distances were measured with 500 ft. and 50 ft. steel tapes.

Note: The disagreements between these field notes and those of the Elgin lode, *Sur No. 546*, and Emmet lode *Sur No. 547* are due to errors in the latter.

Tombstone, Arizona,

May 4, 1909.


U. S. Mineral Surveyor.

FINAL OATHS FOR SURVEYS.

LIST OF NAMES.

A list of the names of the individuals employed by John A. Rockfellow
United States Mineral Surveyor, to assist in running, measuring, and marking the lines, corners, and
boundaries described in the foregoing field notes of the survey of the mining claim of _____

John Taylor and O. L. Lewis
known as the Silver Peak, Tom Boy, ^{the} Smugler and ^{the} Dixie Queen
and showing the respective capacities in which they acted.

William McGee, Chainman.
Howard M. Katz, Chainman.
_____, Axman.
_____, Flagman.

FINAL OATHS OF ASSISTANTS.

We, William McGee and Howard M. Katz
and _____, do solemnly swear that we assisted John A. Rockfellow,
United States Mineral Surveyor, in marking the corners and surveying
the boundaries of the mining claim of John Taylor and O. L. Lewis
known as the Silver Peak, Tom Boy, ^{the} Smugler, ^{the} Dixie Queen
represented in the foregoing field notes as having been surveyed by said mineral surveyor and under his
direction; and that said survey has been in all respects, to the best of our knowledge and belief, faithfully
and correctly executed, and the corner and boundary monuments established according to law and the instruc-
tions furnished by the United States Surveyor-General for Arizona

William McGee, Chainman.
Howard M. Katz, Chainman.
_____, Axman.
_____, Flagman.

Subscribed and sworn to by the above-named persons before me this 30
day of April 1909

John A. Rockfellow
My Commission Expires Mar 14 1911



FINAL OATH OF U. S. MINERAL SURVEYOR.

I, John A. Rockefeller, U. S. Mineral Surveyor, do solemnly swear that, in pursuance of instructions received from the United States Surveyor General for Arizona, dated

Feb 8 1909, I have, in strict conformity to the laws of the United States, the official regulations and instructions thereunder, and the instructions of said Surveyor General, faithfully and correctly executed the survey of the Mining Claim of John Taylor and O. K. Lewis

, known as the Silver Peak, Tom Boy, ^{the} Smelter & ^{the} Dixie Lumber situate in Tuquoise Mining District,

Cochise County, Arizona, in Section

Approx, Township No. 19S, Range No. 25E Unsurveyed, and designated as Survey No. 2623

as represented in the foregoing field notes, which accurately show the boundaries of said mining claim as distinctly marked by monuments on the ground, and described in the attached copy of the location certificate, which was received by me from the Surveyor General with said instructions, and that all the corners of said survey have been established and perpetuated in strict accordance with the law, official regulations and instructions thereunder; and I do further solemnly swear that the foregoing are the true and original field notes of said survey and my report therein, and that the labor expended and improvements made upon said mining claim by claimant or their grantors are as therein fully stated, and that the character, extent, location, and itemized value thereof are specified therein with particularity and full detail, and that no portion of said labor or improvements so credited to this claim has been included in the estimate of expenditures upon any other claim.

John A. Rockefeller
U. S. Mineral Surveyor.

Subscribed and sworn to by the said John A. Rockefeller
U. S. Mineral Surveyor, before me S. L. Rockefeller
this fourth
day of May, 1909

Samuel L. Rockefeller
Notary Public

My Commission Expires Oct 15 1912



Affidavit of Five Hundred Dollars Improvements.

We, J. M. Ritchie, and J. W. Slack

of lawful age, being first duly sworn according to law, depose and say: That we are acquainted with the Silver Peak, Tom Boy, Smelter, & ^{the} ^{the} Queen mining claim, situate in Turquoise Mining district, Cochise County, Arizona Territory, for which John Taylor and O. L. Lewis


have made application for survey prior to application for patent under the provisions of the Act of Congress, approved May 10, 1872; and that the labor done and improvements made thereon by the applicant and their grantors exceed Five Hundred Dollars in value, and further that we are not personally interested in said mine.

J. M. Ritchie
J. W. Slack

TERRITORY OF ARIZONA, }
County of Cochise } ss:

Sworn to and subscribed before me, this 8

day of May, 1909



6986b500-2-03

John A. Pennington
Notary Public
My Commission expires
Mar 14 1911



Notice of Mining Location

20

QUARTZ
LODE CLAIM

To All Whom It May Concern:

This Mining Claim, the name of which is the Silver Peak Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purposes of exploration and purchase by John Taylor a half entrest C. L. Louise one Forth entrest Mrs Mary C. Louise one Forth
(Locator must insert either "a citizen of the United States," or, "who has declared his intention to become a citizen of the United States.")

by the undersigned, on the 2 day of Januy 1904.

The length of this claim is 1500 feet,
and we claim three hundred feet,
in a Southerly direction and 1200
twelve hundred feet in a northerly direction from
the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together
with 300 feet in width of the surface grounds, on each
side of the center of said claim. The general course of the lode deposit and premises is from the
South to the North

The claim is situated and located in the torquores Mining District, in
Cochise County, in the Territory of Arizona, about the Extension
in a of the direction from Smuggler

The surface boundaries of the claim are marked upon the ground as follows: Beginning at

A

at a point in a Southerly direction 300 feet from
the discovery shaft (at which this notice is posted), being in the center of the South
end line of said claim; thence 300 feet to a Monement
, being the South East corner of said claim; thence
1500 feet to a monment, being at the
North East corner of said claim; thence 300 feet
to a monement being at the center of the north end of said claim;
thence 300 feet to a monement, being at the
north west corner of said claim; thence 1500
feet to a monement at the southwest corner of said claim;
thence 300 feet to the place of beginning.

All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of
the United States, and of an Act of the General Assembly of Arizona, entitled "An Act to
Coonly Revise
Revise and Coonly the Laws of the Territory of Arizona," approved March 16, 1901.

Dated and posted on the ground this 2 day of Janury 1904

locator

John Taylor

C. L. Louise

Mrs Mary C. Louise

Filed and recorded at request of Soto Bros & Renaud Mch 14th A. D.
1904 at 9 A. M. Beck #0 Record of Mines at page 249.
No. 110 - NOTICE OF LOCATION OF LODE CLAIM - The H. H. McNeil Company's Red Line Blanks, Phoenix, Arizona.

TERRITORY OF ARIZONA }
 COUNTY OF COCHISE } ss.

I, C. A. McDonald, County Recorder in and for the County of Cochise do hereby certify that I have compared the annexed and foregoing copy with the Original Notice of Location of the Silver Peak Mining Claim filed for record in my office on the 14 day of March 1904 and Recorded in Book 30 Record of Mines at page 249 and that the same is a full, true and correct copy of said original and of the whole thereof.

Given under my hand and seal of Office this 3rd day of February
 A. D. 1909.

C. A. McDonald
 County Recorder.
E. A. Hughes
 Deputy

Notice of Mining Location

22

QUARTZ
LODE CLAIM

To All Whom It May Concern:

This Mining Claim, the name of which is the Tom Boy
Mining Claim, situate on lands belonging to the United States of America, and in which there
are valuable mineral deposits, was entered upon and located for the purposes of exploration and
purchase by John Taylor a half entrest C. L. Louise one Forth entrest
Mrs Mary C. Louise one Forth enterst
(Locator must insert either "a citizen of the United States," or, "who has declared his intention to become a citizen of the United States.")

By the undersigned, on the 21 day of November 1901.

The length of this claim is 1500 feet,
and we claim Four hundred feet,
in a Southry direction and 1100 Elevin
hundred feet in a northerly direction from
the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together
with 300 feet in width of the surface grounds, on each
side of the center of said claim. The general course of the lode deposit and premises is from the
north to the South

The claim is situated and located in the torqueres Mining District, in
Cochise County, in the Territory of Arizona, about the west side line
in a Joins the direction from East side line of the
Silver Peak

The surface boundaries of the claim are marked upon the ground as follows: Beginning at

A
at a point in a Southerly direction 400 feet from
the discovery shaft (at which this notice is posted), being in the center of the South
end line of said claim; thence 300 feet to a monement
South East corner of said claim; thence
1500 feet to a monement, being at the
north east corner of said claim; thence 300 feet
to a monement being the center of the north end of said claim;
thence 300 feet to a monement, being at the
north west corner of said claim; thence 1500
feet to a monement at the South west corner of said claim;
thence 300 feet to the place of beginning.

All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of
the United States, and of an Act of the General Assembly of Arizona, entitled "An Act to
Code's *Revise*
Revisé and *Code's* the Laws of the Territory of Arizona," approved March 16, 1901.

Dated and posted on the ground this 21 day of november 1901.

Locator

John Taylor
B. L. Louise
Mrs Mary C. Louise

Filed and recorded at request of Sote Bros & Renaud Mch. 14 A. D. 1904
Book 30 Record of Mines at page 250.

TERRITORY OF ARIZONA }
 COUNTY OF COCHISE } ss.

I, C. A. McDonald, County Recorder in and for the County of Cochise do hereby certify that I have compared the annexed and foregoing copy with the Original Notice of Location of the Tom Boy Mining Claim filed for record in my office on the 14 day of March A D. 1904 and Recorded in Book 30 Record of Mines at page 250 and that the same is a full, true and correct copy of said original and of the whole thereof.

Given under my hand and seal of Office this 3rd day of February
 A. D. 1909.

C. A. McDonald
 County Recorder.
E. Hughes
 Deputy.

Notice of Mining Location

24

QUARTZ
LODE CLAIM

To All Whom It May Concern:

This Mining Claim, the name of which is the THE SMUGLER
Mining Claim, situate on lands belonging to the United States of America, and in which there
are valuable mineral deposits, was entered upon and located for the purposes of exploration and
purchase by John Taylor half entrest C. L. Louise one Forth entrest

Mrs Mary C. Louise one Forth entrest

(Locator must insert either "a citizen of the United States," or, "who has declared his intention to become a citizen of the United States.")

by the undersigned, on the 21 day of november 1901

The length of this claim is 1500 feet,

and we claim Five hundred feet,

in a northerly direction and 1000 Teen

hundred feet in a Southerly direction from

the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together

with 300 feet in width of the surface grounds, on each

side of the center of said claim. The general course of the lode deposit and premises is from the

north to the South

The claim is situated and located in the torqueres Mining District, in

Cochise County, in the Territory of Arizona, about the west side lines

in a Joins the direction from East side lines of the Elgen

mine

The surface boundaries of the claim are marked upon the ground as follows: Beginning at

A

at a point in a Southerly direction teen hundred feet from

the discovery shaft (at which this notice is posted), being in the center of the South

end line of said claim; thence 300 feet to a Monument

, being the South west corner of said claim; thence

1500 feet to a monement, being at the

north west corner of said claim; thence 300 feet

to a monumnt being at the center of the north end of said claim;

thence 300 feet to a munmt, being at the

north East corner of said claim; thence 1500

feet to a monument at the South East corner of said claim;

thence 300 feet to the place of beginning.

All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of
the United States, and of an Act of the General Assembly of Arizona, entitled "An Act to
~~Revise~~ ^{Codify} and ~~Codify~~ ^{Revise} the Laws of the Territory of Arizona," approved March 16, 1901.

Dated and posted on the ground this 21 day of november 1901

locator

John Taylor

B.L. Louise

Mrs Mary C. Louise

Filed and recorded at request of Soto Bros & Renaud Mch. 14th A.D.
1904 at 9 A. M. Book 30 Record of Mines page 248.

TERRITORY OF ARIZONA }
 COUNTY OF COCHISE } ss.

I, C. A. McDonald, County Recorder in and for the County of Cochise do hereby certify that I have compared the annexed and foregoing copy with the Original Notice of Location of the THE SMUGLER Mining Claim filed for record in my office on the 44 day of Marcher 1904 and Recorded in Book 30 Record of Mines at page 248 and that the same is a full, true and correct copy of said original and of the whole thereof.

Given under my hand and seal of Office this 3rd day of February

A. D. 1909.

C. A. McDonald

 County Recorder,
E. A. Hughes
 Deputy.

Notice of Mining Location

26

QUARTZ
LODE CLAIM

To All Whom It May Concern:

This Mining Claim, the name of which is the THE DIXIE QUEEN Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purposes of exploration and purchase by John Taylor half entrest C. L. Louise one Forth entrest

Mrs Mary C. Louise one Forth entrest

(Locator must insert either "a citizen of the United States," or, "who has declared his intention to become a citizen of the United States.")

by the undersigned, on the 2 day of January 1904.

The length of this claim is 1500 fifteen hundred feet, and we claim 500 Five hundred feet, in a northerly direction and 1000 teen hundred feet in a Southerly direction from the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with 300 feet in width of the surface grounds, on each side of the center of said claim. The general course of the lode deposit and premises is from the North to the South

The claim is situated and located in the turquoise Mining District, in Cochise County, in the Territory of Arizona, about the Extension in a of the direction from tom Boy

The surface boundaries of the claim are marked upon the ground as follows: Beginning at

A

at a point in a Suderly direction 1000 feet from the discovery shaft (at which this notice is posted), being in the center of the South end line of said claim; thence 300 feet to a monement, being the South East corner of said claim; thence 1500 feet to a Mo, being at the North East corner of said claim; thence 300 feet to a monement being at the center of the North end of said claim; thence 300 feet to a Mo., being at the North West corner of said claim; thence 1500 feet to a Monement at the South We. corner of said claim; thence 300 feet to the place of beginning.

All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of the United States, and of an Act of the General Assembly of Arizona, entitled "An Act to ~~Revise and Codify~~ ^{Codify and Revise} the Laws of the Territory of Arizona," approved March 16, 1901.

Dated and posted on the ground this 2 day of January 1904

locators

John Taylor

C. L. Louise

Mrs Mary C. Louise

Filed and recorded at request of Soto Bros & Renaud Mch. 14th A. D. 1904 at 9 A. M. Book 30 Record of Mines page 251.

TERRITORY OF ARIZONA }
COUNTY OF COCHISE } ss.

I, C. A. McDonald, County Recorder in and for the County of Cochise do hereby certify that I have compared the annexed and foregoing copy with the Original Notice of Location of the THE DIXIE QUEEN Mining Claim filed for record in my office on the 14 day of March 1904 and Recorded in Book 30 Record of Mines at page 251 and that the same is a full, true and correct copy of said original and of the whole thereof.

Given under my hand and seal of Office this 3rd day of February
A. D. 1909.

C. A. McDonald

County Recorder.

E. A. Hughes
Deputy.

U. S. SURVEYOR-GENERAL'S FINAL CERTIFICATE ON FIELD NOTES.

Department of the Interior,

OFFICE OF U. S. SURVEYOR-GENERAL,

Phoenix, Arizona,

July 28, 1909.

I, U. S. Surveyor-General for District of Arizona,

do hereby certify that the foregoing transcript of the Field Notes, return and approval of the survey of the mining claim of John Taylor and O. L. Lewis.

known as the Silver Peak, Tom Boy, The Smuggler and The Dixie Queen

situate in Turquoise

Mining District, Cochise County, Arizona

in Section Approx., Township No. 19 S., Range No. 25 E., Unsur., and

designated as Survey No. 2623, has been correctly copied from the originals on file in

this office; that said Field Notes furnish such an accurate description of said mining claim as will, if incorporated into a patent, serve fully to identify the premises, and that such reference is made therein to natural objects or permanent monuments as will perpetuate and fix the locus thereof.

And I further certify that five hundred dollars' worth of labor has been expended or improvements made upon each of said mining claims by claimants or their grantors, and that said improvements consist of 16 shafts, 1 cut and 2 stopes, total value \$3111.00

and that no portion of said labor or improvements has been included in the estimate of expenditures upon any other claim.

I further certify that the plat thereof, filed in the U. S. Land Office at Phoenix, Arizona is correct and in conformity with the foregoing Field Notes.

Frank S. Ingalls,

United States Surveyor-General for Arizona.

4-687.

SURVEYOR-GENERAL'S CERTIFICATE OF APPROVAL OF FIELD
NOTES AND SURVEY OF MINING CLAIM.

Department of the Interior,

OFFICE OF U. S. SURVEYOR-GENERAL,

Phoenix, Arizona,

July 28, 1909.

I, U. S. Surveyor-General for District of Arizona

do hereby certify that the foregoing and hereto attached Field Notes and Return of the Survey of the
Mining Claim of

John Taylor and O. L. Lewis

, known as the

Silver Peak, Tom Boy, The Smuggler, and The Dixie Queen.

situate in Turquoise mining district,

Cochise County, Arizona

in Section Approx., Township No. 19 S., Range No. 25 E., Unsur.

, designated as Survey No. 2623.

executed by John A. Rockfellow, U. S. Deputy Mineral

Surveyor, April 27-30, 1909, under my instructions dated

Feb. 8, 1909, have been critically examined and the necessary cor-

rections and explanations made, and the said Field Notes and Return, and the Survey they describe,

are hereby approved. A true copy of the copy of the location certificate filed by the applicant for

survey is included in the field notes.

Frank S. Lyall

U. S. Surveyor-General for Arizona.

