

Copied 4-17-1909.

A. L. H.

*Platted
M.H.A.*

1

MAR. 22 1909

APR 5- 1909

4-683.

MINERAL SURVEY No. 2627

LOT No.

ARIZONA

Land District.

FIELD NOTES

OF THE SURVEY OF THE MINING CLAIM OF

The United Globe Mines

KNOWN AS THE

GENEVA

Globe

Mining District,

Gila

County,

Arizona

Section 19

Township 1 N

Range 15 E

Section Approx 24

, Township 1 N

, Range 14 E, unsurveyed,
G & S R B & M.

Surveyed under instructions dated February 15., 1909.

by *Robert R. Boyd*

U. S. Mineral Surveyor.

Claim located See location notice, 19

Survey commenced March 8th, 1909.

Survey completed March 16th, 1909.

6-822

Address of claimant's attorney to

Herring & Sorin, Tucson, Arizona.

GENEVA LODE MINING CLAIM.

Feet

Beginning at corner No. 1, the S W corner, identical with location, a pine post 4 1/2 ft long, 4 in. square, set 18 in. in the ground in a mound of stone and scribed on the northeast side 1-2627-G L, marked with a nail at exact point of corner, whence

1/4 section corner between Sections 19 T 1 N, R 15 E, and Section 24 T 1 N, R 14 E, G & S R B & M, bears N 83° 45' E 656.90 feet;

Across on
 An outcrop of quartzite 2 ft x 4 ft x 1 ft above the surface of the ground, ^{chiseled B.R. 1-2627-G.L.} bears N 30° 30' E 63.00 feet.

Thence N 7° 15' E

158.0 to the intersection of road.

301.05 same bearing to the west end center of location, a pine post 4 1/2 ft long, 4 in. square, set 18 in. in the ground in a mound of stone.

602.1 same bearing to corner No. 2, the N W corner, identical with location, with corner No. 4 Dadeville Lode survey No. 2497, a pine post 4 1/2 ft long, 4 in. square, set 18 in. in the ground in a mound of stone, marked with a nail at exact point of corner and scribed on the southeast side 2-2627-G L, situate on line 1-2 January Lode Survey No. 2497 at S 74° 5' W 390.3 ft from Cor. No. 1. No bearing monuments available.

Thence S 77° 54' E

590.11 to the intersection with the North half of the Section line between Sections 19 and 24 at North 402.28 ft from the 1/4 corner and South 2237.72 feet from the Cor. to Secs. 13, 18, 19 & 24. (This corner is not in and I have therefore calculated its position as due north 80 chains from the 1/4 Cor.)

1493.50 same bearing to corner No. 3, the N E corner, identical with location, a pine post 4 1/2 ft long, 4 in. square, set 18 in. in the ground in a mound of stone, marked with a nail at exact point of corner and scribed 3-2627-G L, whence

Station 7 of the Warrior triangulation system bears S 68° 23' 30" W.

Thence S 7° 15' W

230.0 to intersection of the road,

Feet

- 301.05 same bearing to the east end center of location, a pine post 4 1/2 ft long, 4 in. square, set 18 in. in the ground in a mound of stone,
- 602.1 same bearing to corner No. 4, the S.E corner, identical with location, a pine post 4 1/2 ft long, 4 in. square, set 18 in. in the ground in a mound of stone, marked with a nail at exact point of corner and scribed on the northwest side 4-2627-G L.
No bearing monuments available.
Thence N 77° 54' W
- 821.00 to the intersection with the south half of the Section line between Sections 19 and 24 at S 1° 14' E 212.54 ft from the 1/4 section corner, and N 1° 14' W 2383.16 ft from the section corner.
- 1491.57 same bearing to the intersection with line 1-4 Dadeville Lode survey No. 2497, at S. 7° 04' W 602.27 ft from corner No. 4 Dadeville Lode survey No. 2497.
- 1493.50 same bearing to corner No. 1, the place of the beginning.

LEDGE.

The presumed course of the vein on this claim is from the West end center S 77° 54' E 1493.50 feet to the East end center.

AREA.

	acres	acres
Total area of Geneva Lode	20.569	
Less area in conflict with Dadeville Lode, survey No. 2497	<u>0.013</u>	
Net area GENEVA LODE		20.556

IMPROVEMENTS

I certify that the value of labor and improvements on this claim, placed thereon by the claimant or its grantors, exceeds Five Hundred Dollars and said improvements consist of the following:

No. 1 Discovery Shaft 4 x 6 x 146 ft deep, the center of which bears from corner No. 1 N 81° 50' E 786.0 ft. At a depth of 60 ft. a station 5 x 7 ft cross section runs in a southerly direction 15 ft. At a depth of 86 ft. a second level 5 x 7 ft cross section runs N 31° E 25.0 ft from the center of the shaft, to the point of discovery; thence N 65° E 18.0 ft; thence S 67° E 15.0 ft; to the face and S 20° W from the center of the shaft 12 ft; thence S 77° 17' W 26.0 ft; thence S 69° 58' W 22.0 ft; thence N 88° 34' W 109.0 ft; thence S 54° 45' W 51.6 ft; thence N 80° 58' W 15.0 ft; thence N 23° 08' W 23.0 ft; thence N 54° 42' W 34.70 ft; thence N 45° W 60.0 ft. to the face. Size of drift 4 x 6 ft cross section.

At a depth of 108.0 ft. a third level station 5 x 7 ft runs 25.0 ft in a westerly direction.

At a depth of 140.0 ft, a fourth level station 5 x 7 ft cross section runs 20.0 ft in a southerly direction.

Total value of shaft and second, third and fourth levels \$14,000.00

No. 2 Tunnel 4 x 6 ft cross section, the center of the portal bears from the east end center of location N 80° W 140.0 ft. Thence the tunnel runs N 34° 24' W 50.0 ft to (2); thence N 69° 20' W 62.92 ft to (3); thence S 75° 23' W 39.31 ft to (4); thence S 60° 54' W 35.62 ft to (5); thence N 73° 26' W 31.83 ft to (6); ~~thence N 85° 30' W 82.13 ft to (8);~~ thence N 85° 30' W 82.13 ft to (8); thence N 82° 20' W 154.14 ft to (9); thence N 82° 46' W 159.13 ft to (10) in first level station; thence

N 82° 46' W 3.98 ft to (11); thence S 57° 58' W 28.98 ft to (12); thence S 64° 39' W 114.77 ft to (13); thence N 70° 09' W 36.37 ft to (14); thence N 86° 02' W 42.39 ft to (15); thence N 76° 49' W 91.0 ft to (16); thence N 26° 16' W 15.1 ft to (17); thence N 29° 02' W 45.70 ft to (18); thence N 14° 43' E 27.3 ft to face. From (6) a cross cut 4 x 6 ft cross section runs N 14° 20' E 24.0 ft; thence N 69° 24' W 39.0 ft to face. From (8) a cross cut 4 x 6 ft cross section runs N 70.0 ft. From (9) a cross cut 4 x 6 ft cross section runs N 64° E 100.0 ft. 70 ft. beyond (9)
 From ~~(10)~~ a cross cut 4 x 6 ft cross section runs S 10° W 20.0 ft. From (13) a cross cut 4 x 6 ft cross sections runs S 36° 03' W 90.0 ft. Value \$13,600.00

No. 3 Tunnel 4 x 6 ft cross section, the center of the portal of which bears N 89° W 298.0 ft from the east end center of location; thence the tunnel runs N 15° W 160.0 ft. Value 1,120.00

No. 4 Tunnel 4 x 6 ft cross section, the center of the portal of which bears N 81° W 430.0 ft from the east end center of location; thence the tunnel runs N 18° W 65.0 ft. where it connects with the surface through an open stope. Value 455.00

Total value of improvements \$29,175.00

LOCATION.

This claim is located in the Globe Mining District, Gila County, Arizona, in Sections 19 T 1 N, R 15 E, and Section 24 T 1 N, R 14 E, unsurveyed, G & S R B & M, within the boundaries of the Crook National Forest.

ADJOINING CLAIMS.

West Dadeville Lode, survey No. 2497, Warrior Copper Company owner.

North January Lode, survey No. 2497, Warrior Copper Company owner.

Moonshine Lode unsurveyed, S. Mills claimant.

East Wild Air Lode, unsurveyed, J. Fleming claimant.
South Apex Lode unsurveyed, claimant unknown.

INSTRUMENT.

This survey was made with a Buff & Berger #1 C transit. The courses were deflected from the true meridian, as determined by direct solar observation, checked by an observation on Polaris. Distances were measured with a 300 ft. steel tape. Magnetic variation 13 40' East at all corners.

I report the original survey of the line between Secs. 19 and 24 in error.

Robert R. Boyd

U. S. Mineral Surveyor.

Dated:

Globe, Arizona,
17th March, 1909.

FINAL OATHS FOR SURVEYS.

LIST OF NAMES.

A list of the names of the individuals employed by Robert R. Boyd

United States Mineral Surveyor, to assist in running, measuring, and marking the lines, corners, and boundaries described in the foregoing field notes of the survey of the mining claim of

The United Globe Mines

known as the GENEVA

and showing the respective capacities in which they acted.

R. H. Bedford, Chainman.

....., Chainman.

....., Axman.

....., Flagman.

FINAL OATHS OF ASSISTANTS.

~~was~~ I, R. H. Bedford

~~xxxx~~, do solemnly swear that ~~was~~ ^I assisted Robert R. Boyd

....., United States Mineral Surveyor, in marking the corners and surveying

the boundaries of the mining claim of The United Globe Mines

known as the GENEVA

represented in the foregoing field notes as having been surveyed by said mineral surveyor and under his

direction; and that said survey has been in all respects, to the best of ~~my~~ ^{MY} knowledge and belief, faithfully

and correctly executed, and the corner and boundary monuments established according to law and the instruc-

tions furnished by the United States Surveyor-General for Arizona.

R. H. Bedford., Chainman.

....., Chainman.

....., Axman.

....., Flagman.

Subscribed and sworn to by the above-named persons before me this 17th

day of March, 1909.

My commission expires. January 9th 1913

Frank H. Carlock
Notary Public in and for the County
of Gila, Territory of Arizona.

FINAL OATH OF U. S. MINERAL SURVEYOR.

I, Robert R. Boyd, U. S. Mineral Surveyor, do solemnly swear that, in pursuance of instructions received from the United States Surveyor General for Arizona, dated February 15, 1909, I have, in strict conformity to the laws of the United States, the official regulations and instructions thereunder, and the instructions of said Surveyor General, faithfully and correctly executed the survey of the Mining Claim of The United Globe Mines, known as the GENEVA, situate in Globe Mining District, Gila County, Arizona, in Section 19, Township 1 N, Range 15 E, and in Section 24, Township No. 1 N, Range No. 14 E unsurveyed, G & S R B & M, and designated as Survey No. 2627, as represented in the foregoing field notes, which accurately show the boundaries of said mining claim as distinctly marked by monuments on the ground, and described in the attached copy of the location certificate, which was received by me from the Surveyor General with said instructions, and that all the corners of said survey have been established and perpetuated in strict accordance with the law, official regulations and instructions thereunder; and I do further solemnly swear that the foregoing are the true and original field notes of said survey and my report therein, and that the labor expended and improvements made upon said mining claim by claimant or its grantors are as therein fully stated, and that the character, extent, location, and itemized value thereof are specified therein with particularity and full detail, and that no portion of said labor or improvements so credited to this claim has been included in the estimate of expenditures upon any other claim.

Robert R. Boyd
U. S. Mineral Surveyor.

Subscribed and sworn to by the said Robert R. Boyd
U. S. Mineral Surveyor, before me Frank H. Carlock, Notary Public,
Gila County, Arizona, this 17th
day of March, 1909.

My commission expires

January 9th 1913.
Frank H. Carlock

Notary Public in and for the
County of Gila, Territory of
Arizona.



Affidavit of Five Hundred Dollars Improvements.

We, H. L. Norton and R. H. Bedford

of lawful age, being first duly sworn according to law, depose and say: That we are

acquainted with the Geneva mining claim,

situate in Globe Mining district, Gila County,

Arizona Territory, for which The United Globe Mines

has made application for survey prior to application for patent under the provisions of the act of Congress, approved May 10, 1872; and that the labor done and improvements made thereon by the applicant and its grantors exceed Five Hundred Dollars in value, and further that we are not personally interested in said mine.

H. L. Norton

R. H. Bedford

TERRITORY OF ARIZONA, }
County of Gila } ss:

Sworn to and subscribed before me, this 17th

day of March, 1909



Frank H. Carlock
Notary Public.

My Commission expires Jan. 13th, 1913.

AMENDED LOCATION NOTICE.

NOTICE IS HEREBY GIVEN that the undersigned, The United Globe Mines, a corporation, the assignee of T.H.Harris and P.Oates, who on the 16th day of December, 1890, located the Geneva Mining Claim situate in the Globe Mining District, Gila County, Territory of Arizona, the location notice of which claim is of record in the office of the Recorder of said County in Book 4, Records of Mines, page 29, has, on this 25 day of January, 1909, made an amended location of said mining claim, by virtue of which and of said original location it claims as a mining claim the following described lead, lode or vein of mineral-bearing earth, rock or quartz, and premises situate in the Globe Mining District, in the County of Gila, in the Territory of Arizona, to-wit:

The name of said claim is GENEVA.

The name of the locator is The United Globe Mines.

The length of the claim along said vein or lode is 1500 feet. The width of said claim is 300 feet on each side of the middle of said lead, lode or vein.

The general course of said lode and claim is easterly and westerly.

The distance from the point of discovery to the westerly end center monument of said claim is seven hundred and fifty (750) feet. The distance from said point of discovery to the easterly end center monument is seven hundred and fifty (750) feet.

This amended location notice is posted in the monument of stones erected at said point of discovery upon said claim, which monument is hereinafter referred to as the Location Monument.

Said claim is bounded and described as follows, to-wit: Beginning at a monument, a pine post, 4 inches square, surrounded by a mound of stones, placed at the center of the westerly end of said claim, which monument is 750 feet westerly from said Location Monument; thence northerly 300 feet to a monument, a pine post, 4 inches square

surrounded by a mound of stones, being the northwest corner of said claim; thence easterly 1500 feet to a monument, a pine post, 4 inches square, surrounded by a mound of stones, being the northeast corner of said claim; thence southerly 300 feet to a monument, a pine post 4 inches square surrounded by a mound of stones, being the center of the easterly end of the claim; thence again southerly 300 feet to a monument, a pine post 4 inches square surrounded by a mound of stones, being the southeast corner of the claim; thence westerly 1500 feet to a monument, a pine post 4 inches square surrounded by a mound of stones, being the southwest corner of said claim; thence northerly 300 feet to the monument, the place of beginning.

In order to identify said claim, it is more particularly described as follows, to-wit: The location Monument on said claim is distant about 200 feet in an easterly direction from the west quarter corner of section 19, Township 1 North, Range 15 East, G.&.S.R.B.& M. And said Location Monument is about three-eighths of a mile in a southwesterly direction from Black Warrior Camp..

Dated and posted on the ground this 25 day of January, 1909.

THE UNITED GLOBE MINES,
Locator.

Witness:

H.L.Norton
H.C.Plummer

By its Agent,

George Kingdon.

Filed and recorded at the request of R.B.Riell on the 26 day of January, A.D.1909, at 10 minutes past 1 o'clock P.M.

E.T.STEWART County Recorder..

TERRITORY OF ARIZONA, }
COUNTY OF GILA } ss.

I. E. T. STEWART, County Recorder in and for the County of Gila, Territory of Arizona, do hereby certify that the above and foregoing contain and constitute a full, true and correct copy of the Amended Location Notice of the "GENEVA" Mining Claim,

as the same appears of record in my office in Book 8, Records of Mines,

at page 562; that I have compared the same with the original record, and that the same is a true transcript and of the whole thereof.

Given under my hand and seal of office this 30th. day of

January

9.
A. D. 190.

E. T. Stewart

County Recorder, Gila County, A. T.

U. S. SURVEYOR-GENERAL'S FINAL CERTIFICATE ON FIELD NOTES.

Department of the Interior,

OFFICE OF U. S. SURVEYOR-GENERAL,

Phoenix, Arizona,

June 5, 1909.

I, U. S. Surveyor-General for District of Arizona.

do hereby certify that the foregoing transcript of the Field Notes, return and approval of the survey of the mining claim of

THE UNITED GLOBE MINES.

known as the GENEVA

situate in GLOBE

Mining District, GILA County, ARIZONA

in Section 19, 1 N., 15 E., Township No. 1 N., Range No. 14 E., Unsur. and G & S R B & M.

designated as Survey No. 2627, has been correctly copied from the originals on file in this office; that said Field Notes furnish such an accurate description of said mining claim as will, if incorporated into a patent, serve fully to identify the premises, and that such reference is made therein to natural objects or permanent monuments as will perpetuate and fix the locus thereof.

And I further certify that five hundred dollars' worth of labor has been expended or improvements made upon said mining claim by claimant or its grantors, and that said improvements consist of 1 shaft, 3 tunnels and 814.3 ft. of workings, total value \$29,175.00

and that no portion of said labor or improvements has been included in the estimate of expenditures upon any other claim.

I further certify that the plat thereof, filed in the U. S. Land Office at Phoenix, Arizona is correct and in conformity with the foregoing Field Notes.

Frank S. Ingalls,

United States Surveyor-General for Arizona.

4-687.

SURVEYOR-GENERAL'S CERTIFICATE OF APPROVAL OF FIELD
NOTES AND SURVEY OF MINING CLAIM.

Department of the Interior,

Office of U. S. Surveyor-General,

Phoenix, Arizona,

June 5, 1909.

I, U. S. Surveyor-General for District of Arizona

do hereby certify that the foregoing and hereto attached Field Notes and Return of the Survey of the
Mining Claim of

THE UNITED GLOBE MINES.

known as the

GENEVA

situate in GLOBE Mining District,

GILA

County, ARIZONA

in Sections 19, Township No. 1 N., 15 E.,
Approx. 24, Township No. 1 N., 14 E., Unsur.

G&SRB&M, designated as Survey No. 2627

executed by Robert R. Boyd, U. S. Deputy Mineral

Surveyor, March 8-16, 1909, under my instructions dated

February 15, 1909, have been critically examined and the necessary
corrections and explanations made, and the said Field Notes and Return, and the Survey they describe,

are hereby approved. A true copy of the copy of the location certificate filed by the applicant for
survey is included in the field notes.

Frank S. Lyman

U. S. Surveyor-General for Arizona.