

H/2/09

MAY 27 1909

4-683.

MINERAL SURVEY No. 2630

LOT No. _____

Arizona Land District.

FIELD NOTES

OF THE SURVEY OF THE MINING CLAIM OF

Golden Star Mines Company

KNOWN AS THE

North Star No One
North Star No Two
North Star No. Three, Paris & Arizona

KPa

Mining District,

Yuma

County,

Arizona

Approximately

Section

Unsurveyed

Township

1 S

Range

16 W

Surveyed under instructions dated Feb. 20, 1909

by William N. Ellis

U. S. Mineral Surveyor.

Claim located See location notices, 19

Survey commenced Mar. 1, 1909

Survey completed Mar. 4, 1909

6-822

Address of claimant's attys-;

Hildreth & Thompson,
Phoenix, Ariz.

Survey 2630.

Feet

North Star No. One Lode.

Beginning at Cor. No. 1, identical with Cor. No. 1 of North Star No. Two lode this survey, a porphyry stone 24 X 6 X 5 ins., set 12 ins., in ground, chiseled N S 1 1, N S 2 1, 2630, with mound of stone 3 ft. base and 3 ft. high alongside, from which U. S. L. M. 2630 bears N. 6° 27' W., 1220.21 ft., no other bearings available.

Thence N. 85° 25' E.

1499.3 Cor. No. 2 identical with Cor. No. 1 of North Star No. Three lode this survey, a porphyry stone 24 X 8 X 6 ins., set 12 ins., in ground, chiseled N S 1 2, N S 3 1, 2630 with mound of stone 3 ft. base and 3 ft. high, ^{alongside} a Palo Verde 4 in. dia., scribed N S 1 2, N S 3 1, 2630, B. T., bears S. 29° 30' W., 10 ft., alongside. No other bearings available.

Thence S. 4° 35' E.,

300 Easterly end center, identical with Westerly end center of North Star No. 3 lode this survey, a mound of stone 3 ft. base and 3 ft. high.

600 Cor. No. 3 identical with Cor. No. 4 of North Star No. Three lode, this survey, a porphyry stone 24 X 8 X 6 ins. set 12 ins. in ground chiseled N S 1 3, N S 3 4, 2630, with mound of stone 3 ft. base and 3 ft. high alongside. No bearings available.

Thence S. 85° 25' W.

1250 Pipe line from well to mines course N. 10° E., and S. 10° W.

1499.3 Cor. No. 4 identical with Cor. No. 2 North Star No. Two lode this survey, a porphyry stone 24 X 8 X 8 ins., set 12 ins. in ground, chiseled N S 1 4, N S 2 2, 2630 with mound of stone 3 ft. base and 2 1/2 ft. high alongside. No bearings available.

Thence N. 4° 35' W.

300 Westerly end center, identical with Easterly end center of North Star No. Two lode, a mound of stone 3 ft. base

and 3 ft high.
 450 Ascend rapidly.
 525 Top of ascent and descend
 600 Cor. No. 1 the place of beginning and foot of descent. All cors. identical with cors. of location. Variation at all cors., 14° 25' E.

North Star No. ~~Three~~ Lode.

Beginning at Cor. No. 1, identical with cor. No. 2 of North Star No. ~~One~~ lode, this survey, as heretofore described from which U. S. L. M. 2630 bears N. 56° 11' W., 196³.67 ft.

Thence N. 85° 25' E.

185.0 Wash 35 ft. wide, course S. 4° E.

1150 Ascend rapidly.

1325 Top of ridge N. and S., and descend.

1498.8 Cor. No. 2 and foot of descent. A porphyry stone 24 X 6 X 6 ins. set 12 ins., in ground chiseled N S 3, 2630 with mound of stone 3 ft., base and 3 ft. high, alongside a Palo Verde 5 ins., dia., scribe N. S. 3, 2630 E. T., bears N. 85° 45' E. 16 ft. No other bearings available.

Thence S. 4° 35' E.

300 Easterly end center, a mound of stone 3 ft. base and 3 ft. high.

600 Cor. No. 3 a porphyry stone 26 X 8 X 6 ins., set 14 ins. in ground, chiseled N S 3, 2630, with mound of stone 3 ft. base and 3 ft high alongside. No bearings available.

Thence S. 85° 25' W.

1340 Wash 35 ft. wide, course S. 10° W.

1498.8 Cor. No. 4 identical with Cor. No. 3, North Star ~~No One~~ lode, this survey heretofore described.

Thence N. 4° 35' W.

300 Westerly end center identical with easterly end center of North Star No. ~~One~~ lode this survey, heretofore described.

Feet	
600	Cor. No.1, the place of beginning. All cors., identical with cors., of location. Variation at all cors., 14°25'E.
	North Star No. Two Lode.
	Beginning at cor. No.1, identical with Cor. No.1 North Star No. One lode, this survey, heretofore described. U.S.L.
	M., No. 2630 bears N. 6°27' W., 1220.21 ft.
	Thence S. 4°35' E.
	Ascend.
75.00	Top of ascent and descend.
150	Foot of descent.
300	Easterly end center, identical with Westerly end center of North Star No. One lode, this survey, heretofore described.
600	Cor. No.2, identical with Cor.4, North Star No. One Lode, this survey heretofore described.
	Thence N. 78°35' W.
1496.1	Cor. No.3 identical with Cor. No2, Paris and Arizona lode this survey. A porphyry stone 24x6x6 ins. set 12 ins., in ground chiseled N S 2-3, P A2, 2630, with mound of stone 3 ft. base and 3 ft. high alongside. No bearings available.
	Thence N. 4°35' W.
300	Westerly end center identical with Easterly end center Paris and Arizona lode this survey. A mound of stone 3 ft. base and 3 ft. high.
400	Ascend.
517	Cor. No.4 being inaccessible on account of the nearly perpendicular nature of the formation, I set W.C., identical with W.C. for Cor. No.1 Paris and Arizona lode this survey. A porphyry stone 24x8x6 ins. set 12 ins. in ground, chiseled N S 2-4, P A 1, 2630, W. C., with mound of stone 3 ft. base and 3 ft. high alongside, from which true point for Cor. No4 bears N. 4°35' W. 83 ft. No bearings available. From W.C., I run S, 78°35' E., 350ft., thence N. 4°35' W., 83 ft. to point on N. side line,

S.78°35'E., 350 ft., from true point for cor.4
Thence taking distance from true point for Cor.
No.4.

S. 78°35' E.

- 1175 Ascend.
- 1375 Top of ridge N.W.& S.E. and descend.
- 1496.1 Cor. No.1 the place of beginning. All cors., identical with cors. of location.
Variation at all cors. 14°25' E.

Paris and Arizona lode.

Beginning at the W.C., to cor.No.1, identical with the W.C., to North Star No2 lode this survey, heretofore described, from which USLM ^{No.} 2630 bears N.37°05' E, 1657.96 ft. USLM No.2630 bears from true point for cor.N.55°25' E., 1614.64 ft.
Thence taking distance from true point for cor.

S.4°35' E.

Descend.

- 83 W.C. for Cor. Nol.
- 200 Foot of descent.
- 300 Easterly end center identical with Westerly end center North Star No.2 lode this survey heretofore described.
- 600 Cor.No.2, identical with Cor.No.3, North Star No.2 lode, this survey, heretofore described.

Thence N. 78°28' W.

- 650 Ascend,
- 775 Top of ridge N and S.and descend,
- 950 Foot of descent.
- 1200 Wash 75 ft. wide, course S. 4° E.
- 1496.6 Cor. No.3, a porphyry stone 24x8x6 ins., set 12 ins.in ground chiseled P.A.3, 2630 with mound of stone 3 ft. base and 3 ft. high alongside.

(5)

~~XXX~~ No other ^{beginning} tracings available.
Thence N. $4^{\circ} 35'$ W.

- 299.5 Westerly end center, a mound of stone 3 ft. base and 3 ft. high.
- 599 Cor. No. 4, a steel gad is driven in the exposed surface of rock at the exact point for cor. Chiseled on rock, the exposed face of which is 6 X 4 ft., P. A. 4, 2630. Built mound of stone 3 ft. base and 3 ft. high alongside. A \perp on exposed face of a ledge 4 ft. by 4 ft. with P. A. 4, 2640 B. R., chiseled alongside, bears N. $46^{\circ} 10'$ E, 8.4 ft.
- Thence S. $78^{\circ} 30'$ E.
- 210 Wash 75 ft. wide course S. 10° W.
- 800 Ascend abruptly.
- 925 Top of ridge S. 10° W. & N. 10° E.
- 1025 Foot of ridge.
- 1200 Point on line from which, on account of the inaccessibility of Cor. No. 1, run S. $4^{\circ} 35'$ E., 83 ft., thence S. $78^{\circ} 30'$ E., 296.6 ft., to W. C. to Cor. No. 1, the place of beginning, making total length of line 4-1, 1496.6 ft.
All cors., identical with cors. of location.
Variation at all cors. $14^{\circ} 25'$ E.

A R E A S.

Total and net area North star No. 1	20.651 A. ✓
Total and net area North Star No. 3	20.644 A. ✓
Total and net area NorthStar No. 2	19.809 A. ✓
Total and net area Paris and Arizona	<u>19.789 A. ✓</u>
Total area claim	80.893 A.

Location.

This claim is located in Kofa Mining District, Yuma County, Arizona, on unsurveyed government land in approximately Tp. 1 S., R. 16 W., G. & S. R., B. & M.

Lode Lines.

The presumed course of the lode line of the North Star No. 1, is S. $85^{\circ} 25'$ W., 252 ft. and N. $85^{\circ} 25'$ E.,

(6).

1247.3 from the discovery shaft. The presumed course of the lode line of the North Star No. 3, is S. 85° 25' W., 100 ft., and N. 85° 25' E., 1398.8 ft. from the discovery shaft.

The presumed course of the lode line of the North Star No. 2 is S. 78° 35' E., 329 Ft., and N. 78° 35' W., 1167.1 ft., from the discovery shaft. The presumed course of the lode line of the Paris and Arizona is S. 78° 29' E., 831.6 ft., and N. 78° 29' W., 665 from the discovery tunnel.

Instrument.

This survey was made with a Stackpole and Bros., transit No. 1259. Courses were deflected from the true Meridian as determined by direct solar observations checked by an observation on Polaris. On the evening of March 1st, at 8-35 l. m. t.

I observe Polaris and follow it to Western elongation. I turn an angle of 1° 24' 30" right for true Meridian. On the morning of March 2nd I connect this line by transit line with line of claims and find the courses correct.

Adjoining Claims.

The Golden Star Nos. 9, 4, 5 and 6 lode claims, ^{unsur, claimed by claimant herein,} join the North Star Nos. 3, 1 and 2 and the Paris and Arizona respectively on the North. The Scorpion ^{unsurveyed, claimant unknown,} lode claim, joins the Paris and Arizona on the West. The Golden Star Nos. 3 and 2 lode claims, ^{unsur, claimed by claimant herein,} join the Paris and Arizona and North Star No. 2 on the South. The North Star Nos. 4, 5 and 6 placer claims, ^{unsur, claimed by claimant herein,} join the North Star No. 1 on the South. The Golden Star ^{unsur, claimed by claimant herein,} lode claim, joins the North Star No. 3 on the East. All adjoining claims are unsurveyed.

SURVEY 2630

Improvements. No. 2. Discovery Shaft.

I certify that the improvements on this claim placed thereon by the applicant and its grantors exceed five hundred dollars (\$500.00) for each location and that said improvements consist of North Star No. One Lode, discovery shaft No. 1 which bears from the Westerly end center N. 85°25' E., 252 ft. and is 6 X 5 ft. by 151 ft. deep. The first 50 ft. is vertical and thence on an incline of 45° for 101 ft. and course of N. 10° W. At the bottom of this shaft is a drift 3 1/2 ft. wide by 7 ft. high, course N. 69° W., 170 ft. thence N. 76° 45' W., 175 ft. Also a drift 3 1/2 ft. wide and 7 ft. high, course S. 84° 07' E., 203 ft. connecting with 2nd level of shaft No. 2.

Value of shaft and drifts,

2025.00
 2225.00
 100.00
 180.00
 500.00
 7730.00

No. 2 Shaft which bears from Westerly end center N. 88°10' E., ^{545ft} and is 5 X 7 ft. by 287 ft. deep on an incline of 65° course N. 5° E.

At 65 ft. a drift 3 1/2 ft. wide by 7 ft. high, course S. 85° E., 212 ft.

At 195 ft., 2nd level, and connection with a drift from #1 Shaft, a drift 3 1/2 ft. wide and 7 ft. high, course East 352 ft.

At 135 ft. a drift 3 1/2 ft. wide and 7 ft. high, course S. 85° E., 110 ft.

At 287 ft., a drift 3 1/2 ft. wide and 7 ft. high, S. 85° E., 120 ft., and N. 85° W., 40 ft.

Value of shaft and drifts,
 To which add value of #1 Shaft,
 making total value of
 which are common improvements.

2225.00
 22.00
 22.00
 22.00
 22.00
 22.00
 17600.00
 7730.00
 25330.00

1/4 Value of improvements Nos. 1 & 2 Shafts to be credited to North Star No. 1,

No. 3 Tunnel, the mouth of which bears from E.

end center S. 79°10' W., 858 ft. and is 4 ft. wide 6 ft. high and 116 ft. long, on course of N. 00°55' E., Value

8134.20
 6332.50
 820.00
 1392.00

A Tunnel, No. 4, which bears from E. end center S. 81°25' W., 713 ft. and 3 ft. wide 6 ft. high, and 25 ft. long on course of North Value 250.00

A Shaft, No. 5, which bears from easterly end center S. 71° 55' W., 206 ft., and is 6 X 4 ft. by 20 ft. deep, value 200.00

Net value of improvement, 8174.50

North Star No. Two.

The discovery shaft No. 1, which bears from E, end center N. 78° 35' W., 329 ft., and is 6 X 4 ft. by 10 ft. deep, value 75.00

A Shaft, No. 2, which bears from W. end center S. 72°50' E., 515 ft., and is 6 X 5 ft. by 5 ft. deep, value 35.00

1/4 the common improvements North Star No. One, value 6332.50

Total value improvements, \$6442.50

North Star No. Three.

Discovery shaft No. 1, which bears from W. end center N. 85°25' E., 100 ft. and is 6 X 4 ft. by 10 ft. deep, value 75.00

A Shaft, No. 2, which bears from W. end center N. 22°35' E., 112 ft. and is 5 X 4 ft. by 12 ft. deep, value 75.00

1/4 the common improvements North Star No. One, 6332.50

Total value improvements, \$6482.50

Paris and Arizona,

Discovery tunnel, No. 1, the mouth of which bears from the W. end center S. 78°29' E., 665 ft. and is 4 ft. wide, 6 ft. high and 24 ft. long, course of tunnel S. 78°E., value 200.00

A shaft, No. 2, which bears from E. end center, N. 85°W., 279 ft., and is 6 X 6 ft. by 12 ft. deep, value 120.00

A cut, No. 3, one end of which bears from E. end center N. 74° 35' W., 624 ft., and 6 ft. deep, 5 ft. wide and 16 ft. long on course of North Value 100.00

1/4 the common improvements North Star No. One, 6332.50

Total value improvements \$6752.50

William H. Elliott
U. S. Mineral Surveyor.

Survey No. 2630.

Note:

Shafts Nos. 1 and 2 on the North Star No. One lode, which shafts are connected by a drift, as heretofore stated, are common improvements for the benefit and development of all four of the claims in this survey. Owing to the roughness of the surface and the increased expense which would be incurred by sinking a new working shaft, drifts running west from said shafts into the North Star No. Two and the Paris and Arizona lodes, and east into the North Star No. Three lode, are the most economical method of extracting the ore therefrom, and I have therefore credited a one-fourth interest in the value of such improvements, to each of the claims in this survey.

William H. Elliott

U. S. Mineral Surveyor.

U. S. L. M. 2630.

There being no U. S. L. M. or cor. of government survey within two miles of part of survey 2630, I establish U S L M 2630 on a high point overlooking most of (what is called) the camp.

I set a porphyry stone 38 X 12 X 10 ins. 18 ins., in ground, chiseled U S L M 2630, the exact point being marked by a small cross on top. Build mound of stone 5 ft. base and 5 ft. high alongside. In base of mound and facing U.S.L.M. is a stone, the face of which is 12 X 10 ins., chiseled U S L M 2630. A \perp 6 ins. high and 6 ins. wide on the exposed surface of a large ledge with U S L M 2630 B R chiseled alongside, bears N. $46^{\circ} 19'$ W., 23.3 ft.

Castle Dome peak bears S. $33^{\circ} 57'$ W., about 20 miles distant.

The main working shaft of North Star No. 1 lode (shaft #2) bears S. $21^{\circ} 58'$ E.

U. S. L. M. 1257 bears S. $8^{\circ} 01' E$, 12078.8 ft.

U. S. L. M. 2630 is located on unsurveyed government land in Kofa Mining District, Yuma County, Arizona, in approximately Tp. 1 S., R. 16 W., G. & S. R. B. & M.

William N. Elliott

U. S. Mineral Surveyor.

Mich. 1 - 1909

FINAL OATHS FOR SURVEYS.

LIST OF NAMES.

A list of the names of the individuals employed by

William H. Elliott

United States Mineral Surveyor, to assist in running, measuring, and marking the lines, corners, and boundaries described in the foregoing field notes of the survey of the mining claim of *Golden*

Star Mines Company

North Star No One, North Star No Two, North Star No Three

known as the

Paris and Arizona

and showing the respective capacities in which they acted.

Bert Cloyd Chainman.

Harry H. Mizer Chainman.

Roy Davis Axman.

..... Flagman.

FINAL OATHS OF ASSISTANTS.

We,

Bert Cloyd, Harry H. Mizer

and

Roy Davis

do solemnly swear that we assisted

William

H. Elliott

....., United States Mineral Surveyor, in marking the corners and surveying

the boundaries of the mining claim of

Golden Star Mines

Company

known as the

North Star No. One, North Star No. Two, North Star No. Three Paris and Arizona

represented in the foregoing field notes as having been surveyed by said mineral surveyor and under his

direction; and that said survey has been in all respects, to the best of our knowledge and belief, faithfully

and correctly executed, and the corner and boundary monuments established according to law and the instruc-

tions furnished by the United States Surveyor-General for

Arizona

Bert Cloyd Chainman.

Harry H. Mizer Chainman.

Roy Davis Axman.

..... Flagman.

Subscribed and sworn to by the above-named persons before me this

24th

day of

March

, 1909

L. S. Johnson

Notary Public

My Commission expires April 7th 1912.

FINAL OATH OF U. S. MINERAL SURVEYOR.

I, William H. Elliott, U. S. Mineral Surveyor,
do solemnly swear that, in pursuance of instructions received from the United States
Surveyor General for Arizona, dated
February 20, 1909, I have, in strict conformity to the laws of the
United States, the official regulations and instructions thereunder, and the instructions
of said Surveyor General, faithfully and correctly executed the survey of the Mining
Claim of Golden Star Mines Company
North Star No One, North Star No Two known as the
North Star No Three, Paris and Arizona.
situate in Rpa Mining District,
Quinn County, Arizona, in Section
unsurveyed, Township No. 18, Range No. 16 W
and designated as Survey No. 2630, as represented
in the foregoing field notes, which accurately show the boundaries of said mining claim
as distinctly marked by monuments on the ground, and described in the attached copy
of the location certificate, which was received by me from the Surveyor General with
said instructions, and that all the corners of said survey have been established and per-
petuated in strict accordance with the law, official regulations and instructions there-
under; and I do further solemnly swear that the foregoing are the true and original
field notes of said survey and my report therein, and that the labor expended and
improvements made upon said mining claim by claimant or its grantors
are as therein fully stated, and that the character, extent, location, and itemized value
thereof are specified therein with particularity and full detail, and that no portion of
said labor or improvements so credited to this claim has been included in the estimate
of expenditures upon any other claim.

William H. Elliott
U. S. Mineral Surveyor.

Subscribed and sworn to by the said
U. S. Mineral Surveyor, before me
Notary Public
day of March, 1909

William H. Elliott
L. S. Johnson this 24th

L. S. Johnson
Notary Public

My Commission expires Apr 4th 1912.

Affidavit of Five Hundred Dollars Improvements.

We, Ben C. Heyl and Frank Delgado

of lawful age, being first duly sworn according to law, depose and say: That we are acquainted with the North Star No. One, North Star No. Two, North Star No. Three, Paris and Arizona mining claim,

situate in Moja Mining district, Yuma County,

Arizona Territory, for which Golden Star Mines

Company

has made application for survey prior to application for patent under the provisions of the act of Congress, approved May 10, 1872; and that the labor done and improvements made thereon by the applicant and its grantor exceed Five Hundred Dollars in value, and further that we are not personally interested in said mine.

Ben C. Heyl

Frank Delgado

TERRITORY OF ARIZONA,

County of Yuma } ss:

Sworn to and subscribed before me, this 24th

day of March, 1909

L. D. Johnson
Notary Public



27689b1m2-07

- My Commission expires Apr 4th 1912.

A m e n d e d
 Notice of Mining Location
 Lode Claim

To all Whom it may Concern:

This Mining claim, the name of which is the North Star No One, Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits was entered upon and located for the purpose of exploration and purchase by Felix Mayhew and Nick Larson, citizens of United States, the undersigned on the 6th day of October, 1906.

The length of this claim is 1500 feet and we claim 200 feet in a westerly direction and 1300 feet in a easterly direction from the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with 300 feet in width of the surface grounds, on each side of the center of said claim.

The general course of the lode deposit and premises is from the West to the East.

The claim is situated and located in the Kofa Mining District, in Yuma County in the Territory of Arizona, *about 2 1/2 miles in a northerly direction from Kofa, Arizona* The West end of this claim is identical with the east end of the North Star Lode Claim No 2 and the East end is Identical with the West end of the North Star No 3.

The Surface boundaries of the claim are marked upon the ground as follows; Beginning at a monument of stone the exact point being marked by a cross chiseled in the rock at a point in a Westerly direction 200 feet from the discovery shaft (at which this notice is posted) being in the center of the West end line of said claim, thence N.4degr. 35'W, 300 feet to a stone monument marked N.S.1 being the North West corner of said claim, thence N.85 Degr.25 Min. E.,1500 feet to a stone monument marked N.S.1 being at the North East corner of said claim, thence S. 4 Degr. 35 Min. E, 300 feet to a stone monument at the center of the East end of said claim, thence S.4 Degr. 35 Min.E., 300 feet to a *stone* monument marked N.S.1, being at the ~~first~~ South East corner

of said claim, thence South 85 Degr. 25 Min. W. 1500 feet to a stone monument marked N.S.1 at the South West Corner of said claim, thence N 4 Degr. 35 Min. W, 300 feet to the place of beginning.

All done under the provisions of Chapter Six, of Title XXXII, of the revised statutes of the United States, and an Act of the general Assembly of Arizona, entitled "An Act to revise and codify the laws of the Territory of Arizona", approved March 16th, 1901.

Dated and posted on the ground this first day of March, 1907.

Felix Mayhew

Nick Larson

Filed and recorded at request of R.L. Morton, March 8, 1907 at 9:30 A.M.

J.M. Polhamus,

County Recorder.

TERRITORY OF ARIZONA

ss

County of Yuma

I, J.M. Polhamus, County Recorder in and for the County of Yuma, Territory of Arizona, do hereby certify that the foregoing is a true, full and correct copy of Mining Location as filed for record in my office on the 8th day of March, 1907. and as appears of record in Book V of Mines, page 346, records of Yuma County aforesaid.

In witness whereof I have hereunto set my hand and affixed my official seal of office this 27th day of December, 1908.

J.M. Polhamus

County Recorder,
Yuma County, Arizona Territory.

A m e n d e d
 Notice of Mining Location
 Lode Claim

To all whom it may concern:

This mining claim, the name of which is the North Star No Two, Mining claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits was entered upon and located for the purpose of exploration and purchase by Felix Mayhew and C.F. De Corse, citizens of the United States, the undersigned on the 6th day of October, 1906.

The length of this claim is 1500 feet and we claim 200 feet in an easterly direction and 1300 feet in a westerly direction from the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with 300 feet in width of the surface grounds, on each side of the center of said claim. The general course of the lode deposit and premises is from the west to the East.

The claim is situated and located in the Kofa Mining District, in Yuma County, in the Territory of Arizona, about $2\frac{1}{2}$ miles in a northerly direction from Kofa, Arizona. The east end line of this claim is identical with the west end line of the North Star Lode Claim No 1, and the West end line is identical with the East end line of the Paris and Arizona lode claim.

The surface boundaries of the claim are marked upon the ground as follows: Beginning at a stone monument, the exact point being marked by a cross chiseled on the Rock at a point in an easterly direction 200 feet from the discovery shaft (at which this notice is posted), being in the center of the east end line of said claim, thence N 4 Degr. 35 Min. W, 300 feet to a stone monument marked N.S.2, being the North East corner of said claim, thence N 78 Degr 35 Min. W, 1500 feet to a point on a steep bluff facing west (see margin) being at the north west corner of said claim, thence S. 4 Degr. 35' E, 300 feet to a stone monument being at the center of the west end of said claim, thence S. 78 Degr. 35 Min. E, 1500 feet to a stone monument marked N.S.2 at the South East corner of said claim, thence Stone monument marked N.S.2 being at the South West corner of said claim, thence S. 4° 35' E. 300 feet to a

N. 4 Degr. 35 Min. W, 300 feet to the place of beginning.

All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of the United States, and an Act of the General Assembly of Arizona, entitled "An Act to Revise and Codify the Laws of the Territory of Arizona", approved March 16th. 1901.

Dated and posted on the ground this first day of March, 1907.

Felix Mayhew

C. F. De Course.

(see above)

From which a witness cor. Marked W.C.N.S.2 bears S 4 Degr. 35 Min. E 83.0 ft. dist.

Filed and recorded at the request of R.L. Morton, March 8, 1907 at 9:30 A.M.

J.M. Polhamus,
County Recorder

TERRITORY OF ARIZONA

County of Yuma

ss

I, J.M. Polhamus, County Recorder in and for the County of Yuma, Territory of Arizona, do hereby certify that the foregoing is a true, full and correct copy of amended mining location as filed for record in my office on the 8th day of March 1907, and as appears of record in book V of mines page 347, Records of Yuma County, aforesaid.

In witness whereof I have hereunto set my hand and affixed my seal of office this 7th day of December, 1908.

J.M. Polhamus

County Recorder

Yuma County, Arizona Territory

A m e n d e d
 Notice of Mining Location
 Lode Claim

To all whom it may concern:

This mining claim, the name of which is the North Star No. Three Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purpose of exploration and purchase by Felix Mayhew and Nick Larson, Citizens of the United States, the undersigned on the 6th day of October, 1906.

The length of this claim is 1500 feet and we claim 100 feet in a westerly direction and 1400 feet in an easterly direction from the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with 300 feet in width of the surface grounds, on each side of the center of said claim. The general course of the lode deposit and premises is from the West to the East.

The claim is situated ^{and located} in the Kofa Mining District in Yuma County, in the territory of Arizona, about $2\frac{1}{2}$ miles in a northerly direction from Kofa, Ariz. The west end of this claim is identical with the East end line of the North S Star No 1, lode claim.

The surface boundaries of the claim are marked upon the ground as follows: Beginning at a stone monument, the exact point being marked by a cross chiseled in the rock at a point in a westerly direction 100 feet from the discovery shaft (at which this notice is posted), being in the center of the west end line of said claim, thence N. 4 degr. 35 Min. W, 300 feet to a stone monument marked N.S. 3, being the North West corner of said claim, thence N. 85 Degr. 25 Min. E, 1500 feet to a stone monument marked N.S. 3, being at the North East corner of said claim; thence S. 4 Degr. 35 Min. E, 300 feet to a stone monument at the center of the East end of said claim, thence S. ⁴ Degr. 35 Min. E, 300 feet to a stone monument marked N.S. 3 ^{being} at the South ~~West~~ ^{East} corner

thence S. $85^{\circ} 25' W$, 1500 feet to a stone monument marked N.S.3 at the
 of said claim, thence N. 4 Degr. 35 Min. W, 300 feet to the place
 south west corner of said claim
 of beginning.

All done under the provisions of Chapter Six, of title XXXII, of the Revised Statutes of the United States, and an Act of the General Assembly of Arizona, entitled "An Act to revise and codify the Laws of the Territory of Arizona", approved March 16th, 1901.

Dated and posted on the ground this first day of March 1907.

Felix Mayhew

Nick Larson.

Filed and recorded at request of R.L. Morton, March 8, 1907 at 9:30, A.M.

J. M. Polhamus,

County Recorder.

TERRITORY OF ARIZONA,
 County of Yuma. ss

I, J.M. Polhamus, County Recorder in and for the County of Yuma, Territory of Arizona, do hereby certify that the foregoing is a true, full and correct copy of amended mining location as filed for record in my office on the 8th day of March 1907 and as appears of record in Book V of Mines, page 348, Records of Yuma County aforesaid.

In witness whereof I have hereunto set my hand and affixed my official seal of office this 7th day of December, 1908.

J. M. Polhamus

County Recorder
 Yuma Co., Ariz. Ter.

A m e n d e d
Notice of Mining Location
Lode Claim

..
.

To all whom it may concern:

This mining claim, the name of which is the Paris and Arizona Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purpose of exploration and purchase by Felix Mayhew, Juan verdugo and Wm. D. Smith, Citizens of the United States, the undersigned on the 22nd day of October, 1906.

The length of this claim is 1500 feet and we claim 750 feet in an easterly direction, and 750 feet in a Westerly direction from the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with 300 feet in width of the surface grounds, on each side of the center of said claim. The general course of the lode deposit and premises is from the west to the East.

The claim is situated and located in the Kofa Mining District, in Yuma County, in the Territory of Arizona, about $2\frac{1}{2}$ Miles in a Northerly direction from Kofa, Ariz.

The east end line of this claim is identical with the west end line of the North Star No 2 Lode claim.

The surface boundaries of the claim are marked upon the ground as follows: Beginning at a stone Monument, the exact point being marked by a cross chiseled in the rock at a point in an easterly direction 750 feet from the discovery shaft (at which this notice is posted), being in the center of the east end line of said claim, thence N 4 Degr. 35 Min. W, 300 feet to a point on a steep bluff (see margin), being the North East corner of said claim, thence N 78 Degr. 35 Min. W, 1500 feet to a Gad driven in rock being at the Northwest corner of said claim, thence S. 4 Degr 35 Min. E., 300 feet to a stone monument at the center of

the west end of said claim, thence S.4 Degr. 35 Min. E, 300 feet to a stone monument marked P.A. at the south^{west} corner ^{west} of said claim, thence N.4 Degr. 35 Min. W, 300 feet to the place ^{south east corner of said claim} of the beginning.

All done under the provisions of Chapter Six, of Title XXXII, of the revised Statutes of the United States, and an Act of the General Assembly of Arizona, entitled "An Act to revise and codify the laws of the Territory of Arizona", approved March 16th, 1901.

Dated and posted on the ground this first day of March 1907

Felix Mayhew
Juan Verdugo
Wm. D. Smith

(see above)
from which a witness cor. bears S 4 Degr. 35 Min, E, 83.0 ft.
marked W.C.P.A.

Filed and recorded at request of R.L. Morton March 8, 1907 at 9:30 A.M.

TERRITORY OF ARIZONA,
County of Yuma.

SSS

I, J.M. Polhamus, County Recorder in and for the County of Yuma, Territory of Arizona, do hereby certify that the foregoing is a true, full and correct copy of amended Mining Location as filed for record in my office on the 8th day of March 1907 and as appears of record in Book V of Mines page 349, Records of Yuma County, aforesaid.

In witness whereof I have hereunto set my hand and affixed my official seal of office this 7th day of Dec. A. D. 1908

County Recorder,
Yuma County, Arizona Territory.

U. S. SURVEYOR-GENERAL'S FINAL CERTIFICATE ON FIELD NOTES.

Department of the Interior,

OFFICE OF U. S. SURVEYOR-GENERAL,

Phoenix, Arizona,

August 5, 1909.

I, U. S. Surveyor-General for District of Arizona,

do hereby certify that the foregoing transcript of the Field Notes, return and approval of the survey of the mining claim of

Golden Star Mines Company
NORTH STAR NO. ONE, NORTH STAR NO. TWO, NORTH STAR NO. THREE,
known as the PARIS AND ARIZONA.

situate in KOFA

Mining District, YUMA County, ARIZONA

in Section Approx., Township No. 1 S., Range No. 16 W., Unsur., and

designated as Survey No. 2630, has been correctly copied from the originals on file in this office; that said Field Notes furnish such an accurate description of said mining claim as will, if incorporated into a patent, serve fully to identify the premises, and that such reference is made therein to natural objects or permanent monuments as will perpetuate and fix the locus thereof.

And I further certify that five hundred dollars' worth of labor has been expended or improvements made upon said mining claim by claimant or its grantors, and that said improvements consist of 8 shafts, 3 tunnels, 1 cut and 1382 ft. of workings, total value \$27,852. Shafts Nos. 1 and 2 on the North Star No. One lode, being common improvements for the benefit and development of each of the claims in this group, an undivided one-fourth interest therein, value \$6332.50, is credited to each of the claims in this survey.

and that no portion of said labor or improvements has been included in the estimate of expenditures upon any other claim.

I further certify that the plat thereof, filed in the U. S. Land Office at Phoenix,

Arizona, is correct and in conformity with the foregoing Field Notes.

Frank S. Ingalls,

United States Surveyor-General for Arizona.

4-687.

SURVEYOR-GENERAL'S CERTIFICATE OF APPROVAL OF FIELD NOTES AND SURVEY OF MINING CLAIM.

Department of the Interior,

Office of U. S. Surveyor-General,

Phoenix, Arizona,

August 5, 1909.

I, U. S. Surveyor-General for District of Arizona,

do hereby certify that the foregoing and hereto attached Field Notes and Return of the Survey of the Mining Claim of

GOLDEN STAR MINES COMPANY

known as the NORTH STAR NO. ONE, NORTH STAR NO. TWO, NORTH STAR NO. THREE, PARIS AND ARIZONA.

situate in KOFA Mining District,

YUMA County, ARIZONA

in Section APPROX., Township No. 1 S., Range No. 16 W., Unsur.

designated as Survey No. 2630

executed by William H. Elliott, U. S. Deputy Mineral

Surveyor, March 1 - 4, 1909, under my instructions dated

Feb. 20, 1909, have been critically examined and the necessary

corrections and explanations made, and the said Field Notes and Return, and the Survey they describe,

are hereby approved. A true copy of the copy of the location certificate filed by the applicant for

survey is included in the field notes.

Frank S. Ingalls

U. S. Surveyor-General for Arizona.