copied Aug. 12, 1909.

A. L. H. Peated ang 18, 1909

NUL 9- 1909

4-683.

MINERAL SURVEY No. 2642

LOT No.

Arizona Land District.

FIELD NOTES

OF THE SURVEY OF THE MINING CLAIM OF

KNOWN AS THE	
KNOWN AS THE	
ANOWN AS THE	
Senator Stewart	
	Pima Mining District,
Pima County, Ar:	izona .12 E
Township (17 S.	Ranges (13 E.
nstructions dated March 8t	h, 19 0 9
Z. Wm. C.	Goetz
oy	U. S. Mineral Surveyor
tod See Amended Location	Notice 19
nmenced March 24th.	, 1909
npleted March 25th.	40-0
	Pima County, Ar: (17 S. 17 S. 17 S. 18 Servetions dated March 8t. by Wm. C. ted See Amended Location menced March 24th.

Address;

Frank H. Hereford, Attorney, Tucson, Arizona

on . Ho . T' Mainerack Survey No. 2642.

Feet

Senator Stewart Lode.

Beginning at Cor. No. 1, identical with the N.W. Cor. of the amended location; on Southerly slope of butte. A x in an andesite boulder 6 x 12 ins., 31 ins. long, set 19 ins. in ground, chiseled S.S.1-2642, with mound of stone 3 ft. base by 2 ft. high alongside to N.

The Cor. common to Secs. 25 & 36, T. 17 S. R. 12 E., and Secs. 30 & 31, T. 17 S. R. 13 E., G. & S. R. B. & M.bears N. 80°27'30" E. 367.3 ft. dist.

Cor. No. 1 of the Copper Prince Lode, Mineral Survey No. 2641, bears N. 60°57'30" W. 610.5 ft. dist.

Cor. No. 1 of the James G. Blaine Lode, Mieral Survey No. 2640, bears S. 82°03'40" E.715.7 ft. dist.

Thence S. 41° 00' 30" W.

on line 1-2, descending slope

110. toe of slope

200

- N.Westerly E. C., identical with the N.Westerly E. C. of the amended location; a x in an andesite boulder 6 x 12 ins., 24 ins. long, set 16 ins. in ground, with mound of stone 3 ft. base by $2\frac{1}{2}$ ft. high alongside to S.
- 500. S.E. Cor. of Crazy Horse Lode, unsurveyed, and adjoining this survey on the N.W.
- 600. Cor. No. 2, identical with the S.W. Cor. of the amended location; a x in an andesite boulder 9 x 16 ins., 25 ins. long, set 16 ins. in ground, chiseled S.S.2-2642, with mound of stone 3 ft. base by $2\frac{1}{2}$ ft. high alongside to S.

Thence S. 48° 50' 30" E.

on line 2-3, over level ground

- 100. center of wash 30 ft. wide running E.
- 1005.5 intersect range line between R. 12 & 13 E., G. & S. R. B. & M. at S. 0°03' E.1175.4 ft. from the N.E. Cor. of Sec. 36, T. 17 S. R. 12 E., and N. 0°03' W. 1457.1 ft. from the E. 4Sec. Cor. of said Sec.
- 1427.7 intersect the W. end line of the Night Hawk Lode, unsurveyed,

Feet

600,

at N. 22° 01' 30" E.37.4 ft. from the S.W. Cor. thereof, and S. 22° 01' 30" W. 262.6 ft. from the W. E. C. of said lode.

1457.7 Cor. No. 3, identical with the S.E. Cor. of the amended location; a x in an andesite rock 12 x 17 ins., 31 ins. long, set 20 ins. in ground, Chiseled S.S.3-2642, with mound of stone 3 ft. base by 2 ft. high alongside to S.

The S.W. Cor. of aforesaid Night Hawk Lode bears S. 67° 27' W. 39 ft. dist., and the W. E. C. of said lode bears N. 16° 14' E. 275.3 ft. dist.

Thence N. 41° 00' 30" E.

on line 3-4 Tuesday with the B.W. Cor. or the a

- 285. center of wash 3 ft. wide running E.
- 300. S. Easterly E. C., identical with the E. E. C. of the amended ed location; a x in an andesite rock 9 x ll ins., 27 ins. long, set 18 ins. in ground, with mound of stone 3 ft. base by 3 ft. high alongside to N.
- 411. top of low ridge; descend N. slope of same
- 555. toe of slope
- 600. Cor. No. 4, identical with the N.E. Cor. of the amended location; a x in a limestone boulder 6 x 8 ins., 28 ins. long, set 20 ins. in.ground, chiseled S.S.4-2642, with mound of stone 4 ft. base by $2\frac{1}{2}$ ft. high alongside to N.

A x in a limestone rock in place on N. bank of 30 ft. wash bears N. 35° 32' E. 49.2 ft. dist. I chi'seled same S.S.4-2642 B.R.

Thence N. 48° 50' 30" W.

on line 4-1

- 100. center of wash 30 ft. wide running E.
- 183. toe of Southerly slope of butte. rAscend slope
- 976.1 intersect range line between R. 12 & 13 E. at S. 0° 03' E. 377.9 ft. from the N.W. Cor. of Sec. 31, T. 17 S. R. 13 E., and N. 0° 03' W. 2254.6 ft. from the W. 4Sec. Cor. of said Sec. 31.
- 1457.7 Cor. No. 1, the place of beginning.

Lode Line.

As near as can be ascertained from surface indications and present development, the veins of the Senator Stewart Lode extend from the discovery shaft S. 48° 50' 30" E. 701.6 ft. and N. 48° 50' 30" W. 756.1 ft.

Area.

COME COME BOTH STATE STA

Area of Senator Stewart Lode----- 20.079 Acres

ulkin" 500 ft, steel tape, togethe

Location.

This survey is located in the N.W. \$\frac{1}{4}\text{Sec. 31, T. 17 S. R.}\$

13 E., and in the N.E. \$\frac{1}{4}\text{Sec. 36, T. 17 S. R. 12 E., G. & S. R.}\$

B. & M., Pima Mining District, Pima County, Arizona.

IV., do IV. deap, bears is 170

Adjoining Claims.

This survey is adjoined on the S.E. by the Night Hawk, unsurveyed, located by Pat. Fogarty and John Devine; on the S.W. by the Copper Eagle Nos. 7 and 8, both unsurveyed, located by The Twin Buttes Mining and Smelting Company; on the N.W. by the Crazy Horse, unsurveyed, located by Charles Ashburn and J. D. White; on the N.E. by unsurveyed claims, the names and claimants of which are unknown.

Expenditure of Five Hundred Dollars.

data great g

I hereby certify that the value of the labor and improvements made upon, or for the benefit of, the location embraced in said mining claim by the claimant or its grantors, is not less than five hundred dollars, and that said improvements consist of, as follows:

From the N. Westerly E. C.

No. 1 - The discovery shaft 4 x 6 ft., 10 ft. deep, bears S. 48° 50' 30" E. 756.1 ft. dist.

Value \$100.00

5

From a point N. 31° 28' 30" W. 300. ft. from Cor. No. 3,
No. 2 - A shaft 4 x 6 ft., 40 ft. deep, partly timbered, bears N.

26° 30' W. 449'. ft. dist.

Value \$600.00

No. 3 - A shaft 3 x 8 ft., 10 ft. deep, bears N. 23° 49' W. 369. ft. dist.

Value \$100.00

No. 4 - A shaft 4 x 12 ft., 4 ft. deep, bears N. 10° 57' W. 291. ft. dist.

Value \$60.00

No. 5 - A shaft 5 x 10 ft., 10 ft. deep, bears N.4° 14' W. 236. ft. dist.

Value \$150.00

No. 6 - A shaft 4 x 6 ft., 4 ft. deep, bears N. 8° 59' E. 182. ft. dist.

WINTER SUG SUGTE THE CONTEST ? Value \$40.00

From Cor. No. 3 > non summand and services

No. 7 - A shaft' 5 x 15 ft., 10 ft. deep, bears N. 6° 23' E. 398. ft. dist.

Value \$250.00

No. 8 - A shaft 5 x 8 ft., 20 ft. deep, bears N. 17° 52' E. 377. ft. dist.

Value \$250.00

Total value \$1550.00

Instrument.

This survey was made with a Seelig & Kandler Engineers Transit graduated to 30 seconds, and all courses were deflected from a true meridian as determined by direct Polaris observation, The distances were measured with a "Lufkin" 300 ft. steel tape, together with mercury plummets.

and discovered to go was so not not me

The Cor. common to Secs. 25 & 36, T. 17 S. R. 12 E., and Secs. _

30 & 31, T. 17 S. R. 13 E., G. & S. R. B. & M. is a stone 8 x 14 ins.,

23 ins. long, set on the ground and surrounded by a mound of stone

1½ ft. high by 4 ft. base.

Cor. No. 1 of the Copper Prince Lode, Mineral Survey No. 2641,

is a x in a limestone rock 12 x 17 ins., 30 ins. long,

set 22 ins. in ground, chiseled C.P.1-2641, with mound of stone 3 ft. base by 2 ft. high alongside to S.

Cor. No. 1 of the James G. Blaine Lode, Mineral Survey No. 2640, is a x in a quartzite rock 12 x 19 ins., 24 ins. long, set 19 ins. in ground, chiseled J. G. B. 1-2640, with mound of stone 3 ft. base by 3 ft. high alongside to S.

The S.E. Cor. of the Crazy Horse Lode is a mound of stone 2 ft. base by $1\frac{1}{2}$ ft high.

The S.W. Cor. and the W. E. C. of the Night Hawk Lode each consists of a stick 3 ft. long set in a mound of stone 2 ft. base by 1 ft. high. The S.E. Cor. of said lode consists of a stick 3 ft. long set in a mound of stone 3 ft. base by 2 ft. high. After a diligent and thorough search for the N.W. and N.E. Cors. of said lode no traces of same could be found.

The E. $\frac{1}{4}$ Sec. Cor. of Sec. 36, T. 17 S. R. 12 E. consists of a stick 2 ft. long set in a mound of stone $1\frac{1}{2}$ ft. base by $\frac{1}{2}$ ft. high.

The difference in the length of the side lines between this survey and the location, are due to errors in the location. The side center monuments described in the location could not be found after a diligent and thorough search was made for the same.

The great size and permanency of the monuments established for this survey are considered by me quite superior to any available bearings not enumerated herein.

Variation.

The same was given gard such dest stort st

The variation at all corners was 13° E.

Hilliam C. Gotts

Tucson, Arizona, June 30th. 1909.

FINAL OATHS FOR SURVEYS.

LIST OF NAMES.

A list of the names of the individuals employed by			
United States Mineral Surveyor, to assist in running, measuring, and marking the lines, corners, and			
boundaries described in the foregoing field notes of the survey of the mining claim of			
The Twin Buttes Mining and Smelting Company			
known as the Senator Stewart			
and showing the respective capacities in which they acted.			
W. W. Logan , Chainman.			
M. A. Martinez , Chainman.			
, Flagman.			
FINAL OATHS OF ASSISTANTS.			
We, W. Logan			
and M. A. Martinez , do solemnly swear that we assisted William C.			
Goetz United States Mineral Surveyor, in marking the corners and surveying			
the boundaries of the mining claim of The Twin Buttes Mining and Smelting Com-			
nany			
Canatar Stawart			
Known as the			
represented in the foregoing field notes as having been surveyed by said mineral surveyor and under his			
represented in the foregoing field notes as having been surveyed by said infineral surveyor and under his			
direction; and that said survey has been in all respects, to the best of our knowledge and belief, faithfully			
- ^ ^ [시] [시] : [1] : [
direction; and that said survey has been in all respects, to the best of our knowledge and belief, faithfully			
direction; and that said survey has been in all respects, to the best of our knowledge and belief, faithfully and correctly executed, and the corner and boundary monuments established according to law and the instructions furnished by the United States Surveyor-General for			
direction; and that said survey has been in all respects, to the best of our knowledge and belief, faithfully and correctly executed, and the corner and boundary monuments established according to law and the instructions furnished by the United States Surveyor-General for			
direction; and that said survey has been in all respects, to the best of our knowledge and belief, faithfully and correctly executed, and the corner and boundary monuments established according to law and the instructions furnished by the United States Surveyor-General for Arizona Otillians W. Logan, Chainman. Mannell A. Martintychainman.			
direction; and that said survey has been in all respects, to the best of our knowledge and belief, faithfully and correctly executed, and the corner and boundary monuments established according to law and the instructions furnished by the United States Surveyor-General for			
direction; and that said survey has been in all respects, to the best of our knowledge and belief, faithfully and correctly executed, and the corner and boundary monuments established according to law and the instructions furnished by the United States Surveyor-General for			
direction; and that said survey has been in all respects, to the best of our knowledge and belief, faithfully and correctly executed, and the corner and boundary monuments established according to law and the instructions furnished by the United States Surveyor-General for			
direction; and that said survey has been in all respects, to the best of our knowledge and belief, faithfully and correctly executed, and the corner and boundary monuments established according to law and the instructions furnished by the United States Surveyor-General for			
direction; and that said survey has been in all respects, to the best of our knowledge and belief, faithfully and correctly executed, and the corner and boundary monuments established according to law and the instructions furnished by the United States Surveyor-General for			

FINAL OATH OF U.S. MINERAL SURVEYOR.

I, William C. Goetz	, U. S. Mineral Surveyor,	
do solemnly swear that, in pursuance of instruc-		
Surveyor General for Arizona	, dated	
March 8th. 1909 , I hav	e, in strict conformity to the laws of the	
United States, the official regulations and instru		
of said Surveyor General, faithfully and correct	ly executed the survey of the Mining	
Claim of The Twin Buttes Mining and	Smelting Company	
	, known as the	
Senator Stewart		
situate in Pima	Mining District,	
Pima Count	y, Arizona , in Section	
Pima Count 37 , Township No. 17 S. , Range N	. 13 E. G. & S. R. B. & M.	
and designated as Survey No. 2642	, as represented	
in the foregoing field notes, which accurately sho	w the boundaries of said mining claim	
as distinctly marked by monuments on the grou	nd, and described in the attached copy	
of the location certificate, which was received by	y me from the Surveyor General with	
said instructions, and that all the corners of said	survey have been established and per-	
petuated in strict accordance with the law, offi-	cial regulations and instructions there-	
under; and I do further solemnly swear that the	he foregoing are the true and original	
field notes of said survey and my report there		
improvements made upon said mining claim by claimant orgrantors		
are as therein fully stated, and that the charact		
thereof are specified therein with particularity a		
said labor or improvements so credited to this claim has been included in the estimate		
of expenditures upon any other claim.		
11	1-11. P 1 +	
30	illiam C. Goth U. S. Mineral Surveyor	
Subscribed and sworn to by the said Win	Minus C. Gock -	
U. S. Mineral Surveyor, before me	us Dieusias da	
noting Quellie	this 7 %	
day of July , 1909		
	1	
My Commission Expires au 30 th, 19/1	anus Decessart	
	notan Public.	

Affidavit of Five Hundred Dollars Improvements.

We, W. W. Logan , and M. A. Martinez
of lawful age, being first duly sworn according to law, depose and say: That we
are acquainted with the Senator Stewart mining claim,
situate in Pima Mining district, Pima County, Arizona Territory, for which The Twin Buttes Mining and Smelting Company
ha made application for survey prior to application for patent under the provisions
of the Act of Congress, approved May 10, 1872; and that the labor done and improve-
ments made thereon by the applicants and its grantors exceed Five Hundred
Dollars in value, and further that we are not personally interested in said mine.
William W. Logan
Mannel a Martinez
TERRITORY OF ARIZONA, County of Pinia 88:
Sworn to and subscribed before me, this. 7
My Commission Expires 430 th, 19// 69866500-2-03 day of July , 1909. Janua Dieuscash Notany Oublic.

Senator Stewart Mining Claim. Amended Certificate of Location.

The undersigned locators of the Senator Stewart Mining Claim situated in the Pima Mining District, Pima County, Arizona Territory, have learned that the original certificate of location of this claim dated the 19th. day of September, 1896 and filed and recorded in the office of the County Recorder of said Pima County on the 23rd day of October, 1896 in Book F.F. Records of Mines, page 352 is defective in certain particulars.

Now, therefore, the said locators in accordance with the provisions of an act of the Legislative Assembly of the Territory of Arizona approved March 2", I899 entitled an act to amend an act entitled an act concerning mines, being Act No. 42 of the I8" Legislative Assembly of the Territory of Arizona, approved March 5", I895, and in accordance with the Acts of Congress in relation to mining claims, hereby amend said original certificate or notice of location of said mining claim to wit:

To all whom it may concern:

1

This mining claim, the name of which is the Senator Stewart Mining Claim, situated on lands belonging to the United States of America, and in which there are valuable mineral deposits was entered upon and located for the purpose of exploration and purchase by John Ellis and Michael Irish, the undersigned, on the 19" day of September, 1896.

The length of this claim is I500 feet and we claim 750 feet in a westerly direction and 750 feet in an easterly direction from the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with 300 feet in width of the surface grounds, on each side of the center of said claim.

The general course of the lode deposit and premises is easterly and westerly.

The claim is situated and located in the Pima Mining District, in Pima County, in the Territory of Arizona, about 2500 feet in a south westerly direction from Twin Buttes Hofman Camp in Pima County.

The surface boundaries of the claim are marked upon the ground as follows: Beginning at a monument of stones at a point in a westerly direction 750 feet from the discovery shaft (at which this notice is posted being in the center of the west end line of said claim; thence northerly

TERRITORY OF ARIZONA,		
County of Pima,		
I, Ben Hensley County Recorder in and		
for the County of Pima, do hereby certify that the above and foregoing is a full, true and correct copy		
of the amended Senator Stewart Mining claim, situated		
in the Pina Mining Dist in Pina County, arizona		
Territory located on the 6th day of april 1899		
as appears of record now in my office in Book J. J. Record of Minespages 222 et seg.		
IN WITNESS WHEREOF, I have hereunto set my hand and affixed my		
official seal, at my office in Tucson, this		
of november A. D. 1908		
Ben & energy		
County Recorder of Pima County, Arizona.		
by L. m. Phibell, deputy		

claim; thence easterly 750 feet to a monument of stones at the center of the north side line of said claim; thence easterly 750 feet to a monument of stones being at the north west corner of said claim; thence southerly 300 feet to a monument of stones at the center of the east end of said claim; thence southerly 300 feet to a monument of stones being at the north east corner of said claim; thence westerly 750 feet to a monument of stones being at the north east corner of said claim; thence westerly 750 feet to a monument of stones at the south side line of said claim; thence westerly 750 feet to a monument of stones at the south west corner of said claim; thence northerly 300 feet to the place of beginning.

All done under of the provisions of Chapter Six, of title XXXII, of the Revised Statutes of the United States, and of an Act of the Gene eral Assembly of Arizona entitled An Act Concerning Mines, approved March 202 I895 An Act amendatory thereto.

Date of this Certificate April 6", 1899.

Witness Hugh Canney

John Ellis.

Nat Wilde

Michael Irish.

Filed and recorded attrequest of John Ellis April 7 A.D. 1899 at 9. 45 A.M.

Chas. A. Shibell, County Recorder.

Recorded Book G.G.Records of Mines, page 222 et seq.

U. S. SURVEYOR-GENERAL'S FINAL CERTIFICATE ON FIELD NOTES.

Department of the Interior,

OFFICE OF U. S. SURVEYOR-GENERAL,

	Phoenix, Arizona,		
	October 2, , 190 S		
I, U. S. Surveyor-Ger	neral for District of Arizona		
	foregoing transcript of the Field Notes, return and appro		
	The Twin Buttes Mining and Smelting C	company	
	Senator Stewart		
situate in	Pima		
Mining District, 36 in Section 8 31	Pima County, 12 E., Township No. 17 S., Range No. 13 E.	Arizona.	
	, has been correctly copied from the o		
	Notes furnish such an accurate description of said mining		
And I further certify ments made upon said miconsist of	that five hundred dollars' worth of labor has been expensing claim by claimant. or its grantors, and that sais, total value \$1550.00	id improvements	
	labor or improvements has been included in the estimate		
upon any other claim.		or expenditures	
I further certify that th	ne plat thereof, filed in the U.S. Land Office at Phoer	nix,	
Arizona	is correct and in conformity with the foregoing Field	Notes.	
	Frank S. Ingalls,		
	United States Surveyor-General for Arizor	la.	

SURVEYOR-GENERAL'S CERTIFICATE OF APPROVAL OF FIELD NOTES AND SURVEY OF MINING CLAIM.

Department of the Interior,

OFFICE OF U. S. SURVEYOR-GENERAL,

	Phoenix, Arizona,	************		
	October 2	, 1909		
I, U. S. Surveyor-Ger	neral for District of Arizona			
do hereby certify that the foregoing and hereto attached Field Notes and Return of the Survey of the				
Mining Claim of				
	The Twin Buttes Mining and	Smelting Company		
		known as the		
	SENATOR STEWART.			
situate in	PIMA	mining district,		
PIMA	County,	ARIZONA		
in Continue S 31	17 S., , Township No. 17 S.,, B	12 E.		
In Section .S.	Township No, F	tange No.		
, des	ignated as Survey No			
executed by	Wm. C. Goetz	, U. S. Deputy Mineral		
Surveyor,M	arch 24-25, , 1909	, under my instructions dated		
March 8	, 1909., have been critically ex	amined and the necessary cor-		
rections and explanations made, and the said Field Notes and Return, and the Survey they describe,				
are hereby approved. A	true copy of the copy of the location certifica	ate filed by the applicant for		
survey is included in the field notes.				
	Frank A de	La alla		
	familian federal Control			
	U. S. Surveyor-Genera	l for Arizona		