

APR 14 1909
MAY 6 1909

4-683.

MINERAL SURVEY No. 2646

LOT No.

Arizona Land District.

FIELD NOTES

OF THE SURVEY OF THE MINING CLAIMS OF

THE UNITED GLOBE MINES

KNOWN AS THE

JOKER, LADY ELGIN, VERMONT, DIME, QUARTER, WEST STONEWALL, TRIANGLE,
CLIFT, MCGINTY, MAUDIE

GLOBE Mining District,

GILA County, Arizona,

Section 24, T 1 N, R 15 E, and
Section ~~Appex~~ 19, Township 1 N, Range 16 E unsurveyed,
G & S R B & M.

Surveyed under instructions dated March 22, 1909

by Robert P. Boyd
U. S. Mineral Surveyor.

Claim located See Location Notices, 19

Survey commenced March 29, 19 09.

Survey completed April 10, 19 09.

6-822

Post Office address of claimant's attorney,

Herring & Sorin, Tucson, Arizona.

JOKER LODE

Feet

Beginning at corner No. 1, the S W corner, identical with the northwest corner of the Vermont, this survey, situate on line 3-4 Fraction Lode, survey No. 2331, a pine post 4 1/2 ft long, 4 in. square, set 18 in. in the ground in a mound of stone, marked with a nail at exact point of corner and scribed on the north side 1-2646-J L, whence Original Location for the S W corner bears S 54° 23' W 5.8 ft.; a pine post 4 1/2 ft long, 4 in. square, set 18 in. in the ground in a mound of stone.

The 1/4 corner between Sections 24 and 25, T 1 N, R 15 E, G & S R B & M, bears S 3° 31' E 1476.03 ft.;

Station 15 of the United Globe triangulation system bears S 73° 7' 16" E;

Station 14 of the United Globe triangulation system bears S 34° 11' 31" E.

Thence N 30° 52' W

37.55 along the line 4-3 Fraction Lode, survey No. 2331, to corner No. 2, identical with corners No. 3 and No. 1 of Fraction Lode, survey No. 2331, and the Even Up Lode, survey No. 2335, respectively, a pine post 4 1/2 ft long, 4 in. square, set 18 in. in the ground in a mound of stone, marked with a nail at exact point of corner and scribed on the east side 2-2646-J L, whence a Cross, chiseled on limestone bed-rock and marked B R-2646-J L, bears N 63° 47' E 12.4 ft.

Thence N 22° 48' W

257.0 along line 1-5 Even Up Lode, survey No. 2335, to the S W E C of location, a pine post 4 1/2 ft long, 4 in. square, set 18 in. in the ground in a mound of stone,

523.23 same bearing to corner No. 3, the N W corner, identical with location, situate on the intersection with line 1-2 Gladiator Lode, survey No. 1108, a pine post 4 1/2 ft long, 4 in. square, set 18 in. in the ground in a mound of stone, marked with a nail at exact point of corner and scribed on the east side 3-2646-J L, whence Corner No. 5 Even Up Lode, survey No. 2335, bears

N 22° 48' W 68.92 ft.; a pine post 4 in. square, projecting 3 ft above the ground, surrounded by a mound of stone, Corner No. 2 Gladiator Lode, survey No. 1108, bears

S 67° 37' W 47.08 ft, a pine post 4 in. square, projecting 3 ft above the surface of the ground and surrounded by a mound of Stone
The northwest corner of a shaft bears S 88° 58' E 25.2 ft.

Thence N 67° 37' E

1033.82 along line 2-1 Gladiator Lode, survey No. 1108, to corner No. 4, the N E corner, identical with location, with the N W corner Lady Elgin Lode, this survey, a pine post 4 1/2 ft long, 4 in. square, set 18 in. in the ground in a mound of stone, marked with a nail at exact point of corner and scribed on the S W side 4-2646-J L, whence a Cross on an outcrop of limestone 4 ft x 7 ft x 3 ft high, marked B R-4-2646- bears S 13° 43' E 20.37 ft.

Thence S 22° 48' E

78.60 to the N E E C of location, a pine post 4 1/2 ft long, 4 in. square, set 18 in. in the ground in a mound of stone.

318.72 same bearing to corner No. 5, the S W corner, identical with the N W corner and the N E corner of the Dime and Vermont Lodes, respectively, this survey, a block of concrete 30 in. long, 8 in. square, set 24 in. in the ground with a mound of stone 3 ft in diameter and 2 ft high alongside, marked with a cross at exact point of corner and scribed on the west side 5-2646-J L, whence Original Location for the S W corner bears S 22° 48' E 32.5 feet;

A cross, chiseled on limestone bed-rock on the side of the railroad cut, marked B R-2646, bears S 23° 36' W 36.83 ft.

Thence S 54° 23' W

36.51 to the S W corner of the Lady Elgin Lode, this survey.

1054.94 same bearing to corner No. 1, the place of the beginning.

Note: I have to report an error of 1.55 ft in the length of line 5-1 Even Up Lode, survey No. 2335, as reported in that survey;

also the course and length of line 1-2 Gladiator Lode,

survey No. 1108, S 67° 43' W 1239.8 ft., as reported in that survey, is in error.

LEDGE.

The presumed course of the vein on this claim is from the N E E C of location S 57° 19' W 1049.35 feet to the S W E C of location.

LADY ELGIN LODE

Beginning at corner No. 1, the S E corner, identical with location, a pine post 4 1/2 ft long, 4 in. square, set 18 in. in the ground in a mound of stone, marked with a nail at exact point of corner and scribed on the west side 1-2646-L E L, whence

The 1/4 Section corner between Sections 24 T 1 N, R 15 E, G & S R B & M, and Section 19, T 1 N, R 16 E unsurveyed, bears N 86° 37' E 1127.8 ft.;

Station 3, United Globe Triangulation System, bears S 41° 28' 35" E.

Thence S 59° 54' W

720.0 to the intersection of Wagon Road in bottom of Copper Gulch,

907.0 same bearing to the intersection of Arizona Commercial Copper Company's railway,

910.49 same bearing to corner No. 2, identical with corner No. 5 Joker Lode and the N W and N E corners of the Dime and Vermont Lodes, respectively, this survey, a block of concrete etc. and scribed on the northeast side 2-2646-L E L.

Thence S 54° 23' W

36.51 along line 5-T Joker Lode, this survey, to corner No. 3, the S W corner, a pine post 4 1/2 ft long, 4 in. square, set 18 in. in the ground in a mound of stone, marked with a nail at exact point of corner, and scribed on the northeast side 3-2646-L E L, whence the Original Location for the S W corner, a pine post 4 1/2

Feet

ft long, 4 in. square, set 18 in. in the ground in a mound of stone, bears S 16° 35' E 243.0 ft.

Thence N 16° 35' W

27.76 to the S W E C of location, a pine post $4\frac{1}{2}$ ft long, 4 in. square
 328.76 set 18 in. in the ground in a mound of stone -
 same bearing to corner No. 4, the N W corner, identical
 with location, with corner No. 4 Joker Lode, this survey,
 a pine post etc. and scribed on the ^{South} east side 4-2646-
 L E L.

Thence N 67° 37' E

86.0 along line 2-1 Gladiator Lode, survey No. 1108, to the
 intersection of Arizona Commercial Copper Company's
 railway, running in a general northerly and southerly
 direction,

126.84 same bearing to corner No. 5, identical with corners
 No. 1 and 5, respectively, of the Gladiator and Cen-
 traylia Lodes, survey No. 1108, a pine post 4 1/2 ft long,
 4 in. square, set 18 in. in the ground in a mound of stone
 scribed on the south side 5-2646-LEL, whence
 Station 11 of the United Globe triangulation system
 bears N 53° 37' 51" E;
 Station 3 of the United Globe triangulation system
 bears S 67° 53' 48" E.

Thence N 44° 12' E

150.0 along line 5-6 Centraylia Lode, survey No. 1108, to the
 intersection of Wagon Road in the bottom of Copper Gulch,
 running in a general northerly and southerly direction,

909.25 same bearing to corner No. 6, the N E corner, identical
 with location, situate on the intersection with line
 8-3 Monitor Lode, survey No. 2313, a pine post 4 1/2 ft
 long, 4 in. square, set 18 in. in the ground in a mound
 of stone, marked with a nail at exact point of corner
 and scribed on the south side 6-2646-L E L, whence
 Corner No. 3 Monitor Lode, survey No. 2313, bears N 16°
 35' W 30.5 ft, a pine post 4 in. square, projecting 3 ft
 above the surface of the ground, surrounded by a mound
 of stone, and scribed on the east side 3-2313-M L;
 Station 7 of United Globe triangulation system bears
 N 59° 48' 12" W.

Feet

5

Station 8 of United Globe triangulation system bears N 8° 19' 32" W.

Thence S 16° 35' E

279.2 along line 3-2 Monitor Lode, survey No. 2313, to the N E E C of location, a pine post 4 1/2 ft long, 4 in. square, set 18 in. in the ground in a mound of stone.

559.5 same bearing to corner No. 2, Monitor Lode, survey No. 2313, a pine post projecting 3 ft above the surface of the ground, surrounded by a mound of stone, and scribed on the north side 2-2313-M L.

560.0 same bearing to corner No. 1, the place of the beginning.

Note: I have to report the course and length of line 5-6 Centraylia Lode, survey No. 1108, N 44° 10' E 1500.0 ft., as reported in that survey, to be in error.

LEDGE.

The presumed course of the vein on this claim is from the N E E C of location S 46° 03' W 1035.68 feet to the S W E C of location.

VERMONT LODGE

Beginning at corner No. 1, the S W corner, identical with location, a pine post 4 1/2 ft long, 4 in. square, set 18 in. in the ground in a mound of stone, marked with a nail at exact point of corner and scribed on the north side 1-2646-V L, whence

1/4 corner between Sections 24 and 25 T 1 N, R 15 E, G & S R B & M, bears S 12° 11' W 993.50 ft.;

No bearing monuments available.

Thence N 30° 52' W

11.32 to corner No. 4, Fraction Lode, survey No. 2331, a pine post 4 1/2 ft long, 4 in. square, set 18 in. in the ground in a mound of stone and scribed on the northwest side 4-2331-F L, situate on line 2-8 Tiger Lode Surv: No 2327. Whence

Corner No. 2, Tiger Lode, survey No. 2327, a pine post projecting 3 ft above the surface of the ground, surrounded by a monument of stone, and scribed on the south side

Feet 2-2327-T L, bears S 69° 46' W along line 3-2 Tiger Lode, survey No. 2327, 345.4 ft.

118.0 same bearing along line 4-3 Fraction Lode, survey No. 2331, to the intersection with the Arizona Commercial Copper Company's railway, running in a general easterly and westerly direction, as shown on the plat.

289.0 same bearing to the S W E C of location, a pine post 4 1/2 ft long, 4 in. square, set 18 in. in the ground in a mound of stone.

585.80 same bearing to corner No. 2, the N W corner, identical with location, with corner No. 1 Joker Lode, this survey, a pine post etc. and scribed on the east side 2-2646-V L,
Thence N 54° 23' E

1018.43 along line 1-5 Joker Lode, this survey, to corner No. 3 Lady Elgin Lode, this survey,

1054.94 same bearing to corner No. 3, the N E corner, identical with corner No. 5 Joker Lode, corner No. 2, Lady Elgin Lode, and the N W corner of the Dime Lode, this survey, a block of concrete etc. and scribed on the southwest side 3-2646-V L, whence
The Original Location for the N E corner bears N 30° 52' W
14.00 feet, a pine post 4 1/2 ft long, 4 in. square, set 18 in. in the ground in a mound of stone.
Thence S 30° 52' E

4.0 to the intersection with the Arizona Commercial Copper Company's railway running in a general northeasterly and southwesterly direction, as shown on the plat.

295.0 same bearing to the intersection with Wagon Road in the bottom of Copper Gulch, running in a general northeasterly and southwesterly direction, as shown on the plat.

300.0 same bearing to the N E E C of location, identical with the S W E C of location of the Dime Lode, this survey, a pine post 4 1/2 ft long, 4 in. square, set 18 in. in the ground in a mound of stone.

600.0 same bearing to corner No. 4, the S E corner, identical with location, with the S W corner of Dime Lode, this

Feet

7

survey, situate on line 2-3 Contact Lode, survey No. 2326, a pine post 4 1/2 ft long, 4 in. square, set 18 in. in the ground in a mound of stone, marked with a nail at exact point of corner and scribed on the west side 4-2646-V L, whence

Corner No. 2 Contact Lode, survey No. 2326, bears S 59° 54' W 994.85 feet;

Station 12 United Globe triangulation system bears N 54° 34' 30" W,

Station 11 United Globe triangulation system bears N 24° 12' 20" E.

Thence S 55° 09' W

400.0 to the intersection with Wagon Road in the bottom of Copper Gulch, running in a general northeasterly and southwesterly direction, as shown on the plat.

1009.8 same bearing to corner No. 1, Contact Lode, survey No. 2326, situate on the intersection with line 2-3 Tiger Lode, survey No. 2327, a pine post 4 in. square, projecting 3 ft above the surface of the ground, surrounded by a mound of stone, and scribed on the north side 1-2326-C L, whence

Corner No. 2 Contact Lode, survey No. 2326, a pine post projecting 3 ft above the surface of the ground, and scribed on E side 2-2326-CL surrounded by a mound of stone, bears N 22° 17' W 84.4ft.

Corner No. 3 Tiger Lode, survey No. 2327, bears N 69° 46' E 1042.9 ft. and Corner No. 2 Tiger Lode, survey No. 2327 bears S 69° 46' W 390.15 ft.

1053.90 same bearing to corner No. 1, the place of the beginning.

LEDGE.

The presumed course of the vein on this claim is from the N E E C of location S 54° 33' W 1054.70 feet to the S W E C of location.

DIME LODE

Beginning at corner No. 1, the S E corner, identical with location, with the S W corner of the Quarter Lode, this survey, a pine post 4 1/2 ft long, 4 in. square, set 18 in. in the ground in a mound of stone, marked with a nail at exact point of corner and scribed on the west side 1-2646-D L, whence the 1/4 Section corner between Sections 19 and 24 bears N 47° 09' E 420.47 feet, Station 12 United Globe triangulation system bears S 84° 52' 20" W,

Station 3 United Globe triangulation system bears S 5° 25' 30" W.

Thence S 59° 54' W

1060.0 to corner No. 3 Contact Lode, survey No. 2326, identical with the N W corner Triangle Lode, this survey,

1500.0 same bearing along line 3-2 Contact Lode, survey No. 2326, to corner No. 2, the S W corner, identical with location, with corner No. 4 Vermont Lode, this survey, a pine post etc., and scribed on the north side 2-2646-D L,

Thence N 30° 52' W

300.0 to the S W E C of location, identical with the N E E C of location of Vermont Lode, this survey, a pine post etc.

600.0 same bearing along line 4-3 Vermont Lode, this survey, to corner No. 3, the N W corner, identical with corners 3, 2 and 5, respectively, of the Vermont, Lady Elgin and Joker Lodes, this survey, a block of concrete etc.

and scribed on the southeast side 3-2646-D L, whence the original location for N W corner bears N 30° 52' W 14.0 ft.

Thence N 59° 54' E

910.49 along line 2-1 Lady Elgin Lode, this survey, to corner No. 1 Lady Elgin Lode, this survey.

1500.0 same bearing to corner No. 4, the N E corner, identical with location, with the N W corner of the Quarter Lode, this survey, a pine post 4 1/2 ft long, 4 in. square, set 18 in. in the ground in a mound of stone, marked with a nail at exact point of corner and scribed on the south side 4-2646-D L.
No bearing monuments available.

Feet

9

Thence S 30° 52' E

300.0 to the N E E C of location, identical with the S W E C of location of the Quarter Lode, this survey, a pine post 4-1/2 ft long, 4 in. square, set 18 in. in the ground in mound of stone...

600.0 same bearing to corner No. 1, the place of the beginning.

LEDGE.

The presumed course of the vein on this claim is from the N E E C of location S 59° 54' W 1500.0 ft to the S W E C of location.

QUARTER LODE

Beginning at corner No. 1, the S W corner, identical with location, with corner No. 1 Dime Lode, this survey, a pine post etc. and scribed on the north side 1-2646-Q L, whence the 1/4 Section corner between Sections 24 T 1 N, R 15 E, and Section 19 T 1 N, R 16 E unsurveyed, G & S R B & M, bears N 47° 09' E 420.47 ft.

Thence N 30° 52' W

300.0 along line 1-4 Dime Lode, this survey, to the S W E C of location, identical with the N E E C of location of the Dime lode, this survey, a pine post etc.

600.0 same bearing to corner No. 2, the N W corner, identical with location, with corner No. 4 Dime Lode, this survey, a pine post etc. and scribed on the east side 2-2646-Q L,

Thence N 69° 56' E

657.28 to the intersection with the N 1/2 of Section line between Sections 24 and 19 at N 0° 10' E 454.32 ft from the 1/4 corner, and S 0° 10' W 2134.01 ft from the Section corner.

1498.78 same bearing to corner No. 3, the N E corner, identical with location, with the N W corner of the West Stonewall Lode, this survey, a pine post 4 1/2 ft long, 4 in. square, set 18 in. in the ground in a mound of stone, marked with a nail at exact point of corner, and scribed

Feet

on the southwest side 3-2646-Q L, whence
 Station 11 United Globe triangulation system, bears
 S 84° 42' 22" W,
 Station 3 United Globe triangulation system, bears S 41°
 23' 22" W.

Thence S 30° 52' E

300.0 to the N E E C of location, a pine post 4 1/2 ft. long,
 4 in. square, set 18 in. in the ground in a mound of
 stone,

600.0 same bearing to corner No. 4, the S.W. corner, identical
 with location, a pine post 4 1/2 ft long, 4 in. square,
 set 18 in. in the ground in a mound of stone, marked
 with a nail at exact point of corner and scribed on the
 west side 4-2646-Q L-

No bearing monuments available.

Thence S 69° 56' W

1108.28 to corner No. 1 Triangle Lode, this survey.

1171.22 same bearing to the intersection with the S 1/2 of the
 Section line between Sections 19 and 24 at N 0° 11' E
 2423.03 ft from the Section corner and S 0° 11' W
 173.77 ft from the 1/4 Section corner.

1498.78 same bearing to corner No. 1, the place of the beginning.

LEDGE.

The presumed course of the vein on this claim is from
 the N E E C of location S 69° 56' W 1498.78 ft to the
 S W E C of location.

WEST STONEWALL LODE

Beginning at corner No. 1, the N W corner, identical with
 location, with corner No. 3 Quarter Lode, this survey,
 a pine post etc., and scribed on the southeast side
 1-2646-W S L, whence
 1/4 Section corner between Sections 24 T 1 N, R 15 E,
 and Section 19 T 1 N R 16 E unsurveyed, G & S R B & M
 bears S 46° 49' W 1085.80 feet.

Feet

401.33 Thence N 63° 59' E
 to corner No. 2, a pine post 4 1/2 ft long, 4 in. square,
 set 18 in. in the ground in a mound of stone, marked
 with a nail at exact point of corner, and scribed on the
 south side 2-2646-W S L, situate on line 4-1 Arizona Lode,
 Survey No. 2313, at S 85° 21' W 856.03 feet from Corner
 No. 4 Arizona Lode, survey No. 2313, whence
 Station 4 United Globe triangulation system bears N 76° 08' E 40.12 ft.

859.38 Thence N 82° 52' E
 to corner No. 3, situate on the intersection of line 1-4
 Stonewall Lode, survey No. 1123, with line 3-4 Arizona
 Lode, survey No. 2313, a pine post 4 1/2 ft long, 4 in.
 square, set 18 in. in the ground in a mound of stone,
 marked with a nail at exact point of corner, and scribed
 on the south side 3-2646-W S L, whence
 Corner No. 4 Arizona Lode, survey No. 2313, a pine post
 projecting 3 ft above the surface of the ground,
 surrounded by a mound of stone and scribed on the N W
 side 4-2313-^{AL} bears S 0° 23' E 37.35 ft. and
 Corner No. 3, Arizona Lode, survey No. 2313, a pine post
 projecting 3 ft above the surface of the ground, surrounded
 by a mound of stone and scribed on the S W side 3-2313,
 A L, bears N 0° 23' W 532.65 ft.
 Corner No. 1 Stonewall Lode, survey No. 1123, a pine
 post projecting 3 ft above the surface of the ground,
 surrounded by a mound of stone and scribed on the
 east side 1-1123-S L, bears N 26° 14' W 322.2 ft.,
 (this is a new post, recently replaced,) and the original
 location for the N E corner of the West Stonewall Lode
 bears N 26° 14' W 278.41 ft., a pine post 4 1/2 ft long,
 4 in. square, set 18 in. in the ground in a mound of
 stone.

337.28
 21.59 Thence S 26° 14' E
 along line 1-4 Stonewall Lode, survey No. 1123, to the
 N E E C of location, a pine post 4 1/2 ft long, 4 in.

Feet

271.59

square, set 18 in. in the ground in a mound of stone. same bearing to corner No. 4 identical with location, with corner No. 4, Stonewall Lode, survey No. 1123, a pine post 4 1/2 ft long, 4 in. square, set 18 in. in the ground in a mound of stone, marked with a nail at exact point of corner, and scribed on the west side 4-2646-WSL. No bearing monuments available.

Thence S 61° 38' W

1166.08

to corner No. 5, identical with corner No. 4 Quarter Lode this survey, a pine post etc. and scribed on the north side 5-2646-W S L, whence the Original Location for the S W corner bears S 61° 38' W 48.50 ft, a pine post 4 1/2 ft long, 4 in. square, set 18 in. in the ground in a mound of stone.

Thence S 69° 56' W

48.75

along line 4-1 Quarter Lode, this survey, to corner No. 6, the S W corner, a pine post 4 1/2 ft long, 4 in. square, set 18 in. in the ground in a mound of stone, marked with a nail at exact point of corner, and scribed on the north side 6-2646-W S B. No bearing monuments available.

Thence N 26° 14' W

292.8

to the S W E C of location, a pine post 4 1/2 ft long, 4 in. square, set 18 in. in the ground in a mound of stone.

592.8

same bearing to corner No. 1, the place of the beginning.

LIDGE.

The presumed course of the vein on this claim is from the N E E C of location S 63° 59' W 1213.79 ft to the S W E C of location.

Note:

I have to report that the distance from the intersection of line 1-2 Stonewall Lode, survey No. 1123, with line 3-4 Arizona Lode, survey No. 2313, to corner No. 1 Stonewall lode to be in error, and consequently the intersections of line 3-4 Arizona Lode survey No. 2313 with line 1-4 Stonewall Lode, survey No. 1123, as reported in

Feet

13

survey No. 2313, is in error, and that the distances to that intersection, as reported in this survey, are correct, as the monuments now appear on the ground. The course of line 1-4 Arizona Lode, survey No. 2313, as reported in that survey, is in error.

TRIANGLE LODGE

Beginning at corner No. 1, the northeast corner, situate on line 4-1 Quarter Lode, this survey, a pine post 4 1/2 ft long, 4 in. square, set 18 in. in the ground in a mound of stone, marked with a nail at exact point of corner and scribed on the southwest side 1-2646-T L, whence Original Location for the N E corner bears N 22° 17' W 68.67 ft, a pine post 4 1/2 ft long, 4 in. square, set 18 in. in the ground in a mound of stone, and the 1/4 Section Corner between Section 24 T 1 N, R 15 E, and Section 19, T 1 N, R 16 E unsurveyed, G & S R B & M, bears N 21° 03' W 163.05 ft.

Thence S 22° 17' E

0.33 to the N E E C of location, a pine post 4 1/2 ft long, 4 in. square, set 18 in. in the ground in a mound of stone.

36.85 same bearing to corner No. 2, the S E corner, identical with the N E ^{Corner} of the Clift Lode, this survey, a pine post 4 1/2 ft long, 4 in. square, set 18 in. in the ground in a mound of stone, marked with a nail at exact point of corner and scribed on the west side, 2-2646-T L.
No bearing monuments available.

Thence S 52° 13' W

92.72 to the intersection with the S 1/2 of Section Line between Sections 19 and 24 at N 0° 11' E 2553.72 ft. from the Section Corner and S 0° 11' W 243.08 ft from the 1/4 Section Corner.

1495.00 same bearing to corner No. 3, identical with location, situate on line 3-4 Contact Lode, survey No. 2326, with the N W corner of the Clift Lode, this survey, a pine post 4 1/2 ft long, 4 in. square, set 18 in. in the

Feet

14
ground in a mound of stone, marked with a nail at exact
point of corner, and scribed on the north side 3-2646-T L
No bearing monuments available.

Thence N 22° 17' W

241.0 along line 4-3 Contact Lode, survey No. 2326, to the
S W E C of location, a pine post 4 1/2 ft long, 4 in.
square, set 18 in. in the ground in a mound of stone.

308.0 same bearing to corner No. 4, the N.W. corner, identical
with location, with corner No. 3 Contact Lode, survey
No. 2326, situate on line 1-2 Dime Lode, this survey,
a pine post 4 1/2 ft long, 4 in. square, set 18 in. in
the ground in a mound of stone, marked with a nail at
exact point of corner and scribed on the east side,
4-2646-T L, whence

Station 11 United Globe triangulation system bears N
14° 10' 00" W,

Station 12 United Globe triangulation system bears N 73°
38' 40" W,

Thence N 59° 54' E

1060.00 along line 1-2 Dime Lode, this survey, to corner No. 5,
identical with corners No. 1 and No. 1 the Dime and
Quarter Lodes, this survey, a pine post etc. and scribed
on the south side 5-2646-T L.

Thence N 69° 56' E

327.56 along line 1-4 Quarter Lode, this survey, to the inter-
section with the S 1/2 of Section Line between Sections
24 and 19. intersections heretofore given.

390.50 same bearing to corner No. 1, the place of the beginning.

LEDGE.

The presumed course of the vein on this claim is from the
N E E C of location S 59° 54' W 1453.9 feet to the
S W E C of location.

Feet

15

CLIFT LODE

Beginning at corner No. 1, the N E corner, identical with location, with corner No. 2 Triangle Lode, this survey, a pine post etc. and scribed on the south side 1-2646-C L, whence

1/4 Section corner between Sections 24 T 1 N, R 15 E, and Section 19 T 1 N, R 16 E, unsurveyed, G & S R B & M, bears N 21° 16' W 199.83 ft.

Thence S 22° 17' E

291.7 to N E E C of location, a pine post 4 1/2 ft long, 4 in. square, set 18 in. in the ground in a mound of stone,
600.0 same bearing to corner No. 2, the S E corner, identical with location, a pine post 4 1/2 ft long, 4 in. square, set 18 in. in the ground in a mound of stone, marked with a nail at exact point of corner, and scribed on the west side 2-2646-C L, whence
Station 3 United Globe triangulation system bears S 89° 30' 20" W,
Station 15 United Globe triangulation system bears S 15° 44' 20" W.

Thence S 52° 13' W

323.63 to the intersection with the S 1/2 of Section Line between Sections 19 and 24 at N 0° 11' E 1620.29 ft from the Section Corner and S 0° 11' W 976.51 ft from the 1/4 Section corner.
1019.56 same bearing to the intersection with the north side line of the McGinty Lode, this survey, at N 83° 17' W 66.30 ft from the N E corner.
1495.0 same bearing to corner No. 3, the S W corner, identical with location, a pine post 4 1/2 ft long, 4 in. square, set 18 in. in the ground in a mound of stone, marked with a nail at exact point of corner and scribed on the north side 3-2646-C L.

No bearing monuments available.

308.30 to the S W E C of location, a pine post 4 1/2 ft long, 4 in. square, set 18 in. in the ground in a mound of stone,

381.01 same bearing to corner No. 4 Contact Lode, survey No. 2326, situate on the intersection with North side line McGinty Lode, this survey at N 83° 17' W 590.12 ft from the N E corner.

600.0 same bearing along line 4-3 Contact Lode, survey No. 2326 to corner No. 4, the N W corner, identical with location, with corner No. 3 Triangle Lode, this survey, a pine post etc., and scribed on the east side 4-2646-C L.

Thence N 52° 13' E

1402.26 along line 3-2 Triangle Lode this survey, to the intersection with the S 1/2 of Section line between Sections 19 and 24. intersections heretofore given.

1495.00 same bearing to corner No. 1, the place of the beginning.
LEDGE.

The presumed course of the vein on this claim is from the N E E C of location S 52° 13' W 1495.0 feet to the S W E C of location.

McGINTY LODGE

Beginning at corner No. 1, the S E corner, identical with the N E corner of Maudie Lode, this survey, a pine post 4 1/2 ft long, 4 in. square, set 18 in. in the ground in a mound of stone, marked with a nail at exact point of corner and scribed on the northwest side 1-2646-McG L, whence

S E corner of location bears S 89° 54' E 9.0 ft.

Station 3 United Globe triangulation system bears N 7° 18' 30" W,

Section corner on the range line, common to Sections 24 and 25, T 1 N, R 15 E, G & S R B & M, bears S 26° 19' E 844.30 ft.

Feet

- 99.09 Thence N 89° 54' W
to the intersection with line 1-2 Kearsarge Lode, survey No. 2341, at S 5° 56' E 271.08 ft from corner No. 2, Kearsarge Lode, survey No. 2341, a pine post projecting 3 ft above the surface of the ground surrounded by a mound of stone, and scribed on the east side 2-2341-K L.
- 991.29 same bearing to corner No. 2, the S W corner, identical with location, a pine post 4 1/2 ft long, 4 in. square, set 18 in. in the ground in a mound of stone, marked with a nail at exact point of corner, and scribed on the north side 2-2646-McG L, situate on line 4-5 Tiger Lode, survey No. 2327, whence
Corner No. 4, Tiger Lode, survey No. 2327, bears N 69° 46' E 37.0 ft., a pine post projecting 3 ft above the surface of the ground, surrounded by a mound of stone, and scribed on the west side 4-2327-T L.
- 290.3 Thence N 8° 07' W
to the W E C of location, a pine post 4 1/2 ft long, 4 in. square, set 18 in. in the ground in a mound of stone.
- 590.3 same bearing to corner No. 3, the N W corner, identical with location, with corners No. 3 and 5, respectively, of Tiger Lode, survey No. 2327, and Contact Lode, survey No. 2326, a pine post 4 1/2 ft long, 4 in. square, set 18 in. in the ground in a mound of stone, marked with a nail at exact point of corner, and scribed on the south-east side 3-2646-McG L, whence a
Cross on bed-rock limestone, marked B R-3-2646- bears N 55° 25' E 9.8 ft. Cor. No 4 Tiger Lode+ Surv. No 2327 bears S 11° 48' E 528.4 ft.
- 434.0 Thence S 83° 17' E
along line 5-4 Contact Lode, survey No. 2326, to corner No. 4, Contact Lode, survey No. 2326.
- 957.82 same bearing to the N W corner of the Possum Mine Lode, unsurveyed, situate on the intersection with line 2-3 Clift Lode, this survey, a pine post 4 1/2 ft long, 4 in. square, set 18 in. in the ground in a mound of

stone, whence

S W corner of Possum Mine Lode, unsurveyed, a pine post 4 1/2 ft long, 4 in. square, set 18 in. in the ground in a mound of stone, bears S 9° 44' E 190.29 ft.

1024.12 same bearing to corner No. 4, the N W corner, identical with location, a pine post 4 1/2 ft long, 4 in. square, set 18 in. in the ground in a mound of stone, marked with a nail at exact point of corner and scribed on the southwest side 4-2646-McG L,

No bearing monuments available.

Thence S 3° 07' E

155.59 to the intersection with line 2-3 Kearsarge Lode, survey No. 2341, and the South side line of the Possum Mine Lode, unsurveyed, whence

Corner No. 2 Kearsarge Lode, survey No. 2341, bears S 65° 10' W 100.89 ft.

The S W corner of Possum Mine Lode, unsurveyed, set at the intersection of line 2-3 Kearsarge Lode, survey No. 2341, with the East end line of the original location of the McGinty Lode, being the N E corner of the area excluded from the Kearsarge Lode, survey No. 2341, bears S 65° 10' W 61.32 ft.

300.0 same bearing to the E E C of location, a pine post 4 1/2 ft long, 4 in. square, set 18 in. in the ground in a mound of stone.

443.74 same bearing to corner No. 5, identical with the N E corner of the Maudie Lode, as excluded by the Kearsarge Lode, survey No. 2341, a pine post 4 1/2 ft long, 4 in. square, set 18 in. in the ground in a mound of stone, marked with a nail at exact point of corner, and scribed on the west side 5-2646-McG L, whence
a Pine Post 4 1/2 ft long, 4 in. square, set 18 in. in the ground in a mound of stone, situate on the intersection with the original north side line of the Maudie Lode and the original east end line of McGinty Lode, as excluded by the Kearsarge Lode, survey No. 2341, bears

N 89° 58' W 59.33 ft.
 From this corner, the N E corner of the area excluded by
 the Kearsarge Lode, survey No. 2341, bears N 8° 07' W
 261.90 ft.

Thence S 10° 41' W
 27.51 to corner No. 1, the place of the beginning.

LEDGE.

The presumed course of the vein on this claim is from the
 W E C of location S 83° 17' E 1024.12 feet to the E E C
 of location.

MAUDIE LODE

Beginning at corner No. 1, the S E corner, identical with
 location, a pine post 4 1/2 ft long, 4 in. square, set
 18 in. in the ground in a mound of stone, marked with a
 nail at exact point of corner, and scribed on the north-
 west side 1- 2646-M L, whence

Section Corner upon the range line, common to Sections
 24 and 25 bears S 70° 09' 30" E 514.48 ft.

Thence N 89° 54' W

1414.76 to corner No. 2, the S W corner, identical with location,
 with corner No. 4 Baltimore Lode, survey No. 2329, a pine
 post 4 1/2 ft long, 4 in. square, set 18 in. in the ground
 in a mound of stone, marked with a nail at exact point of
 corner and scribed on the northeast side 2-2646-M L,
 whence Station 14 United Globe triangulation system
 bears N 27° 16' W 119.74 ft.

Thence N 10° 41' E

292.41 along line 4-3 Baltimore Lode, survey No. 2329, to the
 W E C of location, a pine post 4 1/2 ft long, 4 in. square,
 set 18 in. in the ground in a mound of stone,
 420.92 same bearing to corner No. 3, identical with corner No. 5
 Tiger Lode, survey No. 2327, a pine post 4 1/2 ft long,
 4 in. square, set 18 in. in the ground in a mound of
 stone, marked with a nail at exact point of corner, and
 scribed on the east side 3-2646-M L

Whence

Northwest corner of location, a pine post 4 1/2 ft long, 4 in. square, set 18 in. in the ground in a mound of stone, identical with corner No. 3, Baltimore Lode, survey No. 2329, bears N 10° 41' E 179.68 ft.

Thence N 69° 46' E

486.34 along line 5-4 Tiger Lode, survey No. 2327, to corner No. 4, identical with corner No. 2 McGinty Lode, this survey, a pine post etc. and scribed on the south side 4-2646-M L.

Thence S 89° 54' E

892.20 to the intersection with line 2-1 Kearsarge Lode, survey No. 2341, at N 5° 56' W 340.62 ft from corner No. 1 Kearsarge Lode, survey No. 2341,

991.29 same bearing to corner No. 5, the N E corner, identical with location, ^{With Cor No 1 McGinty Lode this Survey} a pine post etc. and scribed on the southwest side 5-2646-M L.

Thence S 10° 41' W

300.0 to the E E C of location, a pine post 4 1/2 ft long, 4 in. square, set 18 in. in the ground in a mound of stone,

344.60 same bearing to corner No. 1, Kearsarge Lode, survey No. 2341, situate on the intersection with line 2-3 Surplus Lode, survey No. 2341, a pine post projecting 3 ft above the surface of the ground, surrounded by a mound of stone, and scribed on the north side 1-2341-K L, whence Corner No. 2, Surplus Lode, survey No. 2341, a pine post projecting 3 ft above the surface of the ground, 4 in. square, and scribed on the west side 2-2341-S L, bears S 65° 16' W 49.7 ft.

471.89 same bearing to the intersection with line 1-2 Surplus Lode, survey No. 2341, at S 11° 40' E 106.4 ft from Corner No. 2 Surplus Lode, survey No. 2341.

592.41 same bearing to Corner No. 1, the place of the beginning.
LEDGE.

The presumed course of the vein on this claim is from the E E C of location N 89° 54' W 1414.76 ft to the WEC of Location.

Note: The tie line from Corner No. 1 Kearsarge Lode, survey No. 2341, to Section corner common to sections 24 and 25, is slightly in error; the S 1/2 of section line between Sections 24 and 19, as reported in survey No. 2341, is in error.

	AREA.		
	acres	acres	acres
Total and net area JOKER Lode			10.444
Total area LADY ELGIN Lode		8.821	
Area excluded to the Joker Lode		<u>-0.131</u>	
Net area Lady Elgin Lode			8.690
Total and net area VERMONT Lode			14.310
Total and net area DIME Lode			20.660
Total and net area QUARTER Lode			20.279
Total area West Stonewall Lode		13.416	
Area excluded to the Arizona Lode, survey No. 2313	0.367		
Area excluded to the Quarter Lode, this survey	<u>0.330</u>		
Total area excluded		<u>0.697</u>	
Net area West Stonewall Lode			12.719
Total and net area TRIANGLE Lode			6.528
Total area CLIFT Lode		19.843	
Area excluded to McGinty Lode		<u>2.004</u>	
Net area Clift Lode			17.839
Total area McGinty Lode		12.058	
Area excluded to Kearsarge Lode, survey No. 2341, designated as Tract A	0.371		
Area excluded to Possum Mine Lode unsurveyed	<u>0.244</u>		
Total area excluded		<u>0.615</u>	
Net area McGinty Lode			11.443
Total and net area MAUDIE Lode			18.103
Net area of Group			141.015

The following conflicts are not excluded:

Vermont Lode, conflict with Contact Lode, survey No. 2326, 0.955 acres.

Vermont Lode, conflict with Tiger Lode, survey No. 2327, 0.006 acres.

McGinty Lode, conflict with Tiger Lode, survey No. 2327, 0.245 acres.

McGinty Lode, conflict with Kearsarge Lode, survey No. 2341, exclusive of Tract A, 0.310 acres.

Maudie Lode, conflict with Kearsarge Lode, survey No. 2341, 0.385 acres.

Maudie Lode, conflict with Surplus Lode, survey No. 2341, 0.059 acres.

IMPROVEMENTS.

I certify that the value of labor and improvements on this group, placed thereon by the claimant, or its grantors, exceeds Five Hundred Dollars in value for each location, and said improvements consist of the following:

JOKER LODE

No. 1	Discovery Shaft 4 x 6 x 10 ft deep, the center of which bears from the S W E C of location N 57° 19' E 80.0 ft.	Value	\$ 100.00
No. 2	Shaft 4 x 6 x 30 ft deep, the center of which bears from corner No. 3 S 85° E 480.0 ft.	Value	300.00
No. 3	Open Cut 10 ft wide, 12 ft long, the face 8 ft high, extending in a general easterly direction, the center of the mouth of which bears from corner No. 2 N 8° W 71.0 ft.	Value	150.00
No. 4	Shaft 4 x 6 x 22 ft deep, the northwest corner of which bears from Corner No. 3 S 88° 58' E 25.2 ft.	Value	220.00
No. 5	Shaft 4 x 6 x 18 ft deep, the center of which bears from Corner No. 5 S 30° E 43.0 ft.	Value	180.00
No. 6	Pit 5 ft deep, the center of which bears from the N E E C of location S 57° W 10.0 ft.	Value	<u>25.00</u>
	Total value of labor and improvements on and for the Joker Lode		975.00

LADY ELGIN LODE

No. 1	Discovery Tunnel, the center of the portal of which bears from the S W E C of location N 46° 3' E
-------	---

452.0 ft.; thence the tunnel runs N 30° E 44.5 ft;
thence N 9° E 69.0 ft; thence N 30° E 38.0 ft;
size of tunnel 4 ft x 6 ft cross section.

Value \$1050.00

No. 2 Open Cut 4 ft x 12 ft x 10 ft high at the face
extending in a general northeasterly direction,
the center of the mouth of which bears from
corner No. 4 N 85° 40' E 453.0 ft. Value 60.00

Total value of improvements on and for the
Lady Elgin Lode \$1110.00

VERMONT LODE

No. 1 Discovery Open Cut and Quarry. Discovery
Open Cut was originally separate, but by the
extension of the Quarry has become obliterated.
The center of the S W end of the quarry bears
from the S W E C of location N 54° 33' E; ^{180 ft.} at
this point the edge of the quarry is level with
the surface of the ground; from here the quarry
extends in a N 30° W direction 80.0 ft., where
the face is 10.0 ft high. The lode line passes
through the center of the quarry and at a point
200.0 ft from where it enters it from the south-
west the quarry is 100.0 ft wide on the north
side of the lode line and 80.0 ft wide on the
south side of the lode line. The face of the
quarry at this point is 50.0 ft high on the north
side and is level with the surface of the ground
on the south side. At 580.0 ft from the S W
E C, the lode line leaves the quarry, at which
point the face is 10.0 ft high. Value of the
quarry \$75000.00

No. 2 Shaft 4 x 6 x 50 ft deep, the N W corner of
which bears from corner No. 4 S 72° 30' W
509.0 ft. Value 500.00

No. 3 Tunnel 4 x 6 ft cross section, the center of the portal of which bears from Corner No. 4 S 57° 30' W 495.0 ft. whence the tunnel extends N 30° W 120.0 ft.

Value 840.00

Total value of labor and improvements on this claim \$76340.00

DIME LODE

No. 1 Discovery Shaft, the center of which bears from Corner No. 2 N 16° 35' E 395.0 ft. The ledge outcrops 20.0 ft in a N 30° W direction from the center of the shaft. The size of the shaft is 5 x 7 ft, timbered in two compartments; it is vertical for 43.0 ft, at which point it cuts the ledge; from this point a drift runs N 60° E along the ledge 30.0 ft; the shaft continues as an incline 65° from the horizontal in a S 28° E direction for 55.0 ft. to the 100 ft. level; from a point in the center of the shaft, a cross-cut runs N 35° E 30.0 ft; from the same point, a drift runs S 68° W 35.0 ft.; from the same point, a drift runs S 85° E 34.0 ft, ^{to beginning of cross-cut,} thence N 60° E 24.0 ft; thence North 36.0 ft. The cross-cut runs S 75° E 18.0 ft to a second Drift; thence S 20° E 30.0 ft; thence S 45° W 41.0 ft; thence S 35° W 35.0 ft to face. The second drift runs N 60° E 55.0 ft to face.

From this level, the incline continues in the same direction, but on a slope of 45° for 83.0 ft. From the bottom of the slope, a cross-cut runs S 30° E 37.0 ft; thence S 70° E 20.0 ft; thence N 85° E 53.0 ft; also a ^{second} cross-cut starts from the bottom of the shaft and runs N 39° W 59.0 ft to a Drift, 69.0 ft to a Raise, inaccessible. The Drift runs N 52° E 33.0 ft from the cross-cut

thence N 75° E 66.0 ft to a Winze 4 x 6 x 20 ft deep.
Drifts and Cross-cuts have an average cross section of
4 x 6 ft. Value \$10000.00

No. 2 Shaft 5 x 7 x 108.0 ft deep, vertical, timbered,
two compartments; the northeast corner bears from
the N E E C of location S 49.0 W 690.0 ft.
Value 4240.00

No. 3 Shaft 4 x 6 x 17 ft deep, the center of which bears
from corner No. 2 N 33° E 571.0 ft. Value 170.00

No. 4 Shaft 4 x 6 x 50 ft deep, the center of which
bears from the N E E C of location S 48° W
352.0 ft. Value 500.00

No. 5 Shaft 4 x 6 x 25 ft deep, the center of which
bears from the N E E C of location S 30° 30' W
252.0 ft. Value 250.00

Total value of labor and improvements on this
claim 15160.00

QUARTER LODE

No. 1 Discovery Shaft 4 x 6 x 22 ft deep, the center
of which bears from the N E E C of location S
69° 56' W 158.0 ft. Value 220.00

No. 2 Open Cut and Tunnel, the center of the face of
open cut, which is the center of the portal of
tunnel, bears from N E E C of location S 69°
30' W 180.0 ft; the Open Cut is 4 ft wide, 40
ft long, face is 15 ft high, and runs in a
northeasterly and southwesterly direction.
The Tunnel is 5 x 7 ft cross-section and runs
N 69° 30' E 62.0 ft. Value 540.00

Total value of labor and improvements on the
Quarter Lode Mining Claim 760.00

WEST STONEWALL LODE

No. 1 Discovery Open Cut and Tunnel. Size of Open
Cut 4 x 10 x 10 ft; Tunnel 4 x 6 x 4 ft, running

	in a general westerly direction. The center of the mouth of the Open Cut bears from the N E E C of location S 63° 59' W 258.0 ft. Value	\$ 75.00
No. 2	Shaft 4 x 6 x 10 ft deep, the center of which bears from Corner No. 4 N 38° W 225.0 ft. Value	100.00
No. 3	Shaft 4 x 6 x 10 ft deep, the center of which bears from corner No. 4 N 68° W 267.0 ft. Value	100.00
No. 4	Open Cut and Tunnel, the Open Cut 4 x 21 x 12 ft face; Tunnel starts from the center of the face 4 x 6 x 31 ft long, running in a westerly direction; the center of the mouth of Open Cut bears from Corner No. 4 N 86° 30' W 350.0 ft. Value	340.00
No. 5	Shaft 4 x 6 x 20 ft deep, the center of which bears from Corner No. 4 S 85° W 579.0 ft. Value	<u>200.00</u>
	Total value labor and improvements on and for the West Stonewall Lode	\$815.00

TRIANGLE LODGE MINING CLAIM.

No. 1	Discovery Tunnel 4 x 6 ft cross-section, the center of the portal of which bears from Corner No. 5 South 43.0 ft.; thence the Tunnel runs S 6° 08' W 40.6 ft; thence S 19° 01' W 30.5 ft; thence S 15° 57' W 64.9 ft; thence S 17° 59' W 70.0 ft, where it enters the Clift claim, 100.0 ft to a Drift; thence S 8° W 196.0 ft to face. The Drift runs S 70° W from the Cross-cut 50.0 ft where it re-enters the Triangle 112.0 ft to face. Total value of Tunnel and Drift \$3800.00; value of Tunnel and Drift on Triangle Claim	1900.00
No. 2	Open Cut and Tunnel, the center of the mouth of which bears from Corner No. 1 S 55° W 540.0 ft. The Cut extends S 12° E 20.0 ft. where it is 4 ft wide and 12 ft high; thence Tunnel extends S 12° E 40.0 ft; size of Tunnel 4 x 6 cross	

	section	Value	\$350.00
	Total value of labor, and improvements on and for Triangle Lode		\$2250.00
	CLIFT LODE		
No. 1	Discovery Shaft, the center of which bears from the N E E C of location S 52° 13' W 321.0 ft. Size of shaft 4 x 6 x 10 ft deep.	Value	100.00
No. 2	Shaft 4 x 6 x 40 ft deep, inclined 75° in a northwesterly direction, the center of the south side of which bears from the N E E C of location S 54° W 390.0 ft.	Value	400.00
No. 3	Open Cut and Tunnel, the mouth of the Open Cut bears S 83° 30' W 442.0 ft from the N E E C of location; the Open Cut extends S 25° E 30.0 ft, where it is 4 ft wide and 12 ft high. From the end of the Open Cut, a Tunnel 4 x 6 ft cross section runs S 55° W 40.0 ft. and a second Tunnel of same cross section runs S 10° E 15.0 ft.	Value	500.00
No. 4	A Slope, the center of the mouth of which bears from Corner No. 4 N 52° 30' E 705.0 ft. The slope extends S 28° W 82.0 ft. 15° from the horizontal. This improvement starts on the Triangle claim, but is practically all on the Clift, for the benefit of which it was run.	Value	820.00
	Value of Triangle Tunnel on Clift claim		1900.00
	Total value of labor and improvements on and for the Clift Claim		3720.00
	MCGINTY LODE		
No. 1	Discovery Shaft 4 x 6 x 27 ft deep inclined 60° in a southerly direction, the center of the north side of the shaft bears from the W E C of location S 83° 17' E 341.0 ft.	Value	270.00

<p>No. 2 Tunnel, the center of the mouth of the Open Cut at the approach of the Tunnel bears N 47° E 260.0 ft from corner No. 2; thence the Cut extends N 34° E 23.0 ft to the portal of the Tunnel; thence the Tunnel extends N 34° E 19.0 ft to a Drift; Drift runs S 85° E 71.0 ft. to the center of the south side of a Winze 33 ft deep, 80.0 ft to the south side of the bottom of No. 1 Discovery Shaft, 100.0 ft to a Cross-cut running 10.0 ft north, 112.0 ft to face. Size of tunnel 4 x 6 ft cross-section; size of Winze 4 x 6 ft.</p>	<p>Value \$1520.00</p>
<p>No. 3 Tunnel, the portal of which bears from corner No. 1 S 85° W 170.0 ft; thence Tunnel extends S 88° W 32.0 ft; thence N 71° W 113.0 ft; thence N 61° W 80.0 ft. Ground above the Tunnel mined to the surface, other portions of this work inaccessible. This Tunnel was run for the benefit of the McGinty Lode from which it has been used to extract ore; it was started on the Maudie lode to secure greater depth. Value 1600.00</p>	<p>1600.00</p>
<p>No. 4 Old Shaft caved, the center of which bears from Corner No. 2 N 78° 30' E 590.0 ft. No value assigned.</p>	<p>No value assigned.</p>
<p>No. 5 Old Shaft caved, the center of which bears from Corner No. 2 N 71° E 531.0 ft. No value assigned.</p>	<p>No value assigned.</p>
<p>Total value of labor and improvements on this claim 3390.00</p>	
<p>MAUDIE LODE MINING CLAIM</p>	
<p>No. 1 Discovery Shaft, 4 x 6 x 25 ft deep, the center of the north side of which bears from the E E C of location N 89° 54' W 249.0 ft. Value \$250.00</p>	<p>Value \$250.00</p>

No. 2	<p>Tunnel, the entrance to the Open Cut at the approach of the Tunnel bears from Corner No. 4 S 26° 13' W 207.0 ft; thence the Cut runs N 73° 50' E 30.0 ft to the portal of the tunnel; thence Tunnel runs N 73° E 60.0 ft; thence N 82° 30' E 62.0 ft; thence N 72° 30' E 61.0 ft; thence N 84° E 27.0 ft. Size of tunnel 4 x 6 ft cross section. Value \$1500.00</p>
No. 3	<p>Pit, 8 ft deep, the center of which bears from corner No. 4 S 61° 30' E 192.0 ft. Value 25.00</p>
No. 4	<p>Pit, 8 ft deep, the center of which bears from corner No. 4 S 73° E 225.0 ft. This appears to be the top of a stope, which has been worked from below. No value assigned.</p>
No. 5	<p>Inclined Shaft on a slope of 45° in a S 30° E direction 90.0 ft deep, located in the center of a cut 10 ft long, 10 ft wide, 8 ft high on the south side. From the east side of the shaft the Tunnel runs N 65° E 20.0 ft into caved ground, which appears to be the top of a stope. Size of shaft 5 x 7 ft. The northwest corner bears from corner No. 4 S 78° 20' E 265.0 ft. Workings at the bottom of the shaft inaccessible. Value 2500.00</p>
No. 6	<p>Pit 6 ft deep, the center of which bears from corner No. 4 S 82° 30' E 293.0 ft. No value assigned.</p>
<p>Total value of labor and improvements on and for the Maudie Lode 4275.00</p>	

SURROUNDING CLAIMS.

North Gladiator Lode, Centraylia Lode, survey No. 1108, owned by applicant herein; Monitor Lode, survey No. 2313, W. H. Butler owner; Anoka Lode unsurveyed, Nevada Lode unsurveyed, Globe Consolidated Copper Company, claimant;

Arizona Lode, survey No. 2313, W. H. Butler owner.

East and
South-

east Stonewall Lode, survey No. 1123, owned by applicant herein; Center Liner Lode, unsurveyed; Copper Owl Lode unsurveyed, Red Iron Lode unsurveyed, Possum Mine Lode unsurveyed, H. W. Clark et al claimants.

Kearsarge Lode, survey No. 2341, Surplus Lode survey No. 2341, Chas. T. Martin et al owners.

South Lime Rock Lode unsurveyed, C. R. Rogers et al owners.

South Baltimore Lode survey No. 2329, Bates owner.

and West Tiger Lode survey No. 2327, Contact Lode survey No. 2326, Joseph Faull owner.

Fraction Lode survey No. 2331, Even Up Lode survey No. 2335, Tom Doyle, owner.

LOCATION.

These claims are located in the Globe Mining District, Gila County, Arizona, in the southwest, southeast, and northeast 1/4s of Section 24, T 1 N, R 15 E, G & S R B & M, and in the E 1/2 approximately of Section 19 T 1 N, R 16 E unsurveyed, G & S R B & M.

INSTRUMENT.

This survey was made with a C. L. Berger #10 Transit; the courses were deflected from the true meridian as determined by direct solar observation, checked by an

observation on Polaris. Distances were measured with a 300 ft. steel tape. Magnetic var. 13° 35' E. at all corners.

Description of Tracts: Variation 13° 35' Beginning at Cor. No. 5 of the McGinty lode, thence N. 89° 58' W. 59.33 ft., thence N. 8° 7' W. 261.9 ft., thence N. 65° 10' E. 61.32 ft. to a point on line 4-5 of the McGinty lode, 155.59 ft. from Cor. No. 4, thence S. 8° 7' E. 288.11 ft. to Cor. No. 5, the place of beginning.

Robert O. Boyd
U. S. Mineral Surveyor.

Dated:

Globe, Arizona,
April 12th, 1909.

AMENDED LOCATION NOTICE.

NOTICE IS HEREBY GIVEN that the undersigned, The United Globe Mines, a corporation, the assignee of Joseph Faull, who on the 1st day of January, 1894, located the Joker Mining Claim, situate in the Globe Mining District, Gila County, Territory of Arizona, the location notice of which claim is of record in the office of the Recorder of said County in Book 4, Records of Mines, at page 299, and which corporation on the 15th day of June, 1907, made an amended location of said mining claim, notice of which location is recorded in the office of said Recorder in Book 14, Records of Mines, page 254, has on this 22nd day of February, 1909, made a second amended location of said mining claim, by virtue of which of said original and amended locations it claims as a mining claim the following described lead, lode or vein of mineral-bearing earth, rock or quartz and premises, situate in the Globe Mining District, in the County of Gila, in the Territory of Arizona, to-wit:

The name of said claim is JOKER.

The name of the locator is The United Globe Mines.

The length of the claim along said vein or lode is 1070 feet. The width of said claim is 300 feet on each side of the middle of said lead, lode or vein.

The general course of said lode and claim is northeasterly and southwesterly.

The distance from the point of discovery to the southwesterly end center monument of said claim is one hundred (100) feet. The distance from said point of discovery to the Northeasterly end center monument is nine hundred and seventy (970) feet.

This amended location notice is posted in the monument of stones erected at said point of discovery upon said claim, which monument is hereinafter referred to as the Location Monument.

Said claim is bounded and described as follows, to-wit: Beginning at a monument, a pine post, surrounded by a mound of stones,

placed at the center of the southwesterly end of the claim, which monument is 100 feet southwesterly from said Location Monument; thence northwesterly 300 feet to a monument, a pine post surrounded by a mound of stones, being the Northwest corner of the claim; thence northeasterly 1070 feet to a monument, a pine post, surrounded by a mound of stones, being the northeast corner of the claim; thence southeasterly 300 feet to a monument, a pine post surrounded by a mound of stones, being the center of the northeasterly end of the claim; thence again southeasterly 300 feet to a monument, a pine post surrounded by a mound of stones, being the southeast corner of the claim; thence southwesterly 1070 feet to a monument, a pine post surrounded by a mound of stones, being the southwest corner of the claim; thence northwesterly 300 feet to the monument, the place of beginning.

In order to identify said claim it is more particularly described as follows, The Location Monument on said claim is situate about one;half of a mile in a northeasterly direction from the smelter of the Old Dominion Copper Mining and Smelting Company. This claim is bounded on the northwest by the Gladiator lode, patented, and on the west by the Even Up Lode, patented.

Dated and posted on the ground this 22nd day of February, 1909.

THE UNITED GLOBE MINES,
Locator,

By its Agent,

George Kingdon

WITNESS:

H.L.Norton
R. H. Bedford

Filed and recorded at the request of R.B.Riell on the 23 day of February, A.D.1909, at 35 minutes past 4 o'clock P.M.

E.T.Stewart, County Recorder.

TERRITORY OF ARIZONA, }
COUNTY OF GILA } ss.

I. E. T. STEWART, County Recorder in and for the County of Gila, Territory of Arizona, do hereby certify that the above and foregoing contain and constitute a full, true and correct copy of the Amended Location Notice of the "JOKER" Mining Claim,

as the same appears of record in my office in Book 8, Records of Mines,
at page 592; that I have compared the same with the original record, and that the same is a true transcript and of the whole thereof.

Given under my hand and seal of office this 3rd day of

March

A. D. 1909.

E. T. Stewart

County Recorder, Gila County, A. T.

AMENDED LOCATION NOTICE.

NOTICE IS HEREBY GIVEN that the undersigned, The United Globe Mines, a corporation, the assignee of Wm. Stevenson, who on the 14th day of March 1888 located the Lady Elgin Mining Claim, situate in the Globe Mining District, Gila County, Territory of Arizona, the location notice of which claim is of record in the office of the Recorder of said County in Book 3, Records of Mines, page 261, has on this 22nd day of February 1909, made an amended location of said mining claim, by virtue of which and of said original location it claims as a mining claim the following described lead, lode or vein of mineral-bearing earth, rock or quartz and premises situate in the Globe Mining District, in the County of Gila, in the Territory of Arizona, to-wit:

The name of said claim is LADY ELGIN

The name of the locator is The United Globe Mines.

The length of the claim along said vein or lode is 1050 feet. The width of said claim is 300 feet on each side of the middle of said lead, lode or vein.

The general course of said lode and claim is northeasterly and southwesterly.

The distance from the point of discovery to the southwesterly end center monument of said claim is four hundred and fifty (450) feet. The distance from said point of discovery to the northeasterly end center monument is six hundred (600) feet.

This amended location notice is posted in the monument of stones erected at said point of discovery upon said claim, which monument is hereinafter referred to as the Location Monument.

Said claim is bounded and described as follows, to-wit:

Beginning at a monument, a pine post surrounded by a mound of stones, placed at the center of the southwesterly end of the claim, which monument is four hundred and fifty (450) feet southwesterly from said Location Monument, thence northwesterly 300 feet to a monument, a pine post surrounded by a mound of stones, being the northwest corner of the claim; thence northeasterly 1050 feet to a monument, a pine post surrounded by a mound of stones, being the

northeast corner of the claim; thence southeasterly 300 feet to a monument, a pine post surrounded by a mound of stones, being the center of the northeasterly end of the claim; thence again southeasterly 300 feet to a monument, a pine post surrounded by a mound of stones, being the southeast corner of the claim; thence southwesterly 1050 feet to a monument, a pine post surrounded by a mound of stones, being the southwest corner of the claim; thence northwesterly 300 feet to the monument, the place of beginning.

In order to identify said claim it is more particularly described as follows, to-wit: The Location Monument on said claim is situate about 2000 feet in a southwesterly direction from the "Grey Shaft" on the Grey Mine, Lot No. 48, and near the county road leading to Copper Hill.

Dated and posted on the ground this 22nd day of February 1909.

Witness; The United Globe Mines Locator.
By its Agent George Kingdon
 H. L. Norton
 R. H. Bedford

Filed and recorded at the request of R. B. Riell on the 23 day of February A.D. 1909 at 35 minutes past 4 o'clock P. M.

E. T. Stewart County Recorder.

TERRITORY OF ARIZONA, }
 COUNTY OF GILA } SS

I, E. T. STEWART, County Recorder in and for the County of Gila, Territory of Arizona, do hereby certify that the above and foregoing contain and constitute a full, true and correct copy of Amended Location Notice of the
"LADY ELGIN" Mining Claim,
 as the same appears of record in my office in Book 8, Records of Mines,
 at page 591; that I have compared the same with the original record, and that the same is a true transcript and of the whole thereof.

Given under my hand and seal of office this 3rd day of

March, A. D. 1909.

E. T. Stewart
 County Recorder, Gila County, A. T.

AMENDED LOCATION NOTICE.

NOTICE IS HEREBY GIVEN that the undersigned, The United Globe Mines, a corporation, the assignee of C. Chapman, who on the 17th day of June, 1890, located the Vermont Mining Claim, situate in the Globe Mining District, Gila County, Territory of Arizona, the location notice of which claim is of record in the office of the Recorder of said County in Book 3, Records of Mines, page 475, has on this 22nd day of February, 1909, made an amended location of said mining claim, by virtue of which and of said original location it claims as a mining claim the following described lead, lode or vein of mineral-bearing earth, rock or quartz and premises, situate in the Globe Mining District, in the County of Gila, in the Territory of Arizona, to-wit:

The name of said claim is VERMONT.

The name of the locator is The United Globe Mines.

The length of the claim along said vein or lode is 1070 feet.

The width of said claim is 300 feet on each side of the middle of said lead, lode or vein.

The general course of said lode and claim is northeasterly and southwesterly.

The distance from the point of discovery to the southwesterly end center monument is three hundred (300) feet. The distance from said point of discovery to the northeasterly end center monument is seven hundred and seventy (770) feet.

This amended location notice is posted in the monument of stones erected at said point of discovery upon said claim, which monument is hereinafter referred to as the Location Monument.

Said claim is bounded and described as follows, to-wit: Beginning at a monument, a pine post surrounded by a mound of stones, placed at the center of the southwesterly end of the claim, which monument is 300 feet southwesterly from said location monument; thence northwesterly 300 feet to a monument, a pine post surrounded by a

mound of stones, being the northwest corner of the claim; thence northeasterly 1070 feet to a monument, a pine post, surrounded by a mound of stones, being the northeast corner of the claim; thence southeasterly 300 feet to a monument, a pine post surrounded by a mound of stones, being the center of the northeasterly end of the claim; thence again southeasterly 300 feet to a monument, a pine post surrounded by a mound of stones, being the southeast corner of the claim; thence southwesterly 1070 feet to a monument, a pine post surrounded by a mound of stones, being the southwest corner of the claim; thence northwesterly 300 feet to the monument, the place of beginning.

In order to identify said claim, it is more particularly described as follows, to-wit: The Location Monument is situate about one-half of a mile in a northeasterly direction from the smelter of the Old Dominion Copper Mining and Smelting Company, and adjoins the Fraction lode, survey No. 2331, on the east.

Dated and posted on the ground this 22nd day of February, A.D.1909.

THE UNITED GLOBE MINES,
Locator,

By its Agent,
George Kingdon.

WITNESS:

H.L.Norton
R.H.Bedford.

Filed and recorded at the request of R.B.Riell on the 23 day of February, A.D.1909, at 35 minutes past 4 o'clock P.M.

E.T.Stewart County Recorder.

TERRITORY OF ARIZONA, }
COUNTY OF GILA } ss.

I. E. T. STEWART, County Recorder in and for the County of Gila, Territory of Arizona, do hereby certify that the above and foregoing contain and constitute a full, true and correct copy of the Amended Location Notice of the "VERMONT" Mining Claim,

as the same appears of record in my office in Book 84 Records of Mines, at page 592; that I have compared the same with the original record, and that the same is a true transcript and of the whole thereof.

Given under my hand and seal of office this 3rd day of

March, A. D. 1909.

E. T. Stewart

County Recorder, Gila County, A. T.

AMENDED LOCATION NOTICE.

NOTICE IS HEREBY GIVEN that the undersigned, The United Globe Mines, a corporation, the assignee of William Stevenson, who on the 27th day of August, 1878, located the Dime Mining Claim, situated in the Globe Mining District, Pinal County, (now Gila County), Territory of Arizona, the location notice of which claim is of record in the office of the Recorder of said Gila County in Book 2, Records of Mines, at page 3, has on this 22nd day of February, 1909, made an amended location of said mining claim, by virtue of which and of said original location it claims as a mining claim the following described lead, lode or vein of mineral-bearing earth, rock or quartz and premises situate in the Globe Mining District, in the County of Gila, in the Territory of Arizona to-wit:

The name of said claim is DIME.

The name of the locator is The United Globe Mines.

The length of the claim along said vein or lode is 1500 feet. The width of said claim is 300 feet on each side of the middle of said lead, lode or vein.

The general course of said lode and claim is northeasterly and southwesterly.

The distance from the point of discovery to the southwesterly end center monument is 300 feet. The distance from said point of discovery to the northeasterly end center monument is 1200 feet.

This amended location notice is posted in the monument of stones erected at said point of discovery upon said claim, which monument is hereinafter referred to as the Location Monument.

Said claim is bounded and described as follows, to-wit: Beginning at a monument, a pine post surrounded by a mound of stones, placed at the center of the southwesterly end of the claim, which monument is 300 feet southwesterly from said location Monument; thence Northwesterly 300 feet to a monument, a pine post surrounded by a mound of stones, being the northwest corner of the claim; thence northeasterly 1500 feet to a monument, a pine post surrounded by a mound of stones, being the northeast corner of the claim; thence south-

easterly 300 feet to a monument, a pine post surrounded by a mound of stones, being the center of the northeasterly end of the claim; thence again southeasterly 300 feet to a monument, a pine post surrounded by a mound of stones, being the southeast corner of the claim; thence southwesterly 1500 feet to a monument, a pine post surrounded by a mound of stones, being the southwest corner of the claim; thence northwesterly 300 feet to the monument, the place of beginning.

In order to identify said claim, it is more particularly described as follows, to-wit: The Location Monument on said claim is situate about one-half of a mile in a southerly direction from the "Grey Shaft" on the Grey Mine Lot No. 48.

Dated and posted on the ground this 22nd day of February, A.D. 1909.

The United Globe Mines, Locatob:
By its Agent, George Kingdon

Witness: H. L. Norton
R. H. Bedford

Filed and recorded at the request of R. B. Riell on the 23 day of February A.D. 1909 at 35 minutes past 4 o'clock P. M.

E. T. Stewart County Recorder.

TERRITORY OF ARIZONA, }
COUNTY OF GILA }^{SS}

I, E. T. STEWART, County Recorder in and for the County of Gila, Territory of Arizona, do hereby certify that the above and foregoing contain and constitute a full, true and correct copy of..... Amended Location Notice of the "DIME" Mining Claim,.....

as the same appears of record in my office in Book..... 8, Records of Mines,.....

at page..... 590.....; that I have compared the same with the original record, and that the same is a true transcript and of the whole thereof.

Given under my hand and seal of office this..... 3rd.....day of March

....., A. D. 1909.

E. T. Stewart

County Recorder, Gila County, A. T.

AMENDED LOCATION NOTICE.

NOTICE IS HEREBY GIVEN that the undersigned, The United Globe Mines, a corporation, the assignee of W.H.Woodson, who on the 20th day of May, 1890, located the Quarter Mining Claim situate in the Globe Mining District, Gila County, Territory of Arizona, the location notice of which claim is of record in the office of the Recorder of said County in Book 3, Records of Mines, at page 475, has on this 22nd day of February, 1909, made an amended location of said mining claim, by virtue of which and of said original location, it claims as a mining claim the following described lead, lode or vein of mineral-bearing earth, rock or quartz and premises situate in the Globe Mining District, in the County of Gila, in the Territory of Arizona, to-wit:

The name of said claim is QUARTER.

The name of the locator is The United Globe Mines.

The length of the claim along said vein or lode is 1500 feet.

The width of said claim is 300 feet on each side of the middle of said lead, lode or vein.

The general course of said lode and claim is northeasterly and southwesterly.

The distance from the point of discovery to the northeasterly end, ^{center} monument of said claim is two hundred feet. The distance from said point of discovery to the southwesterly end center monument is thirteen hundred feet, This amended Location Notice is posted in the monument of stones erected at said point of discovery upon said claim, which monument is hereinafter referred to as the Location Monument.

Said claim is bounded and described as follows, to-wit:

Beginning at a monument, a pine post surrounded by a mound of stones, placed at the center of the northeasterly end of the claim, which monument is 200 feet northeasterly from said Location Monument; thence Southeasterly 300 feet to a monument, a pine post surrounded by a mound of stones, being the southeast corner of the claim; thence

southwesterly 1500 feet to a monument, a pine post surrounded by a mound of stones, being the southwest corner of said claim; thence northwesterly 300 feet to a monument, a pine post surrounded by a mound of stones, being the center of the southwesterly end of the claim; thence again northwesterly 300 feet to a monument, a pine post surrounded by a mound of stones, being the northwest corner of said claim; thence northeasterly 1500 feet to a monument, a pine post surrounded by a mound of stones, being the northeast corner of the claim; thence southeasterly 300 feet to the monument, the place of beginning.

In order to identify said claim, it is more particularly described as follows, to-wit: The Location Monument on this claim is situate about 2200 feet in a southeasterly direction from the "Grey Shaft" on the Grey Mine, Lot No. 48; and about 900 feet in a northeasterly direction from the East Quarter corner of Section 24, Township 1, North, Range 15 East, G & S.R.B. & M.

Dated and posted on the ground this 22nd day of February, 1909.

The United Globe Mines,
Locator,

By its Agent,
George Kingdon,

WITNESS:

H.L.Norton
R.H.Bedford,

Filed and recorded at the request of R.B.Riell on the 23 day of February, A.D.1909, at 35 minutes past 4 o'clock P.M.

E.T.Stewart, County Recorder.

TERRITORY OF ARIZONA, }
COUNTY OF GILA } ss.

I, E. T. STEWART, County Recorder in and for the County of Gila, Territory of Arizona, do hereby certify that the above and foregoing contain and constitute a full, true and correct copy of the Amended Location Notice
of the "QUARTER" Mining Claim,

as the same appears of record in my office in Book 8, Records of Mines,
at page 595; that I have compared the same with the original record, and that the same is a true transcript and of the whole thereof.

Given under my hand and seal of office this 3rd day of

March

A. D. 1909.

E. T. Stewart

County Recorder, Gila County, A. T.

AMENDED LOCATION NOTICE.

NOTICE IS HEREBY GIVEN that the undersigned, The United Globe Mines, a corporation, which on the 2nd day of January, 1903, located the West Stonewall Mining Claim, situate in the Globe Mining District, Gila County, Territory of Arizona, the location notice of which claim is of record in the office of the Recorder of said county in Book 8, Records of Mines, page 23, has on this 22nd day of February, 1909, made an amended location of said mining claim, by virtue of which and of said original location it claims as a mining claim, the following described lead, lode or vein of mineral-bearing earth, rock or quartz and premises situate in the Globe Mining District, in the County of Gila, in the Territory of Arizona, to-wit:

The name of said claim is WEST STONEWALL

The name of the locator is The United Globe Mines.

The length of the claim along said vein or lode is 1220 feet.

The width of the claim is 300 feet on each side of the middle of said lead, lode or vein.

The general course of said lode and claim is Northeasterly and Southwesterly.

The distance from the point of discovery to the northeasterly end center monument is Two hundred and sixty (260) feet. The distance from said point of discovery to the southwesterly end center monument is nine hundred and sixty (960) feet.

This amended location notice is posted in the monument of stones erected at said point of discovery upon said claim, which monument is hereinafter referred to as the Location Monument.

Said claim is bounded and described as follows, to-wit:

Beginning at a monument, a pine post surrounded by a mound of stones, placed at the center of the northeasterly end of the claim, which monument is 260 feet northeasterly from said Location Monument; thence Southeasterly 300 feet to a monument, a pine post surrounded by a mound of stones, being the southeast corner of said claim; thence southwesterly

1220 feet to a monument, a pine post surrounded by a mound of stones, being the southwest corner of said claim; thence northwesterly 300 feet to a monument, a pine post surrounded by a mound of stones, being the center of the southwesterly end of the claim; thence again northwesterly 300 feet to a monument, a pine post surrounded by a mound of stones, being the northwest corner of said claim; thence northeasterly 1220 feet to a monument, a pine post surrounded by a mound of stones, being the northeast corner of said claim; thence southeasterly 300 feet to the monument, the place of beginning.

In order to identify said claim it is more particularly described as follows, to-wit: The Location Monument on said claim is situate about one-half of a mile in an easterly direction from the "Grey Shaft" on the Grey Mine, Lot No. 48, and said West Stonewall claim adjoins the Stonewall lode, survey No. 1123, on the west.

Dated and posted on the ground this 22nd day of February, A.D. 1909.

THE UNITED GLOBE MINES,
Locator,

By its Agent,

George Kingdon

WITNESS:

H.L. Norton
R.H. Bedford

Filed and recorded at the request of R.B. Riell on the 23 day of February, A.D. 1909, at 35 minutes past 4 o'clock P.M.

E.T. Stewart County Recorder.

TERRITORY OF ARIZONA, }
COUNTY OF GILA } ss.

I. E. T. STEWART, County Recorder in and for the County of Gila, Territory of Arizona, do hereby certify that the above and foregoing contain and constitute a full, true and correct copy of the Amended Location Notice of the "WEST STONEWALL" Mining Claim,

as the same appears of record in my office in Book 8, Records of Mines,

at page 594; that I have compared the same with the original record, and that the same is a true transcript and of the whole thereof.

Given under my hand and seal of office this 3rd day of

March A. D. 1909.

E. T. Stewart

County Recorder, Gila County, A. T.

AMENDED LOCATION NOTICE.

NOTICE IS HEREBY GIVEN that the undersigned, The United Globe Mines, a corporation, the assignee of Charles E. Taylor and T.E.Rinehart, who on the 4th day of September, 1893, located the Triangle Mining Claim, situate in the Globe Mining District, Gila County, Territory of Arizona, the location notice of which claim is on record in the office of the Recorder of said county in Book 4, Records of Mines, page 283, has on this 22nd day of February, 1909, made an amended location of said mining claim, by virtue of which and of said original location it claims as a mining claim the following described lead, lode or vein of mineral-bearing earth, rock or quartz and premises situate in the Globe Mining District, in the County of Gila, in the Territory of Arizona, to-wit:

The name of said claim is TRIANGLE.

The name of the locator is The United Globe Mines.

The length of the claim along said vein or lode is 1500 feet.

The width of said claim is 250 feet on each side of the middle of said lead, lode or vein.

The general course of said lode and claim is Northeasterly and Southwesterly.

The distance from the point of discovery to the Northeasterly end center monument of said claim is 400 feet. The distance from said point of discovery to the southwesterly end center monument is 1100 feet. This amended location notice is posted in the monument of stones erected at said point of discovery upon said claim, which monument is hereinafter referred to as the Location Monument.

Said claim is bounded and described as follows, to-wit: Beginning at a monument, a pine post surrounded by a mound of stones, placed at the center of the northeasterly end of the claim, which monument is 400 feet northeasterly from said Location Monument; thence Southeasterly 250 feet to a monument, a pine post surrounded by a

mound of stones, being the southeast corner of the claim; thence southwesterly 1500 feet to a monument, a pine post surrounded by a mound of stones, being the southwest corner of the claim; thence northwesterly 250 feet to a monument, a pine post surrounded by a mound of stones, being the center of the southwesterly end of the claim; thence again northwesterly 250 feet to a monument, a pine post surrounded by a mound of stones, being the northwest corner of the claim; thence northeasterly 1500 feet to a monument, a pine post surrounded by a mound of stones, being the northeast corner of the claim; thence southeasterly 250 feet to the monument, the place of beginning.

In order to identify said claim it is more particularly described as follows, to-wit: The Location Monument on said claim is about 2000 feet in a southeasterly direction from the "Grey Shaft" on the Grey Mine, Lot No. 48, and about 400 feet in a southwesterly direction from the East Quarter corner of Section 24, Township 1 North, Range 15 East, G. & S.R.B. & M.

Dated and posted on the ground this 22nd day of February, 1909..

THE UNITED GLOBE MINES,
Locator,

By its Agent,

George Kingdon

WITNESS

H.L.Norton

R.H.Bedford

Filed and recorded at the request of R.B.Riell on the 23 day of February, A.D.1909, at 35 minutes past 4 o'clock P.M.

E.T.Stewart County Recorder.

TERRITORY OF ARIZONA, }
COUNTY OF GILA } ss.

I. E. T. STEWART, County Recorder in and for the County of Gila, Territory of Arizona, do hereby certify that the above and foregoing contain and constitute a full, true and correct copy of the Amended Location Notice of the "TRIANGLE" Mining Claim.

as the same appears of record in my office in Book 8, Records of Mines,
at page 593; that I have compared the same with the original record, and that the same is a true transcript and of the whole thereof.

Given under my hand and seal of office this 3rd day of

March A. D. 1909.

E. T. Stewart

County Recorder, Gila County, A. T.

AMENDED LOCATION NOTICE.

NOTICE IS HEREBY GIVEN that the undersigned, The United Globe Mines, a corporation, the assignee of Harry Bowen, J.H. Shoemaker and Erwin Bartholomew, who on the first day of January, 1891, located the Clift Mining Claim, situate in the Globe Mining District, Gila County, Territory of Arizona, the location notice of which claim is of record in the office of the Recorder of said County in Book 4, Records of Mines, at page 2, has on this 22nd day of February, 1909, made an amended location of said mining claim, by virtue of which and of said original location it claims as a mining claim the following described lead, lode or vein of mineral-bearing earth, rock or quartz and premises situate in the Globe Mining District, in the County of Gila, in the Territory of Arizona, to-wit:

The name of said claim is CLIFT.

The name of the locator is The United Globe Mines.

The length of the claim along said vein or lode is 1500 feet. The width of said claim is 300 feet on each side of the middle of said lead, lode or vein.

The general course of said lode and claim is Northeasterly and Southwesterly.

The distance from the point of discovery to the Northeasterly end center monument of said claim is 300 feet. The distance from said point of discovery to the southwesterly end center monument is 1200 feet.

This amended location notice is posted in the monument of stones erected at said point of discovery upon said claim, which monument is hereinafter referred to as the Location Monument.

Said claim is bounded and described as follows, to-wit: Beginning at a monument, a pine post surrounded by a mound of stones, placed at the center of the Northeasterly end of the claim, which monument is 300 feet Northeasterly from said Location Monument, thence

Southeasterly 300 feet to a monument, a pine post surrounded by a mound of stones, being the southeast corner of the claim; thence Southwesterly 1500 feet to a monument, a pine post surrounded by a mound of stones, being the Southwest corner of the claim; thence North westerly 300 feet to a monument, a pine post surrounded by a mound of stones, being the center of the Southwesterly end of the claim; thence again Northwesterly 300 feet to a monument, a pine post surrounded by a mound of stones, being the Northwest corner of the claim; thence Northeasterly 1500 feet to a monument, a pine post surrounded by a mound of stones, being the Northeast corner of the claim; thence Southeasterly 300 feet to the monument, the place of beginning.

In order to identify said claim, it is more particularly described as follows, to-wit: The Location Monument on said claim is situate about 2500 feet in a southerly direction from the "Grey Shaft" on the Grey Mine, Lot No.48.

Dated and posted on the ground this 22nd day of February
A.D.1909.

THE UNITED GLOBE MINES,
Locator,

By its Agent,

George Kingdon

WITNESS:

H.L.Norton
R.H.Bedford.

Filed and recorded at the request of R.B.Riell on the 23
day of February, A.D.1909 at 35 minutes past 4 o'clock P.M.

E.T.Stewart, County Recorder.

TERRITORY OF ARIZONA, }
COUNTY OF GILA } ss.

I. E. T. STEWART, County Recorder in and for the County of Gila, Territory of Arizona, do hereby certify that the above and foregoing contain and constitute a full, true and correct copy of the Amended Location Notice of the "CLIFT" Mining Claim,

as the same appears of record in my office in Book 8, Records of Mines,
at page 593; that I have compared the same with the original record, and that the same is a true transcript and of the whole thereof.

Given under my hand and seal of office this 3rd day of

March, A. D. 1909.

E. T. Stewart

County Recorder, Gila County, A. T.

AMENDED LOCATION NOTICE.

NOTICE IS HEREBY GIVEN that the undersigned, The United Globe Mines, a corporation, the assignee of A. B. Simmons and E. F. Aeschlimann, who on the 21st day of March, 1890, located the McGinty Mining Claim, situate in the Globe Mining District, Gila County, Territory of Arizona, the location notice of which claim is of record in the office of the Recorder of said County in Book 3, Records of Mines, at page 457, and which corporation on the 22nd day of February, 1909, made an amended location of said mining claim, notice of which location is recorded in the office of said Recorder in Book 8, Records of Mines, page 590, has on this 20th day of March, 1909, made a second amended location of said mining claim, by virtue of which said original and amended locations it claims as a mining claim the following described lead, lode or vein of mineral-bearing earth, rock or quartz and premises situate in the Globe Mining District, in the County of Gila, in the Territory of Arizona, to-wit:

The name of said claim is MCGINTY.

The name of the locator is The United Globe Mines.

The length of the claim along said vein or lode is 1030 feet. The width of said claim is 300 feet on each side of the middle of said lead, lode or vein.

The general course of said lode and claim is Easterly and Westerly.

The distance from the point of discovery to the westerly end center monument of said claim is three hundred and forty feet. The distance from said point of discovery to the easterly end center monument of the claim is six hundred and ninety feet.

This amended location notice is posted in the monument of stones erected at said point of discovery upon said claim, which monument is hereinafter referred to as the Location Monument.

Said claim is bounded and described as follows, to-wit:

Beginning at a monument, a pine post surrounded by a mound of stones, placed at the center of the westerly end of the claim, which monument is 340 feet westerly from said Location Monument; thence Northerly 300 feet to a monument, a pine post surrounded by a mound of stones, being the northwest corner of the claim; thence easterly 1030 feet to a monument, a pine post surrounded by a mound of stones, being the northeast corner of the claim; thence southerly 300 feet to a monument, a pine post surrounded by a mound of stones, being the center of the easterly end of the claim; thence again southerly 300 feet to a monument, a pine post surrounded by a mound of stones, being the southeast corner of the claim; thence westerly 1030 feet to a monument, a pine post surrounded by a mound of stones, being the southwest corner of the claim; thence northerly 300 feet to the monument, the place of beginning.

In order to identify said claim it is more particularly described as follows, to-wit: The Location Monument on this claim is situate about one-half of a mile in a southerly direction from the "Gray Shaft" on the Grey Mine, Lot No. 48.

Dated and posted on the ground this 20th day of March, 1909.

THE UNITED GLOBE MINES,
Locator,

By its Agent,

George Kingdom

WITNESS:

H. L. Watson

R. H. Bedford

Filed and recorded at the request of R.B.Riell on the 20 day of March, A.D. 1909, at 35 minutes past 4 o'clock P.M.

TERRITORY OF ARIZONA, }
COUNTY OF GILA } ss.

E.T. Stewart County Recorder.

I, E. T. STEWART, County Recorder for the County of Gila, Territory of Arizona, do hereby certify that the above and foregoing contain and constitute a true and correct copy of the Second Amended Location Notice of the "McGINN" Mining Claim, as the same appears of record in my office in Book 8, Records of Mines, at page.....; that I have compared the same with the original record, and that the same is a true transcript and of the whole thereof.

Given under my hand and seal of office this 20th. day of

March A. D. 1909.

E.T. Stewart,
By L.M. Crocker County Recorder, Gila County, A. T.
Deputy Recorder

AMENDED LOCATION NOTICE.

NOTICE IS HEREBY GIVEN that the undersigned, The United Globe Mines, a corporation, the assignee of Frank Juliff and James Faull, who on the 1st day of January, 1894, located the Maudie Mining Claim, situate in the Globe Mining District, Gila County, Territory of Arizona, the location notice of which claim is of record in the office of the Recorder of said county in Book 4, Records of Mines, page 307, has on this 22nd day of February, 1909, made an amended location of said mining claim, by virtue of which and of said original location it claims as a mining claim, the following described lead, lode or vein of mineral-bearing earth, rock or quartz, and premises situate in the Globe Mining District, in the County of Gila, in the Territory of Arizona, to-wit:

The name of said claim is MAUDIE.

The name of the locator is The United Globe Mines.

The length of the claim along said vein or lode is 1416 feet. The width of said claim is 300 feet on each side of the middle of said lead, lode or vein.

The general course of said lode and claim is Easterly and Westerly.

The distance from the point of discovery to the Easterly end center monument of said claim is two hundred and fifty feet. The distance from said point of discovery to the Westerly end center monument is eleven hundred and sixty-six feet.

This amended location notice is posted in the monument of stones erected at said point of discovery upon said claim, which monument is hereinafter referred to as the Location Monument.

Said claim is bounded and described as follows, to-wit:

Beginning at a monument, a pine post surrounded by a mound of stones, placed at the center of the Easterly end of the claim, which monument is ^{easterly} 250 feet from said location monument; thence southerly 300 feet to a monument, a pine post surrounded by a mound of stones, being the

southeast corner of the claim; thence westerly 1416 feet to a monument, a pine post surrounded by a mound of stones, being the southwest corner of the claim; thence northerly 300 feet to a monument, a pine post surrounded by a mound of stones, being the center of the westerly end of the claim; thence again northerly 300 feet to a monument, a pine post surrounded by a mound of stones, being the northwest corner of the claim; thence easterly 1416 feet to a monument, a pine post surrounded by a mound of stones, being the northeast corner of the claim; thence southerly 300 feet to the monument, the place of beginning.

In order to identify said claim it is more particularly described as follows, to-wit: The Location Monument on said claim is located about 3700 feet in a southerly direction from the "Grey Shaft" situated in the Grey Lode, Lot No. 48.

Dated and posted on the ground this 22nd day of February, 1909.

The United Globe Mines,
Locator,

By its Agent,

George Kingdon.

WITNESS:

H.L.Norton
R.H.Bedford.

Filed and recorded at the request of R.B.Riell on the 23 day of February, A.D.1909, at 35 minutes past 4 o'clock P.M.

E.T.Stewart County Recorder.

TERRITORY OF ARIZONA, }
COUNTY OF GILA } ss.

I. E. T. STEWART, County Recorder in and for the County of Gila, Territory of Arizona, do hereby certify that the above and foregoing contain and constitute a full, true and correct copy of the Amended Location Notice of "MAUDIE" Mining Claim,

as the same appears of record in my office in Book 8, Records of Mines, at page 594; that I have compared the same with the original record, and that the same is a true transcript and of the whole thereof.

Given under my hand and seal of office this 3rd day of March A. D. 1909.

E. T. Stewart
County Recorder, Gila County, A. T.

FINAL OATHS FOR SURVEYS.

LIST OF NAMES.

A list of the names of the individuals employed by Robert R. Boyd

United States Mineral Surveyor, to assist in running, measuring, and marking the lines, corners, and boundaries described in the foregoing field notes of the survey of the mining claims of

The United Globe Mines
known as the JOKER, LADY ELGIN, VERMONT, DIME, QUARTER, WEST STONEWALL, TRIANGLE, CLIFT, MCGINTY and MAUDIE

and showing the respective capacities in which they acted.

R. H. Bedford, Chainman.

Harold S. Duncan, Chainman.

_____, Assman.

_____, Flagman.

FINAL OATHS OF ASSISTANTS.

We, R. H. Bedford

and Harold S. Duncan, do solemnly swear that we assisted Robert R. Boyd

_____, United States Mineral Surveyor, in marking the corners and surveying

the boundaries of the mining claims of The United Globe Mines,

Joker, Lady Elgin, Vermont, Dime, Quarter, West Stonewall,
known as the Triangle, Clift, McGinty and Maudie

represented in the foregoing field notes as having been surveyed by said mineral surveyor and under his direction; and that said survey has been in all respects, to the best of our knowledge and belief, faithfully and correctly executed, and the corner and boundary monuments established according to law and the instructions furnished by the United States Surveyor-General for

R. H. Bedford, Chainman.

Harold S. Duncan, Chainman.

_____, Assman.

_____, Flagman.

Subscribed and sworn to by the above-named persons before me this 12th

day of April, 1909.

My commission expires January 9th 1913 Frank A. Carlock

Notary Public in and for the County of _____
Gila, Territory of Arizona. 6-1073

FINAL OATH OF U. S. MINERAL SURVEYOR.

I, Robert R. Boyd, U. S. Mineral Surveyor, do solemnly swear that, in pursuance of instructions received from the United States Surveyor General for Arizona, dated March 22, 1909, I have, in strict conformity to the laws of the United States, the official regulations and instructions thereunder, and the instructions of said Surveyor General, faithfully and correctly executed the survey of the Mining Claims of The United Globe Mines

JOKER, LADY ELGIN, VERMONT, DIME, QUARTER, WEST STONEWALL, TRIANGLE, CLIFT, MCGINTY and MAUDIE,

situate in Globe Mining District,

Gila County, Arizona, in Section 24, T 1 N, R 15 E, and Section 19, Township No. 1 N, Range No. 16 E unsurveyed, G & S R, B & M, and designated as Survey No. 2646

as represented in the foregoing field notes, which accurately show the boundaries of said mining claim as distinctly marked by monuments on the ground, and described in the attached copy of the location certificate, which was received by me from the Surveyor General with said instructions, and that all the corners of said survey have been established and perpetuated in strict accordance with the law, official regulations and instructions thereunder; and I do further solemnly swear that the foregoing are the true and original field notes of said survey and my report therein, and that the labor expended and improvements made upon said mining claim by claimant or its grantors are as therein fully stated, and that the character, extent, location, and itemized value thereof are specified therein with particularity and full detail, and that no portion of said labor or improvements so credited to this claim has been included in the estimate of expenditures upon any other claim.

Robert R. Boyd, U. S. Mineral Surveyor.

Subscribed and sworn to by the said Robert R. Boyd

U. S. Mineral Surveyor, before me Frank H. Carlock

this 12th

day of April, 1909. My commission expires

January 9th 1913, Frank H. Carlock

Notary Public in and for the County of Gila, Territory of Arizona.

Affidavit of Five Hundred Dollars Improvements.

We, H. L. Norton, and R. H. Bedford

of lawful age, being first duly sworn according to law, depose and say: That we are acquainted with the JOKER, LADY ELGIN, VERMONT, DIME, QUARTER, WEST STONEWALL, TRIANGLE, CLIFT, McGINTY and MAUDIE mining claim,s

situate in Globe Mining district, Gila County, Arizona Territory, for which The United Globe Mines

has made application for survey prior to application for patent under the provisions of the Act of Congress, approved May 10, 1872; and that the labor done and improvements made thereon by the applicant and its grantors exceed Five Hundred Dollars in value, for each claim and further that we are not personally interested in said mine.

H. L. Norton
R. H. Bedford

TERRITORY OF ARIZONA, }
County of Gila } ss:

Sworn to and subscribed before me, this 12th

day of April, 1909

My commission expires January 9th 1913.
Frank H. Carlock



Notary Public in and for the County of Gila, Territory of Arizona.

U. S. SURVEYOR-GENERAL'S FINAL CERTIFICATE ON FIELD NOTES.

Department of the Interior,

OFFICE OF U. S. SURVEYOR-GENERAL,

Phoenix, Arizona,

July 17, 1909.

I, U. S. Surveyor-General for District of Arizona,

do hereby certify that the foregoing transcript of the Field Notes, return and approval of the survey of the mining claim of

THE UNITED GLOBE MINES,

known as the JOKER, LADY ELGIN, VERMONT, DIME, QUARTER, WEST STONEWALL, TRIANGLE, CLIFT, MCGINTY, MAUDIE.

situate in GLOBE

Mining District, GILA County, ARIZONA

in Section APPROX. 24, Township No. 1 N., Range No. 15 E., Unsur. 16 E., and

designated as Survey No. 2646, has been correctly copied from the originals on file in this office; that said Field Notes furnish such an accurate description of said mining claim as will, if incorporated into a patent, serve fully to identify the premises, and that such reference is made therein to natural objects or permanent monuments as will perpetuate and fix the locus thereof.

And I further certify that five hundred dollars' worth of labor has been expended or improvements made upon each of said mining claims by claimant or its grantors, and that said improvements consist of 21 shafts, 10 cuts, 4 pits, 2 winzes, 12 tunnels, 1 slope and 939 linear ft. of crosscuts and drifts, total value \$106,895.00

and that no portion of said labor or improvements has been included in the estimate of expenditures upon any other claim.

I further certify that the plat thereof, filed in the U. S. Land Office at Phoenix,

Arizona, is correct and in conformity with the foregoing Field Notes.

Frank S. Ingalls,

United States Surveyor-General for Arizona,

4-687.

**SURVEYOR-GENERAL'S CERTIFICATE OF APPROVAL OF FIELD
NOTES AND SURVEY OF MINING CLAIM.**

Department of the Interior,

Office of U. S. Surveyor-General,

Phoenix, Arizona,

July 17, 1909.

I, U. S. Surveyor-General for District of Arizona,

do hereby certify that the foregoing and hereto attached Field Notes and Return of the Survey of the
Mining Claim of

THE UNITED GLOBE MINES,

known as the
JOKER, LADY ELGIN, VERMONT, DIME, QUARTER, WEST STONEWALL,
TRIANGLE, CLIFT, MCGINTY, MAUDIE.

situate in GLOBE Mining District,

GILA County, ARIZONA

in Section 24, Township No. 1 N., Range No. 15 E., Unsur.
APPROX. 19, 1 N., 16 E., Unsur.

designated as Survey No. 2646

executed by Robert R. Boyd, U. S. Deputy Mineral

Surveyor, March 29-April 10, 1909, under my instructions dated

March 22, 1909, have been critically examined and the necessary

corrections and explanations made, and the said Field Notes and Return, and the Survey they describe,

are hereby approved. A true copy of the copy of the location certificate filed by the applicant for

survey is included in the field notes.

Frank A. Lyalls

U. S. Surveyor-General for Arizona.