

Comp. map.

4-683.

MINERAL SURVEY No. 2649

LOT No.

Arizona Land District.

FIELD NOTES

OF THE SURVEY OF THE MINING CLAIM OF

P. A. Tharaldson

KNOWN AS THE

PERA, BELITA, DEMON, RAMONA, CYCLE, TEXAS

Blue Tank Mining District,

Yavapai County, Arizona

Section approx. 17, Township 8 N., Range 3 W. *Union*

Surveyed under instructions dated April 12, 1909

by *John F. Hesse*,
U. S. Mineral Surveyor.

Claim located see location notices, 19

Survey commenced April 15, 1909, 19

Survey completed April 19, 1909, 19

*Address of Thompson
Hildreth
atty for claimant
Phoenix, Arizona*

Survey No. 2649

Texas Lode.

Beginning at cor. No. 1, the N. E. cor, a granite stone 24 x 8 x 6 ins. set 18 ins. in the ground marked T 1-2649 on S. face, with a X on top, with a mound of stone 2 ft, base 2 ft. high alongside. No bearings available.

This cor. is identical with the location cor. a mound of stone 3 ft. base 3 ft. high.

U. S. L. M. No. 1477 bears ~~N. 70° 17' E. 2594.~~
~~50 ft. dist.~~ *N. 60° 16' 30" E. 2393.66*

Thence S. 54° 00' W.

300. To N. end center, whence original location cor. a mound of stone 3 ft. base 3 ft. high bears N. 45° W 3 ft. dist.

600. To cor. No. 2 a granite stone 24 x 15 x 4 ins. set 18 ins. in the ground, marked T2-2649 on E. face with a x on top, and a mound of stone 2 ft. base 2 ft. high alongside. The location cor. a mound of stone 2 ft. base 2 ft. high bears S. 82° W. 5 ft. dist. No bearings available, Thence S. 56° 00' E.

1500. To cor. No. 3 a granite stone 24 x 8 x 6 ins. set 18 ins. in the ground, marked T 3- 2649 on on N. and R 2- 2649 on E. face for cor. No. 2 of the Ramona Lode of this survey, with a x on top, and a mound of stone 4 ft. base 3 ft. high alongside. NO bearings available. this cor. is identical with the location cor. a mound of stone 3 ft. base 3 ft. high. Thence N. 54° 00' E,

300. To S. end center. identical with location cor. a mound of stone 3 ft, base; 3 ft, high.

600. To cor. No. 4 a porphyry stone 24" x 12" x 5" ins. set 18 ins. in the ground, marked T 4-2649 on W. face, and a mound of stone 3 ft. base; 3 ft. high alongside. Identical with the location cor. a mound of stone 3 ft. base 3 ft. high. No bearings available. Thence N. 56° 00' W.

1500. To cor. No. 1, the place of beginning.

Ledge.

The presumed course of the ledge on the Texas lode is from the S. end center N. 56° 00' W. 1500 ft. to the N. end center.

Ramona Lode.

Beginning at cor. No. 1 a granite stone 24 x 10 x 8 ins. set 18 ins in the ground, marked R 1 2649 on S. face and x on top, with a mound of stone 3 ft. base 2 ft. high alongside..The location cor. a mound of stone 3 ft. base 3 ft. high bears N 25° E. 90 ft. dist. No bearings available.

U. S. L. M. No. 1477 bears N. 5° 18' E. ~~1561.43~~
54° 30' E. 1542.7
ft. dist.

Thence S. 54° 00' W.

836. Cor No. 4 of the Texas lode of this survey.

1436. To cor. No. 2 identical with cor. No. 3 of the Texas lode of this survey, previously described. Thence S. 56° 00' E.

300. To S. end center identical with location cor. a mound of stone 3 ft. base 3 ft. high.
600. To cor. No. 3, a granite stone 24 x 8 x 8 ins. set 18 ins. in the ground, marked R 3-2649 on N. face and x on top, with a mound of stone 3 ft. base 3 ft. high alongside. Location cor. bears S. $1^{\circ} 30'$ E. 69 ft. dist. a mound of stone 3 ft. base 3 ft. high. No bearings available. Thence N. $54^{\circ} 00'$ E.
1436. To cor. No. 4, a granite stone 24 x 10 x 6 ins. set 18 ins. in the ground, marked R 4-2649 on on W. face and x on top, with a mound of stone 3 ft. base 3 ft. high alongside. Identical with location cor. a mound of stone 3 ft. base 3 ft. high. No bearings available. Thence N. $56^{\circ} 00'$ W.
300. To N. end center whence location cor., a mound of stone 3 ft. base 3 ft. high bears N. 30° W. 62 ft. dist.
600. To cor. No. 1, the place of beginning.

Ledge.

The presumed course of the ledge on the Ramona lode is from the south end center N. $54^{\circ} 00'$ E. 1436 ft. to the N. end center

Demon Lode.

- Beginning at cor. No. 1, a malpais stone 24 x 12 x 4 ins. set 18 ins. in the ground, marked D 1-2649 on S. face, and x on top, with a mound of stone 3 ft. base 3 ft. high alongside. Identical with location cor. a mound of stone 3 ft. base 3 ft. high. No bearings available. U. S. L. M. No. 1477 bears N. $46^{\circ} 13'$ E. 2773. ft. dist.
- Cor. No. 2 of the Texas lode of this survey bears N. $56^{\circ} 00'$ W. 678. ft. dist. Thence S. $60^{\circ} 00'$ W.
300. To the west end center from which the location cor., a mound of stone 3 ft, base 3 ft. high bears N. 74° W. 20 ft. dist.
600. To cor. No. 2, a granite stone 24 x 12 x 10 ins. set 18 ins. in the ground, marked D 2-2649 on E. face and x on top, with a mound of stone 3 ft. base 3 ft. high alongside. No bearings available. The location cor. a mound of stone 3 ft. base 3 ft. high bears west 8 ft. dist. Thence S. $59^{\circ} 32'$ E.
310. cross wagon road bears N.E. and S.W.
- 1549.36 To cor. No. 3, a malpais stone 24 x 8 x 5 ins. set 18 ins. in the ground, marked D 3-2649 on on N. face and x on top, with a mound of stone 3 ft. base 3 ft. high alongside. No bearings available. The location cor. a mound of stone 3 ft. base 3 ft. high bears S. 56° E. 109 ft. dist. Thence N. $60^{\circ} 00'$ E.
194. To E. end center, from which the location cor., a mound of stone 3 ft. base 3 ft. high bears S. 55° E. 65 ft. dist.
494. To cor. No. 4, a granite stone 24 x 6 x 4 ins. set 18 ins. in the ground, marked D 4 -2649 on E. face and x on top, with a mound of stone 3 ft. base 3 ft. high alongside. No bearings available. Identical with location cor. a mound of stone 3 ft. base 3 ft. high. Thence N. $56^{\circ} 00'$ W.
78. Cor. No. 3 of the Ramona lode of this survey.

- 678. To cor. No. 2 of the Ramona lode of this survey.
- 983. Cross wagon road bears N.E. and S.W.
- 1500. To cor. No. 1, the place of beginning.

Ledge.

The presumed course of the ledge on the Demon lode is from the E. end center N. 56° W. 1500 ft. to the N. end center.

Cycle Lode.

- Beginning at cor. No. 1, a granite stone 24 x 7 x 5 ins. set 18 ins. in the ground, marked C 1-2649 on W face and x on top, with a mound of stone 2 ft. base 2 ft. high alongside. No bearings available. Location cor. a mound of stone 3 ft. base 3 ft. high bears N. 12° W. 133 ft. dist.
- U.S. L. M. No. 1477 bears N. 7° 48' ^{20"} E. ~~2542.53~~ ^{2543.07} ft. dist.
- Thence S. 60° 00' W.
- 477. Cor. No. 4 of the Demon lode of this survey.
- 971. Cor. No. 3 of the Demon lode of this survey.
- 1500. To cor. No. 2, a malpais stone 24 x 12 x 5 ins. set 18 ins. in the ground, marked C 2-2649 on E. face and x on top, with a mound of stone 3 ft. base 3 ft. high, alongside. No bearings available. The location cor. a mound of stone 3 ft. base 3 ft. high bears N. 70° W. 6 ft. dist.
- Thence S. 56° 00' E.
- 300. To S. end center whence location cor. a mound of stone 3 ft. base 3 ft. high, bears S. 60° W. 21 ft. dist.
- 600. To cor. No. 3, a malpais stone 24 x 10 x 5 ins. set 18 ins. in the ground, marked C 3-2649 on N. face and x on top, with a mound of stone 2 ft. base 2 ft. high alongside. No bearings available. The location cor. a mound of stone 3 ft. base 3 ft. high bears S. 23° W. 218 ft. dist.
- Thence N. 60° 00' E.
- 1500. To cor. No. 4, a granite stone 24 x 12 x 6 ins. set 18 ins. in the ground, marked C 4-2649 on W. face, and P1-2649 on S. face for cor. No. 1 of the Pera lode of this survey, with x on top, and a mound of stone 3 ft. base 3 ft. high alongside. No bearings available. Identical with location cor. a mound of stone 3 ft. base 3 ft. high.
- Thence N. 56° 00' W.
- 300. To N. end center identical with location cor. a mound of stone 3 ft. base 3 ft. high.
- 600. To cor. No. 1 the place of beginning.

Ledge.

The presumed course of the ledge on the Cycle lode is from the S. end center N. 60° 00' E. 1500 ft. to the N. end center.

Pera Lode.

Beginning at cor. No. 1, identical with the location cor. and with cor. No. 4 of the Cycle lode of this survey, previously described. From which ²⁸⁵⁷ U. S. L. M. No. 1477 bears N. 3° 63' W. ~~2858.32~~ ft. dist.

- Thence S. 60° 00' W.
300. To W. end center from which location cor. bears N. 44° 30' W. 45 ft. dist. a mound of stone 3 ft. base 3 ft. high.
600. To cor. No. 2, a granite stone 24 x 12 x 10 ins. set 18 ins. in the ground, marked P 2-2649 on E. face and x on top, with a mound of stone 3 ft. base 3 ft. high alongside. No bearings available. The location cor. a mound of stone 3 ft. base 3 ft. high bears N. 75° W. 22 ft. dist.
- Thence S. 56° 00' E.
1260. To cor. No. 3, a granite stone 24 x 8 x 6 ins. set 18 ins. in the ground, marked P 3-2649 on N. face and x on top, with a mound of stone 3 ft. base 3 ft. high alongside. No bearings available. Location cor. a mound of stone 3 ft. base 3 ft. high bears S. 51° E. 185 ft. dist.
- Thence N. 60° 00' E.
300. To E. end center, identical with location cor. a mound of stone 3 ft. base 3 ft. high.
600. To cor. No. 4, a granite stone 24 x 6 x 4 ins. set 18 ins. in the ground, marked P 4-2649 on W. face and x on top, with a mound of stone 3 ft. base 3 ft. high alongside. No bearings available. Identical with location cor. a mound of stone 3 ft. base 3 ft. high.
- Thence N. 56° 00' W.
1260. To cor. No. 1, the place of beginning.

Ledge.

The presumed course of the ledge on the Pera lode is from the W. end center S. 56° E. 1260 ft. to the E end center.

Belita Lode

- Beginning at cor. No. 1 a malpais stone 24 x 8 x 4 ins. set 18 ins. in the ground, marked B. 1-2649 on W. face and x on top, with a mound of stone 3 ft. base 3 ft. high alongside. No bearings available. Location cor. bears S. 70° E. 43 ft. dist. a mound of stone 3 ft. base 3 ft. high.
- U. S. L. M. No. 1477 bears N. ~~28° 35'~~^{28° 34' 30"} E. 3192.7 ft. dist.
- Cor. No. 3 of the Demon lode of this survey bears S. 59° 32' E. 396 ft. dist.
- Thence N. 59° 32' W.
300. To the N. end center, identical with the location cor. a mound of stone 3 ft. base 3 ft. high.
600. To cor. No. 2 a granite stone 24 x 10 x 6 ins. set 18 ins. in the ground, marked B. 2-2649 on S.-E. face and x on top, with a mound of stone 3 ft. base 3 ft. high alongside. No bearings available. Identical with the location cor. a mound of stone 3 ft. base 3 ft. high.
- Thence S. 4° 20' W.
1360. Cross wagon road bears E. and W.
1482. To cor. No. 3 a granite stone 24 x 8 x 5 ins. set 18 ins. in the ground, marked B 3-2649 on N. E. face and x on top, with a mound of stone 3 ft. base 3 ft. high alongside. No bearings available. Identical with the location cor. a mound of stone 3 ft. base 3 ft. high.
- Thence S. 59° 32' E.
300. To the S. end center from which the location cor. bears S. 4° W. 20 ft. dist.
600. To cor. No. 4 a malpais stone 24 x 8 x 8 ins. set 18 ins. in the ground, marked B 4-2649 on N. W. face and

x On top, with a mound of stone 3 ft. base 3 ft. high alongside. No bearings available. Location cor. bears S. 4° W. 38 ft. dist. a mound of stone 3 ft. base, 3 ft. high.

- Thence N. 4° 20' E.
 270. Cross road bears E. and W.
 962.86 Intersect line 2-3 of the Cycle lode of this survey at S. 56° E. 93.6 ft. from cor. No. 2.
 1064.76 Intersect line 1-2 of the Cycle lode of this survey at N. 60° E. 98.5 ft. from cor. No. 3.
 1482. To cor. No. 1 the place of beginning.

Ledge.

The presumed course of the ledge on the Belita lode is from the S. end center N. 4° 20' E. 1482 ft. to the N. end center.

Adjoining Claims.

This survey is bounded on all sides by unsurveyed claims claimants unknown, *names of claims unknown.*

Improvements.

I hereby certify that not less than five hundred dollars' worth of labor has been expended or improvements made upon each claim embraced in this survey, and that said improvements consist of:

Texas lode.

No. 1, discovery cut, 4 x 15 ft. 16 ft. face, which bears from the S. end center N. 56° 00' W. 710 ft.
 Value \$ 100.00

No. 2, open cut, 8 x 31 ft. 5 ft. face, which bears from cor. No. 3 N. 33° 05' W. 728 ft.
 Value \$ 100.00

No. 3, shaft, 3½ x 6 ft. 5 ft. deep, which bears from cor. No. 3 N. 37° 20' W. 762 ft.
 Value \$ 30.00

No. 4, shaft, 4 x 7 ft, double compartment, well timbered 120 ft. deep. At 65 ft. deep a drift 4 x 6 ft. runs S. 5° 00' W. 110 ft., and from a point 72 ft. in drift a branch also 4 x 6 ft. runs N. 50° W. 14 ft. From the shaft at the 65 ft. level a drift 4 x 6 ft. runs N. 56° W. 61 ft., and a drift 4 x 6 ft. runs N. 5° E. 31 ft. thence N. 56° W. 38 ft. and S. 56° E. 48 ft. shaft bears from cor. No. 3 N. ~~37° 20' W. 762 ft.~~ ~~746 ft.~~
 39° 40' Total Value \$5400.00

This shaft was put down as a common point of development for this group of claims and the drifts from the shaft if extended will open the ore bodies on every claim in the group, therefore a one sixth interest is credited to each claim *of 1/6 interest*

Value [^] \$ 900.00

No. 5, shaft, 4 x 6 ft. 8 ft. deep, which bears from cor. No. 3, N. 42° 45' W. 675 ft.

Value \$ 60.00

Demon lode.

Disc.

No. 1, shaft, 7 x 6 ft, 7 ft. deep, which bears from

the e. end center N. 56° 00' W. 560 ft.
Value \$ 70.00

No. 2, shaft 7 x 6 ft. 5 ft. deep, which bears
from cor No. 3 N. 31, 37' W. 504 ft.
Value \$ 50.00

No. 3, tunnel 4 x 6 ft. running N. 56° W. 115
ft. The mouth of tunnel bears from cor. No. 1
S. 36, 40' E. 480. ft.
Value \$ 900.00

No. 4, cut 6 x 6 ft. 3 ft. face which bears from cor.
No. 1 S. 31, 10' E. 485 ft.
Value \$ 10.00

No. 5, tunnel 4 x 5½ ft. running S. 85° E. 38 ft. the
mouth of tunnel bears from cor. No. 1 S. 29° 50' E.
570 ft.
Value \$ 300.00

No. 6, shaft 5 x 6 ft. 5 ft. deep which bears from
cor. No. 1 S. 26, 50' E. 579 ft.
Value \$ 30.00

A one sixth interest in shaft No. 4 of the
Texas lode Value \$ 900.00

Ramona Lode

No. 1, discovery shaft 4 x 7 ft. timbered, 93 ft deep,
which bears from the S. end center N 54° E. 416 ft.
Value \$1860.00

No. 2 shaft 5½ x 5½ ft. 9 ft. deep which bears from
cor. No. 2 S. 86, E. 437 ft.
Value \$ 75.00

No. 3 shaft 4½ x 7 ft., 7 ft. deep, which bears from
cor. No. 2 N. 86, E. 550 ft.
Value \$ 50.00

No. 4 cut 6 x 6 ft. 4 ft. face, which bears from cor.
No. 2 N. 73, 10' E. 872 ft.
Value \$ 25.00

A one sixth interest in shaft No. 4 of the Texas
lode. Value \$ 900.00

Cycle Lode.

No. 1, discovery shaft 7 x 7 ft. 4½ ft. deep which
bears from cor. No. 1, S. 37° W. 688 ft.
Value \$ 25.00

No. 2, shaft 5 x 9 ft. 4 ft. deep which bears from
cor. No. 1 S. 38, 45' W. 742 ft.
Value \$ 25.00

No. 3 cut 4 x 7 ft. 4 ft. face, which bears from cor.
No. 1 S. 30, 25' W. 548 ft.
Value \$ 25.00

No. 4, shaft 5 x 7 ft. which bears from cor. No. 1 S.
20° W. 385 ft. shaft 10 ft. deep
Value \$ 100.00

No. 5, Shaft 7 x 7 ft. 5 ft. deep, which bears from cor.
No. 1 S. 17° 30' W. 367 ft.

Value \$ 40.00

A one sixth interest in shaft NO. 4 of the Texas
lode

Value \$ 900.00

Pera Lode.

No. 1, Discovery shaft 4 x 4½ ft. 28 ft. deep which bears
from cor. No. 1 S. 39° 40' W. 271 ft.

Value \$ 200.00

No. 2, cut 4 x 9 ft. 7 ft. face which bears from cor. No.
1 S. 56° 14' W. 276 ft.

Value \$60.00

No. 3, shaft 4 x 5 ft. 1 ft. deep which bears from cor.
No. 1 S. 50° 02' W. 280 ft.

Value \$ 5.00

No. 4, shaft 4 x 6 ft. 8 ft. deep, which bears from cor.
No. 1 S. 35° W. 269 ft.

Value \$ 60.00

No. 5, shaft 4 x 6 ft. 4 ft. deep which bears from cor.
No. 1 S. 30° 55' E. 551 ft.

Value \$ 25.00

No. 6, cut 4 x 9 ft. 4 ft. face which bears from cor.
No. 1 S. 38° 50' E. 772 ft.

Value \$ 20.00

A one sixth interest in shaft No. 4 of the Texas lode.

Value \$900.00

Belita Lode

No. 1 discovery shaft 4 x 6 ft. 8 ft. deep which bears
from cor. No. 1 S. 48° 20' W. 389 ft.

Value \$ 60.00

No. 2, shaft 4 x 6 ft. 10 ft. deep which bears from cor.
No. 1 S. 36° 40' W. 561 ft.

Value \$ 70.00

No. 3, cut 6 x 10 ft. 7 ft. face which bears from cor.
No. 1 S. 33° 35' W. 632 ft.

Value \$ 50.00

No. 4, cut 4 x 12 ft. 8 ft. face which bears from cor.
No. 3, N. 15° 20' E. 578 ft.

Value \$ 70.00

No. 5, cut 4 x 20 ft. 4 ft. face which bears from cor.
No. 3, N. 21° 10' E. 507 ft.

Value \$ 75.00

A one sixth interest in shaft No. 4 of the Texas
lode

Value \$ 900.00

Area.	Acres.	Acres.
Total and net area Texas lode		19.451
Total and net area Ramona lode		18.584
Total and net area Demon lode		16.932
Total and net area Cycle lode		18.569
Total and net area Pera lode		15.599
Total area Belita lode	18.326	
Area in conflict with the Cycle lode of this survey	<u>0.095</u>	
		18.231
Total net area of lode claim		<u>107.366</u>

Location.

This claim is situated in the Blue Tank Mining District Yavapai County, Arizona, in what will approximately be when surveyed, Tp. 8 N. R. 3W., Gila and Salt River Meridian.

Instrument.

This survey was made with a Young and Sons light mountain transit No. 7532 with solar attachment. The distances were measured with a 300 ft. steel tape. The variation at all corners is 14° 30' E.

John A. Hesse
U. S. Mineral Surveyor.

FINAL OATHS FOR SURVEYS.

LIST OF NAMES.

A list of the names of the individuals employed by John P. Hesse
 United States Mineral Surveyor, to assist in running, measuring, and marking the lines, corners, and
 boundaries described in the foregoing field notes of the survey of the mining claim of _____

P. A. Pharaldson
 known as the Pera, Belita, Demow, Ramona, Cycle, Texas
 and showing the respective capacities in which they acted.

A. S. Garner, Chainman.
Wm Hall, Chainman.
 _____, Axman.
 _____, Flagman.

FINAL OATHS OF ASSISTANTS.

We, A. S. Garner
 and Wm Hall, do solemnly swear that we assisted _____

John P. Hesse, United States Mineral Surveyor, in marking the corners and surveying
 the boundaries of the mining claim of P. A. Pharaldson

known as the Pera, Belita, Demow, Ramona, Cycle, Texas

represented in the foregoing field notes as having been surveyed by said mineral surveyor and under his
 direction; and that said survey has been in all respects, to the best of our knowledge and belief, faithfully
 and correctly executed, and the corner and boundary monuments established according to law and the instruc-
 tions furnished by the United States Surveyor-General for Arizona

A. S. Garner, Chainman.
Wm Hall, Chainman.
 _____, Axman.
 _____, Flagman.

Subscribed and sworn to by the above-named persons before me this 19
 day of April, 1909

Francis Jacobs
 Notary Public

FINAL OATH OF U. S. MINERAL SURVEYOR.

I, John F. Hesse, U. S. Mineral Surveyor, do solemnly swear that, in pursuance of instructions received from the United States Surveyor General for Arizona, dated April 12 1909, I have, in strict conformity to the laws of the United States, the official regulations and instructions thereunder, and the instructions of said Surveyor General, faithfully and correctly executed the survey of the Mining Claim of P. A. Tharaldson, known as the PERA, BELITA, DEMON, RAMONA, CYCLE, TEXAS, situate in Blue Tank Mining District, Yavapai County, Arizona, in Section approx. 17, Township No. 8 N., Range No. 3 W. G. & S. R. Meridian Unsur and designated as Survey No. 2649, as represented in the foregoing field notes, which accurately show the boundaries of said mining claim as distinctly marked by monuments on the ground, and described in the attached copy of the location certificate, which was received by me from the Surveyor General with said instructions, and that all the corners of said survey have been established and perpetuated in strict accordance with the law, official regulations and instructions thereunder; and I do further solemnly swear that the foregoing are the true and original field notes of said survey and my report therein, and that the labor expended and improvements made upon said mining claim by claimant or his grantors are as therein fully stated, and that the character, extent, location, and itemized value thereof are specified therein with particularity and full detail, and that no portion of said labor or improvements so credited to this claim has been included in the estimate of expenditures upon any other claim.

John F. Hesse
U. S. Mineral Surveyor.

Subscribed and sworn to by the said John F. Hesse
U. S. Mineral Surveyor, before me Chas. J. Mc Elroy
A Notary Public Maricopa Co Ariz this 29th
day of April, 1909

Chas. J. Mc Elroy
Notary Public
My commission expires June 8, 1911.

Affidavit of Five Hundred Dollars Improvements.

We, A. S. Garner and W. M. Hall

of lawful age, being first duly sworn according to law, depose and say: That we are acquainted with the Pra, Belita, Remon, Ramona, Cycle, Texas mining claims, situate in Blue Park Mining district, Yavapai County, Arizona Territory, for which P. A. Phauldson

has made application for survey prior to application for patent under the provisions of the act of Congress, approved May 10, 1872; and that the labor done and improvements made thereon by the applicant and his grantor exceed Five Hundred Dollars in value, for each claim, and further that we are not personally interested in said mine.

A. S. Garner

W. M. Hall

TERRITORY OF ARIZONA, }
County of Maricopa } ss:

Sworn to and subscribed before me, this 19

day of April, 1909

Francis Jacobs
Notary Public
My commission expires September 20, 1911



"Pera"

Notice of Mining Location.

Lode Claim.

To All Whom it May Concern:

This Mining Claim, the name of which is the Pera Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purpose of exploration and purchase by W.P. Hamlyn the undersigned, on the 11th. day of June, 1902.

The length of this claim is 1500 feet, and I claim 250 feet, in an easterly direction and 1250 feet in a westerly direction from the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with three hundred (300) feet in width of the surface grounds, on each side of the center of said vein. The general course of the lode deposit and premises is from the easterly to the westerly

The claim is situated and located in the Blue Tank Mining District in Yavapai County, in the Territory of Arizona, about 2 miles in a South-easterly direction from Gilbert P.O. ^{and} on the east side of Hamlyn Gulch in said Yavapai County, and is a relocation of an abandoned mining claim known as the Emma E" and its west end adjoins the Cycle mining claim

The surface boundaries of the claim are marked upon the grounds as follows: Beginning at a monument of stones at a point in an easterly direction 250 feet from the discovery shaft (at which this notice is posted), being in the center of the east end line of said claim; thence northerly 300 feet to a monument of stones being the northeast corner of said claim; thence westerly 1500 feet to a monument of stones being at the northwest corner of said claim; thence southerly 300 feet to a monument of stones at the center of the west end of said claim; thence southerly 300 feet to a monument of stones being at the southwest corner of said claim; thence easterly 1500 feet to a monument of stones being at the southeast corner of said claim; thence northerly 300 feet to the place of beginning.

All done under the provisions of Chapter Six, of Title XXXII, of the revised Statutes of the United States and of an Act of the General Assembly of Arizona, entitled "An Act Concerning Mines," approved March 20, 1895, and amended March 2d, 1899, and March 16th. 1901.

Dated and posted on the ground, this 11th, day of June 1902.

W.P Hamlyn

Recorded at request of Allen Hill July 3 A.D. 1902, at 4:55 o'clock P.M., in Book 63 of Mines, Page 321, Records of Yavapai County, Arizona.

By Ben Coon (SEAL) P.J. Farley County Recorder.
Deputy Recorder.

"Belita"

Notice of Mining Location.

Lode Claim.

To All Whom it May Concern:

This Mining Claim, the name of which is the Belita Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purpose of exploration and purchase by W.P. Hamlyn the undersigned, on the 11th. day of June, 1902.

The length of this claim is 1500 feet, and I claim 300 feet, in a northerly direction and 1200 feet in a southerly direction from the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with three Hundred (300) feet in width of the surface grounds, on each side of the center of said vein. The general course of the lode deposit and premises is from the northerly to the southerly

The claim is situated and located in the Blue Tank Mining District in Yavapai County, in the Territory of Arizona, about 2 miles in a South-easterly direction from Gilbert P. O. ^{and} on the east side of Hamlyn Gulch in said Yavapai County, and is a relocation of an abandoned mining claim known as the Essie M. and its north end adjoins the Demon mining claim

The surface boundaries of the claim are marked upon the ground as follows: Beginning at a monument of stones at a point in a northerly direction 300 feet from the discovery shaft (at which this notice is posted), being in the center of the north end line of said claim; thence easterly 300 feet to a monument of stones being the northeast corner of said claim; thence southerly 1500 feet to a monument of stones being at the southeast corner of said claim; thence westerly 1300 feet to a monument of stones at the center of the south end of said claim; thence westerly 300 feet to a monument of stones being at the southwest corner of said claim; thence northerly 1500 feet to a monument of stones being the northwest corner of said claim; thence easterly 300 feet to the place of beginning.

All done under the provisions of Chapter Six, of Title XXXII, of the revised Statutes of the United States and of an Act of the General Assembly of Arizona, entitled "An Act Concerning Mines," approved March 20, 1895, and amended March 2d, 1899, and March 16th, 1901.

Dated and posted on the ground, this 11th. day of June 1902.

W.P. Hamlyn.

Recorded at request of Allen Hill July 3 A.D. 1902, at 4:55 o'clock P.M., in Book 63 of Mines, Page 322, Records of Yavapai County, Arizona.

(SEAL) P.J. Farley County Recorder.

By Ben Coon, Deputy Recorder.

"Demon"

Notice of Mining Location.

Lode Claim.

To All Whom it May Concern:

This Mining Claim, the name of which is the Demon Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purpose of exploration and purchase by W.P. Hamlyn, the undersigned, on the 11th. day of June, 1902.

The length of this claim is 1500 feet, and I claim 600 feet, in an easterly direction and 900 feet in a westerly direction from the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with three hundred (300) feet in width of the surface grounds, on each side of the center of said vein. The general course of the lode deposit and premises is from the easterly to the westerly

The claim is situated and located in the Blue Tank Mining District in Yavapai County, in the Territory of Arizona, about 2 miles in a South-easterly direction from Gilbert P.O. and on the east side of Hamlyn Gulch in said Yavapai County and is a relocation of an abandoned mining claim known as the Mary E and adjoins the Texas and Ramona mining claims on the south.

The surface boundaries of the claim are marked upon the ground as follows: Beginning at a monument of stones at a point in an easterly direction 600 feet from the discovery shaft (at which this notice is posted), being in the center of the east end line of said claim; thence northerly 300 feet to a monument of stones being the northeast corner of said claim; thence westerly 1500 feet to a monument of stones being at the northwest corner of said claim; thence southerly 300 feet to a monument of stones at the center of the west end of said claim; thence southerly 300 feet to a monument of stones being at the southwest corner of said claim; thence easterly 1500 feet to a monument of stones being at the southeast corner of said claim; thence northerly 300 feet to the place of beginning.

All done under the provisions of Chapter Six, of Title XXXII, of the revised Statutes of the United States, and of an Act of the General Assembly of Arizona, entitled "An Act Concerning Mines," approved March 20, 1895, and amended March 2d, 1899, and March 16th, 1901.

Dated and posted on the ground, this 11th. day of June 1902,

W.P. Hamlyn

Recorded at request of Allen Hill July 3 A.D. 1902, at 4:55 o'clock P.M., in Book 63 of Mines, Page 323, Records of Yavapai County, Arizona.

(SEAL) P.J. Farley County Recorder.

By Ben Coon, Deputy Recorder.

"Ramona"

Notice of Mining Location.

Lode Claim.

To All Whom it May Concern:

This Mining Claim, the name of which is the Ramona Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purpose of exploration and purchase by W.P.Hamlyn a citizen of the United States the undersigned, on the 11th. day of June, 1902.

The length of this claim is 1500 feet, and I claim 1300 feet, in a northerly direction and 200 feet in a southerly direction from the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with 300 feet in width of the surface grounds, on ~~each~~ side of the center of said claim. The general course of the lode deposit and premises is from the northerly to the southerly

The claim is situated and located in Blue Tank Mining District in Yavapai County, in the Territory of Arizona, about 2 miles in a southeasterly direction from Gilbert P.O. and on the east side of Hamlyn Gulch in said Yavapai County and is a relocation of an abandoned mining claim known as Lena M and adjoins the Demon mining claim on the north

The surface boundaries of the claim are marked upon the ground as follows: Beginning at a mon. of stone at a point in a northerly direction 1300 feet from the discovery shaft (at which this notice is posted), being in the center of the north end line of said claim; thence easterly 300 feet to a mon. of stone being the northeast corner of said claim; thence southerly 1500 feet to a mon. of stone being at the south east corner of said claim; thence westerly 300 feet to a Mon. of stone at the center of the south end of said claim; thence westerly 300 feet to a mon. of stone being at the southwest corner of said claim; thence northerly 1500 feet to a mon. of stone at the north west corner of said claim; thence easterly 300 feet to the place of beginning.

All done under the provisions of Chapter Six, of Title XXXII, of the revised Statutes of the United States and of an Act of the General Assembly of Arizona, entitled "An Act to Revise and Codify the Laws of the Territory of Arizona, approved March 16th, 1901.

Dated and posted on the ground, this 11th. day of June 1902.

W.P.Hamlyn.

Filed and recorded at request of Allen Hill July 3rd A.D. 1902, at 4:55 o'clock P.M., Book 63 of Mines, Page 324, Records of Yavapai County, Arizona.

(SEAL) P.J.Farley, County Recorder.

By Ben Coon, Deputy Recorder.

"Cycle"

Notice of Mining Location.

Lode Claim.

To All Whom it May Concern:

This Mining Claim, the name of which is the Cycle Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purpose of exploration and purchase by W.P.Hamlyn a citizen of the United States the undersigned, on the 11th. day of June, 1902.

The length of this claim is 1500 feet, and I claim 750 feet, in a northerly ^{direction} and 750 feet in a southerly direction from the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with 300 feet in width of the surface grounds, on each side of the center of said claim. The general course of the lode deposit and premises is from the northerly to the southerly

The claim is situated and located in the Blue Tank Mining District in Yavapai County, in the Territory of Arizona, about 2 miles in a southeasterly direction from Gilbert P.O. and on the east side of Hamlyn Gulch in said Yavapai County, and is a relocation of an abandoned mining claim, known as the Grace A and its west side adjoins the Demon and Ramona mining claims.

The surface boundaries of the claim are marked upon the ground as follows: Beginning at mon. of stone at a point in a northerly direction 750 feet from the discovery shaft (at which this notice is posted), being in the center of the north. end line of said claim; thence easterly 300 feet to a mon. of stone being the north east corner of said claim; thence southerly 1500 feet to a mon. of stone being at the southeast corner of said claim; thence westerly 300 feet to a mon. of stone at the center of the south. end of said claim; thence westerly 300 feet to a mon. of stone being at the southwest corner of said claim; thence northerly 1500 feet to a mon. of stone at the northwest corner of said claim; thence easterly 300 feet to the place of beginning.

All done under the provisions of Chapter Six, of Title XXXII, of the revised Statutes of the United States and of an Act of the General Assembly of Arizona, entitled "An Act to Revise and Codify the Laws of the Territory of Arizona," approved March 16th, 1901.

Dated and posted on the ground, this 11 day of June 1902.

W.P.Hamlyn.

Filed and recorded at request of Allen Hill July 3" A.D. 1902, at 4:55 o'clock P.M., Book 63 of Mines, Page 325, Records of Yavapai County, Arizona.

(SEAL) P.J.Farley County Recorder.

By Ben Coon, Deputy Recorder.

"Texas"

Notice of Mining Location.

Lode Claim.

To All Whom it May Concern:

This Mining Claim, the name of which is the Texas Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purpose of exploration and purchase by W.P.Hamlyn a citizen of the United States the undersigned, on the 11th. day of June, 1902.

The length of this claim is 1500 feet, and I claim 750 feet, in an Easterly and 750 feet in a westerly direction from the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with 300 feet in width of the surface grounds, on each side of the center of said claim. The general course of the lode deposit and premises is from the Easterly to the westerly

The claim is situated and located in the Blue Tank Mining District in Yavapai County, in the Territory of Arizona, about 2 miles in a southeasterly direction from Gilbert P.O. on the east side of Hamlyn Gulch in said Yavapai County, and this is a relocation of an abandoned mining claim known as the Eva M. and adjoins a part of the north side line of Demon claim

The surface boundaries of the claim are marked upon the ground as follows: Beginning at a monument of stone at a point in an easterly direction 750 feet from the discovery shaft (at which this notice is posted), being in the center of the east end line of said claim; thence southerly 300 feet to a mon. of stone being the southeast corner of said claim; thence westerly 1500 feet to a mon. of stone being at the southwest corner of said claim; thence northerly 300 feet to a mon. of stone at the center of the west end of said claim; thence northerly 300 feet to a mon. of stone being at the northwest corner of said claim; thence easterly 1500 feet to a mon. of stone at the north east corner of said claim; thence southerly 300 feet to the place of beginning.

All done under the provisions of Chapter Six, of Title XXXII, of the revised Statutes of the United States and of an Act of the General Assembly of Arizona, entitled "An Act to Revise and Codify the Laws of the Territory of Arizona," approved March 16th, 1901.

Dated and posted on the ground, this 11th. day of June 1902

W.P.Hamlyn

Filed and recorded at request of Allen Hill July 3^d A.D. 1902, at 4:55 o'clock P.M., Book 63 of Mines, Page 326, Records of Yavapai County, Arizona.

(SEAL) P.J.Farley, County Recorder.

By Ben Coon, Deputy Recorder.

TERRITORY OF ARIZONA, () ss.
 County of Yavapai. ()

I, J.C. Bradbury, County Recorder in and for the aforesaid County of Yavapai, and Custodian of the records of such office, do hereby certify that I have compared the foregoing with and that the same are true and correct copies of the location notices of the following named lode mining claims, as appear of record in my said office; said claims being situated and located in the Blue Tank Mining District, Yavapai County, Arizona Territory, viz:-

"PERA", the notice of original location whereof is of record in Book 63 of Mines, page 321, records of Yavapai County, Arizona.

"BELITA", the notice of original location whereof is of record in Book 63 of Mines, page 322, said records.

"DEMON", the notice of original location whereof is of record in Book 63 of Mines, page 323, said records.

"RAMONA", the notice of original location whereof is of record in Book 63 of Mines, at page 324, said records.

"CYCLE", the notice of original location whereof is of record in Book 63 of Mines, at page 325, said records.

"TEXAS", the notice of original location whereof is of record in Book 63 of Mines, at page 326, said records.

IN WITNESS WHEREOF, I have hereunto set my hand and affixed my official seal, this 6th day of April, A.D. 1909.



J. C. Bradbury
 County Recorder.

U. S. SURVEYOR-GENERAL'S FINAL CERTIFICATE ON FIELD NOTES.

Department of the Interior,

OFFICE OF U. S. SURVEYOR-GENERAL,

Phoenix, Arizona,

June 25, 1909

I, U. S. Surveyor-General for District of Arizona.

do hereby certify that the foregoing transcript of the Field Notes, return and approval of the survey of the mining claim of

P. A. Tharaldson.

known as the PERA, BELITA, DEMON, RAMONA, CYCLE, TEXAS.

situate in BLUE TANK

Mining District, YAVAPAI County, ARIZONA.

in Section APPROX. 17, Township No. 8 N., Range No. 3 W., Unsur., and

designated as Survey No. 2649, has been correctly copied from the originals on file in this office; that said Field Notes furnish such an accurate description of said mining claim as will, if incorporated into a patent, serve fully to identify the premises, and that such reference is made therein to natural objects or permanent monuments as will perpetuate and fix the locus thereof.

And I further certify that ^{not less than} five hundred dollars' worth of labor has been expended or improvements made upon ^{or for each of} said mining claims by claimant or his grantors, and that said improvements consist of 10 cuts, 19 shafts, 2 tunnels and 302 ft. of drifts, total value \$9970. As shaft No. 4 on the Texas lode, with workings therefrom, total value \$5400, is a common improvement for the benefit and development of all the claims in this survey, an undivided one-sixth interest therein, value \$900, is therefore properly credited to each of the lodes in this group.

and that no portion of said labor or improvements has been included in the estimate of expenditures upon any other claim.

I further certify that the plat thereof, filed in the U. S. Land Office at Phoenix,

Arizona, is correct and in conformity with the foregoing Field Notes.

Frank S. Ingalls,

United States Surveyor-General for Arizona.

4-687.

SURVEYOR-GENERAL'S CERTIFICATE OF APPROVAL OF FIELD
NOTES AND SURVEY OF MINING CLAIM.

Department of the Interior,

Office of U. S. Surveyor-General,

Phoenix, Arizona,

June 25, 1909.

I, U. S. Surveyor-General for District of Arizona,

do hereby certify that the foregoing and hereto attached Field Notes and Return of the Survey of the
Mining Claim of

P. A. Tharaldson

known as the

PERA, BELITA, DEMON, RAMONA, CYCLE, TEXAS.

situate in BLUE TANK Mining District,

YAVAPAI County, ARIZONA

in Section Approx. 17, Township No. 8 N., Range No. 3 W.

designated as Survey No. 2649

executed by John F. Hesse, U. S. Deputy Mineral

Surveyor, April 15-19, 1909, under my instructions dated

April 12, 1909, have been critically examined and the necessary

corrections and explanations made, and the said Field Notes and Return, and the Survey they describe,

are hereby approved. A true copy of the copy of the location certificate filed by the applicant for

survey is included in the field notes.

Frank S. Lygell

U. S. Surveyor-General for Arizona.