

Copied July 9, 1909,

A. L. H.

1  
JUN 15 1909

JUL 3-1909

*Platted*

4-683.

MINERAL SURVEY No. 2658

LOT No.

Arizona

Land District.

### FIELD NOTES

OF THE SURVEY OF THE MINING CLAIM OF

S. H. Bryant

KNOWN AS THE

Parsia, Astic and Turquoise No 2 lodes,

Turquoise Mining District,

Cochise County, Arizona.

Section Approx. , Township 19 S , Range 25 E (unsurveyed)

Surveyed under instructions dated April 28 , 1909

by John A. Rockfellow

U. S. Mineral Surveyor.

Claim located See location notices , 19

Survey commenced May 27 , 1909

Survey completed June 1 , 1909

6-822

Address of claimant's attys.,

Pickett & Bowman,

Tombstone, Arizona.

S U R V E Y N O . 2 6 5 8 .

Parsia Lode

Beginning at Cor No 1, identical with location and with Cor No 1 Australia lode, Survey No 2645, a pine post 4 inches square, 3 ft above ground in a mound of stone, scribed N E C-P, add 1 - 2658 also scribed NWC-A 1 - 2645; whence:

U.S.M.M. No 2, Turquoise District bears N 0°54'30"E, 2862.4 ft,

Cor. No 2 Clinton lode Survey 2458 bears N 31° 55'W 211.4 ft.  
No rock or tree bearings available.

Thence S 5° 51'W, va 13°10'EM

150.2 Cor. No 1 Turquoise No 2 lode of this survey,  
300.0 east center end, identical with location and with west center end Australia lode survey No 2645, a pine post 4 inches square 3 1/2 ft above ground in a mound of stone, scribed ECE-P, add 2658, also scribed WCE-A.

592.8 To cor No 2 identical with location and with Cor. No 5, Australia lode, Survey No 2645, also with corner No 1 Astic lode of this survey, a pine post 4 inches square, 3 1/2 ft above ground in a mound of stone, scribed SEC-P, NEC-A, add 2-1-2658 also scribed 5-2458 A.

whence:

A cross (X) and BR 2-1-2658 chiseled on porphyry rock 24 X 18 X 16 inches bears S 69°42'W, 12.35 ft.

A cross (X) and BR 2-1-2658 chiseled on a perphyry reef bears N 4° 00' E, 13.4 ft.

Thence N 86°31'30"W, Va 13°10' E,

1499.5 to Cor No 3, identical with location and with Cor. No. 4 Astic lode of this survey, a pine post 4 ins square, 3 ft above ground in a mound of stone, scribed SWC-P and NWC-A add 3-4-2658 whence;

A cross (X) and BR (not space for more) chiseled on a quartzite rock 6 X 5 X 10 inches bears S 73°21'W, 4.6 ft

A cross (X) and BR 3-4-2658 chiseled on a quartzite rock triangular, 12 X 10 inches level with the ground bears S 33°51'E, 15.4 ft.

Thence N 5°51'E, Va 13°10'E,  
300.0 west center end identical with location, a pine post 3 1/2 ft above ground in a mound of stone scribed WCE-P, add 2658,

600.0 to Cor. No 4, identical with location a pine post 3 ft above ground in a mound of stone, scribed NWC-P, add 4-2658, whence:

A cross (X) and BR 4-2658 chiseled on a quartzite rock 14X14X5 inches bears S 37°55'W, 29.6 ft.,

A cross (X) and BR 4-2658 chiseled on a quartzite rock 18X16X4 inches bears N61°46'W, 18.35 ft.

Thence S 86°15'E, Va 13°10'E,  
8.5 post in a mound of stone, the SW Corner of Beacon, also angle corner of Florence lode unsurveyed,  
1499.2 to Cor. No. 1 the place of beginning.

Astic Lode.

Beginning at Cor No 1, identical with location and with Cor. No 2 Parsia lode heretofore described,

whence:

Mining

U.S.M.M. No 2 Turquoise District bears N 1° 45'E, 3453.4 ft.

Thence, S 5° 51'W, Va 13°10'E,

300.0 east center end identical with location, a pine post 3 ft above ground in a mound of stone, scribed ECE-A, add 2658,

600.0 to Cor. No 2, identical with location, a pine post 3 ft above ground in a mound of stone, scribed SEC-A, add 2-2658, whence:

A cross (X) and BR 2-2658 chiseled on a quartzite rock 10 x 9 X 2 inches bears S 10° 57'E, 30.6 ft.

A cross (X) and BR (not space for more) chiseled on quartzite bed rock bears S 61°50'W, 14.0 ft.

Thence N 86°31'30"W, Va 13° 10'E,

1499.5 to Cor No 5, identical with location, a pine post 4/ins square 3/ft above ground in a mound of stone, scribed SWC-A add 3-2658,

Whence:

A cross (X) and BR 3-2658 chiseled on a quartzite rock 14 X 12 X 3 inches bears S 4°44'E, 27.8 ft.

No other nearby bearings available.

Thence N 5° 51'E, Va 13° 10' E.

300.0 west center end identical with location, a pine post 4 ins square, 3 ft above ground in a mound of stone, scribed WCF-A, add 2658,

600.0 to Cor. No 4 identical with location and with Cor. No 3 Parsia lode of this survey heretofore described,

Thence S 86°31'30"E, Va 13°10'E,

1499.5 to Corner No 1, the place of beginning.

-----  
Turquoise No 2 lode,

Beginning at Cor No 1 the north west corner of location on line 1 -2 Parsia lode of this survey, a pine post 4/ins square, 3 ft above ground in a mound of stone, scribed NWC-T No 2, add 1-2658, whence:

U.S.M.L., No 2, Turquoise<sup>Mining</sup> District bears N 1°09'E, 3012.1 ft,

Cor. No. 1 Parsia lode of this survey bears N 5°51'E 150.2 ft.

No rock or tree bearings available.

Thence S 84°10'E, Va 13° 10' E,

258.5 north center end, identical with location, a pine post 4 ins square, 3 ft above ground in a mound of stone, scribed NCE-T No 2, add 2658.

492.0 Center of grade now in the course of construction of a spur of the Mexico and Colorado R.R. bears NNE and SSW.

558.6 to Cor. No. 2, identical with location, a pine post 4 ins square, 3 ft above ground in a mound of stone, scribed NEC-T No2, add 2-2658, whence:

A cross (X) and BR (not space for more) chiseled on porphyry bed rock bears S 69°34'E, 134.9 ft.

No other <sup>rock</sup> or tree bearings available.

Thence S 4°10'W, Va. 13°10'E,

440.4 intersect line 4 - 5 of Australia lode, Survey No. 2645 at S 84°24'E, 571.5 ft from Cor. No 5,

618.8 center of grade in course of construction of spur of Mexico and Colorado R. R., course NNW and SSE

1321.4 to Cor. No 3, ~~identical with location~~, a pine post 4 ins square, 3 ft above ground in a mound of stone, scribe

SEC - T No2, add 3-2658, whence: S E Cor of location, a post marked SEC-T bears N 80°15'E, 20.0 ft.

A cross (X) and BR 3-2658 chiseled on porphyry bed rock bears N 58°54'E, 29.4 ft,

A cross (X) and BR 3-2658, chiseled on a porphyry rock 16 X 12 X 4 ins bears N 79°45'E, 1.9 ft.

A post in a mound of stone, scribed NEC-T bears N 79°26'E, 77.7 ft.

Thence, S 79° 31'W, Va 13° 10'E,

310.0 to Cor No 4, identical with location a pine post, 4 ins square, 3 ft above ground in a mound of stone, scribed SCE-T No2, add 4-2658, whence:

A cross and BR 4-2658, chiseled on a porphyry rock 24 X 12 X 15 ins bears S 86° 46'E, 75.4 ft,

no other rock or tree bearings available

Thence, N 84° 10' W, Va 13° 10'E,

300.0 to Cor No 5, identical with location a pine post 4 ins square, 3 ft above ground in a mound of stone, scribed SWC-T No2, add 5-2658, whence:

A cross (X) and BR 5-2658 chiseled on a quartzite rock 16 X 14 X 2 ins bears N 82°37' E, 5.8 ft,

A cross (X) and BR 5-2658 chiseled on a quartzite rock

18 X 14 X 6 ins bears N 67° 58'E, 24.9 ft,  
A pole in a mound of stone marked ECE-LC bears N 73° 55'E,  
45 ft.

Thence N 5° 51'E, va 13° 10'E,

- 365.3 Cor No 2 Astic lode of this survey,
- 665.3 East center end of Astic lode of this survey
- 965.3 Cors Nos 1 of the Astic and 2 of the Parsia of this survey
- 1100. and Cor. No 5 Australia lode, Survey No 2645.
- 1258.1 East center end Parsia lode of this survey and west center end Australia lode Survey No 2645.
- 1407.9 to Cor. No. 1, the place of beginning.

Area.

	Acres
Total area Parsia lode-----	20.512
Total area Astic lode-----	20.676
Total area of Turquoise No 2 lode--	18.425
Area in conflict with Australia lode Survey No 2645	
5.726 acres.	

L O C A T I O N

This survey is located in Turquoise Mining District, Cochise County, Arizona in approximate Tn 19 S, R 25 E, unsurveyed, probably without the boundaries of the Coronado Forest Reserve, unsurveyed.

LODES

The presumed courses of the lodes are as follows:

- Parsia N 86° 15' W, 1499.2 from East center end to West center end;
- Astic N 86° 31' 30" W, 1499.5 ft from East center end to West center end,
- Turquoise No 2, S 4° 10' W, 1408.5 ft from North center end to Cor. No. 4.

Adjoining Claims,

On the north, Florence, Beacon, unsurveyed Great Western Mining Co., Claimants; Australia lode Survey No 2645, P.E. Warnekros, claimant;

On the east, Australia lode heretofore mentioned, Unknown claim unsurveyed, Mitchell and Sandford, claimants;

Baker lode, unsurveyed, A. J. Benedict, claimant.

On the south

On the south Turntable lode unsurveyed, J.W.Slack claimant, Last Chance lode, unsurveyed, W.R.Benedict, claimant. On the west Last Chance lode and Raiguel lode, both unsurveyed, W.R.Benedict claimant; Florence lode unsurveyed heretofore mentioned.

Expenditure of Five Hundred Dollars.

I certify that the value of the labor and improvements made upon or for the benefit of each of the locations embraced in said mining claim by the claimant or his grantors is not less than five hundred dollars and that the said improvements consist of:

On the Parsia lode

No 1- Discovery shaft on the indicated lode line N 86°15'W, 668.2 ft from the east center end, 4 X 6 ft., 10 ft deep.

Value-----\$100.00

No 2- A shaft which bears from a point on the indicated lode line at S 86°15'E, 651 ft from the west center end, S 4° 05'E, 137 ft., 4 X 6 ft., 15 ft deep,

Value at \$10. per foot-----\$150.00

Note A 1/8 interest in the value of improvements Nos 3 & 4 on the Astic lode are credited to this lode. On the Astic lode, Value \$370.00

No 1- The discovery shaft on the indicated lode line S 86°31'30"E, 686 ft. from the west center end, 4 X 6 ft., 10 ft deep.

Value-----\$100.

From a point on the indicated lode line S 86°31'30"E, 954 ft. from the west center end the following:

No 2-An open cut, the mouth of which bears N 60°30'W, 131 ft., 4 X 15 ft., face 5 ft (formerly more).

Value----- \$50.00

No 3- A cut and tunnel the mouth of which cut bears N 27° 05'W, 88 ft., cut 4 X 25 ft., face 10 ft., tunnel 4 X 6 ft, 74 ft., course of cut and tunnel easterly

Value of cut and tunnel at \$10. per foot \$840.00

No.4- A shaft which bears N 8°40'W, 43 ft, 4 X 6ft, 27 ft deep, Value at \$10. per foot....\$270.00

No 5- A shaft which bears N 22°41'E, 89 ft, 8 x 8 ft, 6 ft deep. Value.....\$100.00

No 6- A cut and tunnel the mouth of which cut bears N 40°30'E, 115 ft, cut 4x30 ft, face 10 ft, tunnel 4 x 6 ft, 11 ft long, course of cut and tunnel easterly, Value of cut and tunnel at \$10. per foot,\$210.00

No 7- A cut the mouth of which bears N 42°30'E, 136 ft, 4 x 20 ft, face 10ft, Value.....\$100.00

No 8- A shaft which bears N 61°45'E, 257 ft., 4 x 6 ft, 10 ft deep, Value at \$10. per ft.....\$100.00

No 9- A shaft which bears S 65°58'E, 130ft, 4 x 6 ft, 9 ft deep, Value .....at \$10. per ft,.. 90.00

No 10- A tunnel the mouth of which is on line 1-2 at S 5°51'W, 23 ft from Cor. No 1, 4x6 ft,10 ft long, course westerly, Value at \$10. per ft ...\$100.00

Note: A 1/3 interest in the value of improvements No. 3 & 4 on the Astic lode are credited to this lode, Value \$370.00

On the Turquoise No 2 lode,

No 1- Discovery shaft on the indicated lode line at N 4°10'E, 665 ft from Cor. No. 4, 6x4 ft, 10 ft deep, Value.....\$100.00

No 2- A shaft on the lode line at S 4°10'W, 169 ft, from the north center end, 4x6 ft, 10 ft deep, Value at \$10. per ft .....\$100.00

No 3- A cut (leading to tunnel No 10 Astic lode of this survey) the mouth of which <sup>bears</sup> from a point on line 5-1 at N 5°51'E, 965.3 ft from Cor. No 5, S 60° E, 33.5 ft, 4 X 25 ft, 10ft face, Value.....\$100.00

Note: A 1/3 interest in the value of improvements No. 3 & 4 on the Astic lode are credited to this lode, Value \$370.00

NOTE: The locations embraced in this survey are traversed

by a quartzite ridge extending NNW & SSE, so that the Turquoise No 2 is on the east slope and the Parsia and



Astic are on the west slope and top of this ridge. Surface conditions indicate the possibility of finding ore at almost any point in this ridge. Cyt and tunnel No 3 and shaft No 4 both on the Astic lode are so situated on the west slope of this ridge that they tend to develop the whole ridge and were so intended. Therefore one third of the total value <sup>(\$1110)</sup> is assigned to each of the locations of this survey as follows: \$370. to the Astic lode, \$370. to the Parsia lode and \$370. to the Turquoise No 2 lode.

Other Improvements.

Extensive irregular surface workings at point of discovery on Turquoise No 2 lode, claimant unknown.

Instrument.

This survey was made with a Young and Sons Mountain transit provided with a Smith solar attachment. The courses were deflected from the true meridian as determined by direct solar observations. The distances were measured with 500 ft and 50 ft steel tapes.

Note:- The Parsia and Turquoise No 2 lodes were located under the Arizona law, requiring center side monuments, and the location notices call for such monuments. But as the law was afterwards repealed, the said monuments were not preserved and were not found on this survey.

Tombstone, Arizona,

June 9, 1909.

John A. Rockfellow,

U. S. Mineral Surveyor:

# FINAL OATHS FOR SURVEYS.

## LIST OF NAMES.

A list of the names of the individuals employed by John A. Rockefeller

United States Deputy Mineral Surveyor, to assist in running, measuring, and marking the lines, corners, and boundaries described in the foregoing field notes of the survey of the mining claim of

S. H. Bryant  
known as the Parsia, Astatic & Turquoise No 2

and showing the respective capacities in which they acted.

- W. R. Benedict ..... , Chainman.
- J. W. Slack ..... , Chainman.
- H. M. Katz ..... , Axman.
- ..... , Flagman.

## FINAL OATHS OF ASSISTANTS.

We, W. R. Benedict, J. W. Slack  
and H. M. Katz ..... , do solemnly swear that we assisted John A. Rockefeller ..... , United States Deputy Mineral Surveyor, in marking the corners and surveying

the boundaries of the mining claim of S. H. Bryant

known as the Parsia, Astatic and Turquoise No 2

represented in the foregoing field notes as having been surveyed by said ~~deputy~~ mineral surveyor and under his direction; and that said survey has been in all respects, to the best of our knowledge and belief, faithfully and correctly executed, and the corner and boundary monuments established according to law and the instructions furnished by the United States Surveyor-General for Arizona

- J. W. Slack ..... , Chainman.
- W. R. Benedict ..... , Chainman.
- H. M. Katz ..... , Axman.
- ..... , Flagman.

Subscribed and sworn to by the above-named persons before me this 31

day of May ..... , 1909

My Commission Expires Mar 14 1911 John A. Rockefeller  
Notary Public

4-686.

## FINAL OATH OF U. S. MINERAL SURVEYOR.

I, John A. Rockefeller, U. S. Mineral Surveyor,  
do solemnly swear that, in pursuance of instructions received from the United States  
Surveyor General for Arizona, dated  
April 28, 1908, I have, in strict conformity to the laws of the  
United States, the official regulations and instructions thereunder, and the instructions  
of said Surveyor General, faithfully and correctly executed the survey of the Mining  
Claim of S. H. Bryant,  
known as the  
Parsia, Astic, Turquoise No. 2,  
situate in Turquoise Mining District,  
Coconino County, Arizona, in Section  
approximate Township No. 19S, Range No. 25E unsurveyed  
and designated as Survey No. 2658, as represented  
in the foregoing field notes, which accurately show the boundaries of said mining claim  
as distinctly marked by monuments on the ground, and described in the attached copy  
of the location certificate, which was received by me from the Surveyor General with  
said instructions, and that all the corners of said survey have been established and per-  
petuated in strict accordance with the law, official regulations and instructions there-  
under; and I do further solemnly swear that the foregoing are the true and original  
field notes of said survey and my report therein, and that the labor expended and  
improvements made upon said mining claim by claimant or his grantors  
are as therein fully stated, and that the character, extent, location, and itemized value  
thereof are specified therein with particularity and full detail, and that no portion of  
said labor or improvements so credited to this claim has been included in the estimate  
of expenditures upon any other claim.

John A. Rockefeller  
U. S. Mineral Surveyor.

Subscribed and sworn to by the said John A. Rockefeller

U. S. Mineral Surveyor, before me Frances J. Abell Notary

Public in & for Coconino County, Ariz., this 9th

day of June, 1909.

My commission  
expires Dec. 22, 1909.

Frances J. Abell  
Notary Public.

Affidavit of Five Hundred Dollars Improvements.

We, W. R. Benedict and A. M. Katz

of lawful age, being first duly sworn according to law, depose and say: That we are acquainted with the Pasia aster & Turquoise No. 2 mining claim, situate in Turquoise Mining district, Cochise County, Arizona Territory, for which A. H. Bryant

has made application for survey prior to application for patent under the provisions of the act of Congress, approved May 10, 1872; and that the labor done and improvements made thereon by the applicant and his grantors exceed Five Hundred Dollars in value, and further that we are not personally interested in said mine.

W. R. Benedict

A. M. Katz

TERRITORY OF ARIZONA, }  
County of Cochise } ss:

Sworn to and subscribed before me, this 31

day of May, 1909



27669b1m2-07  
My Commission expires Mar 14 1911

John A. Rockfellow  
Notary Public

# Notice of Mining Location

## QUARTZ CLAIM

To All Whom It May Concern:

THIS MINING CLAIM, the name of which is the Parsia Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purpose of exploration and purchase by

S. H. Bryant  
the undersigned, on the First day of January 1900

The length of this claim is Fifteen Hundred feet, and I claim Two Hundred and Fifty feet, in a Easterly direction and Twelve hundred and fifty feet in a Westerly direction from the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with Three Hundred feet in width of the surface grounds, on each side of the center of said claim. The general course of the lode deposit and premises is from the East to the West

The claim is situated and located in Turquoise Mining District, in Cochise County, in the Territory of Arizona, about One half mile South Easterly from the McCormick House <sup>direction from</sup> and lying parallel with and adjoining the Astie Mining Claim on the North Side

The surface boundaries of the claim are marked upon the ground as follows: Beginning at

at a point in a Easterly direction Two Hundred & Fifty feet from the discovery shaft, at which this notice is posted, being in the center of the Easterly end line of said claim; thence Southerly 300 feet to a Monument of Stones being the South Easterly corner of said claim; thence Westerly 750 to a monument of stones at the center of the Southerly side line of said claim; thence Westerly 750 feet to a monument of stones being at the South Westerly corner of said claim; thence Northerly 300 feet to a monument of stones at the center of the Westerly end of said claim; thence Northerly 300 feet to a monument of stones, being at the North Westerly corner of said claim; thence Easterly 750 feet to a monument of stones being at the center of the Northerly side line of said claim; thence Easterly 750 feet to a monument of stones at the North Easterly corner of said claim; thence Southerly --- feet to the place of beginning.

All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of the United States, and of an Act of the General Assembly of Arizona, entitled "An Act Concerning Mines," approved March 20th, 1895. also under the provisions of an Act of the General Assembly of Arizona, entitled "An Act Concerning Mines approved March 2nd 1899." Dated and posted on the ground this 1st day of January 1900

S. H. Bryant

Filed and recorded at request of S. H. Bryant Feby 1st A. D. 1900 at 11 A. M.  
Book 17 Record of Mines at page 393.

Territory of Arizona )  
County of Cochise ) ss

I, C. A. McDonald, County Recorder in and for the County of Cochise, Territory of Arizona, do hereby certify that I have compared the annexed and foregoing copy with the original notice of location of the Parsia Mining Claim filed for record in my office on the 1st day of February A. D. 1900 and recorded in Book 17 Record of Mines at page 393 and that the same is a full, true and correct copy of said original and of the whole thereof.

Given under my hand and seal of office this 1st day of April A. D. 1909.

-- C. A. McDonald --  
County Recorder.

RECORDED - BOOK 17

## NOTICE OF LOCATION.

Notice is hereby given, That the Astic lode and mining claim, has been located by Herman Durand and S. H. Bryant on the 1st day of January 1898, being Fifteen hundred feet in length and Six hundred feet wide; that is Three hundred feet on each side of the center of the claim, lode and discovery shaft, lengthwise of the claim, the general course of the lode and claim is Easterly and Westerly and is described as follows, to-wit; Commencing at the Easterly center end of the Claim a monument of stones on which this notice is posted, and running thence in a Northerly direction Three hundred feet to a monument of stones being the North Easterly corner of the claim, thence in a Westerly direction Fifteen hundred feet, to a monument of Stones being the North-Westerly corner of the claim; thence in a Southerly direction Six hundred feet to a monument of stones being the South-Westerly corner of the claim. Thence in an Easterly direction Fifteen hundred feet to a monument of stones being the South Easterly corner of the claim and thence in a Northerly direction Three hundred feet to the place of beginning. This claim is situated in the Turquoise Mining District, Cochise County, Territory of Arizona, and the Initial monument is about seven hundred and fifty feet easterly from large anciant workings which lie in the center of the claim and the said Anciant workings lie in a northeasterly direction about One and three fourths ( $1\frac{3}{4}$ ) mile from the U. States Mineral Monument of said Turquoise District, in a westerly direction from the Initial monument and equally Distant from the Southerly & Northerly side Lines. Posted on the ground this first day of January 1898.

Witness  
A. Casey.

S. H. Bryant  
Herman Durand

Filed and recorded at request of H. Durand, March 31st A. D. 1898 at 10:40 A. M  
Book 14 Record of Mines at page 525.

Territory of Arizona )  
 County of Cochise ) ss

I, C. A. McDonald, County Recorder in and for the County of Cochise, Territory of Arizona, do hereby certify that I have compared the annexed and foregoing copy with the original notice of location of the Astic Mining Claim filed for record in my office on the 31st day of March A. D. 1898 and recorded in Book 14 Record of Mines at page 525 and that the same is a full, true and correct copy of said original and of the whole thereof.

Given under my hand and seal of office this 1st day of April A. D. 1909.

*C. A. McDonald*  
 County Recorder.



## Notice of Mining Location.

## Quartz Claim.

To All Whom It May Concern:

This mining claim, the name of which is the Turquoise No 2 Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purpose of exploration and purchase by S. H. Bryant the undersigned, on the 1st day of Jan'y 1897. The length of this claim is 1500 feet, and I claim 750 feet in a Northerly direction and 750 feet in a Southerly direction from the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with 300 feet in width of the surface grounds, on each side of the center of the said claim. The general course of the lode deposit and premises is from the Northerly to the Southerly.

The claim is situated and located in Turqupis Mining District, in Cochise County, in the Territory of Arizona, about One mile & a half in a North Easterly direction from Mineral Monument in the Turquoise Mining District.

The surface boundaries of the claim are marked upon the ground as follows: Beginning at at a point in a Northerly direction 750 feet from the discovery shaft (at which this notice is posted), being in the center of the Northerly end line of said claim; thence Westerly 300 feet to a Mon of Stones, being the N. W. corner of said claim; thence Southerly 750 feet to a Mon of Stones at the center of the Westerly side line of said claim; thence Southerly 750 feet to a Mon of Stones being at the S. W. corner of said claim; thence Easterly 300 feet to a Mon. of Stones at the center of the Southerly end of said claim; thence Easterly 300 feet to a Mon of Stones being at the S E corner of said claim; thence Northerly 750 feet to a Mon of Stones being at the center of the Easterly side line of said claim; thence Northerly 750 feet to a Mon of Stones at the N. E. corner of said claim; thence Westerly 300 feet to the place of beginning.

All done under the provisions of Chapter Six of Title 32, of the Revised Statutes of the United States and of an Act of the General Assembly of Arizona entitled "An Act Concerning Mines," Approved March 20th, 1895.

Dated and posted on the ground this 1st day of Jany 1897.

S. H. Bryant

Filed and recorded at request of S. H. Bryant March 2nd A. D. 1897 at  
11 A. M. Book 14 Record of Mines at page 171 and 172.

Territory of Arizona }  
County of Cochise } ss  
                                  )

I, C. A. McDonald, County Recorder, in and for  
the County of Cochise, Territory of Arizona, do hereby certify that I have  
compared the annexed and foregoing copy with the original notice of locat-  
ion of the Turquoise No 2 Mining Claim filed for record in my office on the  
2nd day ed March A. D. 1897 and recorded in Book 14 Record of Mines at  
page 171 and 172 and that the same is a full, true and correct copy of  
said original and of the whole thereof.

Given under my hand and seal of office this 1st day of April A. D.  
1909.

--- *C. A. McDonald* ---  
County Recorder.

4-688.

## U. S. SURVEYOR-GENERAL'S FINAL CERTIFICATE ON FIELD NOTES.

**Department of the Interior,**

OFFICE OF U. S. SURVEYOR-GENERAL,

Phoenix, Arizona,

August 18, 1909.

I, U. S. Surveyor-General for District of Arizona,

do hereby certify that the foregoing transcript of the Field Notes, return and approval of the survey of the mining claim of

S. H. Bryant

known as the Parsia, Astic and Turquoise No. 2,

situate in Turquoise

Mining District, Cochise County, Arizona

in Section Approx., Township No. 19 S., Range No. 25 E., Unsur., and

designated as Survey No. 2658, has been correctly copied from the originals on file in this office; that said Field Notes furnish such an accurate description of said mining claim as will, if incorporated into a patent, serve fully to identify the premises, and that such reference is made therein to natural objects or permanent monuments as will perpetuate and fix the *locus* thereof.

And I further certify that five hundred dollars' worth of labor has been expended or improvements made upon said mining claim by claimant or his grantors, and that said improvements consist of 9 shafts, 5 cuts and 3 tunnels, total value \$2510.00. Cut and tunnel No. 3, and shaft No. 4 on the Astic lode, value \$1110, being common improvements for the three claims in this group, an undivided one-third interest therein, value \$370.00, is properly credited to each of the claims in this survey.

and that no portion of said labor or improvements has been included in the estimate of expenditures upon any other claim.

I further certify that the plat thereof, filed in the U. S. Land Office at Phoenix, Arizona, is correct and in conformity with the foregoing Field Notes.

Frank S. Ingalls,

United States Surveyor-General for Arizona.

4-687.

SURVEYOR-GENERAL'S CERTIFICATE OF APPROVAL OF FIELD  
NOTES AND SURVEY OF MINING CLAIM.

**Department of the Interior,**

OFFICE OF U. S. SURVEYOR-GENERAL,

Phoenix, Arizona,

August 18, 1909.

I, U. S. Surveyor-General for District of Arizona

do hereby certify that the foregoing and hereto attached Field Notes and Return of the Survey of the

Mining Claim of

S. H. Bryant

, known as the

Parsia, Astic and Turquoise No. 2.

situate in Turquoise mining district,

Cochise County, Arizona

in Section Approx., Township No. 19 S., Range No. 25 E., Unsur.

, designated as Survey No. 2658

executed by John A. Rockfellow, U. S. Deputy Mineral

Surveyor, May 27--June 1, 1909, under my instructions dated

April 28, 1909, have been critically examined and the necessary cor-

rections and explanations made, and the said Field Notes and Return, and the Survey they describe,

are hereby approved. A true copy of the copy of the location certificate filed by the applicant for

survey is included in the field notes.

*Frank S. Lyall*

U. S. Surveyor-General for Arizona.