

Aug 23 1909
SEP 14 1909
1

4-683.

MINERAL SURVEY No. 2664

LOT No.

Arizona Land District.

FIELD NOTES

OF THE SURVEY OF THE MINING CLAIM OF

Chauncey D. Clark and John McNeff

KNOWN AS THE

Golden Eagle and River Bend

Eureka Mining District,

Yavapai County, Arizona

Section Approx., Township 13 N., Range 9 W., Unsur.

Surveyed under instructions dated July 8, 1909

by John F. Hesse
U. S. Mineral Surveyor.

Claim located See location notices, 19

Survey commenced August 1, 1909

Survey completed August 2, 1909

8-822

Address of attorney for claimant:
Fen S. Hildreth, Phoenix, Arizona.

SURVEY NO. 2664.

River Bend Lode.

Beginning at cor, No. 1,
A granite stone 20 x 10 x 10 ins. set 15 ins. in the ground marked R B 1-2664 on N. W. face, with a cross on top, with a mound of stone 2 ft. base 2 ft. high alongside. No. bearings available.

This cor is identical with the location cor. a mound of stone 3 ft. base 3 ft. high.

U. S. L. M. No. 1224 bears S. 9° E. 938.5 ft. dist.

Thence N. 36° 20' E.

- 240.0 Intersect line 4-5, Sur. No. 1224, Goodenuff lode at N. 45° 00' E. 246.56 ft. from cor. No. 5.
300.0 To E. end center, identical with location cor. a mound of stone 3 ft. base 3 ft. high.
600.0 To cor. No. 2

A granite stone 20 x 8 x 8 ins. set 15 ins. in the ground, marked R B 2 - 2664 on S. W. face with a cross on top, with a mound of stone 2 ft. base 2 ft. high alongside. No bearings available. Identical with the location cor. a mound of stone 3 ft. base 3 ft. high

Thence N. 59° 25' W.

- 710.0 To N. side center, a mound of stone 2 ft. base 1 ft. high
Identical with location cor.
1412.0 To cor. No. 3.

A cross (x) on a granite rock in place 18 x 12 x 9 ins. above ground, marked R B 3 - 2664 S. E. of cross and G. E. 2 - 2664 S. W. of cross for cor. No. 2 of the Golden Eagle lode of this survey. With a mound of stone 2 ft. base 2 ft. high alongside. No bearings available. Identical with the location cor. a mound of stone 3 ft. base 3 ft. high.

Thence S. 36° 20' W.

- 300.0 To west end center identical with the east end center of the Golden Eagle lode of this survey, identical with location cor. a mound of stone 3 ft. base 3 ft. high.
305.0 cross Santa Maria Creek 3 ft. wide course S. 10° E.
600.0 To cor. No. 4

A cross on a granite rock in place 8 x 4 x 2 ft. above ground marked R B 4 - 2664 N. E. of cross and G. E. 1 - 2664 N. W. of cross for cor. No. 1 of the Golden Eagle lode of this survey. With a mound of stone 2 ft. base 2 ft. high alongside. No. bearings available.

Thence S. 59° 25' E.

- 290.0 Cross Santa Maria Creek 3 ft. wide course S. 10° E.
709.00 To S. side center, a mound of stone 2 ft. base 1 ft. high. identical with location cor.
1374.66 Intersect line 4 - 5, survey No. 1224, Goodenuff lode at N. 45° 00' E. 3.44 ft. from cor. No. 5.
1412.0 To cor. No. 1, the place of beginning.

Golden Eagle Lode.

Beginning at cor. No. 1 identical with location and with cor. No. 4 of the River Bend lode of this survey, previously described.

U. S. L. M. No. 1224 bears S. 39° 38' E. 2136.3 ft. dist.

Thence N. 36° 20' E.

- 295.0 Cross Santa Maria Creek 3 ft. wide course N. 15° E.
300.0 To east end center identical with location and with west end center of the River Bend lode of this survey, previously described.

600.0 To cor. No. 2
 Identical with location and with cor. No. 3 of the River Bend lode of this survey, previously described.

Thence S. 79° 27' W.

120.0 Cross Santa Maria Creek 3 ft, wide course N. 15° E.
 1500.0 On line 4 - 1 survey No. 1637, Silver Belt lode at N. 36° 20' E. 600. ft. from cor. No. 4
 To cor. No. 3
 A cross on a granite rock in place 3 x 2 x 1½ ft. above ground, marked G. E 3 - 2664 S. E. of cross, with a mound of stone 2 ft. base 2 ft. high alongside. No bearings available. Identical with location cor. a mound of stone 3 ft. base 3 ft. high.

Thence S. 36° 20' W;

300.0 Along line 4 - 1 survey No. 1637, Silver Belt lode.
 To west end center, identical with location cor. a mound of stone 3 ft. base 3 ft. high.

600.0 To cor. No. 4. identical with cor. No. 4 of the Silver Belt lode, survey No. 1637 and with cor. No. 1 of the Gold Standard lode survey No. 1637, a granite stone 12 x 10 x 4 ins. above ground firmly set, marked S B 4 on N. W. and G S 1 - 1637 on S. W. faces, with a cross on top. I mark G E 4 - 2664 on N. E. face. With a mound of stone 2 ft. base 2 ft. high alongside. No bearings available. Identical with location cor. a mound of stone 3 ft. base 3 ft. high.

Thence N. 79° 27' E.

1500.0 To cor. No. 1, the place of beginning.
 Variation at all cors. 15° 00' E.

Lode Lines

As near as can be determined from present developments the veins of the two locations embraced in this claim extend as follows from their respective discovery points

River Bend lode, 180 ft. N. 59° 25' W. and 1232 ft. S. 59° 25' E.

Golden Eagle lode, 330 ft. N. 79° 27' E. and 1170 ft. S. 79° 27' W.

AREA

	Acres.
Total area, River Bend lode	19.351
Area in conflict with Sur. No. 1224, Goodenuff lode	.102
Total Area, Golden Eagle lode	14.121

LOCATION.

This claim is located in the Eureka Mining District Yavapai County, Arizona, in what will approximately be when surveyed Tp. 13 N. Rg. 9 W. Gila and Salt River Base and Meridian.

Adjoining Claims.

This survey is bounded on the east by the Goodenuff lode survey No. 1224, on the west by the Silver Belt lode survey No. 1637, on the N. S. and E. by public land.

EXPENDITURE OF FIVE HUNDRED DOLLARS.

I certify that the value of the labor and improvements made upon, or for the benefit of, each of the locations embraced in said mining claim by the claimant or their grantors is not less than five hundred dollars, and that said improvements consist of:

River Bend lode.

No. 1, discovery cut 4 x 6 ft. 7 ft. face, which bears from the W. end center S. 59° 25' E. 180 ft.
Value \$50.00

No. 2, open cut 5 x 7 x 25 ft. in face of cut is a tunnel 5 x 6 ft 15 ft. long, course of tunnel is S. 60° E. which bears from the W. end center N. 74° 20' E. 203 ft.
Value \$350.00

No. 3, open cut 12 x 32 ft. 8 mft. face, which bears from the E. end center N. 15° 47' W. 179 ft. dist.
Value \$250.00

Golden Eagle lode.

No. 1, discovery cut 3 x 20 ft. 5 ft. face, which bears from the E. end center S. 79° 27' W. 330 ft.
Value \$160.00

No. 2, Open cut 5 x 17 ft. 8 ft. face, which bears from cor. No. 1 N. 76° 33' W. 519 ft.
Value \$160.00

No. 3, open cut 4 x 15 ft. 5 ft. face, which bears from cor. No. 1, N. 30° 50' W. 209 ft.
Value \$100.00

No. 4, open cut 25 x 35 ft. 10 ft. face, which bears from cor. No. 1 N. 24° 15' W. 211 ft.
Value \$300.00

No. 5, tunnel 3½ x 5½ ft. 13 ft. long, mouth of tunnel bears from cor. No. 1 N. 5° 02' W. 185 ft. course of tunnel is N. 60° W.
Value \$125.00

No. 6, The last 20 ft. of a tunnel 4 x 6 ft. 37 ft. long mouth of tunnel bears from cor. No. 1 N. 9° 58' E. 246 ft. course of tunnel is S. 65° W.
Value \$200.00

OTHER IMPROVEMENTS.

Golden Eagle lode.

The first 17 ft. of a tunnel 4 x 6 ft. 37 ft. long, the mouth of which bears from cor. No. 1 N. 9° 58' E. 246 ft. dist. Course of tunnel is S. 65° W.

INSTRUMENT.

This survey was made with a Young and Sons light mountain transit No. 7532, with solar attachment. The courses were deflected from the true meridian as determined by solar observations. The distances were measured with 100 and 300 ft. steel tapes.

REPORT.

The lode line of each location of this claim was run directly upon the ground, and the several corners established by means of offsets from the lode lines. All tie lines were run directly upon the ground.

Sur. No. 1224 Goodenuff lode.

All cors. are stone poorly set, properly marked. I find all courses and distances to be correct as approved.

Survey No. 1637 Silver Belt and Gold Standard lodes.

All cors. are stone properly set and marked. I find all courses and distances to be correct as approved.

The discrepancies between the tie lines of this survey and of the Goodenuff lode, Survey No. 1224, are due to errors in the latter survey.

John P. Hesse
U.S. Mineral Surveyor

G.M.G.

Phoenix, Arizona, February 8, 1911.

John F. Hesse,
U. S. Transitman,
Aguila, Arizona.

Sir:-

I beg to advise you that on November 21, 1910, the Honorable Commissioner of the General Land Office directed me to ascertain and report the location of mineral entry 07444 of the Golden Eagle and River Bend Lode Claims, Survey No. 2664, made by you as U. S. Mineral Surveyor, with reference to an area included within a townsite (properly "powersite") withdrawal of several years ago.

On January 5, 1911, I advised the Commissioner that from the records of this office or other procurable data it was impossible to definitely locate these claims, and I suggested that you be instructed to chain up the Santa Maria River from its junction with the Big Sandy in order to ascertain this information. By his letter of the 31st ult, the Commissioner approved my suggestion. I therefore have to direct that in connection with the survey of T. 11 N., R. 11 W., Group 4, Arizona, you run a traverse line up the Santa Maria from its junction with the Big Sandy, following the sinuosities thereof to connect with Mineral Survey No. 2664. It will also be advisable to connect said traverse line with the Waters Mill-site and to give the course and distance from the intersection of the Santa Maria and Big Sandy to the nearest corner of the public land survey of T. 11 N., R. 11 W. You will make this matter special and report your findings by letter at the earliest practical date.

Very respectfully,

(Signed) Frank S. Ingalls,
U. S. Surveyor-General.

APR. 15. 1911

Traverse of Santa Maria River.

chains

Survey commenced April 3, 1911 and executed with an A. Dietz Co. light mountain transit No 5631 with solar attachment.

I begin at the junction of the Big Sandy and Santa Maria Rivers, from which the true point for the 1/4 sec. cor. bet. secs. 8 and 9 T₄. 11 N. R₁₂ W. bears. N. 62° 37' E. 30.43 chs. dist.

Thence I run on a traverse line up the Santa Maria River, following the sinuosities thereof on 1st mile.

- 20.00 S. 76° 58' E.
- 21.00 N 72° 10' E.
- 25.00 S 68° 43' E.
- 14.00 S 72° 43' E. to 1 mile point.

I begin at 1 mile point.

Thence I run on 2nd mile

- 7.00 S 72° 43' E.
- 26.00 S 68° 20' E.
- 6.00 S 48° 17' E
- 34.00 S 68° 48' E
- 7.00 S 87° 31' E. to 2 mile point

April 4, 1911

I begin at 2 mile point

Thence I run on 3rd mile

- 24.00 S. 87° 31' E
- 52.00 N. 79° 18' E
- 4.00 N. 84° 47' E to 3 mile point.

I begin at 3 mile point

Thence I run on 4th mile

- 16.00 N. 84° 47' E
- 47.00 S. 60° 22' E
- 17.00 N. 65° 19' E to 4 mile point.

I begin at 4 mile point

Thence I run on 5th mile

- 27.00 N. 65° 19' E
- 13.00 N 75° 50' E
- 30.00 S 76° 17' E
- 10.00 S 36° 48' E to 5 mile point

April 3, 1911

Traverse of Santa Maria River

Chains		
	— o —	
	I begin at 5 mile point	
	Thence I run on 6 th mile	
9.00	S 36° 48' E	
50.00	N. 89° 53' E	
21.00	N. 88° 40' E to 6 mile point.	
	— o —	April 4, 1911
	April 5, 1911	
	I begin at 6 mile point	
	Thence I run on 7 th mile	
9.00	N. 88° 40' E	
15.00	N. 71° 41' E	
32.00	S 55° 20' E	
24.00	S 68° 50' E to 7 mile point.	
	— o —	
	I begin at 7 mile point	
	Thence I run on 8 th mile	
2.00	S 68° 50' E	
35.00	N. 71° 54' E	
43.00	N. 84° 56' E to 8 mile point.	
	— o —	
	I begin at 8 mile point	
	Thence I run on 9 th mile	
29.00	N. 84° 56' E	
37.00	S. 74° 45' E	
14.00	S. 78° 03' E to 9 mile point.	
	— o —	
	I begin at 9 mile point	
	Thence I run on 10 th mile	
58.00	S 78° 03' E	
22.00	N. 78° 37' E to 10 mile point.	
	— o —	April 5, 1911
	April 6, 1911	
	I begin at 10 mile point	
	Thence I run on 11 th mile	
18.00	N. 78° 37' E	
32.00	N. 60° 36' E	
30.00	N. 31° 05' E to 11 mile point.	
	— o —	
	I begin at 11 mile point	
	Thence I run on 12 th mile	
18.00	N. 31° 05' E	
15.00	N. 14° 42' E	
27.00	N. 51° 58' E	
20.00	N. 34° 11' W. to 12 mile point.	

Traverse of Santa Maria River

Chains

I begin at 12 mile point
Thence I run on 13th mile

- 9.00 N. 34° 11' W.
- 14.00 N. 37° 22' E
- 36.00 S. 70° 53' E
- 21.00 N. 45° 10' E to 13 mile point.

I begin at 13 mile point
Thence I run on 14th mile

- 24.00 N 45° 10' E.
- 15.00 S 67° 48' E.
- 14.00 S 36° 44' E
- 10.00 S 9° 59' E
- 17.00 N. 53° 32' E to 14 mile point.

April 7, 1911

April 6, 1911

I begin at 14 mile point
Thence I run on 15th mile

- 47.00 S. 73° 36' E
- 28.00 S. 21° 35' E
- 5.00 N. 82° 20' E to 15 mile point.

I begin at 15 mile point
Thence I run on 16th mile

- 22.00 N. 82° 20' E
- 58.00 N. 32° 47' E to 16 mile point.

I begin at 16 mile point
Thence I run on 17th mile

- 28.00 N. 32° 47' E
- 16.00 N. 71° 00' E
- 22.00 N. 30° 51' E
- 14.00 N. 56° 10' E to 17 mile point.

I begin at 17 mile point
Thence I run on 18th mile

- 26.00 N. 56° 10' E
- 34.00 N. 70° 18' E
- 20.00 N. 80° 09' E to 18 mile point

April 8, 1911

April 7, 1911

I begin at 18 mile point
Thence I run on 19th mile

- 21.00 N. 80° 09' E

Traverse of Santa Maria River

chains	
10.00	S 25° 09' E
14.00	S 16° 15' E
26.00	N 57° 16' E
9.00	N 34° 07' E to 19 mile point.
— o —	
I begin at 19 mile point	
Thence I run on 20 th mile	
14.00	N 34° 07' E
16.00	N 13° 12' W.
7.00	N 59° 51' E
17.00	S 63° 28' E
19.00	N 25° 30' E
2.00	N 8° 30' E
5.00	N 54° 45' E to 20 mile point, and from this 20 mile point in middle of Santa Maria River I run N. 55° 41' W. 2.00 chs. and on side of cañon about 40 ft. above the river mark a x on a granite rock in place 2½ X 2 X 1 ft. above ground with WC 20M. SMT on E of cross; and raise a mound of stone 2½ ft. base 2½ ft. high 4 ft. N. of cross.
— o —	
I begin at 20 mile point	
Thence I run on 21 st mile	
34.00	N 63° 04' E
7.00	S 81° 50' E
32.00	S 11° 20' E
7.00	N 56° 47' E to 21 mile point.
— o —	
I begin at 21 mile point	
Thence I run on 22 nd mile	
5.00	N 56° 47' E
11.00	N 5° 12' E
42.00	N 30° 43' E
20.00	N 7° 05' E
2.00	N 5° 39' W. to 22 mile point.

April 9, 1911

April 8, 1911

— o —
I begin at 22 mile point

Thence I run on 23rd mile

19.00	N. 5° 39' W.
12.00	N 27° 52' E
16.00	S 63° 32' E

Traverse of Santa Maria River

chains

12.00 S 7° 48' E

12.00 S 35° 48' E

9.00 S 71° 18' E to 23 mile point.



I begin at 23 mile point
Thence I run on 24th mile

7.00 S 71° 18' E

15.00 S 47° 02' E

14.00 S 9° 38' W. and from this point a cov. of the
Waters Milleite marked 3-B-1260
W bears N. 39° 30' E 3.51 chs.
dist.

11.00 S 69° 15' E.

17.00 N 19° 10' E

3.00 N 73° 33' E

10.00 S 74° 13' E

3.00 N 65° 20' E to 24 mile point. Apr

April 10, 1911



April 9, 1911

I begin at 24 mile point
Thence I run on 25th mile

14.00 N 65° 20' E

55.00 N 36° 03' E

11.00 N 37° 18' W. to 25 mile point



I begin at 25 mile point
Thence I run on 26th mile

15.00 N 34° 48' E

44.00 S 86° 29' E

14.00 N 59° 08' E

7.00 N 51° 05' E to 26 mile point.



I begin at 26 mile point
Thence I run on 27th mile

3.00 N 51° 05' E

24.00 N 70° 15' E

17.00 N 31° 21' E

9.00 N 11° 14' W

27.00 N 73° 29' W to 27 mile point.

April 11, 1911



April 10, 1911

I begin at 27 mile point
Thence I run on 28th mile

26.00 N. 19° 39' W

Traverse of Santa Maria River

chains	
47.00	N 31° 39' E
7.00	N 7° 16' E to 28 mile point.
— o —	
I begin at 28 mile point thence I run on 29 th mile	
7.00	N 7° 16' E
30.00	N 37° 26' E
20.00	N 30° 13' E
17.00	N 50° 36' E
6.00	N 36° 05' E to 29 mile point.
— o —	
I begin at 29 mile point thence I run on 30 th mile	
9.00	N 24° 20' E
6.00	N 7° 06' E
15.00	N 24° 57' E
9.00	N 15° 55' W.
22.00	N 86° 21' W.
9.00	N 38° 23' W.
10.00	N 18° 57' E to 30 mile point.
— o —	
I begin at 30 mile point thence I run on 31 st mile.	
1.00	N 18° 57' E
18.89	N 16° 43' W and from this station, cor. No 1 of Golden Eagle lode Survey No. 2664 bears S 71° 54' W. 4.32 chs. dist.
— o —	

This traverse line was surveyed in the bed of the Santa Maria River following all the sinuosities of the stream, the water in no instance being too deep to wade and being generally about 6 ins. deep. From its junction with the Big Sandy up to and including the 11th mile the Santa Maria runs through a narrow valley not exceeding half a mile wide with rolling hills on either side. The bed of the stream through these miles is from 400 to 800 feet

Traverse of Santa Maria River

feet wide. At the beginning of the 12th mile and continuing to the end of the line the river runs through a box cañon with steep walls on either side, with the exception of the 26th mile where there is a small valley on the east side of the stream. The bed of the river is full of quicksand.

John P. Hesse,
U. S. Transitman
April 11, 1911

FINAL OATHS FOR SURVEYS.

LIST OF NAMES.

A list of the names of the individuals employed by John F. Hesse
 United States Mineral Surveyor, to assist in running, measuring, and marking the lines, corners, and
 boundaries described in the foregoing field notes of the survey of the mining claim of _____
Chauncey D. Clark and John McNeff
 known as the Golden Eagle and River Bend
 and showing the respective capacities in which they acted.

A. N. Oliver _____, *Chainman.*
 _____, *Chainman.*
 _____, *Axman.*
 _____, *Flagman.*

FINAL OATHS OF ASSISTANTS.

We, I, A. N. Oliver
 and _____, do solemnly swear that we assisted _____
John F. Hesse, United States Mineral Surveyor, in marking the corners and surveying
 the boundaries of the mining claim of Chauncey D. Clark and John McNeff
 known as the Golden Eagle and River Bend
 represented in the foregoing field notes as having been surveyed by said mineral surveyor and under his
 direction; and that said survey has been in all respects, to the best of our knowledge and belief, faithfully
 and correctly executed, and the corner and boundary monuments established according to law and the instruc-
 tions furnished by the United States Surveyor-General for Arizona.

A. N. Oliver _____, *Chainman.*
 _____, *Chainman.*
 _____, *Axman.*
 _____, *Flagman*

Subscribed and sworn to by the above-named persons before me this 26th
 day of Aug, 1909

Chas. J. Mc Elroy

Notary Public

My commission expires June 8, 1911.

4-686.

FINAL OATH OF U. S. MINERAL SURVEYOR.

I, John F. Hesse, U. S. Mineral Surveyor, do solemnly swear that, in pursuance of instructions received from the United States Surveyor General for Arizona, dated July 8, 1909, I have, in strict conformity to the laws of the United States, the official regulations and instructions thereunder, and the instructions of said Surveyor General, faithfully and correctly executed the survey of the Mining Claim of Chauncey D. Clark and John McNeff, known as the Golden Eagle and River Bend, situate in Eureka Mining District, Yavapai County, Arizona, in Section Approx., Township No. 13 N., Range No. 9 W., Unsur., and designated as Survey No. 2664, as represented in the foregoing field notes, which accurately show the boundaries of said mining claim as distinctly marked by monuments on the ground, and described in the attached copy of the location certificate, which was received by me from the Surveyor General with said instructions, and that all the corners of said survey have been established and perpetuated in strict accordance with the law, official regulations and instructions thereunder; and I do further solemnly swear that the foregoing are the true and original field notes of said survey and my report therein, and that the labor expended and improvements made upon said mining claim by claimants or their grantors are as therein fully stated, and that the character, extent, location, and itemized value thereof are specified therein with particularity and full detail, and that no portion of said labor or improvements so credited to this claim has been included in the estimate of expenditures upon any other claim.

John F. Hesse
U. S. Mineral Surveyor.

Subscribed and sworn to by the said John F. Hesse

U. S. Mineral Surveyor, before me Chas. J. Mc Elroy

A Notary Public

this 27

day of Aug, 1909

Chas. J. Mc Elroy
Notary Public
My commission expires June 8, 1911.

Affidavit of Five Hundred Dollars Improvements.

We, A. N. Oliver and Tom McSherry

of lawful age, being first duly sworn according to law, depose and say: That we are acquainted with the Golden Eagle and River Bend mining claim, situate in Eureka Mining district, Yavapai County, Arizona Territory, for which Chauncey D. Clark and John McNeff

have made application for survey prior to application for patent under the provisions of the act of Congress, approved May 10, 1872; and that the labor done and improvements made thereon by the applicants and their grantors exceed Five Hundred Dollars in value, ^{for each claim} and further that we are not personally interested in said mine.

Tom McSherry
A. N. Oliver

TERRITORY OF ARIZONA,
County of Maricopa } ss:

Sworn to and subscribed before me, this 26"

day of August, 1909
Lusula DeMund
Notary Public.



27669b1m2-07

My Com. expires
May 19, 1913.

AMENDED

Notice of Mining Location

LODE CLAIM

To All Whom It May Concern:

This Mining Claim, the name of which is the Golden Eagle Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purposes of exploration and purchased by John McNeff and Chauncey D. Clark

citizens of the United States

(Locator must insert either "a citizen of the United States," or "who has declared his intention to become a citizen of the United States.")

the undersigned, on the 25th. day of May 1909.

The length of this claim is fifteen hundred feet feet, and we claim thirteen hundred feet, in an easterly direction and two hundred feet in a westerly direction from the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with six hundred feet in width of the surface grounds, on each side of the center of said claim. The general course of the lode deposit and premises is from the east to the west

The claim is situated and located in the Eureka Mining District, in Yavapai County, in the Territory of Arizona, about one mile in a in a westerly direction from the Goodenough mine and on the west bank of the Santa Maria

The surface boundaries of the claim are marked upon the ground as follows: Beginning at a mound of stone

at a point in a westerly direction two hundred feet from the discovery shaft (at which this notice is posted), being in the center of the west end line of said claim; thence south 300 feet to a mound of stone, being the south west corner of said claim; thence east 1500 feet to a mound of stone, being at the south east corner of said claim; thence north 300 feet to a mound of stone at the center of the east end of said claim; thence north 300 feet to a mound of stone, being at the north east corner of said claim; thence west 1500 feet to a mound of stone at the north west corner of said claim; thence south 300 feet to the place of beginning.

All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of the United States, and of an Act of the General Assembly of Arizona, entitled, "An Act to Revise and Codify the Laws of the Territory of Arizona," approved March 16, 1901.

This is an Amended Location Notice of the Golden Eagle Mining Claim, located by John McNeff

on the twenty first day of February 1909, and recorded in Book 57 of Records of Mines, at page 565, in the office of the County Recorder of the aforesaid County of Yavapai to which reference is hereby made, and this Amended Location Notice is made and posted to correct errors in the description in the said original Location Notice.

Dated and posted on the ground this 25th. day of May 1909.

John McNeff

Chauncey D. Clark

County of } ss.

I, County Recorder in and for the County and Territory aforesaid, do hereby certify that the within instrument was filed for record at o'clock M., on this day of 19....., and duly recorded in Book No. of Records of County, Arizona, at pages

WITNESS my hand and official seal the day and year first above written.

County Recorder.

AMENDED
Notice of Location.
LODE CLAIM.

Dated 19.....

Filed and Recorded at request of

Fen S. Hildreth,

May 28, A. D. 19.....09

at 11:10 o'clock A.M.,


Book 86 of Mines.

Pages 41 Records of Yavapai County, Arizona.

(Seal) **J. C. Bradbury,**
County Recorder.

By Deputy Recorder.


The H. H. McNeil Co., Printers, Phoenix, Arizona



This diagram is to give locator a general idea of plan of location under the new law. The Discovery Shaft can be in the center of claim or any distance from either end desired. In the diagram it is placed 500 feet from one end and 1000 feet from the other. Commence description of claim at a center end monument, giving its distance and direction from center of Discovery Shaft; thence bound the claim in either direction. In description be careful to state locality of claim with reference to some natural object, or permanent monument, as will identify the claim.

TERRITORY OF ARIZONA, }
 COUNTY OF YAVAPAI, } ss.

I, J. C. Bradbury, County Recorder in and for the County of Yavapai, Territory of Arizona, and custodian of the records of such office, do hereby certify that I have compared the forgoing copy with, and that the same is a full, true and correct copy of amended Notice of Location of the GOLDEN EAGLE, Mining Claim, filed for record on May 28, 1909 and as the same appears of record in my office in Book 86 of Mines, at pages 41 and of the whole thereof.



IN WITNESS WHEREOF, I have hereunto set my hand and affixed my Official Seal this 28th day of May, A. D., 1909

J. C. Bradbury
 County Recorder

"River Bend"Notice of Mining Location.
Lode Claim.

MAY 24 1909

To All Whom It May Concern:

This Mining claim, the name of which is the River Bend Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purpose of exploration and purchase by John McNeff, the undersigned, on the First day of April, 1900

The length of this claim is Fifteen hundred feet, and I claim Fifteen hundred feet in a southeasterly direction from the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with three hundred (300) feet in width of the surface grounds, on each side of the center of said claim. The general course of the lode deposit and premises is from the northwesterly to the southeasterly.

The claim is situated and located in the Eureka Mining District, in Yavapai County, in the Territory of Arizona, about ($\frac{1}{4}$) One quarter Mile in a Northerly direction from the Old Good Enough Camp on the Santa Maria River

The surface boundaries of the claim are marked upon the ground as follows: Beginning at a monument of stones at the discovery shaft (at which this notice is posted), being in the center of the northwestern end line of said claim; thence northeasterly 300 feet to a monument of stones, being the northeast corner of said claim; thence southeasterly 750 feet to a monument at the center of the northeast side line of said claim; thence southeasterly 750 feet to a monument of stones being at the North East corner of said claim; thence Southerly 300 feet to a monument of stones at the center of the southeast end of said claim; thence Southerly 300 feet to a monument of stones, being at the southeast corner of said claim; thence northwesterly 750 feet to a monument of stones, being at the center of the Southwest side line of said claim; thence northwesterly 750 feet to a monument of stones at the Southwest corner of said claim; thence Northeasterly 300 feet to the place of beginning.

All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of the United States, and of an Act of the General Assembly of Arizona, entitled "An Act Concerning Mines", approved March 20th, 1895, and amended March 2d, 1899.

Dated and posted on the ground this First day of April 1900

Locator - - - - John McNeff

This Claim is a Relocation of the Lula Mine Located by R J Schultz and others. It is ^{also} a North West Extention of the Good Enough Mine and lies between the Good Enough and the Hill Mine. The River being the dividing line between the Hill Mine and this Mine

John McNeff
Locator

Recorded at request of John McNeff, June 9" A.D., 1900, At 9- o'clock A.M. In Book 55 of Mines, Pages 235-237, Records of Yavapai County, Arizona.

(SEAL) W.I. Johnson, County Recorder.
By E.E. Osenburg, Deputy.

*Witness
Jacob Bohm*

TERRITORY OF ARIZONA?)
 : ss.
 County of Yavapai.)

I, J.C. Bradbury, County Recorder in and for the aforesaid County of Yavapai, and Custodian of the Records of such office, do hereby certify that I have compared the foregoing with, and that the same are true and correct copies of the location notices of the following named lode mining claims, situate in the Eureka Mining District, Yavapai County, Arizona, viz:-

"RIVER BEND" the notice of original location whereof is of record in Book 55 of Mines, at pages 235-237, Records of Yavapai County, Arizona.

("GOLDEN EAGLE", the notice of original location whereof is of record in Book 57 of Mines, at page 565, records aforesaid.)

IN WITNESS WHEREOF, I have hereunto set my hand and affixed my Official Seal, this day of April, A.D. 1909.



J. C. Bradbury
 County Recorder,
 By *A. C. Gilmore*,
 Deputy Recorder.

U. S. SURVEYOR-GENERAL'S FINAL CERTIFICATE ON FIELD NOTES.

Department of the Interior,

OFFICE OF U. S. SURVEYOR-GENERAL,

Phoenix, Arizona,

October 16, 1909.

I, U. S. Surveyor-General for District of Arizona,

do hereby certify that the foregoing transcript of the Field Notes, return and approval of the survey of the mining claim of

Chauncey D. Clark and John McNeff,

known as the GOLDEN EAGLE and RIVER BEND,

situate in Eureka

Mining District, Yavapai County, Arizona,

in Section Approx., Township No. 13 N., Range No. 9 W., Unsur., and

designated as Survey No. 2664, has been correctly copied from the originals on file in this office; that said Field Notes furnish such an accurate description of said mining claim as will, if incorporated into a patent, serve fully to identify the premises, and that such reference is made therein to natural objects or permanent monuments as will perpetuate and fix the locus thereof.

And I further certify that five hundred dollars' worth of labor has been expended or improvements made upon each of said mining claim^s by claimant^s or their grantors, and that said improvements consist of 7 cuts and 3 tunnels, total value \$1675.00

and that no portion of said labor or improvements has been included in the estimate of expenditures upon any other claim.

I further certify that the plat thereof, filed in the U. S. Land Office at Phoenix,

Arizona, is correct and in conformity with the foregoing Field Notes.

Frank S. Ingalls,

United States Surveyor-General for Arizona.

4-687.

SURVEYOR-GENERAL'S CERTIFICATE OF APPROVAL OF FIELD
NOTES AND SURVEY OF MINING CLAIM.

Department of the Interior,

Office of U. S. Surveyor-General,

Phoenix, Arizona,

October 16, 1909

I, U. S. Surveyor-General for District of Arizona,

do hereby certify that the foregoing and hereto attached Field Notes and Return of the Survey of the
Mining Claim of _____

Chauncey D. Clark and John McNeff

_____, known as the

GOLDEN EAGLE and RIVER BEND,

situate in Eureka _____ Mining District,

Yavapai _____ County, Arizona,

in Section Approx., Township No. 13 N., Range No. 9 W., Unsur.,

_____, designated as Survey No. 2664,

executed by John F. Hesse _____, U. S. Deputy Mineral

Surveyor, August 1-2 _____, 1909, under my instructions dated

July 8 _____, 1909, have been critically examined and the necessary

corrections and explanations made, and the said Field Notes and Return, and the Survey they describe,

are hereby approved. A true copy of the copy of the location certificate filed by the applicants for

survey is included in the field notes.

Frank S. Haggard

U. S. Surveyor-General for Arizona.