

Claims	M & B Desc.	Improvements	Loc. Notices
Ahonika	Pg. 25	Pg. 66	Pg. 12
Ashley	26	66	19
Barton	22	65	28
Bill Williams	18	64	36
Blue Bird	37	70	29
Boston	16	64	23
Brookeville	23	65	32
Bunker Hill	19	65	38
Byron	30	68	16
Comet	32	68	15
Copper Hill	41	71	8
Copper Hill No. 2	54	73	9
Crompton	11	63	24
Ella Belle	42	72	10
Ella Belle No. 2	45	72	11
Iron Hill	51	73	6
Iron Hill No. 2	53	73	7
Kimball	10	62	22
La Mexicana	34	68	14
Mark-Hanna	17	64	13
Mesa	12	63	34
McCarn	9	62	39
New York	7	62	33
Nickerson	40	71	27
Odora	6	61	25
Oddoletta	5	61	26
Opal	1	61	31
Orange	21	65	20
Otis	2	61	30
Palmetto	39	70	18
Partridge	14	63	37
Planet	28	66	1
Planet No. 2	44	72	2
Planet No. 3	47	72	3
Planet No. 4	48	72	4
Planet No. 5	49	73	5
Sentinal	29	67	17
Smelter Gulch	35	69	35
Wisconsin	3	62	21

9-22-10.

F. L.

APR 8-1910

4-683.

MINERAL SURVEY No. 2675

LOT No. _____

Arizona Land District.

FIELD NOTES

OF THE SURVEY OF THE MINING CLAIM OF
Planet Copper Mining Company, known as the
Planet, Planet No. 2, Planet No. 3, Planet No. 4, Planet No. 5,
Iron Hill, Iron Hill No. 2, Copper Hill, Copper Hill No. 2,
Ella Belle, Ella Belle No. 2, Ahonika, Mark Hanna, La Mexicana,
Comet, Byron, Sentinel, Palmetto, Ashley, Orange, Wisconsin,
Kimball, Boston, Crompton, Odora, Oddolotta, Nickerson, Barton,
Blue Bird, Otis, Opal, Brobkeville, New York, Mesa, Smelter Gulch,
Bill Williams, Partridge, Bunker Hill, McCarn.

Harcuvar Mining District,

Yuma County, Arizona

Section Approximately, Township 11 N., Range 15 W. Unsurveyed.

Surveyed under instructions dated June 8, 1909

by E. C. Babbitt
U. S. Mineral Surveyor.

Claim located See location notices, 19

Survey commenced June 16, 1909

Survey completed September 8, 1909

6-822

Address of Claimant's Agent A. B. Jones, Planet, Ariz.

~~J. H. Susman,~~

~~42 Broadway,~~

~~New York City.~~

Lode	Date of Location	Amended
Planet	Oct. 3, 1879.	April ¹⁷ 25 , 1902. 2
Planet No. 2.	Mar. 31, 1909. ✓	
Planet No. 3.	Mar. 31, 1909. ✓	
Planet No. 4.	Mar. 31, 1909. ✓	
Planet No. 5.	Mar. 31, 1909. ✓	
Iron Hill		Mar. 21, 1902. ✓
Iron Hill No. 2.	Mar. 31, 1909. ✓	
Copper Hill		April 17, 1902 ✓
Copper Hill No. 2.	Mar. 31, 1909. ✓	
Ella Belle		March 22, 1902. ✓
Ella Belle No. 2.	Mar. 31, 1909. ✓	
Ahonika		March 22, 1902 ✓
Mark Hanna		March 22, 1902 ✓
La Mexicana		March 22, 1902. ✓
Comet		March 22, 1902. ✓
Byron		April 17, 1902 ✓
Sentinel		April 17, 1902 ✓
Palmetto		April 17, 1902 ✓
Ashley		April 17, 1902 ✓
Orange	<i>October 24, 1904</i> ✓	Oct. 24, 1904
Wisconsin	<i>May 5, 1905</i> ✓	May 5, 1905
Kimball		May 4, 1905 ✓
Boston		Apr. 7, 1903. ✓
Crompton	<i>Jan 8, 1907</i> ✓	Jan. 8, 1907.
Odora	Jan. 2, 1907. ✓	
Oddoletta	Jan. 2, 1907. ✓	
Nickerson	Mar. 16, 1908. ✓	
Barton	Mar. 28, 1908.	<i>March 28, 1908</i> ✓
Blue Bird		Apr. 17, 1902. ✓
Otis.		Apr. 2, 1909. ✓
Opal		May 2, 1909. ✓
Brookeville		May 2, 1909. ✓
New York		May 2, 1909. ✓
Mesa		May 2, 1909. ✓
Smelter Gulch		May 1, 1909. ✓
Bill Williams		Mar. 22, 1902. ✓
Partridge		May 3, 1909. ✓
Bunker Hill		May 6, 1909. ✓
McCarn		May 6, 1909. ✓

Feet.	Opal Lode.
	<p>Beginning at Cor. No. 1, A granite stone 28x10x8 ins. set 18 ins. in the ground with mound of stones chiseled 1/2675 Op.) On line 2-3 Brookeville lode of this survey. Identical with Cor. of location, whence, U.S.M.M. 2675 bears N. 86° 16' E. 1538.5 ft. No witness points available.)</p>
388.75	<p style="text-align: center;">Thence N. 80° 10' W.</p> <p>N.E. end center identical with end center of location, a monument of stones 3 ft. high, no markings.</p>
777.5	<p>To Cor. No. 2, A granite stone 30x6x8 ins. set 18 ins. in the ground with mound of stones chiseled 2/2675 Op. On line 2-3 Brookeville lode of this survey. Identical with Cor. of location. No witness points available.</p>
1198.3	<p style="text-align: center;">Thence S. 49° 20' W.</p> <p>To Cor. No. 3. A granite stone 26x10x8 ins. set 18 ins. in the ground with mound of stones, chiseled 3/2675 Op. whence, Cor. of location bears S. 49° 20' W. 301.7 ft., a monument of stones 3 ft. high, 2 ft. base, no markings. No witness points available.</p>
292.46	<p style="text-align: center;">Thence S. 27° 25' E.</p> <p>To Cor. No. 4. A granite stone 28x10x8 ins. set 18 ins. in the ground with mound of stones chiseled 4/2675 Op. whence, x B.R. 4/2675 Op. chiseled on East face of granite ledge 2 ft. high bears N. 58° 20' W. 264 ft.</p>
19.83	<p style="text-align: center;">Thence S. 80° 10' E.</p> <p>S. W. end center identical with end center of location, a monument of stones 3 ft. high, no markings.</p>

Survey No. 2675-Continued.

Feet
408.58 Opal Lode-Continued.
To Cor. No. 5.

A pine post 4 1/2 ft. long, 5 ins. square, set 18 ins. in the ground with mound of stones scribed 5/2675 Op. Identical with Cor. of location.

No witness points available.

Thence N. 49° 20' E.

1500. To Cor. No. 1, the place of beginning.

Otis Lode.

Beginning at Cor. No. 1,
A granite stone 28x10x8 ins. set 18 ins. in the ground with mound of stones chiseled 1/2675 Ot. whence, U.S.M.M. 2675 bears N. 76° 31' 10" E. 909.82 ft. Cor. of location bears S. 80° 10' E. 1.9 ft., a monument of stones 3 ft. high, 2 ft. base, no markings.

Thence N. 80° 10' W.

178.94 Cor. No. 2, Brookeville lode of this survey and intersect line 3-4 Barton lode of this survey, at S. 40°40'E. 72.26 ft. from Cor. No. 3.

388.75 N. E. end center, Identical with end center of location a monument of stones 3 ft. high.

656.6 To Cor. No. 2.

Identical with Cor. No. 1 Opal lode of this survey and Cor. of the location, corner heretofore described, to which I add 2-Ot.

Thence S. 49° 20' W.

1500. To Cor. No. 3.

Identical with Cor. No. 5 Opal lode of this survey; and Cor. of location, corner heretofore described, to which I add 3-Ot.

Thence S. 80° 10' E.

267.85 SW End center identical with end center of location, a monument of stones 3 ft. high.

630.6 Witness Corner to Cor. No. 4.

Feet.

Otis Lode-Continued.

A pine post 4 1/2 ft. long, 5 ins. square, set 18 ins. in the ground with mound of stones scribed W. C. 4/2675 Ot.

No witness points available.

656.6

To Cor. No. 4

On face of soft rock where a permanent corner cannot be set, on line 2-3 Wisconsin lode of this survey, at N.e, 49° 20' E. 107.32 ft. from Cor. No. 3, whence, Cor. of location bears S. 80° 10' E. 1.9 ft., a pine post 4 ft. long, 4 ins. square, marked Cor. of Otis lode. W.C. heretofore described hrs. N. 80° 10' W. 26 ft. Thence N. 49° 20' E.

1386.18

Cor. No. 2 Wisconsin lode, also intersect line 3-4 Barton lode of this survey. At S. 40° 40' E. ^{210.33}~~72.26~~ ft. from Cor. No. 3.

1500.

To Cor. No. 1, the place of the beginning.

Wisconsin Lode.

Beginning at Cor. No. 1,

A granite stone 30x10x8 ins. set 18 ins. in the ground with mound of stones chiseled 1/2675 W. at intersection of line 3-4 Orange lode of this survey and line 4-1 McCarn lode of this survey, At N. 40° 40' W. 126.70 ft. and N. 49° 20' E. 1336.59 ft. from Cors. Nos. 3 and 4 respectively, whence U.S.M.M. 2675 bears N. 38° 14' 30" E. 944.09 ft.

Cor. of the location bears N. 49° 46' E. 6.5 ft., a monument of stones 2 ft. high, 2 ft. base, no markings. No witness points available.

Thence N. 40° 40' W.

300.

NE End center whence end center of location a stone monument 3 ft. high, no markings, bears N. 49° 20' E. 6.5 ft.

313.6

Cor. Nos. 4-4 Barton and Orange lodes of this survey.

600.

To Cor. No. 2

A granite stone 26x8x10 ins. set 18 ins. in the ground

Survey No. 2675-Continued.

4

Feet.

Wisconsin lode-Continued.

with mound of stones chiseled 2/2675 W. on line 4-1 Otis lode of this survey and line 3-4 Barton lode of this survey, At N. 49° 20' E. 1386.18 ft. and S. 40° 40' E. 210.33 ft. from Cors. Nos. 4 and 3 respectively, whence Cor. of location bears N. 49° 20' E. 6.5 ft. No witness points available.

Thence S. 49° 20' W.

1386.18 Cor. No. 4, Otis lode of this survey.

1493.5 To Cor. No. 3,

A pine post 4 1/2 ft. long, 5 ins. square, set 18 ins. in the ground with mound of stones scribed 3/2675 W. Identical with Corner of location. No witness points available.

Thence S. 40° 40' E.

128.28 Cor. No. 1, Oddoletta lode of thus survey.

300. SW End center identical with end center of location, a stone monument 3 ft. high, no markings. Cross ravine course S. 80° E.

600. To Cor. No. 4.

A pine post 4 1/2 ft. long, 5 ins. square, set 18 ins. in the ground with mound of stones scribed 4/2675 W. Identical with corner of location. No witness points available.

On line 4-1 Odora lode of thus survey.

Thence N. 49° 20' E.

50. Cross Ravine course S. 55° E.

156.96 Cor. No. 4 McCarn lode of this survey and Cor. No. 1 Odora lode of this survey.

1493.5 To Cor. No. 1 the place of beginning.

Feet.

Oddoletta Lode.

Beginning at Cor. No. 1,

A pine post 4 1/2 ft. long, 5 ins. square, set 18 ins. in the ground with mound of stones scribed 1/2675 Odd.

On line 3-4 Wisconsin lode of this survey. At S. 40° 40' E. 128.28 ft. from Cor. No. 3, whence

U.S.M.M. 2675 bears N. 56° 8' 40" E. 2437.9 ft.

Cor. of location bears N. 40° 40' W. 145 ft.

No witness points available.

Thence S 40° 40' E.

171.72 Cross Ravine course S. 80° E.

300. N.E. end center identical with end center of location, a monument of stones 3 ft. high, no markings.

471.72 To Cor. No. 2.

Identical with Cor. No. 4 Wisconsin lode of this survey, and corner of location, corner heretofore described, to which I add 2 Odd.

On line 4-1 Odora lode of this survey. At N. 49° 20' E.

1249.24 ft. from Cor. No. 4.

Thence S. 49° 20' W.

1249.24 To Cor. No. 3,

A granite stone 28x8x8 ins. set 18 ins. in the ground with mound of stones chiseled 3/2675 Odd. whence,

Cor. of location bears S. 45° W. 200 ft., a monument of stones 2 ft. high, 2 ft. base, no markings.

No witness points available.

Thence N. 40° 40' W.

155.00 SW End center whence end center of location, a mound of stones 3 ft. high bears S. 48° 34' W. 228 ft. no markings.

430. Cross Ravine course W.

455. To Cor. No. 4,

A pine post 4 1/2 ft. long, 5 ins. square, set 18 ins. in the ground with mound of stones scribed 4/2675 Odd.

whence,

Cor. of location bears S. 60° W. 250 ft., a palo verde stake 3 ft. high in mound of stones, marked Cor. of Oddoletta lode.
No witness points available.

Feet.	Oddoletta Lode-Continued.
	Thence N. 48° 34' E.
1130.	Cross Ravine course S. 40° E.
1249.35	To Cor. No. 1, the place of beginning.
	Odora Lode.
	Beginning at Cor. No. 1, A pine post 4 1/2 ft. long, 5 ins. square, set 18 ins. in the ground, with mound of stones scribed 1/2675 Od. whence.
	U.S.M.M. 2675 bears N. 44° 44' 30" E. 2269.93 ft. Identical with Corner of location.
	No witness points available, on line 4-1 Wisconsin lode of this survey, At N. 49° 20' E. 156.96 ft. from Cor. No. 4.
	Thence S. 40° 40' E.
300.	NE End center identical with end center of location, a monument of stones 3 ft. high, no markings.
490.	Cross Ravine course East.
600.	To Cor. No. 2, A pine post 4 1/2 ft. long, 5 ins. square, set 18 ins. in the ground with mound of stones scribed 2/2675 Od. On line 1-2 Crompton lode of this survey, At S. 49° 20' W. 238 ft. from Cor. No. 1. Identical with corner of location. No witness points available.
	Thence S. 49° 20' W.
362.	Cor. No. 2 Crompton lode of this survey.
1406.2	To Cor. No. 3, A granite stone 30x10x8 ins. set 18 ins. in the ground with mound of stones chiseled 3/2675 Od. whence, Cor. of location bears S. 45° 30' W. 100 ft., a monument of stones, 3 ft. high, 2 ft. base, no markings. No witness points available.

Thence N. 40° 40' W.

Feet.

Odora Lode-Continued.

300. SW End center, whence end center of location, a monument of stones 3 ft. high bears S. $49^{\circ} 20'$ W. 85 ft., no markings.
600. To Cor. No. 4,
Identical with Cor. No. 3 Oddoletta lode of this survey heretofore described, to which I add 4-Od.
whence,
Cor. of location bears S. 50° W. 76.5 ft., a monument of stones 3 ft. high, 2 ft. base, no markings.
Thence N. $49^{\circ} 20'$ E.
- 1249.24 Cor. No. 2, Oddoletta lode of this survey. Also Cor. No. 4 Wisconsin lode of this survey.
1310. Cross Ravine course S. 45° E.
- 1406.2 To Cor. No. 1, the place of beginning.

New York Lode.

- Beginning at Cor. No. 1,
A granite stone 26x8x8 ins. set 18 ins. in the ground with mound of stones chiseled 1/2675 N.
On line 3-4 Bill Williams lode of this survey, at N. $40^{\circ} 40'$ W. 439.99 ft. from Cor. No. 3, whence
U.S.M.M. 2675 bears N. $3^{\circ} 37' 40''$ E. 1092.3 ft.
Identical with corner of location.
No witness points available.
Thence S. $49^{\circ} 20'$ W.
- 289.51 W End center identical with end center of location, a monument of stones 3 ft. high, no markings.
595. To Cor. No. 2,
A pine post 4 $1/2$ ft. long, 5 ins. square, set 18 ins. in the ground with mound of stones scribed 2/2675 N.
Identical with corner of location.
On line 2-3 McCarn lode of this survey, at S. $49^{\circ} 20'$ W. 595 ft. from Cor. No. 2.
No witness points available.

Survey No. 2675-Continued.

Feet.	New York Lode-Continued.
	Thence S. 66° 35' E.
1080.	Cross Ravine course N. 80° E.
1500.	To Cor. No. 3, A pine post 4 1/2 ft. long, 5 ins. square, set 18 ins. in the ground with mound of stones scribed 3/2675 N. On line 4-1 Mesa lode of this survey, at N. 49° 20' E. 1067.53 ft. from Cor. No. 4. Identical with corner of location. No witness points available.
	Thence N. 49° 20' E.
65.42	E. End center identical with end center of location, a pine post 4 ft. high in mound of stones, no markings.
280.	Cross Ravine course S. 60° E.
381.19	To Cor. No. 4, A pine post 4 1/2 ft. long, 5 ins. square, set 18 ins. in the ground with mound of stones scribed 4/2675 N. At intersection of line 3-4 Boston lode and line 4-1 Mesa lode of this survey, at N. 66° 35' W. 55.20 ft. and N. 49° 20' E. 1448.72 ft. from Cors. Nos. 3 and 4 respectively. Identical with corner of location. No witness points available.
	Thence N. 66° 35' W.
423.8	Cor. Nos. 4-3 Boston and Mark Hanna lodes of this survey.
1010.8	To Cor. No. 5, A pine post 4 1/2 ft. long, 5 ins. square, set 18 ins. in the ground with mound of stones scribed 5/2675 N. Identical with corner of location. No witness points available.
	Thence N. 40° 40' W.
439.99	To Cor. No. 1, the place of beginning.

Feet.	
	McCarn Lode.
	Beginning at Cor. No. 1, A granite stone, 30x10x6 ins. set 18 ins. in the ground with mound of stones chiseled 1/2675 M. whence, U.S.M.M. 2675 bears N. 35° 56' 30" E. 784.05 ft. Identical with corner of location. No witness points available.
	Thence S. 40° 40' E.
68.84	Cor. No. 3, Bunker Hill lode of this survey and inter- sect line 2-3 Orange lode of this survey, at N. 29° 50' E. 173.35 ft. from Cor. No. 3.
300.	N.E. end center, identical with end center of location, a monument of stones 3 ft. high, no markings.
571.64	Cor. Nos. 4 Bunker Hill and Bill Williams lodes of this survey.
600.	To Cor. No. 2, On line 3-4 Bill Williams lode of this survey, at S. 40° 40' E. 28.36 ft. from Cor. No. 4. Identical with Cor. No. 1 New York lode of this survey and corner of location, Corner heretofore described, to which I add 2-M.
	Thence S. 49° 20' W.
595.	Cor. No. 2 New York lode and Cor. No. 1 Kimball lode of this survey.
1262.	Cor. No. 4 Kimball lode and Cor. No. 1 Crompton lode of this survey.
1425.	Cross Ravine course S. 70° E.
1500.	To Cor. No. 3, Identical with Cor. No. 2 Odora lode of this survey and corner of location, Corner heretofore described, to which I add 3-M. Also on line 1-2 Crompton lode of this survey, at S. 49° 20' W. 238 ft. from Cor. No. 1.

Survey No. 2675-Continued.

Feet.	McCarn Lode-Continued.
	Thence N. 40° 40' W.
110.	Cross Ravine course East.
300.	SW End center, identical with end center of location, a pine post in mound of stones 4 ft. high.
600.	To Cor. No. 4, On line 4-1 Wisconsin lode of this survey, at N. 49° 20' E. 156.96 ft. from Cor. No. 4. Identical with Cor. No. 1 Odora lode of this survey and corner of location. Corner heretofore described, I add to markings 4-M. Thence N. 49° 20' E.
1336.59	Cor. No. 1 Wisconsin lode of this survey. Also intersect line 3-4 Orange lode of this survey, at N. 40° 40' W. 126.70 ft. from Cor. No. 3.
1500.	To Cor. No. 1, the place of beginning.
	Kimball Lode.
	Beginning at Cor. No. 1, Identical with Cor. No. 2 New York lode of this survey, corner heretofore described, to which I add 1-K, and identical with end corner of location, on line 2-3 McCarn lode of this survey, at S. 49° 20' W. 595 ft. from Cor. No. 2, whence U.S.M.M. 2675 bears N. 19° 24' E. 1566.8 ft. Thence S. 66° 35' E.
1080.	Cross Ravine course N. 80° E.
1500.	To Cor. No. 2, Identical with Cor. No. 3 New York lode of this survey and corner of location, corner heretofore described to which I add 2-K, On line 4-1 Mesa lode of this survey, at N. 49° 20' E. 1067.53 ft. from Cor. No. 4. Thence S. 49° 20' W.
333.5	S.E. end center, identical with end center of location, a pine post 4 ft. high in mound of stones, no markings.
667.	To Cor. No. 3,

Survey No. 2675-Continued

Feet.

Kimball Lode-Continued.

A pine post 4 1/2 ft. long, 5 ins. square, set 18 ins. in the ground with mound of stones scribed 3/2675 K.

On line 4-1 Mesa lode of this survey, at N. 49° 20' E 400.53 ft. from Cor. No. 4.

Corner of location bears S. 49° 20' W. 100 ft., a cottonwood post 3 ins. square, 3 ft. long, marked Cor. of Kimball lode.

Thence N. 66° 35' W.

1070. Cross Ravine course East.

1500. To Cor. No. 4,

A pine post 4 1/2 ft. long 5 ins. square, set 18 ins. in the ground with mound of stones scribed 4/2675 K.

On line 2-3 McCarn lode of this survey, at S. 49° 20' W.

1262 ft. from Cor. No. 2, whence

Cor. of location bears S. 49° 20' W. 75 ft, a cottonwood post 3 ft. high, 3 ins. dia. marked Cor. of Kimball lode. No witness points available.

Thence N. 49° 20' E.

333.5 N.W. end center, identical with end center of location, a pine post 4 ft. high in mound of stones, no markings.

667. To Cor. No. 1, the place of beginning.

Crompton Lode.

Beginning at Cor. No. 1,

Identical with Cor. No. 4 Kimball lode of this survey

and corner of location. *corner heretofore described to which I add 1-C.*

On line 2-3 McCarn lode of this survey, at S. 49° 20' W.

1262 ft. from Cor. No. 2, whence

U.S.M.M. 2675 bears N. 28° 13' 30" E. 2170.3 ft.

Thence S. 49° 20' W.

163. Cross Ravine course S. 70° E.

238. Cor. Nos. 2-3 Odora and McCarn lodes of this survey.
300. N.W. end center, identical with end center of location,

a monument of stones 3 ft. high, no markings.

350. Cor. Nos. 2-3 Odora and McCarn lodes of this survey.

Survey No. 2675-Continued.

Feet. Crompton Lode-Continued.

600. To Cor. No. 2,
A pine post 4 1/2 ft. long, 5 ins. square, set 18 ins. in the ground with mound of stones scribed 2/2675 C. On line 2-3 Odora lode of this survey, at S. 49° 20' W. 362 ft. from Cor. No. 2.
Identical with corner of location.
No witness points available.

Thence S. 71° 27' E.

1570.4 To Cor. No. 3,
A pine post 4 1/2 ft. long, 5 ins. square set 18 ins. in the ground with mound of stones scribed 3/2675 C. whence, Corner of location bears S. 49° 20' W. 50 ft.
No witness points available.

Thence N. 49° 20' E.

51.28 Cor. No. 4 Mesa lode of this survey.

151.81 S.E. end center, identical with end center of location, a cottonwood post 4 ft. high in mound of stones, no markings.

451.81 To Cor. No. 4,
Identical with Cor. No. 3 Kimball lode of this survey and corner of location. *corner heretofore described, to which I add 4-C.*
On line 4-1 Mesa lode of this survey, at N. 49° 20' E. 450.53 ft. from Cor. No. 4.

Thence N. 66° 35' W.

1070. Cross Ravine course East.

1500. To Cor. No. 1, the place of beginning.

Mesa Lode.

Beginning at Cor. No. 1,
A pine post 4 1/2 ft. long, 5 ins. square, set 18 ins. in the ground with mound of stones scribed 1/2675 M. whence,

Feet.	Mesa Lode-Continued.
	<p>U.S.M.M. 2675 bears N. 33° 27' W. 2147.6 ft. Identical with corner of location. No witness points available.</p>
	Thence S. 12° E.
56.6	<p>Cor. No. 3, Boston lode of this survey. Also Cor. No. 4 Partridge lode of this survey.</p>
62.88	<p>N.E. end center, identical with end center of location, a cottonwood post 4 ft. high in mound of stones marked N. end center Mesa.</p>
100.	Enter Ravine course N. 40° E.
200.	Leave Ravine course N. 40° E.
398.9	<p>To Cor. No. 2, A pine post 4 1/2 ft. long, 5 ins. Square, set 18 ins. in the ground with mound of stones scribed 2/2675 M. On line 3-4 Partridge lode of this survey, at N. 12° W. 144.9 ft. from Cor. No. 3. Identical with corner of location. No witness points available.</p>
	Thence S. 49° 20' W.
490.	Enter Ravine course N. 30° E.
650.	Leave Ravine course N. 30° E.
1500.	<p>To Cor. No. 3, A pine post 4 1/2 ft. long, 5 ins. square, set 18 ins. in the ground with mound of stones scribed 3/2675 M. Identical with corner of location. No witness points available.</p>
	Thence N. 12° W.
100.	Enter Ravine course N. 49° 20' E.
200.	Leave Ravine course N. 49° 20' E.
336.02	<p>S.W. end center, identical with end center of location, a cottonwood post 4 ft. high in mound of stones marked S. end center Mesa.</p>

Feet. Mesa Lode-Continued.

398.9 To Cor. No. 4,
A granite stone 26x8x8 ins. set 18 ins. in the ground
with mound of stones chiseled 4/2675 M.
On line 3-4 Crompton lode of this survey, at N. 49° 20'
E. 51.28 ft. from Cor. No. 3.
Identical with corner of location.
No witness points available.

Thence N. 49° 20' E.

400.53 Cor. Nos. 4-3 Crompton and Kimball lodes of this survey.

1067.53 Cor. Nos. 2-3 Kimball and New York lodes of this survey.

1347.53 Cross Ravine course S. 60° E.

1448.72 Cor. No. 4 New York lode of this survey, and intersect
line 3-4 Boston lode of this survey at N. 66° 35' W.
55.20 ft. from Cor. No. 3.

1500. To Cor. No. 1, the place of beginning.

Partridge Lode.

Beginning at Cor. No. 1,
A granite stone 28x10x12 ins. set 18 ins. in the ground
with mound of stones chiseled 1/2675 Par.
At intersection of line 4-1 Byron lode and line 2-3
Boston lode of this survey, at S. 12° E. 303.72 ft. and
S. 29° 50' W. 221.2 ft. from Cors. Nos. 1 and 2 res-
pectively, whence
U.S.M.M. 2675 bears N. 68° 4' W. 1975.1 ft.
Identical with corner of location.
No witness points available.

Thence S. 12° E.

37.4 N.E. end center, identical with end center of location,
a cottonwood post 4 ft. high in mound of stones marked
end center Partridge.

170. Enter Ravine course N. 40° E.

230. Cross wagon road 10 ft. wide course N. 40° E.

Feet.	Partridge Lode-Continued.
330.	Leave Ravine course N. 40° E.
487.2	<p>To Cor. No. 2.</p> <p>A pine post 4 1/2 ft. long, 5 ins. square, set 18 ins. in the ground with mound of stones scribed 2/2675 Par. On line 4-1 Byron lode of this survey, at S. 12° E. 790.92 ft. from Cor. No. 1.</p> <p>Identical with corner of location.</p> <p>No witness points available.</p>
	Thence S. 29° 50' W.
1278.8	<p>To Cor. No. 3,</p> <p>A pine post 4 1/2 ft. long, 5 ins. square, set 18 ins. in the ground with mound of stones scribed 3/2675 Par. Identical with corner of location.</p> <p>No witness points available.</p>
	Thence N. 12° W.
144.9	Cor. No. 2 Mesa lode of this survey.
343.8	Enter Ravine course N. 49° 20' E.
443.8	Leave Ravine course N. 49° 20' E.
449.8	<p>S.W. end center identical with end center of location, a cottonwood post 4 ft. high in mound of stones marked end center Partridge.</p>
487.2	<p>To Cor. No. 4,</p> <p>A pine post 4 1/2 ft. long, 5 ins. square, set 18 ins. in the ground with mound stones scribed 4/2675 Par. On line 1-2 Mesa lode of this survey, at S. 12° E. 56.6 ft. from Cor. No. 1.</p> <p>Identical with corner of location.</p> <p>No witness points available.</p>
	Thence N. 29° 50' E.
460.	Wagon road 10 ft. wide, course N. 80° E.
1278.80	To Cor. No. 1, the place of beginning.

Survey No. 2675-Continued.

Feet.	Boston Lode.
	Beginning at Cor. No. 1, A limestone 28x10x8 ins. set 18 ins. in the ground with mound of stones chiseled 1/2675 B. On line 1-2 Sentinel lode of this survey, at S. 66° 35' E. 17 ft. from Cor. No. 1, whence U.S.M.M. 2675 bears N. 76° 41' W. 1543.9 ft. Identical with corner of location. No witness points available.
	Thence S. 66° 35' E.
297.97	Intersect line 4-1 Byron lode of this survey, at S. 12° E. 33.99 ft. from Cor. No. 1.
302.	N. E. center, identical with end center of location, a cottonwood post 4 ft. high in mound of stones marked end center Boston lode.
379.	Enter Ravine course North.
449.	Wagon road 10 ft. wide, course North.
479.	To Cor. No. 2, A pine post 4 1/2 ft. long, 5 ins. square, set 18 ins. in the ground with mound of stones scribed 2/2675 B. On line 1-2 Sentinel lode of this survey, at N. 66° 35' W. 107.79 ft. from Cor. No. 2. Identical with corner of location. No witness points available.
	Thence S. 29° 50' W.
30.	Wagon road 10 ft. wide course S. 10° W.
100.	Leave Ravine course N. 10° W.
221.20	Cor. No. 1 Partridge lode of this survey and Intersect line 4-1 Byron lode of this survey, at S. 12° E. 303.72 ft. from Cor. No. 1.
1040.	Wagon road 10 ft. wide course N. 80° E.
1500.	To Cor. No. 3, Identical with Cor. No. 4, Partridge lode of this survey

Feet.

Boston Lode-Continued.

and corner of location. *corner heretofore described, to which I add 3-B*

On line 1-2 Mesa lode of this survey, at S. 12° E.

56.6 ft. from Cor. No. 1.

Thence N. 66° 35' W.

55.20 Cor. No. 4 New York lode of this survey and intersect

line 4-1 Mesa lode of this survey, at S. 49° 20' W.

51.28 ft. from Cor. No. 1.

177.00 South end center identical with end center of the location, a cottonwood post 4 ft. high in mound of stones marked end center Boston lode.

479. To Cor. No. 4,

A pine post 4 1/2 ft. long, 5 ins. square, set 18 ins. in the ground with mound of stones scribed 4/2675 B.

On line 4-5 New York lode of this survey, at N. 66° 35' W. 423.8 ft. from Cor. No. 4.

Identical with corner of location.

No witness points available.

Thence N. 29° 50' E.

550. Wagon road 10 ft. wide course Northwest.

1500. To Cor. No. 1, the place of beginning.

Mark Hanna Lode.

Beginning at Cor. No. 1,

A pine post 4 1/2 ft. long, 5 ins. square, set 18 ins. in the ground with mound of stones scribed 1/2675 M.

whence,

U.S.M.M. 2675 bears N. 82° 45' 30" W. 971.49 ft.

Identical with corner of location.

No witness points available.

Thence S. 66° 35' E.

300. North end center identical with end center of location, a cottonwood post 4 ft. high in mound of stones marked

Survey No. 2675-Continued.

Feet. Mark Hanna Lode-Continued.

end center Mark Hanna lode.

570. Cor. Nos. 2-1 Planet and Sentinel lodes of this survey.

587. To Cor. No. 2,

Identical with Cor. No. 1 Boston lode of this survey
and corner of location. *corner heretofore described, to which I add 2 M-H.*

Thence S. 29° 50' W.

950. Wagon road 10 ft. wide, course Northwest.

1500. To Cor. No. 3,

Identical with Cor. No. 4 Boston lode of this survey, *corner heretofore described, to which I add 3 M-H.*

On line 4-5 New York lode of this survey, at N. 66° 35'

W. 423.8 ft. from Cor. No. 4. whence

Cor. of location bears S. 29° 50' W. 5 ft., a cottonwood
post 3 ft. high, 3 ins. square, marked Cor. of Mark Hanna
lode.

Thence N. 66° 35' W.

287. South end center identical with end center of location,
a cottonwood post 4 ft. high in mound of stones marked
end center Mark Hanna lode.

587. To Cor. No. 4,

Identical with Cor. No. 5 New York lode of this survey

and corner of location, *corner heretofore described, to which I add 4 M-H.*

Thence N. 29° 50' E.

880. Wagon road 10 ft. wide, course Southeast.

1500. To Cor. No. 1, the place of beginning.

Bill Williams Lode.

Beginning at Cor. No. 1,

A pine post 4 1/2 ft. long, 5 ins. square, set 18 ins.
in the ground with mound of stones scribed 1/2675 B.W.

On line 1-2 Ashley lode of this survey, at S. 40° 40' E.

168.15 ft. from Cor. No. 2. whence,

U.S.M.M. 2675 bears S. 70° 31' 30" W. 698.62 ft.

Identical with corner of location.

No witness points available.

Survey No. 2675-Continued.

19

- Feet. Bill Williams Lode-Continued.
- Thence S. 40° 40' E.
- 318.25 N.E. end center identical with end center of location, a cottonwood post 4 ft. high in mound of stones marked end center Bill Williams.
- 468.35 To Cor. No. 2,
Identical with Cor. No. 1 Mark Hanna lode of this survey and corner of location, corner heretofore described, to which I add 2-B.W.
- Thence S. 29° 50' W.
620. Wagon road 10 ft. wide course Southeast.
1500. To Cor. No. 3,
Identical with Cor. Nos. 5-4 New York and Mark Hanna lodes of this survey; and corner of location, corner heretofore described to which I add 3-B.W.
- 150.10 S.W. end center, identical with end center of location, a cottonwood post 4 ft high in mound of stones marked end center Bill Williams lode.
- 439.99 Cor. Nos. 1-2 New York and McCarn lodes of this survey,
- 468.35 To Cor. No. 4,
A granite stone 28x10x8 ins. set 18 ins. in the ground with mound of stones chiseled 4/2675 B.W.
Identical with corner of location.
No witness points available.
On line 1-2 McCarn lode of this survey, at N. 40° 40' W. 28.36 ft. from Cor. No. 2.
- Thence N. 29° 50' E.
1500. To Cor. No. 1, the place of beginning.
- Bunker Hill Lode.
- Beginning at Cor. No. 1,
Identical with Cor. No. 1 Bill Williams lode of this survey and corner of location, to which I add 1-B.H.
U.S.M.M. 2675 bears S. 70° 31' 30" W. 698.62 ft.
- Thence N. 40° 40' W.
- 168.15 Cor. No. 2 Ashley lode of this survey. Also intersect

Survey No. 2675-Continued.

22

Feet.	Bunker Hill Lode-Continued.
	line 4-1 Ahonika lode of this survey, at N. 29° 50' E. 173.8 ft. from Cor. No. 1.
184.6	N.E. end center, identical with end center of location, a cottonwood post 4 ft. high in mound of stones marked end center Bunker Hill lode.
502.8	Cor. No. 2. A granite stone 26x12x10 ins. set 18 ins. in the ground with mound of stones chiseled 2/2675 B.H. Identical with corner of location. No witness points available.
	Thence S. 29° 50' W.
173.80	Cor. No. 2 Orange lode of this survey and Intersect line 1-2 Ahonika lode of this survey, at N. 40° 40' W. 334.65 ft. from Cor. No. 1.
1500.	To Cor. No. 3, A granite stone 28x10x8 ins. set 18 ins. in the ground with mound of stones chiseled 3/2675 B.H. At intersection of line 1-2 McCarn and line 2-3 Orange lodes of this survey, at S. 40° 40' E. 68.84 ft. and N. 29° 50' E. 173.35 ft. from Cors. Nos. 1 and 3 respectively, Identical with corner of location. No witness points available.
	Thence S. 40° 40' E.
318.2	S.W. end center identical with end center of location, a cottonwood post 4 ft. high in mound of stones, marked end center Bunker Hill lode.
502.8	To Cor. No. 4, Identical with Cor. No. 4 Bill Williams lode of this survey, corner heretofore described, to which I add 4-B.H. On line 1-2 McCarn lode of this survey, at S. 40° 40' E. 371.64 ft. from Cor. No. 1, Identical with corner of location.

Feet.	Bunker Hill Lode-Continued.
	Thence N. 29° 50' E.
1500.	To Cor. No. 1, the place of beginning.
	Orange Lode.
	Beginning at Cor. No. 1, A cottonwood post 4 1/2 ft. long, 5 ins. square, set 18 ins. in the ground with mound of stones scribed 1/2675 O. whence, U.S.M.M. 2675 bears S. 3° 2' 50" E. 798.55 ft. Identical with corner of location. No witness points available.
	Thence S. 40° 40' E.
138.45	Cor. No. 2 Ahonika lode of this survey.
318.2	N.E. end center, identical with end center of location, a cottonwood post 4 ft. high in mound of stones marked end center Orange lode.
440.3	To Cor. No. 2, A cottonwood post 4 1/2 ft. long, 5 ins. square, set 18 ins. in the ground with mound of stones scribed 2/2675 O. at intersection of lines 2-3 Bunker Hill and 1-2 Ahonika lodes of this survey, at S. 29° 50' W. 173.8 ft. and S. 40° 40' E. 301.85 ft. from Cors. No. 2 respectively. Identical with corner of location. No witness points available.
	Thence S. 29° 50' W.
1326.20	Cor. No. 3 Bunker Hill lode of this survey and Intersect line 1-2 McCarn lode of this survey, at S. 40° 40' E. 68.84 ft. from Cor. No. 1,
1499.55	To Cor. No. 3, A granite stone 30x6x8 ins. set 18 ins. in the ground with mound of stones chiseled 3/2675 O. Identical with corner of location. No witness points available.

- Feet. Orange Lode-Continued.
- 122.1 Thence N. $40^{\circ} 40'$ W.
S.W. end center, identical with end center of location,
a cottonwood post 4 ft. high in mound of stones, marked
end center Orange lode.
- 126.70 Cor. No. 1 Wisconsin lode of this survey and inter-
sect line 4-1 McCarn lode of this survey, at S. $49^{\circ} 20'$
W. 163.41 ft. from Cor. No. 1.
- 440.3 To Cor. No. 4,
A granite stone 28x6x8 ins. set 18 ins. in the ground
with mound of stones chiseled 4/2675 O.
On line 1-2 Wisconsin lode of this survey, at S. 40°
 $40'$ E. 282.4 ft. from Cor. No. 2.
Identical with corner of location.
No witness points available.
- 1499.55 Thence N. $29^{\circ} 50'$ E.
To Cor. No. 1, the place of beginning.
- Barton Lode.
- Beginning at Cor. No. 1,
Identical with Cor. No. 1 Orange lode of this survey *corner*
corner heretofore described, to which I add 1-B,
and corner of location, \wedge whence,
U.S.M.M. 2675 bears S. $3^{\circ} 2' 50''$ E. 798.55 ft.
- 318.25 Thence N. $40^{\circ} 40'$ W.
N.E. end center identical with end center of location,
a cottonwood post 4 ft. high in mound of stones marked
end center Barton lode.
- 496.73 To Cor. No. 2,
A cottonwood post 4 $1/2$ ft. long, 5 ins. square, set
18 ins. in the ground with mound of stones scribed
2/2675 B. whence,
Cor. of location bears N. $40^{\circ} 40'$ W. 139 ft., a cottonwood
post 3 ft. high, 3 ins. square, marked Cor. Barton lode.
No witness points available.

Survey No. 2675-Continued.

Feet.	Barton Lode-Continued.
	Thence S. 29° 50' W.
910.	Cor. No. 1 Brookeville lode of this survey.
1499.55	To Cor. No. 3, A granite stone 28x10x8 ins. set 18 ins. in the ground with mound of stones chiseled 3/2675 B. whence, Cor. of location bears N. 40° 40' W. 140 ft., a monument of stones 3 ft. high, 2 ft. base, no markings. No witness points available.
	Thence S. 40° 40' E.
72.26	Cor. No. 2 Brookeville lode of this survey and Intersect line 1-2 Otis lode of this survey, at N. 80° 10' W. 178.94 ft. from Cor. No. 1,
178.48	S.W. end center identical with end center of location, a cottonwood post 4 ft. high in mound of stones marked end center Barton lode.
210.33	Cor. No. 2 Wisconsin lode of this survey. Also intersect line 4-1 Otis lode of this survey, S. 49°20' W. 113.82 ft. from Cor. No. 1.
496.73	To Cor. No. 4. Identical with Cor. No. 4 Orange lode of this survey, corner heretofore described, to which I add 4-B. Identical with Cor. of location. On line 1-2 Wisconsin lode of this survey, at S. 40° 40' E. 282.4 ft. from Cor. No. 2.
	Thence N. 29° 50' E.
1499.55	To Cor. No. 1, the place of beginning.
	Brookeville Lode.
	Beginning at Cor. No. 1, A granite stone 24x8x6 ins. set on bed rock in mound of stones chiseled 1/2675 Br. On line 2-3 Barton lode of this survey, at S. 29° 50' W. 910 ft. from Cor. No. 1 and N. 29° 50' E. 589.55 ft. from Cor. No. 3. 2, whence U.S.M.M. 2675 bears S. 64° 48' 50" E. 904.22 ft. Cor. of location bears S. 80° 10' E. 75 ft., a monument of stones 3 ft. high, 2 ft. base, no markings. No witness points available.

Survey No. 2675-Continued.

Feet.	Brookeville Lode-Continued.
	Thence S. 23° 30' W.
308.72	East end center, whence end center of location bears S. 80° 10' E. 40 ft. a monument of stones 3 ft. high, marked end center Brookeville lode.
617.44	To Cor. No. 2, A pine post 4 ft. long, 5 ins. square, set on bed rock in mound of stones scribed 2/2675 Br. At intersection of line 3-4 Barton and line 1-2 Otis lodes of this survey, at S. 40° 40' E. 72.26 ft. and N. 80° 10' W. 178.94 ft. from Cors. Nos. 3 and 1 respectively. Identical with corner of location.
	Thence N. 80° 10' W.
477.66	Cor. Nos. 2-1 Otis and Opal lodes of this survey.
1255.16	Cor. No. 2 Opal lode of this survey.
1500.	To Cor. No. 3, A pine post 4 ft. long, 5 ins. square, set on bed rock in mound of stones scribed 3/2675 Br. whence, Cor. of location bears N. 80° 10' W. 73 ft., a monument of stones 2 ft. high, 2 ft. base, no markings. No witness points available.
	Thence N. 23° 30' E.
308.72	West end center, whence end center of location bears N. 80° 10' W. 35 ft. a monument of stones, 3 ft. high, marked end center Brookeville lode.
617.44	To Cor. No. 4. A cottonwood post 4 1/2 ft. long 5 ins. square, set 18 ins. in the ground with mound of stones scribed 4/2675 Br. Identical with corner of location. No witness points available.

Survey No. 2675-Continued.

Feet. Brookeville Lode-Continued.

Thence S. 80° 10' E.

1500. To Cor. No. 1, the place of beginning.

Ahonika Lode.

Beginning at Cor. No. 1,

A limestone 30x8x10 ins. set 18 ins. in the ground with mound of stones chiseled 1/2675 Ah. whence,

U.S.M.M. 2675 bears S. 65° 37' W. 507.84 ft.

Cor. No. 2 Bunker Hill lode of this survey bears N. 18° 1' W. 425.49 ft.

Identical with corner of location.

No witness points available.

Thence N. 40° 40' W.

318.25 S.W. end center identical with end center of location, a cottonwood post 4 ft. high in mound of stones, marked end center Ahonika lode.

334.65 Cor. No. 2 Orange lode of this survey and Intersect line 2-3 Bunker Hill lode of this survey, at S. 29° 50' W. 173.8 ft. from Cor. No. 2.

636.5 To Cor. No. 2,
A cottonwood post 4 1/2 ft. long, 5 ins. square set 18 ins. in the ground with mound of stones scribed 2/2675 Ah.

On line 1-2 Orange lode of this survey, S. 40° 40' E. 138.45 ft. from Cor. No. 1,
Identical with corner of location.

No witness points available.

Thence N. 29° 50' E.

1500. To Cor. No. 3,
A granite stone 30x10x8 ins. set 18 ins. in the ground with mound of stones chiseled 3/2675 Ah.

Identical with Cor. of location.

No witness points available.

Feet.

Ahonika Lode-Continued.

Thence S. 40° 40' E.

318.25 N.E. end center identical with end center of location, a cottonwood post, 4 ft. high in mound of stones, marked end center Ahonika lode.

636.5 To Cor. No. 4,

A granite stone 30x8x10 ins. set 18 ins. in the ground with mound of stones chiseled 4/2675 Ah.

On line 2-3 Ashley lode of this survey, at S. 29° 50' W. 173.8 ft. from Cor. No. 3,

Identical with corner of location.

No witness points available.

Thence S. 29° 50' W.

1326.2 Cor. No. 2 Ashley lode of this survey and intersect line 1-2 Bunker Hill lode of this survey, at S. 40° 40' E. 334.65 ft. from Cor. No. 2.

1500. To Cor. No. 1, the place of beginning.

Ashley Lode.

Beginning at Cor. No. 1,

Identical with Cors. Nos. 1-2 Mark Hanna and Bill

Williams lodes of this survey and corner of location, *corner heretofore described, to which I add 1 As,* whence,

U.S.M.M. 2675 bears N. 82° 45' 30" W. 971.49 ft.

Thence N. 40° 40' W.

318.25 S.W. end center identical with end center of location, a cottonwood post 4 ft. high in mound of stones, marked end center Ashley lode.

468.35 Cors. Nos. 1-1 Bill Williams and Bunker Hill lodes of this survey.

636.5 To Cor. No. 2.

A granite stone 28x10x8 ins. set 18 ins. in the ground with mound of stones chiseled 2/2675 As.

At intersection of line 1-2 Bunker Hill with line 4-1

Survey No. 2675-Continued.

Feet.	Ashley Lode-Continued.
	Ahonika lodes of this survey, at N. 40° 40' W. 168.15 ft. and N. 29° 50' E. 173.8 ft. from Cors. Nos. 1 respectively. Identical with corner of location. No witness points available.
	Thence N. 29° 50' E.
1326.2	Cor. No. 4 Ahonika lode of this survey.
1500.	To Cor. No. 3, A granite stone 26x10x8 ins. set 18 ins. in the ground with mound of stones chiseled 3/2675 As. Identical with Corner of location. No witness points available.
	Thence S. 40° 40' E.
194.34	Intersect line 2-3 Planet No. 2 lode of this survey, at N. 16° 15' E. 312.37 ft. from Cor. No. 2.
318.25	N.E. end center identical with end center of location, a cottonwood post 4 ft. high with mound of stones marked end center Ashley lode.
636.5	To Cor. No. 4, A cottonwood post 4 1/2 ft. long, 5 ins. square set 18 ins. in the ground with mound of stones scribed 4/2675 As. whence, Cor. No. 2 Planet No. 2 lode of this survey bears N. 84° 36' W. 377.22 ft. Identical with Corner of location. No witness points available.
	Thence S. 29° 50' W.
60.	Leave Ravine course N. 30° W.
116.4	Intersect line 1-2 Planet No. 2 lode of this survey, at S. 66° 45' E. 345.7 ft. from Cor. No. 2.
124.67	Cor. No. 4 Planet Lode of this survey.
1500.	To Cor. No. 1, the place of beginning.

Survey No. 2675.

28

Feet.

Planet Lode.

Beginning at Cor. No. 1,
 Identical with Cors. Nos. 1-2-1 Mark Hanna, Bill Williams
 and Ashley lodes of this survey, ^{corner heretofore described to which I add I-P.} whence,
 U.S.M.M. 2675 bears N. $82^{\circ} 45' 30''$ W. 971.49 ft.
 Identical with corner of location.

Thence S. $66^{\circ} 35'$ E.

267.8 S.W. end center identical with end center of location,
 a cottonwood post 4 ft. high in mound of stones, marked
 end center Planet lode.

570. To Cor. No. 2,
 A limestone 28x8x8 ins. set 18 ins. in the ground with
 mound of stones chiseled 2/2675 P.
 On line 1-2 Mark Hanna lode of this survey, at N. 66°
 $35'$ W. 17 ft. from Cor. No. 2. whence
 x B.R. 2/2675 P. chiseled on limestone ledge 3 ft. high
 bears S. $62^{\circ} 41'$ E. 35.87 ft.
 Identical with corner of locations

Thence N. $29^{\circ} 50'$ E.180. Enter Ravine course N. 40° W.290. Leave Ravine course N. 40° W.

1375.33 To Cor. No. 3,
 A limestone 26x8x8 ins. set 18 ins. in the ground with
 mound of stone chiseled 3/2675 P.
 Identical with corner of location.
 No witness points available.

Thence N. $66^{\circ} 35'$ W.

302.20 N.E. end center identical with end center of location,
 a cottonwood post 4 ft. high in mound of stones, marked
 end center of Planet lode.

412. Enter Ravine course N. 10° W.530. Leave Ravine course N. 10° W.

570. To Cor. No. 4,

Feet.

Planet Lode-Continued.

A cottonwood post 4 1/2 ft. long, 5 ins. square set 18 ins. in the ground with mound of stones scribed 4/2675 P. On line 4-1 Ashley lode of this survey, at S. 29° 50' W. 124.67ft from Cor. No. 4.

Identical with corner of location.

No witness points available.

Thence S. 29° 50' W.

1375.33 To Cor. No. 1, the place of beginning.

Sentinel Lode.

Beginning at Cor. No. 1,

Identical with Cor. No. 2 Planet lode of this survey and corner heretofore described to which I add 1 S. corner of location, whence,

U.S.M.M. 2675 bears N. 76° 47' 30" W. 1527.2 ft.

On line 1-2 Mark Hanna lode of this survey.

Thence S. 66° 35' E.

17. Cors. Nos. 2-1 Mark Hanna and Boston lodes of this survey.

301.89 S.W. end center identical with end center of location, a cottonwood post 4 ft. high in mound of stones, marked end center Sentinel lode.

314.97 Intersect line 4-1 Byron lode of this survey, at S. 12° E' 33.99 ft. from Cor. No. 1.

396. Enter Ravine course N. 10° W.

466. Wagon road 10 ft. wide course North.

496. Cor. No. 2 Boston lode of this survey.

550. Leave Ravine course N. 10° W.

603.79 To Cor. No. 2,

A limestone 30x10x8 ins. set 18 ins. in the ground with mound of stones chiseled 2/2675 S.

Identical with corner of location.

No witness points available.

Survey No. 2675-Continued.

- Feet. Sentinel Lode-Continued.
- Thence N. 29° 50' E.
145. Cor. No. 1 Comet lode of this survey.
- 219.45 Intersect line 1-2 Byron lode of this survey, at N. 83°
40' E. 383.61 ft. from Cor. No. 1,
- 711.85 Intersect line 4-1 La Mexicana lode of this survey, at
S. 13° 23' E. 770.39 ft. from Cor. No. 1,
- 753.2 Cor. No. 2 Comet lode of this survey.
- 1375.33 To Cor. No. 3,
A cottonwood post 4 1/2 ft. long 5 ins. square, set 18
ins. in the ground with mound of stones scribed
3/2675 S.
Identical with corner of location.
No witness points available.
- Thence N. 66° 35' W.
- 301.89 N.E. end center identical with end center of location,
a cottonwood post 4 ft. high in mound of stones, marked
end center Sentinel lode.
- 480.89 Intersect line 1-2 La Mexicana lode of this survey, at
N. 75° 47' E. 69.27 ft. from Cor. No. 1,
- 603.79 To Cor. No. 4,
Identical with Cor. No. 3 Planet lode of this survey
and with corner of location, *corner heretofore described, to
which I add 4 S.*
- Thence S. 29° 50' W.
- 1085.33 Enter Ravine course N. 40° W.
- 1195.33 Leave Ravine course N. 40° W.
- 1375.33 To Cor. No. 1, the place of beginning.

Byron Lode.

Beginning at Cor. No. 1,
A pine post 4 1/2 ft. long, 5 ins. square, set 18 ins.
in the ground with mound of stones scribed 1/2675 By.
whence,

Feet. Byron Lode-Continued.

U.S.M.M. 2675 bears N. $76^{\circ} 0' 20''$ W. 1823.2 ft.

Cor. No. 2 Sentinel lode of this survey bears S. $61^{\circ} 27' 10''$ E. 309.75 ft.

Identical with corner of location.

No witness points available.

Thence N. $83^{\circ} 40'$ E.

50. Enter Ravine course No. 40° W.

130. Wagon road 10 ft. wide course N. 40° W.

175. Leave Ravine course N. 40° W.

300.9 North end center identical with end center of location, a cottonwood post 4 ft. high in mound of stones, marked end center Byron lode.

383.61 Intersect line 2-3 Sentinel and line 1-2 Comet lodes of this survey, at N. $29^{\circ} 50'$ E. 219.45 ft. and 74.45 ft. from Cors. Nos. 2 and 1 respectively.

601.8 To Cor. No. 2,

A pine post $4 \frac{1}{2}$ ft. long, 5 ins. square, set on bed rock with mound of stones scribed $2/2675$ By.

Identical with corner of location, whence,

X B.R. $2/2675$ By. chiseled on granite ledge 3 ft. high bears N. $83^{\circ} 40'$ E. 10.5 ft.

Thence S. 12° E.

367.35 Intersect line 4-1 Comet lode of this survey, at S. $50^{\circ} 40'$ E. 427.01 ft. from Cor. No. 1,

1500. To Cor. No. 3,

A pine post $4 \frac{1}{2}$ ft. long, 5 ins. square, set 18 ins. in the ground with mound of stones scribed $3/2675$ By.

Identical with corner of location.

No witness points available.

Thence S. $83^{\circ} 40'$ W.

255. Wagon road 10 ft. wide course N. 15° W.

Feet.	Byron Lode-Continued.
300.9	South end center, whence end center of location a cotton-wood post 4 ft. high, in mound of stones, marked end center Byron lode bears S. 12° E. 10 ft.
601.8	To Cor. No. 4 A pine post 4 1/2 ft. long, 5 ins. square, set 18 ins. in the ground with mound of stones scribed 4/2675 By. Identical with corner of location. No witness points available.
	Thence N. 12° W.
709.08	Cor. No. 2 Partridge lode of this survey.
868.25	Enter Ravine course N. 40° E.
968.25	Wagon road 10 ft. wide, course N. 40° E.
1028.25	Leave Ravine course N. 40° E.
1196.28	Cor. No. 1 Partridge lode of this survey and intersect line 2-3 Boston lode of this survey, at S. 29° 50' W. 221.2 ft. from Cor. No. 2,
1466.01	Intersect lines 1-2 Boston and Sentinel lodes of this survey, at N. 66° 35' W. 181.03 ft. and 288.82 ft. from Cors. Nos. 2 respectively.
1500.	To Cor. No. 1, the place of beginning.
	Comet Lode.
	Beginning at Cor. No. 1, A limestone 28x10x8 ins. set 18 ins. in the ground with mound of stones chiseled 1/2675 C. On line 2-3 Sentinel lode of this survey, at N. 29° 50' E. 145 ft. from Cor. No. 2, whence U.S.M.M. 2675 bears N. 77° 38' 10" W. 2163.4 ft. Cor. No. 2 Byron lode of this survey bears N. 70° 45' E. 268.94 ft. Identical with corner of location. No witness points available.

Feet.

Comet Lode-Continued.

Thence N. 29° 50' E.

- 74.45 Intersect line 1-2 Byron lode of this survey, whence Cor. No. 2, Byron lode brs. N. 83° 40' E. 218.19 ft.
- 304.1 N. W. end center, identical with end center of location, a pine post 4 ft. high in mound of stones, marked end center Comet lode,
- 566.85 Intersect line 4-1 La Mexicana lode of this survey, at N. 13° 23' W. 729.41 ft. from Cor. No. 4,
- 608.2 To Cor. No. 2,
A pine post 4 1/2 ft. long, 5 ins. square, set 18 ins. in the ground with mound of stones scribed 2/2675 C.
On line 2-3 Sentinel lode of this survey, at N. 29° 50' E. 753.2 ft. from Cor. No. 2,
Identical with corner of location.
No witness points available.
- Thence S. 50° 40' E.
- 943.65 Cor. No. 3 La Mexicana lode of this survey.
1500. To Cor. No. 3,
A cottonwood post 4 1/2 ft. long, 5 ins. square, set 18 ins. in the ground with mound of stones scribed 3/2675 C.
Identical with corner of location.
No witness points available.
- Thence S. 29° 50' W.
- 304.1 S.E. end center identical with end center of location, a pine post 4 ft. long in mound of stones, marked end center Comet lode.
- 608.2 To Cor. No. 4,
A cottonwood post 4 1/2 ft. long, 5 ins. square, set 18 ins. in the ground with mound of stones scribed 4/2675 C.
Identical with corner of location.

Survey No. 2675-Continued.

34

Feet.

Comet Lode-Continued.

No witness points available.

Thence N. $50^{\circ} 40'$ W.

1072.99 Intersect line 2-3 Byron lode of this survey, at S.
 12° E. 367.35 ft. from Cor. No. 2.

1500. To Cor. No. 1, the place of beginning.

La Mexicana Lode.

Beginning at Cor. No. 1,

x 2675 L chiseled on top of granite ledge, 6 ft. high,
 whence,

U.S.M.M. 2675 bears S. $70^{\circ} 39' 30''$ W. 2349.4 ft.

Cor. No. 2 Ella Belle lode of this survey bears S. 80°
 $4'$ E. 227.28 ft.

Identical with Corner of location.

No witness points available.

Thence N. $75^{\circ} 47'$ E.

69.27 Intersect line 3-4 Sentinel lode of this survey, at
 N. $66^{\circ} 35'$ W. 480.89 ft. from Cor. No. 3,

86.06 Intersect line 1-2 Ella Belle lode of this survey, at
 N. $66^{\circ} 45'$ W. 152.86 ft. from Cor. No. 2,

262.09 Intersect line 2-3 Ella Belle lode of this survey, at
 N. $16^{\circ} 15'$ E. 107.88 ft. from Cor. No. 2,

300. North end center identical with end center of location,
 a pine post 4 ft. high in mound of stones, marked end
 center La Mexicana lode.

420.94 Intersect line 2-3 Smelter Gulch lode of this survey, at
 N. $24^{\circ} 30'$ W. 1076.99 ft. from Cor. No. 2,

550. Enter Ravine course North.

600. To Cor. No. 2,

A cottonwood post $4 \frac{1}{2}$ ft. long, 5 ins. square, set 18
 ins. in the ground with mound of stones scribed 2/2675 L
 Identical with Cor. of location.

No witness points available.

Survey No. 2675-Continued.

Feet.	La Mexicana Lode-Continued.
	Thence S. 13° 23' E.
280.	Leave Ravine course N. 25° W.
913.78	Intersect line 2-3 Smelter Gulch lode of this survey, at N. 24° 30' W. 148.35 ft. from Cor. No. 2,
1500.	To Cor. No. 3, On line 2-3 Comet lode of this survey. A granite stone 30x10x10 ins. set 18 ins. in the ground with mound of stones chiseled 3/2675 L. Identical with corner of location. No witness points available.
	Thence S. 75° 47' W.
300.	South end center, identical with end center of location, a pine post 4 ft. high in mound of stones, marked end center La Mexicana lode.
600.	To Cor. No. 4, x4/2675 L. chiseled on granite ledge, 3 ft. high, whence, Cor. No. 2 Sentinel lode of this survey bears N. 80° 1' W. 530.75 ft. Identical with corner of location. No witness points available.
	Thence N. 13° 23' W.
729.41	Intersect line 1-2 Comet lode, also line 2-3 Sentinel whence Cors. Nos. 2 and 3 br. N. 29° lode of this survey, at N. 29° 50' E. 566.85 ft. and 50' E. 41.35 and 663.48 ft. respectively. 711.85 ft. from Cors. Nos. 1 and 2 respectively.
1500.	To Cor. No. 1, the place of beginning.
	Smelter Gulch Lode.
	Beginning at Cor. No. 1, An inaccessible point on face of cliff, whence, U.S.M.M. 2675 bears N. 89° 18' 40" W. 3441.3 ft. Witness corner to Cor. No. 1 bears S. 81° 10' W. 122.4 ft.

Feet.	Smelter Gulch Lode-Continued.
	Identical with corner of location.
	Thence S. 81° 10' W.
62.29	South end center, identical with end center of location,
	at inaccessible point on bluff, W.C. hereafter described bears
92.29	S. 81° 10' W. 30 ft. dist.
100.	Enter Ravine course N. 35° W. <i>W.C. for S.E.C. hereafter described</i>
122.4	Witness corner to Cor. No. 1,
	A cottonwood post 4 1/2 ft. long, 5 ins. square, set 18
	ins. in the ground with mound of stones scribed W. C.
	1/2675 S.G. whence,
	W.C. 2675 chiseled on granite cliff 3 ft. high bears
	N. 81° 10' E. 30 ft., for W.C. south end center.
200.	Wagon road 10 ft. wide course N. 35° W.
240.	Leave Ravine course N. 35° W.
373.79	To Cor. No. 2,
	A cotton wood post 4 1/2 ft. long, 5 ins. square, set
	18 ins. in the ground with mound of stones scribed
	2/2675 S.G. whence,
	Cor. No. 3 La Mexicana lode of this survey bears S. 90°
	40' E. 441.26 ft.
	Identical with corner of location.
	No witness points available.
	Thence N. 24° 30' W.
148.35	Intersect line 2-3 La Mexicana lode of this survey, at
	S. 13° 23' E. 913.78 ft. from Cor. No. 2,
1076.99	Intersect line 1-2 La Mexicana lode of this survey, at
	S. 75° 47' W. 179.06 ft. from Cor. No. 2,
1286.28	Intersect line 2-3 Ella Belle lode of this survey, at
	N. 16° 15' E. 346.59 ft. from Cor. No. 2
1500.	To Cor. No. 3,
	A pine post 4 1/2 ft. long, 5 ins. square, set 18 ins.
	in the ground with mound of stones scribed 3/2675 S.G.
	Identical with corner of location.
	No witness points available.

Feet

Smelter Gulch-Lode-Continued.

Thence N. $81^{\circ} 10'$ E.

- 154.04 Cor. No. 1 Iron Hill lode of this survey and
Intersect line 2-3 Ella Belle lode of this survey, at
N. $16^{\circ} 15'$ E. 573.80 ft. from Cor. No. 2,
185. Enter Ravine course N. 16° E.
300. Wagon road 10 ft. wide course S. 5° W.
- 311.5 North end center identical with end center of location,
a cottonwood post 4 ft. high in mound of stones marked
end center Smelter Gulch lode.
- 373.79 To Cor. No. 4,
A cottonwood post $4 \frac{1}{2}$ ft. long, 5 ins. square, set 18
ins. in the ground with mound of stones scribed 4/2675
S.G.
On line 4-1 Iron Hill lode of this survey, at N. $81^{\circ} 10'$
E. 219.75 ft. from Cor. No. 1,
Identical with corner of location.
No witness points available.
- Thence S. $24^{\circ} 30'$ E.
70. Leave Ravine course North.
1500. To Cor. No. 1, the place of beginning.

Blue Bird Lode.

- Beginning at Cor. No. 1,
Identical with Cor. No. 1 Smelter Gulch Lode of this
survey. Not set. whence, *W.C. bears N. $81^{\circ} 10'$ E. 37.67 ft.*
U.S.M.M. 2675 bears N. $89^{\circ} 18'.40''$ W. 3441.3 ft.
- Thence N. $81^{\circ} 10'$ E.
- 37.67 Witness corner to Cor. No. 1,
A pine post $4 \frac{1}{2}$ ft. long, 5 ins. square, set 18 ins.
in the ground with mound of stones scribed W.C. 1/2675
B.B. whence point for true Cor. No. 1, bears S. 81°
 $10'$ W. 37.67 ft.
No witness points available.

Feet. Blue Bird Lode-Continued.

202.95 South end center, identical with end center of location, a cottonwood post 4 ft. high in mound of stones marked end center Blue Bird lode.

514.45 To Cor. No. 2.

A cottonwood post 4 1/2 ft. long, 5 ins. square, set 18 ins. in the ground with mound of stones scribed 2/2675 B.B.

Identical with corner of location.

No witness points available.

Thence N. 24° 30' W.

1500. To Cor. No. 3,

A cottonwood post 4 1/2 ft. long, 5 ins. square, set 18 ins. in the ground with mound of stones scribed 3/2675 B.B.

On line 4-1 Iron Hill lode of this survey, at N. 81° 10' E. 734.20 ft. from Cor. No. 1,

Identical with corner of location.

No witness points available.

Thence S. 81° 10' W.

311.5 North end center, identical with end center of location, a cottonwood post 4 ft. high in mound of stones, marked end center Blue Bird lode.

460. Enter Ravine course North.

514.45 To Cor. No. 4,

Identical with Cor. No. 4 Smelter Gulch lode of this survey, corner heretofore described, to which I add 4 B.B. whence,

Cor. of location bears S. 81° 10' W. 108 ft., a cottonwood post 3 ins. dia., 3 1/2 ft. high, marked Cor. of Blue Bird lode. On line 4-1 Iron Hill lode of this survey, at N. 81° 10'

E. 219.75 ft. from Cor. No. 1,

Thence S. 24° 30' E.

70. Leave Ravine course North.

1500. To Cor. No. 1, the place of beginning.

Survey No. 2675-Continued.

Feet	Palmetto Lode. Beginning at Cor. No. 1, Identical with Cor. No. 2 Blue Bird lode of this survey and corner of location, whence, U.S.M.M. 2675 bears S. 89° 27' 20" W. 3949.5 ft. Thence N. 81° 10' E.
311.5	South end center identical with end center of location, a cottonwood post, 4 ft. high, in mound of stones, mark- ed end center Palmetto lode.
623.	To Cor. No. 2, A cottonwood post 4 1/2 ft. long, 5 ins. square, set 18 ins. in the ground with mound of stones scribed 2/2675 Pa. Identical with corner of location. No witness points available. Thence N. 32° 50' W.
80.93	Cor. No. 1 Nickerson lode of this survey.
1580.93	To Cor. No. 3, A granite stone 28x8x10 ins. set 18 ins. in the ground with mound of stones chiseled 3/2675 Pa. On line 4-1 Iron Hill lode of this survey, at S. 81° 10' W. 3898 ft. from Cor. No. 4, Cor. of location bears N. 81° 10' E. 238 ft., a cottonwood stake 3 ins. dia. 3 ft. high, marked Cor. of Palmetto lode. No witness points available. Thence S. 81° 10' W.
73.5	North end center identical with end center of the location a cottonwood post 4 ft. high in mound of stones, marked end center Palmetto lode.
140.	Wagon road 8 ft. wide course S. 20° E.
385.	To Cor. No. 4, Identical with Cor. No. 3 Blue Bird lode of this survey, corner heretofore described, to which I add 4-Pa. Identical with corner of location, on line 4-1 Iron Hill lode of this survey at N. 81° 10' E. 734.20 ft. from Cor. No. 1.

- Feet. Palmetto Lode-Continued.
- Cor. No. 1, Thence S. $24^{\circ} 30'$ E.
1500. To Cor. No. 1, the place of beginning.
- Nickerson Lode.
- Beginning at Cor. No. 1,
- A cottonwood post $4 \frac{1}{2}$ ft. long, 5 ins. square, set 18 ins. in the ground with mound of stones scribed $1/2675$ N.
- On line 2-3 Palmetto lode of this survey, at N. $32^{\circ} 50'$ W. 80.93 ft. from Cor. No. 2,
- U.S.M.M. 2675 bears S. $87^{\circ} 27'$ W. 4525.5 ft.
- Identical with corner of location.
- No witness points available.
- Thence N. $81^{\circ} 10'$ E.
- 21.6 South end center identical with end center of location, a cottonwood post 4 ft. high in mound of stones marked end center Nickerson lode.
350. To Cor. No. 2,
- A cottonwood post $4 \frac{1}{2}$ ft. long, 5 ins. square, set 18 ins. in the ground with mound of stones scribed $2/2675$ N.
- Identical with corner of location.
- No witness points available.
- Thence N. $32^{\circ} 50'$ W.
1500. To Cor. No. 3,
- A cottonwood post $4 \frac{1}{2}$ ft. long, 5 ins. square, set 18 ins. in the ground with mound of stones scribed $3/2675$ N.
- On line 4-1 Iron Hill lode of this survey, at S. $81^{\circ} 10'$ W. 30.8 ft. from Cor. No. 4,
- Identical with corner of location.
- No witness points available.

Feet.

Nickerson Lode-Continued.

Thence S. 81° 10' W.

328.4 North end center, identical with end center of location, a cottonwood post 4 ft. high in mound of stones, marked end center Nickerson lode.

350.

To Cor. No. 4,

Identical with Cor. No. 3 Palmetto lode of this survey and corner of location. *corner heretofore described, to which I add* 4.N.
On line 4-1 Iron Hill lode of this survey, at S. 81° 10' W. 380.8 ft. from Cor. No. 4.

Thence S. 32° 50' E.

1500.

To Cor. No. 1, the place of beginning.

Copper Hill Lode.

Beginning at Cor. No. 1,

Identical with Cor. No. 2 Nickerson lode of this survey, corner heretofore described, to which I add 1-C.H., and corner of location, whence,

U.S.M.M. 2675 bears S. 87° W. 4873.6 ft.

Thence N. 81° 10' E.

328.39

South end center identical with end center of location, a cottonwood post 4 ft. high in mound of stones, marked end center Copper Hill lode.

656.78

To Cor. No. 2,

A cottonwood post 4 1/2 ft. long, 5 ins. square, set 18 ins. in the ground with mound of stones scribed 2/2675 C.H.

Identical with corner of location.

No witness points available.

Thence N. 32° 50' W.

1500.

To Cor. No. 3,

A cottonwood post 4 1/2 ft. long, 5 ins. square, set 18 ins. in the ground with mound of stones scribed 3/2675

C. H.

Feet.	Copper Hill Lode-Continued.
	<p>Identical with corner of location.</p> <p>No witness points available.</p> <p style="text-align: center;">Thence S. 81° 10' W.</p>
328.39	<p>North end center identical with end center of location, a cottonwood post 4 ft. high in mound of stones, marked end center Copper Hill lode.</p>
556.	<p>To Cor. No. 1 Copper Hill No. 2 lode of this survey.</p>
625.98	<p>Cor. No. 4 Iron Hill lode of this survey.</p>
656.78	<p>To Cor. No. 4,</p> <p>Identical with Cor. No. 3 Nickerson lode of this survey corner heretofore described, to which I add 4-C.H., and corner of location.</p> <p>On line 4-1 Iron Hill lode of this survey, at S. 81° 10' W. 30.8 ft. from Cor. No. 4.</p> <p style="text-align: center;">Thence S. 32° 50' E.</p>
1500.	<p>To Cor. No. 1, the place of beginning.</p> <p style="text-align: center;">Ella Belle Lode.</p>
	<p>Beginning at Cor. No. 1,</p> <p>A granite stone 28x10x8 ins. set 18 ins. in the ground with mound of stones chiseled 1/2675 E.B. whence, U.S.M.M. 2675 bears S. 62° 41' 40" W. 2126.9 ft.</p> <p>Identical with corner of location.</p> <p>No witness points available.</p> <p style="text-align: center;">Thence S. 66° 45' E.</p>
300.	<p>South end center, identical with end center of location, a cottonwood post 4 ft. high in mound of stones, marked end center Ella Belle lode.</p>
447.14	<p>Intersect line 1-2 La Mexicana lode of this survey, at N. 75° 47' E. 86.06 ft. from Cor. No. 1,</p>
600.	<p>To Cor. No. 2,</p> <p>granite stone 28x10x8 ins. set 18 ins. in the ground</p>

Feet. Ella Belle Lode-Continued.

with mound of stones chissled 2/2675 E.B.

Identical with corner of location.

No witness points available.

Thence N. 16° 15' E.

- 107.88 Intersect line 1-2 La Mexicana lode of this survey, at
N. 75° 47' E. 262.09 ft. from Cor. No. 1,
- 346.59 Intersect line 2-3 Smelter Gulch lode of this survey,
at S. 24° 30' E. 213.72 ft. from Cor. No. 3,
- 573.80 Cor. No. 1, Iron Hill lode of this survey and
Intersect line 3-4 Smelter Gulch lode of this survey,
at N. 81° 10' E. 154.04 ft. from Cor. No. 3,
1000. Enter Ravine course N. 15° E.
1200. Wagon road 10 ft. wide course N. 10° W.
- 1235.8 To Cor. No. 3,
A cottonwood post 4 1/2 ft. long, 5 ins. square, set 18
ins. in the ground with mound of stones scribed 3/2675
E.B.
On line 4-1 Iron Hill No. 2 lode of this survey, at
N. 81° 10' E. 226.1 ft. from Cor. No. 1, whence
Corner of location bears N. 16° 15' E. 265 ft., a cottonwood
post 3 ins. dia., 3 ft. high, marked Cor. of Ella Belle lode.
No witness points available.
- Thence N. 66° 45' W.
10. Wagon road 10 ft. wide course N. 25° W.
25. Leave Ravine course N. 60° W.
60. Cor. No. 2 Ella Belle No. 2 lode of this survey.
- 206.32 Intersect line 1-2 Iron Hill No. 2 lode of this survey,
at N. 16° 15' E. 121.00 ft. from Cor. No. 1,
300. North end center, whence end center of location bears
N. 16° 15' E. 265 ft. a cottonwood post 4 ft. high in
mound of stones marked end center Ella Belle lode.
530. Enter Ravine course N. 25° E.

Feet.

Ella Belle Lode-Continued.

600. To Cor. No. 4,
A cottonwood post 4 1/2 ft. long, 5 ins. square, set 18
ins. in the ground with mound of stones scribed 4/2675
E.B.

On line 1-2 Ella Belle No. 2 lode of this survey, at
S. 66° 45' E. 64.5 ft. from Cor. No. 1, whence,

Corner of location bears N. 16° 15' E. 265. ft., a cotton-
wood post 3 ins. dia., 3 1/2 ft. long, marked Cor. of Ella Belle.
No witness points available.

Thence S. 16° 15' W.

200. Leave Ravine course N. 25° E.

1235.8 To Cor. No. 1, the place of beginning.

Planet No. 2 Lode.

Beginning at Cor. No. 1,

Identical with Cor. No. 1, Ella Belle lode of this
corner heretofore described, to which I add 1- P.2.
survey, whence

U.S.M.M. 2675 bears S. 62° 41' 40" W. 2126.9 ft.

Identical with corner of location.

Thence N. 66° 45' W.

100. Enter Ravine course N. 10° W.

208.81 Leave Ravine course N. 10° W.

258.8 Intersect line 4-1 Ashley lode of this survey, at
S. 29° 50' W. 116.4 ft. from Cor. No. 4,

302.25 *South* end center, identical with end center of location,
a cottonwood post 4 ft. high in mound of stones, marked
end center Planet No. 2 lode.

604.5 To Cor. No. 2,

A granite stone 28x8x6 ins. set 18 ins. in the ground
with mound of stones chiseled 2/2675 P.2

No witness points available.

Identical with corner of location.

Thence N. 16° 15' E.

Feet.	Planet No. 2 Lode-Continued.
312.37	Intersect line 3-4 Ashley lode of this survey, at N. 40° 40' W. 442.16 ft. from Cor. No. 4.
1235.8	<p>To Cor. No. 3,</p> <p>A cottonwood post 4 1/2 ft. long, 5 ins. square, set 18 ins. in the ground with mound of stones scribed 3/2675 P. 2</p> <p>On line 1-2 Planet No. 3 lode of this survey, at S. 66° 45' E. 64.5 ft. from Cor. No. 2,</p> <p>Identical with corner of location.</p> <p>No witness points available.</p>
	Thence S. 66° 45' E.
302.25	North end center, identical with end center of location, a cottonwood post 4 ft. high in mound of stones, marked end center Planet No. 2 lode.
480.	Enter Ravine course North.
540.	Cors. Nos. 1 Planet No. 3 and Ella Belle No. 2 lodes of this survey.
604.5	<p>To Cor. No. 4,</p> <p>Identical with Cor. No. 4 Ella Belle lode of this survey and corner of location, corner heretofore described to which I add 4-P. 2</p> <p>On line 1-2 Ella Belle No. 2 lode of this survey, at S. 66° 45' E. 64.5 ft. from Cor. No. 1,</p>
	Thence S. 16° 15' W.
200.	Leave Ravine course N. 25° E.
1235.8	To Cor. No. 1, the place of beginning.
	Ella Belle No. 2 Lode.
	<p>Beginning at Cor. No. 1,</p> <p>A cottonwood post 4 1/2 ft. long, 5 ins. square, set 18 ins. in the ground with mound of stones scribed 1/2675 E.B.2</p> <p>On line 3-4 Planet No. 2 lode of this survey, at</p>

Feet.	Ella Belle No. 2 Lode-Continued.
	<p>N. 66° 45' W. 64.5 ft. from Cor. No. 4, whence, U.S.M.M. 2675 bears S. 44° 51' 20" W. 3086.01 ft. Identical with corner of location. No witness points available.</p> <p style="text-align: center;">Thence S. 66° 45' E.</p>
64.5	<p>Cors. Nos. 4 Planet No. 2 and Ella Belle lodes of this survey,</p>
134.5	<p>Leave Ravine course N. 25° E.</p>
302.25	<p>South end center, identical with end center of location, a cottonwood post 4 ft. high in mound of stones, marked end center Ella Belle No. 2 lode,</p>
458.1	<p>Intersect line 1-2 Iron Hill No. 2 lode of this survey, <i>whence Cor. N° 2 Iron Hill N° 2 lode. brs</i> N. 16° 15' E. 397.9 ft.</p>
604.5	<p>To Cor. No. 2, A pine post 4 1/2 ft. long, 5 ins. square, set 18 ins. in the ground with mound of stones scribed 2/2675 E.B.2 On line 3-4 Ella Belle lode of this survey, at N. 66° 45' W. 60 ft from Cor. No. 3, Identical with corner of location. No witness points available.</p> <p style="text-align: center;">Thence N. 16° 15' E.</p>
40.	<p>Foot of hill.</p>
50.	<p>Wagon road 10 ft. wide course N. 45° W.</p>
483.72	<p>Intersect line 2-3 Iron Hill No. 2 lode of this survey, at N. 81° 10' E. 160.35 ft. from Cor. No. 2,</p>
1500.	<p>To Cor. No. 3, A cottonwood post 4 1/2 ft. long, 5 ins. square, set 18 ins. in the ground with mound of stones scribed 3/2675 E.B.2 Identical with corner of location, No witness points available.</p>

Feet.

Ella Belle No. 2 Lode-Continued.

Thence N. 66° 45' W.

302.25 North end center identical with end center of location, a cottonwood post 4 ft. high in mound of stones, marked end center Ella Belle No. 2 lode,

604.5 To Cor. No. 4,
A cottonwood post 4 1/2 ft. long, 5 ins. square, set 18 ins. in the ground with mound of stones scribed 4/2675 E.B.2

Identical with corner of location.

No witness points available.

Thence S. 16° 15' W.

1100. Wagon road 10 ft. wide course N. 60° W.

1500. To Cor. No. 1, the place of beginning.

Planet No. 3 Lode.

Beginning at Cor. No. 1,
Identical with Cor. No. 1 Ella Belle No. 2 lode of this survey, corner heretofore described, to which I add 1-P.3
On line 3-4 Planet No. 2 lode of this survey, at N. 66° 45' W. 64.5 ft. from Cor. No. 4, whence U.S.M.M. 2675 bears S. 44° 51' 20" W. 3086.01 ft.
Identical with corner of location.

Thence N. 66° 45' W.

60. Leave Ravine course North.

540. Cor. No. 3 Planet No. 2 lode of this survey.

302.25 South end center, identical with end center of location, a cottonwood post 4 ft. high in mound of stones, marked end center Planet No. 3 lode.

604.5 To Cor. No. 2,
A cottonwood post 4 1/2 ft. long, 5 ins. square, set 18 ins. in the ground with mound of stones scribed 2/2675 P.3, whence,

Survey No. 2675-Continued.

Feet.

Planet No. 3 Lode-Continued.

x B.R. 2/2675 P.3 chiseled three feet high on granite ledge bears N. $66^{\circ} 45'$ W. 30.67 ft.
Identical with corner of location.

Thence N. $16^{\circ} 15'$ E.

1500.

To Cor. No. 3,

A cottonwood post $4 \frac{1}{2}$ ft. long, 5 ins. square, set 18 ins. in the ground with mound of stones scribed 3/2675 P. 3 whence,

A cottonwood tree 32 ins. dia. blazed and scribed B.T. 3/2675 P.3 bears N. $11^{\circ} 45'$ E. 7.3 ft.

Identical with corner of location.

Thence S. $66^{\circ} 45'$ E.

302.25

North end center identical with end center of location, a cottonwood post, in mound of stones marked end center Planet No. 3 lode.

604.5

To Cor. No. 4,

Identical with Cor. No. 4 Ella Belle No. 2 lode of this survey, and corner of location, corner heretofore described, to which I add 4-P.3

Thence S. $16^{\circ} 15'$ W.

1100.

Wagon road 10 ft. wide course N. 60° W.

1500.

To Cor. No. 1, the place of beginning.

Planet No. 4 Lode.

Beginning at Cor. No. 1,

A cottonwood post $4 \frac{1}{2}$ ft. long, 5 ins. square, set 18 ins. in the ground with mound of stones scribed 1/2675 P.4 whence,

U.S.M. 2675 bears S. $21^{\circ} 47' 40''$ W. 2870.07 ft.

x B.R. 1/2675 ^{P.4} chiseled on granite ledge 2 ft. high bears N. $34^{\circ} 53'$ W. 10.4 ft.

Identical with corner of location.

Feet.	Planet No. 4 Lode-Continued.
	Thence S. 66° 45' E.
302.25	South end center identical with end center of location, a cottonwood post 4 ft. high in mound of stones marked end center Planet No. 4 lode.
604.5	To Cor. No. 2, Identical with Cor. No. 2 Planet No. 3 lode of this survey and corner of location, <i>corner heretofore described, to which I add 2-P.4</i>
	Thence N. 16° 15' E.
1500.	To Cor. No. 3, Identical with Cor. No. 3 Planet No. 3 lode of this survey and corner of location, <i>corner heretofore described, to which I add 3-P.4</i>
	Thence N. 66° 45' W.
302.25	North end center, identical with end center of location, a cottonwood post 4 ft. high in mound of stones marked, end center Planet No. 4 lode.
594.65	Witness corner to Cor. No. 4, A cottonwood post 4 1/2 ft. long, 5 ins. square, set 18 ins. in the ground with mound of stones scribed W.C. 4/2675 P.4 whence, True point for Cor. No. 4 bears N. 66° 45' W. 9.85 ft. No witness points available.
604.5	To Cor. No. 4, on steep bank where permanent corner cannot be set, <i>W.C. heretofore described, bears S. 66° 45' E. 9.85 ft.</i> Identical with corner of location.
	Thence S. 16° 15' W.
31.	Cor. No. 4 Planet No. 5 lode of this survey.
1500.	To Cor. No. 1, the place of beginning.
	Planet No. 5, Lode.
	Beginning at Cor. No. 1, Identical with Cor. No. 1 Planet No. 4 lode of this <i>corner heretofore described, to which I add 1 P.5.</i> survey and corner of location, [^] whence,

Feet.

Planet No. 5 Lode-Continued.

U.S.M.M. 2675 bears S. $21^{\circ} 47' 40''$ W. 2870.07 ft.Thence S. $76^{\circ} 46'$ W.

195.3

South end center, identical with end center of location, a cottonwood post 4 ft. high in mound of stones marked, end center Planet No. 5 lode.

470.

To Cor. No. 2,

A cottonwood post $4 \frac{1}{2}$ ft. long, 5 ins. square, set 18 ins. in the ground with mound of stones scribed $2/2675$ P. 5 whence,

X B.R. $2/2675$ P.5 chiseled on granite ledge 3 ft. high bears S. $76^{\circ} 46'$ W. 14.1 ft.

Identical with corner of location.

Thence N. $16^{\circ} 15'$ E.

1469.

To Cor. No. 3,

A cottonwood post $4 \frac{1}{2}$ ft. long, 5 ins. square, set 18 ins. in the ground with mound of earth, scribed $3/2675$, ^{P5} whence

A cottonwood tree 24 ins. dia. blazed and scribed $3/2675$ B.T. bears N. $76^{\circ} 46'$ E. 21.9 ft.

Identical with Cor. No. 3 of the location.

Thence N. $76^{\circ} 46'$ E.

274.70

North end center, identical with end center of location, a cottonwood post 4 ft. high in mound of stones marked, end center Planet No. 5 lode.

470.

To Cor. No. 4,

A cottonwood post $4 \frac{1}{2}$ ft. long, 5 ins. square, set 18 ins. in the ground with mound of stones scribed $4/2675$ P. 5

On line 4-1 Planet No. 4 lode of this survey.

Identical with corner of location.

Feet	Planet No. 5 Lode-Continued.
	Thence S. 16° 15' W.
1469.	To Cor. No. 1, the place of beginning.
	Iron Hill Lode.
	Beginning at Cor. No. 1, A cottonwood post 4-1/2 ft. long, 5 ins. square, set 18 ins. in the ground with mound of stones scribed 1/2675 I.H. whence, U.S.M.M. 2675 bears S. 63° 37' 50" W. 2904 ft. At intersection of line 3-4 Smelter Gulch lode with line 2-3 Ella Belle lode of this survey, at N. 81° 10' E. 154.04 ft., and N. 16° 15' E. 573.8 ft. from Cors. Nos. 3 and 2 respectively. Identical with corner of location. No witness points available.
	Thence N. 16° 15' E.
331.	West end center, identical with end center of location, a cottonwood post 4 ft. high in mound of stones marked, end center Iron Hill lode.
426.2	Enter Ravine course N. 15° E.
626.2	Wagon road 10 ft. wide course N. 10° W.
662.	To Cor. No. 2, Identical with Cor. No. 3 Ella Belle lode of this survey and corner of location, corner heretofore described, to which I add 2-LH. On line 4-1 Iron Hill No. 2 lode of this survey, at N. 81° 10' E. 226.1 ft. from Cor. No. 1.
	Thence N. 81° 10' E.
200.	Leave Ravine course N. 20° E.
1273.9	Cor. No. 4 Iron Hill No. 2 lode of this survey.
1404.	Intersect line 4-1 Copper Hill No. 2 lode of this survey, at N. 1° 59' 30" E. 610.35 ft. from Cor. No. 1.
1500.	To Cor. No. 3,

Feet

Iron Hill Lode-Continued.

A cottonwood post 4 1/2 ft. long, 5 ins. square, set 18 ins. in the ground with mound of stones scribed 3/2675 I.H.

Identical with corner of location.

No witness points available.

Thence S. 16° 15' W.

331. East end center, identical with end center of location, a cottonwood post 4 ft. high in mound of stones, marked end center Iron Hill lode.

382.85 Intersect line 4-1 Copper Hill No. 2 lode of this survey, at N. 1° 59' 30" E. 257.32 ft. from Cor. No. 1.

662. To Cor. No. 4,

A cottonwood post 4 1/2 ft. long, 5 ins. square, set 18 ins. in the ground with mound of stones scribed 4/2675 I.H.

On line 3-4 Copper Hill lode of this survey, at N. 81° 10' E. 30.8 ft. from Cor. No. 4.

Identical with corner of location.

No witness points available.

Thence S. 81° 10' W.

30.8 Cors. Nos. 4-3 Copper Hill and Nickerson lodes of this survey.

380.8 Cors. Nos. 4-3 Nickerson and Palmetto lodes of this survey.

520.8 Wagon road 8 ft. wide course S. 20° E.

765.8 Cor. Nos. 4-3 Palmetto and Blue Bird lodes of this survey.

1225.8 Enter Ravine course North.

1280.25 Cors. Nos. 4 Blue Bird and Smelter Gulch lodes of this survey.

1354.04 Wagon road 10 ft. wide course S. 5° W.

1469.04 Leave Ravine course N. 16° E.

Feet

Iron Hill Lode-Continued.

1500. To Cor. No. 1, the place of beginning.

Iron Hill No. 2 Lode.

Beginning at Cor. No. 1,

A cottonwood post 4 1/2 ft. long, 5 ins. square, set 18 ins. in the ground with mound of stones scribed 1/2675

I.H. 2 whence,

U.S.M.M. 2675 bears S. 53° 35' 30" W. 3185.4 ft.

Identical with corner of location.

No witness points available.

Thence N. 16° 15' E.

121.00 Intersect line 3-4 Ella Belle lode of this survey,
Also line 1-2 Ella Belle No. 2 lode of this survey, at
N. 66° 45' W. 206.32 ft. and 146.32 ft. from Cors.
Nos. 3 and 2 respectively.

187.9 West end center, identical with end center of location,
a cottonwood post 4 ft. high in mound of stones, marked
end center Iron Hill No. 2 lode.

350. Wagon road 10 ft. wide course N. 50° W.

518.9 To Cor. No. 2,

A cottonwood post 4 1/2 ft. long, 5 ins. square, set 18 ins. in the ground with mound of stones scribed 2/2675

I.H. 2

Identical with corner of location.

No witness points available.

Thence N. 81° 10' E.

160.35 Intersect line 2-3 Ella Belle No. 2 lode of this survey,
at N. 16° 15' E. 483.72 ft. from Cor. No. 2.

1500. To Cor. No. 3,

A cottonwood post 4 1/2 ft. long, 5 ins. square, set 18 ins. in the ground with mound of stones scribed 3/2675

I.H.2

Survey No. 2675-Continued.

Feet	Iron Hill No. 2 Lode-Continued.
	Identical with corner of location. No witness points available.
	Thence S. 16° 15' W.
331.	East end center, identical with end center of location, a cottonwood post 4 ft. high in mound of stones, marked end center Iron Hill No. 2 lode.
518.9	To Cor. No. 4, A cottonwood post 4 1/2 ft. long, 5 ins. square, set 18 ins. in the ground with mound of stones scribed 4/2675 I.H. 2 Identical with corner of location. On line 2-3 Iron Hill lode of this survey, at S. 81° 10' W. 226.1 ft. from Cor. No. 3, No witness points available.
	Thence S. 81° 10' W.
1073.9	Enter Ravine course N. 20° E.
1273.9	Cor. No. 2 Iron Hill lode and Cor. No. 3 Ella Belle lode of this survey.
1283.9	Wagon road 10 ft. wide course N. 25° W.
1500.	To Cor. No. 1, the place of beginning.
	Copper Hill No. 2 Lode.
	Beginning at Cor. No. 1, A cottonwood post 4 1/2 ft. long, 5 ins. square, set 18 ins. in the ground with mound of stones scribed 1/2675 CH.2 On line 3-4 Copper Hill lode of this survey, at N. 81° 10' E. 100.78 ft. from Cor. No. 4, whence U.S.M.M. 2675 bears S. 69° 46' W. 4426.3 ft. Corner of location bears S. 81° 10' W. 54 ft. No witness points available.
	Thence N. 81° 10' E.

Feet	Copper Hill No. 2 Lode.
305.2	South end center, identical with end center of location, a cottonwood post 4 ft. high in mound of stones marked end center Copper Hill No. 2 lode.
556.	To Cor. No. 2, Identical with Cor. No. 3 Copper Hill lode of this survey, and corner of location, corner heretofore described, to which I add 2 C.H.2 Thence N. 4° 46' 30" E.
1100.34	To Cor. No. 3, A cottonwood post 4 1/2 ft. long, 5 ins. square, set 18 ins. in the ground with mound of stones scribed 3/2675 C.H.2 whence, Cor. of location bears N. 4° 47' E. 400 ft., a cottonwood post 4 ft. high, 3 ins. dia. marked Cor. of Copper Hill No. 2 lode. No witness points available.
	Thence S. 81° 10' W.
305.2	N. end center whence end center of location a cottonwood post 4 ft. high in mound of stones, marked end center Copper Hill No. 2 lode, bears N. 1° 59' 30" E. 400 ft.
610.4	To Cor. No. 4, Identical with Cor. No. 3 Iron Hill No. 2 lode of this survey, corner heretofore described, to which I add 4 C.H.2 whence, Corner of location bears N. 1° 47' E. 400 ft., a cottonwood post 3 1/2 ft. high, 3 ins. dia., marked Cor. of Copper Hill No. 2 lode. Thence S. 1° 59' 30" W.
478.51	Intersect line 2-3 Iron Hill lode of this survey at S. 81° 10' W. 96 ft. from Cor. No. 3,
831.54	Intersect line 3-4 Iron Hill lode of this survey, at S. 16° 15' W. 382.85 ft. from Cor. No. 3,
1088.86	To Cor. No. 1, the place of beginning.

Variation at all Corners 15° 30' E.

Lode Lines.

As near as can be determined from present developments the veins of the several locations embraced in this claim extend as follows from their respective discoveries:

Opal Lode 110 ft. N. 49° 20' E. and 1390 ft. S. 49° 20' W.
 Otis Lode 1250 ft. S. 49° 20' W. and 250 ft. N. 49° 20' E.
 Wisconsin Lode 50 ft. S. 49° 20' W. and 1443.5 ft. N. 49° 20' E.
 Oddoletta Lode 545 ft. N. 48° 34' E. and 704.35 ft. S. 48° 34' W.
 Odora Lode 470 ft. N. 49° 20' E. and 936.2 ft. S. 49° 20' W.
 New York Lode 537.9 ft. N. 42° 55' W. and 902.42 ft. S. 66° 35' E.
 McCarn Lode 700 ft. N. 49° 20' E. and 800 ft. S. 49° 20' W.
 Kimball Lode 160 ft. S. 66° 35' E. and 1340 ft. N. 66° 35' W.

Crompton Lode 65 ft. S. $66^{\circ}35'$ E. and 1435 ft. N. $66^{\circ}35'$ W. ✓
 Mesa Lode 300 ft. N. $49^{\circ}20'$ E. and 1200 ft. S. $49^{\circ}20'$ W. ✓
 Partridge Lode, 15 ft. N. $29^{\circ}50'$ E. and 1263.8 ft. ✓
 S. $29^{\circ}50'$ W.
 Boston Lode, 50 ft. N. $29^{\circ}50'$ E. and 1450 ft. S. $29^{\circ}50'$ W. ✓
 Mark Hanna Lode, 1450 ft. S. $29^{\circ}50'$ W. and N. $29^{\circ}50'$ E. 50 ft. ✓
 Bill Williams Lode, 650 ft. N. $29^{\circ}50'$ E. and 850 ft. ✓
 S. $29^{\circ}50'$ W.
 Bunker Hill Lode 1000 ft. N. $29^{\circ}50'$ E. and 500 ft. ✓
 S. $29^{\circ}50'$ W.
 Orange Lode, 1270. ft. N. $29^{\circ}50'$ E. and 229.55 ft. S. ✓
 $29^{\circ}50'$ W.
 Barton Lode, 250 ft. N. $29^{\circ}50'$ E. and 1249.55 ft. ✓
 S. $29^{\circ}50'$ W.
 Brookeville Lode, 204 ft. N. $80^{\circ}10'$ W. and 1296 ft. ✓
 S. $80^{\circ}10'$ E.
 Ahonika Lode, 100 ft. N. $29^{\circ}50'$ E. and S. $29^{\circ}40'$ W. 1400 ft. ✓
 Ashley Lode, 500 ft. N. $29^{\circ}50'$ E. and 1000 ft. S. $29^{\circ}50'$ W. ✓
 Planet Lode, 1365.33 ft. S. $29^{\circ}50'$ W, and 10 ft. N. $29^{\circ}50'$ E. ✓
 Byron Lode, 1325 ft. S. 12° E., and N. 12° W. 175 ft. ✓
 Sentinel Lode, 1295.33 ft. S. $29^{\circ}50'$ W, and N. $29^{\circ}50'$ E. 80 ft. ✓
 Comet Lode, 750 ft. N. $50^{\circ}40'$ W. and 750 ft. S. $50^{\circ}40'$ E. ✓
 La Mexicana Lode, 1400 ft. N. $13^{\circ}23'$ W. and 100 ft. ✓
 S. $13^{\circ}23'$ E.
 Smelter Gulch Lode, 150 ft. N. $24^{\circ}30'$ W. and 1350 ft. ✓
 S. $24^{\circ}30'$ E.
 Blue Bird Lode, 750 ft. N. $24^{\circ}30'$ W. and 750 ft. S. ✓
 $24^{\circ}30'$ E.
 Palmetto Lode, 840 ft. N. $24^{\circ}30'$ W. and 660 ft. ✓
 S. $24^{\circ}30'$ E.

Nickerson Lode, 350 ft. N. 32° 50' W. and 1150 ft. ✓
S. 32° 50' E.

Copper Hill Lode, 1060 ft. N. 32° 50' W. and 440 ft. ✓
S. 32° 50' E.

Ella Belle Lode, 577.8 ft. N. 16° 15' E. and 658.8 ft. ✓
S. 16° 15' W.

Planet No. 2 Lode, 250 ft. S. 16° 15' W. and 985.8 ft. ✓
N. 16° 15' E.

Ella Belle No. 2 Lode, 1490 ft. N. 16° 15' E. and 10 ft. ✓
S. 16° 15' W.

Planet No. 3 Lode, 1400 ft. N. 16° 15' E. and 100 ft. ✓
S. 16° 15' W.

Planet No. 4 Lode, 750 ft. N. 16° 15' E. and 750 ft. ✓
S. 16° 15' W.

Planet No. 5 Lode, 1040 ft. N. 16° 15' E. and 429 ft. ✓
S. 16° 15' W.

Iron Hill Lode, 596 ft. N. 81° 10' E. and 904 ft. ✓
S. 81° 10' W.

Iron Hill No. 2 Lode, 1470 ft. N. 81° 10' E. and 30 ft. ✓
S. 81° 10' W.

Copper Hill No. 2 Lode, 1048.86 ft. N. 1° 59' 30" E. ✓
and 40 ft. S. 1° 59' 30" W.

Area.

Total area Otis Lode 17.446 acres.

Area in conflict with Barton Lode
of this survey 0.180 "

Total area McCarn Lode 20.661 acres ✓

Area in conflict with Orange lode
of this survey 0.367 "

Total area Mesa Lode 12.053 acres. ✓

Area in conflict with Boston lode
of this survey .029 "

Total area Byron Lode	20.622 acres ✓
Area in conflict with Comet Lode of this survey	1.276 " ✓
Boston Lode of this survey	0.457 " ✓
Sentinel Lode of this survey	<u>.872</u> " ✓
Total area Comet Lode	20.656 acres ✓
Area in conflict with La Mexicana Lode of this survey	<u>5.466</u> acres ✓
Total area La Mexicana Lode	20.659 acres ✓
Area in conflict with Sentinel Lode of this survey	<u>4.253</u> acres ✓
Total area Bunker Hill Lode	16.321 acres ✓
Area in conflict with Ahonika Lode of this survey	<u>1.259</u> acres ✓
Total area Smelter Gulch Lode	12.394 acres ✓
Area in conflict with La Mexicana Lode of this survey	1.878 acres ✓
Ella Belle Lode of this survey	<u>.364</u> acres ✓
Total area Ella Belle Lode	16.895 acres ✓
Area in conflict with La Mexicana Lode of this survey	.188 acres ✓
Area in conflict with Iron Hill No. 2 lode of this survey	.284
Total area Barton Lode	16.119 acres ✓
Area in conflict with Brookeville Lode of this survey	.461 acres ✓

Total area Planet No. 2 Lode	17.022 acres ✓
Area in conflict with Ashley Lode of this survey	<u>1.787</u> acres ✓
Total area Ella Belle No. 2 Lode	20.661 acres ✓
Area in conflict with Iron Hill No. 2 Lode of this survey	<u>1.470</u> acres ✓
Total area Copper Hill No. 2 Lode, Area in conflict with Iron Hill No. 2 Lode of this survey	<u>.382</u> acres ✓
Total and net area Sentinel Lode	18.940 acres ✓
Total and net area Opal Lode	19.674 acres ✓
Total and net area Wisconsin Lode	20.571 acres ✓
Total and net area Oddoletta Lode	13.288 acres ✓
Total and net area Odora Lode	19.369 acres ✓
Total and net area Crompton Lode	16.289 acres ✓
Total and net area Kimball Lode	20.658 acres ✓
Total and net area New York Lode	12.886 acres ✓
Total and net area Partridge Lode	9.539 acres ✓
Total and net area Boston Lode	16.391 acres ✓
Total and net area Mark Hanna Lode	20.087 acres ✓

Total and net area Bill Williams Lode	15.204 acres ✓
Total and net area Ahonika Lode	20.661 acres ✓
Total and net area Orange Lode	14.287 acres ✓
Total and net area Brookeville Lode	20.661 acres ✓
Total and net area Ashley Lode	20.661 acres ✓
Total and net area Planet Lode	17.884 acres
Total and net area Blue Bird Lode	17.057 acres ✓
Total and net area Palmetto Lode	16.711 acres ✓
Total and net area Nickerson Lode	11.011 acres ✓
Total and net area Copper Hill Lode	20.661 acres ✓
Total and net area Iron Hill Lode	20.646 acres ✓
Total and net area Iron Hill No. 2 Lode	16.184 acres ✓
Total and net area Planet No. 3 Lode	20.661 acres
Total and net area Planet No. 4 Lode	20.661 acres
Total and net area Planet No. 5 Lode	13.797 acres ✓

Location.

This survey is located on unsurveyed lands in

Harcuvar Mining District, Yuma County, Arizona.

Approximately in T. 11 N. R. 15 W.

Expenditure of Five Hundred Dollars.

I certify that the value of the labor and improvements made upon or for the benefit of each of the locations embraced in said mining claim by the Claimant or its grantors is less than five hundred dollars and that said improvements consist of:

Opal
No. 1. The discovery cut of the Opal lode, the face of which is at the discovery point on the lode line 110 ft. from the middle of line 1-2, 6 ft. wide, 10 ft. face, running S. 80° E. 15 ft. to mouth.

Value \$100.00

Otis

No. 1. The discovery cut of the Otis lode, the face of which is on the lode line 250 ft. from a point on line 1-2, 388.75 ft. from Cor. No. 1, 5 ft. wide, running S. 20° E. ^{10ft.} to mouth, 10 ft. face,

Value \$100.00

Oddoletta

No. 1. The discovery cut of the Oddoletta Lode, the face of which is on the lode line 545 ft. from a point on line 1-2, 300 ft. from Cor. No. 1, 5 ft. wide, 10 ft. face, running N. 48° E. 10 ft. to mouth.

Value \$ 50.00

Odora

No. 1. The discovery cut of the Odora Lode, the face of which is S. 49° 20' W. 470 ft. from a point on line 1-2, 300 ft. from Cor. No. 1, 10 ft. face, 5 ft. wide, running east 15 ft. to

mouth.

Value \$ 50.00

McCarn

No. 1. The discovery cut of the McCarn lode, the face of which is on the lode line, 700 ft. from the middle of line 1-2, 5 ft. wide, 10 ft. face, running S. 20° E. 25 ft. to mouth.

Value \$100.00

No. 2. A cut the face of which is on the lode line 740 ft. from the middle of line 1-2, 6 ft. wide, 10 ft. face, running S. 25° E. 10 ft. to mouth, from the face is a tunnel 5x6 ft. running N. 36 ft.

Value \$400.00

Wisconsin

No. 1. The discovery shaft of the Wisconsin Lode, the center of which is on the lode line 50 ft. from the middle of line 3-4, 15 ft. deep, 5x7 ft.

Value \$100.00

New York

No. 1. The discovery cut of the New York lode, the face of which is on the lode line, S. 42° 55' E. 537.9 ft. from a point on line 2-1 227.55ft. from Cor. No. 1, 10 ft. face, 5 ft. wide, running N. 45° E. 15 ft. to mouth.

Value \$ 50.00

Kimball

No. 1. The discovery shaft of the Kimball lode, on the lode line 160 ft. from the middle of line 2-3 50 ft. deep, 4x7 ft.

Value \$500.00

No. 2. A shaft 10 ft. deep 4x7 ft. which bears

N. 49° 20' E. 282 ft. from a point on line 3-4 Kimball lode 135 ft. from Cor. No. 3.

Value \$ 50.00

Crompton

No. 1. The discovery cut of the Crompton lode, the face of which is on the lode line at N. 66° 35' W. 65 ft. from a point on line 3-4 at 300 ft. from Cor. No. 4, 5 ft. wide, 10 ft. face, running N. 30° E. 15 ft. to mouth.

Value \$ 50.00

Partridge

No. 1. The discovery cut of the Partridge Lode, the face of which is on the lode line at S. 29° 50' W. 15 ft. from a point of line 1-2 37.4 ft. from Cor. No. 1, 6 ft. wide, 10 ft. face, running S. 40° E. 25 ft. to mouth.

Value \$ 75.00

No. 2. A tunnel 6x7 ft. the mouth of which bears from Cor. No. 1 Partridge lode, S. 40° 40' W. 110 ft. running N. 25° W. 5 ft. N. 75° W. 25 ft. N. 10 ft.

Value \$ 500.00

Mesa.

No. 1. The discovery shaft of the Mesa lode on the lode line at 300 ft. S. 49° 20' W. from a point on line 1-2 62.8 ft. from Cor. No. 1, 10 ft. deep, 6x7 ft.

Value \$ 50.00

Boston

No. 1. The discovery shaft of the Boston lode, on the lode line 50 ft. S. $29^{\circ} 50'$ W. from a point on line 1-2, 302 ft. from Cor. No. 1, 10 ft. deep. 4 x 6 ft.

Value \$ 50.00

Mark Hanna

No. 1. The discovery cut of the Mark Hanna lode, the face of which is on the lode line at 50 ft. from a point on line 1-2, 300 ft. from Cor. No. 1, 10 ft. face, 5 ft. wide, course N. $29^{\circ} 50'$ E. ^{15 ft.} to mouth. This cut is on the ledge S. $29^{\circ} 50'$ W. 50 ft. from the discovery monument.

Value \$ 50.00

No. 2. The location work of the Mark Hanna lode, a shaft 30 ft. deep, 7 x 4 ft. which bears from Cor. No. 2, N. 78° W. 135 ft.

Value \$400.00

Bill Williams

No. 1. The discovery shaft of the Bill Williams lode, which bears from a point on line 1-2, 318.25 ft. from Cor. No. 1, S. $29^{\circ} 50'$ W. 650 ft. 10 ft. deep, 4 x 7 ft.

Value \$ 50.00

No. 2. A shaft 500 ft. deep, $4\frac{1}{2}$ x 8 ft. timbered with square sets, two compartments, which bears from Cor.

No. 2, Bill Williams lode S. $59^{\circ} 35'$ W. 288.5 ft.

Value 30,000.00

~~No. 3.~~ An engine house used in connection with improvement No. 2, 30 x 30 ft. standing S. 10° W. the N. E. Corner of which bears S. $50^{\circ} 15'$ W. 238 ft. from Cor. No. 2 Bill Williams lode.

Value \$1000.00

A 40 horse power gasoline hoist is installed in this building.

Bunker Hill.

No. 1. The discovery cut of the Bunker Hill lode, the mouth of which is on the lode line 1000 ft. from a point on line 1-2, 184.6 ft. from Cor. No. 1, 10 ft. face, 6 ft. wide, running N. 29° 50' E. 20 ft. to face.

Value \$75.00

Orange

No. 1. The discovery cut of the Orange lode, the face of which is on the lode line at S. 29° 50' W. 1270 ft. from a point on line 1-2, 318.2 ft. from Cor. No. 1, 6 ft. wide, 10 ft. face, running S. 29° 50' W. 15 ft. to mouth.

Value \$75.00

Barton

No. 1. The discovery cut of the Barton lode, the face of which is on the lode line 250 ft. S. 29° 50' W. from a point on line 1-2, 318.25 ft. from Cor. No. 1, 10 ft. face, 5 ft. wide, running N. 60° W. 15 ft. to mouth.

Value \$50.00

No. 2. The location work of the Barton lode, a cut the face of which bears S. 60° 10' E. 40 ft. from a point on line 2-3, 375 ft. from Cor. No. 2, 6 ft. wide, 15 ft. face, running N. 60° W. to mouth.

Value \$50.00

Brookeville

No. 1. The discovery cut of the Brookeville lode, the face of which is on the lode line at S. 80° 10' E. 204 ft. from the middle of line 3-4, 6 ft. wide, 10 ft. face, running N. 60° W. 15 ft. to mouth.

Value \$50.00

No. 2. A shaft 10 ft. deep, 6x7 ft. which bears from a point on line 3-3, 214 ft. from Cor. No. 3, Brookeville lode N. 23° 30' E. 318 ft.

Value \$50.00
Ahonika

No. 1. The discovery cut of the Ahonika lode, the face of which is on the lode line 100 ft. S. 29° 50' W. from the middle of line 3-4, 10 ft. face, 5 ft. wide, running S. 29° 50' W. 15 ft. to mouth.

Value \$50.00

No. 2. The location work of the Ahonika lode, a tunnel 25 ft. long, 6x7 ft. running N. 30° W. The mouth of which bears from Cor. No. 1 N. 30° W. 245 ft.

Value \$250.00
Ashley

No. 1. The discovery cut of the Ashley lode, the face of which is on the lode line at S. 29° 50' W. 500 ft. from the middle of line 3-4, 10 ft. face, 5 ft. wide, running N. 29° 50' E. 15 ft. to mouth.

Value \$50.00

No. 2. The location work of the Ashley lode, a cut the face of which bears from a point on line 4-1 430 ft. from Cor. No. 4, N. 40° 40' W. 190 ft., 6 ft. wide, 10 ft. face, running S. 40° E. 15 ft. to mouth.

Value \$50.00

Planet

No. 1. The discovery open cut of the Planet lode, 15 ft. long, 6 ft. wide, face 10 ft. high, course from mouth S. 80° E. the mouth of which bears S. 29° 50' W. 10 ft. from a point on line 3-4, 302.2 ft. from Cor. No. 3. From the face of this cut a tunnel 6x7 ft. runs S. 80° E. 12 ft.

Value of cut and tunnel. \$200.00

No. 2. The location work of the Planet lode, a shaft 7x4 ft. 50 ft. deep, which bears from Cor. No. 2 Planet lode N. 31° 10' W. 406.4 ft.

Value \$500.00

No. 3. A tunnel 6x7 ft. running E. 100 ft. thence S. 70° E. 100 ft. the mouth of which bears N. 60° 10' W. 30. ft. from a point on line 2-3 Planet lode 850 ft.

from Cor. No. 2. An undivided 1/8 in this improvement is accredited to the Planet and 7/8 to Sentinel lodes, as it is situate 7/8 on the Sentinel lode

Total Value ----- \$4000.00
Value 1/8 interest \$ 500.00

No. 4. A tunnel 6x7 ft. 50 ft. long, running S. 50° E. the mouth of which bears N. 60° 10' W. 65 ft. from a point on line 2-3 Planet lode 752.5 ft. from Cor. No. 2.

Value \$750.00

No. 5. A tunnel 6x7 ft. 80 ft. long, running S. 31° E. the mouth of which bears N. 60° 10' W. 27.5 ft. from a point on line 2-3 Planet lode, 980 ft. from Cor. No. 2. 1/3 being accredited to the Planet and 2/3 to the Sentinel lodes, as it is situate 2/3 on the Sentinel lode

Total Value ----- \$1200.00
Value 1/3 interest \$ 400.00

No. 1. The discovery work of the Sentinel lode, a tunnel 6x7 ft. running S. 70° W. 42 ft. the mouth of which is on the lode line 80 ft. from the middle of line 3-4.

Value \$600.00

No. 2. A tunnel 6x7 ft. 35 ft. long, running S. 51° E. the mouth of which bears S. 60° 10' E. 15 ft. from a point on line 4-1 Sentinel lode, 1000 ft. from Cor.

No. 1. From the breast a branch 6x7 ft. runs N. 60° E. 10 ft. and a branch 6x7 ft. runs S. 60° W. 20 ft.

Value of tunnel and branches, \$1000.00

No. 3. A tunnel 6x7 ft. 40 ft. long, running S. 45° E. the mouth of which bears S. 60° 10' E. 127.5 ft. from a point on line 4-1, Sentinel lode 1102.5 ft.

Value ~~7~~600.00
 from Cor. No. 1. --- \$800.00
 Note: Credited to this lode is $\frac{2}{3}$ of tunnel No. 5 on the Planet lode, --- \$350.00
 and $\frac{1}{3}$ of tunnel No. 3 on the Planet lode ---

No. 4. A tunnel 70 ft. long, 6x7 ft. running S. 70° W. the mouth of which bears N. 66° 35' W. 328 ft. from a point on line 2-3 Sentinel lode 25 ft. from Cor. No. 3.

Value \$1200.00
Byron

No. 1. The discovery tunnel of the Byron lode, 54 ft. long, 6x7 ft. course N. 75° E. the face of which is on the lode line 175 ft. from the middle of line 1-2.

Value \$600.00

No. 2. A tunnel 25 ft. long, 6x7 ft. course N. 75° E. the mouth of which bears N. 83° 40' E. 323 ft. from a point on line 4-1 Byron lode 145 ft. from Cor. No. 1.

Value \$250.00
Comet

No. 1. The discovery shaft of the Comet lode, 10 ft. deep, 5x7 ft. on the lode line 750 ft. from the middle of line 1-2.

Value \$50.00

No. 2. A tunnel 25 ft. long, 6x7 ft. running N. 75° E. the mouth of which bears N. 39° 20' E. 10 ft. from a point on line 4-1 Comet lode, 145 ft. from Cor. No. 1.

Value \$250.00
La Mexicana

No. 1. The discovery shaft of the La Mexicana lode an incline dipping 60° N. 13° W. 50 ft. deep, 5x7 the top of which is on the lode line 100 ft. from the middle of line 3-4.

Value \$600.00

No. 2. A shaft 30 ft. deep 5x7 ft. which bears from a point on line 2-3 La Mexicana lode 20 ft. from Cor.

No. 3 S. 75° 47' W. 255 ft.

Value \$400.00

No. 3. A tunnel 113 ft. long, 6x7 ft. running S. 66° W. the mouth of which bears S. 75° 47' W. 200 ft. from a point on line 2-3 La Mexicana lode, 200 ft. from Cor. No. 3.

Value \$1800.00

No. 4. A shaft 10 ft. deep, 5x6 ft. which bears S. 75° 47' W. 200 ft. from a point on line 2-3 La Mexicana lode 340 ft. from Cor. No. 3.

Value \$100.00

No. 5. A cut 10 ft. face, 8 ft. wide, running west 13 ft. from mouth, the mouth of which bears from a point on line 2-3 La Mexicana lode 325 ft. from Cor. No. 3 S. 75° 47' W. 110 ft.

Value \$ 75.00
Smelter Gulch

No. 1. The discovery tunnel of the Smelter Gulch lode the mouth of which is on the lode line 150 ft. from a point on line 3-4, 311.5 ft. from Cor. No. 3, 15 ft. long, 6x7 ft. running S. 24° 30' E.

Value \$200.00

No. 2. A tunnel 6x7 ft. 100 ft. long, course S. 85° E. the mouth of which bears from a point on line 4-1 Smelter Gulch lode 595 ft. from Cor. No. 1 S. 81° 10' W. 90 ft.

Value \$1500.00

No. 3. A tunnel 60 ft. long, 6x7 ft. course N. 22° 30' E. the mouth of which bears S. 81° 10' W. 90 ft. from a point on line 4-1 Smelter Gulch lode 600 ft. from Cor. No. 1. From a point in this tunnel 40 ft. from the mouth a branch 6x7 ft. 20 ft. long, runs East.

Value of tunnel and branch \$1300.00

Blue Bird

No. 1. The discovery point on a ledge indicating a vein bears S. $24^{\circ} 30'$ E. 750 ft. from a point on line 3-4 Blue Bird lode 202.95 ft. from Cor. No. 4. Ledge consists of quartz outcrop bearing copper.

No. 2. A shaft 10 ft. deep, 6x7 ft. which bears S. $81^{\circ} 10'$ W. 260 ft. from a point on line 2-3 Blue Bird lode 62 ft. from Cor. No. 3.

Value \$100.00

No. 3. A cut 6 ft. wide, 10 ft. face, running S. 15 ft. from mouth, the mouth of which bears from Cor. No. 1, Blue Bird lode, N. $18^{\circ} 20'$ W. 700 ft.

Value \$ 50.00

No. 4. A cut running S. 30° E. 30 ft. from mouth, 6 ft. wide, 15 ft. face, the mouth of which bears N. 20° W. 675 ft. from Cor. No. 1, Blue Bird Lode.

Value \$150.00

Palmetto

No. 1. The discovery tunnel of the Palmetto lode 6x7 ft. 90 ft. long, course S. 20° W. the mouth of which is on the lode line 660 ft. from the middle of line 1-2. At a point in this tunnel 40 ft. from the mouth a drift 5x7 ft. runs S. 70° W. 30 ft.

Value of tunnel and drift \$1500.00

No. 2. A tunnel 6x7 ft. 50 ft. long, running S. 15° W. from mouth which bears from Cor. No. 1. Palmetto lode N. $3^{\circ} 50'$ W. 645 ft.

Value \$750.00

No. 3. A tunnel 65 ft. long, 6x7 ft. course S. 45° W. the mouth of which bears N. 6° W. 830 ft. from Cor. No. 1. Palmetto lode.

Value \$800.00

No. 4. A tunnel 60 ft. long 6x7 ft. course S. 80° W. from mouth, the mouth of which bears from Cor. No. 1, Palmetto lode N. $16^{\circ} 20'$ W. 961.5 ft.

Value \$700.00

No. 5. A shaft 6x8 ft. 100 ft. deep, which bears from Cor. No. 1, Palmetto lode N. 10° 20' W. 607.5 ft.

Value \$4500.00

No. 6. A cut 10 ft. long, 10 ft. face, 6 ft. wide, course from mouth S. 85° E. the mouth of which bears from Cor. No. 1, Palmetto lode N. 10° 30' E. 662.5 ft. From the face of this cut a tunnel 6x6 ft. runs N. 5° E. 20 ft. and tunnel 6x7 ft. 15 ft. long runs S. 5° W.

Value of cut and tunnel \$400.00

Nickerson

No. 1. The discovery cut of the Nickerson lode, 10 ft. face, 6 ft. wide, running South ^{15 ft.} from mouth, the face of which is on the lode line at 350 ft. S. 32° 50' E. from a point on line 3-4, 328.4 ft. from Cor. No. 3.

Value \$50.00

Copper Hill

No. 1. The discovery shaft of the Copper Hill lode on the lode line 440 ft. from the middle of line 1-2 25 ft. deep, 6x8 ft.

Value \$250.00

No. 2. A tunnel 6x7 ft. 33 ft. long, course S. 45° E. the face of which is on the lode line of the Copper Hill lode 550 ft. from the middle of line 1-2.

Value \$400.00

No. 3. A tunnel 40 ft. long, 6x7 ft. course S. 22° E. the mouth of which bears S. 81° 10' W. 285 ft. from a point on line 2-3 Copper Hill lode 692.5 ft. from cor.

No. 2.

Value \$600.00

No. 4. A tunnel 34 ft. long, course S. 23° W. 6x7 ft. the mouth of which bears S. 81° 10' W. 142.5 ft. from a point on line 2-3 Copper Hill lode 645 ft. from Cor.

No. 2.

Value \$450.00

No. 5. A cut 25 ft. long, 6 ft. wide, 15 ft. face, course from mouth West, the mouth of which bears from a point on line 2-3 Copper Hill Lode 550 ft. from Cor: No. 2. S. 81° 10' W. 182.5 ft.

Value \$100.00

No. 6. A shaft 100 ft. deep 5 x 7 ft. which bears S. 81° 10' W. 128 ft. from a point on line 2-3 Copper Hill lode 852.5 ft. from Cor. No. 2.

Value \$2000.00
Ella Belle

No. 1. A discovery shaft 15 ft. deep, 6x7 ft. which bears S. 66° 45' E. 250 ft. from a point on line 4-1 Ella Belle lode 690 ft. from Cor. No. 1. From the bottom of this shaft a drift 6x7 ft. runs S. 23° E. 45 ft. thence S. 66° E. 25 ft., the presumed course of the vein is intersected by the drift 4.25 ft. from its face.

Value of shaft and drift \$1000.00
Planet No. 2

No. 1. The discovery cut of the Planet No. 2 lode, the face of which is on the lode line 250 ft. from the middle of line 1-2, 10 ft. face, 6 ft. wide, running S. 66° E. 10 ft. to mouth.

Value \$50.00
Ella Belle No. 2

No. 1. The discovery cut of the Ella Belle No. 2 lode the face of which is on the lode line 10 ft. from the middle of line 1-2, 6 ft. wide, 10 ft. face, running N. 16° 15' E. 15 ft. to mouth.

Value \$50.00
Planet No. 3

No. 1. The discovery cut of the Planet No. 3 lode, the face of which is on the lode line 100 ft. from the middle of line 1-2, 10 ft. face, 6 ft. wide, running N. 16° E. 15 ft. to mouth.

Value \$50.00
Planet No. 4

No. 1. The discovery cut of the Planet No. 4 lode, the face of which is on the lode line 750 ft. from the middle of line 1-2, 6 ft. wide, 10 ft. face, running

N. 16° E. 15 ft. to mouth.

Value \$50.00

Planet No. 5

No. 1. The discovery cut of the Planet No. 5 lode, the face of which is on the lode line ~~420~~ft. from a point on line 1-2, 195.3 ft. from Cor. No. 1. 6 ft. wide, 10 ft. face, running N. 16° E. ^{15 ft.} to mouth.

Value \$50.00

Iron Hill

No. 1. The discovery cut of the Iron Hill lode, the face of which is on the lode line 904 ft. from the middle of line 1-2, 6 ft. wide, 10 ft. face, running S. 16° E. 15 ft. to mouth.

Value \$50.00

Iron Hill No. 2

No. 1. The discovery cut of the Iron Hill No. 2 lode, the face of which is on the lode line 30 ft. from a point on line 1-2, 331 ft. from Cor. No. 2, 6 ft. wide 10 ft. face, running N. 16° E. ^{10 ft.} to mouth.

Value \$50.00

Copper Hill No. 2

No. 1. The discovery cut of the Copper Hill No. 2 lode, the face of which is on the lode line 40 ft. from a point on line 1-2, 305.2 ft. from Cor. No. 1, 6 ft. wide, 10 ft. face, running N. 16° E. 15 ft. to mouth.

Value \$50.00

Other Improvements.

A concrete house 35x30 ft. course of long side N. 81° 10' E. , the S.W. Corner of which bears from Cor. No. 1, Iron Hill Lode N. 51° E. 687.5 ft. Owned by claimants herein.

A boarding house 50x25 ft. course of long side S. 81° 30' E. The S.E. Corner of which bears from Cor. No. 1, Planet No. 3 Lode N. 22° 10' W. 300 ft.

Owned by Claimants herein.

An office building 35x20 ft. course of long side, S. 81° 30' E. The S.E. Corner of which bears from Cor. No. 1 Planet No. 3 Lode, N.18° 45' W. 348.5 ft.

Owned by Claimants herein.

Instrument.

This survey was made with a Fauth Mountain Transit. The courses were deflected from the true meridian as determined by direct solar observations. The distances were measured with 50 ft. and 500 ft. steel tapes.

Adjoining claims none.

Report.

The lode line of each location of this claim was run directly upon the ground and the several corners established by means of offsets from the lode lines.

All the lines were run either directly upon the ground or by traverses submitted in a separate report.

Note: The location certificates and amended location certificates of the several lodes in this claim fail to furnish correctly the boundary lines of said lodes, and the same are properly given in the field notes.

U. S. Mineral Monument 2675.

Consists of a pine post 6 ft. long, 6 ins. square scribed U. S. M. M. 2675, set on bed rock on a high point of Jones Mountains, surrounded by a mound of stones, 4 ft. high, 6 ft. in diameter at the base.

Whence X B. R. U. S. M. M. 2675 chiseled on ledge of

granite 3 ft. high bears S. 25° 19' W. 14.61 ft.

Planet Peak bears S. 5° 18' W.

Castenado Peak bears N. 4° 9' E.

Moro Peak bears S. 58° 55' E.

The main working shaft of the Planet Copper Mining Company bears S. 69° E. 1140 ft. The Smoke Stack of the Old Planet Smelter bears N. 50° 3' E. 5000 ft.

This monument is on unsurveyed public lands and is about 3000 ft. South westerly from Planet Post Office. It is also about One mile south from the Bill Williams River in Harcuvar Mining District, Yuma County, Arizona.

Since the monument could not be set in the ground a Six Foot post was used because it will stand better than a higher one.

There are no section corners or other U. S. Mineral Monuments within a distance of two miles.

The S. E. Cor. of Smelter Gulch lode, the S. W. Cor. of Blue Bird lode, the S. W. Cor. of Palmetto lode, the S. W. Cor. of Nickerson lode, the S. W. Cor. of Copper Hill lode, the S. E. Cor. of Planet No. 3 lode, the S. E. Cor. of Planet No. 5 lode, the S. E. Cor. of Ashley lode, and the S. E. Cor. of Planet No. 2 lode, were adopted as Cor. No. 1 because the lines to U. S. M. M. on the ground from the nearest corners of said lodes was rough and precipitous and much more difficult to run, although other corners were somewhat nearer to said monument than the corners actually adopted as Cors. Nos. 1.

The discovery point of the Blue Bird lode is on a ledge indicating the vein.

FINAL OATHS FOR SURVEYS.

LIST OF NAMES.

A list of the names of the individuals employed by

E.C. Babbitt

United States ~~Deputy~~ Mineral Surveyor, to assist in running, measuring, and marking the lines, corners, and boundaries described in the foregoing field notes of the survey of the mining claim of

The Placet Copper Mining Company known as the Placet, Placet No 2, Placet No 3, Placet No 4, Placet No 5, Iron Hill Iron Hill No. 2, Copper Hill Copper Hill No. 2, Ella Belle, Ella Belle No 2, Ahonka, Mark Hanna, La Mexicana, Comet, Byron, Beestine, Palmetto, Belby, Orange, Wisconsin, Vain ball, Boston, Crookston, Odora, Oddolotta, Nickerson, Barton, Blue Reed, Oles, Opal, Brookville, New York, Mesa, Smelter Gulch, Bill Willaums, Partridge, Buckner Hill, and the Carl Plover, and showing the capacities in which they acted

James Chisholm, Chainman.

....., Chainman.

....., Axman.

....., Flagman.

FINAL OATHS OF ASSISTANTS.

We

I

and

....., do solemnly swear that we assisted

E.C. Babbitt

....., United States ~~Deputy~~ Mineral Surveyor, in marking the corners and surveying

the boundaries of the mining claim of

The Placet Copper Mining Company

known as the *Placet et al lodes.*

represented in the foregoing field notes as having been surveyed by said ~~deputy~~ mineral surveyor and under his direction; and that said survey has been in all respects, to the best of ^{my} ~~our~~ knowledge and belief, faithfully and correctly executed, and the corner and boundary monuments established according to law and the instructions furnished by the United States Surveyor-General for

Arizona

James Chisholm, Chainman.

....., Chainman.

....., Axman.

....., Flagman.

Subscribed and sworn to by the above-named persons before me this

28th

day of

October

190

R. D. W. [Signature]
Notary Public

My Commission Expires Jan 11, 1911

FINAL OATH OF U. S. MINERAL SURVEYOR.

I, E. C. Babbitt, U. S. Mineral Surveyor,

do solemnly swear that, in pursuance of instructions received from the United States Surveyor General for Arizona, dated

June 8 1909, I have, in strict conformity to the laws of the

United States, the official regulations and instructions thereunder, and the instructions of said Surveyor General, faithfully and correctly executed the survey of the Mining

Claim of The Placet Copper Mining Co known as the Placet Placet No 2 Placet No 3 Placet No 4 Placet No 5 Iron Hill Iron Hill No 2 Copper Hill Copper Hill No 2 Cella Billy Cella Billy No 2 Chonika Marki Bahha La Maxiebua Concel Payson, Stuntinal Palmetto, Raptley, Orange, Wisconsin, Kimball, Boston, Crumpton, Odora, Oddoletta, Nicholas, Baltan, Blue Bird, Otis, Copal, Brookville, New York, Mesa, Sutterville, Bill Williams, Partidge & Reuther Hill, McCann Lodge, situate in Maricopa Mining District,

Yuma County, Arizona, in Section

approx. Township No. 11 N.; Range No. 15 W. Unsurveyed lands, and designated as Survey No. 2675

as represented in the foregoing field notes, which accurately show the boundaries of said mining claim as distinctly marked by monuments on the ground, and described in the attached copy of the location certificate, which was received by me from the Surveyor General with said instructions, and that all the corners of said survey have been established and perpetuated in strict accordance with the law, official regulations and instructions thereunder; and I do further solemnly swear that the foregoing are the true and original field notes of said survey and my report therein, and that the labor expended and improvements made upon said mining claim by claimant or its grantors are as therein fully stated, and that the character, extent, location, and itemized value thereof are specified therein with particularity and full detail, and that no portion of said labor or improvements so credited to this claim has been included in the estimate of expenditures upon any other claim.

E. C. Babbitt
U. S. Mineral Surveyor.

Subscribed and sworn to by the said E. C. Babbitt
U. S. Mineral Surveyor, before me R. O. Wooley
Nataley County of Yuma Ariz. this 28th
day of October 1909

R. O. Wooley
my Commission Expires Jan 11. 1911.

AMENDED LOCATION NOTICE
of Lode Claim.

Know All Men By These Presents:

That I, Olaver Augdahl of the County of Yuma and Territory of Arizona do hereby make, post and file this amended location notice upon the " PLANET " lode claim, situate in the Harcuvar Mining District, County of Yuma, Territory of Arizona.

The length of this claim, linear and horizontal measurement is 1375 feet along the ledge, 1375 feet running northerly from the discovery monument, ~~and--feet--running--from--the--discovery~~, together with surface ground 269 feet on the easterly side of the center of the ledge, and 269 feet on the westerly side of the ledge.

The boundaries are marked upon the ground as follows: Beginning at N. E. Cor 1 running thence S 30° 30' W 1375 feet to S. E. Cor No. 2 from which the discovery monument bears N. 65° 55' W 285 feet and from which monument discovery shaft bears N 13° E 245 feet, and a black peak on Sentinel mountain bears N. 70° East, thence from Cor. 2 N 65° 55' W 570 feet to corner No. 3 the S. W. corner of said lode; thence W. 30° 30' E 1375 feet to corner No. 4 the N. W. corner of said claim; thence S. 65° 55' E. 570 feet to corner No. 1 the N. E. Corner of said claim and the place of beginning.

Monuments are also placed at the center of the end lines.

The Planet lode claim is located half a mile South of the Bill Williams Fork and is bounded on the west by the Ashley claim.

This amended location notice is made under the provisions of the Revised Statutes of the United States relating to Mineral Lands, and an Act of the General Assembly of Arizona, approved March 16th, 1901, without waiver of previous rights, to correct errors in the description of the said Planet lode claim, in the Location Notice of the same recorded Oct. 3d 1879 in Book " C " Page 290 et seq of " Records of Mines, " in the office of the County Recorder of the aforesaid County of Yuma Territory of Arizona, to which reference is hereby made.

Dated and posted on the ground this day of April 17, 1902.

Olaver Augdahl

Recorded at request of Olaver Augdahl, April 25th, 1902 at 9:00 A. M.

C. P. Cronin
County Recorder.

Territory of Arizona,)
 County of Yuma.) ss.

I, J. M. Polhamus, County Recorder in and for the County of Yuma, Territory of Arizona, do hereby certify that the foregoing is a true, full and correct copy of an Amended Location Notice as filed for record in my office on the 25th day of April, A. D. 1902, and as appears of record in Book M of Mines, Page 540, et seq., Records of Yuma County aforesaid.

In Witness Whereof I have hereunto set my hand and affixed my seal of office this 24th day of **May**, A. D. 1909.

J. M. Polhamus

County Recorder, Yuma County, Arizona.

By G. V. Cull

Deputy Recorder.

290

(3)

LOCATION NOTICE
OF LODE CLAIM.

82

To Whom it may Concern:

The Planet Copper Mining Company of the County of Yuma and Territory of Arizona, has on this 31st day of March 1909, entered upon and located the PLANET NO.2 Lode Claim, situate in the Harcuvar Mining District, Yuma County, Arizona.

The length of this claim is 1500 feet, running S. $17^{\circ}5'$ W. 250 feet and N. $17^{\circ}5'$ E. 1250 feet from the center of discovery cut, together with surface ground 300 feet on each side of the center of said claim.

The boundaries are marked upon the claim as follows:

Beginning at Cor. No. 1 S. E. Cor. identical with S. W. Cor of Ella Belle Lode Claim, whence discovery cut bears N. $29^{\circ}12'$ W. 415 feet; thence N $17^{\circ}5'$ E 1500 feet to cor No. 2 N. E. Cor; thence N $65^{\circ}55'$ W. 604.5 feet to cor. No. 3, N.W. cor; thence S. $17^{\circ}5'$ W. 1500 feet to cor No. 4, S. W. Cor; thence S. $65^{\circ}55'$ E. 604.5 to Cor. No. 1 place of beginning.

Monuments of stone are placed at the corners and at the end centers of said claim.

Dated and posted on the ground this 31st day of March, 1909.

Planet Copper Mining Company
by A. B. Jones, its agent.

Recorded at request of A. B. Jones, May 21st, A. D. 1909, at 9:05 A.M.

J. M. Polhamus

County Recorder.

Territory of Arizona, }
County of Yuma. } ss.

I, J. M. Polhamus, County Recorder in and for the County of Yuma, Territory of Arizona, do hereby certify that the foregoing is a true, full and correct copy of a Location Notice as filed for record in my office on the 21st day of May, A. D. 1909, and as appears of record in Book 1 of Mines, Page 326, et seq., Records of Yuma County aforesaid.

In Witness Whereof I have hereunto set my hand and affixed my seal of office this 24 day of May, A. D. 1909.

J. M. Polhamus

County Recorder, Yuma County, Arizona.

By G. V. Cull

Deputy Recorder.

245
(3)

LOCATION NOTICE
OF LODE CLAIM.

To Whom It May Concern:

The Planet Copper Mining Company of the County of Yuma and Territory of Arizona, has this 31st day of March, 1909, entered upon and located the PLANET NO.3 Lode Claim, situate in the Harcuvar Mining District, Yuma County, Arizona.

The length of this claim is 1500 feet, running S. 17° 5' W. 100 feet and N. 17° 5' E. 1400 feet from the center of discovery shaft, together with surface ground 300 feet in width on each side of the center of said claim.

The boundaries are marked upon the ground as follows:

Beginning at Cor. No. 1 S. E. cor. identical with N.W. Cor. of Ella Belle Lode Claim whence discovery cut bears N. 48° 24' W 329.6 feet; thence N. 17° 5' E. 1500 feet to cor No. 2, N.E. Cor; thence N. 65° 55' W. 604.5 feet to cor No. 3, N. W. Cor. thence S 17° 5' W. 1500 feet to Cor. No. 4, S. W. Cor. whence ledge of rock marked B. R. bears S 65° 55' W. 6.9 feet, thence S 65° 55' E. 604.5 feet to Cor No. 1 place of beginning.

Monuments of stone are placed at the corners and at the end centers of said claim.

Dated and posted on the ground this 31st day of March, 1909.

Planet Copper Mining Company

by A. B. Jones, its agent.

Recorded at request of A. B. Jones, May 21, A.D. 1909, at 9:06 A.M.

J. M. Polhamus,

County Recorder.

Territory of Arizona,)
County of Yuma.) ss.

I, J. M. Polhamus, County Recorder in and for the County of Yuma, Territory of Arizona, do hereby certify that the foregoing is a true, full and correct copy of a Location Notice as filed for record in my office on the 21st day of May, A.D. 1909, and as appears of record in Book 1 of Mines, Page 327, et seq., Records of Yuma County aforesaid.

In Witness Whereof I have hereunto set my hand and affixed my seal of office this 24 day of May, A. D. 1909.

J. M. Polhamus
County Recorder, Yuma County, Arizona.

By G. V. Cull
Deputy Recorder.

261

(3)

LOCATION NOTICE
OF LODE CLAIM.

To Whom It May Concern:

The Planet Copper Mining Company of the County of Yuma and Territory of Arizona, has on this 31st day of March 1909 entered upon and located the PLANET NO. 4 Lode Claim, situate in the Harcuvar Mining District, Yuma County, Arizona.

The length of this claim is 1500 feet, running S. $17^{\circ} 5'$ W. 750 feet and N. $17^{\circ} 5'$ W. 750 feet from the center of discovery cut, together with surface ground 300 feet in width on each side of the center of said claim.

The boundaries are marked upon the ground as follows:

Beginning at Cor No. 1, S. E. Cor. identical with Cor. No. 4 of Planet No. 3 Lode Claim, whence discovery cut bears $3^{\circ} 47'$ W 842 feet; thence N. $17^{\circ} 5'$ E. 1500 feet to cor No. 2, N. E. Cor; thence N. $65^{\circ} 55'$ W, 604.5 feet to Cor No. 3, N. W. Cor. thence S. $17^{\circ} 5'$ E 1500 feet to Cor No. 4, S. W. Cor; thence S. $65^{\circ} 55'$ E. 604.5 feet to Cor. No. 1, place of beginning.

Monuments of stone are placed at the corners and at the end centers of said claim.

Dated and posted on the ground this 31st day of March, 1909.

Planet Copper Mining Company

by A. B. Jones, its agent.

Recorded at request of A. B. Jones, May 21st, A. D. 1909, at 9: 07 A. M.

J. M. Polhamus

County Recorder.

Territory of Arizona, }
 County of Yuma. } ss.

I, J. M. Polhamus, County Recorder in and for the County of Yuma, Territory of Arizona, do hereby certify that the foregoing is a true, full and correct copy of a Location Notice as filed for record in my office on the 21st day of May, A. D. 1909, and as appears of record in Book 1 of Mines, Page 328, et seq., Records of Yuma County aforesaid.

In Witness Whereof I have hereunto set my hand and affixed my seal of office this 21 day of May, A. D. 1909.

J. M. Polhamus

County Recorder, Yuma County, Arizona.

By G. V. Cull

Deputy Recorder.

248

(3)

LOCATION NOTICE
OF LODE CLAIM.

To Whom It May Concern:

The Planet Copper Mining Company of the County of Yuma and Territory of Arizona, has on this 31st day of March, 1909, entered upon and located the PLANET NO. 5 Lode Claim, situate in the Harcuvar Mining District, Yuma County, Arizona.

The length of this claim is 1469 feet, running S. $17^{\circ} 5'$ W. 1040 feet and N. $17^{\circ} 5'$ E. 429 feet from the center of discovery cut, together with surface ground 170 feet on the East side and 239.1 on the West side of the center of said lode.

The boundaries are marked upon the ground as follows:

Beginning at Cor. No. 1 S. E. Cor. whence discovery cut bears N. $6^{\circ} 52'$ E. 959.1 feet; thence N. $17^{\circ} 5'$ E. 1469 feet to Cor. No. 2, N. E. Cor; thence S. $77^{\circ} 36'$ W, 470 feet to Cor No. 3, N.W. Cor. thence S. $17^{\circ} 5'$ W. 1469 feet to Cor. No. 4, S. W. Cor. thence N $77^{\circ} 36'$ E. 470 feet to Cor. No. 1 place of beginning.

Monuments of stone are placed at the corners and at the end centers of said claim.

Dated and posted on the ground this 31st day of March, 1909.

Planet Copper Mining Company

per A. B. Jones, its agent/

Recorded at request of A. B. Jones, May 21st, A.D. 1909, at 9:08 A.M.

J. M. Polhamus

County Recorder.

Territory of Arizona, }
 County of Yuma. } ss.

I, J. M. Polhamus, County Recorder in and for the County of Yuma, Territory of Arizona, do hereby certify that the foregoing is a true, full and correct copy of a Location Notice as filed for record in my office on the 21st day of May, A. D. 1909, and as appears of record in Book 1 of Mines, Page 329, et seq., Records of Yuma County aforesaid.

In Witness Whereof I have hereunto set my hand and affixed my seal of office this 24 day of May, A. D. 1909.

J. M. Polhamus
 County Recorder, Yuma County, Arizona.

By G. V. Cull
 Deputy Recorder.

243

(3)

AMENDED LOCATION NOTICE

of Lode Claim.

89

Know All Men by These Presents:

That I, J. Stanley Jones of the County of El Paso and State of Colorado do hereby make, post and file this amended location notice upon the IRON HILL lode claim situate in the Harcurar Mining District County of Yuma Territory of Arizona.

The length of this claim, linear and horizontal measurement is 1500 feet along the ledge, 596 feet running N 82° E from the discovery monument, and 904 feet running S 82° W, from the discovery monument together with surface grounds 300 feet on the north side of the center of the ledge and 300 feet on the South side of the ledge.

The boundaries are marked upon the ground as follows: Beginning at Cor.No 1, the S. W. cor of said claim from which the discovery monument bears N 65° 30' E 710 feet and the N. W. cor No. 1 of the Blue Bird claim bears N 82° E 100 ft, thence N 17° 05' E 662 feet to corner No. 2 the N. W. corner of said lode; thence N 82° E 1500 feet to corner No. 3 the N. E. corner of said claim; thence S 17° 05' W 662 feet to corner No. 4, the S. E. corner of said claim thence S 82° W, 1500 feet to the place of beginning.

Monuments are also placed at the center of the end lines.

This claim is situated on the South side of Bill Williams Fork 12 miles from the Colorado river.

This amended location notice is made under the provisions of the Revised Statutes of the United States relating to Mineral Lands, and an Act of the General Assembly of Arizona, approved March 16th, 1901, without waiver of previous rights, to correct errors in the description of the said Iron Hill lode claim in the Location Notice of the same recorded in Book " H " Page 290 of " Records of Mines, " in the office of the County Recorder of the aforesaid County of Yuma Territory of Arizona, to which reference is hereby made.

Dated and posted on the ground this 21st day of March 1902.

J. Stanley Jones

Recorded at request of J. Stanley Jones, March 25 A. D. 1902, at 9 A.M.

C. P. Cronin

County Recorder

By B. E. Hayden, Deputy "

Territory of Arizona, }
County of Yuma. } ss.

I, J. M. Polhamus, County Recorder in and for the County of Yuma, Territory of Arizona, do hereby certify that the foregoing is a true, full and correct copy of an Amended Location Notice as filed for record in my office on the 25th day of March, A. D. 1902, and as appears of record in Book M of Mines, Page 398, et seq., Records of Yuma County aforesaid.

In Witness Whereof I have hereunto set my hand and affixed my seal of office, this 24th day of May, A. D. 1909.

J. M. Polhamus
County Recorder, Yuma County, Arizona.

By G. V. Cull
Deputy Recorder.

395
X

LOCATION NOTICE
OF LODE CLAIM.

TO WHOM IT MAY CONCERN:

The Planet Copper Mining Company of the County of Yuma and Territory of Arizona, has this 31st day of March, 1909, entered upon and located the IRON HILL NO. 2 Lode Claim, situate in the Harcuvar Mining District, Yuma County, Arizona.

The length of this claim is 1500 feet running S. 82° W. 30 feet and N. 82° W. 1470 feet from the center of discovery shaft, together with surface ground 300 feet on the northerly side and 170 feet on the southerly side of the center of said lode.

The boundaries are marked upon the ground as follows:

Beginning at Cor No. 1 S. W. Cor. whence discovery cut bears N. 24° 48' E 202.2 feet and stack of smelter bears N. 4° 5' 228 feet; thence N 82° E along the Northerly side line of Iron Hill Lode Claim 1500 feet to cor. No. 2 S. E. Cor; thence N 17° 5' E 518.9 feet to Cor No. 3 N. E. Cor., thence S. 82° W. 1500 feet to Cor. No. 4 N. W. Cor; thence S. 17° 5' W 518 feet to Cor No. 1, place of beginning.

Monuments of stone are placed at the corners and at the end centers of said claim.

Dated and posted on the ground this 31st day of March, 1909.

Planet Copper Mining Company

by A. B. Jones, its Agent.

Recorded at request of A. B. Jones, May 21st, A. D. 1909, at 9:02 A.M.

J. M. Polhamus

County Recorder.

Territory of Arizona, }
County of Yuma. } ss.

I, J.M. Polhamus, County Recorder in and for the County of Yuma, Territory of Arizona, do hereby certify that the foregoing is a true, full and correct copy of a Location Notice as filed for record in my office on the 21st day of May, A. D. 1909, and as appears of record in Book 1 of Mines, Page 323, et seq., Records of Yuma County aforesaid.

In Witness Whereof I have hereunto set my hand and affixed my seal of office this 24 day of May, A. D. 1909.

J. M. Polhamus

County Recorder, Yuma County, A.T.

By G. V. Cull

Deputy Recorder.

261

(3)

Territory of Arizona,)
 County of Yuma.) ss.

I, J. M. Polhamus, County Recorder in and for the County of Yuma, Territory of Arizona, do hereby certify that the foregoing is a true, full and correct copy of an Amended Location Notice as filed for record in my office on the 25th day of April, A. D. 1902, and as appears of record in Book M of Mines, Page 536, et seq., Records of Yuma County aforesaid.

In Witness Whereof I have hereunto set my hand and affixed my seal of office, this 24th day of May, A. D. 1909.

J. M. Polhamus
 County Recorder, Yuma County, Arizona.

By G. V. Cull
 Deputy Recorder.

400

(4)

AMENDED LOCATION NOTICE

of Lode Claim.

Know All Men By These Presents:

That I, Olaver Augdahl of the County of Yuma and Territory of Arizona do hereby make, post and file this amended location notice upon the COPPER HILL lode claim, situate in the Harcuvar Mining District, County of Yuma Territory of Arizona.

The length of this claim, linear and horizontal measurement is 1500 feet along the ledge, 1020 feet running northerly from the discovery monument, and 480 feet running southerly from the discovery monument, together with surface ground 300 feet on the Easterly side of the center of the ledge and 300 feet on the westerly side of the ledge.

The boundaries are marked upon the ground as follows: Beginning at Cor No. 1 the N. W. Cor. of said claim from which the discovery monument bears S 47° E 1190 feet and top of black mountain peak bears S 61° E. thence N 82° E 656.8 feet to cor No. 2 the N. E. corner of said lode; thence S 32° E 1500 feet to corner No. 3 the S. E. corner of said claim; thence S 82° W 656.8 feet to corner No. 4 the S. W. corner of said claim, thence N 32° W 1500 feet to the place of beginning.

Monuments are also placed at the center of the end lines.

This claim is $\frac{1}{2}$ mile S. E. from the Smelter on the Bill Williams Fork and $\frac{3}{4}$ of a mile East of the " Planet " Mine.

This amended location notice is made under the provisions of the Revised Statutes of the United States relating to Mineral Lands, ~~XXXXXX~~ and an Act of the General Assembly of Arizona, approved March 16th, 1901, without waiver of previous rights, to correct errors in the description of the said Copper Hill lode claim in the Location Notice of the same recorded in Book " E " Page 327 et seq of " Records of Mines, " in the office of the County Recorder of the aforesaid County of Yuma Territory of Arizona, to which reference is hereby made.

Dated and posted on the ground this day of April 17, 1902.

Olaver Augdahl

Recorded at request of Olaver Augdahl, April 25th, A.D. 1902, at 9:00 A.M.

C. P. Cronin
County Recorder.

LOCATION NOTICE
OF LODE CLAIM.

To Whom It May Concern:

The Planet Copper Mining Company of the County of Yuma and Territory of Arizona, has this 31st day of March, 1909, entered upon and located the COPPER HILL NO.2 Lode Claim, situate in the Harcuvar Mining District, Yuma County, Arizona.

The length of this claim is 1500 feet, running S. 17° 5' W. 40 feet and N. 17° 5' E. 1460 feet from the center of discovery shaft, together with surface ground 300 feet in width on each side of the center of said claim.

The boundaries are marked upon the ground as follows:

Beginning at Cor. No. 1 S. E. Cor. identical with the N.W. Cor. Copper Hill Lode claim whence discovery cut bears S 88° 38' W 313.5 feet thence S 82° W. 656.8 feet along the northerly end line of Copper Hill Lode Claim to Cor No. 2 S. W. Cor; thence N. 17° 5' E. 1500 feet to Cor. No. 3 N. W. Cor; thence N. 82° E 656.8 feet to Cor. No. 4, N. E. Cor. thence S. 17° 5' W. 1500 feet to Cor. No.1 place of beginning.

Monuments of stone are placed at the corners and at the end centers of said claim.

Dated and posted on the ground this 31st day of March, 1909.

Planet Copper Mining Company
by A. B. Jones, its agent.

Recorded at request of A. B. Jones, May 21, A. D. 1909, at 9:03 A.M.

J.M.Polhamus

County Recorder.

Territory of Arizona, }
County of Yuma. } ss.

I, J. M. Polhamus, County Recorder in and for the County of Yuma, Territory of Arizona, do hereby certify that the foregoing is a true, full and correct copy of a Notice of Location as filed for record in my office on the 21st day of May, A. D. 1909, and as appears of record in Book 1 of Mines, Page 324, et seq., Records of Yuma County aforesaid.

In Witness Whereof I have hereunto set my hand and affixed my seal of office this 21 day of May, A. D. 1909.

J. M. Polhamus
County Recorder, Yuma County, Arizona

By G. V. Cull
Deputy Recorder.

257
(3)

AMENDED LOCATION NOTICE
of Lode Claim.

Know All Men By These Presents:

That I, J. Stanley Jones of the County of El Paso and State of Colorado do hereby make, post and file this amended location notice upon the ELLA BELLE lode claim, situate in the Harcuvar Mining District, County of Yuma, Territory of Arizona.

The length of this claim, linear and horizontal measurement is 1500 feet, along the ledge, 800 feet running northerly from the discovery tunnel, and 700 feet running Southerly from the discovery tunnel, together with surface ground 300 feet on the Easterly side of the center of the ledge, and 300 feet on the Westerly side of the ledge.

~~The same~~ The boundaries are marked upon the ground as follows:

Beginning at Cor No. 1 the S. E. cor of said claim, from which the discovery tunnel bears N 5° W 795 feet and which cor 1 is 300 ft Easterly from the N. E. cor of the Planet lode claim- thence N 17° 05' E 1500 feet to corner No 2 the N. E. corner of said lode; thence N 65° 55' W. 600 feet to corner No 3 the N. W. corner of said claim; thence S 17° 05' W. 1500 feet to corner No 4 the S. W. corner of said claim, thence S 65° 55' E 600 feet to Cor 1 the place of beginning.

Monuments are also placed at the center of the end lines.

From discovery monument the Smelter bears N 18 E. 620 feet.

This amended location notice made under the provisions of the Revised Statutes of the United States relating to Mineral Lands, and an Act of the General Assembly of Arizona approved March 16th, 1901, without waiver of previous rights, to correct errors in the description of the said " Ella Bell " lode claim in the Location Notice of the same recorded in Book " G " Page 474 et seq., of " Records of Mines, " in the office of the County Recorder of the aforesaid County of Yuma, Territory of Arizona, to which reference is hereby made.

Dated and posted on the ground this 22d day of March 1902.

J. Stanley Jones

Recorded at request of J. Stanley Jones, March 25, A.D. 1902, at 9 A.M.

C. P. Cronin

County Recorder

By B. E. Hayden, Deputy "

Territory of Arizona,)
 County of Yuma.) ss.

I, J. M. Polhamus, County Recorder in and for the County of Yuma, Territory of Arizona, do hereby certify that the foregoing is a true, full and correct copy of an Amended Location Notice as filed for record in my office on the 25th day of March, A. D. 1902, and as appears of record in Book M of Mines, Page 393, et seq., Records of Yuma County aforesaid.

In Witness Whereof I have hereunto set my hand and affixed my seal of office, this 24th day of May, A. D. 1909.

J. M. Polhamus
 County Recorder, Yuma County, Arizona.

By G. V. Cull
 Deputy Recorder.

385

(X)

LOCATION NOTICE
OF LODE CLAIM.

To Whom it May Concern:

The Planet Copper Mining Company of the County of Yuma and Territory of Arizona, has this 31st day of March, 1909, entered upon and located the ELLA BELLE NO. 2 Lode Claim, situate in the Harcuvar Mining District, Yuma County, Arizona.

The length of this claim is 1500 feet, running S. $17^{\circ} 5'$ W 10 feet and N $17^{\circ} 5'$ E 1490 feet from the center of discovery shaft, together with surface ground 300 feet in width on each side of the center of said claim.

The boundaries are marked upon the ground as follows:

Beginning at Cor. No. 1 the S. E. corner whence the N. E. cor. of the Ella Belle Lode Claim bears S $65^{\circ} 55'$ E. 60 feet _____ and stack of smelter bears N. $39^{\circ} 45'$ W. 288 feet, thence N. $17^{\circ} 5'$ E. 1500 feet to cor No. 2, N. E. Cor; thence N. $65^{\circ} 55'$ W 604.5 feet to Cor No. 3, N. W. Cor. thence S. $17^{\circ} 5'$ W. 1500 feet to Cor. No. 4, S. W. cor; thence S. $65^{\circ} 55'$ E. 604.5 feet to Cor. No. 1, place of beginning.

Monuments of stone are placed at the corners and at the end centers of said claim.

Dated and posted on the ground this 31st day of March, 1909.

Planet Copper Mining Company

by A. B. Jones, its agent.

Recorded at request of A. B. Jones, May 21st, A. D. 1909, at 9:04 A.M.

J. M. Polhamus

County Recorder.

Territory of Arizona,)
County of Yuma.) ss.

I, J.M. Polhamus, County Recorder in and for the County of Yuma, Territory of Arizona, do hereby certify that the foregoing is a true, full and correct copy of a Location Notice as filed for record in my office on the 21st day of May, A. D. 1909, and as appears of record in Book 1 of Mines, Page 325, et seq., Records of Yuma County aforesaid.

In Witness Whereof I have hereunto set my hand and affixed my seal of office this 21 day of May, A. D. 1909.

J. M. Polhamus

County Recorder, Yuma County, Arizona

By G. V. Cull

Deputy Recorder.

259

(3)

AMENDED LOCATION NOTICE
of Lode Claim.

Know All Men By These Presents:

That I, J. Stanley Jones of the County of El Paso and State of Colorado do hereby make, post and file this amended location notice upon the AHONIKA lode claim, situate in the Harcuran Mining District, County of Yuma Territory of Arizona.

The length of this claim, linear and horizontal measurement is 1500 feet along the ledge, 1500 feet running Northerly from the discovery, together with surface ground 300 feet on the Easterly side of the center of the ledge, and 300 feet on the Westerly side of the ledge.

The boundaries are marked upon the ground as follows: Beginning at Cor. No. 1, the S. E. Cor of said claim from which the discovery monument (a post) bears N 40° W 318 ft from which monument discovery tunnel bears N 82° E 124 feet, thence N 30° 30' 1500 feet to corner No. 2 the N. E. corner of said lode; thence 40° W, 636.5 feet to corner No. 3 the N. W. corner of said claim; thence S 30° 30' W, 1500 feet to corner No. 4 the S. W. corner of said claim and thence S 40° E 636.5 ft to the place of beginning.

Monuments are also placed at the center of the end lines, being heavy posts surrounded by mounds of stones.

This claim adjoins the Ashley mine half a mile south of the Bill Williams Fork.

This amended location notice is made under the provisions of the Revised Statutes of the United States relating to Mineral Lands, and an Act of the General Assembly of Arizona, approved March 16th, 1901, without waiver of previous rights, to correct errors in the description of the said Ashomka lode claim in the Location Notice of the same recorded in Book H, Page 287 et seq, of "Records of Mines", in the office of the County Recorder of the aforesaid County of Yuma Territory of Arizona, to which reference is hereby made.

Dated and posted on the ground this 22d day of March 1902.

J. Stanley Jones

Recorded at request of J. Stanley Jones, March 25, A. D. 1902, at 9 A.M.

C. P. Cronin, County Recorder

By E. E. Hayden, Deputy " " "

Territory of Arizona,)
County of Yuma.) ss.

I, J. M. Polhamus, County Recorder in and for the County of Yuma, Territory of Arizona, do hereby certify that the foregoing is a true, full and correct copy of an Amended Location Notice as filed for record in my office on the 25th day of March, A. D. 1909, and as appears of record in Book M of Mines, Page 394, et seq., Records of Yuma County aforesaid.

In Witness Whereof I have hereunto set my hand and affixed my seal of office this 24th day of May, A. D. 1909.

J. M. Polhamus

County Recorder, Yuma County, Arizona.

By J. V. Cull

Deputy Recorder.

393

(W)

AMENDED LOCATION NOTICE

13
103

of Lode Claim.

Know All Men By These Presents:

That I, J. Stanley Jones of the County of El Paso and State of Colorado do hereby make, post and file this amended location notice upon the " MARK HANNA " lode claim, situate in the Harcuvar Mining District, County of Yuma Territory of Arizona.

The length of this claim , linear and horizontal measurement is 1500 feet along the ledge, 1500 feet running Southerly from the discovery monument from which monument discovery shaft bears S 53 E. 190 ft, together with surface ground 300 feet on the easterly side of the center of the ledge, and 269 feet on the Westerly side of the ledge.

The boundaries are marked upon the ground as follows: Beginning at Cor No. 1 the N. E. Cor. of said claim and from which the discovery monument and notice bears N 65° 55' W 302 feet and from which corner, the S. E. Cor. of Planet claim (a post) bears N 65° W. about 25 ft, thence S 30° 30' W 1500 feet to corner No. 2, the S. E. corner of said lode; thence N 65° 55' W 587 feet to cor No. 3' the S. W. corner of said claim; thence N 30° 30' E, 1500 feet to corner No. 4, the N. W. corner of said claim; thence S 65° 30' E 587 feet to the place of beginning.

Monuments are also placed at the center of the end lines.

This claim is about half a mile south of the Smelter on the Bill Williams Fork.

This amended location notice is made under the provisions of the Revised Statutes of the United States, relating to Mineral Lands, and an Act of the General Assembly of Arizona, approved March 16th, 1901, without waiver of previous rights to correct errors in the description of the said Mark Hanna lode claim in the location notice of the same recorded in Book H, page 284 et seq., of " Records of Mines, " in the office of the County Recorder of the aforesaid County of Yuma Territory of Arizona, to which reference is hereby made.

Dated and posted on the ground this 22d day of March 1902.

J. Stanley Jones

Recorded at request of J. Stanley Jones, March 25, A. D. 1902, at 9 A.M.

C. P. Cronin

County Recorder

By B. E. Hayden, Deputy " "

Territory of Arizona,)
County of Yuma.) ss.

I, J. M. Polhamus, County Recorder in and for the County of Yuma, Territory of Arizona, do hereby certify that the foregoing is a true, full and correct copy of an Amended Location Notice as filed for record in my office on the 25th day of March, A. D. 1902, and as appears of Record in Book M of Mines, Page 396, et seq., Records of Yuma County aforesaid.

In Witness Whereof I have hereunto set my hand and affixed my seal of office, this 24th day of May, A. D. 1909.

J. M. Polhamus
County Recorder, Yuma County, Arizona.

By G. V. Cull
Deputy Recorder.

381

(W)

AMENDED LOCATION NOTICE

of Lode Claim.

Know All Men By These Presents:

That I, J. Stanley Jones of the County of El Paso and State of Colorado do hereby make, post and file this amended location notice upon the " LA MEXICANA " lode claim, situate in the Harcuvar Mining District, County of Yuma Territory of Arizona.

The length of this claim, linear and horizontal measurement is 1500 feet along the ledge, 1400 feet running Northerly from the discovery incline, and 100 feet running Southerly from the discovery incline, together with surface ground 300 feet on the Easterly side of the center of the ledge.

The boundaries are marked upon the ground as follows: Beginning at cor No. 1, from which a post on Sentinel Mt bears S. 55° E 200 ft from which the discovery incline bears South Easterly Said Cor. 1, being the N. W. cor of said claim, thence S $15^{\circ}30'$ E 1500 feet to cor No. 2 the S. W. corner of said lode; from which discovery bears N 58° E. 310 feet, thence N $77^{\circ}30'$ W 1500 feet to corner No. 4 the N. E. corner of said claim, thence S $77^{\circ}30'$ W 600 feet to the place of beginning.

Monuments are also placed at the center of the end lines.

From discovery monument mouth of discovery incline bears S 19° E 25 feet.

This amended location notice is made under the provisions of the Revised Statutes of the United States relating to Mineral Lands, and an Act of the General Assembly of Arizona, approved March 16th, 1901, without waiver of previous rights, to correct errors in the description of the said La Mexicana lode claim in the location notice of the same recorded in Book H Page 285 et seq, of Records of Mines, " in the office of the County Recorder of the aforesaid County of Yuma Territory of Arizona, to which reference is hereby made.

Dated and posted on the ground this 23d day of March 1902.

J. Stanley Jones

Recorded at request of J. Stanley Jones, March 25, A.D. 1902, at 9 A. M.

C. P. Cronin

County Recorder

By B. E. Hayden, Deputy "

Territory of Arizona,)
County of Yuma.) ss.

I, J. M. Polhamus, County Recorder in and for the County of Yuma, Territory of Arizona, do hereby certify that the foregoing is a true, full and correct copy of an Amended Location Notice as filed for record in my office on the 25th day of March, A. D. 1902, and as appears of record in Book M of Mines, Page 397, et seq., Records of Yuma County aforesaid.

In Witness Whereof I have hereunto set my hand and affixed my seal of office, this 24th day of May, A. D. 1909.

J. M. Polhamus
County Recorder, Yuma County, Arizona.

By G. V. Cull
Deputy Recorder.

350

V

AMENDED LOCATION NOTICE
of Lode Claim.

Know All Men by These Presents:

That I, J. Stanley Jones of the County of El Paso and State of Colorado do hereby make, post and file this amended location notice upon the COMET lode claim, situate in the Harcuvar Mining District, County of Yuma Territory of Arizona.

The length of this claim linear and horizontal measurement is 1500 feet along the ledge, 750 feet running northwesterly from the discovery shaft and 750 feet running Southwesterly from the discovery shaft, together with surface ground 300 feet on the North Easterly side of the center of the ledge, and 300 feet on the South Easterly side of the ledge.

The boundaries are marked upon the ground as follows: Beginning at Cor No. 1 the N. E. cor. of said claim on the S. E. side line of the Sentinel lode claim from which cor. the discovery shaft bears S 29° E 825 feet and from which discovery shaft La Mexicana disc Monument bears N 8° E 150 feet thence S 50° E. 1500 feet to corner No. 2, the S. E. corner of said lode; thence S. 30° 30' W, 608.2 feet to corner No. 3, the S. W. corner of said claim; thence N 50° W 1500 feet to corner No 4 the N. W. corner of said claim, thence N 30° 30' E 608.2 ft to the place of beginning.

Monuments are also placed at the center of the end lines.

The conflict with La Mexicana lode is hereby excluded from this claim.

This amended location notice is made under the provisions of the Revised Statutes of the United States relating to Mineral Lands, an Act of the General Assembly of Arizona, approved March 16th 1901 without waiver of previous rights, to correct errors in the description of the said Comet lode claim in the Location Notice of the same recorded in Book H Page 286 et seq, of " Records of Mines, " in the office of the County Recorder of the aforesaid County of Yuma Territory of Arizona, to which reference is hereby made.

Dated and posted on the ground this 22d day of March 1902.

J. Stanley Jones

Recorded at request of J. Stanley Jones, March 25, A. D. 1902, at 9 A.M.

C. P. Cronin

County Recorder

By B. E. Hayden, Deputy "

Territory of Arizona,)
County of Yuma.) ss.

I, J. M. Polhamus, County Recorder in and for the County of Yuma, Territory of Arizona, do hereby certify that the foregoing is a true, full and correct copy of an Amended Location Notice as filed for record in my office on the 25th day of March, A. D. 1902, and as appears of record in Book M of Mines, Page 399, et seq., Records of Yuma County aforesaid.

In Witness Whereof I have hereunto set my hand and affixed my seal of office this 24th day of May, A. D. 1909.

J. M. Polhamus
County Recorder, Yuma County, Arizona.

By G. V. Cull
Deputy Recorder.

398

(X)

AMENDED LOCATION NOTICE

109

of Lode Claim.

Know All Men by These Presents:

That I, Olaver Augdahl of the County of Yuma and Territory of Arizona do hereby make, post and file this amended location notice upon the " BYRON " lode claim, situate in the Harcuvar Mining District, County of Yuma Territory of Arizona.

The length of this claim, linear and horizontal measurement is 1500 feet along the ledge, 1500 feet running Southerly from the discovery monument, ~~and-feet-running-from-the-discovery~~, together with surface ground 300 feet on Easterly side of the center of the ledge and 300 feet on the Westerly side of the ledge.

The boundaries are marked upon the ground as follows: Beginning at Cor No. 1 the N. E. Cor. of said claim from which the discovery monument bears S 84° W 300.9 feet, and running thence S. 10° 25 ' E. 1500 ~~thence~~ feet to corner No. 2 the S. E. corner of said lode; thence S 84° W 601.8 feet to corner No. 3 the S. W. corner of said claim; thence N 10° 25' W 1500 feet to corner No. 4 the N. W. corner of said claim, thence N 84° E. 601.8 feet to the place of beginning.

Monuments are also placed at the center of the end lines.

This claim is bounded on the north by the " Sentinel " lode claim, and is 3/4 of a mile South of the Smelter on the Bill Williams Fork.

This amended Location Notice is made under the provisions of the Revised Statutes of the United States relating to Mineral Lands, and an Act of the General Assembly of Arizona, approved March 16th, 1901, without waiver of previous rights, to correct errors in the description of the said Byron lode claim in the Location Notice of the same recorded in Book " E " Page 328 et seq, of Records of Mines, in the office of the County Recorder of the aforesaid County of Yuma Territory of Arizona, to which reference is hereby made.

Dated and posted on the ground this day of April 17, 1902.

Olaver Augdahl

Recorded at request of Olaver Augdahl April 25th, A. D. 1902, at 9:00 A.M.

C. P. Cronin

County Recorder.

Territory of Arizona,)
County of Yuma.) ss.

I, J. M. Polhamus, County Recorder in and for the County of Yuma, Territory of Arizona, do hereby certify that the foregoing is a true, full and correct copy of an Amended Location Notice as filed for record in my office on the 25th day of April, A.D. 1902, and as appears in Book M of Mines, Page 535, et seq., Records of Yuma County aforesaid.

In Witness Whereof I have hereunto set my hand and affixed my seal of office this 24th day of May, A. D. 1909.

J. M. Polhamus
County Recorder, Yuma County, Arizona.

By G. V. Cull
Deputy Recorder

360

(4)

AMENDED LOCATION NOTICE
of Lode Claim.

Know All Men by These Presents:

That I, Olaver Augdahl of the County of Yuma and Territory of Arizona do hereby make, post and file this amended location notice upon the ~~SENTINEL~~ Lode claim, situate in the Harcuvar Mining District, County of Yuma Territory of Arizona.

The length of this claim, linear and horizontal measurement is 1375 feet along the ledge, 1375 feet running Southerly from the discovery monument, ~~and-feet-running--from-the-discovery~~, together with surface ground 300 feet on the easterly side of the center of the ledge, and 300 feet on the westerly westerly side of the ledge.

The boundaries are marked upon the ground as follows: Beginning at N. W. cor. No. 1, from which the discovery monument bears S 65° 55' E 302 feet and from which Cor 1, a post bears S 53° 15' W 90 feet and running from said Cor. No. 1 thence S 65° 55' E 604 feet to corner No. 2 the N. E. corner of said lode; thence S. 30° 30' W, 1375 feet to corner No. 3 the S. E. corner of said claim; thence N. 65° 55' W 604 feet to corner No. 4 the S. W. corner of said claim, thence N. 30° 30' E 1375 feet to the place of beginning.

Monuments are also placed at the center of the end lines.

This claim is half a mile South of the Bill Williams Fork and is bounded on the West by the " Planet " lode claim and on the N. by the Ella Belle claim.

This amended location is made under the provisions of the Revised Statutes of the United States relating to Mineral Lands, and an Act of the General Assembly of Arizona, approved March 16th, 1901, without waiver of previous rights, to correct errors in the description of the said Sentinel lode claim in the Location Notice of the same recorded March 29th, in Book D Page 196 et seq, of " Records of Mines, " in the office of the County Recorder of the aforesaid County of Yuma Territory of Arizona, to which reference is hereby made.

Dated and posted on the ground this day of April 17, 1902.

Olaver Augdahl

Recorded at request of Olaver Augdahl, April 25th, A. D. 1902, at 9:00 A.M.

C. P. Cronin
County Recorder.

Territory of Arizona, }
 County of Yuma. } ss.

I, J. M. Polhamus, County Recorder in and for the County of Yuma, Territory of Arizona, do hereby certify that the foregoing is a true, full and correct copy of an Amended Location Notice as filed for record in my office on the 25th day of April, A. D. 1902, and as appears of record in Book M of Mines, Page 538, et seq., Records of Yuma County aforesaid.

In Witness Whereof I have hereunto set my hand and affixed my seal of office, this 24th day of May, A. D. 1909.

J. M. Polhamus
 County Recorder, Yuma County, Arizona.

By G. V. Cull
 Deputy Recorder.

393

(4)

AMENDED LOCATION NOTICE
of Lode Claim.

Know All Men by These Presents:

That I, Olaver Augdahl, of the County of Yuma and Territory of Arizona do hereby make, post and file this amended location notice upon the " PALMETTO " lode claim, situate in the Harcuvar Mining District, County of Yuma Territory of Arizona.

The length of this claim, linear and horizontal measurement is 1500 feet along the ledge, 750 feet running northerly from the discovery monument and 750 feet running southerly from the discovery monument, together with surface ground 300 feet on the Easterly side of the center of the ledge, and 300 feet on the westerly side of the ledge.

The boundaries are marked upon the ground as follows: Beginning at Cor No. 1 the N. W. Cor. from which discovery monument bears S. 43° E 887 feet, and Sentinel Post S. 88° W from which monument the discovery tunnel bears S $23^{\circ}45'$ E 85 feet and running from said Cor No. 1, thence N. 82° E 623 feet to corner No. 2 the N. E. corner of said lode; thence S $23^{\circ}40'$ E, 1500 feet to corner No. 3 the S. E. corner of said claim; thence S 82° W 623 feet to corner No. 4 the S. W. corner of said claim, thence N $23^{\circ}40'$ W 1500 feet to the place of beginning.

Monuments are also placed at the center of the end lines.

This claim is located in the " Planet " group of mines half a mile from the Bill Williams Fork.

This amended location notice is made under the provisions of the Revised Statutes of the United States relating to Mineral Lands, and an Act of the General Assembly of Arizona, approved March 16th, 1901, without waiver of previous rights, to correct errors in the description of the said Palmetto lode claim in the Location Notice of the same recorded in Book E Page 330 et seq of " Records of Mines," in the office of the County Recorder of the aforesaid County of Yuma Territory of Arizona, to which reference is hereby made.

Dated and posted on the ground this day of April 17, 1902.

Olaver Augdahl

Recorded at request of Olaver Augdahl April 25th, A. D. 1902, at 9:00 A.M.

C. P. Cronin

County Recorder.

Territory of Arizona,)
 County of Yuma.) ss.

I, J. M. Polhamus, County Recorder in and for the County of Yuma, Territory of Arizona, do hereby certify that the foregoing is a true, full and correct copy of an Amended Location Notice as filed for record in my office on the 25th day of April, A. D. 1902, and as appears of record in Book M of Mines, Page 539, et seq., Records of Yuma County aforesaid.

In Witness Whereof I have hereunto set my hand and affixed my seal of office this 24th day of May, A. D. 1909.

J. M. Polhamus
 County Recorder, Yuma County, Arizona.

By G. V. Cull
 Deputy Recorder.

289

(3)

AMENDED LOCATION NOTICE
of Lode Claim.

Know All Men by These Presents:

That I, Olaver Augdahl of the County of Yuma and Territory of Arizona do hereby make, post and file this amended location notice upon the ASHLEY lode claim, situate in the Harcuvar Mining District, County of Yuma Territory of Arizona.

The length of this claim linear and horizontal measurement is 1500 feet along the ledge 500 feet running northerly from the discovery monument, and 1000 feet running Southerly from the discovery monument; together with surface ground 300 feet on the Easterly side of the center of the ledge, and 300 feet on the westerly side of the ledge.

The boundaries are marked upon the ground as follows: Beginning at N. E. Cor No. from which discovery monument bears S 68° W 492 feet from which monument the discovery open cut bears S 66° E 129 feet and post on Sentinel mountain bears S $72^{\circ}45'$ E, thence N 40° W. 636.5 feet to corner No. 2 the N. W. corner of said lode; thence S. $30^{\circ}30'$ W. 1500 feet to corner No. 3 the S. W. corner of said claim; thence S 40° E 636.5 feet to corner No. 4 the S. E. corner of said claim thence N. $30^{\circ}30'$ E 1500 feet to the place of beginning.

Monuments are also placed at the center of the end lines.

This claim is bounded on the East by the Planet claim, one half mile from the Bill Williams Fork.

This amended location notice is made under the provisions of the Revised Statutes of the United States relating to Mineral Lands, and an Act of the General Assembly of Arizona, approved March 16th, 1901, without waiver of previous rights, to correct errors in the description of the said Ashley lode claim in the Location Notice of the same recorded in Book D Page 198 et seq of "Records of Mines," in the office of the County Recorder of the aforesaid County of Yuma Territory of Arizona, to which reference is hereby made,

Dated and posted on the ground this day of April 17, 1902.

Olaver Augdahl

Recorded at request of Olaver Augdahl April 25th, A. D. 1902, at 9:00 A.M.

C. P. Cronin

County Recorder.

Territory of Arizona, }
 County of Yuma. } ss.

I, J. M. Polhamus, County Recorder in and for the County of Yuma, Territory of Arizona, do hereby certify that the foregoing is a true, full and correct copy of an Amended Location Notice as filed for record in my office on the 25th day of April, A. D. 1902, and as appears of record in Book M of Mines, Page 542, et seq., Records of Yuma County aforesaid.

In Witness Whereof I have hereunto set my hand and affixed my seal of office this 24 day of May, A. D. 1909.

J. M. Polhamus

County Recorder, Yuma County, Arizona.

By

G. D. Cull

Deputy Recorder.

384

(4)

LOCATION NOTICE OF LODE CLAIM.

Know All Men by These Presents:

That the Planet Copper Mining Company of the County of Yuma and Territory of Arizona do hereby make, post and file this amended location notice upon the ORANGE lode claim, situate in the Harcuvar Mining District, County of Yuma Territory of Arizona.

The length of this claim, linear and horizontal measurement is 1500 feet along the ledge, 84 feet running S 30 30' W from the discovery monument, and 1416 feet running N 30 30' E from the discovery monument, together with surface ground 115 feet on the S. E. side of the center of the ledge, and 300 feet on the N. W. side of the ledge.

The boundaries are marked upon the ground as follows: Beginning at the S. E. corner No. 1 (which is also the S. W. corner of the Bunker Hill Lode claim) from which the discovery monument bears N 12°W. 169 feet and a prominent peak bears N 33°10' E thence N 40°W. 441 feet to corner No. 2 the S. W. corner of said lode; thence No. 30°30' E 1500 feet to corner No. 3 the N. W. corner of said claim; thence S 40°E 441 feet to corner No. 4 the N. E. corner of said claim, thence S 30°30' W. 1500 feet to Cor. No. 1 the place of beginning.

Monuments are also placed at the center of the end lines.

This amended location notice is made under the provisions of the Revised Statutes of the United States relating to Mineral Lands, and an Act of the General Assembly of Arizona, approved March 16th, 1901, ~~without-waiver-of-previous-rights,-to-correct-errors-in-the-description-of-the-said-lode-claim-in-the-Location-Notice-of-the-same-recorded-in-Book--Page--of--Records-of-Mines, --in-the-office-of-the-County-Recorder-of-the-aforesaid-County-of---Territory-of-Arizona,-to-which-reference-is-hereby-made.~~

Dated and posted on the ground this 24th day of October 1904.

Planet Copper Mining Company

By H. L. McCain

its Agent.

Recorded at request of H. L. McCain Dec. 22, 1904, at 9 A.M.

J. M. Polhamus

County Recorder.

Territory of Arizona, }
 County of Yuma. } ss.

I, J. M. Polhamus, County Recorder in and for the County of Yuma, Territory of Arizona, do hereby certify that the foregoing is a true, full and correct copy of a Notice of Location as filed for record in my office on the 22nd day of December, A. D. 1904, and as appears of record in Book S of Mines, Page 135, et seq., Records of Yuma County aforesaid.

In Witness Whereof I have hereunto set my hand and affixed my seal of office this 24 day of May, A. D. 1909.

J. M. Polhamus
 County Recorder, Yuma County, Arizona.

By G. V. Cull
 Deputy Recorder.

375
 (4)

AMENDED

LOCATION NOTICE OF LODE CLAIM.

Know All Men by These Presents:

That the Planet Copper Mining Company of the County of Yuma and Territory of Arizona does hereby make, post and file this amended location notice upon the WISCONSIN lode claim, situate in the Harcuvar Mining District, County of Yuma Territory of Arizona.

The length of this claim, linear and horizontal measurement is 1500 feet along the ledge, 50 feet feet running S 50° W from the discovery shaft and 1450 feet running N 50° E from the discovery shaft, together with surface ground 300 feet on the S. E. side of the center of the ledge, and 300 feet on the N. W. side of the ledge.

The boundaries are marked upon the ground as follows: Beginning at N.-W. Corner No. 1 the S. W. corner from which the discovery shaft bears S 49° E 302 feet and a prominent peak bears S 42° 30' E thence S 40° E 600 feet to corner No. 2 the S. E. corner of said lode; thence N 50° E 1500 feet to corner No. 3 the N. E. corner of said claim; thence N 40° W 600 feet to corner No. 4 the N. W. corner of said claim; thence S 50° W. 1500 feet to cor No. 1 the place of beginning.

Monuments are also placed at the center of end lines.

This amended location notice is made under the provisions of the Revised Statutes of the United States relating to mineral lands and an Act of the General Assembly of Arizona, approved March 16th, 1901, without ~~waiver of previous rights, to correct errors in the description of the said lode claim in the location notice of the same recorded in Book Page of "Records of Mines," in the office of the County Recorder of the aforesaid County of Territory of Arizona, to which reference is hereby made.~~

Dated and posted on the ground this 5th day of May 1905.

Planet Copper Mining Company
By H.L. McCane, its agent.

Recorded at request of H. L. McCane June 23, 1905, at 10:20 A.M.

J. M. Polhamus

County Recorder.

Territory of Arizona,)
 County of Yuma.) ss.

I, J. M. Polhamus, County Recorder in and for the County of Yuma, Territory of Arizona, do hereby certify that the foregoing is a true, full and correct copy of a Notice of Location as filed for record in my office on the 23rd day of June, A. D. 1905, and as appears of record in Book T of Mines, Page 221 et seq., Records of Yuma County aforesaid.

In Witness Whereof I have hereunto set my hand and affixed my seal of office this 24 day of May, A. D. 1909.

J. M. Polhamus
 County Recorder, Yuma County, Arizona.

By G. V. Cull
 Deputy Recorder.

382

(4)

AMENDED

LOCATION NOTICE OF LODE CLAIM.

Know All Men by These Presents:

That the Planet Copper Mining Company of the County of Yuma and Territory of Arizona does hereby make, post and file this amended location notice upon the KIMBALL lode claim, situate in the Harcuvar Mining District, County of Yuma Territory of Arizona.

The length of this claim, linear and horizontal measurement is 1500 feet along the ledge, 86 feet running S 67° 30' E from the discovery shaft and 1414 feet running N 67° 30' W, from the discovery shaft, together with surface ground 300 feet on the north side of the center of the ledge, and 300 feet on the south side of the ledge.

The boundaries are marked upon the ground as follows: Beginning at the North west corner No. 1 from which the discovery shaft bears S 54° E, 1290 feet and the top of Juns Mountain bears N. 22° 30' E. thence S 50° W 774 feet to corner No. 2 the S. W. corner of said lode; thence S 67° 30' E 1500 feet to corner No. 3 the S. E. corner of said claim; thence N 50° E 774 feet to corner No. 4 the N. E. corner of said claim; thence N 67° 30' W. 1500 feet to corner No. 1 the place of beginning.

This amended location notice is made under the provisions of the Revised Statutes of the United States relating to Mineral Lands, and an Act of the General Assembly of Arizona, approved March 16th, 1901, without waiver of previous rights, to correct errors in the description of the said Kimball lode claim in the Location Notice of the same recorded in Book " P " Page 423 of " Records of Mines, " in the office of the County Recorder of the aforesaid County of Yuma Territory of Arizona, to which reference is hereby made.

Dated and posted on the ground this 4th day of May, 1905.

Planet Copper Mining Company

by H. L. McCain

Agent.

Recorded at request of H. L. McCain, July 10, 1905 at 4:55 P.M.

J. M. Polhamus

County Recorder.

Territory of Arizona, }
 County of Yuma. } ss.

I, J. M. Polhamus, County Recorder in and for the County of Yuma, Territory of Arizona, do hereby certify that the foregoing is a true, full and correct copy of an Amended Location Notice as filed for record in my office on the 10th day of July, A. D. 1905, and as appears of record in Book T of Mines, Page 225, et seq., Records of Yuma County aforesaid.

In Witness Whereof I have hereunto set my hand and affixed my seal of office this 24 day of May, A. D. 1909 .

J. M. Polhamus

County Recorder, Yuma County, Arizona.

By G. V. Cull

Deputy Recorder.

354 (4)

AMENDED
NOTICE OF MINING LOCATION.
LODE CLAIM.

To All Whom It May Concern:

This mining claim, the name of which is the " BOSTON " Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purpose of exploration and purchase by the Planet Copper Mining Co., the undersigned, on the 7th day of April, 1903.

The length of this claim is 1500 feet, and we claim 50 feet in a Northerly direction, and 1450 feet in a Southerly direction from the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with 300 feet in width of the surface grounds, on each side of the center of said claim.

The general course of the lode deposit and premises is from the North to the South.

The claim is situated and located in the Harcuvar Mining District, in Yuma County, in the Territory of Arizona, about 3000 feet in a Southerly direction from The Planet Smelter on Bill Williams Fork.

The surface boundaries of the claim are marked upon the ground as follows:

Beginning at a monument at a point in a Northerly direction fifty feet from the discovery shaft (at which this notice is posted) being in the center of the North end line of said claim; thence 300 feet to a monument being the N. W. corner of said claim; thence 1500 feet to a monument ~~at the center of the side line of said claim,~~ ~~thence--feet--to--a~~ being at the S. W. corner of said claim; thence 300 feet to a monument at the center of the South end of said claim; thence 300 feet to a monument, being at the S. E. corner of said claim; thence 1500 feet to a monument ~~being at the center of the side line of said claim;~~ ~~thence--feet--to--a~~ at the N. E. corner of said claim; thence 300 feet to the place of beginning.

All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of the United States and of an Act of the General Assembly of Arizona, entitled " An Act Concerning Mines, " approved March 20th, 1895, and amended March 2d, 1899.

~~This is an amended Location Notice of the Mining Claim, located by--on the--day of---189--and recorded in Book of Records of Mines at page in the office of the County Recorder of the aforesaid County--County of--to which reference is hereby made,--and this amended Location Notice is made and posted to correct errors in the description in the said original Location Notice.~~

Dated and posted on the ground this 7th day of April 1903.

The Planet Copper Mining Co.
By H. L. McCain
Supt.

Recorded at request of H. L. McCain July 7th, 1903, at 10:30 A. M.
C. P. Cronin

County Recorder

By W. J. Riley
Deputy.

Territory of Arizona,)
County of Yuma.) ss.

I, J. M. Polhamus, County Recorder in and for the County of Yuma, Territory of Arizona, do hereby certify that the foregoing is a true, full and correct copy of an Amended Location Notice as filed for record in my office on the 7th day of July, A. D. 1903, and as appears of record in Book O of Mines, Page 556, et seq., Records of Yuma County aforesaid.

In Witness Whereof I have hereunto set my hand and affixed my seal of office this 24 day of May, A. D. 1909.

J. M. Polhamus
County Recorder, Yuma County, Arizona.

By J. V. Cull
Deputy Recorder.

478 (5)

LOCATION NOTICE
OF
CROMPTON LODE CLAIM.

Know All Men by These Presents:

That the Planet Copper Mining Company, do hereby make, post and file this location notice upon the CROMPTON lode claim, situate in the Harcuvar Mining District, County of Yuma Territory of Arizona.

The length of this claim, linear and horizontal measurement is 1500 feet along the ledge, 65 feet running S 65° 55' E from the discovery cut and 1435 feet running N. 65° 55' W. from the discovery cut, together with surface ground 300 feet on the northerly side of the center of the ledge, and 225 feet on the Southerly side of the ledge.

The boundaries are marked upon the ground as follows:

Beginning at the East end center from which the discovery cut bears N. 65° 55' W. 65 feet and Planet Smelter bears N. 27° E. about one mile, thence N. 50° E. 500 feet to corner No. 1 the N. E. corner of said lode; identical with S. E. cor of Kimball Lode, thence N. 65° 55' W. 1500 feet to cor No. 2, the N. W. corner identical with S. W. corner of Kimball Lode, thence S. 50° W. along side line of McCarn Lode 600 feet to Cor. No. 3, the S. W. corner, thence S. 65° 55' E, 1500 feet to Cor. No. 4 S. E. Cor. thence N. 50° E 225 feet to East end center the place of beginning.

Monuments are also placed at the center of the end lines.

This location notice is made under the provisions of the Revised Statutes of the United States relating to Mineral Lands, and an Act of the General Assembly of Arizona, approved March 16th, 1901.

Dated and posted on the ground this 8th day of January 1907.

Planet Copper Mining Company.

By J. Stanley Jones, President

Recorded at request of A. B. Jones, Feb. 7, 1907, at 1:40 P. M.

J. M. Polhamus

County Recorder.

Territory of Arizona, }
 County of Yuma. } ss.

I, J. M. Polhamus, County Recorder in and for the County of Yuma, Territory of Arizona, do hereby certify that the foregoing is a true, full and correct copy of a Location Notice as filed for record in my office on the 7th day of February, A.D. 1907, and as appears of record in Book U of Mines, Page 203, et seq., Records of Yuma County aforesaid.

In Witness Whereof I have hereunto set my hand and affixed my seal of office this 24 day of May, A. D. 1909.

J. M. Polhamus
 County Recorder, Yuma County, Arizona.

By G. V. Cull
 Deputy Recorder.

329

(X)

NOTICE OF MINING LOCATION.

LODE CLAIM.

TO ALL WHOM IT MAY CONCERN:

This Mining Claim, the name of which is the ODORA Lode Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purpose of exploration and purchase by Albert B. Jones, a citizen of the United States the undersigned, on the 2nd day of January 1907.

The length of this claim is 1500 feet and I claim 500 feet N. 50° E and 1000 feet S. 50° W direction from the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with 300 feet in width of the surface grounds, on each side of the center of said claim. The general course of the lode deposit and premises is from the N. E'ly end center S. 50° W.

The claim is situated and located in the Harcuvar Mining District, in Yuma County, in the Territory of Arizona, about 5000 feet in a Southwesterly direction from the Planet Smelter and about 3000 feet Southwesterly from main incline of the Planet Copper Mining Co. and about 1 1/4 miles East of Mineral Wash.

The surface boundaries of the claim are marked upon the ground as follows:

Beginning at a monument and stake identical with the S. E'ly end center of the McCarn Lode of the Planet Copper M'ing Co at a point N. 50° E 500 feet from the discovery shaft (at which this notice is posted), being in the center of the Northeasterly end line of said claim; thence S. 40° E. 300 feet to a monument identical with S. E. cor McCarn Lodes, being the N. E. corner of said claim; thence S. 50° W 1500 feet to a monument and stake, being at the S. E. corner of said claim; thence N. 40° W. 300 feet to a monument and stake at the center of the S. W'ly end of said claim; thence N. 40° W 300 feet to a monument and stake, being at the S. W. corner of said claim; thence N. 50° E. 1500 feet to a monument and stake at the S. W. corner of said claim; thence S. 40° E. 300 feet to the place of beginning.

All done under the provisions of Chapter Six, of Title XXXI of the Revised Statutes of the United States, and an Act of the General Assembly of Arizona, entitled " An Act to Revise and Codify the Laws of the Territory of Arizona, " approved March 16th, 1901.

Dated and posted on the ground this 2nd day of January 1907.

Albert B. Jones

Filed and recorded at request of A. B. Jones Feb. 7, 1907, at 1:40 P.M.

J. M. Polhamus

County Recorder.

Territory of Arizona, }
 County of Yuma. } ss.

I, J. M. Polhamus, County Recorder in and for the County of Yuma, Territory of Arizona, do hereby certify that the foregoing is a true, full and correct copy of a Notice of Mining Location as filed for record in my office on the 7th day of February, A. D. 1907, and as appears of record in Book V of Mines, Page 218, et seq., Records of Yuma County aforesaid.

In Witness Whereof I have hereunto set my hand and affixed my seal of office this 24 day of May, A. D. 1909.

J. M. Polhamus

County Recorder, Yuma County, Arizona.

By G. V. Cull

Deputy Recorder.

490

(5)

NOTICE OF MINING LOCATION.

LODE CLAIM.

TO ALL WHOM IT MAY CONCERN:

This Mining Claim, the name of which is the ODDOLETTA Lode Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purpose of exploration and purchase by Albert B. Jones, a citizen of the United States the undersigned, on the 2nd day of January 1907.

The length of this claim is 1500 feet and I claim 600 feet, N. 50° E and 900 feet S. 50° W direction from the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with 300 feet in width of the surface grounds, on each side of the center of said claim. The general course of the lode deposit and premises is from the N. E'ly end center S. 50° W.

The claim is situated and located in the Harcuvar Mining District, in Yuma County, in the Territory of Arizona, about 6000 feet in a Southwesterly direction from Planet Smelter and about 3600 feet Southwesterly from main incline of Planet Copper Mn'g Co. and about one mile East of Mineral Hill Wash. The claim embraces the greater portion of an abandoned claim, called the Divide Lode.

The surface boundaries of the claim are marked upon the ground as follows:

Beginning at at a monument and stake, identical S. W'ly end center of the Wisconsin Lode of the Planet Copper Mn'g Co. at a point N. 50° E direction 600 feet from the discovery shaft (at which this notice is posted), being in the center of the Northeasterly end line of said claim; thence S. 40° E. 300 feet to a monument and stake, being the N. E. corner of said claim; thence S. 50° W. 1500 feet to a monument and stake, being at the S. E. corner of said claim; thence N. 40° W. 300 feet to a monument and stake at the center of the S. W'ly end of said claim; thence N. 40° W. 300 feet to a monument and stake, being at the S. W. corner of said claim; thence N. 50° E 1500 feet to a monument and stake at the N. W. corner of said claim; thence S. 40° E. 300 feet to the place of beginning.

All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of the United States, and an Act of the General Assembly of Arizona, entitled " An Act to Revise and Codify the Laws of the Territory of Arizona, " approved March 16th, 1901.

Dated and posted on the ground this 2nd day of January 1907.

Albert B. Jones

Filed and recorded at request of A. B. Jones, Feb. 7, 1907, at 1:40 P.M.

J. M. Polhamus,

County Recorder.

Territory of Arizona, }
County of Yuma. } ss.

I, J. M. Polhamus, County Recorder in and for the County of Yuma, Territory of Arizona, do hereby certify that the foregoing is a true, full and correct copy of a Notice of Mining Location as filed for record in my office on the 7th day of February, A. D. 1907, and as appears of record in Book V of Mines, Page 217, et seq., Records of Yuma County aforesaid.

In Witness Whereof I have hereunto set my hand and affixed my seal of office this 24 day of May, A. D. 1909.

J. M. Polhamus
County Recorder, Yuma County, Arizona.

By G. O. Cull
Deputy Recorder.

H63
(5)

27

LOCATION NOTICE
of Lode Claim.

131

Know All Men by These Presents:

That Planet Copper Mining Company of the County of Yuma and Territory of Arizona do hereby make, post and file this location notice upon the NICKERSON lode claim, situate in the Harcuvar Mining District, County of Yuma Territory of Arizona.

The length of this claim linear and horizontal measurement is 1500 feet along the ledge, 1150 feet running southeasterly from the discovery cut, and 350 feet running northwesterly from the discovery cut, together with surface ground 50 feet on the westerly side of the center of the ledge, and 300 feet on the Easterly side of the ledge.

The boundaries are marked upon the ground as follows:

Beginning at Cor 1 the N. W. Cor of said claim, a point on south side line of Iron Hill lode from which Cor 1 the discovery cut bears S. 40° E. 350 feet and the old Planet Smelter 1400 ft North Westerly, thence N 82° E 350 feet to corner No. 2 the N. E. corner of said lode and identical with N. W. corner of Copper Hill Lode thence S 32° E. 1500 feet to corner No. 3 the S. E. corner of said claim; thence S 82° W. 350 feet to corner No. 4 the S. W. corner of said claim, thence 1500 ft to Corner 1, the place of beginning.

This claim adjoins the Palmetto mine. Monuments are also placed at the center of the end lines.

This location notice is made under the provisions of the Revised Statutes of the United States relating to Mineral Lands and an Act of the General Assembly of Arizona, approved March 16th, 1901.

Dated and posted on the ground this 16th day of March 1908.

Planet Copper Mining Company

by its President

J. Stanley Jones

Recorded at request of A. B. Jones, Apr. 23, 1908, at 1:10 P.M.

J. M. Polhamus
County Recorder.

Territory of Arizona,)
 County of Yuma.) ss.

I, J. M. Polhamus, County Recorder in and for the County of Yuma, Territory of Arizona, do hereby certify that the foregoing is a true, full and correct copy of a Location Notice as filed for record in my office on the 23rd day of April, A. D. 1908, and as appears of record in Book X of Mines, Page 301, Records of Yuma County aforesaid.

In Witness Whereof I have hereunto set my hand and affixed my seal this 24 day of May, A. D. 1909.

J. M. Polhamus
 County Recorder, Yuma County, Arizona.

By G. V. Cull
 Deputy Recorder.

235

(3)

AMENDED

LOCATION NOTICE
OF LODE CLAIM.

Know All Men by These Presents:

That the Planet Copper Mining Company of the County of Yuma and Territory of Arizona do hereby make, post and file this amended location notice upon the BARTON lode claim, situate in the Harcuvar Mining District, County of Yuma Territory of Arizona,

The length of this claim, linear and horizontal measurement is 1500 feet along the ledge, 330 feet running N 30° 30' E from the discovery cut and 1170 feet running S. 30° 30' W. from the discovery cut, together with surface ground 300 feet on the easterly side of the center of the ledge and 300 feet on the westerly side of the ledge.

The boundaries are marked upon the ground as follows:

Beginning at the N. E. cor No. 1 which is identical with N. W. cor Orange lode from which the discovery cut bears west 300 feet and Planet Smelter N 60° E. 3000 feet N 40° W. 636.4 feet to corner No. 2 the N. W. corner of said lode; thence S. 30° W. 1500 feet to corner No. 3 the S. W. corner of said claim; thence S 40° E. 636.4 feet to corner No. 4 the S. E. corner of said claim thence N 30° E. 1500 feet to Cor No. 1 the place of beginning.

This claim is about 1/2 mile south of Bill Williams river, 12 miles East of the Colorado river. Monuments are also placed at the center of the end lines.

This amended location notice is made under the provisions of the Revised Statutes of the United States relating to Mineral Lands, and an Act of the General Assembly of Arizona, approved March 16th, 1901, without waiver of previous rights, to correct errors in the description of the said Barton lode claim, in the Location Notice of the same recorded in Book T Page 464 of "Records of Mines," in the office of the County Recorder of the aforesaid County of Yuma Territory of Arizona to which reference is hereby made.

Dated and posted on the ground this 28th day of March 1908.

Planet Copper Mining Company
by J. Stanley Jones
President.

Recorded at request of A. B. Jones, Apr. 23, 1908, at 1:10 P.M.
J.M. Polhamus
County Recorder.

Territory of Arizona,)
 County of Yuma.) ss.

I, J.M. Polhamus, County Recorder in and for the County of Yuma, Territory of Arizona, do hereby certify that the foregoing is a true, full and correct copy of an Amended Location Notice as filed for record in my office on the 23rd day of April, A. D. 1908, and as appears of record in Book X of Mines, Page 303, Records of Yuma County aforesaid.

In Witness Whereof I have hereunto set my hand and affixed my seal of office this 24 day of May, A. D. 1909.

J. M. Polhamus
 County Recorder, Yuma County, Arizona.

By G. V. Cull
 Deputy Recorder.

381

(2)

AMENDED LOCATION NOTICE
of Lode Claim.

Know All Men by These Presents:

That I, Olaver Augdahl of the County of Yuma and Territory of Arizona do hereby make, post and file this amended location notice upon the " BLUE BIRD " lode claim, situate in the Harcuvar Mining District, County of Yuma Territory of Arizona.

The length of this claim linear and horizontal measurement is 1500 feet along the ledge, 750 feet running northerly from the discovery monument, and 750 feet running Southerly from the discovery monument, together with surface ground 300 feet on the easterly side of the center of the ledge, and 300 feet on the westerly side of the ledge.

The boundaries are marked upon the ground as follows: Beginning at N. W. Cor No. 1 from which discovery monument bears S 43° 30' E 885 feet and Cor 1 Iron Hill lode claim S 82° W 100 ft. from which discovery monument the discovery shaft bears S 63° W 122 feet and running from said corner No. 1 thence N 82° E 623 feet to corner No. 2 the N.E. corner of said lode; thence S 23° 40' E. 1500 feet to corner No. 3 the S. E. corner of said claim; thence S 82° W. 623 feet to corner No. 4 the S. W. corner of said claim, thence N 23° 40' W 1500 feet to the place of beginning.

Monuments are also placed at the center of the end lines.

This claim lies 1/8 mile east of the Planet Mine, and about the same distance from the Smelter on the Bill Williams Fork.

This amended location notice is made under the provisions of the Revised Statutes of the United States relating to Mineral Lands, and an Act of the General Assembly of Arizona, approved March 16th, 1901, without waiver of previous rights, to correct errors in the description of the said Blue Bird lode claim in the Location Notice of the same recorded in Book E Page 331 et seq of " Records of Mines, " in the office of the County Recorder of the aforesaid County of Yuma Territory of Arizona, to which reference is hereby made and which lode claim was formerly named " Blue Bell. "

Dated and posted on the ground this day of April 17, 1902.

Olaver Augdahl

Recorded at request of Olaver Augdahl April 25th, A. D. 1902, at 9:00 A.M.

C. P. Cronin

County Recorder.

Territory of Arizona, }
 County of Yuma. } ss.

I, J. M. Polhamus, County Recorder in and for the County of Yuma, Territory of Arizona, do hereby certify that the foregoing is a true, full and correct copy of an Amended Location Notice as filed for record in my office on the 25th day of April, A. D. 1902, and as appears of record in Book M of Mines, Page 543, et seq., Records of Yuma County aforesaid.

In Witness Whereof I have hereunto set my hand and affixed my seal of office this 24 day of May, A. D. 1909.

J. M. Polhamus

County Recorder, Yuma County, Arizona.

By G. V. Cull

Deputy Recorder.

406

(K)

AMENDED
LOCATION NOTICE
OF LODE CLAIM.

137

KNOW ALL MEN BY THESE PRESENTS:

That The Planet Copper Mining Company of the County of Yuma and Territory of Arizona do hereby make, post and file this amended location notice upon the OTIS lode claim, situate in the Har-cuvar Mining District, County of Yuma Territory of Arizona.

The length of this claim, linear and horizontal measurement is 1500 feet along the ledge, 250 feet running S. 50° W. from the discovery cut, and 1250 feet running N. 50° E. from the discovery cut, together with surface ground 300 feet on the S. E. side of the center of the ledge, and 206.6 feet on the N. W. side of the ledge.

The boundaries are marked upon the ground as follows:

Beginning at Cor. No. 1, N. W. Cor. on the Southerly side line of the Brookeville Lode Claim from which the discovery cut bears S. 18° 55' E. 221.5 feet thence S. 50° W. 1500 feet to corner No. 2 the S. W. Corner of said lode; thence S. 79° 30' E. 658.5 feet to corner No. 3 the S. E. corner of said claim; thence N. 50° E. 1500 feet to corner No. 4 the N. E. corner of said claim, thence N. 79° 30' W, 658.5 feet to Cor. No. 1 the place of beginning.

Monuments are also placed at the center of the end lines.

This amended location notice is made under the provisions of the Revised Statutes of the United States relating to Mineral Lands, and an Act of the General Assembly of Arizona, approved March 16th, 1901, without waiver of previous rights, to correct errors in the description of the said Otis lode claim in the Location Notice of the same recorded in Book V Page 215 and Book X, Page 305 of "Records of Mines," in the office of the County Recorder of the aforesaid County of Yuma, Territory of Arizona, to which reference is hereby made.

Dated and posted on the ground this 2nd day of April 1909.

Planet Copper Mining Company

by A. B. Jones, its Agent.

Recorded at request of A. B. Jones, May 21st, A. D. 1909, at 9:09 A.M.

J . M. Polhamus

County Recorder.

Territory of Arizona, }
 County of Yuma. } ss.

I, J. M. Polhamus, County Recorder in and for the County of Yuma, Territory of Arizona, do hereby certify that the foregoing is a true, full and correct copy of an Amended Location Notice as filed for record in my office on the 21st day of May, A.D. 1909, and as appears of record in Book 1 of Mines, Page 330, et seq., Records of Yuma County aforesaid.

In Witness Whereof I have hereunto set my hand and affixed my seal of office this 24 day of May, A. D. 1909.

J. M. Polhamus
 County Recorder, Yuma County, Arizona.

By G. V. Cull
 Deputy Recorder.

371

(4)

AMENDED
LOCATION NOTICE
OF LODE CLAIM.

KNOW ALL MEN BY THESE PRESENTS:

That the Planet Copper Mining Company of the County of Yuma and Territory of Arizona do hereby make, post and file this amended location notice upon the OPAL lode claim, situate in the Harcuvar Mining District, County of Yuma Territory of Arizona.

The length of this claim, linear and horizontal measurement is 1500 feet along the ledge, 110 feet running S 50° W from the discovery cut, and 1390 feet running N. 50° E from the discovery cut, together with surface ground 300 feet on each side of the center of the ledge.

The boundaries are marked upon the ground as follows:

Beginning at Cor No. 1, N.W.Cor. on the Southerly side line of the Brookeville Lode Claim from which the discovery cut bears S. 64° 35' E. 329.9 feet thence S. 50° W. 1500 feet to corner No. 2 the S. W. corner of said lode; thence S. 79° 30' E. 777.5 feet to corner No. 3 the S. E. corner of said claim; thence N. 50° E 1500 feet to corner No. 4 the N. E. corner of said claim; thence N. 79° 30' W 777.5 feet to cor No. 1 the place of beginning.

Monuments are also placed at the center of the end lines.

This amended location notice is made under the provisions of the Revised Statutes of the United States relating to Mineral Lands, and an Act of the General Assembly of Arizona, approved March 16th, 1901, without waiver of previous rights, to correct errors in the description of the said Opal lode claim in the Location Notice of the same recorded in Book V Page 216 of "Records of Mines," in the office of the County Recorder of the aforesaid County of Yuma Territory of Arizona, to which reference is hereby made.

Dated and posted on the ground this 2nd day of May 1909.

Planet Copper Mining Company
by A. B. Jones, its agent.

Recorded at request of A. B. Jones, May 21st, A.D. 1909, at 9:10 A.M.

J. M. Polhamus

County Recorder.

Territory of Arizona,)
 County of Yuma.) ss.

I, J. M. Polhamus, County Recorder in and for the County of Yuma, Territory of Arizona, do hereby certify that the foregoing is a true, full and correct copy of an Amended Location Notice as filed for record in my office on the 21st day of May, A.D. 1909, and as appears of record in Book 1 of Mines, Page 331, et seq., Records of Yuma County aforesaid.

In Witness Whereof I have hereunto set my hand and affixed my seal of office this 24 day of May, A . D. 1909.

J. M. Polhamus

County Recorder, Yuma County, Arizona.

By G. V. Cull

Deputy Recorder.

356

(4)

AMENDED
LOCATION NOTICE
OF LODE CLAIM.

KNOW ALL MEN BY THESE PRESENTS:

That the Planet Copper Mining Company of the County of Yuma and Territory of Arizona do hereby make, post and file this amended location notice upon the BROOKEVILLE lode claim, situate in the Harcuvar Mining District, County of Yuma, Territory of Arizona.

The length of this claim, linear and horizontal measurement is 1500 feet along the ledge. 340 feet running N. 79° 30' W from the discovery cut, and 1260 feet running S. 79° 30' E. from the discovery cut, together with surface ground 300 feet on each side of the center of the ledge.

The boundaries are marked upon the ground as follows:

Beginning at Cor No. 1 S. W. Cor. from which the discovery cut bears N 59° 50' E. 460.3 feet thence N. 30° 30' E 638.5 feet to corner No. 2 the N. W. Corner of said lode; thence S. 79° 30' E. 1500 feet to corner No. 3 the N. E. corner of said claim on west side of Barton lode claim, thence S. 30° 30' W. 638.5 feet to corner No. 4 the S. E. corner of said claim, thence N. 79° 30' W 1500 feet to Cor. No. 1 the place of beginning.

Monuments are also placed at the center of the end lines.

This amended location notice is made under the provisions of the Revised Statutes of the United States relating to Mineral Lands and an Act of the General Assembly of Arizona, approved March 16th, 1901, without waiver of previous rights, to correct errors in the description of the said Brookville lode claim in the Location Notice of the same recorded in Book V Page 214 of "Records of Mines," in the office of the County Recorder of the aforesaid County of Yuma, Territory of Arizona, to which reference is hereby made,

Dated and posted on the ground this 2nd day of May, 1909.

Planet Copper Mining Company
by A. B. Jones, its agent.

Recorded at request of A. B. Jones, May 21st, A.D. 1909, at 9:11 A.M.

J. M. Polhamus,
County Recorder.

Territory of Arizona,)
County of Yuma.) ss.

I, J. M. Polhamus, County Recorder in and for the County of Yuma, Territory of Arizona, do hereby certify that the foregoing is a true, full and correct copy of an Amended Location Notice as filed for record in my office on the 21st day of May, A.D. 1909, and as appears of record in Book 1 of Mines, Page 333, et seq., records of Yuma County aforesaid.

In Witness Whereof I have hereunto set my hand and affixed my seal of office this 21 day of May, A. D. 1909.

J. M. Polhamus
County Recorder, Yuma County, Arizona.

By G. V. Cull
Deputy Recorder.

AMENDED
LOCATION NOTICE
OF LODE CLAIM.

KNOW ALL MEN BY THESE PRESENTS:

That ~~The~~ Planet Copper Mining Company of the County of Yuma and Territory of Arizona do hereby make, post and file this amended location notice upon the NEW YORK lode claim, situate in the Harcuvar Mining District, County of Yuma Territory of Arizona.

The length of this claim linear and horizontal measurement is 1500 feet along the ledge, 537.9 feet running N. 42°15' W from the discovery cut and 962.1 feet running S. 65°55' E from the discovery cut, together with surface ground 285.9 feet on the South side of the center of the ledge, and 277.3 feet on the North side of the ledge. The boundaries are marked upon the ground as follows:

Beginning at Cor No. 1 N. W. Cor. identical with S. W. Cor of Bill Williams Lode Claim from which the discovery cut bears _____ feet thence S 50°W. 595 feet to corner No. 2 the S. W. corner of said lode; thence S. 65°55' E. 1500 feet to corner No. 3 the S. E. corner of said claim from which a shaft 50 feet deep on the Kimball claim bears S 69°50' W 428 feet thence N 50°E. 381.9 feet to corner No. 4 the N. E. corner of said claim, thence N 65°55' W 1010.8 feet, and thence N 40°W 440 feet to the place of beginning.

Monuments are also placed at the center of the end lines.

This amended location notice is made under the provisions of the Revised Statutes ~~relating~~ of the United States relating to Mineral Lands, and an Act of the General Assembly of Arizona, approved March 16th, 1901, without waiver of previous rights, to correct errors in the description of the said New York lode claim in the Location Notice of the same recorded in Book T Page 223 of "Records of Mines," in the office of the County Recorder of the aforesaid County of Yuma Territory of Arizona, to which reference is hereby made.

Dated and posted on the ground this 2nd day of May 1909.

Planet Copper Mining Company
by A. B. Jones, its agent.

Recorded at request of A. B. Jones, May 21st, A.D. 1909, at 9:12 A.M.

J. M. Polhamus
County Recorder.

Territory of Arizona, }
County of Yuma. } ss.

I, J. M. Polhamus, County Recorder in and for the County of Yuma, Territory of Arizona, do hereby certify that the foregoing is a true, full and correct copy of an Amended Location Notice as filed for record in my office on the 21st day of May, A. D. 1909, and as appears of record in Book 1 of Mines, Page 334, et seq., Records of Yuma County aforesaid.

In Witness Whereof I have hereunto set my hand and affixed my seal of office this 24 day of May, A.D. 1909.

J. M. Polhamus

County Recorder, Yuma County, Arizona.

By H. V. Cull

Deputy Recorder.

387

(4)

AMENDED
LOCATION NOTICE
OF LODE CLAIM.

KNOW ALL MEN BY THESE PRESENTS:

That the Planet Copper Mining Company of the County of Yuma and Territory of Arizona do hereby make, post and file this amended location notice upon the MESA lode claim, situate in the Harcuvar Mining District, County of Yuma Territory of Arizona.

The length of this claim, linear and horizontal measurement is 1500 feet along the ledge, 300 feet running N. 50°E from the discovery shaft, and 1200 feet running S. 50°W from the discovery shaft, together with surface ground 50 feet on the N. W. side of the center of the ledge, and 300 feet on the S. E. side of the ledge.

The boundaries are marked upon the ground as follows:

Beginning at Cor No 1. N. E. Cor. from which the discovery shaft bears N. 64°24' W. 329.3 feet thence N. 11°20' W. 398.9 feet to corner No. 2 the N. W. corner of said lode; thence S. 50°W 1500 feet to corner No. 3 the S. W. corner of said claim; thence S. 11°20' E. 398.9 feet to corner No. 4 the S. E. corner of said claim, thence N. 50°E. 1500 feet to Cor No. 1 the place of beginning.

Monuments are also placed at the center of the end lines.

This amended location notice is made under the provisions of the Revised Statutes of the United States relating to Mineral Lands, and an Act of the General Assembly of Arizona, approved March 16th, 1901, without waiver of previous rights, to correct errors in the description of the said Mesa lode claim in the Location Notice of the same recorded in Nook T Page 468 of " Records of Mines, " in the office of the County Recorder of the aforesaid County of Yuma Territory of Arizona, to which reference is hereby made.

Dated and posted on the ground this 2nd day of May 1909.

Planet Copper Mining Company

by A. B. Jones, its agent.

Recorded at request of A. B. Jones, May 21st, A.D. 1909, at 9:13 A.M.

J. M. Polhamus

County Recorder.

Territory of Arizona,)
County of Yuma.) ss.

I, J. M. Polhamus, County Recorder in and for the County of Yuma, Territory of Arizona, do hereby certify that the foregoing is a true, full and correct copy of an Amended Location Notice as filed for record in my office on the 21st day of May, A.D. 1909, and as appears of record in Book 1 of Mines, Page 336, et seq., Records of Yuma County aforesaid.

In Witness Whereof I have hereunto set my hand and affixed my seal of office this 24 day of May, A. D. 1909.

J. M. Polhamus

County Recorder, Yuma County, Arizona.

By A. V. Cull

Deputy Recorder.

358

(11)

AMENDED
LOCATION NOTICE
OF LODE CLAIM.

KNOW ALL MEN BY THESE PRESENTS:

That the Planet Copper Mining Company of the County of Yuma and Territory of Arizona do hereby make, post and file this amended location notice upon the SMELTER GULCH lode claim, situate in the Harcuvar Mining District, County of Yuma Territory of Arizona.

The length of this claim, linear and horizontal measurement is 1500 feet along the ledge, 150 feet running N. 23°40' W from the discovery tunnel and 1350 feet running S. 23°40' E from the discovery tunnel, together with surface ground 300 feet on the West side of the center of the ledge, and 60 feet on the East side of the ledge.

The boundaries are marked upon the ground as follows:

Beginning at Cor No. 1 N. E. Cor. identical with N. E. Cor Blue Bird lode claim from which old Planet Smelter Northwesterly 800 feet thence S. 82° W 373.9 feet to corner No. 2 the N. W. corner of said lode; from which discovery tunnel bears 75°42' E 380.5 feet thence S. 23°40' E.1500 feet to corner No. 3 the S. W. corner of said claim; thence N. 82° E 373.9 feet to corner No. 4 the S. E. corner of said claim thence N. 23°40' W 1500 feet to Cor No. 1 the place of beginning

Monuments are also placed at the center of the end lines.

This amended location notice is made under the provisions of the Revised Statutes of the United States relating to Mineral Lands and an Act of the General Assembly of Arizona, approved March 16th, 1901, without waiver of previous rights, to correct errors in the description of the said Smelter Gulch lode claim in the Location Notice of the same recorded in Book X Page 302 of "Records of Mines," in the office of the County Recorder of the aforesaid County of Yuma Territory of Arizona, to which reference is hereby made.

Dated and posted on the ground this 1st day of May 1909.

Planet Copper Mining Company
by A. B. Jones, its agent.

Recorded at request of A. B. Jones, May 21st, A.D.1909, at 9:14 A.M.

J. M. Polhamus
County Recorder.

Territory of Arizona,)
County of Yuma.) ss.

I, J. M. Polhamus, County Recorder in and for the County of Yuma, Territory of Arizona, do hereby certify that the foregoing is a true, full and correct copy of an Amended Location Notice as filed for record in my office on the 21st day of May, A. D. 1909, and as appears of record in Book 1 of Mines, Page 337, et seq., Records of Yuma County aforesaid.

In Witness Whereof I have hereunto set my hand and affixed my seal of office this 21 day of May, A. D. 1909.

J. M. Polhamus
County Recorder, Yuma County, Arizona.

By J. V. Cull
Deputy Recorder.

374

(V)

Territory of Arizona,)
 County of Yuma.) ss.

I, J. M. Polhamus, County Recorder in and for the County of Yuma, Territory of Arizona, do hereby certify that the foregoing is a true, full and correct copy of an Amended Location Location Notice as filed for record in my office on the 25th day of March, A. D. 1902, and as appears of record in Book M of Mines, Page 392, et seq., Records of Yuma County aforesaid.

In Witness Whereof I have hereunto set my hand and affixed my seal of office this 24th day of May, A. D. 1909.

J. M. Polhamus

County Recorder, Yuma County, Arizona

By *G. V. Cull*

Deputy Recorder.

402

(4)

AMENDED LOCATION NOTICE
of Lode Claim.

Know All Men By These Presents:

That I, J. Stanley Jones of the County of El Paso and State of Colorado do hereby make, post and file this amended location notice upon the BILL WILLIAMS lode claim, situate in the Harcuvar Mining District, County of Yuma, Territory of Arizona.

The length of this claim, linear and horizontal measurements is 1500 feet along the ledge, 850 feet running Southerly from the discovery, and 650 feet running Northerly from the discovery together with surface ground 300 feet on the westerly side of the center of the ledge, and 159 feet on the Easterly side of the ledge.

The boundaries are marked upon the ground as follows: Beginning at Cor No. 1, from which disc monument bears S 44°30' W 610 feet and from this monument disc shaft bears N 71°E 5 ft and from which Cor No. 1, Sentinel Monument N 66°30' E. Cor No. 1 is identical with Cor 3 of the Planet claim and Cor 4 of the Mark Hanna claim, thence S. 30°30' W 1500 feet to corner No. 2 the S. E. corner of said lode; thence N. 40°W. 468.4 feet to corner No. 3 the S. W. corner of said claim; thence N 30°30' E 1500 feet to corner No. 4 the N. W. corner of said claim, thence S 40°E 468.4 ft to Cor.No. 1, the place of beginning.

Monuments are also placed in the center of the end lines.

This claim bounds the Planet mine on the South.

This amended location notice is made under the provisions of the Revised Statutes of the United States relating to Mineral Lands, and an Act of the General Assembly of Arizona, approved March 16th, 1901, without waiver of previous rights, to correct errors in the description of the said Bill Williams lode claim in the Location Notice of the same recorded in Book H Page 288 et seq, of Records of Mines in the office of the County Recorder of the aforesaid County of Yuma Territory of Arizona, to which reference is hereby made.

Dated and posted on the ground this 22nd day of March 1902.

J. Stanley Jones.

Recorded at request of J. Stanley Jones, March 25 A.D. 1902 at 9 A.M.

By B. E. Hayden ,
C. P. Cronin,
Deputy County Recorder

AMENDED
NOTICE OF MINING LOCATION
LODE CLAIM.

TO ALL WHOM IT MAY CONCERN:

This Mining Claim, the name of which is the PARTRIDGE Mining claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purposes of exploration by the Planet Copper Mining Company a corporation existing under the laws of Arizona the undersigned, on the 3d day of May 1909.

The length of this claim is 1279.3 feet, and it claims 1214.3 feet, in a S. 30°30' W direction and 65 feet in a N 30°30'E direction from the center of the discovery tunnel, at which this notice is posted, lengthwise of the claim, together with 25 feet on the west side and 300 feet in width of the surface grounds, on the east side of the center of said claim. The general course of the lode deposit and premises is from the _____ to the _____.

The claim is situated and located in the Harcuvar Mining District, in Yuma County, in the Territory of Arizona, about 3600 S 7°W. from the Planet Smelter on the south bank of the Bill Williams River.

The surface boundaries of the claim are marked upon the ground as follows:

Beginning at a monument of stones at a point S 26°42' E 163.5 feet from the discovery tunnel (at which this notice is posted), being in the center of the North end line of said claim; thence S 11°20' E 243.6 feet to a Pine Post, being the N. E. corner of said claim; thence S 30°30' W. 1279.3 feet to a Pine Post, being at the S. E. corner of said claim; thence N.11°20' W. 243.6 feet to a Monument of stones at the center of the South end of said claim; thence N 11°20' W 243.6 feet to a Pine Post, being at the S. W. corner of said claim; thence N 30°30' E 1279.3 feet to a Pine Post at the N.W. corner of said claim; thence S. 11°20' E 243.6 feet to the place of beginning.

All done under the provisions of Chapter Six, of Title XXX11, of the Revised Statutes of the United States, and of an Act of the General Assembly of Arizona, entitled, " An Act to Revise and Codify the Laws of the Territory of Arizona, " approved March 16, 1901.

This is an Amended Location Notice of the Partridge Mining Claim, located by The Planet Copper Mining Company on the 7th day of April 1906, and recorded in Book T of Records of Mines, at page 466, in the office of the County Recorder of the aforesaid County of Yuma to which reference is hereby made, and this Amended Location Notice is made and posted to correct errors in the description in the said original Location Notice.

Dated and posted on the ground this 3rd day of May 1909.

Planet Copper Mining Company
by A. B. Jones its Agent.

Recorded at request of A. B. Jones, May 24, A. D. 1909, at 9:01 A .M.

J. M. Polhamus

County Recorder.

Territory of Arizona,)
County of Yuma.) ss.

I, J. M. Polhamus, County Recorder in and for the County of Yuma, Territory of Arizona, do hereby certify that the foregoing is a true, full and correct copy of an Amended Location Notice as filed for record in my office on the 24th day of May, A. D. 1909, and as appears of record in Book 2 of Mines, Page 590, et seq., Records of Yuma County aforesaid.

In Witness Whereof I have hereunto set my hand and affixed my seal of office this 24 day of May, A. D. 1909.

J. M. Polhamus
County Recorder, Yuma County, Arizona.

By G. V. Cull
Deputy Recorder.

430 (5)

AMENDED
LOCATION NOTICE
OF LODE CLAIM.

Know All Men by These Presents:

That the Planet Copper Mining Company of the County of Yuma and Territory of Arizona do hereby make, post and file this amended location notice upon the Bunker Hill lode claim, situate in the Harcuvar Mining District, County of Yuma Territory of Arizona.

The length of this claim, linear and horizontal measurement is 1500 feet along the ledge, 1000 feet running N 30°30' E. from the discovery shaft, and 500 feet running S. 30°30' W from the discovery shaft, together with surface ground 300 feet on each side of the center of the ledge.

The boundaries are marked upon the ground as follows:

Beginning at Cor No. 1 N. E. Cor on the South end line of the Ashley Lode Claim from which the discovery shaft bears S 41° W. 954.3 feet thence S 30°30' W 1500 feet to corner No. 2 the S. E. corner of said lode, identical with S. W. Cor of Bill Williams lode claim, thence N. 40° W 502 feet to corner No. 3 the S. W. corner of said claim; thence N 30°30' E. 1500 feet to corner No. 4 the N. W. corner of said claim, thence S. 40° E 502 feet to cor No. 1 the place of beginning.

Monuments are also placed at the center of the end lines.

This amended location notice is made under the provisions of the Revised Statutes of the United States relating to Mineral Lands, and an Act of the General Assembly of Arizona, approved March 16th, 1901, without waiver of previous rights, to correct errors in the description of the said Bunker Hill lode claim in the Location Notice of the same recorded in Book O Page 558 of "Records of Mines," in the office of the County Recorder of the aforesaid County of Yuma Territory of Arizona, to which reference is hereby made.

Dated and posted on the ground this 6th day of May 1909.

Planet Copper Mining Company

by A. B. Jones, its agent.

Recorded at request of A. B. Jones, May 21st, A.D. 1909, at 9:15 A.M.

J. M. Polhamus

County Recorder.

Territory of Arizona, }
County of Yuma. } ss.

I, J. M. Polhamus, County Recorder in and for the County of Yuma, Territory of Arizona, do hereby certify that the foregoing is a true, full and correct copy of an Amended Location Notice as filed for record in my office on the 21st day of May, A. D. 1909, and as appears of record in Book 1 of Mines, Page 339, et seq., Records of Yuma County aforesaid.

In Witness Whereof I have hereunto ~~set~~ my hand and affixed my seal of office this 21 day of May, A. D. 1909.

J. M. Polhamus
County Recorder, Yuma County, Arizona.

By G. V. Cull
Deputy Recorder.

368

(V)

AMENDED
LOCATION NOTICE
OF LODE CLAIM.

Know All Men by These Presents:

That the Planet Copper Mining Company of the County of Yuma and Territory of Arizona do hereby make, post and file this amended location notice upon the McCARN lode claim, situate in the Harcuvar Mining District, County of Yuma Territory of Arizona.

The length of this claim, linear and horizontal measurement is 1500 feet along the ledge, 700 feet running North Easterly from the discovery cut, and 800 feet running South westerly from the discovery cut, together with surface ground 300 feet on the northwesterly side of the center of the ledge, and 300 feet on the South easterly side of the ledge.

The boundaries are marked upon the ground as follows:

Beginning at corner No. 1 the north east corner which is also the S. W. corner of the Bill Williams Lode Claim from which the discovery cut bears S 77° W. 720 feet and a prominent peak bears S 2° E. thence N 40° W. 600 feet to corner No. 2 the N.W. corner of said lode; thence S 50° W. 1500 feet to corner No. 3 the S. W. corner of said claim; thence S 40° E. 600 feet to corner No. 4 the S. E. corner of said claim; thence N 50° E. 1500 feet to corner No. 1 the place of beginning.

Monuments are also placed at the center of the end lines.

This amended location notice is made under the provisions of the Revised Statues of the United States relating to Mineral Lands, and an Act of the General Assembly of Arizona, approved March 16th, 1901, without waiver of previous rights, to correct errors in the description of the same recorded in Book P Page 425 of " Records of Mines, " in the office of the County Recorder of the aforesaid County of Yuma Territory of Arizona, to which reference is hereby made.

Dated and posted on the ground this 6th day of May 1909.

Planet Copper Mining Company

by A. B. Jones, Agent.

Recorded at request of A. B. Jones, May 21st, A.D. 1909, at 9:16 A.M.

J. M. Polhamus

County Recorder.

Territory of Arizona,)
 County of Yuma.) ss.

I, J. M. Polhamus, County Recorder in and for the County of Yuma, Territory of Arizona, do hereby certify that the foregoing is a true, full and correct copy of an Amended Location Notice as filed for record in my office on the 21st day of May, A. D. 1909, and as appears of record in Book 1 of Mines, Page 340, et seq., Records of Yuma County aforesaid.

In Witness Whereof I have hereunto set my hand and affixed my seal of office this 24 day of May, A. D. 1909.

J. M. Polhamus

County Recorder, Yuma County, Arizona.

By G. V. Cull

Deputy Recorder.

365

(2)

U. S. SURVEYOR-GENERAL'S FINAL CERTIFICATE ON FIELD NOTES.

DEPARTMENT OF THE INTERIOR,
Office of U. S. Surveyor-General,
Phoenix, Arizona,

October 14, 1910.

I, U. S. Surveyor-General for Arizona, do hereby certify that the foregoing transcript of the Field Notes, return and approval of the survey of the mining claim of Planet Copper Mining Company, known as the Planet, Planet No. 2, Planet No. 3, Planet No. 4, Planet No. 5, Iron Hill, Iron Hill No. 2, Copper Hill, Copper Hill No. 2, Ella Belle, Ella Belle No. 2, Ahonika, Mark Hanna, La Mexicana, Comet, Byron, Sentinel, Palmetto, Ashley, Orange, Wisconsin, Kimball, Boston, Crompton, Odora, Oddoletta, Nickerson, Barton, Blue Bird, Otis, Opal, Brookeville, New York, Mesa, Smelter Gulch, Bill Williams, Partridge, Bunker Hill, McCarn, situate in Harcuvar Mining District, Yuma County, Arizona, in Approximate Township No. 11 N., Range 15 W., Unsurveyed, and designated as Survey No. 2675, has been correctly copied from the originals on file in this office; that said Field Notes furnish such an accurate description of said mining claims as will, if incorporated into a patent, serve fully to identify the premises, and that such reference is made therein to natural objects or permanent monuments as will perpetuate and fix the locus thereof.

And I further certify that at time of survey, \$500 worth of labor has been expended or improvements made upon each the McCarn, Kimball, Partridge, Bill Williams, Planet, Sentinel, Byron, La Mexicana, Smelter Gulch, Palmetto, Copper Hill and Ella Belle Lodes; and that less than \$500 worth of labor has been expended or improvements made upon each, the Opal, Otis, Oddoletta, Odora, Wisconsin, New York, Crompton, Mesa, Boston, Mark Hanna, Bunker Hill, Orange, Barton, Brookeville, Ahonika, Ashley, Comet, Blue Bird, Nickerson, Planet No. 2, Ella Belle No. 2, Planet No. 3, Iron Hill, Iron Hill No. 2, Planet No. 4, Planet No. 5, and Copper Hill No. 2 Lodes, by the claimant or its grantors, and that

said improvements consist of 33 cuts, 25 tunnels, 19 shafts and 2 drifts, total value, \$64,850, the value of the engine house used in connection with Improvement No. 2 on the Bill Williams Lode, Value \$1000, not being allowed as a mining improvement.

I further certify that no portion of said labor or improvements has been included in the estimate of expenditures upon any other claim, and that the plat thereof, filed in the U. S. Land Office, at Phoenix, Arizona, is correct and in conformity with the foregoing Field Notes.

Frank S. Ingalls.

United States Surveyor-General for
Arizona.

4-687.

**SURVEYOR-GENERAL'S CERTIFICATE OF APPROVAL OF FIELD
NOTES AND SURVEY OF MINING CLAIM.**

Department of the Interior,

Office of U. S. Surveyor-General,

Phoenix, Arizona.

October 14, 1910., 190

I, U. S. Surveyor-General for Arizona,

do hereby certify that the foregoing and hereto attached Field Notes and Return of the Survey of the

Mining Claim of Planet Copper Mining Company, known as the Planet, Planet No. 2, Planet No. 3, Planet No. 4, Planet No. 5, Iron Hill, Iron Hill No. 2, Copper Hill, Copper Hill No. 2, Ella Belle, Ella Belle No. 2, Ahonika, Mark Hanna, La Mexicana, Comet, Byron, Sentinel, Palmetto, Ashley, Orange, Wisconsin, Kimball, Boston, Crompton, Odora, Oddolotta, Nickerson, Barton, Blue Bird, Otis, Opat, Brookville, New York, Mesa, Smelter Gulch, Bill Williams, Partridge, Bunker Hill, McCarn.

situate in HARCUVAR Mining District,

Yuma

County,

Arizona.

in Section Approx., Township No. 11 N., Range No. 15 W. Unsurveyed,

, designated as Survey No. 2675.

executed by E. C. Babbitt, U. S. Deputy Mineral

Surveyor, June 16, - September 8, 1909, under my instructions dated

June 8, 1909, have been critically examined and the necessary cor-

rections and explanations made, and the said Field Notes and Return, and the Survey they describe,

are hereby approved. A true copy of the copy of the location certificate filed by the applicant for

survey is included in the field notes.

Frank S. Ingalls

U. S. Surveyor-General for Arizona.

CERTIFICATE OF U. S. SURVEYOR GENERAL

AS TO

EXPENDITURES REPORTED AFTER RETURN OF SURVEY OF MINING CLAIM.

I, U. S. Surveyor General for Arizona, do hereby certify that Five Hundred Dollars' worth of labor has been expended or improvements made by claimant or its grantors, upon or for each of the mining claims of the Planet Copper Mining Company, known as the Planet, Planet No. 2, Planet No. 3, Planet No. 4, Planet No. 5, Iron Hill, Iron Hill No. 2, Copper Hill, Copper Hill No. 2, Ella Belle, Ella Belle No. 2, Ahonika, Mark Hanna, La Mexicana, Comet, Byron, Sentinel, Palmetto, Ashley, Orange, Wisconsin, Kimball, Boston, Crompton, Odora, Oddoletta, Nickerson, Barton, Blue Bird, Otis, Opal, Brookeville, New York, Mesa, Smelter Gulch, Bill Williams, Partridge, Bunker Hill, McCarn, situate in the Harcuvar Mining District, Yuma County, Arizona, approximately in Township No. 11 N., Range No. 15 W., unsurveyed; and that said improvements in addition to those reported at time of survey consist of 15 cuts, 11 tunnels, 3 shafts, 7 drill holes, 1 drift and 1 raise, also additional work in shaft No. 2 on the Bill Williams lode, cut No. 1 on the Planet No. 3 lode, cut No. 1 on the Planet No. 4 lode, and cut No. 1 on the Planet No. 5 lode, total value of such additional improvements, \$117,532.00, and that no portion of said labor or improvements has been included in the estimate of expenditures upon any other claim. Improvement No. 2 on the Bill Williams lode being the main working shaft for the group, an undivided 1-39 interest therein, value, \$2051.28, is properly accredited to each of the 39 claims in this survey; shaft No. 6 on the Planet lode being a common improvement for the development of the Opal, Otis, Oddoletta, Odora, Kimball, Crompton, New York, Mesa, Partridge, Wisconsin, McCarn, Boston, Mark Hanna, Bill Williams, Bunker Hill, Orange, Barton, Brookeville, Ahonika, Ashley and Planet lodes, and only those lodes, an undivided 1-21 interest thereon, value, \$2380.95, is properly accredited to each of said 21 claims; shaft No. 5 on the Palmetto lode being so situated that it is a common improvement for the benefit and

development of the Blue Bird, Palmetto, Nickerson and Iron Hill lodes and only those lodes, an undivided $\frac{1}{4}$ interest thereon, value, \$1125.00, is properly accredited to each of said four claims.

A copy of the report of E. C. Babbitt, U. S. Mineral Surveyor, dated May 5, 1911, is hereto attached.

Frank S. Lyall
U. S. Surveyor-General for Arizona.

Office of U. S. Surveyor-General,

Phoenix, Arizona,

May 15, 1911.

MAY 8-1911

MAY 5 1911

162

MINERAL SURVEY NO. 2675.

SUPPLEMENTAL REPORT OF IMPROVEMENTS.

----oOo--

I hereby certify that the value of the labor and improvements made upon or for the benefit of the claims embraced in Mineral Survey No. 2675 by the claimant or its grantors is not less than \$500 for each claim and that said improvements, in addition to those which were reported at the time of making the survey, consist of:-

OPAL LODE.

No. 2, an open cut 15 ft. long, 15 ft. face, 6 ft. wide course from mouth N. 40° E. the face of which is on the lode line 500 ft. from a point on line 4-5 19.83 ft. from Cor. No. 4.

Value \$100.

An undivided 1/21 interest in incline and shaft No. 6 of the Planet lode hereafter described.

Value \$2380.95

An undivided 1/39 interest in improvement No. 2 of the Bill Williams lode hereafter described.

Value \$2051.28

OTIS LODE.

No. 2, an open cut 15 ft. long, 15 ft. face, 5 ft. wide, course from mouth N. 40° E., the face of which is on the lode line at 500 ft. from a point on line 3-4 388.75 ft. from Cor. No. 4.

Value \$100

An undivided 1/21 interest in shaft and incline No. 6 of the Planet lode hereafter described.

Value \$2380.95

An undivided 1/39 interest in improvement No. 2 of the Bill Williams lode, hereafter described.

Value \$2051.28

ODDOLETTA LODE.

No. 2, an open cut 15 ft. long, 15 ft. face, 6 ft. wide, course from mouth S. 50° W. the face of which is 400 ft. S. 48° 34' W. from a point on line 1-2 350 ft. from Cor. No. 1 from the face of this cut a tunnel 6 X 5 ft. runs S. 48° W. 20 ft.

Value \$300

An undivided 1/21 interest in shaft and incline
No.6 of the Planet lode hereafter described

Value \$2380.95

An undivided 1/39 interest in improvement No.
2 of the Bill Williams lode, hereafter described.

Value \$2051.28

ODORA LODE.

No.2, an open cut 10 ft. face, 10 ft. long, 5 ft. wide
course from mouth S.49°W. the face of which ^{bears} S.49°20'W.
320 ft. from a point on line 1-2 350 ft. from Cor. No.1.
From the face of this cut a tunnel 6 X 4 ft. runs S.49°W.
20 ft. Value of cut and tunnel \$250.

An undivided 1/21 interest in shaft and incline
No.6 of the Planet lode hereafter described.

Value \$2380.95

An undivided 1/39 interest in improvement No.
2 of the Bill Williams lode hereafter described.

Value \$2051.28

KIMBALL LODE.

No.3, a shaft 6 X4, 12 ft. deep which bears N.49°
20'E. 282 ft. from a point on line 3-4 145 ft. from Cor.
No.3. Value \$100

An undivided 1/21 interest in shaft and in-
cline No.6 of the Planet lode, hereafter described.

Value \$2380.95

An undivided 1/39 interest in improvement No.
2 of the Bill Williams lode, hereafter described.

Value \$2051.28

CROMPTON LODE.

No.2, a shaft 12 ft. deep, 6 X4 ft. which bears from
Cor. No.3 N.30°E. 250 ft. Value \$100.

An undivided 1/21 interest in shaft and incline
No.6 of the Planet lode, hereafter described.

Value \$2380.95

An undivided 1/39 interest in improvement No. 2 of the Bill Williams lode, hereafter described.

Value \$2051.28

NEW YORK LODE.

No. 2, an open cut 15 ft. long 10 ft. face, 6 ft. wide, Course from mouth S. 45° E. the face of which bears from Cor. No. 5 S. 55° W. 230 ft. Value \$100

An undivided 1/21 interest in shaft and incline No. 6 of the Planet lode, hereafter described.

Value \$2380.95

An undivided 1/39 interest in improvement No. 2 of the Bill Williams lode, hereafter described.

Value \$2051.28

MESA LODE.

No. 2, an open cut 10 ft. face, 10 ft. long, 5 ft. wide, course from mouth S. 80° W. the face of which bears S. 49° 20' W. 350 ft. from a point on line 1-2 300 ft. from Cor. No. 1. From the face of this cut a tunnel 10 ft. long, 6 X 5 ft. runs S. 80° W. Value of cut and tunnel \$200.

An undivided 1/21 interest in shaft and incline No. 6 of the Planet lode, hereafter described.

Value \$2380.95

An undivided 1/39 interest in improvement No. 2 of the Bill Williams lode, hereafter described

Value \$2051.28

PARTRIDGE LODE.

No. 3, an open cut 10 ft. face, 10 ft. long, 5 ft. wide, course from mouth N. 40° W. the face of which bears S. 29° 50' W. 300 ft. from a point on line 1-2 45 ft. from Cor. No. 1. Value \$60.

No. 4, an open cut 6 ft. face 10 ft. long, 5 ft. wide, course from mouth N. 40° W. the face of which bears from a point on line 1-2 50 ft. from Cor. No. 1, S. 29° 50' W. 310 ft. Value \$40.

An undivided 1/21 interest in shaft and in-

cline No.6 of the Planet lode,hereafter described.

Value \$2380.95.

An undivided 1/39 interest in improvement No. 2 of the Bill Williams lode,hereafter described.

Value \$2051.28.

WISCONSIN LODE.

An undivided 1/21 interest in shaft and incline No.6 of the Planet lode,hereafter described.

Value \$ 2380.95.

An undivided 1/39 interest in improvement No. 2 and 3 of the Bill Williams lode,hereafter described.

Value \$2051.28

MC CARN LODE.

An undivided 1/21 interest in shaft and incline No.6 of the Planet lode,hereafter described.

Value \$2380.95.

An undivided 1/39 interest in improvement No. 2 and 3 of the Bill Williams lode,hereafter described.

Value \$2051.28

BOSTON LODE.

An undivided 1/21 interest in shaft and incline No.6 of the Planet lode,hereafter described.

Value \$2380.95

An undivided 1/39 interest in improvement No. 2 of the Bill Williams lode,hereafter described.

Value \$ 2051.28

Mark Hanna Lode.

An undivided 1/21 interest in shaft and incline No.6 of the Planet lode ,hereafter described.

Value \$ 2380.95

An undivided 1/39 interest in improvement No. 2 of the Bill Williams lode,hereafter described.

Value \$2051.28.

BILL WILLIAMS LODE.

No.3,a churn drill hole 8 inches in diameter and 460 ft.deep which bears from a point on line 2-7 660 ft.from Cor.No.2 N.60°10'W.175 ft.

Value \$1740.

No.4,a churn drill hole 8 inches in diameter and 502 ft.deep which bears from a point on line 4-1 850 ft. from Cor.No.1 S.60°10'E.100 ft. Value \$2008.

No.2,an additional 100 ft.of vertical shaft,8 X 4-1/2 ft.,timbered with square sets ,sunk from the bottom of improvement No.2 of the Bill Williams lode,heretofore reported,making a total depth of 600 ft.in this shaft.From the bottom of this shaft a drift 7 X 6 ft.985 ft.long has been run N.80°W. From a point in this drift 770 ft.from the shaft is a vertical upraise 6 X 7 ft.175 ft.high.

Value of additional shaft,drift and raise	\$50,000
Value of improvement No.2 heretofore reported	30,000
Total value of improvement No.2	\$80,000

An undivided 1/39 interest is assigned to this claim. Value \$2051.28

This shaft being centrally located is a practicable and feasible main working shaft for the group,as by drifting and cross-cutting therefrom in different directions toward and under the several claims of the group,the entire group may be advantageously developed and ore extracted therefrom.The bottom of the shaft is lower than any portion of the ground embraced in this group,making it possible to extend cross-cuts and drifts from the shaft and the drift (heretofore described)and intersect ore bodies lying under each claim.This improvement,is therefore,a common improvement for the benefit of each claim of the group and an undivided 1/39 interest of the total value of improvement No.2 (\$2051.28) is properly accredited to each lode claim of the group.

No.5,an undivided 1/21 interest in shaft and incline No.6 of the Planet lode,hereafter described.

Value \$2380.95

BUNKER HILL LODE.

No.2,a churn drill hole 8 inches in diameter and 513 ft.deep which bears from a point on line 4-1 450 ft.

from Cor.No.4,N.60°10'W.90 ft. Value \$2052.

No.3,a churn drill hole 8 inches in diameter and 700 ft.deep which bears from a point on line 4-1 270 ft.

from Cor.No.4,N.60°10'W.275 ft. Value \$2800.

An undivided 1/21 interest in shaft and incline No.6 of the Planet lode,hereafter described .

Value \$2380.95.

An undivided 1/39 interest in improvement No.2 of the Bill Williams lode,heretofore described.

Value \$2051.28 .

ORANGE LODE.

AN undivided 1/21 interest in shaft and incline No.6 of the Planet lode,hereafter described.

Value \$2380.95 .

An undivided 1/39 interest in improvement No.2 of the Bill Williams lode,heretofore described.

Value \$2051.28.

BARTON LODE .

An undivided 1/21 interest in shaft and incline No. 6 of the Planet lode,hereafter described.

Value \$2380.95.

An undivided 1/39 interest in improvement No.2 of the Bill Williams lode,heretofore described.

Value \$2051.28.

BROOKEVILLE LODE.

An undivided 1/21 interest in shaft and incline No.6 of the Planet lode,hereafter described.

Value \$2380.95.

An undivided 1/39 interest in improvement No.2 of the Bill Williams lode,heretofore described.

Value \$2051.28.

AHONIKA LODE .

No.3,a churn drill hole 8 inches in diameter and 700 ft.deep,which bears from a point on line 2-3 600 ft.

from Cor.No.2,S.60°10'E.170 ft. Value \$2800.

No.4,a churn drill hole 8 inches in diameter and

and 441 ft. deep which bears from a point on line 2-3 350 ft. from Cor. No. 2, S. 60° 10' E. 150 ft. Value \$1764.

No. 5, a churn drill hole 8 inches in diameter and 267 ft. deep, which bears from a point on line 2-3 25 ft from Cor. no. 3, S. 60° 10' E. 200 ft. Value \$1068.

An undivided 1/21 interest in shaft and incline No. 6 of the Planet lode, hereafter described.

Value \$2380.95.

An undivided 1/39 interest in improvement No. 2 of the Bill Williams lode, heretofore described.

Value \$2051.28.

PLANET LODGE.

No. 6, vertical shaft 25 ft. deep 4 X 7 ft. timbered with square sets, which bears from Cor. No. 1 N. 66° 30' E. 300 ft. From the bottom of this shaft an incline 8 X 5 ft., timbered with square sets, runs S. 40° W. 140 ft. on dip of 34°; thence S. 73° 10' W. 900 ft. on dip of 33°.

Value \$50,000

This shaft and incline are so located, and the incline runs in such a direction, as to be a practicable and feasible improvement for the development of the Opal, Otis, Oddoletta, Odora, Kimball, Crompton, New York, Mesa, Partridge, Wisconsin, McCarn, Boston, Mark Hanna, Bill Williams, Bunker Hill, Orange, Barton, Brookeville, Ahonika, Ashley and Planet lodes. The bottom of the incline is now lower than any portion of said lodes. If continued in its present course drifts and cross-cuts can be run from the incline to any part of said claims, making it feasible and practicable to extract ore lying under each. This improvement is therefore a common improvement for the benefit of each of the above claims and an undivided 1/21 interest of the total value of this improvement (\$2380.95) is properly accreted to each. In-as-much as this incline, the deeper it is sunk on its present course, tends to get farther away from the remaining claims of the group it can not

properly be counted as a common improvement except for the 21 claims named in this connection.
An undivided 1/21 interest is assigned to this claim.

Value \$2380.95.
An undivided 1/39 interest in improvement No.2 of the Bill Williams lode, heretofore described.
Value \$2051.28.

ASHLEY LODE.

An undivided 1/21^{interest} in shaft and incline No.6 of the Planet lode, heretofore described. Value \$2380.95.

An undivided 1/39 interest in improvement No.2 of the Bill Williams lode, heretofore described.
Value \$2051.28.

SENTINEL LODE.

An undivided 1/39 interest in improvement No.2 of the Bill Williams lode, heretofore described.
Value \$2051.28.

BYRON LODE .

An undivided 1/39 interest in improvement No.2 of the Bill Williams lode, heretofore described.
Value \$2051.28.

COMET LODE.

No.3, an open cut 10 ft. face, 10 ft. long, 5 ft. wide, course from mouth South, the face of which bears S.50 40'E. 740 ft. from a point on line 1-2 315 ft. from Cor. No.1. From the face of this cut a tunnel 12 ft. long runs South, 6 X 4 ft. Value of cut and tunnel \$150.
An undivided 1/39 interest in improvement No.2 of the Bill Williams lode, heretofore described.
Value \$2051.28.

LA MEXICANA LODE.

An undivided 1/39 interest in improvement No.2 of the Bill Williams lode, heretofore described.
Value \$2051.28.

SMELTER GULCH LODE.

No.4, an open cut 18 ft. long, 5 ft. wide, 15 ft. face, course from mouth East, the face of which is on the lode line at 225 ft. from a point on line 3-4 311.5 ft. from Cor.No.3 Value \$100.
An undivided 1/39 interest in improvement No.2 of the Bill Williams lode, heretofore described.
Value \$2051.28.

BLUE BIRD. LODE.

No.5, a tunnel 6 X 7 ft., 26 ft. long, running S.52°E. from the face of improvement No.4 of the Blue Bird lode. From a point in this tunnel 6 ft. from the mouth a branch, 6 X 7 ft., 26 ft. long runs South. Value of tunnel and branch \$500.
An undivided 1/39 interest in improvement No.2 of the Bill Williams lode, heretofore described.
Value \$2051.28.
An undivided 1/4 interest in shaft No.5 of the Palmetto lode, here-after described Value \$1125.

PALMETTO LODE.

An undivided 1/39 interest in improvement No.2 of the Bill Williams lode,heretofore described. Value \$2051.28.

An undivided 1/4 interest in shaft No.5 of this lode, described in in the fieldnotes as follows:-"A shaft 100 ft deep,6 X 8 ft.which bears from Cor.No.1 N.10° 20'W.607.5 ft." Value \$4,500. Value of 1/4 interest \$1125.

This shaft is centrally located as to the Blue Bird,Palmetto,Nickerson and Iron Hill lodes. The bot- tom is now lower than the greater portion of these claims.When the shaft has been sunk to a sufficient depth drifts and cross-cuts can be advantageously run to all parts of the ground embraced within these claims and development work carried on and ore extracted through this one shaft. It is therefore a common improvement for the benefit of the above lodes and an undivided 1/4 interest of the total value of this improvement (\$1125) is prop- erly accredited to each. This shaft is not well situ- ated nor well planned for extensive development and therefore can not be properly considered a common devel- opment except for the claims named in this connection.

NICKERSON LODE.

No.2,an open cut 20 ft.long,6 ft.wide ,15 ft.face, course from mouth S.15°E.,the face of which bears S.32° 50'E.325 ft. from a point on line 3-4 300 ft.from Cor. No.3.From the face of this cut a tunnel,5 X 7 ft.,9 ft. long,runs S.15°E. Value of cut and tunnel \$200.

An undivided 1/39 interest in improvement No.2 of the Bill Williams lode,heretofore described. Value \$2051.28.

An undivided 1/4 interest in shaft No.5 of the Palmetto lode,heretofore described. Value \$1125.00-

COPPER HILL LODE.

An undivided 1/39 interest in improvement No.2 of

of the Bill Williams lode, heretofore described.

Value \$2051.28.

PLANET NO.2 LODE.

An undivided 1/39 interest in improvement No.2 of the Bill Williams lode, heretofore described. Value \$2051.28.

ELLA BELLE NO.2 LODE.

No.2, an open cut 15 ft. long, 5 ft. wide, 15 ft. face, course from mouth S. 70° E. the face of which bears from a point on line 1-2 200 ft. from Cor. No.1 N. 16° 15' E. 15 ft.

From the face of this cut a tunnel 5 X 6 ft. runs S. 70° E. 6 ft. Value of cut and tunnel \$150.

An undivided 1/39 interest in improvement No.2 of the Bill Williams lode, heretofore described. Value \$2051.28
PLANET NO.3 LODE.

No.1, the discovery cut extended South 10 ft., 5 ft. wide, 20 ft. face. From the face of this extension a tunnel 6 X 5 ft. runs South 6 ft.

Value of extension and tunnel \$150.

An undivided 1/39 interest in improvement No.2 of the Bill Williams lode, heretofore described. Value \$2051.28.
PLANET NO.4 LODE.

No.1, the discovery cut extended 5 ft. south, 5 ft. wide, 15 ft. face. From the face of this extension a tunnel 5 X 6 ft. runs South 6 ft.

Value of extension and tunnel \$150.

An undivided 1/39 interest in improvement No.2 of the Bill Williams lode, heretofore described. Value \$2051.28.

PLANET NO.5 LODE.

No.1, the discovery cut extended South 6 ft., 5 ft. wide, 15 ft. face. From the face of this extension a tunnel 5 X 6 ft. runs South 6 ft.

Value of extension and tunnel \$150.

An undivided 1/39 interest in improvement No. 2 of the Bill Williams lode, here-to-fore described.

Value \$2051.28.

IRON HILL LODE.

An undivided 1/4 interest in shaft No.5 of the Palmetto lode, here-to-fore described.

Value \$1125.

An undivided 1/39 interest in improvement No. 2 of the Bill Williams lode, here-to-fore described.

Value \$2051.28.

No.2, an open cut 20 ft. long, 5 ft. wide 10 ft. face, course from mouth south, the face of which bears N.81°10'E. 550 ft. from a point on line 1-2 625 ft. from Cor.No.1.

Value \$100.

IRON HILL NO.2 LODE.

No.2, an open cut 15 ft. long, 5 ft. wide, 10 ft. face, the face of which bears N.81°10'E. 50 ft. from a point on line 1-2 225 ft. from Cor.No.1

Value \$100.

An undivided 1/39 interest in improvement No. 2 of the Bill Williams lode, here-to-fore described.

Value \$2051.28.

COPPER HILL NO.2 LODE.

No.2, an open cut 20 ft. long, 5 ft. wide, 10 ft. face, course from mouth S.10°W., the face of which is on the lode line at 50 ft. from a point on line 1-2 305.2 ft. from Cor.No.1. From the face of this cut a tunnel 5 X 6 ft. runs south, 10 ft.

Value of cut and tunnel \$200.

An undivided 1/39 interest in improvement No. 2 of the Bill Williams lode, here-to-fore described.

Value \$2051.28

ELLA BELLE LODE.

An undivided 1/39 interest in improvement No. 2 of the Bill Williams lode, here-to-fore described.

Value \$2051.28.

Dated May 5th 1911.

E.C. Babbitt

U.S. Mineral Surveyor.

I, E.C. Babbitt, U.S. Mineral Surveyor for the District of Arizona, first being duly sworn, depose and say that the above supplemental report is true and correct and that the improvements mentioned therein were made and completed prior to the date of the expiration of the publication of the notice of application for patent to the lands embraced within Mineral Survey No. 2675.

E.C. Babbitt

U.S. Mineral Surveyor.
ss.

State of Colorado
City and County of Denver

Subscribed and sworn to by said E.C. Babbitt before me, a Notary Public in and for the City and County of Denver, State of Colorado, this 5th day of May 1911 A.D.

*My commission expires
March 2nd 1912*

Thomas M. ...


Notary Public.



DEPARTMENT OF THE INTERIOR,
Office of U. S. Surveyor General,
Phoenix, Arizona,
July 29, 1916.

I, Frank P. Trott, U. S. Surveyor-General for Arizona, do hereby certify that pursuant to General Land Office letter "N" dated December 20, 1915, addressed to the Register and Receiver of the Phoenix, Arizona, Land Office, Earl H. Parker, U. S. Mineral Surveyor, under my instructions dated June 10, 1916, reports that he has executed the amendment to Mineral Survey No. 2675, as required by said General Land Office letter, by properly monumenting and marking certain corners of the claims of said Survey No. 2675.

A copy of said U. S. Mineral Surveyor's report, dated June 26, 1916, which is hereby approved, is hereto attached.


U. S. Surveyor-General
for Arizona.

Amended survey on certain claims of the New Planet Copper Mining Company.

Survey No. 2675

Phoenix, Arizona, June 26th, 1916.

Partridge

N.E.	Cor. No. 1	4"x4"-4'	Marked on S.W. face	P-1	2675
N.E.E.	Cen.	Granite Stone	4"x8"x20" ^{marked on} W. face	P.E.E.C.	2675
S.E.	Cor. No. 2	4"x4"-4'	Marked on N.W. face	P-2	2675
S.W.	Cor. No. 3	" " "	" " N.E. "	P-3	2675
N.W.	Cor. No. 4	" " "	" " S.E. "	P-4	2675
S.W.E.	Cen.	" " "	" " E. "	W.E.C. Par.	2675

New York

N.W.	Cor. No. 1	4"x4"-4'	Marked on S.E. face	N.Y.-1	2675
W.E.	Cen.	4"x4"-4'	" " E. "	N.Y.-W.E.C.	2675
S.W.	Cor. No. 2	4"x4"-4'	" " N.E. "	N.Y.-2	2675
E.E.Cen.		4"x4"-4'	" " W. "	N.Y.	2675
S.E.	Cor. No. 3	4"x4"-4'	" " N.W. "	N.Y.-3	2675
N.E.	Cor. No. 4	4"x4"-4'	" " S.W. "	N.Y.-4	2675
	Cor. No. 5	4"x4"-4'	" " S. "	N.Y.-5	2675

Kimball

N.W.	Cor. No. 1	Identical with Cor. No. 2 - New York	^{marked on S.E. face} K-1	2675	
N.E.	Cor. No. 2	" " " " No. 3 - "	^{marked on S.W. face} K-2	2675	
S.E.E.	Cen.	4"x4"-4'	Marked on W. face	K-E.E.C.	2675
S.E.	Cor. No. 3	4"x4"-4'	" " N.W. "	K-3	2675
S.W.	Cor. No. 4	4"x4"-4'	" " N.E. "	K-4	2675
N.W.E.	Cen.	4"x4"-4'	" " E. "	K-W.E.C.	2675

Odora

N.E.	Cor. No. 1	4"x4"-4'	Marked on S.W. face	O.D.O.-1	2675
N.E.E.	Cen.	4"x4"-4'	" " W. "	O.D.O.-E.E.C.	2675
S.E.	Cor. No. 2	4"x4"-4'	" " N.W. "	O.D.O.-2	2675
S.W.	Cor. No. 3	4"x4"-4'	" " N.E. "	O.D.O.-3	2675
S.W.E.	Cen.	Ledge in Place, ^{marked on E. face}	^{marked} O.D.O.-W.E.C.	2675	
N.W.	Cor. No. 4	3"x3"-20" Granite Stone	^{marked on S.E. face} O.D.O.-4	2675	

Oddoletta

N.E.	Cor. No. 1	4"x4"-4'	Marked on S.W. face	O.D.D.-1	2675
N.E.E.	Cen.	4"x4"-4'	" " W. "	O.D.D.-E.E.C.	2675
S.E.	Cor. No. 2	4"x4"-4'	" " N.W. "	O.D.D.-2	2675
S.W.	Cor. No. 3	Iden. with Cor. No. 4 Odora	^{marked on} N.E. face	Odd-3	2675
S.W.E.	Cen.	4"x4"-4'	Marked on E. face	Odd-W.E.C.	2675
N.W.	Cor. No. 4	4"x4"-4'	" " S.E. "	Odd-4	2675

Otis

N.E.	Cor. No. 1	Granite Stone 8"x10"x28"	Marked on S.W. face	Oti.-1	2675
N.E.E.	Cen.	X on Ledge in Place	Marked on S.W. face	Oti.EEC	2675
N.W.	Cor. No. 2	Granite Stone 8"x10"x28"	Marked on S.E. face	Oti.-2	2675
S.W.	Cor. No. 3	4"x4"-4'	Marked on N.E. face	Oti.-3	2675
S.W.E.	Cen.	4"x4"-4'	" " E. "	Oti-W.E.C.	2675
W.C. for	Cor. No. 4	4"x4"-4'	" " N.W. "	Oti.-W.C.-4	2675

Opal

N.E.	Cor. No. 1	Iden. with Cor. No. 2 Otis	Marked on S.W. face	Op.-1	2675
N.E.E.	Cen.	X on Ledge in Place	Marked on S.W. face	Op.-E.E.C.	2675
N.W.	Cor. No. 2	Granite Stone 6"x8"x30"	Set 18" in ground, ^{marked on S.W. face}	Op-2	2675
S.W.	Cor. No. 3	" " 8"x10"x26"	Set 18" in ground, ^{marked on E. face}	Op-3	2675
	Cor. No. 4	" " 8"x10"x28"	" " " ^{marked on N.E. face}	Op-4	2675
X.B.R.-4-2675	Chiseled on E. face of Granite Ledge 2' High Bears N. 58° 20' W. 264 ft.				
S.W.E.	Cen.	4"x4"-4'	Marked on E. face	Op-W.E.C.	2675
S.E.	Cor. No. 5	4"x4"-4'	" " N.W. "	Op-5	2675

Brookeville

N.E.	Cor. No. 1	Granite Stone 6"x8"-24"--18" in ground	Marked on S.W. face	Br.-1	2675
E.E.	Gen. X on Rock		Marked on W. face	Br.-E.E.C.	2675
S.E.	Cor. No. 2	4"x4"-4'	" " N.E. "	Br.-2	2675
S.W.	Cor. No. 3	4"x4"-4'	" " N.W. "	Br.-3	2675
W.E.	Gen. X on Rock		" " E. "	Br.-W.E.C.	2675
N.W.	Cor. No. 4	4"x4"-4'	" " S.E. "	Br.-4	2675

Planet

S.W.	Cor. No. 1	4"x4"-4'	Marked on N.E. face	P.L.-1	2675
S.W.E.	Gen.	4"x4"-4'	" " N. "	P.L.-S.E.C.	2675
S.E.	Cor. No. 2	Lime Stone 8"x8"-28"	Marked on N.W. face	P.L.-2	2675
N.E.	Cor. No. 3	" " 8"x8"-26"	" " S.W. "	P.L.-3	2675
N.E.E.	Gen.	4"x4"-4'	" " S. "	P.L.-N.E.C.	2675
N.W.	Cor. No. 4	4"x4"-4'	Cotton Wood " " S.E. "	P.L.-4	2675

Ashley

S.E.	Cor. No. 1	4"x4"-4'	Marked on N.W. face	A.S.-1	2675
S.W.E.	Gen.	4"x4"-4'	" " N. "	A.S.-S.E.C.	2675
S.W.	Cor. No. 2	4"x4"-4'	" " N.E. "	A.S.-2	2675
N.W.	Cor. No. 3	Granite Stone 8"x10"-26"	" " S.E. "	A.S.-3	2675
N.E.E.	Gen.	4"x4"-4'	" " S.W. "	A.S.-N.E.C.	2675
N.W.	Cor. No. 4	4"x4"-4'	Cotton Wood " " S.E. "	A.S.-4	2675

Ahonika

S.E.	Cor. No. 1	4"x4"-4'	Marked On N.W. face	Ah.-1	2675
S.W.E.	Gen.	4"x4"-4'	" " N. "	Ah.-S.E.C.	2675
S.W.	Cor. No. 2	4"x4"-4'	Cotton Wood " " N.E. "	Ah.-2	2675
N.W.	Cor. No. 3	8"x10"x30" Granite Stone	" " S.E. "	Ah.-3	2675
N.E.E.	Gen.	4"x4"x4'	" " S. "	Ah.-N.E.C.	2675
N.E.	Cor. No. 4	8"x10"x30" Granite Stone	" " S.W. "	Ah.-4	2675

Copper Hill

S.W.	Cor. No. 1	4"x4"-4'	Marked on N.E. face	C.H.-1	2675
S.E.	Gen.	4"x4"-4'	" " N. "	C.H.-S.E.C.	2675
S.E.	Cor. No. 2	4"x4"-4'	" " N.W. "	C.H.-2	2675
N.E.	Cor. No. 3	4"x4"-4'	" " S.W. "	C.H.-3	2675
N.E.	Gen.	4"x4"-4'	" " S. "	C.H.-N.E.C.	2675
N.W.	Cor. No. 4	4"x4"-4'	" " S.E. "	C.H.-4	2675

Nickerson

S.W.	Cor. No. 1	4"x4"-4'	Marked on N.E. face	N.-1	2675
S.E.	Gen.	4"x4"-4'	" " N. "	N.-S.E.C.	2675
S.E.	Cor. No. 2	4"x4"-4'	" " N.W. "	N.-2	2675
N.E.	Cor. No. 3	Iden. with Cor. No. 4	Marked on S.W. face	N.-3	2675
N.E.	Gen.	4"x4"-4'	Marked on S. face	N.-N.E.C.	2675
N.W.	Cor. No. 4	4"x4"-4'	" " S.E. "	N.-4	2675

Palmetto

S.W.	Cor. No. 1	4"x4"-4'	Marked on N.E. face	P.A.-1	2675
S.E.	Gen.	4"x4"-4'	" " N. "	P.A.-S.E.C.	2675
S.E.	Cor. No. 2	4"x4"-4'	" " N.W. "	P.A.-2	2675
N.E.	Cor. No. 3	Iden. with Cor. No. 4 Nickerson	" " S.W. "	P.A.-3	2675
N.E.	Gen.	4"x4"-4'	" " S. "	P.A.-N.E.C.	2675
N.W.	Cor. No. 4	4"x4"-4'	" " S.E. "	P.A.-4	2675

Blue Bird

S.W.	Cor. No. 1	4"x4"-4'	Marked on N.E. face	B.B.-1	2675
S.E.	Gen.	4"x4"-4'	" " N. "	B.B.-S.E.C.	2675
S.E.	Cor. No. 2	Iden. with Cor. No. 1 Palmetto	" " N.W. "	B.B.-2	2675
N.E.	Cor. No. 3	" " " No. 4 "	" " S.W. "	B.B.-3	2675
N.E.	Gen.	4"x4"-4'	" " S. "	B.B.-N.E.C.	2675
N.W.	Cor. No. 4	4"x4"-4'	" " S.E. "	B.B.-4	2675

Copper Hill

Smelter Gulch

S.E.	Cor. No. 1	Iden. with Cor. No. 1 Blue Bird	Marked on N.W. face	S.G.-1	2675
W.C. to	S.E. Cen.	Same as original notes			
S.W.	Cor. No. 2	4"x4"-4'	Cotton Wood	" " N.E. "	S.G.-2 2675
N.W.	Cor. No. 3	4"x4"-4'		" " S.E. "	S.G.-3 2675
N.E.	Cen.	4"x4"-4'		" " S. "	S.G.-NEC 2675
N.E.	Cor. No. 4	4"x4"-4'		" " S.W. "	S.G.-4 2675

The W. C. corners for Cor's No. 1 of Blue Bird and Smelter Gulch were left standing as original and in good condition, as the true corner point was in a place where it was not very difficult to establish a corner I put one in.

- - North Lying Claims Where New Corners Were Put in. - -

Copper Hill No. 2

S.E.	Cor. No. 2	Iden. With Cor. No. 3 Copper Hill			
	This Survey	4"x4"-4'	Marked on N.W.,	C.H.No.2-2	2675
			" " S.W.,	C.E. 3	2675
S.E.	Cen.	4"x4"-4'	" " N.,	C.H.2-S.E.C.	2675
S.W.	Cor. No. 1	4"x4"-4'	" " N.E.,	C.H.No.2-1	2675
Corners No. 3 & 4 and N.E. Cen. same as original notes					

Iron Hill

S.W.	Cor. No 1	4"x4"-4'	Marked on N.E.,	I.H.-1	2675
N.W.	Cor. No. 2	4"x4"-4'	" " S.E.,	I.H.-2	2675
N.E.	Cor. No. 3	4"x4"-4'	" " S.W.,	I.H.-3	2675
E.E.	Cen.	4"x4"-4'	" " W.,	I.H.-E.E.C.	2675
S.E.	Cor. No. 4	4"x4"-4'	" " N.W.,	I.H.-4	2675

Iron Hill No. 2

S.W.	Cor. No. 1	4"x4"-4'	Marked on N.E.,	I.H.2-1	2675
W.C. for	N.E. Cor. No. 3	from which true Cor. Brs. N.16°15E. 90.9'			
	(N.E. Cor. No. 3 as original)		Marked on N.W. Face	W.C. I.H.2-3-2675	
E.E.	Cen.	4"x4"-4'	" " W. "	I.H.2-NEC	2675
S.E.	Cor. No. 4	4"x4"-4'	" " N.W. "	I.H.2-4	2675
W.C. for Cor. No. 3 was established as a precaution against high water; from this the true cor. ^{No.3} and Cor. no. 4 Copper Hill No. 2 could be established.					

Ella Belle

N.W.	Cor. No. 4,	4"x4"-4'	Marked on S.E. face	E.B.-4	2675
N.E.	Cor. No. 3	4"x4"-4'	" " S.W. "	E.B.-4	2675

Planet No. 3

S.E.	Cor. No. 1	4"x4"-4'	Marked on N.W. face	P13-1	2675
W.C. for	N.W. Cor. No. 3	4"x4"-4'	W.C. Brs. N.66°45' W.42.0' from true cor.		
			Marked on S.E. face	P13-3 W.C.	2675
N.E.	Cen.	4"x4"-4'	" " S. "	P13-NEC	2675
N.E.	Cor. No. 4	4"x4"-4'	" " S.W. "	P13-4	2675
B-T-X on Cotton Wood Brs S.51°40' W.119.0 ft. W.C. for Cor. No. 3 Planet No.3 and Cor. No.3 Planet No. 4 was established as true corner came in water in Bill Williams Creek. The chanel has changed since original survey.					

Planet No. 4

W.C. for	N.E. Cor. No. 3	4"x4"-4'	which Brs. N.66°45' W.42.0' from true Cor.		
			Marked on S.W. face	W.C. P1.4-3	2675
N.E.	Cen.	4"x4"x4'	" " S. "	P1.4-NEC	2675
N.W.	Cor. No. 4	4"x4"-4'	" " S.E. "	P1.4-4	2675
B-T-X and nail in Cotton Wood which Brs. N.34°35' E.15.0' ft.					

Planet No. 5

N.W.	Cor. No. 3	4"x4"4"	Marked on S.E. face	P1.5-3	2675
B-T-X on Cotton Wood which Brs. N.49°39' E.29'					
N.E.	Cen.	4"x4"-4'	Marked on S. "	P1.5-NEC	2675
N.E.	Cor. No. 4	4"x4"-4'	" " S.W. "	P1.5-4	2675

All 4"x4" posts, unless noted as Cotton Wood, were Oregon Pine 4 ft. long, tops painted white with a nail or X on top. Set 18" in ground with mound of stone 2 ft. Base and 2ft. high around them; where new corners were put in either 4"x4" Oregon Pine or Stone were used. The Corners of these north lying claims which are not specifically mentioned above were found to be in good condition and properly marked. The Cotton Wood posts that were found to be in good condition were not replaced.

Survey began June 15th, 1916--Completed June 25th, 1916.

Earl H. Parker
U.S. Mineral Surveyor

FINAL OATHS FOR SURVEYS.

LIST OF NAMES.

A list of the names of the individuals employed by Earl H. Parker

United States ~~Deputy~~ Mineral Surveyor, to assist in ~~running, measuring, and marking the lines, corners, and~~
^{report of amendment to Mineral Survey No. 2675}
~~boundaries described in the foregoing field notes of the survey of the mining claim of~~

known as the

and showing the respective capacities in which they acted.

- Julius Irion , Chainman.
- , Chainman.
- , Axman.
- , Flagman.

FINAL OATHS OF ASSISTANTS.

~~We~~, I, Julius Irion

~~and~~....., do solemnly swear that ~~we~~ ^I assisted Earl H. Parker

....., United States ~~Deputy~~ Mineral Surveyor, in marking the corners and surveying

the boundaries of the mining claim of New Planet Mining Co.

known as the

represented in the foregoing ^{report} ~~field notes~~ as having been ^{marked} ~~surveyed~~ by said ~~deputy~~ mineral surveyor and under his

direction; and that ~~said survey has been in all respects~~, to the best of ^{my} ~~our~~ knowledge and belief, ~~faithfully and~~
~~correctly executed, and~~ ^{have been} the corner and boundary monuments established according to law and the instructions

furnished by the United States Surveyor-General for Arizona

- Julius Irion , Chainman.
- , Chainman.
- , Axman.
- , Flagman.

Subscribed and sworn to by the above-named persons before me this 29th

day of June, 1916.

Frank H. Dargatzis
Notary Public in and
for Maricopa County, Arizona

my Commission expires
March 3, 1919

(4-686.)

FINAL OATH OF U. S. ~~DEPUTY~~ MINERAL SURVEYOR

I, Carl H. Parker, U. S. ~~Deputy~~ Mineral Surveyor, do solemnly swear that, in pursuance of instructions received from the United States Surveyor General for Arizona, dated June 10th 1916, I have, in strict conformity to the laws of the United States, the official regulations and instructions thereunder, and the instructions of said Surveyor General, faithfully and correctly executed the amendment to Mineral Survey No. 2675, as required by G.L.O. letter N dated December 20, 1915.

Planet Copper Mines, known as the situate in Harcuwar Mining District, Yuma County, Arizona, in Section _____, Township No. _____, Range No. _____,

~~and designated as Survey No. _____, as represented in the foregoing field notes, which accurately show the boundaries of said mining claim as distinctly marked by monuments on the ground, and described in the attached copy of the location certificate, which was received by me from the Surveyor General with said instructions, and that all the corners of said survey have been established and perpetuated in strict accordance with the law, official regulations and instructions thereunder; and I do further solemnly swear that the foregoing is my true and original field notes of said survey and my report therein, and that the labor expended and improvements made upon said mining claim by claimant or _____ grantors are as therein fully stated, and that the character, extent, location and itemized value thereof are specified therein with particularity and full detail, and that no portion of said labor or improvements so credited to this claim has been included in the estimate of expenditures upon any other claim.~~

Carl H. Parker
U. S. ~~Deputy~~ Mineral Surveyor.

Subscribed and sworn to by the said Carl H. Parker,

U. S. ~~Deputy~~ Mineral Surveyor, before me

Frank Oldroyd this 27th day of June, 1916

Frank Oldroyd
Notary Public in
and for Maricopa
County, Arizona

my commission expires
March 3, 1919.

UNITED STATES DEPARTMENT OF THE INTERIOR 9605 (956)
BUREAU OF LAND MANAGEMENT M.S. 2675
ARIZONA STATE OFFICE

NOTICE OF CANCELLATION OF MINERAL SURVEY

The Planet No. 2, Planet No. 3, Planet No. 4, Planet No. 5, Iron Hill No. 2, Copper Hill No. 2, Ella Belle No. 2 and Crompton lodes, Mineral Survey No. 2675, located in sections 5 and 6, Township 10 North, Range 16 West, section 1, Township 10 North, Range 17 West, and sections 31 and 32, Township 11 North, Range 16 West, Gila and Salt River Meridian, Arizona, are hereby canceled.


These claims have not been filed with the Arizona State Office, Bureau of Land Management, in accordance with Section 314, 90 STAT. 2769, (43 U.S.C. 1744).

This cancellation was necessitated to clear the record.

The Mineral Survey Plat should be noted as follows:

"Planet No. 2, Planet No. 3, Planet No. 4, Planet No. 5, Iron Hill No. 2, Copper Hill No. 2, Ella Belle No. 2 and Crompton lodes, M.S. 2675, were canceled June 4, 2002, by memo 9605 (956) M.S. 2675, which is now a part of the original field notes."

June 4, 2002
Date



Chief Cadastral Surveyor of Arizona