

3-16-1910.

O. M. C.

1

JAN. 17. 1910
FEB. 18. 1910

4-683.

MINERAL SURVEY No. 2740 A&B.

LOT No.

Arizona Land District.

FIELD NOTES

OF THE SURVEY OF THE MINING CLAIM OF

Hercules Gold Mining Co.

KNOWN AS THE

HERCULES, HERCULES NO.2, HERCULES NO.3, BUENA, INDEPENDENCE,
PRINCE, CANNONBALL, CANNONBALL NO.2, WEBSTER, LITTLE GIANT, *Lodes*

and WEBSTER MILL SITE. ELLSWORTH Mining District,

YUMA County, ARIZONA.

Sections 17-18-19-20, Township 5 N., Range 12 W. *Surveyed but un-*
WEBSTER MILL SITE, Sec. 24, T. 5 N. R. 13 W. *-approved*

Surveyed under instructions dated Nov. 29, 1909

by *Herbert C. Shattell*
U. S. Mineral Surveyor.

Claim located See location notices, 19

Survey commenced November 27, 1909

Survey completed December 10, 1909

6-822

Address of Claimant

Hercules Gold Mining Co.

% B.J. Quinn Agent.

Wenden Arizona.

No. 1.

Feet	
	<u>MINERAL SURVEY No. 2740 - A & B.</u>
	<u>INDEPENDENCE LODE.</u>
	Beginning at cor. No. 1, a pine post 4 in. sq. and 4 ft. long, set 18 in. in the ground, surrounded by a substantial mound of rock, and carved I-1-2740-A on S. E. face with nail in top for exact corner point, from which cor. of Sections 17, 18, 19 & 20 T. 5 N., R. 12 W., of G. & S. R. B. & M. brs. S. 51°-04' E. 87.42 ft. A Palo Verde tree, 8 in. in diam. blazed and scribed B.T.I-1-2740-A N.E. Cor. Sec. 24, T. 5 N., R. 13 W. brs. S. 89°24' W., 5212.19 ft. brs. S. 12°-45' E. 20 ft. No other bearings available.
	Thence S. 10°-15' W.
30.00	Cross gulch, flows westerly.
551.83	Intersect line between Sections 18 & 19 T. 5 N., R. 12 W. West 77.94 ft. from Sec. Cor. and East 2562.06 ft. from 1/4 cor.
300.00	West center end, a mound of stone.
356.13	Intersect line 3-4 of Hercules No. 3 lode of this survey N. 74°45' W. 327.48 ft. from Cor. No. 4.
600.00	Cor. No. 2, a pine post 4 in. sq. and 4 ft. long set 18 in. in the ground, surrounded by a substantial mound of rock, and carved I-2-2740-A on N. E. face, with a nail in top for exact corner point, from which a rock in place 4 x 4 x 6 ft. exposed, chiseled B + R. -I-2-2740-A. brs. S. 13°-00' W. 78.55 ft. No more bearings available.
	Thence S. 79°-45' E.
177.61	Intersect line between Sections 19 & 20. T. 5 N., R. 12 W. South, 567.09 ft. from Sec. Cor. and North 2072.91 ft. from 1/4 cor.
260.00	Cross road, course northeasterly and southwesterly.
1500.00	Cor. No. 3, a pine post 4 in. sq. and 4 ft. long set 18 in. in the ground, surrounded by a substantial mound of rock and carved I-3-2740-A. on N. W. face, with nail in

No. 2.

Feet.	top for exact corner point, from which a Palo Verde tree 6 in. in diam, blazed and scribed B.T.-I-3-2740-A brs. S. 85°-45' W. 19.0 ft. No more bearings available.
	Thence N. 10° 15' E.
300.00	East center end, a mound of stone.
600.00	Cor. No. 4, a pine post 4 in. sq. and 4 ft. long set 18 in. in the ground, surrounded by a substantial mound of rock, and carved I-4-2740-A, on S. W. face, with nail in top for exact corner point, from which a Palo Verde tree 8 in. in diam. blazed and scribed B-T-I-4-2740-A . brs. S. 37°-00' W. 77.0 ft. No more bearings available.
	Thence N. 79°-45' W.
1160.00	Cross road, course Northwesterly.
1191.05	Intersect line between Sections 17 & 20, T. 5 N., R. 12 W. East 236.05 ft. from sec. cor, and west 2403.95 ft. from 1/4 cor.
1251.69	Intersect line 4 - 1, of Hercules No. 3 lode of this survey N. 00°-15' E. 389.69 ft. from Cor. No. 4.
1430.89	Intersect line between Sections 17 & 18, T. 5 N., R. 12 W. North 42.64 ft. from Sec. Cor, and south 2597.36 ft. from 1/4 cor.
1500.00	Cor. No. 1, the place of beginning.

All corners are identical with their respective locations.

Magnetic declination at each cor. is 14°-30' to E

HERCULES No. 3 LODE.

Beginning at Cor. No. 1, a pine post 4 in. sq. and 4 ft. long set 18 in. in the ground, and surrounded by a substantial mound of rock, and carved H.No.3,1-2740-A . on S. W. face, with nail in top for exact corner point, from which cor. of Sections 17, 18, 19 & 20, T. 5 N., R.12 W. of the G. & S .R. B. & M. brs. S. 36°-13' West 60.19 ft. N.E. Coe. Sec. 24, T. 5 N., R. 13 E. Brs. S. 87° 28' W. 5462.70 ft. No more bearings available.

Feet.	
	Thence N. 74°45' W. E. 110.00 ft. No. 3
170.00	Cross road, course northerly.
183.84	Intersect line between Sections 17 & 18, T.5 N., R.12 W.
194.00	North 290.54 ft. from Sec. Cor. and South 2349.46 ft.
	from 1/4 cor.
1500.00	Cor. No. 2, a pine post 4 in. sq. and 4 ft. long set
	18 in. in the ground, surrounded by a substantial mound
	of rock, and carved H. No. 3, 2-2740-A, on S. E. face
	with nail in top for exact corner point. No bearings
	available.
	Thence S. 00°-15' W.
107.66	Cor. No. 3, of Hercules No. 2 lode of this survey.
150.00	Cross road, course easterly and westerly.
250.00	Cross gulch, flows westerly.
310.58	West center end, a mound of stone.
410.58	East center end of Hercules No. 2 lode of this survey,
	a mound of stone.
621.16	Cor. No. 3, on Line 2-3 of Hercules No. 2 lode of this
	survey, N. 00°-15' E. 92.34 ft. from Cor. No. 2, a
	pine post 4 in. sq. and 4 ft. long set 18 in. in the
	ground, surrounded by a substantial mound of rock, and
	carved H. No. 3-3-2740-A, on N. E. face with nail in
	top for exact corner point. No bearings available.
	Thence S. 74°-45' E.
59.44	
59.48	Intersect line between Sections 18 & 19, T.5 N., R.12 W.
	West 1215.02 ft. from sec. cor. and east 1424.88ft. from
	1/4 cor.
1182.81	Intersect line 1-2 of Independence lode of this survey.
	S. 10°-15' W. 356.13 ft. from Cor. No. 1
1378.95	
1318.95	Intersect line between Sections 19 & 20, T.5 N., R.12 W.
	South 331.28 ft. from Sec. Cor and north 2308.72 ft.
	from 1/4 cor.

Feet.	
1500.00	Cor. No. 4, a pine post 4 in. sq. and 4 ft. long set 18 in. in the ground, surrounded by a substantial mound of rock, and carved H. No. 3,4-2740-A on N. W. face with nail in top for exact corner point. No bearings available.
	Thence N. 00°-15' E.
310.58	East center end, a mound of stone.
378.90	Intersect line between Sections 17 & 20, T.5 N., R.12 W. East 176.33 ft. from sec. cor. and West 2463.67 ft. from 1/4 cor.
389.69	Intersect line 1-4 of Independence lode of this survey S. 79°-45' E. 248.31 ft. from Cor. No. 1.
440.00	Cross road, course north westerly.
621.16	Cor. No. 1, the place of beginning.
	A ll corners are identical with their respective location.
	Magnetic declination at each corner is 14°-30' to E.
	<u>CANNON BALL LODE.</u>
	Beginning at Cor. No. 1, a pine post 4 in. sq. and 4 ft. long set 18 in. in the ground, surrounded by a substantial mound of rock, and carved C.B.-1-2740-A on S.W. face, with nail in top for exact corner point, from which
	Cor. of Sections 17, 18, 19 & 20, T. 5 N., R. 12 W. of the G. & S. R. B. & M. brs. N. 19°-06' E. 874.19 ft. N.E. Cor. Sec. 24, T. 5 N., R. 13 W., Brs. N. 80° 37' W. 5061.92 ft. No more bearings available.
	Thence N. 81°-45' W.
84.00	Cross road, course northerly and southerly.
1000.00	Cor. No. 3, of Cannon Ball No. 2 lode of this survey.
1500.00	Cor. No. 2, on line 2-3 of Cannon Ball No. 2 lode of this survey N. 81°-45' W. 500.00 ft. from Cor. No. 3,
	a pine post 4 in. sq. and 4 ft. long set 18 in. in the ground, surrounded by a substantial mound of rock, and

<p>Feet.</p> <p>1200.00</p> <p>1000.00</p>	<p>carved C. B. 2-2740-A, on S. E. face, with nail in top for exact corner point, from which a Palo Verde tree, 6 in. in diam, blazed and scribed B.T. C.B.-2-2740-A, brs. S. 53°-25' W. 56.5 ft. No more bearings available</p> <p>Thence S. 8°-15' W.</p>
<p>150.00</p>	<p>Cross gulch, flows westerly.</p>
<p>300.00</p>	<p>West center end, a mound of stone.</p>
<p>600.00</p> <p>900.00</p> <p>200.00</p> <p>300.00</p>	<p>Cor. No. 3, a pine post 4 in. sq. and 4 ft. long set 18 in. in the ground, surrounded by a substantial mound of rock, and carved C. B. -3-2740-A., on N. E. face, with nail in top for exact corner point, from which a rock in place 5 x 5 x 6 ft. exposed, and chiseled B + R - C.B. 3-2740-A. brs. N. 22°-15' E. 14.5 ft. No more bearings available.</p> <p>Thence S. 81°-45' E.</p>
<p>1265.00</p>	<p>Cross road, course northerly and southerly.</p>
<p>1500.00</p> <p>1200.00</p>	<p>Cor. No. 4, a pine post 4 in. sq. and 4 ft. long set 18 in. in the ground, surrounded by a substantial mound of rock, and carved C. B.-4-2740-A. on N. W. face, with nail in top for exact corner point, from which a Palo Verde tree 7 in. in diam. blazed and scribed B.T.-C.B.-4-2740-A. brs. N. 5°-30' W. 42.0 ft. No more bearings available.</p> <p>Thence N. 8°-15' E.</p>
<p>300.00</p>	<p>East center end, a mound of stone.</p>
<p>600.00</p>	<p>Cor. No. 1, the place of beginning.</p> <p>All corners are identical with their respective location.</p> <p>Magnetic declination at each corner 14°-30' to E.</p> <p><u>CANNON BALL No. 2 LODE.</u></p>
<p>1000.00</p>	<p>Beginning at Cor. No. 1, identical with Cor. No. 1 of Hercules No. 2 lode of this survey, a pine post 4 in. sq. and 4 ft. long, set 18 in. in the ground surrounded</p>

Feet.

by a substantial mound of rock and carved C.B.No. 2, 1-2740-A, on S. E. face, and H. No. 2-1-2740-A on N.E. face, with nail in top for exact corner point, from which 1/4 sec. cor. between sections 18 & 19, T. 5 N., R. 12 W. of the G. & S. R. B. & M. brs. S. 40°-17' E. 181.59 ft. a rock in place, 2 x 3 x 6 ft. exposed and chiseled B. + R. C.B.No. 2, 1-2740-A, and H. No. 2, N.E. Cor. Sec. 24, T. 5 N., R. 13 W. Brs. S. 86° 51' W., 2526.41 ft. 1-2740 A. brs. S. 5°-32' W. 48.5 ft. \wedge No more bearings available.

138.51

Intersect line between sections 18 & 19; T. 5 N., R. 12 W. East 118.03 ft. from 1/4 sec. cor. and West 2521.97 ft.

267.08

East center end of the Buena lode of this survey, a mound of stone.

302.92

West center end, a mound of stone.

567.08

Cor. No. 4 of the Buena lode of this survey.

605.84

Cor. No. 2, a pine post 4 in. sq and 4 ft. long, set 18 in. in the ground, surrounded by a substantial mound of rock, and carved C.B.No. 2 - 2-2740-A. on N. E. face with nail in top for exact corner point, from which a rock in place, 6 x 12 x 15 ft. exposed and chiseled

800.00

C. + R. C.B.No. 2 - 2-2740-A, brs. N. 33°-03' W. 88.6 ft.

820.00

No more bearings available.

Thence S. 81°-45' E.

1000.00

Cor. No. 2 of the Cannonball lode of this survey.

1500.00

Cor. No. 3, a pine post 4 in. sq. and 4 ft. long, set 18 in. in the ground, surrounded by a substantial mound of rock, and carved C.B.No. 2, 3-2740-A. on N.W. face, with nail in top for exact corner point. No bearings available.

Feet.	THENCE CIVIL TOWN.
	Thence N. 00°-15' E.
302.92	East center end, a mound of stone.
605.84	Cor. No. 4, identical with Cor. No. 2 of the Hercules
600.84	No. 2 lode of this survey, a pine post, 4 in. sq. and
	4 ft. long, set 18 in. in the ground, surrounded by a
	substantial mound of rock, and carved C.B.No.2,4-2740-A.
305.88	on the S. W. face and H. No. 2, 2-2740-A. on N. W. face
	with nail in top for exact corner point. No bearings
333.88	available.
	Thence N. 81°-45' W.
534.52	Intersect line between sections 18 & 19, T.5 N., R.12 W.
	East 838.00 ft. from 1/4 sec. cor. and West 1802.00 ft.
	from sec. cor.
1500.00	Cor. No. 1, the place of beginning.
	All corners are identical with their respective locations.
	Magnetic declination at each corner is 14°-30' to E.
	HERCULES No. 2 LODE ^{Cor. No. 1}
	identical with Cannon Ball No. 2 lode of this survey
	Beginning at Cor. No. 1, corner described above.
	N.E. Cor. Sec. 24., T.5N., R.13W., Brs. S. 86°51' W., 2526.41 ft.
	Thence S. 81°-45' E. 1/4 Cor. bet. Secs. 13 & 19 Brs. S. 40° 17' E. 131.59 ft.
965.48	Intersect line between sections 18 & 19, T.5 N., R.12 W.
130.00	East 838.00 ft. from 1/4 sec. cor. and West 1802.00 ft.
	from sec. cor.
	identical with cor. No 4, Cannon Ball No. 2. lode of this survey
1500.00	Cor. No. 2, corner described above.
	Thence N. 00°-15' E.
76.70	Intersect line between sections 18 & 19, T.5, N., R.12 W.
	West 1272.37 ft. from sec. cor. and East 1367.43 ft. from
	1/4 sec. cor.
92.34	Cor. No. 3, of Hercules No. 3 lode of this survey.
302.92	East center end, a mound of stone.
402.92	West center end, of Hercules No. 3 lode of this survey,
	a mound of stone.

Feet.	
463.56	Cross gulch, flows westerly.
563.50	Cross road, course westerly.
605.84	C or. No. 3, a pine post 4 in. sq. and 4 ft. long, set 18 in. in the ground, surrounded by a substantial mound of rock, and carved H.No.2, 3-2740-A. on S.E.face. No. bearings available. Thence N. 81°-45' W.
790.00	Cross gulch, flows northwesterly.
935.00	Cross road, course northwesterly.
1048.30	Intersect line 2-3 of the Little Giant lode of this survey N. 82°-26' E. 1152.86 ft. from Cor. No. 2 W. 314.97 ft. from Cor. No. 3.
1500.00	To Cor. No. 4, on line 1-2, of the Hercules lode of this survey, S. 00°-15' W. 27.08 ft. from Cor. No. 2, a pine post 4 in. sq. and 4 ft. long, set 18 in. in the ground, surrounded by a substantial mound of rock, and carved H. No.2, 4-2740-A. on S.E.face, with nail in top for exact corner point. No bearings available. Thence S. 00°-15' W.
124.27	Intersect line 2-3 of the Little Giant lode of this survey N. 82°-26' E. 701.36 ft. from C or. No. 2.
272.92	East center end Hercules lode of this survey, a mound of stone.
302.92	West center end, a mound of stone.
572.92	Cor. No. 1, of Hercules lode, identical with Cor. No. 1 of the Buena lode, both of this survey.
605.84	Cor. No. 1, the place of beginning. All corners are identical with their respective location. Magnetic declination at each corner is 14°-30' to E.

LITTLE GIANT LODE.

Beginning at Cor. No. 1, identical with Cor. No. 1 of the Webster lode of this survey, a pine post 4 ⁱⁿ ft. sq. and 4 ft. long, set 18 in. in the ground, surrounded by

Feet.

00'00" a substantial mound of rock, and carved L.G. 1-2740-A.
 547'00" on S.E. face and W-1-2740-A. on N.E. face, with nail in
 top for exact corner point, from which 1/4 sec. cor.
 between Sections 18 & 19, T. 5 N., R. 12 W., brs. S.
 N.E. Cor. Sec. 24, T. 5 N., R. 13 W., Brs. S. 61° 23' W. 2016.71 ft.
 738'00" 42°-00' E. 1299.79 ft. No more bearings available.
 859'00" Thence S. 7°-40' E.
 945'00" Cross road, course westerly,
 142.34 West center end, a mound of stone.
 193.22 Intersect line 2-3, of the Hercules lode of this survey,
 N. 89°-45' W. 729.¹⁶ ft. from Cor. No. 2.
 442.34 Cor. No. 2, a pine post 4 in. sq. and 4 ft. long set 1 ft.
 in the ground, surrounded by a substantial mound of rock
 and carved L.G. 2-2740-A. on N.E. face with nail in top
 for exact corner point. No bearings available.
 Thence N. 82°-26' E.
 415.00 Cross road, course northerly.
 701.36 Intersect line 1-2 of the Hercules lode of this survey.
 S. 00°-15' W. 151.35 ft. from Cor. No. 2 and line 4-1
 of the Hercules No. 2 lode of this survey S. 00°-15' W.
 124.27 ft. from cor. No. 4.
 1152.86 Intersect line 3-4 of the Hercules No. 2 lode of this
 survey, S. 81°-45' E. 451.70 ft. from Cor. No. 4.
 1225.00 Cross road, course northwesterly.
 1325.00 Cross gulch, flows northwesterly.
 1467.83 Cor. No. 3, a pine post 4 in. sq. and 4 ft. long, set
 14 in. in the ground, surrounded by a substantial mound
 of rock, and carved L.G. 3-2740-A. on N.W. face, with
 nail in top for exact corner point, from which a Palo
 Verde tree 7 in. in diam. blazed and scribed, B.T. L.G.
 3-2740-A. brs. S. 21°-00' W. 64 ft. No more bearings
 available.

Thence N. 7°-40' W.

No. 16.

Feet.	2-2740-A. brs. N. 73°-02' W. 48.4 ft. No more bearings available.
300.00	East center end, a mound of stone.
600.00	Cor. No. 4, identical with Cor. No. 2 of the Webster lode of this survey, a pine post 4 in. sq, and 4 ft. long set 12 in. in the ground, surrounded by a substantial mound of rock, and carved L.G. 4-2740-A, on S.W. face, and W-2-2740-A. on N.W. face, with nail in top for exact corner point, from which a rock in place 2 x 2 x 3 ft. exposed and chiseled B.+ R. L.G. 4-2740-A.
651.00	Cross gulch flows northerly.
836.00	Cross road, course northerly.
1476.00	Cor. No. 1, the place of beginning. All corners are identical with their respective locations. Magnetic declination at each corner is 14°-30' to E.
	<u>WEBSTER LODE.</u>
	Beginning at Corner No. 1, identical with Cor. No. 1 of the Little Giant lode of this survey, corner described above.
	N.E. Cor. Sec. 24, T. 5N., R. 13W. Brs. S. 61° 23' W. 2016.71 ft. ^{bet.} $\frac{1}{4}$ Cor. Secs. 18 & 19, brs. S. 42° E. 1259.73 ft.
	Thence N. 76°-18' E.
640.00	Cross road, course northerly.
825.00	Cross gulch, flows northerly.
1476.00	Cor. No. 2, identical with Cor. No. 4 of the Little Giant lode of this survey, corner described above. Thence N. 13°-42' W.
240.00	Cross gulch, flows westerly.
300.00	East center end, a mound of stone.
600.00	Cor. No. 3, a pine post 4 in. sq. and 4 ft. long, set 18 in. in the ground, surrounded by a mound of earth, and carved W. 3-2740-A. on S.W. face, with nail in top for exact corner point. No bearings available.

Feet.	Intersect line 3-2 of the Little Giant lode of this
600.00	Cor. No. 2, a pine post 4 in. sq. and 4 ft. long, set 14 in. in the ground, surrounded by a substantial mound of rock, and carved H.2-2740-A. on S.W. face with nail in top for exact corner point. No bearings available.
540.00	Thence N. 89°-45' W.
64.00	Cross gulch, flows northerly.
144.00	Cross road, flows northerly.
729.16	Intersect line 1-2 of the Little Giant lode of this survey, N. 7°-40' W. 249.12 ft. from Cor. No. 2.
1500.00	Cor. No. 3, a pine post 4 in. sq. and 4 ft. long set 12 in. in the ground, surrounded by a substantial mound of rock, and carved H.3-2740-A. on S.E. face, with nail in top for exact corner point, from which a Palo Verde tree, 8 in. in diam., blazed and scribed B.T. H.3-2740-A.. brs. S. 15°-40' E. 26 ft. No more bearings available.
	Thence S. 00°-15' W.
300.00	West center end, a mound of rock.
600.00	Cor. No. 4, identical with Cor. No. 2 of the Buena lode of this survey, a pine post 4 in. sq. and 4 ft. long, set 12 in. in the ground, surrounded by a substantial mound of rock, and carved H. 4-2740-A. on N.E. face and B. 2-2740-A. on S.E. face, with nail in top for exact corner point. No bearings available.
	Thence S. 89°-45' E.
1500.00	Cor. No. 1, the place of beginning.
	All corners are identical with their respective locations
	Magnetic declination at each corner is 14°-30' to E.

BUENA LODE.

Beginning at Cor. No. 1, identical with Cor. No. 1 of the Hercules lode of this survey, corner described above. N.E. Cor. Sec. 24, T. 5N., R. 13W. brs. S. 86° 07' W. 2528.52 ft.

bet
4 Cor. Secs. 18 & 19, brs. S. 34° 23' E. 207.72 ft.

Feet.	
1500.00	Thence N. 89°-45' W.
1500.00	Cor. No. 2, identical with Cor. No. 4 of the Hercules lode of this survey, corner described above.
177.98	Thence S. 00°-15' W.
320.00	Intersect line between sections 18 & 19, T.5 N., R.12 W.
300.00	East 1021.96 ft. ^{from} corner of section, and West 1618.04 ft. from 1/4 sec. cor.
300.00	West center end, a mound of stone.
600.00	Cor. No. 3, on line 4-5, of the Prince lode of this survey, S. 89°-45' E. 90 ft. from Cor. No. 5, a pine post 4 in. sq. and 4 ft. long, set 1 ft. in the ground, surrounded by a substantial mound of rock, and carved B-3-2740-A. on N.E. face with nail in top for exact corner point, from which a rock in place 5 x 8 x 10 ft. exposed and chiseled B. + R. B.3-2740-A. brs. S. 74°-00' W. 8.0 ft. No more bearings available.
660.00	Thence ⁵ N. 89°-45' E. 33.87 ft.
1500.00	Cor. No. 4 of the Prince lode of this survey.
1500.00	Cor. No. 4 on line 1-2 of the Cannon Ball No. 2 lode of this survey, N. 00°-15' E. 38.76 ft. from Cor. No. 2, a pine post 4 in. sq. and 4 ft. long, set 18 in. in the ground, surrounded by a substantial mound of rock, and carved B.4-2740-A. on N.W. face, with nail in top for exact corner point, from which a rock in place, 6 x 12 x 15 ft. exposed and chiseled B. + R. B.4-2740-A. brs. N. 53°-47' W. 60.1 ft. No more bearings available.
300.00	Thence N. 00°-15' E.
264.16	West center end, Cannon Ball No. 2 lode of this survey.
300.00	East center end, a mound of stone.
428.57	Intersect line between sections 18 & 19, T.5.N., R.12 W.
	West 118.03 from 1/4 sec. cor. and East 2521.97 ft. from Cor. of sections.

Feet.	
567.08	Cor. No. 1 of Cannon Ball No. 2 lode, identical with Hercules No. 2 lode, both of this survey.
600.00	Cor. No. 1, the place of beginning.
	All corners are identical with their respective locations
	Magnetic declination at each corner is 14°-30' to E.
	<u>PRINCE LODE.</u>
	Beginning at Cor. No. 1, a pine post 4 in. sq. and 4 ft.
	long, set 18 in. in the ground, surrounded by a substantial mound of rock, and carved P.1-2740-A. on N.E. face, from which N.E. cor. sec. 27, T. 5 N., R. 13 W. of the G. & S. R. B. & M. on township line between Townships 5 N., Rs. 12 & 13 W. brs. N. 22°-21' W. 462.05 ft.
	a Palo Verde tree, 6 in. in diam. blazed and scribed
	B.T. P.1-2740-A. brs. S. 78°-15' W. 40 ft.
	Thence S. 37°-45' E.
750.00	Cor. No. 2, a pine post 4 in. sq. and 4 ft. long, set
	14 in. in the ground, surrounded by a substantial mound
	of rock, and carved P-2-2740-A. on N. face, with nail in
	top for exact corner point, from which a rock in place,
	30 x 20 x 8 ft. exposed and chiseled B. + R. P.2-2740-A.
	brs. S. 26°-09' W. 59.55 ft. No more bearings available.
	Thence S. 89°-45' E.
750.00	Cor. No. 3, a pine post 4 in. sq. and 4 ft. long, set
	18 in. in the ground, surrounded by a substantial mound
	of rock, and carved P-3-2740-A. on N.W. face, with nail
	in top for exact corner point, No bearings available.
	Thence N. 26°-15' E.
333.78	East center end, a mound of stone.
667.56	Cor. No. 4, on line 3-4, of the Buena lode of this sur-
	vey, S. 89°-45' E. 660.0 ft. from Cor. No. 3, a pine
	post 4 in. sq. and 4 ft. long set 12 in. in the ground,
	surrounded by a substantial mound of rock, and carved

Feet	P. 4-2740-A on S.W. face, with nail in top for exact corner point. No bearings available.
	Thence N. 89°-45' W.
660.00	Cor. No. 3, of the Buena lode of this survey.
750.00	Cor. No. 5, a pine post 4 in. sq. and 4 ft. long, set 18 in. in the ground, surrounded by a substantial mound of rock and carved P-5-2740-A. on south face, with nail in top for exact corner point. No bearings available.
	Thence N. 37°-45' W.
533.23	Intersect line between Sections 18 & 19, T. 5 N., R. 12 W., East 603.67 ft. from cor. of sections and West 2036.33 ft. from 1/4 sec. cor.
750.00	Cor. No. 6, a pine post 4 in. sq and 4 ft. long, set 16 in. in the ground, surrounded by a substantial mound of rock, and carved P-6-2740-A, on S.E. face, with nail in top for exact corner point, from which a rock in place 2 x 3 x 4 ft. exposed and chiseled B.+ R. P-6-2740-A. brs. N.6°-50' W. 64 ft. No more bearings available.
	Thence S. 26°-15' W.
130.00	Cross gulch, flows westerly.
191.11	Intersect line between Sections 18 & 19, T. 5 N., R. 12 W. East 386.44 ft. from cor. of sections and West 2253.56 ft. from 1/4 sec. cor.
333.78	West center end, a mound of stone.
667.56	Cor. No. 1, the place of beginning.
	All corners are identical with their respective location Magnetic declination at each corner is 14°-30' to E.
	<u>WEBSTER MILL SITE.</u> Survey No. 2740-B.
	Beginning at Cor. No. 1, a pine post 4 in. sq. and 4 ft. long, set 18 in. in the ground, surrounded by a mound of earth, and carved W.M.S.-1-2740-B. on north face, with nail in top for exact corner point, from which Cor. No. 1 of the Prince lode of this survey brs.

Feet.	N. 37°-51' E. 5499.38 ft. The S.E. Cor. S ec. 24, T. 5 N.
29	R. 13 W. of the G. & S. R. B. & M. brs. S. 80°-56' E. 3238.9 ft. Cor. No. 1 of the Webster Lode of this survey brs N40°54'E. ↩ No more bearings available. 7588.87 ft.
	Thence N. 43°-16' E.
19.00	South West bank of Centennial wash flows southeasterly.
272.00	North East bank of Centennial wash flows southeasterly.
466.00	Cor. No. 2, a pine post 4 in. sq. and 4 ft. long, set 18 in. in the ground, surrounded by a mound of earth, and carved W.M.S.2-2740-B. on west face, with nail in top for exact corner point. No bearings available.
	Thence N. 46°-44' W.
466.00	Cor. No.3, a pine post 4 in. sq. and 4 ft. long, set 18 in. in the ground, surrounded by a mound of earth, and carved W.M.S.3-2740-B. on south face, with nail in top for exact corner point. No bearings available.
	Thence S. 43°-16' W.
243.00	North east bank of centennial wash flows south easterly,
396.00	South west " " " " " " " "
466.00	Cor. No. 4, a pine post 4 in. sq. and 4 ft. long, set 18 in. in the ground, surrounded by a mound of earth, and carved W.M.S .4-2740-B. on east face, with nail in top for exact corner point. No bearings available,
	Thence S. 46°-44' E.
466.00	Cor. No. 1, the place of beginning. All corners are identical with their respective locations. Magnetic declination at each corner is 14°-30' to E.

LEDGES

The presumed courses of the several ledges of this survey, as near as can be traced upon the ground, are as follows:-

INDEPENDENCE LODE.

Course of ledge is from a point on line 1-2, S.10°-15' W 300.00 ft. from Cor. No. 1, thence S. 79°-45' E. 1500 ft to intersection of line 3-4.

Feet.

HERCULES No. 3 LODE.

Course of ledge is from a point on line 1-4, S.00°-15' W.
310.58 ft. from Cor. No. 1, thence N.74°-45' W. 1500 ft.
to intersection of line 2-3.

CANNONBALL LODE.

Course of ledge is from a point on line 1-4, S.8°-15' W.
300 ft. from Cor. No. 1, thence N. 81°-45' W. 1500 ft.
to intersection of line 2-3.

CANNON BALL No. 2 LODE.

Course of ledge is from a point on line 1-2, S.00°-15' W.
302.92 ft. from Cor. No. 1, thence S.81°-45' E. 1500.0 ft
ft. to intersection of line 3-4.

HERCULES No. 2 LODE.

Course of ledge is from a point on line 1-4, N.00°-15' E.
302.92 ft. from Cor. No. 1, thence S. 81°-45' E. 1500
ft. to intersection of line 2-3.

LITTLE GIANT LODE.

Course of ledge is from a point on line 1-2, S.7°-40' E.
142.34 ft. from Cor. No. 1, thence N.82°-26' E. 1467.83
ft. to intersection of line 3-4.

WEBSTER LODE.

Course of ledge is from a point on line 1-4, N.13°-42' W.
300.00 ft. from Cor. No. 1, thence N. 76°-18' E. 1476
ft. to intersection of line 2-3.

HERCULES LODE.

Course of ledge is from a point on line 1-2, N.00°-15' E.
300.00 ft. from Cor. No. 1, thence N. 89°-45' W. 1500
ft. to intersection of line 3-4.

BUEHA LODE.

Course of ledge is from a point on line 1-4, S.00°-15' W.
300 ft. from Cor. No. 1, thence, N. 89°-45' W. 1500 ft.
to intersection of line 2-3.

Feet.

PRINCE LODE.

Course of ledge is from a point on line 1-6, N.26°-15'E 333.78 ft. from Cor. No. 1, thence S. 37°-45' E. 750 ft, thence S. 89°-45' E. 750 ft. to intersection of line 3-4.

I M P R O V E M E N T S .

I certify that the value of the labor and improvements upon the claims embraced in this survey, placed thereon by the claimant and its grantors, is not less than Five Hundred Dollars (\$500.00) for each claim, and that said improvements consist of:-

INDEPENDENCE LODE.

No. 1 Discovery Shaft, 6 x 6 x 28 ft. deep, from center of which Cor. No. 1 brs. S.48°-16' E. 574.6 ft.
Value,\$308.00

No. 2 Trench, 3 x 4 x 85 ft. long, course S.72°W. from the beginning of which Cor. No. 3 brs. S . 53°-30' E. 566.ft.
Value, 210.00

900 linear ft. of road, especially built to shaft No. 1 and trench.
.....

Also to be accredited to this claim is an undivided 1/8 interest in Shaft No. 1, of Hercules No. 2 lode,
Value, 397.50

Also to be accredited to this claim is an undivided 1/8 interest in Shaft No. 9, of the Hercules lode,
Value, 545.00

HERCULES No. 3 LODE.

No. 1 Discovery shaft, 6 x 4 x 10 ft. deep, from center of which Cor. No. 2 brs. N.56°-17'W. 947.2 ft.
Value, 100.00

Also to be accredited to this claim is an undivided 1/8 interest in Shaft No. 1, of the Hercules No. 2 lode,
Value, 397.50

Also to be accredited to this claim is an undivided 1/8 interest in Shaft No. 9, of the Hercules lode,
Value, 545.00

CANNONBALL LODE.

No. 1	Discovery Shaft, 6 x 8 x 22 ft. deep, from the center of which Cor. No. 2 brs. N. 56°-46' W. 710.45 ft. from this shaft a trench 5 ft. wide and 3 ft. deep extends N. 81°-45' W. 25 ft., also from the bottom of shaft S. 81°-45' E. 8.5 ft. drift stoped to surface. Also, same course, same level as drift, 11.0 ft. center of winze, 4 x 6 x 8 ft. deep. Value of shaft, trench, drift, stopes and winze,	650.00
No. 2	Shaft, 4 x 6 x 3 ft. deep, from which Cor. No. 2 brs. N. 62°-25' W. 838 ft. Value,	20.00
No. 3	Shaft, 4 x 6 x 7 ft. deep, from which Cor. No. 2 brs. N. 62°-50' W. 840 ft. Value,	60.00
No. 4	Open cut, 5 x 33 x 15 ft. face, from face of which Cor. No. 2 brs. N. 48°-50' W. 662 ft. Value,	150.00
No. 5	Open cut, 5 x 29 x 8 ft. face, from face of which Cor. No. 2 brs. N. 44°-45' W. 673 ft. Value,	100.00
No. 6	Shaft, 5 x 6 x 8 ft. deep, from which Cor. No. 2 brs. N. 43°-30' W. 742 ft. Value,	80.00
No. 7	Trench, 4 x 7 x 72 ft. long, course S. 75°-W. from beginning of which Cor. No. 2 brs. S. N 39°-45' W. 631 ft. Value,	300.00
No. 8	Shaft 4 x 6 x 8 ft. deep, from which Cor. No. 2 brs. N. 55°-24' W. 720 ft. Value,	90.00

CANNON BALL No. 2 LODE.

No. 1	Discovery point, a mound of stone 3 ft. high and 2 ft. base, located upon the ledge of said claim, from which Cor. No. 2 brs. S. 77°-54' W. 862.7 ft.	
No. 2	Shaft, 4 x 6 x 15 ft. deep, from which Cor. No. 2 brs. N. 89°-40' W. 674 ft. Value,	150.00
No. 3	Shaft, 4 x 6 x 12 ft. deep, from which Cor. No. 2 brs. N. 87°-30' W. 892 ft. Value,	120.00
	Also to be accredited to this claim is an undivided 1/8 interest in Shaft No. 9, of the Hercules Lode. Value,	545.00
	Also 1/8 interest in shaft No. 1, Hercules No. 2 lode, Value,	397.50

HERCULES No. 2 LODE.

No. 1	Discovery shaft, 6 x 8 x 159 ft. deep, inclined 52° to north, course N. 4° E. from collar Cor. No. 1 brs. S. 33°-48' W. 332 ft.	
-------	---	--

This ~~shaft~~ improvement is to be equally divided among the following claims, Independence, Hercules No. 3, Cannon Ball No. 3, Hercules No. 2, Little Giant, Webster, Hercules and Buena.

Value of undivided 1/8 interest, \$397.50

At a point 62 ft. down this shaft, on incline, a level is run, containing 1181.8 ft. of drifts and cross cuts, and connecting with shaft No. 9, Hercules lode, see description later. To be accredited to this claim is an undivided 1/2 interest in said drifts and cross cuts,

Value, 5,945.00

No. 2 Shaft, 6 x 4 x 10 ft. deep, from which Cor. No. 1 brs. S. 3°-15' W. 276 ft.
Value, 100.00

No. 3 Shaft, 4 x 6 x 8 ft. deep, from which Cor. No. 1 brs. S. 49°-15' W. 340 ft.
Value, 80.00

To be accredited to this claim is an undivided 1/8 interest in Shaft No. 9, of the Hercules lode,

Value, 545.00

LITTLE GIANT LODE.

No. 1 Discovery shaft, 4 x 6 x 10 ft. deep, from which Cor. No. 1 brs. N.60°-47' W. 237.6 ft.
Value, 100.00

To be accredited to this claim is an undivided 1/8 interest in Shaft No. 1, of the Hercules No. 2 lode,

Value, 397.50

Also to be accredited to this claim is an undivided 1/8 interest in Shaft No. 9, of the Hercules lode,

Value, 545.00

WEBSTER LODE.

No. 1 Discovery Shaft, 5 x 6 x 23 ft. deep, from which Cor. No. 1 brs. S. 53°-32' W. 775.4 ft.
Value, 230.00

No. 2 Shaft, 4 x 6 x 10 ft. deep, from which Cor. No. 1 brs. S. 54°-45' W. 840. ft.
Value, 100.00

To be accredited to this claim is an undivided 1/8 interest in Shaft No. 1, of the Hercules No. 2 lode,

Value, 397.50

Also to be accredited to this claim is an undivided 1/8 interest in Shaft No. 9, of the Hercules lode,

Value, 545.00

No. 21, 2810

HERCULES LODGE.

No. 1	Discovery Shaft, 6 x 4 x 29 ft. deep, from which Cor. No. 1 brs. S. 65°-38' E. 734.1 ft. at 11 ft. depth drifts 5 ft. long run both easterly and westerly from shaft. Value, shaft and drifts,	\$350.00
No. 2	Open cut, 6 x 12 x 118 ft. long course west, from beginning of which Cor. No. 1 brs. S. 64°-45' E. 702 ft. Value,	400.00
No. 3	Shaft 4 x 6 x 10 ft. deep, from which Cor. No. 1 brs. S. 70°-35' E. 960 ft. Value,	100.00
No. 4	Trench 3 x 3 x 16 ft. long, from center of which Cor. No. 1 brs. S. 69°-00' E. 950 ft. Value,	25.00
No. 5	Open cut, 4 x 12 x 10 ft. face, from face of which Cor. No. 1 brs. S. 69°-15' E. 1018 ft. Value,	100.00
No. 6	Shaft 4 x 6 x 10 ft. deep, from which Cor. No. 1 brs. S. 69°-15' E. 1021 ft. Value,	100.00
No. 7	Trench 4 x 140 x 12 ft. deep, course S. 88° W. from beginning of which Cor. No. 1 brs. S. 70°-30' E. 1094 ft. Value,	600.00
No. 8	Shaft 4 x 6 x 10 ft. deep, from which Cor. No. 1 brs. S. 28°-30' E. 462 ft. Value,	100.00
No. 9	Shaft 6 x 8 x 218 ft. deep, from which Cor. No. 1 brs. S. 38°-15' E. 513 ft. This shaft has incline of 42°-45', course N. 4°-19' E. from collar of shaft to first level, 133.4 ft. measured on incline, from collar of shaft to second level 211.5 ft. measured on incline, from collar of shaft to water, 218 ft. From first level run drifts and cross cuts which connect with Shaft No. 1 of the Hercules No. 2 lode, and amount to 181.8 ft. in all. See description later. At second level there is a drift of 20 ft. easterly. This shaft is to be equally proportioned among the following claims; Independence, Hercules No. 3, Cannon Ball No. 2, Hercules No. 2, Webster, Little Giant, Hercules and Buena. The drifts and cross cuts at 1st level are to be divided with the Hercules No. 2 lode. An undivided 1/8 interest in Shaft No. 9. Value,	545.00
	An undivided 1/2 interest in drifts and cross-cuts. at first level. Value,	5,945.00
	And to be accredited to this claim is an undivided 1/8 interest in Shaft No. 1 of the Hercules No. 2 lode. Value,	397.50
	20 ft of drift at second level, Value,	200.00

BUENA LODE.

- No. 1 Discovery point, a monument of stone, .3ft base and 4 ft. high, located on ledge and center line of claim, from which Cor, No. 2 brs. N. 57°-19' W. 559.3 ft.
- No. 2 Shaft 4 x 6 x 10 ft. deep, from which Cor. No. 2 brs. N. 42°-30' W. 675.0 ft.
Value, \$100.00
- No. 3 Open cut, 20 x 4 x 10 ft. face, from face of which Cor. No. 2 brs N. 37°-30' W. 616 ft.
Value, 100.00
- No. 4 Shaft 4 x 6 x 10 ft. deep, from which Cor.No. 2 brs. N. 20°-15' W. 553 ft.
Value, 100.00

To be accredited to this claim is an undivided ¹/₈ interest in Shaft No. 1, of the Hercules No.2 lode,
Value, 397.50

Also to be accredited to this claim is an undivided ¹/₈ interest in Shaft No. 9 of the Hercules lode.
Value, 545.00

PRINCE LODE.

- No. 1 Discovery shaft 4 x 6 x 39 ft. deep, from which Cor. No. 1 brs. S. 84°-17' W. 353.9 ft.
Value, 350.00
- No. 2 Shaft 5 x 7 x 100 ft. deep, from which Cor. No. 1 brs N. 55°-00' W. 643 ft. Incline of shaft 45°. Course of shaft N. 45°-E. at 20 ft. from collar of shaft on incline is 1st level. Drift northwesterly 20 ft. and southeasterly 30 ft. Above entire length of drift is stope 10 ft. high. At 72ft. from collar, on incline is a cross cut, north-easterly 6 ft. At 100 ft. on incline is bottom of shaft.
Value of shaft, drift, stope and cross cut, 1,560.00

Description of drifts and cross cuts, first level, connecting Shaft No. 9, Hercules Lode and Shaft No. 1 Hercules No. 2 lode.

Beginning at Sta. A. at first level in Shaft No. 9,

<u>Sta.</u>	<u>Course</u>	<u>Feet</u>	<u>Sta.</u>	<u>Remarks.</u>
	Thence N.85°-15' E.	17.2	B	at crosscut N. & S.
B	Thence N 21°-28' E.	17.6	C	in Crosscut N.
"	also S.46°-28' E.	15.7	D	" " S.
D.	Thence S. 5°-05' W.	115.8	E	at drifts E.& W.
E.	" S.16°-15' W.	60.0		face of crosscut S.
E	also S.71°-00' E.	36.0		" " drift. H.

No. 23.

Sta.		Course	Feet	Sta	Remarks
E	Also	N.76°-45' W.	60.0		face of drift W.
C	Thence	N. 3°-12' E.	31.8	F	at drift E & W.
F	"	N.76°-50' W.	126.00	H	in drift W.
F	also	N.87°-15'E.	62.0	G	" " E.
"	"	North	6.0		face of crosscut N.
H	thence	N.48°-45' W.	50.0	"	" " drift W.
G	"	S.79°-24' E.	87.0	I	in drift E.
I	"	S.56°-22' E.	38.5	J	" " "
J	"	S.66°-14' E.	13.0		Crosscut N.18°E.66 ft.
"	also	S.66°-14' E.	71.4	K	in drift E.
K	thence	S.57°-00' E.	66.6	L	" " "
L	"	S.61°-54' E.	28.6	M	" " "
M	"	S.32°-39' E.	40.7	N	" " "
N	"	S.46°-17' E.	121.3	O	" " "
O	"	S.55°-17' E.	63.6		center of No.1 shaft Hercules lode.

Shaft No. 1, Hercules No. 2 lode, and Shaft No. 9

Hercules lode are common improvements to the Independence, Hercules No. 3, Cannon Ball, Cannon Ball No. 2, Hercules No. 2, Little Giant, Webster, Hercules and Buena lodes for the following reasons: It is presumed that the quartz ledges on these claims all have a common source, were formed at the same time and hence will unite at depth. These two shafts have been started for the purpose of obtaining ventilation as they are put down, and developing the various ledges on the above mentioned claims. A suitable location was selected for these shafts, and they were started on the strongest ledges which are exposed on surface, and the claimant proposes to concentrate all future work at these points. and when depth is attained if the various ledges have not united, said ledges will then be worked by cross cuts and drifts, from these main workings.

The above mentioned and described drifts and cross-cuts which connect shaft No. 1 Hercules No. 2 lode,

and shaft No. 9 Hercules lode, are common improvements to these ^{TWO} claims for the reason that they are driven for the sole purpose of developing ore bodies on said Hercules and Hercules No. 2 claims.

O T H E R I M P R O V E M E N T S .

WEBSTER LODGE.

Barn, 30x 40 ft. frame, covered with sheet iron, from S. W. Cor. of which Cor. No. 1 brs. S. 60°W. 207.0 ft.

House, 40 x 40 ft. frame, from N. W. Cor. of which Cor. No. 1 brs. S. 68°-00' W. 700 ft.

LITTLE GIANT LODGE.

Boarding house, frame, 16 x 30 ft, from S. ^WE. Cor. of which Cor. No. 1 brs. N. 81°00' W. 330 ft.

House, 40 x 40 ft. frame, from N.W. Cor. of which Cor. No. 1 brs. S. 80°-W. 650 ft.

Bunk House, 16 x 24 ft. frame, from S.E. ^WCor. of which, Cor. No. 1 brs. N. 62°-50' W. 370 ft.

Assay Office, 10 x 16 ft. frame, from NW. Cor. of which Cor. No. 1 brs. N. 76°-30' W. 680 ft.

HERCULES LODGE.

Shaft and power house, 38 x 35 ft. sheet iron, from S.E. Cor of which Cor. No. 1 brs, S. 43°-E. 440 ft.

WEBSTER MILL SITE.

Well 96 ft. deep, first 36 ft. 12 x 14 ft. balance 60 ft. is 4 x 6 ft. from center of which Cor. No. 2 brs. S. 86° 49' E. 275 ft.

A R E A

	Acres	Acres
Total area, Independence Lode,	20.661	✓
Total area, Hercules No. 3 lode,	20.660	x
Area in conflict with Independence lode, of this survey,	2.385	✓
Total area, Cannonball lode,	20.661	✓
Total area, Cannon Ball No. 2 lode,	20.659	✓
Total area, Hercules No, 2 lode,	20.659	✓
Total area, Little Giant lode,	17.561	✓
Area in conflict with Hercules lode of this survey,	3.272	✓

	Acres	Acres
A rea in conflic ^t with Hercules No.2 lode of this survey,	0.635	
Total area, Webster lode,		20.330
Total area, Hercules lode,		20.661
Total area, Buena lode,		20.661
Total area, Prince lode,		20.661
Total area, Webster Mill Site Survey No. 2740-B,		4,985

ADJOINING CLAIMS:

Hercules No. 4 lode, (unsurveyed) Hercules Gold Mining Company, claimant, joins the Hercules on the west. There are no other adjoining claims, and the ground surrounding this survey, so far as known, is Public Domain, and subject to entry.

LOCATION:

These claims are located in Yuma County, Arizona, Ellsworth Mining District, ^{survey not accepted.} upon land surveyed, but The lode claims lie in Sections 17, 18, 19 & 20, T. 5 N., R. 12 W., and the Webster Mill Site, Survey No. 2740-B lies in Section 24, T. 5 N., R. 13 W.

INSTRUMENT

This survey was made with a Lietz Light Mountain Transit. The distances were measured with a 600 ft. steel tape, and all courses were deflected from true meridian as determined by direct solar observation.

REPORT:

The discrepancies between the claims of this group, as marked upon the ground by the location monuments, and as described in their respective location notices, are due to errors in the location notices.

~~The date of survey as given on the preliminary plat, and title page of the field notes is prior to that of the amended order, but later than the date given on the~~

No. 26.

~~original order, After the survey was commenced it was~~
found that two orders would be necessary, as the Lone
Star was not contiguous with the balance of the group.
For this reason the survey was commenced before the
amended order was received.

After this survey was commenced the claimant decided to
omit the Hercules No. 4, Hercules No. 5, Hercules No.6,
Black Belt No. 2, and Black Belt No. 3 lodes, which
are included in the amended order for survey, hence
they do not appear in my field notes and preliminary
~~plat.~~

The Prince lode is laid out in such a manner as to
cover the apex of the ledge, and for no other reason.
The vein crops at the east center end of said claim, at
a point N. 89°-45' W. 750 ft. from east center end,
and is again uncovered by the discovery shaft No.1.
The vein has a definite strike, but on account of its
dip, and the contour of the ground, the apex assumes
an irregular course.

The corners of the public survey referred to in these
notes were all rocks, properly marked, and with mounds
of stone alongside, and where bearings were available,
they have been established.

I tied Cor. No. 1 of the Webster Mill Site to the S.E.
Cor. of Sec. 24, T. 5 N., R. 13 W. for the reason
that I could not find the 1/4 sec. cor. between sections
24 and 25, T. 5 N., R. 13 W., I set upon S. E. Cor.
of Sec. 24 and ran 1/2 mile west, and made a thorough
search for the 1/4 corner, but the point fell on a
flat which was flooded several times during the last
summer, and the 1/4 corner may have been washed out or
covered with sand.

No. 27.

The Webster Mill Site is non-mineral. There is no rock in place of any description, and no solid formation has been reached by the 96 ft. deep well. The sand and gravel which this well passes through has no trace of gold or silver, or any other valuable mineral.

The side centers given in the boundaries of the Hercules, Independence, Cannonball, and Webster lodes which appear in the location notices have evidently been destroyed, for they could not be located upon the ground. The end centers and corner monuments have been kept up from time to time, and for this reason stand in a state of good preservation, but the side centers have been neglected and undoubtedly destroyed. (See affidavit of B. L. Quinn and Frank R. Knight, made a part hereof.) The Cannonball and Prince lodes cover ledges which are too far distant from the main workings to ever be worked from shaft No. 1, of the Hercules No. 2 lode, and shaft No. 9 of the Hercules lode. For this reason I do not consider these improvements as common to the Cannonball and Prince lodes.

At the time I surveyed the Webster and Little Giant lodes, corner of sections 13, 18, 19, & 24 T. 5 N., Rs. 12 and 13 W. was the only corner of the Public Survey which I knew to exist, and for this reason I made the North West corner of the Little Giant lode Cor. No. 1, as I supposed this Cor. to be the nearest to said Sec. Cor. During the course of the survey I discovered the other corners mentioned in these notes, and shown upon the preliminary plat. I accordingly tied Cor. No. 1 of the Little Giant to the nearest Cor. being the 1/4 Sec. Cor. between Secs. 18, and 19, T. 5 N., R. 12 W.

Herbert C. Shoberl
U. S. Mineral Surveyor.

29
MAR 9 - 1910

AFFIDAVIT OF LOCATION OF SIDE CENTER MONUMENTS OF
HERCULES, INDEPENDENCE, CANNONBALL & WEBSTER

LODES

We, B. L. Quinn and Frank R. Knight

OF LAWFUL AGE, being first duly sworn according to law, depose and say: That we are acquainted with the Hercules, Independence and Webster mining claims, situated in the Ellsworth Mining District, Yuma County, Arizona Territory, for which the Hercules Gold Mining Company has made application for survey prior to application for patent under the provisions of the act of Congress, approved May 10th, 1872; and that the north side center monument of the Hercules lode was originally located on the line between the north east and the north west corner of said claim; that the south side center monument was located on the line between the south east and the south west corners of said claim; that the north side center monument of the Independence lode was originally located on the line between the north east and the north west corners of said claim; that the south side center monument of the Independence lode was originally located on the line between the south east and the south west corners of said claim; that the north side center monument of the Cannonball lode was originally located on the line between the north east and the north west corners of said claim; that the south side center monument of the Cannonball lode was originally located on the line between the south east and the south west corners of said claim; that the north side center monument of the Webster lode was originally located on the line between the north east and the north west corners of said claim; that the south side center monument of the Webster lode was originally located on the line between the south east and the south west corners of said claim, and further that we are not personally interested in said mines.

B. L. Quinn
Frank R. Knight

Handwritten notes at the top of the page, possibly a date or reference number.

TERRITORY OF ARIZONA, }
COUNTY OF *Yuma* } --ss:

Sworn to and subscribed before me, this *six*
day of *March* 1910.

Cliff G. Young
Notary Public

My commission expires February 9, 1911

SEAL

[Faint, mostly illegible text, likely a notary seal or official statement, with some handwritten marks.]

NOTARY

RENEWAL OF LICENSE OF NOTARY PUBLIC

Handwritten initials or date in the bottom right corner.

FINAL OATHS FOR SURVEYS.

LIST OF NAMES.

A list of the names of the individuals employed by Herbert C. Shotwell

United States Mineral Surveyor, to assist in running, measuring, and marking the lines, corners, and boundaries described in the foregoing field notes of the survey of the mining claim of Hercules Gold Mining Co., known as the HERCULES, HERCULES NO.2, HERCULES NO.3

~~known as the~~ BUENA, INDEPENDENCE, PRINCE, CANNONBALL, CANNONBALL NO.2, WEBSTER, LITTLE GIANT, ^{Lodes} and WEBSTER MILL SITE and showing the respective capacities in which they acted.

George N. Thall, Chainman.

Chainman.

Aceman.

Flagman.

FINAL OATHS OF ASSISTANTS.

We, I, George N. Thall

and _____, do solemnly swear that we assisted _____

Herbert C. Shotwell, United States Mineral Surveyor, in marking the corners and surveying

the boundaries of the mining claim of Hercules Gold Mining Co., known as the

HERCULES, HERCULES NO.2, HERCULES NO.3, BUENA, INDEPENDENCE, PRINCE,

~~known as the~~ CANNONBALL, CANNONBALL NO.2, WEBSTER, LITTLE GIANT, ^{Lodes} & WEBSTER-MILL SITE,

represented in the foregoing field notes as having been surveyed by said mineral surveyor and under his

direction; and that said survey has been in all respects, to the best of our knowledge and belief, faithfully

and correctly executed, and the corner and boundary monuments established according to law and the instruc-

tions furnished by the United States Surveyor-General for ARIZONA

George N. Thall, Chainman.

Chainman.

Aceman.

Flagman.

Subscribed and sworn to by the above-named persons before me this 13th.

day of Jan., 1910

W. J. Marshall
Notary Public

My Commission Expires
May 13, 1912



FINAL OATH OF U. S. MINERAL SURVEYOR.

I, Herbert C. Shotwell, U. S. Mineral Surveyor, do solemnly swear that, in pursuance of instructions received from the United States Surveyor General for ARIZONA, dated November, 29, 1909., I have, in strict conformity to the laws of the United States, the official regulations and instructions thereunder, and the instructions of said Surveyor General, faithfully and correctly executed the survey of the Mining Claim of Hercules Gold Mining Co., known as the HERCULES, HERCULES NO. 2, HERCULES NO. 3, BUENA, INDEPENDENCE, PRINCE, known as the CANNONBALL, CANNONBALL NO. 2, WEBSTER, LITTLE GIANT, ^{Lodes} & WEBSTER MILL SITE situate in ELLSWORTH Mining District, YUMA County, ARIZONA, in Sections 17-18-19-20, Township No. 5 N., Range No. 12 W. Surveyed but unapproved. WEBSTER MILL SITE, Sec. 24, T. 5 N. R. 13 W. and designated as Survey No. 2740 A & B., as represented in the foregoing field notes, which accurately show the boundaries of said mining claim as distinctly marked by monuments on the ground, and described in the attached copy of the location certificate, which was received by me from the Surveyor General with said instructions, and that all the corners of said survey have been established and perpetuated in strict accordance with the law, official regulations and instructions thereunder; and I do further solemnly swear that the foregoing are the true and original field notes of said survey and my report therein, and that the labor expended and improvements made upon said mining claim by claimant or ~~their~~ its grantors are as therein fully stated, and that the character, extent, location, and itemized value thereof are specified therein with particularity and full detail, and that no portion of said labor or improvements so credited to this claim has been included in the estimate of expenditures upon any other claim.

Herbert C. Shotwell
 U. S. Mineral Surveyor.

Subscribed and sworn to by the said Herbert C. Shotwell

U. S. Mineral Surveyor, before me _____

_____ this JAN. 13th
 day of Jan., 1909

E. Mitchell
 Notary Public

6-1044

*My Commission Expires
 May 13, 1912*

NOTICE OF MINING LOCATION.

LODE CLAIM.

TO ALL WHOM IT MAY CONCERN:

This mining claim, the name of which is the HERCULES Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purpose of exploration and purchase by B. J. Quinn and J. A. Foster, natives of the United States, the undersigned, on the second day of January, 1901.

The length of this claim is fifteen hundred (1500) feet, and we claim seven hundred & fifty (750) feet in an Easterly direction, and seven hundred & fifty feet in a westerly direction from the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with three hundred feet in width of the surface grounds, on each side of the center of said claim.

The general course of the lode deposit and premises is from the easterly to the westerly. The claim is situated and located in the Ellsworth Mining District, in Yuma County, in the Territory of Arizona, about 2 and $\frac{1}{2}$ miles in a northwesterly direction from Harrisburg and heretofore known as the Heli Monster and is a relocation of said claim.

The surface boundaries of the claim are marked upon the ground as follows:

Beginning at a monument of stone at a point in an easterly direction seven hundred & fifty feet from the discovery shaft (at which this notice is posted), being in the center of the east end line of said claim; thence southerly 750 feet to a monument of stone, being the south east corner of said claim; thence westerly seven hundred & fifty feet to a monument of stone at the center of the south side line of said claim; thence west seven hundred and fifty (750) feet to a monument of stone, being at the south west corner of said claim; thence north three hundred (300) feet to a monument of stone at the center of the west end of said claim; thence north three hundred (300) feet to a monument of stone, being at the north west corner of said claim; thence east seven hundred & fifty (750) feet to a monument of stone being at the center of the north side line of said claim; thence east seven hundred & fifty (750) feet to a monument of stone at the north east corner of said claim; thence south three hundred (300) feet to the place of beginning.

All done under the provisions of Chapter Six, of Title XXXI, of the Revised Statutes of the United States and of an Act of the General Assembly of Arizona, entitled " An Act Concerning Mines," approved March 20th, 1895, and amended March 2d, 1899.

Dated and posted on the ground this Second day of January, 1901.

B. J. Quinn

J. A. Foster

Recorded at request of B.J. Quinn, at 9 A.M., March 21, 1901.

C. P. Cronin

County Recorder.

BERKSHIRE LINEN

Territory of Arizona,)
County of Yuma.) ss.

I, J. M. Polhamus, County Recorder in and for the County of Yuma, Territory of Arizona, do hereby certify that the foregoing is a true, full and correct copy of a Notice of Mining Location as filed for record in this office on the 21st day of March, A. D. 1901, and as appears of record in Book K of Mines, Pages 426 et seq., Records of Yuma County aforesaid.

In Witness Whereof I have hereunto set my hand and affixed my seal of office, this 27th day of August, A. D. 1909.

.....*J. M. Polhamus*.....

County Recorder, Yuma County, Arizona.

1.15

NOTICE OF LOCATION.

KNOW ALL MEN BY THESE PRESENTS, That B. J. Quinn & J. A. Foster the undersigned have this day located fifteen hundred (1500) linear feet of this vein or lode bearing precious metals with all dips, spurs, angles & variations with surface ground three hundred (300) feet on each side of center of vein with all mineral deposits contained therein and all timber growing within the limits of said claim, and all water privileges thereon, appurtenant thereto under & according to the provisions of the Mining laws of the United States under which it is located.

This claim commences at this monument and notice placed upon the ledge and runs fifteen hundred (1500) feet in an easterly direction along the ledge. The exterior boundaries are as follows, viz: Commencing at this monument and notice and running three hundred (300) feet in a Northerly direction to a monument of stone at the northwest corner of claim. Thence in an Easterly direction parallel with the ledge fifteen hundred (1500) feet to a monument of stone at northeast corner of claim. Thence at right angles across the ledge, in a southerly direction six hundred (600) feet to a monument of stone at southeast corner of claim. Thence parallel with the ledge in a westerly direction fifteen hundred (1500) feet to a monument of stone at southwest corner of claim. Thence at right angles across the ledge in a northerly direction three hundred (300) feet to a monument of stone the ledge and place of beginning.

This claim may be more generally described as situated in the Ellsworth Mining District & is an extension of what is known as the Hercules Mining Claim, and is situated about 2 miles in a northerly direction from Harrisburg. This claim shall be known as HERCULES No.2 and was located by B.J.Quinn and J.A.Foster the 13th day of April 1901.

Locators.

B. J. Quinn
J. A. Foster

Recorded at request of B.J.Quinn, July 8, 1901, at 9 A.M.
C. P. Cronin
County Recorder

W. J. Riley,
Deputy.

1.65

Territory of Arizona, }
County of Yuma. } ss.

I, J. M. Polhamus, County Recorder in and for the County of Yuma, Territory of Arizona, do hereby certify that the within and foregoing is a true, full and correct copy of a Notice of Mining Location as filed in this office on the 8th day of July, A. D. 1901, and as appears of record in Book L of Mines, Pages 540 et seq., Records of Yuma County aforesaid.

In Witness Whereof I have hereunto set my hand and affixed my official seal this 27th day of August, A.D. 1909.

.....*J. M. Polhamus*.....
County Recorder, Yuma County, Arizona.

NOTICE OF MINING LOCATION.

LODE CLAIM.

---X---

TO ALL WHOM IT MAY CONCERN:

This Mining Claim, the name of which is the Hercules No. 3 Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purpose of exploration and purchase by B. J. Quinn & Albert C. Scales, Citizens of United States, the undersigned, on the second 2nd day of January, 1904.

The length of this claim is fifteen hundred feet and we claim eight hundred and sixty-five 865 feet in a westerly direction, and six hundred & thirty five 635 feet in a easterly direction from the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with three hundred 300 feet in width of the surface grounds, on each side of the center of said claim. The general course of the lode deposit and premises is from the west to the east.

The claim is situated and located in the Elsworth Mining District, in Yuma County, in the Territory of Arizona, about two & one half miles in a Northly direction from Harrisburg & is an easterly expansion of Hercules No. 2.

The surface boundaries of the claim are marked upon the ground as follows: Beginning at monument of stone at a point in a westerly direction 865 feet from the discovery shaft (at which this notice is posted), being in the center of the west en end line of said claim; thence Northly 300 feet to a monument of stone, being the northwest corner of said claim; thence easterly 1500 feet to a monument of stone, being at the North East corner of said claim; thence southerly 300 feet to a monument of stone at the center of the east end of said claim; thence southerly 300 feet to a monument of stone, being at the southeast corner of said claim; thence westerly 1500 feet to a monu-

NOTICE OF MINING LOCATION.

LODE CLAIM.

TO ALL WHOM IT MAY CONCERN:

This Mining Claim, the name of which is the "BUENA" Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits was entered upon and located for the purposes of exploration and purchase by B. J. Quinn and Albert C. Scales citizens of the United States, the undersigned, on the twelfth day of January 1903.

The length of this claim is fifteen hundred feet, and we claim Seven hundred & fifty feet in a Easterly direction and seven hundred and fifty feet in a Westerly direction from the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with three hundred feet in width of the surface grounds, on each side of the center of said claim.

The general course of the lode deposit and premises is from the Easterly to the Westerly. The claim is situated and located in the Elsworth Mining District in Yuma County, in the Territory of Arizona, about two & one half miles in a Northerly direction from Harrisburg & is a parrel claim with the mining claim known as the Hercules.

The surface boundaries of the claim are marked upon the ground as follows:

Beginning at a monument of stone, at a point in a Easterly direction seven hundred & fifty 750 feet from the discovery shaft (at which this notice is posted), being in the center of the east end line of said claim; thence Northerly 300 feet to a monument of stone being the Northeast corner of said claim, thence westerly fifteen hundred 1500 feet to a monument of stone, being at the northwest corner of said claim; thence sutherly three hundred 300 feet to a monument of stone at the center of the west end of said ; thance three hundred 300 feet to a monument of stone being at the Southwest corner of said claim, thence easterly fifteen hundred 1500 feet to a monument of stone at the Southeast corner of said claim, thence Northerly three hundred 300 feet to the place of beginning.

All done under the provisions of Chapter Six, of Title XXX11, of the Revised Statutes of the United States, and of an Act of the General Assembly of Arizona, entitled " An Act to Revise and Codify the Laws of the Territory of Arizona, approved March 16, 1901.

Dated and posted on the ground this twelfth day of January, 1903
B. J. Quinn
Albert C. Scales

1.54

Recorded at request of Quinn & Scales, April 6, 1903, at 9 A.M.

C. P. Cronin
County Recorder

By W. J. Riley
Deputy.

Territory of Arizona, }
County of Yuma. } ss.

I, J. M. Polhamus, County Recorder in and for the County of Yuma, Territory of Arizona, do hereby certify that the within and foregoing is a true, full and correct copy of a Notice of Mining Location as filed in this office on the 6th day of April, A. D. 1903, and as appears of record in Book O of Mines, Pages 205 et seq., Records of Yuma County aforesaid.

In Witness Whereof I have hereunto set my hand and affixed my official seal this 27th day of August, A. D. 1909.

.....*J. M. Polhamus*.....
County Recorder, Yuma County, Arizona.

NOTICE OF MINING LOCATION.

LODE CLAIM.

TO ALL WHOM IT MAY CONCERN:

This Mining Claim, the name of which is the INDEPENDENCE Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purpose of exploration and purchase by B. J. Quinn & J. A. Foster the undersigned on the 19th day of November, 1901.

The length of this claim is fifteen hundred 1500 feet, and we claim seven hundred & fifty 750 feet in a Easterly direction, and seven hundred & fifty 750 feet in a Easterly direction from the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with three hundred 300 feet in width of the surface grounds on each side of the center of said claim.

The general course of the lode deposit and premises is from the East to the West. The claim is situated and located in the Elsworth Mining District, in Yuma County, in the Territory of Arizona, about 2 miles in a Northly direction from Harrisburg & is a relocation of an abundant claim & lies easterly of what is known as Cannonball.

The surface boundaries of the claim are marked upon the ground as follows:

Beginning at monument of stone at a point in a easterly direction seven hundred & fifty 705 feet from the discovery shaft (at which this notice is posted), being in the center of the east end line of said claim; thence Southerly 300 feet to a monument of stone, being the southeast corner of said claim; thence Westerly seven hundred & fifty 750 feet to a monument at the center of the south side line of said claim; thence westerly 750 feet to a monument, being at the Southwest corner of said claim; thence Northly 750 feet to a monument at the center of the west end of said claim; thence Northly 300 feet to a monument of stone, being at the Northwest corner of said claim; thence easterly 750 feet to a monument of stone being at the center of the North side line of said claim; thence easterly 750 feet to a monument at the northeast corner of said claim; thence southerly 300 feet to the place of beginning.

All done under the provisions of Chapter Six, of Title XXXI, of the Revised Statutes of the United States, and of an

Act of the General Assembly of Arizona, entitled " An Act Concerning Mines," approved March 20th, 1895, and amended March 2d, 1899.

Dated and posted on the ground this 19th day of November, 1901.

E. J. Quinn

J. A. Foster

Recorded at request of B.J.Quinn, at 11:55 A.M., February 12, 1902.

C. P. Cronin

County Recorder.

Territory of Arizona,)
County of Yuma.) ss.

I, J. M. Polhamus, County Recorder in and for the County of Yuma, Territory of Arizona, do hereby certify that the foregoing is a true, full and correct copy of a Notice of Mining Location as filed in this office on the 12th day of February, A. D. 1902, and as appears of record in Book M of Mines, Pages 240 et seq., Records of Yuma County aforesaid.

In Witness Whereof I have hereunto set my hand and affixed my official seal this 27th day of August, A. D. 1909.

.....*J. M. Polhamus*.....
County Recorder, Yuma County, Arizona.

175

NOTICE OF MINING LOCATION .

LODE CLAIM.

TO ALL WHOM IT MAY CONCERN:

This Mining Claim, the name of which is the PRINCE Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purpose of exploration and purchase by B. J. Quinn and J. A. Foster natives of the United States the undersigned, on the first day of January, 1901.

The length of this claim is fifteen hundred feet, and we claim seven hundred and fifty feet in a North Westerly direction, and seven hundred & fifty feet in an Easterly direction from the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with three hundred feet in width of the surface grounds, on each side of the center of said claim.

The general course of the lode deposit and premises is from the Westerly to an easterly direction. The claim is situated and located in the Ellsworth Mining District, in Yuma County, in the Territory of Arizona, about 2 1/2 miles in a north westerly direction from Harrisburg, and heretofore was known as the Grubstake.

The surface boundaries of the claim are marked upon the ground as follows:

Beginning at monument of stone at a point in a north westerly direction seven hundred & fifty feet from the discovery shaft (at which this notice is posted), being in the center of the north west end line of said claim; thence northly 300 feet to a monument of stone being at the north west corner of said claim; thence south easterly 750 feet to a monument of stone at the center of the north side line of said claim; thence seven hundred & fifty feet easterly to a monument of stone, being at the north east corner of said claim; thence ^{Sou} northerly 300 feet to a monument of stone at the center of the east end of said claim; thence southerly 300 feet to a monument of stone, being at the south east corner of said claim; thence westerly 750 feet to a monument of stone being at the center of the south side line of said claim; thence northwesterly 750 feet to a monument of stone at the south west corner of said claim; thence northly 300 feet to the place of beginning.

All done under the provisions of Chapter Six, of Title XXXII,

of the Revised Statutes of the United States, and of an Act of the General Assembly of Arizona, entitled " An Act Concerning Mines," approved March 20th, 1895, and amended March 2d, 1899.

Dated and posted on the ground this first day of January 1901.

B. J. Quinn

Locators.

J. A. Foster

Witnessed by

B. L. Quinn.

Recorded at request of B. J. Quinn, at 9 A.M., March 21, 1901.

C. P. Cronin

County Recorder.

Territory of Arizona,)
County of Yuma.) ss.

I, J. M. Polhamus, County Recorder in and for the County of Yuma, Territory of Arizona, do hereby certify that the foregoing is a true, full and correct copy of a Notice of Mining Location as filed in my office on the 21st day of March, 1901, and as appears of record in Book K of Mines, Pages 428 et seq., Records of Yuma County aforesaid.

In Witness Whereof I have hereunto set my hand and affixed my seal of office this 27th day of August, A. D. 1909.

..... *J. M. Polhamus*
County Recorder, Yuma County, Arizona.

BERKSHIRE COUNTY

CERTIFICATE OF MINING LOCATION.

QUARTZ CLAIM.

THIS CERTIFIES, That the CANNONBALL Mining Claim was located by the undersigned, B. J. Quinn & J. A. Foster, on the 19th day of November 1901. That said mining claim is fifteen hundred 1500 feet in length, and three hundred 300 feet on each side of the center of the discovery shaft, lengthwise of the claim, is claimed by the locators; that the general course of the lode and premises is from the East to the West;

that said claim is situated and located in Elsworth Mining District, in Yuma County, in the Territory of Arizona, about 2 miles from Harrisburg in a Northly direction from Harrisburg.

That the undersigned discoverer of said mining claim located the same on the 19th day of November 1901, by posting at the point of discovery on the surface a plain notice, of which the following is a copy:

TO ALL WHOM IT MAY CONCERN:

This Mining Claim, the name of which is the CANNONBALL Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purpose of exploration and purchase by B. J. Quinn & J. A. Foster the undersigned, on the 19th day of November 1901.

The length of this claim is fifteen hundred feet, and we claim seven hundred & fifty 750 feet in a Westerly direction, and seven hundred & fifty feet in a Easterly from the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with three hundred feet in width of the surface grounds, on each side of the center of said claim. The general course of the lode deposit and premises is from the east to the west. The claim is situated and located in Elsworth Mining District, in Yuma County in the Territory of Arizona, about 2 two miles in a Northly direction from Harrisburg.

The surface boundaries of the claim are marked upon the ground as follows:

Beginning at a monument of stone Seven hundred & fifty ^{feet} 750 at a point in a Westerly direction 750 feet from the discovery shaft (at which this notice is posted), being in the center of the West end line of said claim; thence Northly 300 feet to a monument of stone being the Northwest corner of said claim; thence Easterly 750 feet to a monument of stone at the center of the North side line of said claim; thence Easterly 750 feet to a monument being at the North East corner of said claim; thence Southerly 300 feet to a monument of stone, at the center of the East end of said claim; thence Southerly 300 feet to a monument being at the South East corner of said claim; thence Westerly 750 feet to a monument of stone being at the center of the South side line of

said claim; thence Westerly 750 feet to a monument at the South west corner of said claim; thence Northerly 300 feet to the place of beginning.

All done under the provisions of Chapter Six, of Title XXX11, of the Revised Statutes of the United States, and of an Act of the General Assembly of Arizona, entitled " An Act Concerning Mines, " approved March 20th, 1895, and amended March 2d, 1899.

Dated and posted on the ground this 19th day of November 1901.

B. J. Quinn

J. A. Foster

Recorded at request of B.J.Quinn, at 11:55 A.M., February 12, 1902.

C. P. Cronin

County Recorder.

Territory of Arizona,)
County of Yuma.) ss.

I. J. M. Polhamus, County Recorder in and for the County of Yuma, Territory of Arizona, do hereby certify that the foregoing is a true, full and correct copy of a Notice of Mining Location as filed in my office on the 12th day of February, A.D. 1902, and as appears of record in Book M of Mines, Pages 238 et seq, Records of Yuma County aforesaid.

In Witness Whereof I have hereunto set my hand and affixed my seal of office this 27th day of August, A.D. 1909.

..... *I. J. M. Polhamus*
County Recorder, Yuma County, Arizona.

BERKSHIRE

NOTICE OF MINING LOCATION.

LODE CLAIM.

---X---

TO ALL WHOM IT MAY CONCERN:

This Mining Claim, the name of which is the Cannon Ball No. 2 Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purpose of exploration and purchase by B. J. Quinn and Albert C. Scales, Citizens of the United States, the undersigned, on the fifteenth day of December, 1903.

The length of this claim is fifteen hundred (1500) feet, and we claim one thousand (1000) feet, in a westerly direction, and five hundred (500) feet in an easterly direction from the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with three hundred (300) feet in width of the surface grounds, on each side of the center of said claim. The general course of the lode deposit and premises is from the west to the east.

The claim is situated and located in the Ellsworth Mining District, in Yuma County, in the Territory of Arizona, about two and one half miles in a northerly direction from Harrisburg, Ariz. This mining claim is situated between the mining claims known as the Cannon Ball and Hercules No. 2.

The surface boundaries of the claim are marked upon the ground as follows: Beginning at a monument of stone at a point in a westerly direction one thousand (1000) feet from the discovery shaft (at which this notice is posted), being in the center of the west end line of said claim; thence northerly three hundred (300) feet to a monument of stone, being the north west corner of said claim; thence easterly fifteen hundred (1500) feet to a monument of stone, being at the North east corner of said claim; thence southerly three hundred (300) feet to a monument of stone at the center of the east end of said claim; thence southerly three hundred (300) feet to a monument of stone, being at the south east corner of said claim; thence westerly fifteen hundred (1500) feet to a monument of stone at the South west corner of

NOTICE OF MINING LOCATION.

LODE CLAIM.

TO ALL WHOM IT MAY CONCERN:

This Mining Claim, the name of which is the WEBSTER Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purpose of exploration and purchase by B. J. Quinn and J. A. Foster, native born of the United States the undersigned, on the fourteenth 14 day of January 1901.

The length of this claim is fifteen hundred (1500) feet and we claim seven hundred and fifty (750) feet in an easterly direction, and seven hundred and fifty (750) feet in a Westerly direction, from the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with three hundred (300) feet in width of the surface grounds, on each side of the center of said claim;

The general course of the lode deposit and premises is from the easterly to the westerly. The claim is situated and located in the Ellsworth Mining District, in Yuma County in the Territory of Arizona, about two & one half miles in a North westerly direction from Harrisburg and is a paralel claim with the Hercules.

The surface boundaries of the claim are marked upon the ground as follows:

Beginning at a monument of stone at a point in a easterly direction seven hundred & fifty (750) feet from the discovery shaft (at which this notice is posted), being in the center of the east end line of said claim; thence southerly three hundred feet 300 to a monument of stone, being the south east corner of said claim; thence westerly seven hundred & fifty (750) feet to a monument of stone at the center of the south side line of said claim; thence westerly seven hundred & fifty (750) feet to a monument of stone, being at the south west corner of said claim; thence northerly 300 feet to a monument of stone at the center of the west end of said claim; thence northerly three hundred (300) feet to a monument of stone, being at the northwest corner of said claim; thence easterly seven hundred (750) feet to a monument of stone, being at the center of the north side line of said claim; thence easterly seven hundred & fifty (750) feet to a monument of stone at the north east corner of said claim; thence southerly three hundred feet to the place of beginning.

All done under the provisions of Chapter Six, of Title XXX11, of the Revised Statutes of the United States, and of an Act of the General Assembly of Arizona, entitled " An Act Concerning Mines," approved March 20th, 1895, and amended March 2d, 1899.

Dated and posted on the ground this fourteenth day of January 1901.

Locators. B. J. Quinn
J. A. Foster

Witnessed by

B. L. Quinn.

Recorded at request of B.J.Quinn, at 9 A.M., March 21, 1901.

C. P. Cronin,
County Recorder.

Territory of Arizona,)
County of Yuma.) ss.

I, J. M. Polhamus, County Recorder in and for the County of Yuma, Territory of Arizona, do hereby certify that the foregoing is a true, full and correct copy of a Notice of Mining Location as filed in my office on the 21st day of March, A. D. 1901, and as appears of record in Book K of Mines, Pages 429 et seq., Records of Yuma County aforesaid.

In Witness Whereof I have hereunto set my hand and affixed my seal of office this 27th day of August, A. D. 1909.

..... *J. M. Polhamus*

County Recorder, Yuma County, Arizona.

1.75

NOTICE OF MINING LOCATION.

LODE CLAIM.

-----X-----

TO ALL WHOM IT MAY CONCERN:

This Mining Claim, the name of which is the Little Giant Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purpose of exploration and purchase by B. J. Quinn and Albert C. Scales, citizens of the United States, the undersigned, on the Second day of January, 1904.

The length of this claim is fifteen hundred (1500) feet, and we claim two hundred and fifty (250) feet, in a westerly direction, and twelve hundred and fifty (1250) feet in an easterly direction from the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with three hundred (300) feet in width of the surface grounds, on each side of the center of said claim. The general course of the lode deposit and premises is from the east to the west.

The claim is situated and located in the Ellsworth Mining District, in Yuma County, in the Territory of Arizona, about two and one-half ($2\frac{1}{2}$) miles in a northerly direction from Harrisburg, Arizona, and is a parallel claim to the Hercules & Hercules No. 2 mining claims.

The surface boundaries of the claim are marked upon the ground as follows: Beginning at a monument of stone at a point in an easterly direction twelve hundred & fifty (1250) feet from the discovery shaft (at which this notice is posted), being in the center of the east end line of said claim; thence northerly three hundred (300) feet to a monument of stone, being the north east corner of said claim; thence westerly fifteen hundred (1500) feet to a monument of

stone, being at the northwest corner of said claim; thence southerly three hundred (300) feet to a monument of stone, being the center of the west end of said claim; thence southerly three hundred (300) feet to a monument of stone, being at the south west corner of said claim; thence easterly fifteen hundred (1500) feet to a monument of stone at the south-east corner of said claim; thence northerly three hundred (300) feet to the place of beginning.

All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of the United States, and of an Act of the General Assembly of Arizona, entitled "An Act to Revise and Codify the Laws of the Territory of Arizona," approved March 16th, 1901.

Dated and posted on the ground this second day of January, 1904.

B. J. Quinn

Albert C. Scales.

-----X-----

Filed and recorded at request of B. J. Quinn Mar. 9, A. D. 1904 at 9 A. M.

C. P. Cronin,

County Recorder.

TERRITORY OF ARIZONA,)
) SS.
 County of Yuma.)

I, J. M. Polhamus, County Recorder in and for the County of Yuma, Territory of Arizona, do hereby certify that the foregoing is a true, full and correct copy of Notice of Mining Location as filed for record in my office on the 9th day of March, A. D. 1904, and as appears of record in Book Q of Mines, Page 190, Records of Yuma County aforesaid.

In Witness Whereof I have hereunto set my hand and affixed my seal of office this 17th day of September, A. D., 1909.


 County Recorder, Yuma County, Arizona Territory.

LOCATION NOTICE

of

THE WEBSTER MILL SITE CLAIM AND WATER RIGHT.

KNOW ALL MEN BY THESE PRESENTS, That B. J. Quinn and A. C. Scales, the undersigned, have this day located a Mill Site for the purpose of erecting suitable works for reducing the ores of the Webster Mining Claim, situated in the Ellsworth Mining District, Yuma County, Arizona Territory. The exterior boundaries of said Webster mill site claim are as follows, viz:

Commencing at a monument of stone at N. E. corner of claim, and running thence in a westerly direction, 466½ feet to monument of stone at N. W. corner of claim, thence in a southerly direction 466½ feet to monument of stone at S. W. corner of claim, thence in an easterly direction 466½ feet to monument of stone at S. E. corner of claim, thence in a northerly direction 466½ feet to monument of stone at N. E. corner of claim and place of beginning. This location may be more generally described as lying about two and one half miles from Harrisburg, Ariz. in a westerly direction.

We have also located all water upon the ground.

Dated on the ground this 12th day of January, 1903.

Albert C. Scales

B. J. Quinn

Witness:

Recorded at request of Quinn & Scales April 6th, A. D. 1903 at 9 A. M.

C. P. Cronin,

County Recorder

By O. P. Bondesson, Deputy

TERRITORY OF ARIZONA,)
) SS.
COUNTY OF YUMA.)

I, J. M. Polhamus, County Recorder in and for the County of Yuma, Territory of Arizona, do hereby certify that the foregoing is a

true, full and correct copy of Location Notice of the Webster Mill Site Claim and Water Right as filed for record in my office on the 6th day of April, A. D. 1903, and as appears of record in Book 4 of Miscellaneous, page 356 et seq., Records of Yuma County aforesaid.

In Witness Whereof I have hereunto set my hand and affixed my seal of office this 10th day of September, A. D. 1909.



J. M. Pelham

 County Recorder, Yuma County, Arizona Territory.
By J. S. Redondo
Deputy

U. S. SURVEYOR-GENERAL'S FINAL CERTIFICATE ON FIELD NOTES.

Department of the Interior,

OFFICE OF U. S. SURVEYOR-GENERAL,

Phoenix, Arizona.

April 18, 1910, 190

I, U. S. Surveyor-General for District of Arizona.

do hereby certify that the foregoing transcript of the Field Notes, return and approval of the survey of the mining claim of Hercules Gold Mining Co.

Hercules, Hercules No. 2, Hercules No. 3, Buena, Independence, known as the Prince, Cannonball, Cannon Ball No. 2, Webster, Little Giant, and Webster Mill Site. lodes
situate in Ellsworth

Mining District, Yuma County, Arizona.

in Section s. 17, 18, 19, Township No. 5 N., Range No. 12 W. surveyed and approved
Webster Mill Site Sec. 24, T. 5 N. R. 13 W. but unapproved
designated as Survey No. 2740-A & B, has been correctly copied from the originals on file in

this office; that said Field Notes furnish such an accurate description of said mining claim as will, if incorporated into a patent, serve fully to identify the premises, and that such reference is made therein to natural objects or permanent monuments as will perpetuate and fix the *locus* thereof.

And I further certify that five hundred dollars' worth of labor has been expended or improvements made upon said mining claim or its grantors, and that said improvements

or for each of s
consist of 24 shafts, 6 cuts, 5 trenches, 6 drifts, 1 winze, 1 stope and 1181.8 ft. of workings, total value \$26,563.00.
Shaft No. 1 on the Hercules No. 2 lode, and shaft No. 9 on the Hercules lode being common improvements for the benefit and development of all the claims of this group with the exception of the Prince and Cannonball lodes which cover ledges too far distant from the main workings to ever be worked therefrom, an undivided 1/8 interest, value \$397.50 and \$545.00, respectively, in each of said shafts, is properly credited to each the Hercules, Hercules No. 2, Hercules No. 3, Buena, Independence, Prince, Cannon Ball No. 2, Webster and Little Giant lodes.

The drifts and crosscuts connecting shaft No. 1 on the Hercules No. 2 lode and shaft No. 9 on the Hercules lode, being driven for the sole purpose of developing the ore bodies on the Hercules and Hercules No. 2 lodes, an undivided 1/2 interest therein, value \$5945.00, is properly credited to each of the said claims.

and that no portion of said labor or improvements has been included in the estimate of expenditures upon any other claim.

I further certify that the plat thereof, filed in the U. S. Land Office at Phoenix, Arizona, is correct and in conformity with the foregoing Field Notes.

Frank S. Ingalls,

United States Surveyor-General for Arizona.

4-687.

SURVEYOR-GENERAL'S CERTIFICATE OF APPROVAL OF FIELD
NOTES AND SURVEY OF MINING CLAIM.

Department of the Interior,

Office of U. S. Surveyor-General,

Phoenix, Arizona.

April 18, 1910, 190

I, U. S. Surveyor-General for District of Arizona.

do hereby certify that the foregoing and hereto attached Field Notes and Return of the Survey of the
Mining Claim of Hercules Gold Mining Co.

known as the
Hercules, Hercules No.2, Hercules No.3, Buena, Independence, Prince,
Cannonball, Cannon Ball No.2, Webster, Little Giant Lodes and Webster
Mill Site.
situate in Ellsworth Mining District,
Yuma County, Arizona.

in Sections, 17-18-19-20, Township No. 5 N., Range No. 12 W. surveyed but
Webster Mill Site Sec. 24, T. 5 N. R. 13 W. unapproved.
designated as Survey No. 2740 A & B.

executed by Herbert C. Shotwell, U. S. Deputy Mineral
Surveyor, Nov. 27, Dec. 10, 1909, under my instructions dated
November 29, 1909, have been critically examined and the necessary cor-
rections and explanations made, and the said Field Notes and Return, and the Survey they describe,
are hereby approved. A true copy of the copy of the location certificate filed by the applicant for
survey is included in the field notes.

Frank S. Lyall

U. S. Surveyor-General for Arizona.