

5-21-1910.

O. M. C.

MAY 6 - 1910

platted

4-683.

MINERAL SURVEY No. 2768

LOT No.

Arizona

Land District.

FIELD NOTES

OF THE SURVEY OF THE MINING CLAIM OF

Mohave Gold - Silver Co.

KNOWN AS THE

Cornopia and Good Luck

Indian Secret

Mining District,

Mohave

County,

Arizona.

Section **Approt*, Township *27* N. M.*, Range *19* W. Thaw*

Surveyed under instructions dated February 5, 1910.

by Samuel J. Paul,

U. S. Mineral Surveyor.

Claim located *See location notice*, 19

Survey commenced February 6, 1910.

Survey completed February 11, 1910.

6-322

Address of claimant's Atty.,

C. G. Edwards, 3983 Trinity St.

Los Angeles, California.

see also 37 10-10

SURVEY NO. 2768.

CORNOPIA LODE.

Beginning at Cor. No. 1.

A pine post, 3 ft. long, 4 ins. square, set 18 ins. in the ground, with mound of stone, scribed C-1-2768, whence

U.S.L.M. No. 1256, bears S.56° 13'E. 2866.1 ft.

Cor. No. 3, Good Luck lode, of this survey, bears N.69° 35' W., 662.7 ft.

No bearing objects available.

Feet.

Thence N.77° 49'W.

315.2 Intersect line 3-4, Good Luck lode, of this survey.

682.3 Intersect line 2-3, Good Luck lode, of this survey.

835. Wagon road, course Northerly and Southerly.

1500. To Cor. No. 2.

A pine post, 3 ft. long, 4 ins. square, set 18 ins. in the ground, with mound of stone, scribed C-2-2768.

No bearing objects available.

Thence N.12° 57'E.

300. West End Center Location Monument, which is a mound of stone, containing notice marked West End Center Cornopia.

364. Intersect line 1-2, Sur. No. 1254, Hulda lode, at N.87° 27'W. 609.4 ft. from Cor. No. 1.

577.2 To Cor. No. 3.

A pine post, 3 ft. long, 4 ins. square, set 18 ins. in the ground, with mound of stone, scribed C-3-2768, whence

Cor. No. 1, ^{Sur No. 1254.} Hulda lode, bears S.67° 17'E., 608.2 ft.

No bearing objects available.

Thence S.78° 41'E.

588.2 Intersect line 4-1, Sur. No. 1254, Hulda lode, at N.7° 30'E.

SURVEY NO. 2768.
CORNOPIA LODE - continued.

Feet. 120.5 ft. from Cor. No. 1.
1500.5 To Cor. No. 4.
A pine post, 3 ft. long, 4 ins. square, set 18 ins. in the ground, with mound of stone, scribed C-4-2768.
No bearing objects available.

Thence S.12° 57'W.

300. East End Center Location Monument, which is a mound of stone, containing notice marked East End Center Cornopia.
600. To Cor. No. 1, the place of beginning.

G O O D L U C K L O D E .

Beginning at Cor. No. 1.

A pine post, 3 ft. long, 4 ins. square, set 18 ins. in the ground, with mound of stone, scribed G.L.1-2768, whence

U. S. L. M. No. 1256, bears S.71° 33' 10" E., 2352.5 ft.

Cor. No. 2, Sur. No. 1256A., Fraction Quartz lode, bears N.58° 11'W., 372.1 ft.

Cor. No. 1, Sur. No. 1256A., Fraction Quartz lode, bears S.11° 32'W., 2.1 ft.

Cor. No. 4, Sur. No. 1256A., G.A.R. lode, bears N.32° 31'E. 78.5 ft.

A lava rock in place, chiseled with a + and B.R.1-2768, bears N.52° 02'E., 20 ft.

Thence N.62° 23'W.

24.8 Intersect line 1-2, Sur. No. 1256A., Fraction Quartz lode, at
S. 57° 53' E. 347.3 ft. from Cor. No. 2.
373.2 Intersect line 2-3, Sur. No. 1256A., Fraction Quartz lode, at
S.32° 09'W., 27.3 ft. from Cor. No. 2.
596.6 Intersect line 1-2, Sur. No. 1256A., Emma lode, at S.7° 08'E.

Feet.	SURVEY NO. 2768. GOOD LUCK LODE - continued.
246.4 ft. from Cor. No. 2.	
1029.5	Intersect line 2-3, Sur. No. 1256A., Emma lode, at S.82° 55'W. 355.7 ft. from Cor. No. 2.
1186.2	To Cor. No. 2. A pine post, 3 ft. long, 4 ins. square, set 18 ins. in the ground, with mound of stone, scribed G.L.2-2768, whence Cor. No. 2, Sur. No. 1256A., Emma lode, bears S.86° 39'E., 492.7 ft. No bearing objects available.
	Thence N.27° 47'E.
300.	West End Center Location Monument, which is a mound of stone, containing notice marked West End Center Good Luck.
501.5	Intersect line 1-2, Cornopia lode of this survey. <i>at 682.3 ft from Cor. No. 1.</i>
600.	To Cor. No. 3. A pine post, 3 ft. long, 4 ins. square, set 18 ins. in the ground, with mound of stone, scribed G.L.3-2768. No bearing objects available.
	Thence S.62° 15'E.
353.6	Intersect line 1-2, Cornopia lode, of this survey. <i>at 315.2 ft from Cor. No. 1.</i>
750.	Spur from main ridge, course Easterly and Westerly.
1100.	Intersect line 2-3, Sur. No. 1256A., Nora R. lode, at N.79° 32'E., 124.8 ft. from Cor. No. 2.
1186.2	To Cor. No. 4. A pine post, 3 ft. long, 4 ins. square, set 18 ins. in the ground, with mound of stone, scribed G.L.4-2768, whence Cor. No. 2, Sur. No. 1256A., Nora R. lode, bears N.84° 59'W. 199.8 ft. No bearing objects available.
	Thence S.27° 47'W.

Feet.

SURVEY NO. 2768.

GOOD LUCK LODE - continued.

300. East End Center Location Monument, which is a mound of stone, containing notice marked East End Center Good Luck.
311. Intersect line 1-2, Sur. No. 1256A., Nora R. lode, at S.10° 28'E., 297.6 ft. from Cor. No. 2.
- 597.1 To Cor. No. 1, the place of beginning.

Variation at all corners, 15° 40'E.

LODE LINES.

As nearly as can be determined from present developments the veins of the several locations embraced in this claim extend as follows from their respective discovery points:

Cornopia lode, 309.6 ft. N.77° 49'W., and 1190.4 ft. S.77° 49'E.

Good Luck lode, 529.6 ft. N.62° 15'W., and 656.6 ft. S.62° 15'E.

	AREA.	Acres.
Total area, Cornopia lode,		20.266
Area in conflict with		
Sur. No. 1254, Hulda lode,	2.279	
Total area, Good Luck lode,		16.299
Area in conflict with		
Sur. No. 1256A., Fraction Quartz lode,	.109	
Sur. No. 1256A., Emma lode,	1.006	
Sur. No. 1256A., Nora R. lode,	.734	
Cornopia lode, of this survey,	.399	

The survey of each lode of this claim is identical with the respective locations as staked upon the ground.

LOCATION.

LOCATION.

This survey is located on ^{In the Indian Secret Mining District, Mohave County, Arizona,} Unsurveyed Public Lands, [^] It would be in T. 27N., R. 19W., G. and S. R. B. and M. should the present system of Land Survey be extended.

EXPENDITURE OF FIVE HUNDRED DOLLARS.

I certify that the value of the labor and improvements made upon, or for the benefit of, each of the locations embraced in said mining claim by the claimant or its grantors is not less than five hundred dollars, and that said improvements consist of:

CORNOPIA

No. 1. The discovery shaft of the Cornopia lode, on the center line 292 ft. from the West End Center, 5 x 7 ft., 40 ft. deep, dip 50° N. 15° E. Value, \$400.

No. 2. An incline shaft, which bears from Cor. No. 3, Cornopia lode, S. 47° 12' E. 368.4 ft., 4 x 6 x 70 ft., dip 32° N. 15° E. Value, \$700.

No. 3. An incline shaft, which bears from Cor. No. 3, Cornopia lode, S. 41° 52' E. 315.5 ft., 4 x 6 x 240 ft., dip 50° N. 15° E. Value, \$2400.

GOOD LUCK.

No. 1. The discovery shaft of the Good Luck lode, on the center line 656.6 ft. from East End Center, 4 x 6 ft., 15 ft. deep, Value, \$100.

No. 2. An incline shaft, which bears from Cor. No. 1, Good Luck lode, N. 12° 15' E. 328.5 ft., 4 x 6 x 33 ft., dip 35° N. 13° W., Value, \$300.

No. 3. A shaft which bears from Cor. No. 1, Good Luck lode N. 18° 09' W. 386.6 ft., 4 x 6 ft., 63 ft. deep, Value, \$600.

No. 4. An incline shaft, which bears from Cor. No. 1, Good Luck lode. N. 23° 00' W. 412.9 ft., 4 x 6 x 140 ft., dip 25° N. 15° E., Value, \$1400.

OTHER IMPROVEMENTS.

A cabin, the Northwest corner of which bears from Cor. No. 2, Cornopia

2, Cornopia lode, N.88° 44'E. 655.7 ft., 14.5 × 36 ft. Course of long sides N.8° 20'W.

A cabin, the Northeast corner of which bears from Cor. No. 2, Cornopia lode, N.88° 31'E. 487.8 ft., 12 × 24 ft. Course of long sides N.10° 40'E. Both belong to claimant herein.

A shaft, which bears from Cor. No. 2, Cornopia lode, S.86° 07'E. 859.2 ft., 4 × 6 ft., 8 ft. deep.

An incline shaft, which bears from Cor. No. 2, Cornopia lode, S.85° 27'E. 855.2 ft., 4 × 6 × 30 ft., dip 45° N.15°E.

An old open cut on the center line at the West End Center of the Cornopia lode, in bad condition, about 4 × 20 ft., 3 ft. deep, These workings all belong to abandoned prior locations.

INSTRUMENT.

This survey was made with an A. Lietz mining and solar transit, No. 1252. The courses were deflected from the true meridian as determined by direct solar observations. The distances were measured with 100 ft. and 500 ft. steel tapes.

REPORT.

The lode line of each location of this claim was run directly upon the ground, and the several corners established by means of offsets from the lode lines. All tie lines were run either directly upon the ground or by traverses run upon the ground and submitted in a separate report herewith.

U. S. L. M. No. 1256 is a pine post, 6 ins. square, 14 ft. above ground, in mound of stone 6 ft. high, 6 ft. base, scribed on S. face U.S.L.M.1256 I.S.M.D. May 4, 1897, and on W. face U.S.L.M.No.1256. 4.6 ft. West is a rock in place, chiseled + U S L M.

Sur. No. 1254, Hulla lode.

All of the corners are

All of the corners are pine posts, properly set and scribed with the numbers of the corners and survey. I find line 1-2 to be $N.87^{\circ} 27'W.$, and line 4-1 to be $S.7^{\circ} 30'W.$ instead of $N.88^{\circ} 22'W.$ and $S.6^{\circ} 28'W.$ respectively as returned in that survey, due to errors in the latter.

Sur. No. 1256A., Nora R., Fraction Quartz and Emma lodes.

All of the corners are pine posts, properly set and scribed with the numbers of the corners and survey. I find lines 1-2 and 2-3 of the Nora R. lode to be $N.10^{\circ} 28'W.$ and $N.79^{\circ} 32'E.$ instead of $N.11^{\circ} 24'W.$ and $N.78^{\circ} 36'E.$; lines 1-2 and 2-3 of the Fraction Quartz lode to be $N.57^{\circ} 53'W.$ 372.78 ft. and $S.32^{\circ} 09'W.$ instead of $N.58^{\circ} 50'W.$ 372.33 ft. and $S.31^{\circ} 10'W.$; and lines 1-2 and 2-3 of the Emma lode to be $N.7^{\circ} 08'W.$ and $S.82^{\circ} 55'W.$ instead of $N.7^{\circ} 53'W.$ and $S.82^{\circ} 07'W.$ respectively as returned in that survey, due to errors in the latter.

NOTE.- The disagreements between these field notes and the location certificates with regard to the positions of the discovery points, and with reference to side center monuments, are due to errors in the latter. I failed to find any side center monuments on either of the locations embraced in this claim.

SURVEY NO. 2769.

MERIDIAN DETERMINATION.

Feb. 6, 1910, at a few minutes before apparent noon, I set off $15^{\circ} 42'$ on the Decl. Arc, and observed the sun's meridian altitude to be $54^{\circ} 17' 10''$; - ref. $44'' = 54^{\circ} 16' 26'' = \text{Lat. } 35^{\circ} 43' 34''$, at East End Center of the Good Luck lode.

Feb. 6, 1910, at 2 o'clock P. M. Pacific Standard time, I set off $15^{\circ} 47' 10''$ on the Decl. Arc, $35^{\circ} 43' 40''$ on the Lat. Arc, and determined a true meridian with the solar, at Cor. No. 1, Good Luck lode.

Feb. 11, 1910, at 10h. 06min. P. M., l. m. t. I observed Polaris at its Western elongation. The star's position was then $1^{\circ} 27'$ West of my reference line, which proved the latter correct.

SURVEY NO. 2768.

The adjoining claims to this claim are;-

On the north, Hulda, Sur. No. 1254, claimant unknown.

Roosevelt, Unsurveyed, Julia K. Edwards
claimant.

On the south, Emma, Sur. No. 1256A, claimant unknown.

Fraction Quartz, Sur. No. 1256A, claimant
unknown.

On the east, Nora R., Sur. No. 1256A, claimant unknown.

G. A. R., Sur. No. 1256A, claimant unknown.

On the west, Wedge, Unsurveyed, Julia K. Edwards claimant.

NOTE: The disagreements between the ties to U. S. L. M. No. 1256 as returned in these field notes and those of the above prior surveys are due to errors in the latter.



U. S. Mineral Surveyor.

FINAL OATH OF U. S. MINERAL SURVEYOR.

I, Samuel J. Paul, U. S. Mineral Surveyor,
do solemnly swear that, in pursuance of instructions received from the United States
Surveyor General for Arizona, dated
February 5, 1910, I have, in strict conformity to the laws of the
United States, the official regulations and instructions thereunder, and the instructions
of said Surveyor General, faithfully and correctly executed the survey of the Mining
Claim of Mohave Gold - Silver Co.
....., known as the
Cornopia and Good Luck ~~lots~~,
situate in Indian Secret Mining District,
Mohave County, Arizona, in Section
approx ****, Township No. 27. N, Range No. **** 19. W. Thru,
and designated as Survey No. 2768, as represented
in the foregoing field notes, which accurately show the boundaries of said mining claim
as distinctly marked by monuments on the ground, and described in the attached copy
of the location certificate, which was received by me from the Surveyor General with
said instructions, and that all the corners of said survey have been established and per-
petuated in strict accordance with the law, official regulations and instructions there-
under; and I do further solemnly swear that the foregoing are the true and original
field notes of said survey and my report therein, and that the labor expended and
improvements made upon said mining claim by claimant or its grantors
are as therein fully stated, and that the character, extent, location, and itemized value
thereof are specified therein with particularity and full detail, and that no portion of
said labor or improvements so credited to this claim has been included in the estimate
of expenditures upon any other claim.

Samuel J. Paul
U. S. Mineral Surveyor.

Subscribed and sworn to by the said Samuel J. Paul
U. S. Mineral Surveyor, before me MMD Davison
a Notary Public this 30th
day of April, 1910

MMD Davison
Notary Public in and for the County of Los Angeles, State of California.

My Commission Expires August 15th, 1910

FINAL OATHS FOR SURVEYS.

LIST OF NAMES.

A list of the names of the individuals employed by Samuel J. Paul
 United States Mineral Surveyor, to assist in running, measuring, and marking the lines, corners, and
 boundaries described in the foregoing field notes of the survey of the mining claim of _____

Mohave Gold-Silver Co.
 known as the Gornopia, Good Luck
 and showing the respective capacities in which they acted.

Chester B. Sadtler, Chairman.
 _____, Chairman.
 _____, Assman.
 _____, Flagman.

FINAL OATHS OF ASSISTANTS.

We, Chester B. Sadtler
 and _____, do solemnly swear that we assisted Samuel
J. Paul, United States Mineral Surveyor, in marking the corners and surveying
 the boundaries of the mining claim of _____

Mohave Gold-Silver Co.
 known as the Gornopia, Good Luck
 represented in the foregoing field notes as having been surveyed by said mineral surveyor and under his
 direction; and that said survey has been in all respects, to the best of our knowledge and belief, faithfully
 and correctly executed, and the corner and boundary monuments established according to law and the instruc-
 tions furnished by the United States Surveyor-General for Arizona.

Chester B. Sadtler, Chairman.
 _____, Chairman.
 _____, Assman.
 _____, Flagman.

Subscribed and sworn to by the above-named persons before me this 23^d

day of February, 1910

My Commission Expires
 July 11 1912

E. F. Thompson
 Notary Public

TERRITORY OF ARIZONA, }
COUNTY OF MOHAVE. } ss.

I, R. A. Robertson Recorder of Mohave County, Territory
of Arizona, do hereby certify that I have compared the foregoing copy of the
Location Notice of the "Cornipia" Mining Claim
and of the endorsement thereupon with the original records of the same on file in this
office, and that the same are correct transcripts therefrom and
of the whole of said original records.



WITNESS my hand and the seal of said office, this
20th day of November 1909

R. A. Robertson
Recorder of Mohave County.

Notice of Mining Location

Quartz Claim.

To All Whom it may Concern:

This Mining claim the name of which is the "CORNOPIA" Mining Claim, situated on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purpose of exploration and purchase by S.G. McKesson the undersigned, on the 15th day of February, 1903.

The length of this claim is Fifteen Hundred (1500) feet, and I claim Two Hundred Seventy five (275) feet in a North Westerly direction and 1225 feet in a South Easterly direction from the center of the discovery shaft at which this notice is posted, lengthwise of the claim, together with 300 feet in width of the surface grounds on each side of the center of said claim. The general course of the lode deposit and premises is from the North West to the South East.

The claim is situated and located in the Indian Secret Mining District, in Mohave County, in the Territory of Arizona about 3/4 of a mile in a North Westerly direction from the Town of White Hills. This is a relocation of a portion of what was formerly known as the W.J. Bryan & Silver Bug & Jim Blain Mining Claims.

The surface boundaries of the claim are marked upon the ground as follows: Beginning at a point in a North Westerly direction 275 feet from the discovery shaft (at which this notice is posted), being in the center of the West end line of said claim; thence 300 feet to a monument, being the South West corner of said claim; thence 750 feet to a monument at the center of the South side line of said claim; thence 750 feet to a monument being at the South East corner of said claim; thence 300 feet to a monument at the center of the East end of said claim; thence 300 feet to a monument, being at the North East Corner of said claim; thence 750 feet to a monument being at the center of the North side line of said claim; thence 750 feet to a monument at the North West Corner of said claim; thence 300 feet to the place of beginning.

All done under the provisions of Chapter Six of Title XXXII, of the Revised Statutes of the United States, and of an Act of the General Assembly of Arizona, entitled "An Act Concerning Mines", approved March 20th, 1895,

Dated and posted on the ground this 15th day of February, 1903

Witt.

A.L. McKesson

S.G. McKesson

Filed and recorded at request of A.L. McKesson, May 11th A.D. 1903, at 4.20 P.M. Book P of Mining Records page 502.

Jno. P. Feeny.

TERRITORY OF ARIZONA, }
COUNTY OF MOHAVE. } ss.

I, R. A. Robertson Recorder of Mohave County, Territory

of Arizona, do hereby certify that I have compared the foregoing copy of the
"Good Luck" Mining Claim, Location Notice
and of the endorsement thereupon with the original records of the same on file in this
office, and that the same are correct transcripts therefrom and
of the whole of said original records.



WITNESS my hand and the seal of said office, this
20th day of November 1909

R. A. Robertson
Recorder of Mohave County.

NOTICE OF MINING LOCATION

MINERAL CLAIM

2768-2

To All Whom It May Concern:

Good Luck

This mining claim, the name of which is the Mining Claim, situate on the lands belonging to the United States of America, and in which there are valuable mining deposits, was entered upon and located for the purpose of exploration and purchase by

C. G. Edwards

the undersigned citizen, on the Nineteenth day of September 1903

The length of this claim is Fifteen Hundred (1500) feet and claim Seven (700) rounded feet in a Easterly direction and three (300) rounded feet in a Westerly direction from the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with Three Hundred (300) feet in width of the surface grounds, on each side of the center of said claim. The general course of the lode deposit and premises is East to the West

The claim is situated and located in the Indian Sect Mining District, in Mohave County, in the Territory of Arizona, about Four Hundred (400) feet in a North Westerly direction from Grand Central main shaft and about one half (1/2) of a mile north of the town of White Hills and is a portion of what is known as the Jim Wilson mining claim, formerly

The surface boundaries of the claim are marked upon the ground as follows: Beginning at a monument of stone at a point in a Westerly direction Three Hundred (300) feet from the discovery shaft (at which this notice is posted), being in the center of the West end line of said claim; thence Northwesterly Three Hundred (300) feet to a monument of stone, being the Northwest corner of said claim; thence Five Seven Hundred and Fifty (575) feet to a monument of stone, at the center of the North side line of said claim; thence East Five Seven Hundred and Fifty (575) feet to a monument of stone, being at the North East corner of said claim; thence Southerly Three Hundred (300) feet to a monument of stone at the center of the East end of said claim; thence Southerly Three Hundred (300) feet to a monument of stone, being at the South east corner of said claim; thence Westerly Five Seven Hundred and Fifty (575) feet to a monument of stone, being at the center of the South side line of said claim; thence Westerly Five Seven Hundred and Fifty (575) feet to a monument of stone at the South West corner of said claim; thence North Three Hundred (300) feet to the place of beginning.

All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of the United States, and of an Act of the General Assembly of Arizona, entitled, "An Act Concerning Mines," approved March 2, 1899, and March 16, 1901, and all acts and parts of acts enacted up to and including the date of this location.

Dated and posted on the ground, this Nineteenth day of September 1903

Witness A. H. McKesson

C. G. Edwards Locator

Filed and Recorded at request of C. G. Edwards this 7th day of December A. D. 1903, at 1 o'clock 15 minutes P. M.

Book U, Page 560

J. P. J. County Recorder

U. S. SURVEYOR-GENERAL'S FINAL CERTIFICATE ON FIELD NOTES.

Department of the Interior,

OFFICE OF U. S. SURVEYOR-GENERAL,

Phoenix, Arizona

August 11, 1910, 190

I, U. S. Surveyor-General for District of Arizona.

do hereby certify that the foregoing transcript of the Field Notes, return and approval of the survey of the mining claim of Mohave Gold - Silver Co.

known as the Cornopia and Good Luck

situate in Indian Secret

Mining District, Mohave County, Arizona

in Section Approx., Township No. 27 N., Range No. 19 W. Unsur., and

designated as Survey No. 2768, has been correctly copied from the originals on file in

this office; that said Field Notes furnish such an accurate description of said mining claim as will, if incorporated into a patent, serve fully to identify the premises, and that such reference is made therein to natural objects or permanent monuments as will perpetuate and fix the locus thereof.

And I further certify that five hundred dollars' worth of labor has been expended or improvements made upon each of said mining claim^s by claimant or its grantors, and that said improvements consist of 7 shafts, total value \$5900.00

and that no portion of said labor or improvements has been included in the estimate of expenditures upon any other claim.

I further certify that the plat thereof, filed in the U. S. Land Office at Phoenix

Arizona is correct and in conformity with the foregoing Field Notes.

Frank S. Ingalls

United States Surveyor-General for Arizona.

4-687.

SURVEYOR-GENERAL'S CERTIFICATE OF APPROVAL OF FIELD
NOTES AND SURVEY OF MINING CLAIM.

Department of the Interior,

Office of U. S. Surveyor-General,

Phoenix, Arizona.

August 11, 1910, 190

I, U. S. Surveyor-General for District of Arizona.

do hereby certify that the foregoing and hereto attached Field Notes and Return of the Survey of the
Mining Claim of Mohave Gold - Silver Co.

known as the
Cornopia and Good Luck

situate in Indian Secret Mining District,

Mohave County, Arizona

in Section Approx., Township No. 27 N., Range No. 19 W. Unsur.

designated as Survey No. 2768

executed by Samuel J. Paul, U. S. Deputy Mineral

Surveyor, Feb. 6-11, 1910., 190., under my instructions dated

Feb. 5, 1910., 190., have been critically examined and the necessary cor-

rections and explanations made, and the said Field Notes and Return, and the Survey they describe,

are hereby approved. A true copy of the copy of the location certificate filed by the applicant. for

survey is included in the field notes.

U. S. Surveyor-General for Arizona.