

MAR 26 1910 1
April 15, 1910

4-683.

MINERAL SURVEY No. 2776.

LOT No.

ARIZONA Land District.

FIELD NOTES

OF THE SURVEY OF THE MINING CLAIM OF

The Golden Star Mining and Milling Company

KNOWN AS THE

Red Seal and Siwash

Wallapai Mining District,

Mohave County, Arizona

Sections 7 and 18, Township 22 N., Range 17 W.

Surveyed under instructions dated February 14 th, 1910

by Peter Mc Cardell

U. S. Mineral Surveyor.

Claim located see location notices, 19

Survey commenced February 28 th., 1910

Survey completed March 3 rd., 1910

6-322

Address of Attorney-in-fact, J. E. Perry,
Kingman, Arizona.

Feet.	SURVEY No. 2776.
	RED SEAL LODE.
	Beginning at Cor. No. 1.
	A cross (X) and 1-2776 R. S., chiseled on top of a granite rock, showing 4 X 6 X 1 ft. above the ground, monument of stone along side, whence
	A cross (X) and B. R. 1-2776, chiseled on a granite rock 1 ft. above the ground, bears N. 63° 27' E. 28.62 ft. and a cross (X) and B. R. 1-2776, chiseled on a granite rock 2 ft. above the ground, bears N. 62° 01' W. 13.1 ft.
	Cor. No. 3, Survey No. 2460, Broken Hills lode, bears S. 73° 17' E. 342.8 ft. 1/4 corner between Sec's 7 and 18, T. 22 N., R. 17 W., bears S. 56° 43' E. 664.95 ft.
	----- Thence S. 39° 08' E.
	Va. 16° 10' E.
215	Cerberat wash, drains S. 70° W.
472.47	Intersect line between Sec's 7 and 18, T. 22 N., R. 17 W., at S. 89° 39' W. 257.7 ft. from 1/4 corner between Sec's 7 and 18, T. 22 N., R. 17 W. and N. 89° 39' E. 2358.3 ft. from the N. W. Cor. of Sec' 18 and the S. W. Cor. of Sec. 7, T. 22 N., R. 17 W.
473.74	Intersect the north end line of Cotton Blossom lode, unsurveyed, at N. 71° 32' E. 3.6 ft. from the N. W. Cor. and S. 71° 32' W. 407.73 ft. from the N. E. Cor. S. W. Cor. bears S. 32° 48' E. 872.93 ft. from N. W. Cor. Cotton Blossom lode.
703	Charcoal canyon wash, drains N. 75° W.
742	East side center monument.
1326.34	Intersect south end line Cotton Blossom and north end line Marrian lodes, both unsurveyed, at N. 36° 53' 30" E. 102.88 ft. from the S. W. and the N. W. Cor.s of Cotton Blossom and Marrian lodes, both unsurveyed, respectively, and S. 36° 53' 30" W. 452.06 ft. from the S. E. and N. E. Cor's of Cotton Blossom and Marrian lodes, both unsurveyed, respectively.

Feet.

SURVEY No.2776 - Continued.
RED SEAL LODE - Continued.

1389.4 To Cor. No.3.

Identical with Cor. No.1 Siwash lode of this survey.
A granite stone, 4 X 8 X 24 ins., set 12 ins. in the ground, mound of stone, chiseled 1-2776 S. and 2-2776 R. S. on their respective faces, cross (X) at corner point, whence

A cross(X) and B. R. 1-2-2776, chiseled on a granite rock 3 ft. above the ground, bears S. 57° 13' E. 108.23 ft.. Cor. No.4, Exchequer lode, Survey No.2779, bears N. 66° 54' E. 699.7 ft.

Thence S. 67° 27' W.
Va. 16° 27' E.

101.37 Intersect the west side line of Marrian lode, unsurveyed, at S. 55° 06' E. 9.67 ft. from the N. W. Cor. and N. 55° 06' W. 1446.83 ft. from the S. W. Cor.

310 To south end center.

Identical with the north end center of Siwash lode of this survey.

A granite stone, 4 X 17 X 28 ins., set 12 ins. in the ground, mound of stone, chiseled S. E. C. R. S., 2776, and N. E. C. 2776, S. on their respective faces, cross (X) for line point.

620 To Cor. No.3.

Identical with Cor. No.4, Siwash lode of this survey.
A granite stone, 4 X 14 X 27 ins., set 12 ins. in the ground, mound of stone, chiseled 3-2776 R. S. and 4-2776 S on their respective faces, cross (X) at corner point, whence

A cross (X) and B. R. 3-4-2776, chiseled on a granite rock 1 ft. above the ground, bears S. 68° 40' W. 7.1 ft.
No other bearing objects available.

~~630 West side center monument~~

Feet.

SURVEY No.2776 - Continued.

RED SEAL LODE - Continued.

Thence N. 39° 08' W.

Va. 15° 53' E.

690. West side center monument.
 1217.4 Intersect line between Sec's 7 and 18, T. 22 N., R. 17 W. at S. 89° 39' W. 1019.98 ft. from 1/4 corner between Sec's 7 and 18, T. 22 N., R. 17 W. and N. 89° 39' E. 1596.02 ft. from the N. W. Cor. of Sec. 18 and the S. W. Cor. of Sec. 7, T. 22 N., R. 17 W.

1259 Cerbat wash, drains S. 80° W.

1389.4 To Cor. No.4.

A granite stone, 6 X 7 X 28 ins., set 12 ins. in the ground, mound of stone, chiseled 4-2776 R. S., cross (X) at corner point, whence

A cross (X) and B. R. 4-2776 chiseled on a granite rock 3 ft. above the ground, bears S. 24° 54' W. 89.64 ft. No other bearing objects available.

Thence N. 67° 27' E.

Va. 15° 58' E.

310 To north end center.

A granite stone, 6 X 8 X 20 ins., set 12 ins. in the ground, mound of stone, chiseled N. E. C. 2776 R. S.

620 To Cor. No.1, the place of beginning.

SIWASH LODE.

Beginning at Cor. No.1.

Identical with Cor. No.2, Red Seal lode of this survey, and heretofore described, whence

1/4 corner between Sec's 7 and 18, T. 22 N., R. 17 W. bears N. 24° 14' 30" W. 781.75 ft.

Feet.

SURVEY No. 2776 - Continued.

SIWASH LODE - Continued.
N. 30° 1' 48"

Thence S. 49° 12' E.

Va. 16° 07' E.

251 Gulch, drains north.

830.7 Intersect the west side line of Marrian lode, unsurveyed, at S. 55° 06' E. 890.47 ft. from the N. W. Cor. and N. 55° 06' W. 565.83 ft. from the S. W. Cor.

1441 To Cor. No. 2.

A granite stone, 6 X 12 X 24 ins., set 12 ins. in the ground, mound of stone, chiseled 2-2776 S., cross (X) at corner point, whence

A cross (X) and B. R. 2-2776 chiseled on a granite rock 2 ft. above the ground, bears S. 14° 34' W. 17.25 ft., and a cross (X) and B. R. 2-2776 chiseled on a granite rock 2 ft. above the ground, bears N. 51° 24' W. 39.55 ft. S. W. Cor. Marrian lode, unsurveyed, bears N. 1° 29' E. 75.2 ft.

Thence S. 67° 27' W.

Va. 16° 45' E.

310 To south end center.

A granite rock in place, showing 7 X 16 X 24 ins. above the ground, chiseled S. E. C. 2776 S.

620 To Cor. No. 3.

A granite stone, 4 X 16 X 25 ins., set 12 ins. in the ground, mound of stone, chiseled 3-2776 S., cross (X) at corner point, whence

A cross (X) and B. R. 3-2776 chiseled on a granite rock 3 ft. above the ground, bears S. 67° 35' W. 59.8 ft. and a cross (X) and B. R. 3-2776 chiseled on a granite rock 4 ft. above the ground, bears S. 26° 21' W. 70.3 ft.

Feet.

SURVEY No.2776 - Continued.

SIWASH LODE - Continued.

Thence N. 49° 12' W.

Va. 16° 37' E.

228 Gulch, drains N. 8° W.

1441 To Cor. No.4.

Identical with Cor. No.3, Red Seal lode of this survey,
and heretofore described.

Thence N. 67° 27' E.

Va. 15° 53' E.

Along line ~~3-0~~ Red Seal lode of this survey.

310 To north end center.

Identical with south end center Red Seal lode of this
survey and heretofore described.

518.63 Intersect the west side line of Marrian lode, unsurve-
yed, at S. 55° 06' E. 9.67 ft. from the N. W. corner,
and N. 55° 06' W. 1446.63 ft. from the S. W. corner.

620 To Cor. No.1, the place of beginning.

LODE LINES.

As near as can be determined from present developments
the veins of the locations embraced in this claim extend
as follows from their respective discovery points:

Red Seal lode, 618 ft. N. 39°08 W. and 771.4 ft.
S. 39° 08' E.

Siwash lode, 605.4 ft. N. 49° 12' W. and 835.6 ft.
S. 49° 12' E.

AREA.

Total area Red Seal lode..... 18.953 Acres.

Area in conflict with
Marrian lode, unsurveyed..... .081

SURVEY No.2776 - Continued.

Cotton Blossom, unsurveyed,997

Total area Siwash lode..... 18.331 Acres.

Area in conflict with

Marrian lode, unsurveyed,863

This survey is identical with the respective locations.

LOCATION.

This survey is located in the N. 1/2 of Sec. 18 and the S. W. 1/4 of Sec. 7, T. 22 N., R. 17 W., G. & S. R. B. & M., in Wallapai Mining District, Mohave County, Arizona.

EXPENDITURE OF FIVE HUNDRED DOLLARS.

I certify that the value of the labor and improvements made upon this claim by the claimant or its grantors is not less than five hundred dollars for each location, and that said improvements consist of:

Red Seal. ^{lode} No.1. The discovery shaft, on the center line 618 ft. from the center of line 1-4, 4 X 6 ft., 10 ft. deep, in rock.

Value, \$40

No.2. A shaft, which bears from Cor. No.1, S. 25° 40' E. 431 ft., 4 X 6 ft., 40 ft. deep, in rock.

Value, \$450

No.3. A shaft, which bears from Cor. No.1, S. 6° 08' E. 424 ft., 4 X 6 ft., 40 ft. deep, in rock.

Value, \$450

Siwash lode. No.1. The discovery shaft on the center line 605.4 ft. from the center of line 1-4, 4 X 6 ft., 90 ft. deep, in rock.

Value \$1000

INSTRUMENT.

SURVEY No.2776 - Continued.

This survey was made with a Buff and Berger Transit. The courses were deflected from the true meridian as as determined by direct solar observations. The distances were measured with a 100-ft. and 500-ft. steel tapes.

REPORT.

The lode line of each location of this claim was run directly upon the ground, and the several corners established by means of offsets from the lode lines. All tie lines were run directly upon the ground or by traverses, run upon the ground and submitted in a separate report herewith.

ADJOINING CLAIMS.

The adjoining claims are as follows: The Cotton Blossom and the Marrian lodes, both unsurveyed, on the north east, Cerbat Mountain Mining Co., claimant.

FINAL OATHS FOR SURVEYS.

LIST OF NAMES.

A list of the names of the individuals employed by Peter Mc Cardell

United States Mineral Surveyor, to assist in running, measuring, and marking the lines, corners, and boundaries described in the foregoing field notes of the survey of the mining claim of

The Golden Star Mining and Milling Company.

known as the Red Seal and Siwash

and showing the respective capacities in which they acted.

J. C. Lane, Chainman.

....., Chainman.

....., Axman.

....., Flagman.

FINAL OATHS OF ASSISTANTS.

~~We~~, I, J. C. Lane

~~and~~ do solemnly swear that ~~we~~ ^I assisted

Peter Mc Cardell, United States Mineral Surveyor, in marking the corners and surveying the boundaries of the mining claim of The Golden Star Mining and Milling Company

known as the Red Seal and Siwash

represented in the foregoing field notes as having been surveyed by said mineral surveyor and under his direction; and that said survey has been in all respects, to the best of our knowledge and belief, faithfully and correctly executed, and the corner and boundary monuments established according to law and the instructions furnished by the United States Surveyor-General for Arizona.

John C. Lane, Chainman.

....., Chainman.

....., Axman.

....., Flagman.

Subscribed and sworn to by the above-named persons before me this 22nd

day of March, 19 10

M. N. Honeywell
Notary Public

4-686.

FINAL OATH OF U. S. MINERAL SURVEYOR.

I, Peter Mc Cardell, U. S. Mineral Surveyor, do solemnly swear that, in pursuance of instructions received from the United States Surveyor General for Arizona, dated February 14 th. 1910, I have, in strict conformity to the laws of the United States, the official regulations and instructions thereunder, and the instructions of said Surveyor General, faithfully and correctly executed the survey of the Mining Claim of The Golden Star Mining and Milling Company, known as the Red Seal and Siwash, situate in Wallapai Mining District, Mohave County, Arizona, in Sections 7 and 18, Township No. 22 N., Range No. 17 W., G. & S. R. E. & M., and designated as Survey No. 2776, as represented in the foregoing field notes, which accurately show the boundaries of said mining claim as distinctly marked by monuments on the ground, and described in the attached copy of the location certificate, which was received by me from the Surveyor General with said instructions, and that all the corners of said survey have been established and perpetuated in strict accordance with the law, official regulations and instructions thereunder; and I do further solemnly swear that the foregoing are the true and original field notes of said survey and my report therein, and that the labor expended and improvements made upon said mining claim by claimant or its grantors are as therein fully stated, and that the character, extent, location, and itemized value thereof are specified therein with particularity and full detail, and that no portion of said labor or improvements so credited to this claim has been included in the estimate of expenditures upon any other claim.

P. Mc Cardell

U. S. Mineral Surveyor.

Subscribed and sworn to by the said Peter Mc Cardell
U. S. Mineral Surveyor, before me Amos L. Smith, U. S. Commissioner
of Mohave County, Arizona this 24 th.
day of March, 1910., 1910

Amos L. Smith

U. S. Commissioner

(COPY) NOTICE OF MINING LOCATION

MINERAL CLAIM

To All Whom It May Concern:

This mining claim, the name of which is the Siwash, Mining Claim, situate on the lands belonging to the United States of America, and in which there are valuable mining deposits, was entered upon and located for the purpose of exploration and purchase by Louis Stirzel and Louis Dixon

the undersigned citizens, on the 6th day of May 1906

The length of this claim is Fifteen Hundred (1500) feet and we claim 750 feet in a Northeasterly direction and 750 feet in a Southwesterly direction from the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with Three Hundred (300) feet in width of the surface grounds, on each side of the center of said claim. The general course of the lode deposit and premises is from the Northeast to the Southwest

The claim is situated and located in the Wallapia Mining District, in Mohave County, in the Territory of Arizona, about 500 feet in a Southwesterly direction from what is known as the Jones Well or the Marion Mineral Claim, and 2,400 feet in a Southwesterly direction from the Gem Mine and about 1/2 mile from the old town of Cerbat.

The surface boundaries of the claim are marked upon the ground as follows: Beginning at a monument of stone at a point in a Northeasterly direction 750 feet from the discovery shaft (at which this notice is posted), being in the center of the Northeast end line of said claim; thence East Three Hundred (300) feet to a monument of stone, being the Northeast corner of said claim; thence Southeast ~~Seven Hundred and Fifty (750) feet to a monument of stone, at the center of the Fifteen Hundred (1500) side line of said claim; thence~~ ~~Seven Hundred and Fifty (750) feet to a monument of stone, being at the Southeast~~ corner of said claim; thence West Three Hundred (300) feet to a monument of stone at the center of the Southwest end of said claim; thence West Three Hundred (300) feet to a monument of stone, being at the Southwest corner of said claim; thence Northeast ~~Seven Hundred and Fifty (750) feet to a monument of stone, being at the center of the Fifteen Hundred (1500) side line of said claim; thence~~ ~~Seven Hundred and Fifty (750) feet to a monument of stone at the Northeast~~ corner of said claim; thence East Three Hundred (300) feet to the place of beginning.

All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of the United States, and of an Act of the General Assembly of Arizona, entitled, "An Act Concerning Mines," approved March 2, 1899, and March 16, 1901, and all acts and parts of acts enacted up to and including the date of this location.

Dated and posted on the ground, this 6th day of May 1906 Louis Stirzel Harry Smith. Louis Dixon.

Filed and Recorded at request of Louis Stirzel, this 26th day June A. D. 1906, at 1 o'clock 45 minutes P. M. Book W., Page 434. Thos. McNeely, County Recorder.

(COPY) NOTICE OF MINING LOCATION

QUARTZ CLAIM

12

To All Whom It May Concern:

This Mining Claim, the name of which is the "Red Seal" Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purposes of exploration and purchase by

W.B. Campbell,

the undersigned, on the 13th day of February 1897. ~~xxx~~

The length of this claim is Fifteen Hundred, (1500) feet, and I claim Two Hundred (200) feet in a Northerly direction and Thirteen Hundred feet in a Southerly direction from the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with Three Hundred (300) feet in width of the surface grounds, on each side of the center of said claim. The general course of the lode deposit and premises is from the

North to the South.

The claim is situated and located in the Wallapai Mining District, in Mohave County, in the Territory of Arizona, about a quarter of a mile in a Southwesterly direction from the "Flores" Mill and about 1500 feet Southwest from the Eureka Mine.

The surface boundaries of the claim are marked upon the ground as follows: Beginning at

at a point in a Northerly direction 200 feet from the discovery shaft (at which this notice is posted), being in the center of the North end line of said claim; thence 300 feet to a monument of stone being the N.E. corner of said claim; thence 750 ~~xxx~~ to a monument at the center of the East side line of said claim; thence 750 feet to a monument being at the S.E. corner of said claim; thence 300 feet to a monument at the center of the South end of said claim; thence 300 feet to a monument being at the Southwest corner of said claim; thence 750 feet to a monument being at the center of the West side line of said claim; thence 750 feet to a monument at the N.W. corner of said claim; thence 300 feet to the place of beginning.

All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of the United States, and of an act of the General Assembly of Arizona, entitled "An Act Concerning Mines," approved March 20, 1895.

Dated and posted on the ground, this 13th day of February, 1897. ~~xxx~~

W.B. Campbell

Filed and recorded at request of W.B. Campbell ~~xxx~~ ~~xxx~~

May 10th A. D. 1897, at 8 o'clock A. M.

A. Lefever

County Recorder.

TERRITORY OF ARIZONA, }
COUNTY OF MOHAVE } SS.

I, J. H. Morgan Recorder of Mohave County, Territory
of Arizona, do hereby certify that I have compared the foregoing copies of location Notices
of "R.A." "Red Seal", ("Eschegun") "Sinash" & ("Quater") mining claims
and of the endorsement thereupon with the original records of the same on file in this
office, and that the same are correct transcripts therefrom and
of the whole of said original records.

WITNESS my hand and the seal of said office, this
11th day of February 1910

By Roscoe B. Blakeley
Deputy

J. H. Morgan
Recorder of Mohave County.

U. S. SURVEYOR-GENERAL'S FINAL CERTIFICATE ON FIELD NOTES.

Department of the Interior,

OFFICE OF U. S. SURVEYOR-GENERAL,

Phoenix, Arizona.

May 26, 1910., 190

I, U. S. Surveyor-General for District of Arizona.

do hereby certify that the foregoing transcript of the Field Notes, return and approval of the survey of the mining claim of The Golden Star Mining and Milling Company

known as the Red Seal and Siwash

situate in Wallapai

Mining District, Mohave County, Arizona

in Section 7 & 18, Township No. 22 N., Range No. 17 W., and

designated as Survey No. 2776, has been correctly copied from the originals on file in

this office; that said Field Notes furnish such an accurate description of said mining claim as will, if incorporated into a patent, serve fully to identify the premises, and that such reference is made therein to natural objects or permanent monuments as will perpetuate and fix the locus thereof.

And I further certify that five hundred dollars' worth of labor has been expended or improvements made upon ^{each of} said mining claim^s by claimant or its grantors, and that said improvements consist of 4 shafts, total value \$1940.00

and that no portion of said labor or improvements has been included in the estimate of expenditures upon any other claim.

I further certify that the plat thereof, filed in the U. S. Land Office at Phoenix

Arizona is correct and in conformity with the foregoing Field Notes.

Frank S. Ingalls

United States Surveyor-General for Arizona

4-687.

SURVEYOR-GENERAL'S CERTIFICATE OF APPROVAL OF FIELD
NOTES AND SURVEY OF MINING CLAIM.

Department of the Interior,

Office of U. S. Surveyor-General,

Phoenix, Arizona

May 26, 1910, 190

I, U. S. Surveyor-General for District of Arizona

do hereby certify that the foregoing and hereto attached Field Notes and Return of the Survey of the
Mining Claim of The Golden Star Mining and Milling Company

, known as the

Red Seal and Siwash

situate in Wallapai Mining District,

Mohave County, Arizona

in Sections 7 and 18, Township No. 22 N., Range No. 17 W.

, designated as Survey No. 2776

executed by Peter McCordell, U. S. Deputy Mineral

Surveyor, Feb. 28, March 3, 1910, 190, under my instructions dated

Feb. 14, 1910, 190, have been critically examined and the necessary cor-

rections and explanations made, and the said Field Notes and Return, and the Survey they describe,

are hereby approved. A true copy of the copy of the location certificate filed by the applicant for

survey is included in the field notes.

Frank S. Ingalls

U. S. Surveyor-General for Arizona