

(4-683.)

Mineral Survey No. 2777

Lot No. \_\_\_\_\_

Arizona

Land District.

### FIELD NOTES

OF THE SURVEY OF THE MINING CLAIM OF

Superior & Globe Copper  
Company

KNOWN AS THE

Weno, and Weno #2,  
Magnet, Magnet #1-6 inc., Copper Trust,  
Copper Trust #1-4 inc., Globe Mining District,

Gila County, Arizona

Sections 2, 11, 10, Township 1-N, Range 15 1/2 E, Uns.

Surveyed under instructions dated August 8<sup>th</sup>, 1910

by B. F. Saw Wagoner,  
U. S. ~~Patrol~~ Mineral Surveyor

Claim located See Location Notices, 19

Survey commenced Sept 2<sup>nd</sup>, 1910

Survey completed Sept 28<sup>th</sup>, 1910

Address:

Fawling & Little, Attorneys.  
Globe, Arizona.

SURVEY No. 2777.

COPPER TRUST ~~LODE~~

Beginning at Cor. No. 1.

A redwood post 4 ft. long, 4 ins. square, set 2 ft. in the ground, with mound of stones, scribed 1-C T-2777.

whence

The East 1/4 Cor. of Sec. 12, Township 1 N., Range 15 E., G. & S. R. B. & M., bears S. 62° 23' W., 5377.5 ft.

Cor. No. 4, Copper Trust #1 Lode, of this survey, bears S. 80° 14' E., 5.91 ft.

Feet

-----  
Thence N. 55° 10' E.

5.31 Intersect line 1-4 Copper Trust #1 Lode, of this survey, at N. 19° 57' W., 4.29 ft. from Cor. No. 4.

116.93 Intersect line 2-3 Keno #2 Lode, of this survey, whence

Cor. No. 3 bears S. 34° 07' E., 500.27 ft.

1495.6 To Cor. No. 2.

Identical with Cor. No. 3 Copper Trust #1 Lode, of this survey, hereafter described under Copper Trust #1 Lode.

-----  
Thence S. 37° 50' E.

300.40 To E.E.C., a redwood post 4' long, 4" sq., set 2' in the ground  
600.74 To Cor. No. 3. with mound of stones, scribed on west side 2777.

A redwood post 4 ft. long, 4 ins. square, set 2 ft. in the ground, with mound of stones, scribed 3-C T-2777.

No bearings available.

-----  
Thence S. 55° 29' W.

1411.76 Intersect line 2-3 Magnet #2 Lode, of this survey, whence

Cor. No. 3 bears S. 68° 17' E., 8.59 ft.

1496.06 To Cor. No. 4.

On line 3-4 Magnet #2 Lode, of this survey.

A redwood post 4 ft. long, 4 ins. square, set 2 ft. in the ground, with mound of stones, scribed 4-C T-2777.

SURVEY #2777

COPPER TRUST LODE - continued.

Cor. No.3, Keno #2 Lode, of this survey, bears N. 6° 13' E., 121.8 ft.

Cor. No.3 Magnet #2 Lode, of this survey, bears N. 60° 4' E., 89.36 ft.

Feet

Thence N. 37° 50' W.

96.32 Intersect line 3-4 Keno #2 Lode, of this survey, at S. 58° 35' W., 85.35 ft. from Cor. No.3.

138.40 Intersect line 2-3 Magnet #2 Lode, of this survey, whence

292.95 To W.E.C. Cor. No.3 bears S. 68° 17' E., 174.56 ft. of stones, scribed on the east side. 2777. To center of wagon road.

592.47 To Cor. No.1, the place of beginning.

All corners identical with location. Variation at all corners 14° 38' E.

~~SURVEY No. 2777.~~

COPPER TRUST #2 LODE.

Beginning at Cor. No.1.

Identical with Cor. No.2 Magnet #1 Lode, of this survey.

A redwood post 4 ft. long, 4 ins. square, set 2 ft. in the ground, with mound of stones, scribed 1-C T-2-2777 on the East side, and 2-Mag-1-2777 on the West side.

Whence

Cor. The E. 1/4 of Sec. 12, Township 1 N., Range 15 E., G. & S. R. B. & M., bears S. 58° 15' W., 3541.42 ft.

Thence N. 55° 52' E.

347.0 To center of wagon road.

783.52 Intersect line 1-4 Copper Trust #3 Lode and line 3-4 Magnet #3 Lode, of this survey, at N. 28° 25' W., 5.72 ft. from corners No.3 and 4.

1047.0 To center of wagon road.

## COPPER TRUST #2 LODE - Continued.

Feet	
1500.09	<p>To Cor. No. 2.</p> <p>Identical with Cor. No. 1 Keno #2 Lode, of this survey, hereafter described under Keno #2 Lode, of this survey.</p>
42.10	<p style="text-align: center;">-----</p> <p style="text-align: center;">Thence S. 53° 30' E.</p> <p>Intersect line 3-4 Copper Trust #3 Lode, of this survey, at N. 58° 32' E., 731.93 ft., from Cor. No. 4.</p>
190.0	To center of wagon road.
399.26	<p>To East end center.</p> <p>A redwood post 4 ft. long, 4 ins. square, set 2 ft. in the ground, with mound of stones, scribed 2777 on the West side.</p>
608.69	<p>To Cor. No. 3.</p> <p>A redwood post 4 ft. long, 4 ins. square, set 2 ft. in the ground, with mound of stones, scribed 3- C T- 2-2777.</p> <p style="text-align: center;">-----</p> <p style="text-align: center;">whence</p> <p>Cor. No. 2 Magnet #2 Lode, of this survey, bears S. 63° 47' W., 111.05 ft.</p>
102.6	<p style="text-align: center;">-----</p> <p style="text-align: center;">Thence S. 58° 15' W.</p> <p>Intersect line 2-3 Magnet #2 Lode, of this survey, at S. 68° 17' E., 13.53 ft. from Cor. No. 2.</p>
109.5	Intersect line 1-4 Keno #2 Lode, of this survey, at S. 43° 31' E., 576.89 ft. from Cor. No. 1.
1153.88	Intersect line 2-3 Keno Lode, of this survey, at S. 51° 52' E., 106.08 ft. from Cor. No. 2.
1515.54	Intersect line 1-4 Magnet #2 Lode, of this survey, at S. 68° 17' E., 2.72 ft. from Cor. No. 1.
1524.5	<p>To Cor. No. 4.</p> <p>Identical with Cor. No. 3 Magnet #1 Lode, of this survey.</p> <p>A redwood post 4 ft. long, 4 ins. square, set 2 ft. in the ground, with mound of stones, scribed 4- C T- 2-2777 on the East side, and 3-Mag-1-2777 on the West side.</p>

~~SURVEY No. 2777.~~

COPPER TRUST #2 LODE- Continued.

Cor. No.1 Magnet #2 Lode, of this survey, bears N. 41° 39' E., 7.66 ft.

Cor. No.1 Keno Lode, of this survey, bears S. 41° 39' W., 263.21 ft. Cor. No.2 said Keno lode brs. N. 41° 39' E. 348, 67 ft.

On line 1-2 Keno Lode, of this survey.

Feet

-----  
Thence N. 53° 30' W.

341.44 To West end center.

A redwood post 4 ft. long, 4 ins. square, set 2 ft. in the ground, with mound of stones, scribed 2777 on the East side.

306.68 Intersect line 3-4 Magnet #3 Lode, of this survey, at N. 38° 49' E., 767.14 ft., from Cor. No.4, and S. 38° 49' W. 737.16 ft. from Cor. No. 3.

541.64 To Cor. No.1, the place of beginning.

-----  
All corners identical with location.  
Variation at all corners 14° 38' E.

-----  
~~SURVEY No. 2777~~

COPPER TRUST # 1 LODE.

Beginning at Cor. No.1.

Identical with Cor. No.2 Keno #2. Lode, of this survey.

A redwood post 4 ft. long, 4 ins. square, set 2 ft. in the ground, with mound of stones, scribed 1- C T- 1-2777.

whence

10 The East 1/4 Cor. of Sec. 12, Township 1 N., Range 15 E., G. & S. R. B. & M., bears S. 57° 37' W., 5462, 49 ft.

Cor. No.3 Copper Trust #3 Lode, of this survey, bears N. 64° 46' E., 363.36 ft.

-----  
Thence N. 55° 18' E.

364.27 Intersect line 1-4 Copper Trust #4 Lode and line 2-3 Copper Trust #3 Lode, of this survey, at N. 28° 25' W., 59.30 ft. from corners No.4 and 3.

1493.22 To Cor. No.2.

## SURVEY No. 2777.

## COPPER TRUST #1 LODE - Continued.

	<p>A redwood post 4 ft. long, 4 ins. square, set 2 ft. in the ground, with mound of stones, scribed 2-C T-1-2777.</p> <p>No bearings available.</p> <p>-----</p>
Feet	Thence S. 19° 57' E.
109.86	Intersect line 3-4 Copper Trust #4 Lode, of this survey, at N. 57° 45' E., 1105.35 ft. from Cor. No.4.
240.45	To East end center.
	<p>A redwood post 4 ft. long, 4 ins. square, set 2 ft. in the ground, with mound of stones, scribed 2777 on the West side.</p>
452.69	To Cor. No.3, identical with Cor. No.2, Copper Trust Lode, of this survey.
	<p>A redwood post 4 ft. long, 4 ins. square, set 2 ft. in the ground, with mound of stones, scribed 3-C T-1-2777 on the North side, and 2-C T-2777 on the South side.</p> <p>No bearings available.</p> <p>-----</p>
	Thence S. 55° 1' W.
1379.53	Intersect line 2-3 Keno #2 Lode, of this survey, at S. 34° 07' E., 444.00 ft. from Cor. No.2.
1492.2	To Cor. No.4.
	<p>A redwood post 4 ft. long, 4 ins. square, set 2 ft. in the ground, with mound of stones, scribed 4-C T-1-2777.</p> <p>whence</p> <p>Cor. No.1 Copper Trust Lode, of this survey, bears N. 80° 14' W., 5.91 ft.</p>
4.29	Intersect line 1-2 Copper Trust Lode, of this survey, at S. 55° 10' W., 1490.29 ft. from Cor. No.2.
181.67	To West end center.
	<p>A redwood post 4 ft. long, 4 ins. square, set 2 ft. in the ground, with mound of stones, scribed 2777 on East side.</p>
420.81	Intersect line 3-4 Copper Trust #3 Lode, of this survey,

COPPER TRUST #1 Lode, continued.

Feet	<p>at S. 58° 32' W., 368.56 ft. from Cor. No. 3.</p>
460.33	<p>To Cor. No. 1, the place of beginning.</p> <p>-----</p> <p>All corners identical with location. Variation at all corners 14° 35' E.</p> <p>-----</p> <p><del>SURVEY No. 2777.</del></p> <p><u>COPPER TRUST #3 LODE.</u></p> <p>Beginning at Cor. No. 1.</p> <p>On line 3-4 Magnet #3 Lode, of this survey, 23.75 ft. from Cor. No. 4.</p> <p>A redwood post 4 ft. long, 4 ins. square, set 2 ft. in the ground, with mound of stones, scribed 1- C T- 3-2777.</p> <p>whence</p> <p>The East 1/4 Cor. Sec. 12, Township 1 N., Range 15 E., G. &amp; S. R. B. &amp; M., bears S. 50° 18' W., 4400.00 ft.</p> <p>No bearings available.</p> <p>-----</p> <p>Thence N. 57° 48' E.</p>
1499.75	<p>To Cor. No. 2.</p> <p>Identical with Cor. No. 1 Copper Trust #4 Lode, of this survey.</p> <p>A redwood post 4 ft. long, 4 ins. square, set 2 ft. in the ground, with mound of stones, scribed 2- C T- 3-2777.</p> <p>No bearings available.</p> <p>-----</p> <p>Thence S. 28° 35' E.</p>
301.02	<p>To East end center.</p> <p>A redwood post 4 ft. long, 4 ins. square, set 3 ft. in the ground, with mound of stones, scribed 2777 on the West side.</p>
541.80	<p>Intersect line 1-3 Copper Trust #1 Lode, of this survey, at N. 55° 18' E., 364.27 ft. from Cor. No. 1.</p>

## COPPER TRUST #3 LODE - Continued.

Feet	
601.1	<p>To Cor. No. 3.</p> <p>Identical with Cor. No. 4, Copper Trust #4 Lode, of of this survey.</p> <p>A redwood post 4 ft. long, 4 ins. square, set 2 ft. in the ground, with mound of stones, scribed 3- C T- 3-2777 (on the West side and 4- C T-4-2777) on the East side.</p> <p>No bearings available.</p> <p style="text-align: center;">-----</p> <p style="text-align: center;">Thence S. 58° 32' W.</p>
358.88	<p>Intersect line 2-3 Keno #2 Lode, of this survey, 38.76 ft. from Cor. No. 2.</p>
368.56	<p>Intersect line 1-4 Copper Trust No. 1 Lode, of this sur- vey, at S. 19° 57' E., 39.51 ft. from Cor. No. 1.</p>
766.68	<p>Intersect line 2-3 Copper Trust #2 Lode, of this survey, at S. 53° 30' E., 42.10 ft. from Cor. No. 2.</p>
774.26	<p>Intersect line 1-4 Keno #2 Lode, of this survey, at S. 43° 21' E., 39.88 ft. from Cor. No. 1.</p>
1208.0	<p>To center of wagon road.</p>
1498.61	<p>To Cor. No. 4.</p> <p>Identical with Cor. No. 3, Magnet #3 Lode, of this survey, a redwood post 4 ft. long, 4" square, set 2' in the ground with mound of stones, scribed 4-CT-3-2777 on the east side and 3-M-3-2777 on the west side.</p> <p style="text-align: center;">Thence N. 28° 25' W.</p>
5.72	<p>Intersect line 1-2 Copper Trust #2 Lode, of this survey, at S. 55° 52' W., 716.57 ft. from Cor. No. 2.</p>
281.32	<p>To West end center.</p> <p>A redwood post 4 ft. long, 4 ins. square, set 2 ft. in the ground, with mound of stones, scribed 2777 on the East and west sides, identical with east end center Magnet #3 lode of this survey.</p>
352.0	<p>To center of wagon road.</p>
582.04	<p>To Cor. No. 1, the place of beginning.</p> <p style="text-align: center;">-----</p> <p>All corners identical with location. Variation at all corners 14° 36' E.</p> <p style="text-align: center;">-----</p>



COPPER TRUST #4 LODE.

Beginning at Cor. No.1.

Identical with Cor. No.2, Copper Trust #3 Lode

of this survey.

A redwood post 4 ft. long, 4 ins. square, set 2 ft. in the ground, with mound of stones, scribed 2- C T-3-2777 on the West side and 1- C T-4-2777 on the East side.

whence

The East 1/4 Cor. Sec. 12, Township 1 N., Range 15 E., B. & S. R. B. & M., bears S. 52° 13' W., 5890.20 ft.

A red quartzite boulder, bears N. 78° 11' W., 25 ft., marked 1- C T-4-2777-B.R.X.

-----  
Thence N. 57° 51' E.

Feet  
1499.57 To Cor. No.2.

A redwood post 4 ft. long, 4 ins. square, set 3 ft. in the ground, with mound of stones, scribed 2-C T-4-2777.

A mesquite tree 5 ins. in diameter, scribed 2-C T-4-2777-B.T.X., bears N. 15° 20' E., 18.11 ft.

-----  
Thence S. 28° 25' E.

300.3 To East end center.

A redwood post 4 ft. long, 4 ins. square, set 3 ft. in the ground, with mound of stones, scribed 2777 on the West side.

No bearing rock or tree available.

598.47 To Cor. No.3.

A redwood post 4 ft. long, 4 ins. square, set 2 ft. in the ground, with mound of stones, scribed 3- C T-4-2777.

No bearings available.

-----  
Thence S. 57° 45' W.

394.35 Intersect line 2-3 Copper Trust #1 Lode, of this survey,

## SURVEY #2777.

## COPPER TRUST #4 LODE - Continued.

Feet at S.  $19^{\circ} 57' E.$ , 109.86 ft. from Cor. No.3.  
1499.7 To Cor. No.4.

Identical with Cor. No.3, Copper Trust #3 Lode, of this survey.

A redwood post 4 ft. long, 4 ins. square, set 2 ft. in the ground, with mound of stones, scribed 3- C T-3-2777 on the West side and 4- C T-4-2777 on the East side.

No bearings available.

-----  
Thence N.  $28^{\circ} 35' W.$

59.30 Intersect line 1-3 Copper Trust #1 Lode, of this survey, at S.  $55^{\circ} 18' W.$ , 1125.95 ft. from Cor. No.2.

300.08 To West end center.

A redwood post 4 ft. long, 4 ins. square, set 2 ft. in the ground, with mound of stones, scribed 2777 on East and West sides.

No bearings available.

601.1 To Cor. No.1, the place of beginning.

-----  
All corners identical with location.  
Variation at all corners  $14^{\circ} 35' E.$

-----  
~~SURVEY No. 2777.~~

KENO LODE.

Beginning at Cor. No.1.

Identical with Cor. No.3 Magnet Lode, of this survey.

A redwood post 4 ft. long, 4 ins. square, set 2 ft. in the ground, with mound of stones, scribed 1-K-2777 on the East side and 2-Mag-2777 on the West side.  
whence

The East  $1/4$  Cor. of Sec. 12, Township 1 N., Range 15 E., G. & S. R. E. & M., bears S.  $67^{\circ} 40' W.$ , 3537.18 ft.

-----  
Thence N.  $41^{\circ} 39' E.$

263.21 To Cor. No.3 Magnet #1 Lode, of this survey, and Cor.No.4

KENO LODE - Continued.

Feet Copper Trust #2 Lode, of this survey.  
 270.87 To Cor. No.1 Magnet #2 Lode, of this survey.  
 611.88 To Cor. No.2.

A redwood post 4 ft. long, 4 ins. square, set 2 ft. in the ground, with mound of stones, scribed 2-K-2777.

-----  
 Thence S. 51° 52' E.

101.03 Intersect line 1-3 Magnet #2 Lode, of this survey, at N. 57° 54' E., 361.38 ft. from Cor. No.1.

106.08 Intersect line 3-4 Copper Trust #2 Lode, of this survey, at N. 58° 15' E., 370.62 ft. from Cor. No.4.

285.0 To East end center.

A redwood post 4 ft. long, 4 ins. square, set 2 ft. in the ground, with mound of stones, scribed 2777 on the West side.

569.99 To Cor. No.3.

On line 3-4 Magnet #2 Lode, of this survey.

A redwood post 4 ft. long, 4 ins. square, set 2 ft. in the ground, with mound of stones, scribed 3-K-2777. whence

Cor. No.4 Magnet #2 Lode, of this survey, bears S. 60° 04' W., 202.95 ft.

-----  
 Thence S. 38° 50' W.

611.2 To Cor. No.4.

Identical with Cor. No.3 Magnet Lode, of this survey.

A redwood post 4 ft. long, 4 ins. square, set 2 ft. in the ground, with mound of stones, scribed 4-Y-2777, on the East side, and 3-M-2777 on the West side.

-----  
 Thence N. 51° 52' W.

300.40 To West end center.

A redwood post 4 ft. long, 4 ins. square, set 2 ft. in the ground, with mound of stones, scribed 2777 on the East side.

## KENO LODE - Continued.

Feet

562.74 Intersect line 3-4 Magnet #1 lode, of this survey, at  
S. 33° 36' W., 263.54 ft. from Cor. No.3.

599.73 To Cor. No.1, the place of beginning.

-----  
All corners identical with location.  
Variation at all corners 14° 38' E.

-----  
~~SURVEY #2777.~~

KENO #2 LODE.

Beginning at Cor. No.1.

Identical with Cor. No.3 Copper Trust #2 Lode,  
of this survey.

A redwood post 4 ft. long, 4 ins. square, set 2  
ft. in the ground, with mound of stones, scribed 1-K-2-  
2777 on the East side and 2-C T-2-2777 on the West  
side.

No bearings available.

whence

The E 1/4 Cor. of Sec. 12, Township 1 N., Range  
15 E., G. & S. R. B. & M., bears S. 57° 32' W., 5040.6  
ft.

-----  
Thence N. 58° 35' E.

197.87 To North end center.

A redwood post 4 ft. long, 4 ins. square, set 2  
ft. in the ground, with mound of stones, scribed 2777  
on the South side.

421.93 To Cor. No.2.

Identical with Cor. No.1 Copper Trust #1 Lode,  
of this survey.

A redwood post 4 ft. long, 4 ins. square, set 2  
ft. in the ground, with mound of stones, scribed 2-K-2-  
2777 on the South side and 1-C T-1-2777 on the East  
side.

Cor. No.3 Copper Trust #3 Lode, of this survey,  
bears N. 64° 46' E., 363.36 ft.

KEMO #2 LODE - Continued.

Feet	Thence S. 34° 7' E.
38.76	Intersect line 3-4 Copper Trust #3 Lode, of this survey, at S. 58° 32' W., <del>358.88</del> ft. from Cor. No. 3.
440.14	Intersect line 1-2 Copper Trust Lode, of this survey, at N. 55° 10' E., 116.93 ft. from Cor. No. 1.
444.00	Intersect line 3-4 Copper Trust #1 Lode, of this survey, at N. 55° 01' E., 112.67 ft. from Cor. No. 14
940.41	To Cor. No. 3.

A redwood post 4 ft. long, 4 ins. square, set 2 ft. in the ground, with mound of stones, scribed 3-K-2-2777.

whence

Cor. No. 4 Copper Trust Lode, of this survey, bears S. 6° 13' E., 131.8 ft.

A mesquite tree braised and scribed B.T.-3-K-2-2777, bears S. 59° 42' E., 4.5 ft.

-----  
Thence S. 58° 35' W.

58.69	Intersect line 2-3 Magnet #2 Lode, of this survey, at S. 68° 17' E., 481.89 ft. from Cor. No. 2.
85.35	Intersect line 1-4 Copper Trust Lode, of this survey, at S. 37° 50' E., 496.15 ft. from Cor. No. 1.
109.21	To South end center.

A redwood post 4 ft. long, 4 ins. square, set 2 ft. in the ground, with mound of stones, scribed 2777 on the North side.

No bearings available.

267.61 To Cor. No. 4.

A redwood post 4 ft. long, 4 ins. square, set 2 ft. in the ground, with mound of stones, scribed 4-K-2-2777.

whence

A small cedar tree braised and scribed B.T.-4-K-2-2777, bears S. 58° 57' W., 27.7 ft.

Cor. No. 3 Magnet #2 Lode, of this survey, bears N. 77° 43' E.

-----

KENO #2 LODE - Continued.

Feet	Thence N. 43° 21' W.
383.21	Intersect line 3-4 Copper Trust #2 Lode, of this survey, at S. 58° 15' W., 109.50 ft. from Cor. No.3.
394.37	Intersect line 1-2 Magnet #2 Lode, of this survey, at S. 57° 54' W., 1.12 ft. from Cor. No.3.
793.0	To center of wagon road.
920.23	Intersect line 3-4 Copper Trust #3 Lode, of this survey, at S. 58° 32' W., 774.26 ft. from Cor. No.3.
960.10	To Cor. No.1, the place of beginning.

-----

All corners identical with location.  
Variation at all corners 14° 35' E.

-----

SURVEY No. 2777.

MAGNET LODE.

Beginning at Cor. No.1.

Adjacent to Cor. No.5 Yuma <sup>Copper Mine</sup> Lode, survey No.842.

A pine post 4 ft. long, 4 ins, square, set 2 ft. in the ground, with mound of stones, scribed 1-Mag-2777. whence

The E. 1/4 Cor. of Sec. 12, Township 1 N., Range 15 E., G. & S. R. E. & M., bears S. 87° 23' W., 2420.12 ft.

*On line 3-4 Moonlight lode, Sur. No. 2618.*  
Cor. No.4 Magnet #1 Lode, of this survey, and Cor. No.3 Moonlight Lode, Survey No.2618, bear N. 47° 48' E., 268.26 ft.

A cedar tree, 6 ins. in diameter, braised and scribed, B.T.-1-Mag-2777, bears N. 11° 36' E., 22.28 ft.

-----

Thence N. 34° 42' E.

263.19	Intersect line 1-4 Magnet #.1 Lode, of this survey, and line 2-3 Moonlight lode, Survey No.2618, at N. 53° 30' W., 60.83 ft. from Cors.No. 4 and 3.
1500.4	To Cor. No.2.

Identical with Cor. No.1, Keno lode, of this survey, heretofore described under Keno Lode of this survey.

-----

MAGNET LODE - Continued.

Feet Thence S. 51° 52' E.

36.98 Intersect line 3-4 Magnet #1 Lode, of this survey, at N. 33° 36' E., 1236.96 ft. from Cor. No.4.

399.32 To East end center.

A redwood post 4 ft. long, 4 ins. square, set 2 ft. in the ground, with mound of stones, scribed 2777 on East and West sides.

599.72 To Cor. No.3.

Identical with Cor. No.4, Keno Lode, of this survey, heretofore described under Keno Lode.

-----

Thence S. 34° 51' W.

278.84 Intersect North side line California Lode, unsurveyed, at N. 47° 21' E., 439.57 ft. from N.W. Cor.

729.09 Intersect the West end line California Lode, unsurveyed, at S. 42° 39' E., 97.45 ft. from N. W. Cor.

1500.09 To Cor. No.4.

Set adjacent to Cor. No.3 <sup>Copper Mine</sup> Yuma Lode, survey No. 842.

A redwood post 4 ft. long, 4 ins. square, set 2 ft. in the ground, with mound of stones, scribed 4-Mag-2777.

whence

A schist rock in place, chiselled B.R.-4-Mag-2777, bears N. 56° 52' W., 17.00 ft.

-----

Thence N. 51° 52' W.

301.26 To West end center.

A redwood post 4 ft. long, 4 ins. square, set 2 ft. in the ground, with mound of stones, scribed 2777 on the East side.

595.91 To Cor. No.1, the place of beginning.

-----

All corners identical with location. Variation at all corners 14° 38' E.

-----

SURVEY No. 2777.

MAGNET #1 LODE.

Beginning at Cor. No. 1.

On line 5-3 New Orleans Lode, Survey No. 2618, S. 48° 20' W., 748.68 ft. from Cor. No. 3.

Adjacent to Cor. No. 4, New Orleans Lode, <sup>and Cor. No. 2 Moonlight lode</sup> Survey No. 2618.

A redwood post 4 ft. long, 4 ins. square, set 2 ft. in the ground, with mound of stones, scribed 1-Mag-1-2777.

whence

The E. 1/4 Cor. of Sec. 12, Township 1 N., Range 15 E., G. & S. R. B. & M., bears S. 73° 46' W., 2249.66 ft.

Feet

Thence N. 34° 35' E.

817.89 Intersect line 1-4 Magnet #3 Lode, of this survey, and line 2-3 New Orleans Lode, Survey No. 2618, at N. 28° 25' W., 199.73 ft., from corners No. 4 and 3.

1500 To Cor. No. 2.

Identical with Cor. No. 1 Copper Trust #2 Lode, of this survey.

A redwood post 4 ft. long, 4 ins. square, set 2 ft. in the ground, with mound of stones, scribed 2-M-1-2777 on the West side and 1-C T-2-2777 on the East side.

No bearings available.

Thence S. 53° 30' E.

234.96 Intersect line 3-4 Magnet #3 Lode, of this survey, at N. 38° 49' E., 767.14 ft. from Cor. No. 4.

300.2 To East end center.

A redwood post 4 ft. long, 4 ins. square, set 2 ft. in the ground, with mound of stones, scribed 2777 on East and West sides.

No bearings available.

541.64 To Cor. No. 3.

On line 1-2 Keno Lode, of this survey, at N. 41°



39' E., 263.21 ft. from Cor. No.1.

Identical with Cor. No.4 Copper Trust #2 lode, of this survey.

A redwood post 4 ft. long, 4 ins. square, set 2 ft. in the ground, with mound of stones, scribed 3-M-1-2777 on the West side and 4-C T-2-2777 on the East side.

No bearings available.

Feet

Thence S. 33° 36' W.

263.54

Intersect line 1-4 Keno Lode, of this survey, and line 2-3 Magnet Lode, of this survey, at S. 51° 52' E., 36.98 ft. from Corners No. 1 and 2.

1500.5

To Cor. No.4.

Adjacent to Cor. No.3 Moonlight lode, survey No.2618.

A redwood post 4 ft. long, 4 ins. square, set 2 ft. in the ground, with mound of stones, scribed 4-M-1-2777 on the East side.

No bearings available.

Thence N. 53° 30' W.

60.83

Intersect line 1-3 Magnet lode, of this survey, at S. 34° 42' W., 1237.21 ft. from Cor. No.2.

290.46

To West end center.

A redwood post 4 ft. long, 4 ins. square, set 2 ft. in the ground, with mound of stones, scribed 2777 on the East side.

567.6

To Cor. No.1, the place of beginning.

All corners identical with location.  
Variation at all corners 14° 38' E.

~~SURVEY No. 2777~~

MAGNET #2 LODE.

Beginning at Cor. No.1.

On line 1-2 Keno Lode, of this survey, at 270.87 ft. from Cor. No.1.

MAGNET #2 LODE - Continued.

A redwood post 4 ft. long, 4 ins. square, set 2 ft. in the ground, with mound of stones, scribed 1-Mag-3-2777. whence

The E. 1/4 Cor. of Sec. 12, Township 1 N., Range 15 E., G. & S. R. B. & M., bears S. 65° 55' W., 3775.48 ft.

whence

Cor. No. 4 Copper Trust #2 Lode, of this survey, bears S. 41° 39' W., 7.66 ft.

Black Peak bears S. 19° 40' W.

-----

Feet Thence N. 57° 54' E.

361.38 Intersect line 2-3 Keno Lode, of this survey, whence

Cor. No. 3 bears S. 51° 52' E., 468.96 ft.

1405.78 Intersect line 1-4 Keno #2 Lode, of this survey, at N. 43° 31' W., 394.57 ft. from Cor. No. 4.

1406.9 To Cor. No. 2.

A redwood post 4 ft. long, 4 ins. square, set 2 ft. in the ground, with mound of stones, scribed 2-Mag-3-2777.

whence

Cor. No. 3 Copper Trust #2 Lode, of this survey, bears N. 63° 47' E., 111.05 ft.

-----

Thence S. 68° 17' E.

13.53 Intersect line 3-4 Copper Trust #2 Lode, of this survey, whence

Cor. No. 4 bears S. 58° 15' W., 1421.90 ft.,

245.66 To East end center.

A redwood post 4 ft. long, 4 ins. square, set 2 ft. in the ground, with mound of stones, scribed 2777 on the West side.

429.67 Intersect line 1-4 Copper Trust Lode, of this survey, at N. 37° 50' W., <sup>(138.40)</sup> 158.40 ft. from Cor. No. 4.

481.89 Intersect line 3-4 Keno #2 Lode, of this survey, whence

Feet	
	Cor, No.4 bears S, 58° 35' W., 208.92 ft.
595.64	Intersect line 3-4 Copper Trust Lode, of this survey, whence Cor. No.4 bears S. 55° 29' W., 84.30 ft.
604.23	To Cor. No.3. A redwood post 4 ft. long, 4 ins. square, set 2 ft. in the ground, with mound of stones, scribed 3-Mag- 3-2777.  ----- Thence S. 60° 4' W.
89.36	To Cor. No.4 Copper Trust Lode, of this survey.
1243.45	To Cor. No.3 Keno Lode, of this survey.
1446.4	To Cor. No.4. A redwood post 4 ft. long, 4 ins. square, set 2 ft. in the ground, with mound of stones, scribed 4-Mag- 2-2777.  ----- Thence N. 68° 17' W.
282.82	To West end center,
534.36	Intersect line 4-3 Copper Trust #2 Lode, of this survey, whence Cor. No.4 bears S. 58° 15' W., 8.96 ft.
537.08	To Cor. No.1, the place of beginning.  ----- All corners identical with location. Variation at all corners 14° 38' E.  ----- <del>SURVEY No. 2777.</del> <u>MAGNET #6 LODE.</u>  Beginning at Cor. No.1. A redwood post 4 ft. long, 4 ins. square, set 2 ft. in the ground, with mound of stones, scribed 1-Mag- 6-2777. whence Cor. No.1, Magnet No.4 Lode, of this survey, bears S. 19° 37' W., 917.01 ft. The E. 1/4 Cor. Sec. 12, Township 1 N., Range 15

MAGNET #6 LODE- Continued.

Feet	<p>E., G. &amp; S. R. B. &amp; M., bears S. 47° 06' W., 2282.03 ft.</p> <p style="text-align: center;">-----</p> <p style="text-align: center;">Thence N. 12°49' W.</p>
69.0	To center of wagon road.
162.71	To Cor. No.4, Big Iron N <sup>o</sup> 3 Lode, Survey No.2618.
166.19	Intersect line 3-3, Magnet #4 Lode, of this survey, whence
	Cor. No.3 bears N. 47° 43' E., 702.56 ft.
375.68	To West end center.
	A redwood post 4 ft. long, 4 ins. square, set 2 ft. in the ground, with mound of stones, scribed 2777 on the East side.
759.38	To Cor. No.2.
	Adjacent to Cor. No.3, Big Iron N <sup>o</sup> 2 Lode, survey No.2618, a redwood post 4 ft. long, 4 ins. square, set 2 ft. in the ground, with mound of stones, scribed 3-Mag-6-2777.
	No bearings available.
	-----
	Thence N. 37° 30' E.
1502.00	To Cor. No.3.
	A redwood post 4 ft. long, 4 ins. square, set 2 ft. in the ground, with mound of stones, scribed 3-Mag-6-2777.
	No bearings available.
	-----
	Thence S. 12° 49' E.
388.27	To East end center.
	A redwood post 4 ft. long, 4 ins. square, set 2 ft. in the ground, with mound of stones, scribed 2777 on the West side.
751.17	To Cor. No.4.
	On line 2-3, Magnet #5 Lode, of this survey.
	A redwood post 4 ft. long, 4 ins. square, set 2 ft. in the ground, with mound of stones, scribed 4-Mag-6-2777.
	No bearings available.
	-----

MAGNET #6 LODE - Continued.

Feet  
 709.86 To Cor. No. 2, Magnet #5 Lode, of this survey, identical with Cor. No. 3 Magnet #4 Lode, of this survey.  
 1003.0 To center of wagon road.  
 1507.36 To Cor. No. 1, the place of beginning.

-----  
 All corners identical with location.  
 Variation at all corners 14° 38' E.  
 -----

~~SURVEY No. 2777.~~

MAGNET #4 LODE.

Beginning at Cor. No. 1.

Adjacent to Cor. No. 4, Mineral Farm #4 Lode, Cor. No. 3 of Mineral Farm #1 Lode, Cor. No. 1 New Orleans Lode, Survey No. 2618. Cor. No. 2 New Orleans lode brs. N. 48° 22' E. 1439.4 ft.

A pine post 4 ft. long, 4 ins. square, set 2 ft. in the ground, with mound of stones, scribed 1-Mag-4-2777.

whence

The E 1/4 Cor., Sec. 12, Township 1 N., Range 15 E., G. & S. R. B. & M., bears S. 63° 10' W., 1527.94 ft.

-----  
 Thence N. 28° 26' W.

294.96 To West end center.

A redwood post 4 ft. long, 4 ins. square, set 2 ft. in the ground, with mound of stones, scribed 2777 on the East side.

305.2 To center of wagon road.

594.5 To Cor. No. 2.

A pine post 4 ft. long, 4 ins. square, set 2 ft. in the ground, with mound of stones, scribed 2-Mag-4-2777.

Adjacent to Cor. No. 3 Mineral Farm #4 Lode, survey No. 2618, and on line 4-1 Big Iron #3 Lode, Survey No. 2618, at S. 47° 57' W., 746.74 ft., from Cor. No. 4.

-----  
 Thence N. 47° 43' E.

MAGNET #4 LODE- Continued.

Feet	
748.44	Intersect line 1-2, Magnet #6 Lode, of this survey. Also line 3-4 Big Iron #2 Lode, Survey No.2618, at N.12° 49' W., 166.19 and 3.48 ft. from corners No.1 and 4 respectively.
863.0	To center of wagon road.
1122.0	To center of wagon road.
1451.0	To Cor. No.3.
	On line 4-1 Magnet #6 Lode, of this survey, whence
	Cor. No.1 bears S. 37° 16' W., 797.50 ft.
	A redwood post, 4 ft. long, 4 ins, square, set 3 ft. in the ground, with mound of stones, scribed 3-Mag-4-2777.
	----- Thence S. 28° 26' E.
238.0	To center of wagon road.
305.77	To East end center.
	A redwood post 4 ft. long, 4 ins. square, set 3 ft. in the ground, with mound of stones, scribed 2777 on East and West sides.
608.59	Intersect line 1-2 Magnet #3 Lode, of this survey, whence
	Cor. No.1 bears S. 38° 21' W., 8.40 ft.
611.98	To Cor. No.4.
	Identical with Cor. No.1, Magnet #5 Lode, of this survey.
	A redwood post 4 ft. long, 4 ins. square, set 2 ft. in the ground, with mound of stones, scribed 4-Mag-4-2777 on the West side, 1-Mag-5-2777 on the East side.
	----- Thence S. 48° 26' W.
7.94	Intersect line 1-4, Magnet #3 Lode, of this survey, line 2-3, New Orleans Lode, Survey No.2618, whence
	Corners No.1 and 2 bear N. 28° 25' W., 1.90 ft.
1446.99	To Cor. No.1, the place of beginning.

-----  
All corners identical with location. Variation at all corners 14° 38' E

## SURVEY No.2777.

## MAGNET #5 LODE.

Beginning at Cor. No.1.

Identical with Cor. No.4, Magnet #4 Lode, of this survey, heretofore described under Magnet #4 Lode, of this survey.

whence

The E. 1/4 Cor. of Sec. 12, Township 1 N., Range 15 E., G. & S. R. B. & M., bears S. 56° 00' W., 2950.41 ft.

Cor. No.1, Magnet #3 Lode, of this survey, bears N. 61° 43' W., 7.7 ft.

Feet

-----  
Thence N. 28° 26' W.

- 3.39 Intersect line 1-2, Magnet #3 Lode, of this survey, at S. 38° 21' W., 1501.10 ft. from Cor. No.2.
- 306.21 To West end center, heretofore described under Magnet #4 Lode, of this survey.
- 373.98 To center of wagon road.
- 611.98 To Cor. No.2, on line 1-4, Magnet #6 Lode, of this survey.
- A redwood post 4 ft. long, 4 ins. square, set 2 ft. in the ground, with mound of stones, scribed 2-Mag-5-3777.
- No bearings available.
- Thence N. 37° 16' E.
- 709.86 To Cor. No.4, Magnet #6 Lode, of this survey.
- 1481.33 To Cor. No.3.
- A redwood post 4 ft. long, 4 ins. square, set 2 ft. in the ground, with mound of stones, scribed 3-Mag-5-3777.
- No bearings available.
- Thence S. 28° 26' E.
- 327.17 To East end center.
- A redwood post 4 ft. long, 4 ins. square, set 2 ft. in the ground, with mound of stones, scribed 3777 on the West side.
- 658.04 Intersect line 1-2 Magnet #3 Lode, of this survey, at

MAGNET #5 LODE - Continued.

Feet	S. 38° 21' W., 31.64 ft. from Cor. No.2.
654.44	To Cor. No.4.  A redwood post 4 ft. long, 4 ins. square, set 2 ft. in the ground, with mound of stones, scribed 4-M-5-2777 on the West side.  Cor. No.2, Magnet #3 Lode, of this survey, bears N. 16° 42' E., 41.03 ft.
	-----
	Thence S. 38° 47' W.
668.30	To center of wagon road.
1464.35	To Cor. No.1, the place of beginning.
	-----
	All corners identical with location. Variation at all corners 14° 38' E.
	-----
	<del>SURVEY No. 2777</del>
	<u>MAGNET #3 LODE.</u>
	Beginning at Cor. No.1.  A redwood post 4 ft. long, 4 ins. square, set 2 ft. in the ground, with mound of stones, scribed 1-Mag-3-2777.  Set adjacent to and to the East of Cor. No.2, New Orleans Lode, Survey No.2618.  whence  The E. 1/4 Cor. of Sec. 12, Township 1 N., Range 15 E., G. & S. R. B. & M., bears S. 55° 52' W., 2946.83 ft.  Cor. No.1, Magnet #5 Lode, of this survey, bears S. 61° 43' E., 7.7 ft.
	-----
	Thence N. 38° 21' E.
8.4	Intersect line 1-2 Magnet #5 Lode, and line 3-4 Magnet #4 Lode, of this survey, at N. 38° 26' W., 3.39 ft. from corners No.1 and 4.
809.4	To center of wagon road.
1477.86	Intersect line 3-4 Magnet #5 lode of this survey, whence Cor. No.4 brs. S. 28° 26' E. 16.40ft.
1509.5	To Cor. No.2.  A redwood post 4 ft. long, 4 ins. square, set 2



SURVEY No.2777.

MAGNET #3 LODE - Continued.

Feet	ft. in the ground, with mound of stones, scribed 2-M-3-2777, on the West side.
	Cor. No.4, Magnet #5 Lode, of this survey, bears S. 16° 42' W., 41.03 ft.
	----- Thence S. 28° 25' E.
23.75	To Cor. No.1, Copper Trust #3 Lode, of this survey.
253.79	To center of wagon road.
324.47	To East end center, heretofore described under Copper Trust #3 Lode, of this survey.
600.07	Intersect line 1-2, Copper Trust #2 Lode, of this survey, at N. 55° 52' E., 783.52 ft. from Cor. No.1.
605.79	To Cor. No.3, identical with Cor. No.4, Copper Trust #3 lode, of this survey, heretofore described under Copper Trust #3 Lode.
	----- Thence S. 38° 49' W:
405.03	To center of wagon road.
737.16	Intersect line 2-3, Magnet #1 Lode, and line 1-4 of Copper Trust #2 Lode, of this survey, at S. 53° 30' E., 234.96 ft. from corners No.1 and 2.
1504.3	To Cor. No.4. A redwood post 4 ft. long, 4 ins. square, set 2 ft. in the ground, with mound of stones, scribed 4-M-3-2777 on the East side.
	Set adjacent to Cor. No.3, New Orleans Lode, survey No.2618.
	whence
	A quartzite boulder marked 4-M-3-2777-B.R.X.N.O., bears N. 34° 01' E.,
	Black Peak bears S. 10° 7' W.
	----- Thence N. 28° 25' W.
199.72	Intersect line 1-2, Magnet #1 Lode, of this survey, whence Cor.No 2 brs. N. 34° 35' E., 682.11 ft.
294.01	To West end center.

SURVEY No. 2777.

MAGNET #3 LODE - Continued.

Feet.

A redwood post 4 ft. long, 4 ins. square, set 2 ft. in the ground, with mound of stones, scribed 2777 on the East side.

590.59 Intersect line 1-4 Magnet #4 Lode, at S. 48° 26' W., 7.94 ft. from Cor. No. 4.

592.49 To Cor. No. 1, the place of beginning.

-----  
All corners identical with location.  
Variation at all corners 14° 38' E.  
-----

SURVEY No. 2777.

<u>AREA</u>	<u>Acres.</u>
Total area Magnet lode - - - - -	20.554 ✓
Area in conflict with;	
California lode unsurveyed - - -	0.492 ✓
Moonlight lode, (Sur. No. 2618) - -	0.184 ✓
Magnet #1 lode, of this survey - -	1.386 ✓
-----	
Total area Magnet #1 lode - - - - -	19.084 ✓
Area in conflict with;	
Magnet lode, of this survey - - -	1.386 ✓
New Orleans lode (Sur. No. 2618) -	1.671 ✓
Magnet #3 lode, of this survey --	3.460 ✓
Keno lode, of this survey - - - -	0.111 ✓
-----	
Total area Magnet #2 lode - - - - -	14.888 ✓
Area in conflict with;	
Keno lode, of this survey - - - -	2.811 ✓
Copper Trust #2 lode, this survey -	0.212 ✓
Keno #2 lode, of this survey - - -	0.930 ✓
Copper Trust lode, of this survey -	0.131 ✓
-----	
Total area Magnet #3 lode - - - - -	19.078 ✓
Area in conflict with;	
Magnet #5 lode, of this survey - - -	0.308 ✓
Magnet #4 lode, of this survey - - -	0.001 ✓
Magnet #1 lode, of this survey - - -	3.460 ✓
Copper Trust #2 lode, this survey - -	2.038 ✓
-----	
Total area Magnet #4 lode - - - - -	19.515 ✓
Area in conflict with;	
Magnet #3 lode, of this survey - -	0.001 ✓
Magnet #6 lode, of this survey - -	1.167 ✓
Big Iron #2 lode (Sur. No. 2618) - -	0.026 ✓
New Orleans lode, (Sur. No. 2618) - -	0.030 ✓
-----	
Total area Magnet #5 lode - - - - -	19.624 ✓
Area in conflict with;	
Magnet #3 lode, of this survey - -	0.308 ✓

## SURVEY No 2777.

<u>AREA, continued.</u>	Acres.
Total area Magnet # 6 lode-----	20.044 ✓
Area in conflict with;	
Magnet # 4 lode of this sur-----	1.167 ✓
-----	
Total area Copper Trust lode-----	20.456 ✓
Area in conflict with;	
Copper Trust # 1 lode of this sur-----	0.661 ✓
Keno # 2 lode of this sur-----	1.154 ✓
Magnet # 2 lode of this sur-----	0.131 ✓
-----	
Total area Copper Trust # 1 lode-----	15.103 ✓
Area in conflict with;	
Keno # 2 lode of this sur-----	0.573 ✓
Copper Trust lode of this sur-----	0.661 ✓
Copper Trust # 4 lode of this sur-----	2.123 ✓
Copper Trust # 3 lode of this sur-----	0.410 ✓
-----	
Total area Copper Trust # 2 lode-----	18.691 ✓
Area in conflict with;	
Magnet # 3 lode of this sur-----	2.038 ✓
Copper Trust # 3 lode of this sur-----	6.375 ✓
Keno lode of this sur-----	0.423 ✓
Magnet # 2 lode of this sur-----	0.212 ✓
Keno # 2 lode of this sur-----	0.710 ✓
-----	
Total area Copper Trust # 3 lode-----	20.323 ✓
Area in conflict with;	
Copper Trust # 2 lode of this sur-----	0.375 ✓
Keno # 2 lode of this sur-----	0.384 ✓
Copper Trust No 1 lode of this sur-----	0.410 ✓
-----	
Total area Copper Trust # 4 lode-----	20.603 ✓
Area in conflict with;	
Copper Trust # 1 lode of this sur-----	2.123 ✓
-----	
Total area Keno lode-----	8.206 ✓

SURVEY No 2777.

Area continued.

Keno lode continued.

Area in conflict with;

Magnet # 1 lode of this sur-----0.111 ✓

Magnet # 2 lode of this sur----- 2.811 ✓

Copper Trust # 2 lode of this sur----- 0.423 ✓

-----  
Total area Keno #2 lode of this sur----- 7.435 ✓

Area in conflict with;

Magnet # 2 lode of this sur----- 0.930 ✓

Copper Trust # 2 lode of this sur----- 0.710 ✓

Copper Trust # 3 lode of this sur----- 0.384 ✓

Copper Trust # 1 lode of this sur----- 0.573 ✓

Copper Trust lode of this sur----- 1.154 ✓

COMMON CONFLICTS.

Copper Trust # 2 lode, Copper Trust # 3 lode and  
Keno #2 lode-----0.003 Acres. ✓

Copper Trust lode, Magnet # 2 lode and Keno  
#2 lode-----0.012 Acres ✓

Copper Trust # 1 lode, Keno #2 lode and  
Copper Trust # 3 lode----- 0.004 Acres. ✓

Copper Trust # 1 lode, Keno #2 lode and  
Copper Trust lode----- 0.010 Acres. ✓

Copper Trust # 2 lode, Keno #2 lode and  
Magnet # 2 lode----- 0.001. Acres. ✓

Copper Trust # 2 lode, Magnet # 2 lode and  
Keno lode----- 0.027 Acres. ✓

33

30

LODE LINES, SURVEY NO. 2777.

As near as can be determined from present developments, the veins of the several locations embraced in this survey extend as follows from their respective discoveries.

✓ MAGNET # 4 LODE: N. 47 degrees 57' E., 11.04 ft.,  
S. 47 degrees 57' W., 1438.5 ft.

✓ MAGNET # 6 LODE: N. 37 degrees 38' E., 31.32 ft.,  
S. 37 degrees 38' W., 1467.92 ft.

✓ MAGNET # 5 LODE: S. 38 degrees 02' W., 8.99 ft.,  
N. 38 degrees 02' E., 1463.58 ft.

✓ MAGNET # 3 LODE: S. 39 degrees 16' W., 75.5 ft.,  
N. 39 degrees 16' E., 1423.84 ft.

✓ COPPER TRUST # 3 LODE: S. 57 degrees 49' W., 11.83  
ft., N. 57 degrees 49' E., 1487.89 ft.

✓ COPPER TRUST # 4 LODE: S. 57 degrees 49' W., 241.76  
ft., N. 57 degrees 49' E., 1257.86 ft.

✓ MAGNET # 1 LODE: S. 35 degrees 27' W., 1474.98 ft.  
N. 35 degrees 27' E., 24.4 ft.

✓ COPPER TRUST # 2 LODE: S. 55 degrees 50' W., 45.55 ft.  
N. 55 degrees 50' E., 1454.25 ft.

✓ KENO # 2 LODE: S. 41 degrees 02' E., 189.31 ft.  
N. 41 degrees 02' W., 763.42 ft.

✓ COPPER TRUST # 1 LODE: S. 53 degrees 54' W., 881.67  
ft., N. 53 degrees 54' E., 618.33 ft.

✓ COPPER TRUST LODE: S. 55 degrees 12' W., 6.7 ft.,  
N. 55 degrees 12' E., 1488.95 ft.

✓ MAGNET # 2 LODE: S. 57 degrees 37' W., 7.8 ft.,  
N. 57 degrees 37' E., 1394.04 ft.

✓ KENO LODE: S. 40 degrees 19' W., 15.1 ft., N. 40  
degrees 19' E., 596.07 ft.

✓ MAGNET LODE: S. 34 degrees 53' W., 241.13 ft., N.  
34 degrees 53' E., 1258.87 ft.

EXPENDITURE OF \$500.00.

I certify that the value of the labor and the improvements made upon or for the benefit of each of the locations embraced in said survey by the claimant or its grantors is not less than \$500.00 and that said improvements consist of;

COPPER TRUST #2 ~~LODE~~.

No 1 discovery shaft, which is on the lode line, bears N. 55° 50' E., 45.55 ft., from a point on line 1-4, 241.44 ft. from Cor. No.4, size 4x6x10 ft. not timbered. Value \$ 50.00

No.2, the main shaft of the Superior & Globe Copper Co., a three compartment shaft; S.W. Cor. bears N. 29° 00' E. from Cor. No.4 of the Copper Trust #2 lode, 464.57 ft.;

Depth of shaft 650.00 ft.  
Size of shaft 6x15 ft.

Drifting on this 650 ft. level as follows:

Beginning at shaft or Station No.1.

Thence S. 61° 15' E (Magnetic bearing) 261.82 ft. to face of drift Station No.2.

From Station No.1.

N. 61° 15' W., (Magnetic bearing) 212.14 ft. to Station No.3 intersection of drifts.

Thence N. 20° 30' E., 55.49 ft. to Station No.4.

Thence N. 1° 15' W., 44.28 ft. to Station No.5.

Thence N. 38° 46' E., 58.7 ft. to face Station

No.6.

From Station No.3.

S. 20° 30' W., 22.69 ft. to crosscut Station No.7. 141.75 ft., same bearing, ~~141.75 ft.~~ to face Station No.8.

From Station No.7.

N. 66° 09' W., 51.98 ft. to winze 4' x 5', 81 ft. deep.

From Station No.3.

N. 61° 15' W., 110.13 ft. to face.

VALUE - \$28,000.00.

This shaft sunk for the benefit and development of entire group.

1/14 undivided interest in this improvement

Value \$8,000.00

No.3, a tunnel running Northeast and Southwest, 4x7x58 ft., bears S. 70° 51' W. <sup>382.90 ft.</sup> from a point on line 2-3, 299.26 ft., from Cor. No.2. Value \$ 400.00

No.4, an open cut *which bears 568° 37' W, 362.10 ft.* *From same pt* size 4x9x12 ft. Value \$ 55.00

No.5, an open cut *which bears 572° 05' west 399.62 ft.* *From same point,* size 4x8x12 ft. Value \$ 55.00

No.6, a shaft which bears N. 1° 58' E., 158.6 ft. from a point on line 1-4, 241.44 ft. from Cor. No.4, size 6x6x12 ft. Value \$ 60.00

No.7, an open cut which bears S. 70° 30' W., 435 ft. from Cor. No.3, size 6x6x20 ft. Value \$ 75.00

?  
with

## EXPENDITURES CONTINUED.

## MAGNET #6.

The Discovery Shaft No. 1 of the Magnet #6 lode on the lode line bears S. 37° 38' W., 31.32 ft. from a point on line 4-3, 388.27 ft. from Cor. No. 3, size 4x6x10 ft., not timbered.

Value \$ 40.00

No. 2 Shaft, which bears N. 51° 55' E., 356.8 ft. from a point on line 1-2, 375.68 ft. from Cor. No. 1, size 4x6x10 ft., not timbered.

Value \$ 45.00

An undivided 1/14 interest in improvement No. 2 of the Copper Trust #3 <sup>lode</sup> heretofore described.

Value \$2000.00

## MAGNET #4.

No. 1, the Discovery Shaft of the Magnet #4 lode, is on the lode line and bears S. 47° 57' W., 11.04 ft., from a point on line 3-4, 305.77 ft. from Cor. No. 3, size 4x6x10 ft., not timbered.

Value \$ 45.00

No. 2 Shaft bears S. 86° 38' W., 174.3 ft., from this same point, size 4x6x10 ft., not timbered.

Value \$ 45.00.

No. 3, an open cut, the face of which bears N. 87° 16' W., 32 ft. from Cor. No. 4, size 4x7x12 ft., not timbered.

Value \$ 40.00

An undivided 1/14 interest in improvement No. 2 of the Copper Trust #3 <sup>lode</sup> heretofore described.

Value \$2000.00

## MAGNET #5.

No. 1 Discovery Shaft, which is on the lode line, bears N. 38° 02' E., 8.99 ft., from a point on line 1-2, 306.21 ft., from Cor. No. 1, size 4x6x10 ft., not timbered.

Value \$ 50.00

No. 2 Shaft, which bears N. 54° 48' E., 672.7 ft. from this same point, size 4x6x10 ft., not timbered.

Value \$ 50.00

No. 3, a tunnel, the mouth of which bears N. 51° 16' E., 425.00 ft. from Cor. No. 2, size 5x7 ft., running



## EXPENDITURES CONTINUED.

MAGNET #5 -- Continued.

S. 18° 40' E., 50 ft., not timbered. Value \$ 300.00

An undivided 1/14 interest in improvement No.2  
Copper Trust #2<sup>lode</sup> heretofore described. Value \$2000.00

## MAGNET #3.

No.1, a discovery cut on lode line which bears N.  
39° 16' E., 75.5 ft. from a point on line 1-4, 294.01  
ft. from Cor. No.4, 4x9x12 ft., not timbered. Value \$ 50.00

No.2, a shaft which bears N. 25° 10' E., 480 ft.  
from this same point, 4x6x10 ft., not timbered. Value \$ 45.00

An undivided 1/14 interest in improvement No.3  
Copper Trust #2<sup>lode</sup> heretofore described. Value \$2000.00

## MAGNET #1.

No.1, a discovery shaft on lode line, which bears  
S. 35° 27' W., 34.4 ft. from a point on line 2-3, 300.2  
ft. from Cor. No.2, 4x6x10 ft., not timbered. Value \$ 40.00

No.2, a shaft which bears S. 35° 34' W., 679.04  
ft. from Cor. No.3, size 4x6x10 ft., not timbered. Value \$ 40.00

An undivided 1/14 interest in improvement No.2  
Copper Trust #2<sup>lode</sup> heretofore described, Value \$2000.00

## MAGNET.

No.1, <sup>Dis.</sup> a shaft and tunnel, on lode line, which  
bears N. 34° 53' E., 241.13 ft., from a point on line  
1-4, 301.26 ft. from Cor. No.4, tunnel running N. 34°  
53' E., 37 ft.; shaft 4x6x45 ft., inclined at 50 degrees. Value \$ 800.00

No.2, a shaft on lode line, which bears S. 34° 53'  
W., 51 ft. from a point on line 2-3, 299.32 ft. from Cor.  
No.2, 4x6x10 ft., not timbered. Value \$ 50.00

No.3, a shaft which bears S. 58° 23' W., 520 ft.  
from Cor. No.3, 5x5x30 ft., inclined at 60°. Value \$ 150.00

An undivided 1/14 interest in improvement No.2

## EXPENDITURES CONTINUED.

MAGNET -----Continued.

Copper Trust #2<sup>lode</sup> heretofore described. Value \$2000.00

## KENO.

No.1 discovery shaft on lode line, which bears N. 40° 19' E., 15.1 ft., from a point on line 1-4, 300.40 ft. from Cor. No.4, size 4x6x10 ft., not timbered. Value \$ 50.00

An undivided 1/14 interest in improvement No.3 Copper Trust #2<sup>lode</sup> heretofore described. Value \$2000.00

## COPPER TRUST #3.

No.1, a discovery shaft on lode line, bearing N. 57° 49' E., 11.83 ft. from a point on line 1-4, 281.32 ft., from Cor. No.4, size 4x6x10 ft., not timbered. Value \$ 50.00.

No.2, a shaft which bears N. 52° 27' E., 450.6 ft. from this same point, size 5x6x15 ft., not timbered. Value \$ 50.00

No.3, a shaft which bears N. 43° 08' E., 190.49 ft. from Cor. No.4, size 4x6x10 ft., not timbered. Value \$ 50.00

No.4 a shaft which bears N. 52° 27' E., 490.6 ft. from this same point, size 4x6x10 ft., not timbered. Value \$ 50.00

An undivided 1/14 interest in improvement No.2 Copper Trust #2<sup>lode</sup> heretofore described. Value \$2000.00

## COPPER TRUST #4.

No.1, the discovery shaft, is on the lode line and bears N. 57° 49' E., 241.76 ft., from a point on line 1-4, 300.08 ft. from Cor. No.4, size 4x6x10 ft., not timbered. Value \$ 40.00

No.2, an open cut which bears N. 64° 53' E., 378 ft. from this same point, size 4x8x12 ft., not timbered. Value \$ 50.00

No.3, a tunnel whose mouth bears S. 41° 23' W., 382 ft. from Cor. No.2, and runs in an easterly and westerly direction 20ft., size 5x7 ft., not timbered. Value \$ 125.00

## EXPENDITURES CONTINUED.

## COPPER TRUST #4.

An undivided 1/14 interest in improvement No.2  
Copper Trust #2<sup>lode</sup> heretofore described. Value \$2000.00.

## COPPER TRUST #1.

No.1, discovery, open cut and tunnel, is on the  
lode line bearing N. 53° 54' E., 881.67 ft., from a  
point on line 1-4, which is 181.67 ft. from Cor. No.4,  
size 4x7 ft. and in 30 ft., not timbered. Value \$ 175.00

No.2, a shaft which bears N. 57° 51' E., 880 ft.  
from a point on line 1-4, 181.67 ft. from Cor. No.4,  
size 8x10x15ft. not timbered. Value \$ 75.00

No.3, a shaft which bears N. 57° 51' E., 910 ft.  
from this same point, size 6x8x10 ft., not timbered.  
Value \$ 50.00

No.4, a shaft which bears N. 62° 13' E., 885 ft.,  
from this same point, size 5x5x10 ft., not timbered.  
Value \$ 40.00

No.5, a shaft which bears N. 65° 08' E., 913 ft.  
from this same point, size 5x6x10 ft., not timbered.  
Value \$ 40.00

No.6, an open cut whose face bears N. 85° 08' W.,  
61 ft., from Cor. No.3, size 3x8x12 ft., not timbered.  
Value \$ 45.00

An undivided 1/14 interest in improvement No.2  
Copper Trust #2<sup>lode</sup> heretofore described. Value \$2000.00

## COPPER TRUST.

No.1 discovery shaft, which is on the lode line,  
bearing N. 55° 12' E., 6.7 ft. from a point on line 1-4  
292.95 ft. from Cor. No.4, size 4x6x10 ft., not timber-  
ed. Value \$ 40.00

No.2, a tunnel whose mouth bears S. 69° 46' E.,  
305.65 ft., from this point on line 1-4; 292.95 ft.  
from Cor. No.4; tunnel bears N.E. and S.W. running in  
84 ft., has drift 16 ft. long, size 4x8 ft., not  
timbered. Value \$ 500.00

COPPER TRUST - Continued.

No.3, a shaft which bears N. 59° 55' E., 863 ft. from this point on line 1-4, 292.95 ft. from Cor. No.4, size 4x6x10 ft., not timbered. Value \$40.00

An undivided 1/14 interest in improvement No.2 Copper Trust #3<sup>lode</sup> heretofore described. Value \$2000.00

KENO. #2.

No.1 discovery cut is on the lode line and bears N. 41° 02' W., 189.31 ft. from a point on line 3-4, 109.31 ft. from Cor. No.3, size 4x6x12 ft., not timbered. Value \$ 50.00

No.2 a shaft which bears N. 7° 51' W., from Cor. No.4, 210 ft., size 4x6x12 ft., not timbered. Value \$ 45.00

No.3 a shaft which bears S. 16° 12' E., 194.7 ft. from Cor. No.2, size 4x6x10 ft., not timbered. Value \$ 40.00

An undivided 1/14 interest in improvement No.2 Copper Trust #3<sup>lode</sup> heretofore described. Value \$2000.00

MAGNET #2.

No.1, the discovery, a tunnel on the lode line, which bears N. 57° 37' E., 7.8 ft. from a point on line 1-4; 282.82 ft. from Cor. No.4; size 4x8x20 ft. Value \$ 65.00

No.2, a shaft which bears S. 42° 59' W., 175 ft. from a point on line 2-3; 245.66 ft. from Cor. No.2; size 4x6x10 ft. Value \$ 40.00

No.3, a shaft which bears S. 56° 30' W., 695 ft. from Cor. No.2, size 5x6x6 ft. Value \$ 20.00

No.4, a shaft which bears S. 53° 16' W., 670 ft. from Cor. No.2, size 4x6x7 ft. Value \$20.00

No.5, a shaft which bears S. 49° 15' W., 630 ft. from Cor. No.2, size 5x6x10 ft. Value \$ 40.00

No.6, a shaft which bears S. 73° 21' W., 182 ft. from a point on line 2-3; 245.66 ft. from Cor. No.2; size 6x12x20 ft. Value \$ 75.00

An undivided 1/14 interest in improvement No.2 Copper Trust #3<sup>lode</sup> heretofore described. Value \$2000.00

REPORT.

The lode line of each location of this survey was run directly upon the ground and the several corners established by means of offsets from the lode lines.

The East one-quarter Cor. of Sec. 13, Township 1 N., Range 15 East, G. & S. R. B. & M., is a dacite boulder 0.85 Ft. out of the ground, 0.45 ft. wide and 0.55 ft. broad.  $\frac{1}{4}$  chiseled on the West side.

## Survey No. 2618:

All corners are pine posts properly set and scribed with the number of the corner and survey. I find all *COURSES* and distances to be correct as approved.

## Survey No. 842:

All corners are pine posts properly set and scribed with the number of the corner and survey. I find all distances correct as approved.

INSTRUMENT.

This survey was made with a light mountain Gurley transit. The courses were deflected from the true meridian as determined with the Burt solar attachment. The distances were measured with a 100 foot and 300 foot steel tape.

LOCATION.

This survey is located on unsurveyed ground, what would be, if surveyed, sections 2, 10 and 11, Township 1 North, Range 15 $\frac{1}{2}$  East, Gila & Salt River Base and Meridian, in Globe Mining District, Gila County, Arizona, and is in the Crook National Forest.

ADJOINING CLAIMS.

This group is joined on the North by the Big Iron #2 Lode, survey No. 2618, U. S. Grant, unsurveyed, and by the Rattler Group, unsurveyed; on the East by unknown claims; on the South by the California <sup>and California No. 2,</sup> unsurveyed, and unknown claims; on the West by Yuma <sup>Copper Mine</sup> Lode, Survey No. 842, Moonlight Lode, Survey No. 2618, New Orleans Lode, Survey No. 2618, Mineral Farm #4 Lode, Survey No. 2618.

OTHER - IMPROVEMENTS.

A frame and sheet iron blacksmith shop, size 10x14, the S.W. Cor. of which bears N. 4° 36' W., 224.1 ft. from Cor. No. 2 Keno lode.

A timber shed, 12x30 ft., frame and sheet iron, the S.W. Cor. bears N. 20° 14' W., 182.53 ft. from Cor. No. 2 Keno lode.

Mine office, two room frame house, 10x20 ft., the S.E. Cor. of which bears N. 44° 40' W., 86.08 ft. from

## OTHER IMPROVEMENTS-Continued.

Cor. No. 2 Keno lode.

The engine house, a frame and sheet iron building, 20'x30ft., the S.W. Cor. of which bears N. 32° 44' E., 103.6 ft. from Cor. No. 2, Keno lode.

# FINAL OATHS FOR SURVEYS.

## LIST OF NAMES.

A list of the names of the individuals employed by B. F. Van Wagenen

United States Mineral Surveyor, to assist in running, measuring, and marking the lines, corners, and boundaries described in the foregoing field notes of the survey of the mining claim of \_\_\_\_\_

Superior & Globe Copper Company.

known as the Magnet, Magnet #1-6 inc. Copper Trust, Copper Trust #1-4 inc. Heno and Heno #2, and showing the respective capacities in which they acted.

Chas. L. Clark, Chainman.

\_\_\_\_\_, Chainman.

\_\_\_\_\_, Axman.

\_\_\_\_\_, Flagman.

## FINAL OATHS OF ASSISTANTS.

We, <sup>has</sup> Chas. L. Clark

and \_\_\_\_\_, do solemnly swear that we assisted B. F. Van Wagenen

\_\_\_\_\_, United States Mineral Surveyor, in marking the corners and surveying

the boundaries of the mining claim of Superior & Globe

Copper Company.

known as the Magnet, Magnet #1-6 inc. Copper Trust, Copper Trust #1-4 inc. Heno and Heno #2, represented in the foregoing field notes as having been surveyed by said mineral surveyor and under his

direction; and that said survey has been in all respects, to the best of our knowledge and belief, faithfully

and correctly executed, and the corner and boundary monuments established according to law and the instruc-

tions furnished by the United States Surveyor-General for Arizona

Chas. L. Clark, Chainman.

\_\_\_\_\_, Chainman.

\_\_\_\_\_, Axman.

\_\_\_\_\_, Flagman.

Subscribed and sworn to by the above-named persons before me this 28th

day of November, 1911

My commission expires August 17th 1912

Charles S. Whitaker

Notary Public

In and for Gila County, Territory of Arizona

(4-686.)

FINAL OATH OF U. S. DEPUTY MINERAL SURVEYOR

I, B. F. Van Wagener, U. S. Deputy Mineral Surveyor, do solemnly swear that, in pursuance of instructions received from the United States Surveyor General for Arizona, dated Aug 8<sup>th</sup> 1910, I have, in strict conformity to the laws of the United States, the official regulations and instructions thereunder, and the instructions of said Surveyor General, faithfully and correctly executed the survey of the Mining Claim of Superior & Globe Copper Company, known as the Magnet Magnet #16 inc. Copper Trust Copper Trust #1-4 inc Heno and Heno #2 situate in Globe Mining District, Gila County, Arizona, in Sections 2, 11 10, Township No. 1-N, Range No. 15<sup>th</sup> E G<sup>th</sup> S. T. D<sup>th</sup> M. U. S., and designated as Survey No. 2777, as represented in the foregoing field notes, which accurately show the boundaries of said mining claim as distinctly marked by monuments on the ground, and described in the attached copy of the location certificate, which was received by me from the Surveyor General with said instructions, and that all the corners of said survey have been established and perpetuated in strict accordance with the law, official regulations and instructions thereunder; and I do further solemnly swear that the foregoing are the true and original field notes of said survey and my report therein, and that the labor expended and improvements made upon said mining claim by claimant or its grantors are as therein fully stated, and that the character, extent, location and itemized value thereof are specified therein with particularity and full detail, and that no portion of said labor or improvements so credited to this claim has been included in the estimate of expenditures upon any other claim.

B. F. Van Wagener  
U. S. Deputy Mineral Surveyor.

Subscribed and sworn to by the said B. F. Van Wagener  
U. S. Deputy Mineral Surveyor, before me Charles K. Whitclur, a Notary  
Public in & for Gila County, Territory of Arizona this 7<sup>th</sup>  
day of November, 1911,

Charles K. Whitclur  
Notary Public  
In & for Gila County, Territory of Arizona

My Commission expires August 17<sup>th</sup> 1912  
o 3-164



AUG 1- 1910

AMENDED  
NOTICE OF MINING LOCATION  
LODE CLAIM.

TO ALL WHOM IT MAY CONCERN:

This Mining Claim, the name of which is the KENO Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purposes of exploration and purchase by Superior & Globe Copper Company, a Corporation of Arizona, the undersigned, on the 18th. day of July, 1910.

The length of this claim is 611.17 feet, and we claim 15.1 feet, in a S.W. direction and 596.07 feet in a N.E. direction from the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with 300 feet in width of the surface grounds, on each side of the center of said claim. The general course of the lode deposit and premises is from the N.E. to the S.W.

The claim is situated and located in the Globe Mining District, in Gila County, in the Territory of Arizona, about 4 miles in a Northerly direction from Globe and about threequarters of a mile in a Northerly direction from Black Peak.

The surface boundaries of the claim are marked upon the ground as follows: Beginning at - - at a point in a S.W. direction 15.1 feet from the discovery shaft (at which this notice is posted), being in the center of the W. end line of said claim; thence S. 51° 52' E. 300.4 feet to a 4x4 post, being the S.W. corner of said claim; thence N. 38° 50' E. 611.2 feet to a 4x4 post being at the S.E. corner of said claim; thence N. 51° 52' E. 284.99 feet to a 4x4 post at the center of the E. end of said claim; thence N, 51° 52' W. 285 feet to a 4x4 post being at the N.E. corner of said claim; thence S. 41° 39' W. 611.88 feet to a 4x4 post at the N.W. corner of said claim; thence S. 51° 52' E. 299.32 feet to the place of beginning.

All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of the United States, and of an Act of the General Assembly of Arizona, entitled "An Act to Revise and Codify the Laws of the Territory of Arizona," approved March 16, 1901.

This is an Amended Location Notice of the Keno Mining Claim, located by Walter H. Webster on the 12th. day of January, 1909, and recorded in Book 18 of Records of Mines, at page 289, in the office of the County Recorder of the aforesaid County of Gila, to which reference is hereby made, and this Amended Location Notice is made and posted to correct errors in the description in the said original Location Notice.

Dated and posted on the ground this 18th. day of July, 1910.

Superior & Globe Copper Company,  
by H.V. Snell, Agent.

Filed and recorded at the request of E.T. Satchell at 30 minutes past 11 o'clock A.M. on the 18 day of July, A.D. 1910.  
E.T. STEWART, County Recorder.

Territory of Arizona, )  
: SS.

County of Gila. ) I, E.T. STEWART, County Recorder in and for the County of Gila, Territory of Arizona, do hereby certify that the above and foregoing contains and constitutes a full, true and correct copy of the Location Notice of the Keno Mining Claim, as the same appears of record in my office in Book 15, Records of Mines, at page 511; that I have compared the same with the original record, and that the same is a true transcript and of the whole thereof.

Given under my hand and seal of office this 20 day of July, A.D. 1910.

*E. T. Stewart*  
County Recorder.

AMENDED  
NOTICE OF MINING LOCATION  
LODE CLAIM.

AUG 1-1910

TO ALL WHOM IT MAY CONCERN:

This Mining Claim, the name of which is the KENO #2 Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits was entered upon and located for the purposes of exploration and purchase by Superior & Globe Copper Company, a corporation of Arizona, the undersigned, on the 18th. day of July, 1910.

The length of this claim is 952.73 feet, and we claim 763.42 feet, in a Northerly direction and 189.31 feet in a South-erly direction from the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with 300 feet in width of the surface grounds, on each side of the center of said claim. The general course of the lode deposit and premises is from the North to the South.

The claim is situated and located in the Globe Mining District, in Gila County, in the Territory of Arizona, about 4 miles in a Northerly direction from Globe, and about three-quarters of a mile in a Northerly direction from Black Peak.

The surface boundaries of the claim are marked upon the ground as follows: Beginning at - - at a point in a South direction 189.31 feet from the discovery shaft (at which this notice is posted), being in the center of the S. end line of said claim; thence N, 58° 35' E. 109.21 feet to a 4x4 post, being the N.E. corner of said claim; thence N, 34° 07' W. 940.41 feet to a 4x4 post, being at the N.W. corner of said claim; thence S. 58° 35' W. 224.06 feet to a 4x4 post at the center of the S.E. end of said claim; thence N. 58° 35' W. 158.40 feet to a 4x4 post, being at the S.W. corner of said claim; thence S. 43° 21' E. 960.10 feet to a 4x4 post at the S.E. corner of said claim; thence N. 58° 35' E. 158.40 feet to the place of beginning.

All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of the United States, and of an Act of the General Assembly of Arizona, entitled "An Act to Revise and Codify the Laws of the Territory of Arizona" approved March 16, 1901.

This is an Amended Location Notice of the Keno #2 Mining Claim, located by Walter H. Webster on the 20th. day of January 1909 and recorded in Book 18 of Records of Mines, at page 310, in the office of the County Recorder of the aforesaid County of Gila, to which reference is hereby made, and this Amended Location Notice is made and posted to correct errors in the description in the said original Location Notice.

Dated and posted on the ground this 18th. day of July, 1910.

Superior & Globe Copper Company,  
by H.V. Snell, Agent.

Filed and recorded at the request of E.T. Satchell at 30 minutes past 11 o'clock A.M. on the 18 day of July, A.D. 1910.  
E.T. STEWART, County Recorder.

Territory of Arizona, )  
: SS.

) I, E.T. STEWART, County Recorder in and for the County of Gila, Territory of Arizona, do hereby certify that the above and foregoing contains and constitutes a full, true and correct copy of the Amended Location Notice of the KENO #2 Mining Claim, as the same appears of record in my office, in Book 15, Records of Mines, at page 512; that I have compared the same with the original record, and that the same is a true transcript and of the whole thereof.

GIVEN under my hand and seal of office, this 20 day of July, A.D. 1910.

*E. T. Stewart*  
County Recorder.

3

43

AUG-1910

AMENDED  
NOTICE OF MINING LOCATION  
LODE CLAIM.

TO ALL WHOM IT MAY CONCERN:

This Mining Claim, the name of which is the Magnet Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purposes of exploration and purchase by The Superior and Globe Copper Company the undersigned, on the -- day of -- 19--.

The length of this claim is 1500 feet, and we claim 246.4 feet, in a westerly direction and 1253.6 feet in a easterly direction from the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with 300 feet in width of the surface grounds, on each side of the center of said claim. The general course of the lode deposit and premises is from the southwest to the northeast.

The claim is situated and located in the Globe Mining District, in Gila County, in the Territory of Arizona, about three miles in a northerly direction from the City of Globe.

The surface boundaries of the claim are marked upon the ground as follows: Beginning at - - - at a point in a westerly direction 246.4 feet from the discovery shaft (at which this notice is posted), being in the center of the west end line of said claim; thence S.51°41'E. 300 feet to a 4 x 4 monument, being the southwest corner of said claim; thence N.36°01'E. 1500 feet to a 4 x 4 monument, being at the southeast corner of said claim; thence N.51°41'W. 300 feet to a 4 x 4 monument at the center of the east end of said claim; thence N.51°41'W. 300 feet to a 4 x 4 monument, being at the northeast corner of said claim; thence S.34°35'W. 1500.6 feet to a 4 x 4 monument at the northwest corner of said claim; thence S.51°41'E. 289.05 feet to the place of beginning.

All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of the United States, and of an Act of the General Assembly of Arizona, entitled "An Act to Revise and Codify the Laws of the Territory of Arizona," approved March 16, 1901.

This is an Amended Location Notice of the Magnet Mining Claim, located by C. E. Taylor and Geo. Goodwin on the 26th day of April 1906, and recorded in Book 9 of Records of Mines, at page 39; in the office of the County Recorder of the aforesaid County of Gila, to which reference is hereby made and this amended Location Notice is made and posted to correct errors in the description in the said original Location Notice.

Dated and posted on the ground this 21st day of January 1910.

Superior and Globe Copper Co.,  
by H. V. Snell Agent.

Filed and recorded at the request of H. V. Snell at 10 minutes past 1 o'clock P. M. on the 2 day of February A.D. 1910.

E. T. Stewart County Recorder.

Territory of Arizona,)

:ss.

County of Gila. )

I, E. T. Stewart, County Recorder in and for the County of Gila, Territory of Arizona, do hereby certify that the above and foregoing contains and constitutes a full, true and correct copy of Amended Location Notice of the "MAGNET" Mining Claim, as the same appears of record in my office in Book 15, Records of Mines, at page 460; that I have compared the same with the original record and that the same is a true transcript and of the whole thereof.

Given under my hand and seal of office this 5th day of August A.D. 1910.

E. T. Stewart County Recorder.

AMENDED  
NOTICE OF MINING LOCATION  
LODE CLAIM.

TO ALL WHOM IT MAY CONCERN:

APR 1 - 1910

This Mining Claim, the name of which is the MAGNET #1 Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purposes of exploration and purchase by Superior & Globe Copper Company, a Corporation of Arizona, the undersigned, on the 18th. day of July, 1910.

The length of this claim is 1499.38 feet, and we claim 24.4 feet, in a N.E. direction and 1474.98 feet in a S.W. direction from the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with 300 feet in width of the surface grounds, on each side of the center of said claim. The general course of the lode deposit and premises is from the N.E. to the S.W.

The claim is situated and located in the Globe Mining District, in Gila County, in the Territory of Arizona, about 4 miles in a Northerly direction from Globe and three-quarters of a mile in a Northerly direction from Black Peak.

The surface boundaries of the claim are marked upon the ground as follows: Beginning at - - at a point in a S.W. direction 1474.98 feet from the discovery shaft (at which this notice is posted), being in the center of the W. end line of said claim; thence S. 53° 30' E. 290.46 feet to a 4x4 post being the S.W. corner of said claim; thence N. 33° 36' E. 1500.5 feet to a 4x4 post being at the S.E. corner of said claim; thence N. 35° 30' W. 241.44 feet to a 4x4 post at the center of the E. end of said claim; thence N. 35° 30' W. 300.2 feet to a 4x4 post being at the N.E. corner of said claim; thence S. 34° 35' W. 1500 feet to a 4x4 post at the N.W. corner of said claim; thence S. 53° 30' E. 277.14 feet to the place of beginning.

All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of the United States, and of an Act of the General Assembly of Arizona, entitled "An Act to Revise and Codify the Laws of the Territory of Arizona," approved March 16, 1901.

This is an Amended Location Notice of the Magnet #1 Mining Claim, located by C.E.Taylor and Geo. Goodwin on the 26th. day of April, 1906, and recorded in Book 12, of Records of Mines, at page 43, in the office of the County Recorder of the aforesaid County of Gila, to which reference is hereby made and this Amended Location Notice is made and posted to correct errors in the description in the said original Location Notice.

Dated and posted on the ground this 18th. day of July, 1910.

Superior & Globe Copper Company,  
by E.V.Snell, Agent.

Filed and recorded at the request of E.T.Satchell at 30 minutes past 11 o'clock A.M. on the 18 day of July, A.D. 1910.

E.T.STEWART, County Recorder.

Territory of Arizona, )  
                                  : SS.  
County of Gila.            )

I, E.T.STEWART, County Recorder in and for the County of Gila, Territory of Arizona, do hereby certify that the above and foregoing contains and constitutes a full, true and correct copy of the Amended Location Notice of the MAGNET #1 Mining Claim, as the same appears of record in my office, in Book 15, Records of Mines, at page 513; that I have compared the same with the original records, and that the same is a true transcript and of the whole thereof.

GIVEN under my hand and seal of office, this 20 day of July, A.D. 1910.

*E. T. Stewart*  
County Recorder.

AMENDED  
NOTICE OF MINING LOCATION  
LODE CLAIM.

AUG 1 - 1910

TO ALL WHOM IT MAY CONCERN:

This Mining Claim, the name of which is the MAGNET #2<sup>1910</sup> Mining Claim, situated on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purposes of exploration and purchase by Superior & Globe Copper Company, a Corporation of Arizona, the undersigned, on the 18th. day of July, 1910.

The length of this claim is 1401.84 feet, and we claim 7.8 feet, in a S.W. direction and 1394.04 feet in a N.E. direction from the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with 300 feet in width of the surface grounds, on each side of the center of said claim. The general course of the lode deposit and premises is from the N.E. to the S.W.

The claim is situated and located in the Globe Mining District, in Gila County, in the Territory of Arizona, about 4 miles in a Northerly direction from Globe and Three-quarters of a mile in a Northerly direction from Black Peak.

The surface boundaries of the claim are marked upon the ground as follows; Beginning at , , , at a point in a S.W. direction 7.8 feet from the discovery shaft (at which this notice is posted), being in the center of the W. end line of said claim; thence S. 68° 17' E. 282.82 feet to a 4x4 post, being the S.W. corner of said claim; thence N.60° 04' E. 1446.4 feet to a 4x4 post being at the S.E. corner of said claim; thence N.68° 17' W. 358.57 feet to a 4x4 post at the center of the E. end of said claim; thence N. 68° 17' W. 245.66 feet to a 4x4 post, being at the N.E. corner of said claim; thence S. 57° 54' W. 1406.9 feet to a 4x4 post at the N.W. corner of said claim; thence S. 68° 17' E. 254.26 feet to the place of beginning.

All done under the provisions of Chapter Six, of Title XXXIII, of the Revised Statutes of the United States, and of an Act of the General Assembly of Arizona, entitled "An Act to Revise and Codify the Laws of the Territory of Arizona", approved March 16, 1901.

This is an Amended Location Notice of the Magnet #2 Mining Claim, located by Chas. Mueller on the 26th. day of January, 1903, and recorded in Book 9, of Records of Mines, at page 88, in the office of the County Recorder of the aforesaid County of Gila, to which reference is hereby made, and this Amended Location Notice is made and posted to correct errors in the description in the said original Location Notice.

Dated and posted on the ground this 18th. day of July, 1910.

Superior & Globe Copper Company,  
by H.V. Snell, Agent.

Filed and recorded at the request of E.T. Satchell at 30 minutes past 11 o'clock A.M., on the 18 day of July, A.D. 1910.  
E.T. STEWART, County Recorder.

Territory of Arizona, ?  
: SS.

County of Gila. ) I, E.T. STEWART, County Recorder in and for the County of Gila, Territory of Arizona, do hereby certify that the above and foregoing contains and constitutes a full, true and correct copy of the Amended Location Notice of the MAGNET #2 Mining Claim, as the same appears of record in my office in Book 15, Records of Mines, at page 514; that I have compared the same with the original records, and that the same is a true transcript and of the whole thereof.

GIVEN under my hand and seal of office, this 20 day of July, A.D. 1910.

*E. T. Stewart*  
County Recorder.

AMENDED  
NOTICE OF MINING LOCATION  
LODE CLAIM.

TO ALL WHOM IT MAY CONCERN:

July 1 - 1910

This Mining Claim, the name of which is the MAGNET #3 Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purposes of exploration and purchase by Superior & Globe Copper Company, a Corporation of Arizona, the undersigned, on the 18th. day of July, 1910.

The length of this claim is 1499.34 feet, and we claim 75.50 feet, in a S.W. direction and 1423.84 feet in a N.E. direction from the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with 300 feet in width of the surface grounds, on each side of the center of said claim. The general course of the lode deposit and premises is from the S.W. to the N.E.

The claim is situated and located in the Globe Mining District, in Gila County, in the Territory of Arizona, about 4 miles in a Northerly direction from Globe, and about three-quarters of a mile in a Northerly direction from Black Peak.

The surface boundaries of the claim are marked upon the ground as follows: Beginning at - - at a point in a S.W. direction S. 39° 16' W. 75.5 feet from the discovery shaft (at which this notice is posted), being in the center of the W. end line of said claim; thence S. 28° 25' E. 294.01 feet to a 4x4 post, being the S.W. corner of said claim; thence N. 34° 35' E. 1504.3 feet to a 4x4 post being at the S.E. corner of said claim; thence N. 28° 25' W. 281.32 feet to a 4x4 post at the center of the E. end of said claim; thence N. 28° 25' W. 324.47 feet to a 4x4 post, being at the N.E. corner of said claim; thence S. 38° 21' W. 1509.5 feet to a 4x4 post at the N.W. corner of said claim; thence S. 28° 25' E. 298.48 feet to the place of beginning.

All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of the United States, and of an Act of the General Assembly of Arizona, entitled "An Act to Revise and Codify the Laws of the Territory of Arizona", approved March 16, 1901.

This is an Amended Location Notice of the Magnet #3 Mining Claim, located by C.E. Taylor and Geo. Goodwin on the 26th. day of April 1906, and recorded in Book 12, of Records of Mines, at page 44, in the office of the County Recorder of the aforesaid County of Gila to which reference is hereby made, and this Amended Location Notice is made and posted to correct errors in the description in the said original Location Notice.

Dated and posted on the ground this 18th. day of July, 1910.

Superior & Globe Copper Company,  
by H.V. Snell, Agent.

Filed and recorded at the request of E.T. Satchell at 30 minutes past 11 o'clock A.M. on the 18 day of July, A.D. 1910.

E.T. STEWART, County Recorder.

Territory of Arizona, )  
: SS.

County of Gila. ) I, E.T. STEWART, County Recorder in and for the County of Gila, Territory of Arizona, do hereby certify that the above and foregoing contains and constitutes a full, true and correct copy of the Amended Location Notice of the MAGNET #3 Mining Claim, as the same appears of record in my office in Book 15, Records of Mines, at page 515; that I have compared the same with the original records, and that the same is a true transcript and of the whole thereof.

GIVEN under my hand and seal of office, this 20 day of July, A.D. 1910.

*E. T. Stewart*  
County Recorder.

7

47

AMENDED  
NOTICE OF MINING LOCATION  
LODE CLAIM.

AUG 1 - 1910

TO ALL WHOM IT MAY CONCERN:

This Mining Claim, the name of which is the MAGNET #4 Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purposes of exploration and purchase by Superior & Globe Copper Company, a Corporation of Arizona, the undersigned, on the 18th. day of July, 1910.

The length of this claim is 1449.54 feet, and we claim 1438.50 feet, in a S.W. direction and 11.04 feet in a N.E. direction from the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with 300 feet in width of the surface grounds, on each side of the center of said claim. The general course of the lode deposit and premises is from the S.W. to the N.E.

The claim is situated and located in the Globe Mining District, in Gila County, in the Territory of Arizona, about 4 miles in a Northerly direction from Globe and about three-quarters of a mile in a Northerly Direction from Black Peak.

The surface boundaries of the claim are marked upon the ground as follows: Beginning at - - at a point in a S.W. direction "S.47° 57' W. 1438.5 feet from the discovery shaft (at which this notice is posted), being in the center of the W. end line of said claim; thence N.28° 26' W. 299.54 feet to a 4x4 post, being the N.W. corner of said claim; thence N.47° 43' E. 1451.0 feet to a 4x4 post, being at the N.E. corner of said claim; thence S. 28° 26' E. 305.77 feet to a 4x4 post at the center of the E. end of said claim; thence S. 28° 26' E. 306.21 feet to a 4x4 post, being at the S.E. corner of said claim; thence S. 48° 26' W. 1446.99 feet to a 4x4 post at the S.W. corner of said claim; thence N. 28° 26' W. 294.96 feet to the place of beginning.

All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of the United States, and of an Act of the General Assembly of Arizona, entitled "An Act to Revise and Codify the Laws of the Territory of Arizona", approved March 16, 1901.

This is an Amended Location Notice of the Magnet #4 Mining Claim, located by C.E. Taylor and George Goodwin on the 26th. day of April 1906, and recorded in Book 12 of Records of Mines, at page 45, in the office of the County Recorder of the aforesaid County of Gila to which reference is hereby made, and this Amended Location Notice is made and posted to correct errors in the description in the said original Location Notice.

Dated and posted on the ground this 18th. day of July, 1910.

Superior & Globe Copper Company,  
by H.V. Snell, Agent.

Filed and recorded at the request of E.T. Satchell at 30 minutes past 11 o'clock A.M. on the 18 day of July, A.D. 1910.

E.T. Stewart, County Recorder.

Territory of Arizona, )

: SS.

County of Gila. )

I, E.T. STEWART, County Recorder in and for the County of Gila, Territory of Arizona, do hereby certify that the above and foregoing contains and constitutes a full, true and correct copy of the Amended Location Notice of the MAGNET #4 Mining Claim, as the same appears of record in my office in Book 15, Records of Mines, at page 516; that I have compared the same with the original records, and that the same is a true transcript and of the whole thereof.

GIVEN under my hand and seal of office, this 20 day of July, A.D. 1910.

  
County Recorder.

48

AMENDED  
NOTICE OF MINING LOCATION  
LODE CLAIM.

AUG 1 - 1910

TO ALL WHOM IT MAY CONCERN:

This Mining Claim, the name of which is the MAGNET #5 Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purposes of exploration and purchase by Superior & Globe Copper Company, a Corporation of Arizona, the undersigned, on the 18th. day of July, 1910.

The length of this claim is 1472.57 feet, and we claim 8.99 feet, in a S.W. direction and 1463.58 feet in a N.E. direction from the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with 300 feet in width of the surface grounds, on each side of the center of said claim. The general course of the lode deposit and premises is from the S.W. to the N.E.

The claim is situated and located in the Globe Mining District, in Gila County, in the Territory of Arizona, about 4 miles in a Northerly direction from Globe and about three-quarters of a mile in a Northerly direction from Black Peak.

The surface boundaries of the claim are marked upon the ground as follows: Beginning at - - at a point in a S.W. direction 8.99 feet from the discovery shaft (at which this notice is posted) being in the center of the W. end line of said claim; thence N.28° 26' W. 305.77 feet to a 4x4 post being the N.W. corner of said claim; thence N.37° 16' W. 1481.33 feet to a 4x4 post being at the N.E. corner of said claim; thence S. 28° 26' E. 327.17 feet to a 4x4 post at the center of the E. end of said claim; thence S. 28° 26' E. 327.27 feet to a 4x4 post being at the S.E. corner of said claim; thence S. 38° 47' W. 1464.35 feet to a 4x4 post at the S.W. corner of said claim; thence N. 28° 26' W. 306.21 feet to the place of beginning.

All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of the United States, and of An Act of the General Assembly of Arizona, entitled "An Act to Revise and Codify the Laws of the Territory of Arizona," approved March 16, 1901.

This is an Amended Location Notice of the Magnet #5 Mining Claim, located by C.E. Taylor and Geo. Goodwin on the 26th. day of April 1906, and recorded in Book 12 of Records of Mines, at page 46; in the office of the County Recorder of the aforesaid County of Gila, to which reference is hereby made, and this Amended Location Notice is made and posted to correct errors in the description in the said original Location Notice.

Dated and posted on the ground this 18th. day of July, 1910.

Superior & Globe Copper Company,  
by H.V. Snell, Agent.

Filed and recorded at the request of E.T. Satchell at 30 minutes past 11 o'clock A.M. on the 18 day of July, A.D. 1910.

E.T. Stewart, County Recorder.

Territory of Arizona, )

: SS.

County of Gila. ) I, E.T. STEWART, County Recorder in and for the County of Gila, Territory of Arizona, do hereby certify that the above and foregoing contains and constitutes a full, true and correct copy of the Amended Location Notice of the MAGNET #5 Mining Claim, as the same appears of record in my office in Book 15, Records of Mines, at page 517; that I have compared the same with the original records, and that the same is a true transcript, and of the whole thereof.

GIVEN under my hand and seal of office, this 12 day of July, A.D. 1910.

  
County Recorder.



AMENDED  
NOTICE OF MINING LOCATION  
LODE CLAIM.

AUG. 1 - 1910

TO ALL WHOM IT MAY CONCERN:

This Mining Claim, the name of which is the MAGNET #6 Mining claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purposes of exploration and purchase by Superior & Globe Copper Company, a Corporation of Arizona, the undersigned, on the 18th. day of July, 1910.

The length of this claim is 1499.24 feet, and we claim 31.32 feet, in a North easterly direction and 1467.92 feet in a S.W. direction from the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with 300 feet in width of the surface grounds, on each side of the center of said claim. The general course of the lode deposit and premises is from the S.W. to the N.E.

The claim is situated and located in the Globe Mining District, in Gila County, in the Territory of Arizona, about 4 miles in a Northerly direction from Globe and about three-quarters of a mile in a Northerly direction from Black Peak.

The surface boundaries of the claim are marked upon the ground as follows: Beginning at - - at a point in a S.W. direction 1467.92 feet from the discovery shaft (at which this notice is posted), being in the center of the W. end line of said claim; thence N. 12° 49' W. 383.63 feet to a 4x4 post, being the N.W. corner of said claim; thence N. 37° 30' E. 1502.00 feet to a 4x4 post being at the N.E. corner of said claim; thence S. 12° 49' E. 388.27 feet to a 4x4 post at the center of the E. end of said claim; thence S. 12° 49' E. 362.90 feet to a 4x4 post, being at the S.E. corner of said claim; thence S. 37° 16' W. 1507.36 feet to a 4x4 post at the S.W. corner of said claim; thence N. 12° 49' W. 375.61 feet to the place of beginning.

All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of the United States, and of an Act of the General Assembly of Arizona, entitled "An Act to Revise and Codify the Laws of the Territory of Arizona," approved March 16, 1901.

This is an Amended Location Notice of the Magnet #6 Mining Claim, located by C.E. Taylor and Geo. Goodwin on the 26th. day of April, 1906, and recorded in Book 12 of Records of Mines, at page 47, in the office of the County Recorder of the aforesaid County of Gila, to which reference is hereby made, and this Amended Location Notice is made and posted to correct errors in the description in the said original Location Notice.

Dated and posted on the ground this 18th. day of July, 1910.  
Superior & Globe Copper Company,  
by H.V. Snell, Agent.

Filed and recorded at the request of E.T. Satchell at 30 minutes past 11 o'clock A.M., on the 18 day of July, A.D. 1910.  
E.T. Stewart, County Recorder.

Territory of Arizona, )  
: SS.

County of Gila. ) I, E.T. STEWART, County Recorder in and for the County of Gila, Territory of Arizona, do hereby certify that the above and foregoing contains and constitutes a full, true and correct copy of the Amended Location Notice of the MAGNET #6 Mining Claim, as the same appears of record in my office in Book 15, Records of Mines, at page 518; that I have compared the same with the original records, and that the same is a true transcript, and of the whole thereof.

GIVEN under my hand and seal of office, this 20 day of July, A.D. 1910.

E. T. Stewart  
County Recorder.

AMENDED  
NOTICE OF MINING LOCATION  
LODE CLAIM.

JUL 1-1910

TO ALL WHOM IT MAY CONCERN:

This Mining Claim, the name of which is the COPPER TRUST Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purposes of exploration and purchase by Superior & Globe Copper Company, a Corporation of Arizona, the undersigned, on the 18th. day of July, 1910.

The length of this claim is 1495.65 feet, and we claim 67 feet, in a S.W. direction and 1488.95 feet in a N.E. direction from the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with 300 feet in width of the surface grounds, on each side of the center of said claim. The general course of the lode deposit and premises is from the S.W. to the N.E.

The claim is situated and located in the Globe Mining District, in Gila County, in the Territory of Arizona, about 4 miles in a Northerly direction from Globe and about three-quarters of a mile in a Northerly direction from Black Peak.

The surface boundaries of the claim are marked upon the ground as follows: Beginning at - - at a point in a S.W. direction S. 55° 12' W. 67 feet from the discovery shaft (at which this notice is posted), being in the center of the West end line of said claim; thence S. 37° 50' E. 292.95 feet to a 4x4 post, being the S.W. corner of said claim; thence N. 55° 29' E. 1496.06 feet to a 4x4 post being at the S.E. corner of said claim; thence N. 37° 50' W. 300.34 feet to a 4x4 post at the center of the E. end of said claim; thence N. 37° 50' E. 300.4 feet to a 4x4 post, being at the N.E. corner of said claim; thence S. 55° 10' W. 1495.60 feet to a 4x4 post at the N.W. corner of said claim; thence S. 37° 50' E. 299.52 feet to the place of beginning.

All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of the United States, and of an Act of the General Assembly of Arizona, entitled "An Act to Revise and Codify the Laws of the Territory of Arizona," approved March 16, 1901.

This is an Amended Location Notice of the Copper Trust Mining Claim, located by Geo. Goodwin on the 29th. day of May, 1902, and recorded in Book 7 of Records of Mines, at page 584, in the office of the County Recorder of the aforesaid County of Gila, to which reference is hereby made, and this Amended Location Notice is made and posted to correct errors in the description in the said original Location Notice.

Dated and posted on the ground this 18th. day of July, 1910.  
Superior & Globe Copper Company,  
by H.V. Snell, Agent.

Filed and recorded at the request of E.T. Satchell at 30 minutes past 11 o'clock A.M., on the 18 day of July, A.D. 1910.  
E.T. STEWART, County Recorder.

TERRITORY OF ARIZONA, }  
COUNTY OF GILA } ss.

I. E. T. STEWART, County Recorder in and for the County of Gila, Territory of Arizona, do hereby certify that the above and foregoing contain and constitute a full, true and correct copy of the Amended Location Notice of the "COPPER TRUST" Mining Claim, as the same appears of record in my office in Book 15, Records of Mines, at page 519; that I have compared the same with the original record, and that the same is a true transcript and of the whole thereof.

Given under my hand and seal of office this 20th. day of

July A. D. 1910.

*E. T. Stewart*  
County Recorder, Gila County, A. T.

AMENDED  
 NOTICE OF MINING LOCATION  
 LODE CLAIM.

AUG. 8-1910

TO ALL WHOM IT MAY CONCERN:

This Mining Claim, the name of which is the Copper Trust #1 Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purposes of exploration and purchase by The Superior and Globe Copper Company the undersigned, on the - - day of - - 19--.

The length of this claim is 1499.13 feet, and we claim 632.8 feet in a easterly direction and 866.33 feet in a westerly direction from the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with 300 feet in width of the surface grounds, on each side of the center of said claim. The general course of the lode deposit and premises is from the southwest to the northeast.

The claim is situated and located in the Globe Mining District, in Gila County, in the Territory of Arizona, about three miles in a northerly direction from the City of Globe and about three-quarters of a mile in a northerly direction from Black Peak.

The surface boundaries of the claim are marked upon the ground as follows: Beginning at - - - at a point in a easterly direction 632.8 feet from the discovery shaft (at which this notice is posted,) being in the center of the east end line of said claim; thence N.19°53'W. 240.32 feet to a 4 x 4 monument, being the northeast corner of said claim; thence S.55°37'W. 1497 feet to a 4 x 4 monument, being at the northwest corner of said claim; thence S.19°53'E. 278.54 feet to a 4 x 4 monument at the center of the west end of said claim; thence S. 19°53'E. 181.54 feet to a 4 x 4 monument, being at the southwest corner of said claim; thence N.55°09'E. 1491.00 feet to a 4 x 4 monument at the southeast corner of said claim; thence N.19°53'W. 212.15 feet to the place of beginning.

All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of the United States, and of an Act of the General Assembly of Arizona, entitled "An Act to Revise and Codify the Laws of the Territory of Arizona," approved March 16, 1901.

This is an Amended Location Notice of the Copper Trust #1 Mining Claim, located by Geo. Goodwin and C.E. Taylor on the 12th day of June 1906, and recorded in Book 12 of Records of Mines, at page 61, in the office of the County Recorder of the aforesaid County of Gila, to which reference is hereby made, and this amended Location Notice is made and posted to correct errors in the description in the said original Location Notice.

Dated and posted on the ground this 21st day of January 1910.

Superior and Globe Copper Co.  
 by H. V. Snell Agent.

Filed and recorded at the request of H.V. Snell at 10 minutes past 1 o'clock P.M. on the 2 day of February A.D. 1910.

E. T. Stewart County Recorder.

Territory of Arizona, )  
 :ss.  
 County of Gila. )

I, E. T. Stewart County Recorder in and for the County of Gila, Territory of Arizona, do hereby certify that the above and foregoing contains and constitutes a full, true and correct copy of Amended Location Notice of the "COPPER TRUST #1" Mining Claim, as the same appears of record in my office in Book 15, Records of Mines, at page 456; that I have compared the same with the original record, and that the same is a true transcript and of the whole thereof.

Given under my hand and seal of office this 5th day of August A.D. 1910.

E. T. Stewart County Recorder.

AMENDED  
NOTICE OF MINING LOCATION  
LODE CLAIM.

AUG. 1 - 1910

TO ALL WHOM IT MAY CONCERN:

This Mining Claim, the name of which is the COPPER TRUST #2 Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purposes of exploration and purchase by Superior & Globe Copper Company, a Corporation of Arizona, the undersigned, on the 18th. day of July, 1910.

The length of this claim is 1499.80 feet, and we claim 45.55 feet, in a S.W. direction and 1454.25 feet in a N.E. direction from the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with 300 feet in width of the surface grounds, on each side of the center of said claim. The general course of the lode deposit and premises is from the N.E. to the S.W.

The claim is situated and located in the Globe Mining District, in Gila County, in the Territory of Arizona, about 4 miles in a Northerly direction from Globe and three-quarters of a mile in a Northerly direction from Black Peak.

The surface boundaries of the claim are marked upon the ground as follows: Beginning at - - at a point in a S.W. direction S. 55° 50' W. 45.55 feet from the discovery shaft (at which this notice is posted), being in the center of the W. end line of said claim; thence S. 53° 30' E. 241.44 feet to a 4x4 post, being the S.W. corner of said claim; thence N. 58° 15' E. 1524.5 feet to a 4x4 post being at the S.E. corner of said claim; thence N. 53° 30' W. 309.43 feet to a 4x4 post at the center of the E. end of said claim; thence N. 53° 30' W. 299.26 feet to a 4x4 post being at the N.E. corner of said claim; thence S. 55° 52' W. 1500.09 feet to a 4x4 post at the N.W. corner of said claim; thence S. 53° 30' E. 300.2 feet to the place of beginning.

All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of the United States, and of an Act of the General Assembly of Arizona, entitled "An Act to Revise and Codify the Laws of the Territory of Arizona," approved March 16, 1901.

This is an Amended Location Notice of the Copper Trust #2 Mining Claim, located by C.E. Taylor on the 12th. day of June, 1906, and recorded in Book 12 of Records of Mines, at page 63, in the office of the County Recorder of the aforesaid County of Gila, to which reference is hereby made, and this Amended Location Notice is made and posted to correct errors in the description in the said original Location Notice.

Dated and posted on the ground this 18th. day of July, 1910.  
Superior & Globe Copper Company,  
by H.V. Snell, Agent.

Filed and recorded at the request of E.T. Satchell at 30 minutes past 11 o'clock A.M., on the 18 day of July, A.D. 1910.  
E.T. Stewart, County Recorder.

Territory of Arizona, )  
" SS.

County of GILA. ) I, E.T. STEWART, County Recorder in and for the County of Gila, Territory of Arizona, do hereby certify that the above and foregoing contains and constitutes a full, true and correct copy of the Amended Location Notice of the COPPER TRUST #2 Mining Claim, as the same appears of record in my office in Book 15, Records of Mines, at page 520; that I have compared the same with the original records, and that the same is a true transcript, and of the whole thereof.

GIVEN under my hand and seal of office, this 20 day of July, A.D. 1910.

E. T. Stewart  
County Recorder.

AMENDED  
NOTICE OF MINING LOCATION  
LODE CLAIM.

AUG 1- 1910

TO ALL WHOM IT MAY CONCERN:

This Mining Claim, the name of which is the COPPER TRUST #3 Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purposes of exploration and purchase by Superior & Globe Copper Company, a Corporation of Arizona, the undersigned, on the 18th. day of July, 1910.

The length of this claim is 1499.72 feet, and we claim 11.83 feet, in a S.W. direction and 1187.89 feet in a N.E. direction from the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with 300 feet in width of the surface grounds, on each side of the center of said claim. The general course of the lode deposit and premises is from the S.W. to the N.E.

The claim is situated and located in the Globe Mining District, in Gila County, in the Territory of Arizona, about 4 miles in a Northerly direction from Globe and about three-quarters of a mile in a Northerly direction from Black Peak.

The surface boundaries of the claim are marked upon the ground as follows: Beginning at - - at a point in a S.W. direction S. 57° 49' W. 11.83 feet from the discovery shaft (at which this notice is posted), being in the center of the W. end line of said claim; thence S. 28° 25' E. 281.32 feet to a 4x4 post, being the S.W. corner of said claim; thence N. 58° 52' E. 1498.61 feet to a 4x4 post being at the S.E. corner of said claim; thence N. 28° 25' W. 300.08 feet to a 4x4 post at the center of the E. end of said claim; thence N. 29° 25' W. 301.02 feet to a 4x4 post being at the N.E. corner of said claim; thence S. 57° 48' W. 1499.75 feet to a 4x4 post at the N.W. corner of said claim; thence S. 28° 25' E. 300.72 feet to the place of beginning.

All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of the United States, and of an Act of the General Assembly of Arizona, entitled "An Act to Revise and Codify the Laws of the Territory of Arizona," approved March 16, 1901.

This is an Amended Location Notice of the Copper Trust #3 Mining Claim, located by C.E. Taylor and Geo. Goodwin on the 26th. day of April, 1906, and recorded in Book 12 of Records of Mines, at page 62, in the office of the County Recorder of the aforesaid County of Gila, to which reference is hereby made, and this Amended Location Notice is made and posted to correct errors in the description in the said original Location Notice.

Dated and posted on the ground this 18th. day of July, 1910.

Superior & Globe Copper Company  
by H.V. Snell, Agent.

Filed and recorded at the request of E.T. Satchell at 30 minutes past 11 o'clock A.M., on the 18 day of July, A.D. 1910.  
E.T. STEWART, County Recorder.

Territory of Arizona, )  
; SS.

County of Gila. ) I, E.T. STEWART, County Recorder in and for the County of Gila, Territory of Arizona, do hereby certify that the above and foregoing contains and constitutes a full, true and correct copy of the Amended Location Notice of the COPPER TRUST #3 Mining Claim, as the same appears of record in my office in Book 15, Records of Mines, at page 521; that I have compared the same with the original record, and that the same is a true transcript, and of the whole thereof.

GIVEN under my hand and seal of office, this 20 day of July, A.D. 1910.

*E. T. Stewart*  
County Recorder.

14

54

AMENDED  
NOTICE OF MINING LOCATION  
LODE CLAIM.

TO ALL WHOM IT MAY CONCERN:

This Mining Claim, the name of which is the COPPER TRUST #4 Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purposes of exploration and purchase by Superior & Globe Copper Company, a Corporation of Arizona, the undersigned, on the 18th. day of July, 1910.

AUG 1-1910

The length of this claim is 1499.62 feet, and we claim 241.76 feet, in a S.W. direction and 1257.86 feet in a N.E. direction from the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with 300 feet in width of the surface grounds, on each side of the center of said claim. The general course of the lode deposit and premises is from the S.W. to the N.E.

The claim is situated and located in the Globe Mining District, in Gila County, in the Territory of Arizona, about 4 miles in a Northerly direction from Globe.

The surface boundaries of the claim are marked upon the ground as follows: Beginning at - - at a point in a S.W. direction S. 57° 49' W. 241.76 feet from the discovery shaft (at which this notice is posted), being in the center of the W. end line of said claim; thence S. 28° 25' E. 300.08 feet to a 4x4 post, being the S.W. corner of said claim; thence N. 57° 45' E. 1499.7 feet to a 4x4 post being at the S.E. corner of said claim; thence N. 28° 25' W. 298.17 feet to a 4x4 post at the center of the E. end of said claim; thence N. 28° 25' W. 300.3 feet to a 4x4 post being at the N.E. corner of said claim; thence S. 57° 51' W. 1499.57 feet to a 4x4 post at the N.W. corner of said claim; thence S. 28° 25' E. 301.02 feet to the place of beginning.

All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of the United States, and of an Act of the General Assembly of Arizona, entitled "An Act to Revise and Codify the Laws of the Territory of Arizona," approved March 16, 1901

This is an Amended Location Notice of the Copper Trust #4 Mining claim, located by C.E. Taylor and Geo. Goodwin on the 1st. day of January, 1908, and recorded in Book 17 of Records of Mines, at page 147, in the office of the County Recorder of the aforesaid County of Gila, to which reference is hereby made, and this Amended Location Notice is made and posted to correct errors in the description in the said original Location Notice.

Dated and posted on the ground this 18th. day of July, 1910.

Superior & Globe Copper Company,  
by H.V. Snell, Agent.

Filed and recorded at the request of E.T. Satchell at 30 minutes past 11 o'clock A.M., on the 18 day of July, A.D. 1910.

E.T. Stewart, County Recorder.

Territory of Arizona, )

: SS.

County of Gila. ) I, E.T. STEWART, County Recorder in and for the County of Gila, Territory of Arizona, do hereby certify that the above and foregoing contains and constitutes a full, true and correct copy of the Amended Location Notice of the Copper Trust #4 Mining Claim, as the same appears of record in my office in Book 15, Records of Mines, at page 522, that I have compared the same with the original record, and that the same is a true transcript and of the whole thereof.

GIVEN under my hand and seal of office, this 20 day of July, A.D. 1910.

E. T. Stewart  
County Recorder.

U. S. SURVEYOR GENERAL'S FINAL CERTIFICATE ON  
FIELD NOTES.

DEPARTMENT OF THE INTERIOR,

OFFICE OF U. S. SURVEYOR GENERAL,

Phoenix, Arizona,

September 25, 1912.

I, U. S. Surveyor General for Arizona,

do hereby certify that the foregoing transcript of the Field Notes, return and approval

of the Survey of the mining claim of Superior & Globe Copper Company,  
known as the Keno, Keno #2, Magnet, Magnet #1, Magnet #2, Magnet  
#3, Magnet #4, Magnet #5, Magnet #6, Copper Trust, Copper Trust  
#1, Copper Trust #2, Copper Trust #3, Copper Trust #4,  
~~known as the~~

, situate in Globe

Mining District, Gila County,

Arizona, in Sections 2, 10 & 11, Township No. 1 N.,

Range No. 15½ E., Unsur., and designated as Survey

No. 2777, has been correctly copied from the originals on

file in this office; that said Field Notes furnish such an accurate description of said  
mining claim as will, if incorporated into a patent, serve fully to identify the premises,  
and that such reference is made therein to natural objects or permanent monuments as  
will perpetuate and fix the *locus* thereof.

And I further certify that five hundred dollars' worth of labor has been expended  
or for each of  
or improvements made upon said mining claim by claimant or its grantors, and  
that said improvements consist of 34 shafts, 9 cuts, 7 tunnels,  
1 winze and 952.27 ft. of drifts and crosscuts, total value  
\$32,360.00. Improvement No. 2 on the Copper Trust #2 lode,  
consisting of a shaft with drifts and crosscuts, is the main  
working shaft for this entire group of claims, and an undivided  
1/14th interest therein, value \$2000, is properly credited to  
each of the lodes in this survey.

and that no portion of said labor or improvements has been included in the estimate of  
expenditures upon any other claim.

I further certify that the plat thereof, filed in the U. S. Land Office at Phoenix,  
Arizona is correct and in conformity with the foregoing Field Notes.

Frank S. Ingalls,

United States Surveyor General for Arizona.

4-687.

SURVEYOR-GENERAL'S CERTIFICATE OF APPROVAL OF FIELD NOTES AND SURVEY OF MINING CLAIM.

Department of the Interior,

Office of U. S. Surveyor-General,

Phoenix, Arizona,

September 25, 1912.

I, U. S. Surveyor-General for Arizona

do hereby certify that the foregoing and hereto attached Field Notes and Return of the Survey of the Mining Claim of Superior & Globe Copper Company

known as the Keno, Keno #2, Magnet, Magnet #1, Magnet #2, Magnet #3, Magnet #4, Magnet #5, Magnet #6, Copper Trust, Copper Trust #1, Copper Trust #2, Copper Trust #3, Copper Trust #4.

situate in Globe Mining District,

Gila County, Arizona

in Sections 2, 10 & 11, Township No. 1 N., Range No. 15 1/2 E., Unsur.

designated as Survey No. 2777

executed by B. F. Van Wagenen, U.S. Deputy Mineral

Surveyor, Sept 2-28, 1910, 190, under my instructions dated

August 8, 1910, 190, have been critically examined and the necessary cor-

rections and explanations made, and the said Field Notes and Return, and the Survey they describe,

are hereby approved. A true copy of the copy of the location certificate filed by the applicant for

survey is included in the field notes.

Handwritten signature of Frank S. Gallagher

U. S. Surveyor-General for Arizona.