

10-11-10.

F.L.

JUL 5-1910  
AUG 13-1910

4-683.

MINERAL SURVEY No. 2798

LOT No. ....

Arizona Land District.

**FIELD NOTES**

OF THE SURVEY OF THE MINING CLAIM OF

Mascott Mining Company

KNOWN AS THE

Gold Cord, Gold Cord Extension, Gap, Tee Dee Eum, Regis, Mill, Mill Extension and Traction. ~~Notes~~  
Clark Mining District,

Graham County, Arizona

<sup>16 Unsg.</sup> Sections 17, 20 & 21, Township 8 S., Range 22 E

Surveyed under instructions dated ~~March 25~~ April 9, 1910

by Geo. S. Andrews  
U. S. Mineral Surveyor.

Claim located See location notices, 19

Survey commenced April 4, 1910

Survey completed April 16, 1910

6-322

Stratton & Lynch  
Attorneys.  
Safford, Ariz.

2798-5-10-29400x

## Survey No. 2798.

## Regis Lode.

Feet.	
	Beginning at Corner No. 1, identical with original location corner and coincident with Corner No. 1 Gap lode this survey, a pine post 4 x 4 inches x 4 ft long, set 8" in the ground on bed rock, surrounded by a mound of stones and scribed REG-1-2798, Whence, north $\frac{1}{4}$ Corner Sec. 20, T8S, R22E, Gila & Salt River Base & Meridian bears N.38°18'W. 680 ft. Cor. No. 1, Tee Dee Emm lode this survey bears N.5°13'W. 212.8 ft. S. E. Corner Colden Treasure lode, Unsurveyed, John Mallon claimant, bears N.68°48'E. 217.8 ft. No other bearings available. Thence, S.55°21'E. Var 12°53'E.
241.63	Intersect line 4-1 Tee Dee Emm lode this survey at N.31°59'W. 103.9 ft from Corner No. 4.
300.00	South End Center, coincident with north end center Gap lode this survey, a pine post 4 x 4 inches by 4 ft long set 18" in the ground, surrounded by a mound of stones and scribed REG-SEC-2798 on north side, Whence original location monument bears S.55°21'E. 10.3ft
395.77	Intersect line 2-3 Gold Cord lode this survey at S.33°51'W. 858.14 ft from Cor. 2.
430.00	Cross Gulch, 30 ft wide, course S.45°W.
600.00	Corner No. 2, coincident with Cor. 4, Gap Lode this survey, a pine post 4 by 4 inches by 4 ft long set 18" in the ground, surrounded by a mound of stones and scribed REG-2-2798 on the north side. Whence, original location corner bears S.55°21'E. 14.6ft South End Center Gold Cord lode this survey bears S.24°07'W. 565.7 ft. No bearings available. Thence, N.34°10'E. Var. 12°41'E.

(Regis lode, cont)

Feet	Var 12°41'E.
315.00	Cross Gulch 20 ft wide, course S.60°W.
747.20	East Side Center, a pine post 4 by 4 inches by 4 ft long set 18" in the ground, surrounded by a mound of stones and scribed REG-ESC-2798, Whence original side center monument bears N.58°E. 71 ft.
855.70	Intersect line 1-2 Gold Cord lode this survey at S.54°37'E. 209.2 ft from Cor. <sup>N°</sup> 2.
1056.33	Intersect north side Section 20 at N.89°58'W. 1113.76 ft from N.E. Cor Sec 20, and at S.89°58'E. 1508.24 ft from North side $\frac{1}{4}$ corner.
1494.40	Corner No. 3, a pine post 4 by 4 inches by 4 ft long set 18" in the ground, surrounded by a mound of stones and scribed REG-3-2798, Whence, original location corner bears S.55°21'E. 2.2 ft. Prominent Peak bears N.34°52'W.
	Thence, N.55°21'W.
	Var. 12°30'E.
300.00	North End Center, identical with original location monument, a pine post 4 by 4 inches by 4 ft long set 18" in the ground, surrounded by a mound of stones and scribed REG-NEC-2798; also intersect south east side line Golden Treasure lode unsurveyed, at N.41°49'E. 1324.4 ft from S.E. Corner.
600.00	Corner No. 4, identical with original location corner, a pine post 4 by 4 inches by 4 ft long set 18" in the ground, surrounded by a mound of stones and scribed REG-4-2798.
	Whence, Prominent Peak bears N.35°W.
	Prominent Peak bears S.31°26'W.
	N.E. Corner Golden Treasure lode, unsurveyed bears S.84°25'E. 369 ft
	Cor. 1, Little Puck lode, Survey <sup>N°</sup> 2793, Mascot Mining Co, Claimant, bears N.32°03'E. 765.8 ft.

Feet

Thence, S.34°10'W.

Var.12°29'E.

- 747.20 West Side Center, a pine post 4 by 4 inches by 4 ft long set 18" in the ground, surrounded by a mound of stones and scribed REG-WSC-2798, Whence original location side monument bears N.58°18'W. 201.3 ft.
- 849.98 Intersect North side Sec. 20 at N.89°58'W. 1838.65 ft from N.E.Cor Sec 20, and at S.89°58'E. 783.35 ft from North  $\frac{1}{4}$  Cor. Sec 20.
- 1310.50 Intersect South West End line Golden Treasure Lode, unsurveyed, at N.53°40'W. 123.9 ft from S.E.Corner.
- 1389.62 Intersect line 4-1 Tee Dee Emm lode this survey at S.31°59'E. 147.62 ft from Cor.<sup>1</sup>.
- 1494.40 Corner No. 1 and place of beginning.

Gap Lode.

Beginning at Corner No. 1, identical with original location corner and coincident with Cor. 1 Regis Lode this survey, heretofore described, and scribed on the South side GAP-1-2798,

Whence, North  $\frac{1}{4}$  Corner Sec. 20, T8s. R22E., bears N.38°18'W. 680 ft.

Thence, S.41°09'W.

Var. 12°53'E.

- 1020.00 Cross Gulch, 15 ft wide, course S.80°W.
- 1274.18 Intersect line 3-4 Tee Dee Emm lode this survey at S.56°06'W. 1315.95 ft from Cor.<sup>4</sup>.
- 1452.50 Corner No. 2, identical with original location corner a pine post 4 by 4 inches by 4 ft long set 18" in the ground, surrounded by a mound of stones and scribed GAP-2-2798, Whence Prominent Peak bears S.75°01'W.

(Gap lode cont)

Feet	
	Thence, S.55°21'E. Var. 13°02'E.
285.00	Cross Gulch, 20 ft wide, course West,
300.00	South End Center, a pine post 4 by 4 inches by 4 ft long set 18" in the ground, surrounded by a mound of stones and scribed GAP-SEC-2798, Whence original location on end center bears S.41°W.54.2ft
581.40	Corner No. 3, a pine post 4 by 4 inches by 4 ft long set 15" in the ground on bed rock, surrounded by a mound of stones and scribed GAP-3-2798, Whence original location corner bears S.27°54'W. 106.4ft Prominent Peak bears N.32°15'W. Thence, N.41°53'E. Var. 13°08'E.
46.07	Intersect line 1-2 Gold Cord Extension lode this survey at S.29°09'W. 849.59 ft. from Cor. 1 <sup>Ne</sup>
170.00	Cross Gulch, 20 ft wide, course West.
896.11	Intersect line 4-1 Gold Cord Extension lode this survey at S.54°37'E. 188.47 ft from Cor. 1 <sup>Ne</sup> , and also line 3-4 Gold Cord lode this survey at S.54°37'E. 126.27 ft from Cor. 3 <sup>Ne</sup> .
1454.50	Corner No. 4, coincident with Cor. 2 <sup>Ne</sup> , Regis lode this survey heretofore described, and scribed on south side GAP-4-2798. Thence, N.55°21'W. Var. 12°41'E.
204.23	Intersect line 2-3 Gold Cord lode this survey at N.33°51'E. 552.46 ft from Cor. 3 <sup>Ne</sup> .
300.00	North End Center, coincident with south end center Regis lode this survey, heretofore described, and scribed on south side GAP-NEC-2798.
358.37	Intersect line 4-1 Tee Dee Emm lode this survey at N.31°59'W. 103.9 ft from Cor. 4 <sup>Ne</sup> .
600.00	Corner No. 1 and place of beginning,

Feet.	<p>Beginning at Corner No. 1, identical with original location corner, a pine post 4 by 4 inches by 4 ft long set 18 " in the ground, surrounded by a mound of stones and scribed TDE-1-2798,</p> <p>Whence, North <math>\frac{1}{4}</math> Corner Section 20, T8s, R22E, bears N.51°20'W. 515 ft.</p> <p>Prominent Peak bears S.74°48'W.</p> <p>Cor. 1 Regis Lode this survey bears S.5°13'E. 212.8 ft</p> <p>South End Center Golden Treasure lode unsurveyed bears N.32°29'W. 68 ft</p> <p>Thence, S.54°53'W.</p> <p>Var. 13°25'E.</p>
750.00	<p>North Side Center, a pine post 4 by 4 inches by 4 ft long set 18" in the ground, surrounded by a mound of stones and scribed TDE-NSC-2798,</p> <p>Whence, original side center monument bears N.35°16'W. 64.8 ft.</p>
1474.00	<p>Corner No. 2, identical with original location corner, a pine post 4 by 4 inches by 4 ft long set 18" in the ground, surrounded by a mound of stones and scribed TDE-2-2798,</p> <p>Whence, Prominent Peak bears S.75°30'W.</p> <p>Thence, S.31°59'E.</p> <p>Var. 13°40'E.</p>
211.40	<p>West End Center, a pine post 4 by 4 inches by 4 ft long set 18" in the ground, surrounded by a mound of stones and scribed TDE-WEC-2798,</p> <p>Whence, original west end center bears S.54°53'W. 1.25ft</p>
285.00	<p>Cross Gulch, 10 ft wide, course S.75°W.</p>
484.30	<p>Corner No. 3, identical with original location corner, a pine post 4 by 4 inches by 4 ft long set 18" in the ground, surrounded by a mound of stones and scribed TDE-3-2798,</p> <p>Thence, S.75°W.</p>

(Tee Dee Emm lode Cont)

Feet	
	Whence, Prominent Peak bears S.75°W. <sup>No</sup> Corner 2 Gap lode this survey bears S.15°14'E. 48.4 ft. Thence, N.56°06'E. Var. 13°12'E.
156.75	Intersect <sup>line</sup> 1-2 Gap lode this survey at S.41°09'W. 1274.18 <sup>No</sup> ft from Cor. 1.
722.70	South side Center, a pine post 4 by 4 inches by 4 ft long set 18" in the ground, surrounded by a mound of stones and scribed TDE-SSC-2798, Whence, original side center bears S.41°30'E. 219.2 ft
750.00	Cross Gulch, 20 ft wide, course S.80°W.
1472.70	Corner No. 4, a pine post 4 by 4 inches by 4 ft long set 18" in the ground, surrounded by a mound of stones and scribed TDE-4-2798, Whence, original location corner bears N.56°06'E. 44.1ft No bearings available. Thence, N.31°59'W. Var. 12°35'E.
103.90	Intersect line 4-1 Gap and line 1-2 Regis lode s both of this survey at S.55°21'E. 241.63 ft from Cor. <sup>No</sup> 1.
255.70	East End Center, a pine post 4 by 4 inches by 4 ft long set 8" in the ground on bed rock, surrounded by a mound of stones and scribed TDE-EEC-2798, Whence, original Location end center bears N.54°53'E. 24.5 ft
368.08	Intersect line 4-1 Regis lode this survey at N.34°10'E. 104.78 ft from Cor. 1.
515.70	Corner No. 1 and place of beginning.
	----- <u>Gold Cord Extension Lode.</u>
	Beginning at Corner No. 1, identical with original lo- cation corner, a pine post 4 by 4 inches by 4 ft long set 18" in the ground, surrounded by a mound of stones and scribed GCEX-1-2798.

## (Gold Cord Extension Lode, Cont)

Feet	
	Whence, North $\frac{1}{4}$ Corner Sec. 20, T8S. R22E., bears N.18° 13'W. 1243.05 ft.
	Prominent Peak bears S.75°03'W.
	Thence, S.29°09'W.
	Var. 13°05'E.
740.00	Cross Gulch, 15 ft wide, course West.
849.59	Intersect line 3-4 Gap lode this survey at N.41°53'E. 46.07 ft from Cor N°3.
1436.00	Corner No. 2, a pine post 4 by 4 inches by 4 ft long set 18" in the ground, surrounded by a mound of stones and scribed GCEX-2-2798,
	Whence, original location corner bears S.47°26'W. 58.6ft
	No bearings available.
	Thence, S.54°37'E.
	Var. 12°50'E.
282.00	Witness Corner for South End Center, whence point for true South End Center bears S.54°37'E. 18 ft; a pine post 4 by 4 inches by 4 ft long set 18" in the ground surrounded by a mound of stones and scribed WC-GCEX-SEC-2798.
300.00	a point for true South End Center, in center of Gulch 30 ft wide, course S.60°W. and impossible to maintain it on account of floods, whence witness corner heretofore described bears N.54°37'W 18 ft.
	Original location corner bears from true corner S.28°W. 64 ft.
600.00	Corner No. 3, identical with original corner, a pine post 4 by 4 inches by 4 ft long set 18" in the ground surrounded by a mound of stones and scribed GCEX-3-2798.
	Whence, Prominent Peak bears N.31°52'W.
	Thence, N.25°33'E.
	Var. 13°40'E.
1065.00	Cross Gulch, 10 ft wide, course West.
<del>1115.00</del>	<del>Corner No. 4, a pine post 4 by 4 inches by 4 ft long</del>



(Gold Cord Extension cont)

<p>Feet 1448.80</p>	<p>Corner No. 4, a pine post 4 by 4 inches by 4 ft long set 18" in the ground, surrounded by a mound of stones and scribed GCEX-4-2798, Whence, original location corner bears S.54°37'E. 80 ft. Prominent Peak bears S.75°36'W. Prominent Peak bears N.33°W. Thence, N.54°37'W. Var 12°55'E.</p>
<p>146.20</p>	<p>South End Center Gold Cord Lode this survey.</p>
<p>300.00</p>	<p>North End Center, a pine post 4 by 4 inches by 4 ft long set 18" in the ground, surrounded by a mound of stones and scribed GCEX-NEC- 2798, Whence, original north end center bears S.54°37'E 153.8ft</p>
<p>319.93</p>	<p>Intersect line 3-4 Gap lode this survey at S.41°53'W. 558.39 ft from Cor. <sup>N<sup>o</sup></sup>4, and N.41°53'E. 896.11 ft from Cor. <sup>N<sup>o</sup></sup>3.</p>
<p>446.20</p>	<p>Corner No. 3, Gold Cord lode this survey,</p>
<p>508.40</p>	<p>Corner No. 1 and place of beginning.</p>
	<p>-----</p> <p><u>Gold Cord Lode.</u></p>
	<p>Beginning at Corner No. 1, a pine post 4 by 4 inches by 4 ft long set 18" in the ground, surrounded by a mound of stones and scribed GC-1-2798, Whence, original location corner bears S.54°37'E. 5.3 ft; N.E. Cor. Sec. 20 T8S. R22E., bears N.68°18'E. 1005.78 ft. Cor. <sup>N<sup>o</sup></sup>2 Mill lode this survey, bears N.31°21'E. 579.4 ft. No bearings available, Thence, N.54°37'W. Var. 12°45'E.</p>
<p>22.42</p>	<p>Intersect line 2-3 Mill lode this survey at S.33°34'W. 578.25 ft from Cor. <sup>N<sup>o</sup></sup>2, and at N.33°34'E. 697.75 ft from Cor. <sup>N<sup>o</sup></sup>3.</p>
<p>300.00</p>	<p>North End Center, identical with original north end center, a pine post 4 by 4 inches by 4 ft long set 18" in</p>

Feet	the ground, surrounded by a mound of stones and scribed GC-NEC-2798,
357.80	Intersect line 2-3 Regis Lode this survey, at N.34°10'E. 855.7 ft from Cor. <sup>N<sup>e</sup></sup> 2.
567.00	Corner No. 2, a pine post 4 by 4 inches by 4 ft long set 12 inches in the ground on bed rock, surrounded by a mound of stones and scribed GC-2-2798, Whence, original location corner bears N.33°51'E. 10.05ft No bearings available, Thence, S.33°51'W. Var. 13°00'E.
858.14	Intersect line 1-2 Regis Lode this survey at N.55°21'W. 204.23 ft from Cor. <sup>N<sup>e</sup></sup> 2, and Line 4-1 Gap Lode this survey at N.55°21'W. 204.23 ft from Cor. <sup>N<sup>e</sup></sup> 4.
1030.00	Cross Gulch, 20 ft wide, course S.70°W.
1410.60	Corner No. 3, a pine post 4 by 4 inches by 4 ft long set 18" in the ground, surrounded by a mound of stones and scribed GC-3-2798, Whence, original location corner bears N.54°37'W. 62.2ft. No bearings available. Thence, S.54°37'E. Var. 12°52'E.
126.27	Intersect line 3-4 Gap lode this survey at S.41°53'W. 558.39 ft. from Cor. <sup>N<sup>e</sup></sup> 4.
146.20	North End Center Gold Extension Lode this survey;
300.00	South End Center, identical with original location south end center, a pine post 4 by 4 inches by 4 ft long set 18" in the ground, surrounded by a mound of stones and scribed GC-SEC-2798;
446.20	Cor. <sup>N<sup>e</sup></sup> 4, Gold Cord Extension lode this survey,
526.20	Corner No. 4, identical with original location corner, a pine post 4 by 4 inches by 4 ft long set 18" in the ground, surrounded by a mound of stones and scribed GC-4-2798,

Survey 2798.  
(Gold Cord lode cont)

Feet	
	<p>GC-... ..</p> <p>Whence, Prominent Peak bears S.75°40'W.</p> <p>S.W. Cor Bulls Eye lode unsurveyed, John Mallon claimant bears S.20°34'W. 428 ft.</p> <p>Thence N.35°30'E.</p> <p>Var. 12°54'E.</p>
746.44	<p>Intersect line 2-3 Mill lode this survey at N.33°34'E.</p> <p>33.26 ft from Cor.<sup>N°</sup>3.</p>
1115.00	<p>Cross Gulch, 20 ft wide, course N.70°W.</p>
1410.60	<p>Corner No. 1 and place of beginning.</p> <p>-----</p> <p style="text-align: center;"><u>Mill Lode.</u></p> <p>Beginning at Corner No. 1, coincident with Cor.<sup>N°</sup>1, Fraction Lode this survey, a pine post 4 by 4 inches by 4 ft long set 18" in the ground, surrounded by a mound of stones and scribed on west side M-1-2798,</p> <p>Whence, <del>amended</del> location corner bears N.34°00'E. 3.8 ft.</p> <p>N.E. Cor. Sec 20, T8S. R22E., bears N.32°34'E. 258.6 ft.</p> <p>Prominent Peak bears N.72°54'W.</p> <p>Thence, N.55°24'W.</p> <p>Var. 13°12'E.</p>
130.10	<p>South End Center Mill Extension lode this survey;</p>
300.00	<p>North End Center, a pine post 4 by 4 inches by 4 ft long set 18" in the ground, surrounded by a mound of stones and scribed M-NEC-2798,</p> <p>Whence, <del>amended</del> location north end center bears N.34°E 1.5 ft;</p>
384.28	<p>Intersect north line Sec. 20 at N.89°58'W. 455.51 ft from N.E. Cor. Sec 20, and at S.89°58'E. 2166.49 ft from north <math>\frac{1}{4}</math> Cor. Sec 20.</p>
430.10	<p>Corner No. 2 Mill Extension lode this survey;</p>
600.00	<p>Corner No. 2, identical with <del>amended</del> location corner a pine post 4 by 4 inches by 4 ft long set 18" in the ground surrounded by a mound of stones and scribed M-2-2798,</p>

Feet	East End Center Bulls Eye lode bears S.84°36'E. 188.5 ft. Thence, N.34°00'E. Var. 12°30'E.
205.11	Intersect East End line Bulls Eye lode at S.21°14'E. 98.54 ft from N.E. Corner
345.00	Cross Gulch, 10 ft wide, course N.45°W.
1175.00	Cross Gulch, 15 ft wide, course S.80°W.
1276.20	Corner no. 1 and place of beginning.
-----	
<u>Fraction Lode.</u>	
Beginning at Corner No. 1, coincident with Cor. <sup>N°</sup> 1 Mill- lode this survey heretofore described, and scribed FRAC-1-2798 on east side,	
Whence original location corner bears N.34°E. 3.8 ft.	
N.E. Cor Sec. 20 T8S. R22E, bears N.32°34'E. 258.6 ft.	
Thence, S.55°24'E.	
Var. 13°12'E.	
105.00	Cross Gulch, 15 ft wide, course S.80°W.
169.90	Corner No. 1 Mill Extension lode this survey;
172.79	Intersect east line Sec 20 at S.0°33'E. 316.07 ft from N.E. Cor. Sec. 20, and at N.0°33'W. 2329.13 ft from east $\frac{1}{4}$ Corner Sec 20.
300.00	North End Center, a pine post 4 by 4 inches by 4 ft long set 18" in the ground, surrounded by a mound of stones and scribed FRAC-NEC-2798.
Whence, original North end Center bears S.55°24'E. 4.9ft;	
600.00	Corner No. 2, a pine post 4 by 4 inches by 4 ft long set 18" in the ground, surrounded by a mound of stones and scribed FRAC-2-2798,
Whence, original location corner bears S.55°24'E. 4.2 ft.	
Prominent Peak bears N.72°56'W.	
Thence, S.34°00'W.	
Var. 12°52'E.	
615.92	Intersect East line Sec 20 at S.0°33'E. 1069.32 ft

Feet.	
	Whence, Prominent Peak bears S.74°21'W. Thence, S.33°34'W. Var. 12°50'E.
146.83	Intersect north section line Sec 20 at N.89°58'W. 714.26 ft from N.E.Cor. Sec 20, and at S.89°58'E. 1907.74 ft from North $\frac{1}{4}$ Cor. Sec 20.
578.25	Intersect line 1-2 Gold Cord lode this survey at N.54°37'W 22.42 ft from Cor. <sup>N<sup>o</sup></sup> 1.
870.00	Cross Gulch, 25 ft wide, course N.70°W.
1225.00	Cross Wagon Road, course N.60°W.
1242.74	Intersect line 4-1 Gold Cord lode this survey at S.35°30'W 664.16 ft from Cor. <sup>N<sup>o</sup></sup> 1.
1276.00	Corner No. 3, a pine post 4 by 4 inches by 4 ft long set 12" in the ground on bed rock, surrounded by a mound of stones and scribed M-3-2798, Whence. <del>amended</del> location corner bears S.33°34'W. 231. ft Prominent Peak bears S.74°57'W. Thence S.55°24'E. Var 12°38'E.
290.20	South End Center, a pine post 4 by 4 inches by 4 ft long set 15 " in the ground on bed rock, surrounded by a mound of stones and scribed M-SEC-2798, Whence <del>amended</del> south end center bears S.34°W. 213.2 ft; also intersect North side line Bulls Eye lode unsurveyed John Mallon claimant, at S.74°18'W. 338.5 ft from N.E. Corner.
550.00	Cross Wagon Road, course N.55°W.
590.20	Corner No. 4, coincident with Cor. <sup>N<sup>o</sup></sup> 4 Fraction Lode this survey, a pine post 4 by 4 inches by 4 ft long set 18 " in the ground, surrounded by a mound of stones and scribed on the west side M-4-2798, Whence <del>amended</del> location corner bears S.34°W. 201.5 ft Prominent Peak bears N.72°30'W. Prominent Peak bears S.75°30'W. N.W.Cor. Bulls Eye lode unsurveyed bears N.16°47'E.273.6ft

Feet	
	from N.E.Cor Sec. 20, and at N.0°33'W. 1575.88 ft from East $\frac{1}{4}$ Corner Sec. 20.
860.00	Cross Gulch, 20 ft wide, course N.60°W.
1203.20	Intersect North side line Silver Bell Lode, unsurveyed John Mallon Claimant, at N.73°E. 643.48 ft from N.W.Cor.
1276.20	Corner No. 3, a pine post 4 by 4 inches by 4 ft long set 18" in the ground, surrounded by a mound of stones and scribed FRAC-3-2798, Whence, original location corner bears S.31°45'W. 211.4ft North Side Center monument Silver Bell lode unsurveyed bears N.38°12'E. 80.5 ft. Prominent Peak bears S.32°44'W. Thence, N.55°24'W. Var. 12°30'E.
58.62	Intersect North side line Silver Bell lode unsurveyed at N.73°E. 550.33 ft from N.W.Corner.
300.00	South End Center, a pine post 4 by 4 inches by 4 ft long set 6 inches in the ground on bed rock, surrounded by a mound of stones and scribed FRAC-SEC-2798, also intersect East End line Bulls Eye lode unsurveyed at N.21°14'W. 136.32 ft from S.E.Corner and at S.21°14'E. 463.68 ft from N.E.Corner; Whence original location south end center bears S.31°55'W 216 ft
600.00	Corner No. 4, coincident with Cor. <sup>Ne</sup> 4 Mill Lode this survey, heretofore described, and scribed on East side FRAC-4-2798, Whence original location corner bears S.34°W. 201.5 ft. Thence, N.34°00'E. Var. 12°30'E.
205.11	Intersect East end line Bulls Eye lode unsurveyed at S.21°14'E 98.54 ft from N.E.Corner;
345.00	Cross Gulch, 10 ft wide, course N.45°W.
1175.00	Cross Gulch 15 ft wide, course S.80°W.
1276.20	Corner No. 1 and place of beginning,

## Survey 2798.

## Mill Extension Lode.

Feet	
	Beginning at Corner No. 1, identical with original location corner, a pine post 4 by 4 inches by 4 ft long set on bed rock, surrounded by a mound of stones and scribed MEx-1-2798, which is also on line 1-3 Fraction Lode this survey, Whence, N.E. Corner Sec. 20, T8S. R22E., bears N.0°07'W. 314.29 ft. Prominent Peak bears S.74°56'W. Thence, N.55°24'W. Var. 13°32'E.
169.90	Cor's No. 1, Fraction and Mill Lodes both of this survey;
300.00	South End Center, identical with original location South end center, a pine post 4 by 4 inches by 4 ft long set 18" in the ground, surrounded by a mound of stones and scribed MEx-SEC-2798;
469.90	N. End Center Mill Lode this survey,
553.96	Intersect North line Sec 20 at N.89°58'W. 455.51 ft from N.E. Corner Sec 20 and at S.89°58'E. 2166.49 ft from North $\frac{1}{4}$ Corner Sec 20.
592.62	Intersect South Side line Junio Lode unsurveyed, Mascot Mining Co., Claimant, at S.48°37'W. 910.17 ft from S.E. Corner.
600.00	Corner No. 2, a pine post 4 by 4 inches by 4 ft long set 18" in the ground, surrounded by a mound of stones and scribed MEx-2-2798 Whence, original location corner bears N.55°24'W. 10.2ft. Prominent Peak bears S.74°28'W. S.E. Corner Junio Lode unsurveyed bears N.49°04'E. 912 ft. Thence, N.35°56'E. Var. 12°34'E.
230.00	Cross Wagon Road, course N.60°W.
860.20	Intersect East line Sec 17 and West line Crook National Forest, Mt. Graham Division at N.0°55'E. 723.03 ft from S.E. Cor. Sec 17, and at S.0°55'W. 1927.73 ft from East $\frac{1}{4}$ Corner Section 17;
895.32	Intersect Northeast End line Junio Lode unsurveyed at

(Mill Extension Lode, cont)

8

Feet	
	N.52°05'W. 207.35 ft from S.E. Corner.
1500.00	Corner No. 3, a pine post 4 by 4 inches by 4 ft long set 8" in the ground on bed rock, surrounded by a mound of stones and scribed MEx-3-2798, Whence, original location corner bears N.35°56'E. 2.2ft. No bearings available. Thence, S.55°24'E. Var. 12°32'E.
300.00	North End Center, a pine post 4 by 4 inches by 4 ft long set 18" in the ground, surrounded by a mound of stones and scribed MEx-NEC-2798, Whence original north end center bears N.35°56'E. 5.2ft.
600.00	Corner No. 4, a pine post 4 by 4 inches by 4 ft long set 12 " in the ground on bed rock, surrounded by a mound of stones and scribed MEx-4-2798, Whence, original location corner bears S.76°23'E. 0.9 ft. Prominent Peak bears S.61°05'W. Prominent Peak bears S.74°56'W. Thence, S.35°56'W. Var 12°40'E.
1112.10	Intersect North line Sec. 21 and South line Crook National Forest Mt. Graham Division at S.89°57'E. 238.28 ft from N.W. Corner Sec. 21 and at N.89°57'W. 2555.02 ft from North $\frac{1}{4}$ Corner Sec. 21.
1215.00	Cross Wagon Road, course N.60°W.
1360.00	Cross Gulch, 10 ft wide, course S70°W.
1496.01	Intersect East line Sec. 20 at S.0°33'E. 311.06 ft from N.E. Corner Sec. 20 and at N.0°33'W. 2334.14 ft from East $\frac{1}{4}$ Corner Sec 20.
1500.00	Corner No. 1 and place of beginning,

LODE LINES.

As near as can be determined from present developments

MILL EXTENSION, SEC. 20

MILL EXTENSION



(Lode Lines, cont)

and croppings, the lode lines of the several locations embraced in this survey extend as follows from their respective discovery points.

REGIS LODGE. From north edge of Discovery shaft #1, S.34°10'W. 782 ft and N.34°10'E. 712.4 ft

GAP LODGE, From Discovery cut, #1, S.41°09'W. 1120 ft and N.41°09'E. 332.5 ft

TEE DEE EMM LODGE, From Discovery cut #1, S.63°50'W.559ft and N.52°29'E. 920 ft.

GOLD CORD EXTENSION LODGE, From Discovery shaft #1, S.25°33'W. 1128.8 ft and N.25°33'E. 320 ft.

GOLD CORD LODGE, From Discovery shaft #1, S.32°30'W. 1319.5 ft and N.32°30'E. 93 ft.

MILL LODGE, From Discovery cut #1, S.35°W. 366 ft and N.33°36'E. 910.2 ft.

FRACTION LODGE, From Discovery shaft #1, S.34°W. 239 ft and N.34°E. 1037.2 ft.

MILL EXTENSION LODGE, From Discovery shaft #1, S.35°56'W 220 ft and N.35°56'E. 1280 ft

-----

AREAS.

Total Area Regis Lode,	20.583 A.
Area in conflict with	
Golden Treasure Lode unsurveyed	6.387 A
Tee Dee Emm Lode this survey	0.290
Gold Cord Lode this survey	4.066
Total Area Gap Lode	19.568 A
Area in conflict with	
Tee Dee Emm Lode this survey	5.080
Gold Cord Extension this survey	1.827
Gold Cord Lode this survey	2.099
Total Area Tee Dee Emm Lode	16.894 A
Total Area Gold Cord Extension Lode	18.161 A
Total Area Gold Cord Lode	17.697 A

Survey No. 2798.

(Areas, cont)

9

Total Area Mill Lode	17.431 A.
Area in conflict with	
Gold Cord Lode this survey	0.171 A.
Bulls Eye Lode unsurveyed	1.087
Total Area Fraction Lode	17.577 A.
Area in conflict with	
Bulls Eye Lode unsurveyed	0.706
Silver Bell Lode unsurveyed	0.049
Total Area Mill Extension Lode	20.655 A.
Area in conflict with	
Junio Lode unsurveyed	2.204

-----

LOCATION.

This survey is located in Sec. 20, the N.W. $\frac{1}{4}$  of Sec. 21, the S.E. $\frac{1}{4}$  of Sec. 17 and the S.W. $\frac{1}{4}$  of Sec. 16, <sup>uns.</sup> all in T8S., R22E., G. & S. R. B. & M., and partly in the Crook National Forest Mt. Graham Division, in the Clark Mining District, Graham Co., Territory of Arizona.

-----

EXPENDITURE OF FIVE HUNDRED DOLLARS.

I certify that the value of the labor and improvements made upon or for the benefit of, each of the locations embraced in said mining claim by the claimant or its grantors is not less than five hundred dollars, and that said improvements consist of:-

REGIS LODE.

- No. 1, Discovery Shaft, the north edge of which is on the lode line, N.34°10'E. 782 ft from the S.End Center and consists of a shaft 6x8x51 ft deep in rock, timbered.  
Value \$750
- No. 2, Inclined Shaft, bears from S.End Center, N.30°48'E. 515 ft, 4x6x10 ft deep in rock, caved Value \$ 40
- No. 3, Shaft bears from S.end Center, N.29°33'E. 570 ft, 4x6x6 ft in rock caved, Value \$ 20
- No. 4, Open cut, course N.60°W. the face of which bears

## (Expenditure of five hundred dollars, cont)

from S. End Center, N. 31°55'E 680 ft, 4x10x8 ft face  
in rock, caved, Value \$ 20

No. 5, Open cut, course N. 60°W. the face of which bears  
from Cor. <sup>N<sup>o</sup> 4</sup>, S. 5°10'E. 525 ft, 6x48x14 ft face in rock  
and earth, Value \$ 75

No. 6, Open cut course West, the face of which bears from  
Cor. <sup>N<sup>o</sup> 3</sup>, S. 59°50'W. 582 ft, 5x24x7 ft in rock and earth  
Value \$ 35

Note: A 1/8 interest in Shaft No. 4 Gold Cord Lode this survey  
is credited to this lode Value \$2500

GAP LODE, No. 1, Discovery Cut course N. 50°W. bears from  
N. End Center S. 41°09'W. 332.5 ft, 5x17x5.5 ft in rock  
and earth, Value \$ 15

No. 2, Shaft, bears from N. End Center S. 44°11'W. 333 ft  
in rock. 4x6x10 ft. Value \$ 40

Note: A 1/8 interest in No. 4 Shaft Gold Cord lode this survey  
is credited to this lode, Value \$2500

TEE DEE EMM LODE,

No. 1, Discovery Cut, course S. 60°E. the face of which  
bears from West End Center, N. 63°50'E 559 ft, 4x12x6 ft  
in rock, caved Value \$ 20

No. 2, Shaft, bears from West End Center N. 64°30'E.  
610 ft, 4x6x6 ft in rock, caved Value \$ 15

No. 3, Shaft, bears from Cor. <sup>N<sup>o</sup> 2</sup>, N. 59°37'E. 544 ft,  
4x6x5 ft in rock, caved Value \$ 20.

No. 4, Shaft, bears from Cor. <sup>N<sup>o</sup> 2</sup>, N. 60°30'E. 580 ft  
5x7x15 ft in rock Value \$100

No. 5, Shaft, bears from Cor. <sup>N<sup>o</sup> 2</sup>, N. 60°40'E. 661 ft  
4x6x5 ft in rock, caved Value \$ 15.

No. 6, Shaft, bears from Cor. <sup>N<sup>o</sup> 2</sup>, N. 61°15'E. 700 ft  
4x6x6 ft in rock, caved Value \$ 15

Note: A 1/8 interest in No. 4 Shaft Gold Cord Lode this survey  
is credited to this lode. Value \$2500.

(Expenditure of Five Hundred Dollars, cont)

GOLD CORD EXTENSION LODE. No. 1, Discovery Shaft bears from N.End Center S.25°33'W. 320 ft, 6x8x8 ft in rock

Value \$ 40

No. 2, Shaft, bears from Cor. <sup>N°</sup> 4, S.71°W. 426 ft, 5x8x8 ft in rock

Value \$ 40

Note: A 1/8 interest in Shaft No. 4 Gold Cord Lode this survey is credited to this lode,

Value \$2500

GOLD CORD LODE, No. 1, Discovery Shaft, bears from N. End Center S.32°30'W. 93 ft, 5x8x23 ft in rock, Value \$100

No 2, Shaft, bears from Cor. <sup>N°</sup> 1, S.70°10'W. 388 ft, 5x7x100 ft in rock, timbered,

Value \$1500

No. 3, Shaft, bears from Cor. <sup>N°</sup> 1, S.64°12'W. 520 ft.

5x7x100 ft in rock, timbered Value \$1500

No. 4, Main working Shaft, bears from Cor. <sup>N°</sup> 1, S.55°50'W.

561 ft. 6x8x220 ft in rock timbered in two compartments;

at 100 ft, drifts have been driven along the vein and

cross cuts driven north, south and west, a total of

390 ft; a winze has been also sunk 50 ft from this level;

on the 150 ft level, cross cuts have been driven 172 ft;

the total value of this improvement is \$20,000., and as

this is the main working shaft for the development of

the contiguous claims of the group and was sunk for the

purpose, it is considered to be a common improvement,

and it is requested by the claimants that of this amount,

\$2500 be applied to each of the eight claims for their

common development. Value \$20000.

Note Value of 1/8 interest credited to this claim \$2500

MILL LODE. No.1, Discovery Cut, the face of which bears from S.End Center, N.35°E. 366 ft, course S.30°W. 4x15x11 ft in earth and rock Value \$ 30

Note: A 1/8 interest in No. 4 shaft Gold Cord Lode this survey is credited to this lode, Value \$2500

FRACTION LODE, No. 1, Discovery Shaft, bears from S.End

Center, N.31°E. 328 ft 6x8x16 ft in rock Value \$ 40

(Expenditure of Five Hundred Dollars, cont)

Center, N.34°E. 239 ft. 5x6x10 ft in rock Value \$ 40  
*Note:* A 1/8 interest in No. 4 Shaft, Gold Cord lode this survey is credited to this lode, Value \$2500  
 MILL EXTENSION LODE. No. 1, Discovery Shaft bears from S.End center N.35°56'E. 220 ft, 4x5x10 ft Value \$ 30  
*Note:* A 1/8 interest in No. 4, Shaft, Gold Cord lode this survey is credited to this lode Value \$2500

OTHER IMPROVEMENTS.

From Cor. 1 Gold Cord Lode the following buildings are located:-

Steam Stamp Mill, N.E.Cor. bears S.23°18'W 296 ft; course long side S.67°W. main building 70x47 ft, boiler room 12x27 ft Value \$15000  
 Engine room 20x22 ft; N.E.Cor. bears S.55°50'W. 585 ft; course N.W.side S.55°W. 22 ft Value \$1000  
 Store room, 10x12 ft; N.E.Cor bears S.43°58'W 430 ft; course N. Side S.70°W. 10 ft. Value \$ 50  
 Assay Office, 12x22 ft; N.E.Cor bears S.44°W. 205 ft course N.W.side S.45°W 12 ft Value \$ 125  
 Kitchen, 14x30 ft; S.E.Cor bears S.85°17'W 166 ft; course S.side S.70°W. 30 ft Value \$ 200  
 Bunk House, 14x40 ft; S.E.Cor bears N.80°W. 132 ft; course S.side S.70°W. 40 ft. Value \$ 200  
 Supt House & Office 25x25 ft; N.E.Cor bears N.56°20'W. 340 ft; course N.side N.55°W. Value \$ 500

INSTRUMENTS.

This survey was made with a Gurley Light Mountain Transit with Burts Solar Attachment; the courses were deflected from the true meridian as determined by solar observation; the distances were measured with 100 and 500 ft steel tapes and angles repeated.

## REPORT.

11

The side and end lines of each location of this survey were run upon the ground and the corners and end centers established thereby; all the original and amended corners and end centers are in place, and consist of iron pipe marked with a number set in the ground alongside of a substantial mound of stones, the key to the numbers being a map on file in the office of the Company; the side monuments of the Regis and Tee Dee Emm lodes are stone monuments without the iron pipe, but were shown to me as the original monuments; all the corner, side and end monuments of the conflicting unsurveyed claims except the N.E. Corner of the Bulls Eye Lode are marked with numbered pieces of iron pipe with stone monuments alongside, the key to the numbers being the general lode map on file in the office of the Company; the N.E. Corner of the Bulls Eye lode unsurveyed, John Mallon claimant, was not in, but the position was shown me by Mallon and was accepted by Mr. Jayne the Superintendent of the Mascot Mining Co for the purpose of exclusion.

Corner No 1, Survey No. 2793, Little Puck Lode, is a pine post 4 by 4 inches and scribed LP-1-2793.

The common corner of Sections 20, 21, 16 and 17, T8s, R22E. is a large monument of stones in which is set a square stake marked with 3 notches on the south edge and 4 notches on the east edge; there is also a large stencilled signboard in the monument marked "This marks Reserve Boundary"; The north  $\frac{1}{4}$  Corners of Secs 20 and 21 are stones set in the ground and chiseled " $\frac{1}{4}$ "; the east  $\frac{1}{4}$  Corner of Sec 17 is a granite rock about 5x10 in set firmly in the ground, with "4" on the west side almost obliterated: The  $\frac{1}{4}$  Corner of Sec 20 was not in so a line was run to the corner of Secs. 20, 21, 28 and 29 which was in place and consists of a granite rock 6x12 inches marked with 2 notches on the south and 4 notches on the east sides with a substantial mound of

(Report, cont)

notches on the east sides with a substantial mound of stones on the west side; the  $\frac{1}{4}$  Corner was established on line between the two section corners and half way between them, or at 2645.2 ft.

Discrepancies in the distances called for in the location notices, and the monuments found on the ground, are due to errors in the notices.

The topographical location of the main workin shaft No. 4 on the Gold Cord Lode is ideal for a common development shaft, the bottom of the shaft being at least 150 ft below the lowest point on the surface of any of the claims of the survey.

#### *Adjoining Claims.*

The adjoining contiguous claims are as follows:-

West and North of the Regis, the Golden Treasure lode, unsurveyed, John Mallon claimant; West of the Tee Dee Emm, the Nora D., unsurveyed, T. D. Duncan claimant; South of the Tee Dee Emm and Gap lodes, the Copper Giant lode, unsurveyed, John Mallon Claimant; South of the Gold Cord Extension, the Bronquito lode, unsurveyed, Mascot Mining Co claimant; East of the Gold Cord Extension, the Bulls Eye, unsurveyed, John Mallon claimant, and the Public Domain; South of the Mill and Fraction lodes, the Bulls Eye and Silver Bell, both unsurveyed, John Mallon claimant; East of the Fraction Lode, the Silver Bell lode unsurveyed, John Mallon claimant and the Keystone Jr. lode, unsurveyed, Mascot Mining Co claimant; North of the Fraction and East and North of the Mill Extension, the Public Domain; West of the Mill Extension lode, the Junio lode, unsurveyed, Mascot Mining Co claimant; and the Public Domain; North of the Mill and Gold Cord lodes, the Junio unsurveyed; None of these contiguous claims have been surveyed except the Junio and Golden Treasure, and as many of the monuments are missing

it is impossible to show them on the plat; the statement that they are contiguous is based upon information from those who are more or less familiar with the District in the immediate vicinity.

All the improvements on these claims were made by the claimant or its grantors.

The survey of the Mill claim which was the only location affected by the Amended Order of Survey dated April 9, 1910, was made subsequent to the receipt of said order.

As the nearest Notary was 32 miles distant, I administered the oath to my Assistants as U.S. Mineral Surveyor.

*Geo. S. Andrews*  
*U. S. Mineral Surveyor*

387-13  
2 5/6 13



# FINAL OATHS FOR SURVEYS.

## LIST OF NAMES.

A list of the names of the individuals employed by Geo. S. Audrus

United States Mineral Surveyor, to assist in running, measuring, and marking the lines, corners, and boundaries described in the foregoing field notes of the survey of the mining claim of \_\_\_\_\_

Mascot Mining Company  
known as the Gold Cord, Gold Cord Extension, Sap, Tee Dee Creek, Regis, Mill, Mill Extension, & Fraction  
and showing the respective capacities in which they acted.

J Geo Hatley \_\_\_\_\_, Chainman.  
Jose Sandoval \_\_\_\_\_, Chainman.

\_\_\_\_\_, Axman.  
\_\_\_\_\_, Flagman.

## FINAL OATHS OF ASSISTANTS.

We, J Geo Hatley  
and Jose Sandoval \_\_\_\_\_, do solemnly swear that we assisted Geo. S. Audrus \_\_\_\_\_, United States Mineral Surveyor, in marking the corners and surveying

the boundaries of the mining claim of Mascot Mining Company

known as the Gold Cord, Gold Cord Extension, Sap, Tee Dee Creek, Regis, Mill, Mill Extension, & Fraction  
represented in the foregoing field notes as having been surveyed by said mineral surveyor and under his

direction; and that said survey has been in all respects, to the best of our knowledge and belief, faithfully and correctly executed, and the corner and boundary monuments established according to law and the instructions furnished by the United States Surveyor-General for Arizona \_\_\_\_\_

J Geo Hatley \_\_\_\_\_, Chainman.  
Jose Sandoval \_\_\_\_\_, Chainman.  
\_\_\_\_\_, Axman.  
\_\_\_\_\_, Flagman.

Subscribed and sworn to by the above-named persons before me this 16<sup>th</sup>

day of April \_\_\_\_\_, 19 10

Geo S Audrus  
U.S. Mineral Surveyor

FINAL OATH OF U. S. ~~DEPUTY~~ MINERAL SURVEYOR

I, Geo. S. Andrews, U. S. Deputy Mineral Surveyor, do solemnly swear that, in pursuance of instructions received from the United States Surveyor General for Arizona, dated April 9, 1910, I have, in strict conformity to the laws of the United States, the official regulations and instructions thereunder, and the instructions of said Surveyor General, faithfully and correctly executed the survey of the Mining Claim of the Mascot Mining Co, known as the Gold Cord, Gold Cord Extension, Sap. Tee Dee Emu, Regis, Mill, Mill Extension, + Fraction situate in Belark Mining District, Graham County, Arizona, in Sections 16 uns, 17, 20 & 21, Township No. 8 S., Range No. 22 E. and designated as Survey No. 2798, as represented in the foregoing field notes, which accurately show the boundaries of said mining claim as distinctly marked by monuments on the ground, and described in the attached copy of the location certificate, which was received by me from the Surveyor General with said instructions, and that all the corners of said survey have been established and perpetuated in strict accordance with the law, official regulations and instructions thereunder; and I do further solemnly swear that the foregoing are the true and original field notes of said survey and my report therein, and that the labor expended and improvements made upon said mining claim by claimant or its grantors are as therein fully stated, and that the character, extent, location and itemized value thereof are specified therein with particularity and full detail, and that no portion of said labor or improvements so credited to this claim has been included in the estimate of expenditures upon any other claim.

Geo. S. Andrews  
U. S. Deputy Mineral Surveyor.

Subscribed and sworn to by the said Geo. S. Andrews  
U. S. Deputy Mineral Surveyor, before me, A. R. Lynch, a Notary Public  
in and for Graham County Arizona this 21st  
day of May, A. D. 1910.

A. R. Lynch

Notary Public

My commission expires August 27-1912.

MAR 19 1910

TERRITORY OF ARIZONA)  
                                  )ss  
County of Graham        )

I, D. H. Claridge, County Recorder in and for the County of Graham, Territory of Arizona, do hereby certify that the foregoing within and following is a true, full, and complete copy of the within mentioned Mine location as the same appears of record in my office and I further Certify that the same is recorded in book 6 Records of Mines , of Graham County, Arizona, on page 427 and 428.

IN WITNESS WHEREOF, I have hereunto  
set my hand and affixed my official  
seal this 15th day of November, 1909.

D. H. Claridge  
County Recorder.

LOCATION NOTICE

Notice is hereby given that the under signed, in compliance with the requirements of the Mining act of Congress, approved May 10<sup>th</sup> 1872, has this day located and claim fifteen hundred linear feet along the course of this lead, or lode or vein of mineral bearing quartz, and 300 feet in width on each side of the middle of said lead, or lode or vein, situated in the Clark Mining District, County of Graham, Arizona, and more particularly described as follows, to-wit:

Commencing at this monument of stones being the center of the North end of claim, and upon which this notice is posted, thence Northwest 300 feet to a monument of stones, thence Southwest 1500 feet to a monument of stone, thence Southeast 300 feet to a monument of stone being the center of South end of the claim, thence Southeast 300 feet to a monument of stones, thence Northeast 1500 feet to a monument of stones thence Northwest 300 hundred feet to the place of beginning.

This claim is about three hundred yards west of Fort Grant & Cedar Springs Road, and formerly known as the Silver lead Mine, and now known as the Gold Cord Mine, Located Jan 1st 1891.

Witnesses G. A. Kirtley

T. D. Morris

R. J. Faris

Recorded at request of T. D. Morris Jan 3rd. 1891. at 2, P. M.

H. J. Dowdle

Co. Recorder

by L. Frye

Deputy.

NOV 19 1910

TERRITORY OF ARIZONA )  
County of Graham ) ss

I, D. H. Claridge, County Recorder in and for the County of Graham, Territory of Arizona, do hereby certify that the within and following is a true full and complete copy of the within mentioned mining location as the same appears of record in my office, and I further certify that the same is recorded in book 6 Records of Mines of Graham County, Arizona, on page 428 and 429.

IN WITNESS WHEREOF, I have hereunto  
set my hand and affixed my official  
seal this 15th day of November, 1909.

*D. H. Claridge*  
County Recorder.

## L O C A T I O N      N O T I C E

Notice is hereby given that the undersigned in compliance with the requirements of the Mining act of Congress, approved May 10" 1872 has this day located and claim 1500 feet linear feet along the course of this lead or lode or vein, of mineral bearing Quartz, and 300 feet in width on each side of the middle of said lead, or lode, or vein situate in the Clark Mining District, County Of Graham Arizona. and is more particularly described as follows, to-wit:

Commencing at a monument of stones being the center of the North end of claim, and upon which this notice is posted, thence Northwest 300 feet to a monument of stones, thence Southwest 1500 feet, to a monument of stones, thence Southeast 300 feet to a monument of stones, being the center of the South end of claim, thence Shouth east 300 feet to a monument, thence Northeast 1500 feet to a monument of stones, thence Northwest 300 feet to the place of beginning,.

This claim is about six hundred yards west of the Fort Grant and Cedar Springs Road, and Formerly known as the Silver Top Mine, but now known as the Gold Cord Extension, and shall be known as the Gold cord Extension Mine.

Located Jan 1st 1891,

Witnesses

G.A.Kirtley

R. J. Faris.

T. D. Morris

Recorded at request of T. D. Morris Jan 3rd 1891, at 2, P. M.

H. J. Dowdle

Co. Recorder.

By L. Frye

Deputy

got

MAR 19 1910

TERRITORY OF ARIZONA )  
County of Graham, )

I, D. H. Claridge County Recorder in and for the County of Graham, Territory of Arizona, do hereby certify that the within and following is a true full and complete copy of the within mentioned mining location, as the same appears of record in my Office and I further certify that same is recorded in book 20 Record of Mines on page 297, Records of Graham County,

IN WITNESS WHEREOF, I have hereunto set my hand and affixed my official seal this 15th day of November A.D. 1909

*D. H. Claridge*  
County Recorder,

NOTICE OF MINING LOCATION.

LODE CLAIM.

TO ALL WHOM IT MAY CONCERN:

This Mining Claim, the name of which is the Gap Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purpose of exploration and purchase by the Mascot Mining Company an Arizona Corporation, the undersigned, on the 22nd day of October, 1908.

The length of this claim is 1500 feet and we claim 230 feet in a North easterly direction, and 1270 feet in a Southwesterly direction from the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with 300 feet in width of the surface grounds, on each side of the center of said claim. The general course of the lode deposit and premises is from the northeast to the southwest.

The claim is situated and located in the Clark Mining District, in Graham County, in the Territory of Arizona, about 550 feet in a Westerly direction from the Main working shaft of the Gold Cord Claim owned by said Mascot Mining Company.

The surface boundaries of the claim are marked upon the ground as follows: Beginning at a stone monument at a point in a southwesterly direction 1270 feet from the discovery shaft (at which this notice is posted), being in the center of the Southwest end line of said claim; thence southeasterly 300 feet to a stone monument, being the Southeast corner of said claim; thence Northeasterly 1500 feet to a stone monument, being at the Northeast corner of said claim; thence northwesterly 300 feet to a stone monument at the center of the north east end of said claim; thence northwesterly 300 feet to a stone monument, being at the northwest corner of said claim; thence southwesterly 1500 feet to a stone monument at the southwest corner of said claim; thence South easterly 300 feet to the place of beginning.

All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of the United States, and an Act of the General Assembly of Arizona, entitled "An Act to Revise and Codify the Laws of the Territory of Arizona," as amended March 18th, 1901.

Dated and posted on the ground this 22d day of October, 1908,

The Mascot Mining Company, B. D. Jayne its Agent.

Filed and recorded at request of D. D. Jayne, Oct 22, 1908 at 2 P.M.

MIT SIMMS County Recorder.



MAR 19 1910

TERRITORY OF ARIZONA)  
                                  )ss.  
County of Graham,         )

I, D. H. Claridge, County Recorder in and for the County of Graham, Territory of Arizona, do hereby certify that the within and following is a true, full, and complete copy of the within mentioned Mining Location, as the same appears of record in my office, and I further certify that the same is recorded in book 11, Records of Mines page 206, Records of Graham County, Arizona,

IN WITNESS WHEREOF, I have hereunto set my hand and affixed my official seal, this 15th day of November, 1909.

*D. H. Claridge*  
County Recorder,.

TDM

lode claim

TO ALL WHOM IT MAY CONCERN, this mining claim the name of which is the Tee Dee Emm, Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposit, was entered upon and located for the purpose of exploration and purchase by T. D. Morris the undersigned on the 27th day of March 1899.

The length of this claim is 1500 feet and this claim is 750 feet in a Southwesterly direction, and 750 feet in a Northeasterly direction from the center of the discovery shaft (at which this notice is posted, lengthwise of the claim, together with 300 feet in width of the surface ground on each side of the center of said claim.

The general course of the lode deposit, <sup>and premises</sup> is from the Northeast to the Southwest.

The claim is situated and located in the Clark Mining District, in Graham County, Territory of Arizona, about one half mile in a Westerly direction from T. D. Morris mine known as the Gold Quartz Mine.

The surface boundaries of the claim are marked upon the ground as follows:

Beginning at a monument of stones at a point in a Northeasterly direction 750 feet from the discovery shaft (at which this notice is posted) being the center of the Northeast end line of said claim, thence Northwest-erly 300 feet to a monument of stones, being the Northeast corner of said; .....thence southwest 750 feet to a monument of stones at the center of the Northwest side line of said claim; thence Southwest 750 feet to a monument of stones being at the Northwest corner of said claim; thence Southeasterly 300 feet to a monument of stones at the center of the Southwest end of said claim; thence Southeasterly 300 feet to a monument of stones, being at the Southwest corner of said claim; thence Northeast-erly 750 feet to a monument of stones being at the center of the Southeast-erly side line of said claim; thence Northeasterly 750 feet to a monument of stones at the Northeast corner of said claim; thence Northwesterly 300 feet to the place of beginning.

All done under the provisions chapter Six of Title XXXII, of the revised Statutes of the United States, and of an act of the General Assembly of Arizona, Entitled "An act concerning Mines" approved March 20" 1895,

Dated and posted on the ground this 27th day of March 1899.

Witnesses Dan Oliver  
Chas Baker.

T. D. Morris

Recorded at the request of T.D.Morris, June 24th 1899, at 11, A'clock A.M.

P. Michelena,

Recorder.

MAR. 19. 1910

TERRITORY OF ARIZONA }  
County of Graham, } ss

I, D. H. Claridge, County recorder in and for the County of Graham, Territory of Arizona, do hereby certify that the within and following is a true, full and complete copy of the within mentioned Mining Location, as the same appears of record in my office, and I further certify that same is recorded in book 18 Record of Mines, on page 309, records of Graham County, Arizona.

IN WITNESS WHEREOF, I have hereunto  
set my hand and affixed my official  
seal this 15th day of November, 1909.

D. H. Claridge  
County Recorder.

SAN ANTONIO  
BOARD

NOTICE OF MINING LOCATION  
Lode Claim

36

TO ALL WHOM IT MAY CONCERN,

This Mining Claim, the name of which is the Regis Mining Claim situate on lands belonging to the United States of America, and in which there is valuable mineral deposits, was entered upon and located for the purpose of exploration and purchase by The Mascot Mining Company Citizens of the United States, the undersigned on the first day of January 1906, the length of this claim is fifteen hundred feet and we claim 1000 feet in a North-easterly direction, and five hundred feet in South-westerly direction from the center of the discovery shaft at which this notice is posted, lengthwise of the claim, together with one hundred and fifty feet in width of the surface grounds, on each side of the center of said claim.

The general course of the lode deposit and premises is from the Northeast to the Southwest,.

The Claim is situated and located in the Clark Mining District, Graham County, Territory of Arizona, about four miles in a Southerly direction from the Cedar Spring Ranch, and joins the Gold Cord Mine on the North and the Tee Dee Emm Mine on the Northeast.

The surface boundaries of the claim are marked upon the ground as follows:

Beginning at point in a Northeasterly direction one thousand feet from the discovery shaft (at which this notice is posted), being in the center of the Northeast end line of said claim; thence N. W. one hundred and fifty feet to a monument of stone, being the N. W. Corner of said claim; thence S. W. 750 feet to a monument of stone at the center of the North side line of said claim; thence S.W. 750 feet to a monument of stones being at the S.W. corner of said claim; thence S. E. 150 feet to a monument of stones at the center of the S. W. end of said claim; thence S. E. 150 feet to a monument of stones being the S.E. corner of said claim; thence N.E. 750 feet to a monument of stones being at the center of the South side line of said claim; thence N.E. 750 feet to a monument of stones at the N.E. corner of said claim; thence N.W. 150 feet to the place of beginning.

All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of the United States, and of an act of the general Assembly of Arizona, entitled "An act concerning mines" approved March 20" 1895, and amended March 2nd 1899.

Dated and posted on the ground this first day of January, 1906.  
F.A. Mulkins } witnesses  
H.I. Hall } The Mascot Mining Company, Locators.

Filed and recorded at the request of Mascot Mining Company March 12" 1906, at 9 o'clock, A.M.

TERRITORY OF ARIZONA, } ss.:  
County of Graham,

APR 8- 1910

I, D. H. Claridge, County Recorder in and for the County of Graham, Territory of Arizona, do hereby certify <sup>37</sup>  
that the within and following, is a true, full, and complete copy of the within mentioned Amended

Mining Location of the Mill. Mining Location, Lode claim.  
as the same appears of record in my office, in book 22 of Records of Mines  
Records of Graham County, Ariz. at page 17, 18

IN WITNESS WHEREOF, I have hereunto set my hand and seal of office this  
6th day of April A. D. 1910

(SEAL)

D. H. Claridge  
County Recorder.

To Whom It May Concern:-

This mining claim, the name of which is the Mill Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purposes of exploration and purchase by the Mascot Mining Company, an Arizona corporation, the undersigned, on the 2d. day of April, 1910.

The length of this claim is 1500 feet, and we claim 600 feet in a South-Westerly direction, and 900 feet in a North-Easterly direction from the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with 300 feet in width of the surface grounds, on each side of the center of said claim. The general course of the lode deposit and premises is from the North east to the South west.

The ~~said~~ claim is situated and located in the Clark Mining District, in Graham County, in the Territory of Arizona, about four miles in an Easterly direction from Cedar Springs Ranch.

The surface boundaries of the claim are marked upon the ground as follows;- Beginning at a monument of stones at a point in a South Westerly direction 600 feet from the discovery shaft (at which this notice is posted) being in the center of the South Westerly end line of said claim; thence South Easterly 300 feet to a monument of stones, being the South East corner of said claim; thence North Easterly 1500 feet to a monument of stones, being at the North-East corner of said claim; thence North Westerly 300 feet to a monument of stones, at the center of the Northeasterly end of said claim; thence North-Westerly 300 feet to a monument of stones, being at the North West corner of

said claim; thence South-Westerly 1500 feet to a monument of stones, at the South West corner of said claim; thence South Easterly 300 feet to the place of beginning.

All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of the United States, and of an act of the General Assembly of Arizona, entitled "An Act to Revise and Codify the laws of the Territory of Arizona," approved March 16, 1901.

This is an amended location notice of the Mill Mining Claim, located by the Mascot Mining Company, an Arizona corporation, on the 19<sup>th</sup> day of November 1907, and recorded in Book 20 of Records of Mines, at page 59 in the office of the County Recorder of the aforesaid County of Graham, to which reference is hereby made, and this amended location notice is made and posted to correct errors in the description in the said original Location Notice, without waiving any rights acquired under said original location, and to supercede the location notice dated the 21st day of March, 1910, recorded in Book 21 of Records of Mines at page 137, in the office of the County Recorder of aforesaid County of Graham, which said notice was in error filed as original notice of location, instead of as an amended notice of location.

Dated and posted on the ground this 2d day of April, 1910.

The Mascot Mining Company  
a corporation  
 By D. D. Jaynes  
its agent

Filed and recorded at the request of D. D. Jaynes April 6th 1910.  
 at 9 O'clock A. M.

D. H. Claridge  
 County Recorder.





Lode claim

To All whom it may concern:

This Mining Claim, the name of which is the Mill extension Mining Claim, situate on lands belonging to the United States of America,, and in which there are valuable mineral deposits, was entered upon and located for the purpose of exploration and purchase by the Mascot Mining Company, an Arizona Corporation, the Under signed on the ninth day of November, 1909,

The length of this claim is 1500 feet, and we claim 160 feet in a Southwesterly dirextion and 1340 feet in a Northeasterly direction from the center of the discovery shaft at which this Notice is posted, length wise of the claim, together with 300 feet in width of the surface grounds, on each side of the center of said Claim,.

The general course of the lode deposit and premises is from the Southwest to the Northeast.

The Claim is situated and located in the Clark Mining District, in Graham County, Territory of Arizona, about 1600 feet in a Northeasterly direction from the Mascot Mining Co's Mill.

The Surface boundaries of the claim are marked upon the ground as follows:

Beginning at a monument ofc stone at a point in a Southwesterly direction , 160 feet from the discovery shaft (at which this notice is posted) being in the center of the Southwest end line of said claim; thence Southeasterly 300 feet to a monument of stones, being the Southeast corner of said claim; thence Northeasterly 1500 feet to a monument of stones, being at the Northeast corner of said claim; thence Northwesterly 300 feet, to a monument of stone, at the center of the Northeast end of said claim; thence Northwesterly 300 feet to a monument of stones being at the Northwest corner of said claim; thence Southwesterly 1500 to a monument of stones at the Southwest corner of said claim; thence Southeasterly 300 feet to the place of beginning.

All done under the provissions of Chapter Six , Title XXXII, of the revised statutes of the United States, and an act of the general Assembly of Arizona, entitled "An act to revise and codify the laws of the Territory of Arizona" approved March 16 th 1901.

The Mascot Mining Company,

By D. D. Jayne , Supt.

Filed and recorded at the request of D.D? Jayne Nov, 11, 1909, at 4, P.M.

D. H. Claridge,  
County Recorder.

by E. R. Claridge,  
Deputy Recorder.

Fraction

MAR 19 1910

42

TERRITORY OF ARIZONA  
County of Graham

ss.

I, D. H. Claridge, County Recorder in and for the County of Graham, Territory of Arizona, do hereby certify that the within and following, is a true full and complete copy of the within mentioned Mining location as the same appears of record in my office and I further certify that the same is recorded in Book 20 Records of Mines, on page 295.

IN WITNESS WHEREOF I, have hereunto  
set my hand and affixed my official  
seal this 15th day of November 1909

D. H. Claridge  
County Recorder.

NOTICE OF MINING LOCATION

Lode Claim.

TO ALL WHOM IT MAY CONCERN;

This Mining claim the name of which is the FRAC TON Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purpose and exploration and purchase by the Mascot Mining Company, an Arizona Corporation, the undersigned on the 24th day of October 1908,

The length of this Claim is 1500 feet and we claim 460 feet in a Southwesterly direction, and 1040 feet in a Northeasterly directionn form the center of the Discovery shaft, at which this notice i s posted, lengthwise of the claim, together with 300 feet in width of the surface grounds on each side of the center of said Claim.

The general course of the lode deposit, <sup>and premises</sup> is from the Southwest to the Northeast, The claim is situated in the Clark Mining District, in Graham, County, in the Territory of Arizona, and side lines the Mill Claims of the Mascot mining Co on which the Mill of said Company partly **stands**.

The surface boundaries of the claim are marked upon the ground as follows Beginning at a stone monument at a point in a Southwesterly direction 460 feet from the discovery shaft (at which this notice is posted), being in the center of of the Southwest end line of said claim, thence South easterly 300 feet to a stone monument south ea being th<sup>3</sup> Southeast corner of said claim thence north easterly 1500 feet to a stone monument, being at the northeast corner of said claim; thence northwesterly 300 feet to a stone monument at the center of the northeast end of said claim; thence northwesterly 300 feet to a stone monument, being at the northwest corner of said claim; thence south westerly 1500 feet to a stone monument at the southwest corner of said claim; thence south easterly 300 feet to the place of beginning.

All done under the provisions of Chapter Six, of Title **LXXII**, of the Revised Statutes of the United States, and an Act of the General Assembly of Arizona, entitled "An Act to Revise and Codify the Laws of the Territory of Arizona", approved March 16th, 1901.

Dated and posted on the ground this 24 day of October, 1908.

The Mascot Mining Company, by D.B. Jayne Agent.

Witness.....

Filed and recorded at the request of Delas D. Jayne, Oct 28, 1908, at 2, P.M.

MIT SIMMS, County Recorder.

U. S. SURVEYOR-GENERAL'S FINAL CERTIFICATE ON FIELD NOTES.

Department of the Interior,

OFFICE OF U. S. SURVEYOR-GENERAL,

Phoenix, Arizona,

October 20, 1910., 190

I, U. S. Surveyor-General for Arizona,

do hereby certify that the foregoing transcript of the Field Notes, return and approval of the survey of the mining claim of MASCOT MINING COMPANY,

known as the GOLD CORD, GOLD CORD EXTENSION, GAP, TEE DEE EML, RECIS, MILL, MILL EXTENSION and FRACTION, CLARK situate in

Mining District, Graham County, Arizona,

in Sections 16 Uns, 17, 20 & 21, Township No. 8 S., Range No. 22 E., and

designated as Survey No. 2798, has been correctly copied from the originals on file in this office; that said Field Notes furnish such an accurate description of said mining claim as will, if incorporated into a patent, serve fully to identify the premises, and that such reference is made therein to natural objects or permanent monuments as will perpetuate and fix the locus thereof.

And I further certify that five hundred dollars' worth of labor has been expended or improvements made upon said mining claim by claimant or its grantors, and that said improvements consist of 17 shafts, 6 cuts, 1 winze and 562 ft. of drifts and cross-cuts, total value \$24,460. Shaft No. 4 on the Gold Cord lode, being a common improvement for the benefit and development of this entire group of claims, an undivided one-eighth interest therein, value \$2500, is properly credited to each of the claims in this survey.

and that no portion of said labor or improvements has been included in the estimate of expenditures upon any other claim.

I further certify that the plat thereof, filed in the U. S. Land Office at Phoenix, Arizona,

is correct and in conformity with the foregoing Field Notes.

Frank S. Ingalls.

United States Surveyor-General for Arizona.

4-687.

**SURVEYOR-GENERAL'S CERTIFICATE OF APPROVAL OF FIELD  
NOTES AND SURVEY OF MINING CLAIM.**

**Department of the Interior,**

*Office of U. S. Surveyor-General,*

Phoenix, Arizona,

October 20, 1910., 190

I, U. S. Surveyor-General for Arizona,

do hereby certify that the foregoing and hereto attached Field Notes and Return of the Survey of the  
Mining Claim of Mascot Mining Company,

....., known as the  
Gold Cord, Gold Cord Extension, Gap, Tee Dee Dam, Regis, Mill,  
Mill Extension and Fraction,  
situate in CLARK Mining District,

Graham County, Arizona,

in Sections 16 Uns., 17, 20 & 21, Township No. 8 S., Range No. 22 E.

....., designated as Survey No. 2798

executed by Geo. S. Andrus, U. S. Deputy Mineral

Surveyor, April 4 - 16, 1910., 190, under my instructions dated

April 9, 1910., 190, have been critically examined and the necessary cor-

rections and explanations made, and the said Field Notes and Return, and the Survey they describe,

are hereby approved. A true copy of the copy of the location certificate filed by the applicant for

survey is included in the field notes.

*Frank J. Ingalls*

U. S. Surveyor-General for Arizona.